INNERHARBOR NAVIGATION CANAL, LA (INCLUDED IN TRAFFIC OF PORT OF NEW ORLEANS)

Section Included: From Mississippi River to Lake Pontchartrain, 5.5 miles. Maintained Depth: Lock to mile 2.1, 30 feet; to Seabrook Bridge, 30 feet; to Seabrook Light, 15 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	25,114	1995	25,043	1998	22,236*	**2001**	**19,220**
1993	26,430	1996	25,797	1999	20,479		
1994	25,467	1997	24,214	2000	21,168		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity		Total	Foreign			Canadian
			Inbound*	Outbound*	Through Downbnd	Inbound
Total, all commodities		**2,289**	**864**	**1,388**	**7**	**30**
Total coal		**1**	**0**	**1**	**—-**	**—-**
1100	coal lignite	0	0	0	—-	—-
1200	coal coke	1	0	1	—-	—-
Total petroleum and petroleum products		**65**	**38**	**27**	**—-**	**—-**
Subtotal crude petroleum		**0**	**0**	**0**	**—-**	**—-**
2100	crude petroleum	0	0	0	—-	—-
Subtotal petroleum products		**65**	**37**	**27**	**—-**	**—-**
2221	kerosene	0	—-	0	—-	—-
2330	distillate fuel oil	0	0	—-	—-	—-
2340	residual fuel oil	34	34	—-	—-	—-
2350	lube oil & greases	18	2	16	—-	—-
2410	petro. jelly & waxes	0	0	0	—-	—-
2429	naphtha & solvents	11	1	10	—-	—-
2430	asphalt, tar & pitch	0	—-	0	—-	—-
2540	petroleum coke	1	0	0	—-	—-
2640	liquid natural gas	0	0	0	—-	—-
Total chemicals and related products		**771**	**114**	**657**	**—-**	**—-**
Subtotal fertilizers		**5**	**3**	**2**	**—-**	**—-**
3110	nitrogenous fert.	1	0	1	—-	—-
3130	potassic fert.	0	0	—-	—-	—-
3190	fert. & mixes nec	3	2	1	—-	—-
Subtotal other chemicals and related products		**766**	**111**	**655**	**—-**	**—-**
3211	acyclic hydrocarbons	7	1	6	—-	—-
3212	benzene & toluene	4	2	2	—-	—-
3219	other hydrocarbons	29	5	24	—-	—-
3220	alcohols	11	5	6	—-	—-
3230	carboxylic acids	22	13	9	—-	—-
3240	nitrogen func. comp.	72	8	65	—-	—-
3250	organo - inorg. comp.	36	3	33	—-	—-
3260	organic comp. nec	18	5	12	—-	—-
3273	ammonia	0	—-	0	—-	—-
3274	sodium hydroxide	2	0	2	—-	—-
3275	inorg. elem.,oxides, & halogen salts	134	14	120	—-	—-
3276	metallic salts	18	6	11	—-	—-
3279	inorganic chem. nec	4	3	1	—-	—-
3281	radioactive material	0	0	—-	—-	—-
3282	pigments & paints	5	2	3	—-	—-
3283	coloring mat. nec	2	0	2	—-	—-
3284	medicines	3	1	3	—-	—-
3285	perfumes & cleansers	6	1	5	—-	—-
3286	plastics	173	19	154	—-	—-
3291	pesticides	126	5	121	—-	—-
3292	starches, gluten, glue	2	1	1	—-	—-
3297	chemical additives	13	3	10	—-	—-
3298	wood & resin chem.	2	1	0	—-	—-
3299	chem. products nec	78	13	64	—-	—-
Total crude materials, inedible except fuels		**241**	**110**	**98**	**2**	**30**
Subtotal forest products, wood and chips		**108**	**64**	**44**	**—-**	**—-**
4110	rubber & gums	51	51	1	—-	—-
4161	wood chips	0	—-	0	—-	—-
4170	wood in the rough	2	2	0	—-	—-
4189	lumber	53	11	42	—-	—-
4190	forest products nec	1	0	1	—-	—-
Subtotal pulp and waste paper		**29**	**0**	**28**	**—-**	**—-**
4225	pulp & waste paper	29	0	28	—-	—-
Subtotal soil, sand, gravel, rock and stone		**36**	**4**	**2**	**—-**	**30**
4310	building stone	4	4	—-	—-	—-
4322	limestone	0	0	—-	—-	—-
4323	gypsum	31	—-	1	—-	30
4331	sand & gravel	1	0	1	—-	—-
Subtotal iron ore and scrap		**2**	**0**	**0**	**2**	**—-**
4420	iron & steel scrap	2	0	0	2	—-
Subtotal non-ferrous ores and scrap		**8**	**2**	**6**	**—-**	**—-**
4650	aluminum ore	7	2	5	—-	—-
4670	manganese ore	0	—-	0	—-	—-
4680	non-ferrous scrap	1	0	1	—-	—-

INNERHARBOR NAVIGATION CANAL, LA (INCLUDED IN TRAFFIC OF PORT OF NEW ORLEANS)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign			Canadian
		Inbound*	Outbound*	Through Downbnd	Inbound
4690 non-ferrous ores nec	0	—	0	—	—
Subtotal sulphur, clay and salt	**14**	**0**	**14**	**—**	**—**
4782 clay & refrac. mat.	14	0	14	—	—
Subtotal other non-metal. min.	**44**	**40**	**4**	**—**	**—**
4900 non-metal. min. nec	44	40	4	—	—
Total primary manufactured goods	**319**	**174**	**141**	**4**	**—**
Subtotal paper products	**122**	**28**	**94**	**—**	**—**
5110 newsprint	2	—	2	—	—
5120 paper & paperboard	110	24	86	—	—
5190 paper products nec	10	4	6	—	—
Subtotal lime, cement and glass	**91**	**56**	**35**	**—**	**—**
5220 cement & concrete	28	28	0	—	—
5240 glass & glass prod.	2	1	1	—	—
5290 misc. mineral prod.	61	28	34	—	—
Subtotal primary iron and steel products	**41**	**38**	**3**	**—**	**—**
5312 pig iron	1	1	—	—	—
5315 ferro alloys	1	1	1	—	—
5320 i&s primary forms	3	3	0	—	—
5330 i&s plates & sheets	26	25	1	—	—
5360 i&s bars & shapes	3	3	0	—	—
5370 i&s pipe & tube	3	2	1	—	—
5390 primary i&s nec	4	3	1	—	—
Subtotal primary non-ferrous metal products	**60**	**48**	**8**	**4**	**—**
5421 copper	4	4	0	—	—
5422 aluminum	3	2	1	—	—
5429 smelted prod. nec	8	4	0	4	—
5480 fab. metal products	44	38	6	—	—
Subtotal primary wood products	**5**	**4**	**1**	**—**	**—**
5540 primary wood prod.	5	4	1	—	—
Total food and farm products	**465**	**233**	**232**	**—**	**—**
Subtotal fish	**3**	**3**	**0**	**—**	**—**
6134 fish (not shellfish)	0	0	0	—	—
6136 shellfish	3	3	0	—	—
Subtotal grain	**59**	**—**	**59**	**—**	**—**
6344 corn	40	—	40	—	—
6442 rice	19	—	19	—	—
Subtotal oilseeds	**17**	**9**	**8**	**—**	**—**
6521 peanuts	7	7	—	—	—
6522 soybeans	0	—	0	—	—
6590 oilseeds nec	10	2	8	—	—
Subtotal vegetable products	**14**	**8**	**7**	**—**	**—**
6653 vegetable oils	1	0	1	—	—
6654 vegetables & prod.	13	7	6	—	—
Subtotal processed grain and animal feed	**15**	**2**	**14**	**—**	**—**
6746 wheat flour	0	—	0	—	—
6747 grain mill products	12	2	11	—	—
6781 hay & fodder	0	—	0	—	—
6782 animal feed, prep.	3	0	3	—	—
Subtotal other agricultural products	**356**	**212**	**144**	**—**	**—**
6811 meat, fresh, frozen	72	1	71	—	—
6817 meat, prepared	1	0	0	—	—
6822 dairy products	1	0	1	—	—
6835 fish, prepared	1	1	0	—	—
6838 tallow, animal oils	1	0	1	—	—
6839 animals & prod. nec	4	1	3	—	—
6857 fruit & nuts nec	1	1	0	—	—
6858 fruit juices	2	1	1	—	—
6861 sugar	21	—	21	—	—
6865 molasses	0	—	0	—	—
6871 coffee	178	172	6	—	—
6885 alcoholic beverages	18	17	1	—	—
6888 water & ice	6	6	0	—	—
6889 food products nec	26	13	14	—	—
6891 tobacco & products	0	0	—	—	—
6893 cotton	25	0	24	—	—
6894 natural fibers nec	0	0	0	—	—
6899 farm products nec	0	0	0	—	—
Total all manufactured equipment, machinery and products	**387**	**180**	**206**	**—**	**—**
7110 machinery (not elec)	47	32	15	—	—
7120 electrical machinery	34	18	16	—	—
7210 vehicles & parts	8	6	3	—	—
7220 aircraft & parts	0	0	0	—	—
7230 ships & boats	1	1	0	—	—
7300 ordnance & access.	0	0	0	—	—
7400 manufac. wood prod.	12	7	5	—	—
7500 textile products	110	70	41	—	—
7600 rubber & plastic pr.	127	20	107	—	—
7900 manufac. prod. nec	47	27	20	—	—
Total unknown or not elsewhere classified	**40**	**14**	**27**	**—**	**—**
9900 unknown or nec	40	14	27	—	—

INNERHARBOR NAVIGATION CANAL, LA (INCLUDED IN TRAFFIC OF PORT OF NEW ORLEANS)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign			Canadian
		Inbound*	Outbound*	Through Downbnd	Inbound
Ton-miles (x1000) Foreign & Canadian	**2,302**	**864**	**1,388**	**20**	**30**

Commodity	Total	Coastwise			
		Receipts	Shipments	Through Upbound	Through Downbnd
Total, all commodities	**817**	**121**	**164**	**521**	**11**
Total petroleum and petroleum products	**383**	**—-**	**—-**	**383**	**—-**
Subtotal crude petroleum	**13**	**—-**	**—-**	**13**	**—-**
2100 crude petroleum	13	—	—	13	—
Subtotal petroleum products	**370**	**—-**	**—-**	**370**	**—-**
2211 gasoline	61	—	—	61	—
2330 distillate fuel oil	1	—	—	1	—
2340 residual fuel oil	19	—	—	19	—
2640 liquid natural gas	30	—	—	30	—
2990 petro. products nec	259	—	—	259	—
Total chemicals and related products	**56**	**—-**	**—-**	**56**	**—-**
Subtotal other chemicals and related products	**56**	**—-**	**—-**	**56**	**—-**
3274 sodium hydroxide	54	—	—	54	—
3276 metallic salts	1	—	—	1	—
Total crude materials, inedible except fuels	**9**	**—-**	**—-**	**—-**	**9**
Subtotal forest products, wood and chips	**0**	**—-**	**—-**	**—-**	**0**
4189 lumber	0	—	—	—	0
Subtotal iron ore and scrap	**9**	**—-**	**—-**	**—-**	**9**
4420 iron & steel scrap	9	—	—	—	9
Total primary manufactured goods	**11**	**4**	**7**	**—-**	**0**
Subtotal primary iron and steel products	**0**	**—-**	**—-**	**—-**	**0**
5360 i&s bars & shapes	0	—	—	—	0
Subtotal primary non-ferrous metal products	**11**	**4**	**7**	**—-**	**0**
5480 fab. metal products	11	4	7	—	0
Total food and farm products	**81**	**—-**	**—-**	**81**	**—-**
Subtotal other agricultural products	**81**	**—-**	**—-**	**81**	**—-**
6889 food products nec	81	—	—	81	—
Total all manufactured equipment, machinery and products	**276**	**117**	**157**	**1**	**1**
7110 machinery (not elec)	1	—	—	1	—
7230 ships & boats	0	—	—	0	—
7300 ordnance & access.	0	—	—	0	—
7500 textile products	0	—	—	—	0
7600 rubber & plastic pr.	1	—	—	—	1
7900 manufac. prod. nec	274	117	157	—	—
Ton-miles (x1000) Coastwise	**68,033**	**37**	**67**	**66,509**	**1,419**

Commodity	Total	Internal					
		Inbound		Outbound	Through		Intra
		Upbound	Downbnd	Downbnd	Upbound	Downbnd	Upbound
Total, all commodities	**16,114**	**986**	**269**	**214**	**9,044**	**5,596**	**4**
Total coal	**2,340**	**2**	**—-**	**—-**	**2,324**	**15**	**—-**
1100 coal lignite	2,330	2	—	—	2,316	12	—
1200 coal coke	10	—	—	—	8	3	—
Total petroleum and petroleum products	**4,990**	**46**	**—-**	**0**	**2,249**	**2,694**	**—-**
Subtotal crude petroleum	**990**	**—-**	**—-**	**—-**	**238**	**752**	**—-**
2100 crude petroleum	990	—	—	—	238	752	—
Subtotal petroleum products	**4,000**	**46**	**—-**	**0**	**2,012**	**1,942**	**—-**
2211 gasoline	982	—	—	—	804	178	—
2330 distillate fuel oil	725	4	—	0	185	536	—
2340 residual fuel oil	818	42	—	—	390	386	—
2350 lube oil & greases	5	—	—	—	5	—	—
2429 naphtha & solvents	203	—	—	—	73	130	—
2430 asphalt, tar & pitch	456	—	—	—	168	288	—
2540 petroleum coke	66	—	—	—	63	3	—
2640 liquid natural gas	384	—	—	—	27	357	—
2990 petro. products nec	361	—	—	—	297	64	—
Total chemicals and related products	**3,744**	**2**	**—-**	**6**	**2,038**	**1,699**	**—-**
Subtotal fertilizers	**552**	**2**	**—-**	**6**	**181**	**364**	**—-**
3110 nitrogenous fert.	167	2	—	—	148	17	—

INNERHARBOR NAVIGATION CANAL, LA (INCLUDED IN TRAFFIC OF PORT OF NEW ORLEANS)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal					
		Inbound		Outbound	Through		Intra
		Upbound	Downbnd	Downbnd	Upbound	Downbnd	Upbound
3120 phosphatic fert.	153	—	—	1	2	150	—
3130 potassic fert.	11	—	—	—	11	—	—
3190 fert. & mixes nec	221	—	—	4	20	196	—
Subtotal other chemicals and related products	**3,192**	**—**	**—**	**—**	**1,857**	**1,335**	**—**
3211 acyclic hydrocarbons	221	—	—	—	3	218	—
3212 benzene & toluene	513	—	—	—	200	313	—
3219 other hydrocarbons	1,220	—	—	—	857	363	—
3220 alcohols	215	—	—	—	148	68	—
3240 nitrogen func. comp.	97	—	—	—	34	64	—
3260 organic comp. nec	114	—	—	—	1	113	—
3271 sulphur (liquid)	68	—	—	—	35	33	—
3272 sulphuric acid	202	—	—	—	107	95	—
3273 ammonia	129	—	—	—	129	—	—
3274 sodium hydroxide	258	—	—	—	241	17	—
3275 inorg. elem.,oxides, & halogen salts	78	—	—	—	28	51	—
3276 metallic salts	30	—	—	—	29	1	—
3279 inorganic chem. nec	3	—	—	—	3	—	—
3299 chem. products nec	45	—	—	—	44	1	—
Total crude materials, inedible except fuels	**3,325**	**709**	**50**	**193**	**2,067**	**301**	**4**
Subtotal forest products, wood and chips	**98**	**—**	**—**	**—**	**89**	**9**	**—**
4161 wood chips	88	—	—	—	79	9	—
4189 lumber	10	—	—	—	10	—	—
Subtotal pulp and waste paper	**13**	**—**	**—**	**—**	**—**	**13**	**—**
4225 pulp & waste paper	13	—	—	—	—	13	—
Subtotal soil, sand, gravel, rock and stone	**2,126**	**640**	**2**	**—**	**1,455**	**30**	**—**
4322 limestone	1,423	227	2	—	1,170	24	—
4323 gypsum	195	162	—	—	33	—	—
4331 sand & gravel	360	251	—	—	103	6	—
4335 waterway improv. mat	149	—	—	—	149	—	—
Subtotal iron ore and scrap	**464**	**13**	**—**	**163**	**125**	**164**	**—**
4410 iron ore	14	—	—	—	14	—	—
4420 iron & steel scrap	450	13	—	163	110	164	—
Subtotal marine shells	**3**	**—**	**—**	**—**	**—**	**3**	**—**
4515 marine shells	3	—	—	—	—	3	—
Subtotal non-ferrous ores and scrap	**109**	**—**	**—**	**—**	**71**	**39**	**—**
4650 aluminum ore	33	—	—	—	33	—	—
4670 manganese ore	3	—	—	—	2	1	—
4690 non-ferrous ores nec	73	—	—	—	36	37	—
Subtotal sulphur, clay and salt	**29**	**—**	**—**	**—**	**17**	**12**	**—**
4782 clay & refrac. mat.	29	—	—	—	17	12	—
Subtotal slag	**179**	**23**	**49**	**—**	**82**	**25**	**—**
4860 slag	179	23	49	—	82	25	—
Subtotal other non-metal. min.	**303**	**34**	**—**	**29**	**229**	**7**	**4**
4900 non-metal. min. nec	303	34	—	29	229	7	4
Total primary manufactured goods	**1,428**	**218**	**217**	**7**	**306**	**681**	**—**
Subtotal paper products	**2**	**—**	**—**	**—**	**—**	**2**	**—**
5120 paper & paperboard	2	—	—	—	—	2	—
Subtotal lime, cement and glass	**916**	**206**	**216**	**3**	**38**	**453**	**—**
5220 cement & concrete	910	203	216	3	37	451	—
5290 misc. mineral prod.	6	2	—	—	2	2	—
Subtotal primary iron and steel products	**438**	**11**	**1**	**0**	**234**	**193**	**—**
5312 pig iron	58	—	—	—	55	3	—
5315 ferro alloys	29	—	—	—	26	3	—
5320 i&s primary forms	4	—	1	—	—	3	—
5330 i&s plates & sheets	195	11	—	—	111	74	—
5360 i&s bars & shapes	98	—	—	—	22	76	—
5370 i&s pipe & tube	13	—	—	—	5	9	—
5390 primary i&s nec	41	—	—	0	15	26	—
Subtotal primary non-ferrous metal products	**70**	**1**	**—**	**3**	**34**	**32**	**—**
5422 aluminum	24	—	—	—	3	21	—
5480 fab. metal products	46	1	—	3	31	11	—
Subtotal primary wood products	**2**	**—**	**—**	**—**	**0**	**2**	**—**
5540 primary wood prod.	2	—	—	—	0	2	—
Total food and farm products	**165**	**2**	**—**	**0**	**50**	**113**	**—**
Subtotal grain	**43**	**2**	**—**	**—**	**16**	**24**	**—**
6241 wheat	23	—	—	—	—	23	—
6344 corn	4	2	—	—	—	1	—
6445 oats	16	—	—	—	16	—	—
Subtotal oilseeds	**83**	**—**	**—**	**—**	**20**	**63**	**—**
6522 soybeans	70	—	—	—	18	52	—
6590 oilseeds nec	13	—	—	—	2	12	—
Subtotal processed grain and animal feed	**37**	**—**	**—**	**—**	**13**	**24**	**—**
6746 wheat flour	5	—	—	—	—	5	—
6747 grain mill products	2	—	—	—	—	2	—
6782 animal feed, prep.	31	—	—	—	13	18	—
Subtotal other agricultural products	**3**	**0**	**—**	**0**	**1**	**1**	**—**
6887 groceries	0	—	—	—	—	0	—
6888 water & ice	2	0	—	0	1	1	—

INNERHARBOR NAVIGATION CANAL, LA (INCLUDED IN TRAFFIC OF PORT OF NEW ORLEANS)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Internal					
			Inbound		Outbound	Through		Intra
			Upbound	Downbnd	Downbnd	Upbound	Downbnd	Upbound
Total all manufactured equipment, machinery and products		**66**	**7**	**2**	**9**	**12**	**37**	**—-**
7110	machinery (not elec)	60	7	—-	9	8	35	—-
7120	electrical machinery	1	—-	—-	—-	1	—-	—-
7230	ships & boats	1	—-	—-	—-	—-	1	—-
7600	rubber & plastic pr.	3	—-	—-	—-	3	—-	—-
7900	manufac. prod. nec	2	—-	2	—-	—-	—-	—-
Total waste and scrap nec		**55**	**—-**	**—-**	**—-**	**0**	**55**	**—-**
8900	waste and scrap nec	55	—-	—-	—-	0	55	—-
Ton-miles (x1000) Internal		**1,287,039**	**3,132**	**6**	**729**	**863,225**	**419,932**	**13**

Tons All Traffic (x1000) **19,220**
Ton-miles All Traffic (x1000) **1,357,374**

***Includes 20 (x1000) tons of foreign inbound in-transits; Includes 6 (x1000) tons of foreign outbound in-transits.**

MISSISSIPPI RIVER-GULF OUTLET, LA

Section Included: From New Orleans to the Gulf of Mexico via Land Cut 36 feet by 500 feet to the 38-foot contour in the Gulf of Mexico, 75.4 miles.
Maintained Depth: Mile 66 to mile 0, 35 feet; to mile -9.38, 38 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	5,935	1995	5,701	1998	4,007	**2001**	**4,173**
1993	7,163	1996	5,042	1999	5,369		
1994	5,589	1997	5,253	2000	5,850		

Freight Traffic, 2001 (thousand short tons)

Commodity		Total	Foreign			Canadian
			Inbound	Through		Through
				Upbound*	Downbnd*	Upbound
Total, all commodities		**3,634**	**81**	**1,930**	**1,585**	**39**
Total coal		**1**	**—-**	**0**	**1**	**—-**
1100	coal lignite	0	—	0	0	—
1200	coal coke	1	—	0	1	—
Total petroleum and petroleum products		**65**	**—-**	**38**	**27**	**—-**
Subtotal crude petroleum		**0**	**—-**	**0**	**0**	**—-**
2100	crude petroleum	0	—	0	0	—
Subtotal petroleum products		**65**	**—-**	**37**	**27**	**—-**
2221	kerosene	0	—	—	0	—
2330	distillate fuel oil	0	—	0	—	—
2340	residual fuel oil	34	—	34	—	—
2350	lube oil & greases	18	—	2	16	—
2410	petro. jelly & waxes	0	—	0	0	—
2429	naphtha & solvents	11	—	1	10	—
2430	asphalt, tar & pitch	0	—	—	0	—
2540	petroleum coke	1	—	0	0	—
2640	liquid natural gas	0	—	0	0	—
Total chemicals and related products		**930**	**—-**	**233**	**689**	**8**
Subtotal fertilizers		**74**	**—-**	**72**	**2**	**—-**
3110	nitrogenous fert.	71	—	70	1	—
3130	potassic fert.	0	—	0	—	—
3190	fert. & mixes nec	3	—	2	1	—
Subtotal other chemicals and related products		**855**	**—-**	**161**	**686**	**8**
3211	acyclic hydrocarbons	13	—	1	6	6
3212	benzene & toluene	7	—	2	2	3
3219	other hydrocarbons	32	—	5	27	—
3220	alcohols	15	—	5	11	—
3230	carboxylic acids	22	—	13	9	—
3240	nitrogen func. comp.	74	—	8	67	—
3250	organo - inorg. comp.	36	—	3	33	—
3260	organic comp. nec	19	—	5	14	—
3272	sulphuric acid	3	—	—	3	—
3273	ammonia	49	—	49	0	—
3274	sodium hydroxide	11	—	0	11	—
3275	inorg. elem.,oxides, & halogen salts	134	—	14	120	—
3276	metallic salts	18	—	6	11	—
3279	inorganic chem. nec	4	—	3	1	—
3281	radioactive material	0	—	0	—	—
3282	pigments & paints	5	—	2	3	—
3283	coloring mat. nec	2	—	0	2	—
3284	medicines	3	—	1	3	—
3285	perfumes & cleansers	6	—	1	5	—
3286	plastics	173	—	19	154	—
3291	pesticides	126	—	5	121	—
3292	starches, gluten, glue	2	—	1	1	—
3297	chemical additives	21	—	3	18	—
3298	wood & resin chem.	2	—	1	0	—
3299	chem. products nec	78	—	13	64	—
Total crude materials, inedible except fuels		**788**	**81**	**578**	**98**	**30**
Subtotal forest products, wood and chips		**108**	**—-**	**64**	**44**	**—-**
4110	rubber & gums	51	—	51	1	—
4161	wood chips	0	—	—	0	—
4170	wood in the rough	2	—	2	0	—
4189	lumber	53	—	11	42	—
4190	forest products nec	1	—	0	1	—
Subtotal pulp and waste paper		**29**	**—-**	**0**	**28**	**—-**
4225	pulp & waste paper	29	—	0	28	—
Subtotal soil, sand, gravel, rock and stone		**210**	**—-**	**177**	**2**	**30**
4310	building stone	4	—	4	—	—
4322	limestone	173	—	173	—	—
4323	gypsum	31	—	—	1	30
4331	sand & gravel	1	—	0	1	—
Subtotal iron ore and scrap		**84**	**81**	**2**	**0**	**—-**
4410	iron ore	81	81	—	—	—
4420	iron & steel scrap	2	—	2	0	—
Subtotal non-ferrous ores and scrap		**20**	**—-**	**14**	**6**	**—-**
4650	aluminum ore	7	—	2	5	—
4670	manganese ore	0	—	—	0	—
4680	non-ferrous scrap	1	—	0	1	—

MISSISSIPPI RIVER-GULF OUTLET, LA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Foreign			Canadian
			Inbound	Through		Through
				Upbound*	Downbnd*	Upbound
4690	non-ferrous ores nec	12	—	12	0	—
Subtotal sulphur, clay and salt		**14**	**—**	**0**	**14**	**—**
4782	clay & refrac. mat.	14	—	0	14	—
Subtotal slag		**280**	**—**	**280**	**—**	**—**
4860	slag	280	—	280	—	—
Subtotal other non-metal. min.		**44**	**—**	**40**	**4**	**—**
4900	non-metal. min. nec	44	—	40	4	—
Total primary manufactured goods		**788**	**—**	**647**	**141**	**—**
Subtotal paper products		**122**	**—**	**28**	**94**	**—**
5110	newsprint	2	—	—	2	—
5120	paper & paperboard	111	—	24	87	—
5190	paper products nec	10	—	4	6	—
Subtotal lime, cement and glass		**444**	**—**	**409**	**35**	**—**
5220	cement & concrete	381	—	381	0	—
5240	glass & glass prod.	2	—	1	1	—
5290	misc. mineral prod.	61	—	28	34	—
Subtotal primary iron and steel products		**139**	**—**	**136**	**3**	**—**
5312	pig iron	77	—	77	—	—
5315	ferro alloys	12	—	11	1	—
5320	i&s primary forms	4	—	4	0	—
5330	i&s plates & sheets	32	—	31	1	—
5360	i&s bars & shapes	3	—	3	0	—
5370	i&s pipe & tube	8	—	7	1	—
5390	primary i&s nec	4	—	3	1	—
Subtotal primary non-ferrous metal products		**77**	**—**	**69**	**8**	**—**
5421	copper	4	—	4	0	—
5422	aluminum	3	—	2	1	—
5429	smelted prod. nec	10	—	10	0	—
5480	fab. metal products	60	—	54	6	—
Subtotal primary wood products		**5**	**—**	**4**	**1**	**—**
5540	primary wood prod.	5	—	4	1	—
Total food and farm products		**629**	**—**	**233**	**396**	**—**
Subtotal fish		**3**	**—**	**3**	**0**	**—**
6134	fish (not shellfish)	0	—	0	0	—
6136	shellfish	3	—	3	0	—
Subtotal grain		**59**	**—**	**—**	**59**	**—**
6344	corn	40	—	—	40	—
6442	rice	19	—	—	19	—
Subtotal oilseeds		**168**	**—**	**9**	**159**	**—**
6521	peanuts	7	—	7	—	—
6522	soybeans	136	—	—	136	—
6590	oilseeds nec	25	—	2	23	—
Subtotal vegetable products		**28**	**—**	**8**	**20**	**—**
6653	vegetable oils	15	—	0	14	—
6654	vegetables & prod.	13	—	7	6	—
Subtotal processed grain and animal feed		**15**	**—**	**2**	**14**	**—**
6746	wheat flour	0	—	—	0	—
6747	grain mill products	12	—	2	11	—
6781	hay & fodder	0	—	—	0	—
6782	animal feed, prep.	3	—	0	3	—
Subtotal other agricultural products		**356**	**—**	**212**	**144**	**—**
6811	meat, fresh, frozen	72	—	1	71	—
6817	meat, prepared	1	—	0	0	—
6822	dairy products	1	—	0	1	—
6835	fish, prepared	1	—	1	0	—
6838	tallow, animal oils	1	—	0	1	—
6839	animals & prod. nec	4	—	1	3	—
6857	fruit & nuts nec	1	—	1	0	—
6858	fruit juices	2	—	1	1	—
6861	sugar	21	—	—	21	—
6865	molasses	0	—	—	0	—
6871	coffee	178	—	172	6	—
6885	alcoholic beverages	18	—	17	1	—
6888	water & ice	6	—	6	0	—
6889	food products nec	26	—	13	14	—
6891	tobacco & products	0	—	0	—	—
6893	cotton	25	—	0	24	—
6894	natural fibers nec	0	—	0	0	—
6899	farm products nec	0	—	0	0	—
Total all manufactured equipment, machinery and products		**393**	**—**	**186**	**206**	**—**
7110	machinery (not elec)	47	—	32	15	—
7120	electrical machinery	34	—	18	16	—
7210	vehicles & parts	8	—	6	3	—
7220	aircraft & parts	0	—	0	0	—
7230	ships & boats	2	—	1	0	—
7300	ordnance & access.	0	—	0	0	—
7400	manufac. wood prod.	12	—	7	5	—
7500	textile products	116	—	75	41	—
7600	rubber & plastic pr.	127	—	20	107	—
7900	manufac. prod. nec	47	—	27	20	—

MISSISSIPPI RIVER-GULF OUTLET, LA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign			Canadian
		Inbound	Through		Through
			Upbound*	Downbnd*	Upbound
Total unknown or not elsewhere classified	**40**	**—-**	**14**	**27**	**—-**
9900 unknown or nec	40	—-	14	27	—-
Ton-miles (x1000) Foreign & Canadian	**260,466**	**6,165**	**136,617**	**114,887**	**2,796**

Commodity	Total	Domestic						
		Coastwise		Internal				
		Through		Inbound		Outbound	Through	
		Upbound	Downbnd	Upbound	Downbnd	Downbnd	Upbound	Downbnd
Total, all commodities	**539**	**108**	**152**	**180**	**44**	**22**	**29**	**4**
Total coal	**2**	**—-**	**—-**	**2**	**—-**	**—-**	**—-**	**—-**
1200 coal coke	2	—-	—-	2	—-	—-	—-	—-
Total petroleum and petroleum products	**123**	**—-**	**—-**	**91**	**5**	**—-**	**25**	**2**
Subtotal crude petroleum	**8**	**—-**	**—-**	**—-**	**—-**	**—-**	**7**	**1**
2100 crude petroleum	8	—-	—-	—-	—-	—-	7	1
Subtotal petroleum products	**115**	**—-**	**—-**	**91**	**5**	**—-**	**18**	**1**
2211 gasoline	17	—-	—-	—-	—-	—-	17	—-
2330 distillate fuel oil	7	—-	—-	0	5	—-	1	1
2340 residual fuel oil	91	—-	—-	90	1	—-	—-	—-
Total chemicals and related products	**8**	**—-**	**—-**	**—-**	**8**	**—-**	**0**	**0**
Subtotal fertilizers	**2**	**—-**	**—-**	**—-**	**2**	**—-**	**—-**	**—-**
3110 nitrogenous fert.	2	—-	—-	—-	2	—-	—-	—-
Subtotal other chemicals and related products	**7**	**—-**	**—-**	**—-**	**7**	**—-**	**0**	**0**
3276 metallic salts	7	—-	—-	—-	7	—-	—-	—-
3299 chem. products nec	0	—-	—-	—-	—-	—-	0	0
Total crude materials, inedible except fuels	**130**	**—-**	**—-**	**86**	**30**	**12**	**1**	**1**
Subtotal soil, sand, gravel, rock and stone	**55**	**—-**	**—-**	**24**	**30**	**—-**	**—-**	**—-**
4322 limestone	23	—-	—-	23	—-	—-	—-	—-
4323 gypsum	2	—-	—-	2	—-	—-	—-	—-
4335 waterway improv. mat	30	—-	—-	—-	30	—-	—-	—-
Subtotal sulphur, clay and salt	**1**	**—-**	**—-**	**—-**	**—-**	**—-**	**1**	**1**
4782 clay & refrac. mat.	1	—-	—-	—-	—-	—-	1	1
Subtotal other non-metal. min.	**74**	**—-**	**—-**	**61**	**—-**	**12**	**0**	**0**
4900 non-metal. min. nec	74	—-	—-	61	—-	12	0	0
Total primary manufactured goods	**22**	**4**	**7**	**—-**	**—-**	**10**	**0**	**1**
Subtotal lime, cement and glass	**2**	**—-**	**—-**	**—-**	**—-**	**2**	**0**	**0**
5220 cement & concrete	2	—-	—-	—-	—-	2	0	0
Subtotal primary iron and steel products	**5**	**—-**	**—-**	**—-**	**—-**	**5**	**—-**	**—-**
5315 ferro alloys	1	—-	—-	—-	—-	1	—-	—-
5360 i&s bars & shapes	3	—-	—-	—-	—-	3	—-	—-
5370 i&s pipe & tube	1	—-	—-	—-	—-	1	—-	—-
Subtotal primary non-ferrous metal products	**14**	**4**	**7**	**—-**	**—-**	**3**	**0**	**0**
5480 fab. metal products	14	4	7	—-	—-	3	0	0
Total food and farm products	**3**	**—-**	**—-**	**2**	**—-**	**—-**	**1**	**1**
Subtotal oilseeds	**2**	**—-**	**—-**	**2**	**—-**	**—-**	**—-**	**—-**
6522 soybeans	2	—-	—-	2	—-	—-	—-	—-
Subtotal other agricultural products	**2**	**—-**	**—-**	**—-**	**—-**	**—-**	**1**	**1**
6887 groceries	0	—-	—-	—-	—-	—-	0	—-
6888 water & ice	1	—-	—-	—-	—-	—-	1	1
Total all manufactured equipment, machinery and products	**251**	**104**	**145**	**—-**	**—-**	**—-**	**1**	**1**
7110 machinery (not elec)	2	—-	—-	—-	—-	—-	1	1
7900 manufac. prod. nec	249	104	145	—-	—-	—-	—-	—-
Total waste and scrap nec	**0**	**—-**	**—-**	**—-**	**—-**	**—-**	**0**	**0**
8900 waste and scrap nec	0	—-	—-	—-	—-	—-	0	0
Ton-miles (x1000) Domestic	**21,644**	**7,900**	**11,075**	**437**	**1,094**	**27**	**885**	**226**

Tons All Traffic (x1000) **4,173**
Ton-miles All Traffic (x1000) **282,112**

***Includes 20 (x1000) tons of foreign upbound through in-transits; Includes 6 (x1000) tons of foreign downbound through in-transits.**

MISSISSIPPI RIVER GULF OUTLET VIA VENICE VICINITY CONSOLIDATION

Section Included: Tiger Pass, Gulf Via Baptiste Collette. Maintained Depth: Entrance channel in open water, 16 feet, Tiger Pass to Mississippi River, 14 feet: Gulf Via Baptiste Collette, 14 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,932	1995	2,351	1998	3,442	**2001**	**3,047**
1993	2,343	1996	3,844	1999	2,789		
1994	1,935	1997	3,477	2000	3,114		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Domestic					
		Coastwise		Internal			
		Receipts	Shipments	Inbound Downbnd	Outbound Upbound	Intra Upbound	Intra Downbnd
Total, all commodities	**3,047**	**1**	**204**	**1,092**	**1,679**	**60**	**12**
Total petroleum and petroleum products	**1,381**	**0**	**203**	**495**	**678**	**4**	**1**
Subtotal crude petroleum	**15**	**—-**	**—-**	**1**	**15**	**—-**	**—-**
2100 crude petroleum	15	—	—	1	15	—	—
Subtotal petroleum products	**1,365**	**0**	**203**	**494**	**663**	**4**	**1**
2211 gasoline	81	—	—	—	81	—	—
2330 distillate fuel oil	620	0	0	422	194	4	1
2340 residual fuel oil	5	—	—	5	—	—	—
2350 lube oil & greases	0	—	—	0	—	—	—
2429 naphtha & solvents	5	—	3	—	3	—	—
2640 liquid natural gas	654	—	200	68	386	—	—
Total chemicals and related products	**39**	**—-**	**—-**	**36**	**2**	**0**	**—-**
Subtotal other chemicals and related products	**39**	**—-**	**—-**	**36**	**2**	**0**	**—-**
3220 alcohols	0	—	—	—	0	—	—
3275 inorg. elem.,oxides, & halogen salts	1	—	—	0	1	0	—
3276 metallic salts	38	—	—	36	2	—	—
3299 chem. products nec	0	—	—	0	0	—	—
Total crude materials, inedible except fuels	**243**	**0**	**0**	**149**	**84**	**9**	**1**
Subtotal forest products, wood and chips	**0**	**—-**	**—-**	**0**	**—-**	**—-**	**—-**
4189 lumber	0	—	—	0	—	—	—
Subtotal soil, sand, gravel, rock and stone	**5**	**—-**	**—-**	**5**	**0**	**0**	**—-**
4331 sand & gravel	5	—	—	5	0	0	—
Subtotal sulphur, clay and salt	**119**	**0**	**0**	**44**	**65**	**8**	**1**
4782 clay & refrac. mat.	119	0	0	44	65	8	1
Subtotal other non-metal. min.	**119**	**—-**	**—-**	**99**	**18**	**1**	**1**
4900 non-metal. min. nec	119	—	—	99	18	1	1
Total primary manufactured goods	**79**	**—-**	**0**	**19**	**57**	**2**	**1**
Subtotal paper products	**1**	**—-**	**—-**	**0**	**0**	**—-**	**0**
5190 paper products nec	1	—	—	0	0	—	0
Subtotal lime, cement and glass	**38**	**—-**	**0**	**8**	**27**	**2**	**1**
5220 cement & concrete	38	—	0	8	27	2	1
Subtotal primary iron and steel products	**33**	**—-**	**—-**	**9**	**23**	**1**	**—-**
5370 i&s pipe & tube	32	—	—	9	23	1	—
5390 primary i&s nec	0	—	—	0	0	—	—
Subtotal primary non-ferrous metal products	**7**	**—-**	**—-**	**2**	**5**	**0**	**0**
5480 fab. metal products	7	—	—	2	5	0	0
Subtotal primary wood products	**1**	**—-**	**—-**	**—-**	**1**	**—-**	**—-**
5540 primary wood prod.	1	—	—	—	1	—	—
Total food and farm products	**188**	**0**	**0**	**37**	**143**	**5**	**2**
Subtotal other agricultural products	**188**	**0**	**0**	**37**	**143**	**5**	**2**
6887 groceries	0	—	—	—	0	0	—
6888 water & ice	187	0	0	37	143	5	2
Total all manufactured equipment, machinery and products	**920**	**—-**	**0**	**354**	**520**	**40**	**7**
7110 machinery (not elec)	917	—	0	353	518	40	7
7120 electrical machinery	0	—	—	—	0	—	—
7400 manufac. wood prod.	3	—	—	1	2	0	—
Total waste and scrap nec	**198**	**—-**	**—-**	**2**	**196**	**—-**	**—-**
8900 waste and scrap nec	198	—	—	2	196	—	—
Ton-miles (x1000)	**3,080**	**1**	**204**	**1,106**	**1,698**	**60**	**12**

Tons All Traffic (x1000) **3,047**
Ton-miles All Traffic (x1000) **3,080**

WATERWAY FROM EMPIRE, LA TO GULF OF MEXICO

Section Included: From Empire, LA to Gulf of Mexico, 10 miles. Maintained Depth: Thru Doullut Canal, 6 feet; Doullut Canal to jetties, 9 feet; Bar Channel, 14 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	664	1995	915	1998	2,551	**2001**	**1,398**
1993	854	1996	1,425	1999	1,548		
1994	685	1997	2,232	2000	1,427		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal		
		Outbound	Through	
		Upbound	Upbound	Downbnd
Total, all commodities	**1,398**	**62**	**577**	**759**
Total petroleum and petroleum products	**194**	**32**	**121**	**41**
Subtotal crude petroleum	**131**	**32**	**95**	**3**
2100 crude petroleum	131	32	95	3
Subtotal petroleum products	**63**	**—-**	**26**	**37**
2330 distillate fuel oil	63	—	26	37
2350 lube oil & greases	0	—	0	—
Total chemicals and related products	**2**	**—-**	**0**	**2**
Subtotal other chemicals and related products	**2**	**—-**	**0**	**2**
3220 alcohols	0	—	—	0
3275 inorg. elem.,oxides, & halogen salts	0	—	0	0
3276 metallic salts	2	—	0	2
3299 chem. products nec	0	—	0	0
Total crude materials, inedible except fuels	**123**	**—-**	**45**	**79**
Subtotal forest products, wood and chips	**0**	**—-**	**0**	**—-**
4189 lumber	0	—	0	—
Subtotal soil, sand, gravel, rock and stone	**0**	**—-**	**0**	**0**
4331 sand & gravel	0	—	0	0
Subtotal sulphur, clay and salt	**98**	**—-**	**37**	**62**
4782 clay & refrac. mat.	98	—	37	62
Subtotal other non-metal. min.	**25**	**—-**	**8**	**17**
4900 non-metal. min. nec	25	—	8	17
Total primary manufactured goods	**71**	**—-**	**19**	**52**
Subtotal paper products	**1**	**—-**	**0**	**0**
5190 paper products nec	1	—	0	0
Subtotal lime, cement and glass	**32**	**—-**	**8**	**24**
5220 cement & concrete	32	—	8	24
Subtotal primary iron and steel products	**32**	**—-**	**9**	**23**
5370 i&s pipe & tube	31	—	9	23
5390 primary i&s nec	0	—	0	0
Subtotal primary non-ferrous metal products	**7**	**—-**	**2**	**5**
5480 fab. metal products	7	—	2	5
Total food and farm products	**129**	**29**	**34**	**67**
Subtotal processed grain and animal feed	**29**	**29**	**—-**	**—-**
6782 animal feed, prep.	29	29	—	—
Subtotal other agricultural products	**101**	**—-**	**34**	**67**
6887 groceries	0	—	—	0
6888 water & ice	100	—	34	67
Total all manufactured equipment, machinery and products	**876**	**1**	**357**	**519**
7110 machinery (not elec)	873	1	356	516
7120 electrical machinery	0	—	—	0
7400 manufac. wood prod.	3	—	1	2
Total waste and scrap nec	**3**	**—-**	**2**	**0**
8900 waste and scrap nec	3	—	2	0
Ton-miles (x1000)	**13,427**	**62**	**5,774**	**7,591**

Tons All Traffic (x1000)	**1,398**
Ton-miles All Traffic (x1000)	**13,427**

BARATARIA BAY WATERWAY, LA

Section Included: From Gulf Intracoastal Waterway to Gulf of Mexico with side channel to Grand Isle, 41.3 miles. Maintained Depth: Bar Channel, 17 feet; to Gulf Intracoastal Waterway, 10 feet. Tidal range to 3 feet at mean higher highwater.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,538	1995	253	1998	366	**2001**	**407**
1993	1,873	1996	227	1999	282		
1994	727	1997	245	2000	445		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal					
		Inbound		Outbound		Through	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**407**	**43**	**50**	**54**	**197**	**58**	**5**
Total petroleum and petroleum products	**91**	**3**	**1**	**33**	**10**	**44**	**0**
Subtotal crude petroleum	**76**	**—-**	**—-**	**32**	**—-**	**44**	**—-**
2100 crude petroleum	76	—-	—-	32	—-	44	—-
Subtotal petroleum products	**15**	**3**	**1**	**1**	**10**	**0**	**0**
2330 distillate fuel oil	15	3	1	1	10	0	0
Total chemicals and related products	**1**	**0**	**—-**	**—-**	**1**	**—-**	**0**
Subtotal other chemicals and related products	**1**	**0**	**—-**	**—-**	**1**	**—-**	**0**
3220 alcohols	1	0	—-	—-	1	—-	—-
3275 inorg. elem.,oxides, & halogen salts	0	—-	—-	—-	—-	—-	0
Total crude materials, inedible except fuels	**94**	**8**	**46**	**14**	**14**	**11**	**1**
Subtotal soil, sand, gravel, rock and stone	**45**	**—-**	**45**	**—-**	**—-**	**—-**	**0**
4331 sand & gravel	15	—-	15	—-	—-	—-	0
4335 waterway improv. mat	30	—-	30	—-	—-	—-	—-
Subtotal sulphur, clay and salt	**22**	**7**	**1**	**2**	**11**	**0**	**0**
4782 clay & refrac. mat.	22	7	1	2	11	0	0
Subtotal other non-metal. min.	**27**	**1**	**0**	**12**	**3**	**10**	**1**
4900 non-metal. min. nec	27	1	0	12	3	10	1
Total primary manufactured goods	**3**	**1**	**1**	**0**	**1**	**—-**	**0**
Subtotal lime, cement and glass	**2**	**0**	**1**	**0**	**0**	**—-**	**0**
5220 cement & concrete	2	0	1	0	0	—-	0
Subtotal primary iron and steel products	**2**	**1**	**0**	**—-**	**1**	**—-**	**—-**
5370 i&s pipe & tube	2	1	0	—-	1	—-	—-
Subtotal primary non-ferrous metal products	**0**	**0**	**—-**	**—-**	**0**	**—-**	**—-**
5480 fab. metal products	0	0	—-	—-	0	—-	—-
Total food and farm products	**30**	**2**	**1**	**3**	**24**	**0**	**0**
Subtotal other agricultural products	**30**	**2**	**1**	**3**	**24**	**0**	**0**
6887 groceries	0	—-	—-	—-	0	—-	—-
6888 water & ice	30	2	1	3	24	0	0
Total all manufactured equipment, machinery and products	**188**	**29**	**2**	**3**	**148**	**3**	**3**
7110 machinery (not elec)	188	29	2	3	148	3	3
7210 vehicles & parts	0	—-	—-	—-	0	—-	—-
Ton-miles (x1000)	**5,399**	**4**	**1,731**	**1,325**	**12**	**2,130**	**196**

Tons All Traffic (x1000) **407**
Ton-miles All Traffic (x1000) **5,399**

BAYOU LAFOURCHE AND LAFOURCHE-JUMP WATERWAY, LA

Section Included: Lockport, LA to Gulf of Mexico, 50 miles. Maintained Depth: Bar Channel, 28 feet; Jetty Channel, 27 feet; Mouth to 3 miles, 27 feet, to Lockport, 9 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	2,032	1995	3,826	1998	5,735	**2001**	**5,599**
1993	2,214	1996	4,209	1999	5,316		
1994	3,114	1997	5,307	2000	5,424		

Freight Traffic, 2001 (thousand short tons)

Commodity	Total	Coastwise	
		Receipts	Shipments
Total, all commodities	**1**	**1**	**1**
Total petroleum and petroleum products	**0**	**0**	**0**
Subtotal petroleum products	**0**	**0**	**0**
2330 distillate fuel oil	0	0	0
Total crude materials, inedible except fuels	**0**	**0**	**—-**
Subtotal sulphur, clay and salt	**0**	**0**	**—-**
4782 clay & refrac. mat.	0	0	—
Total food and farm products	**1**	**0**	**1**
Subtotal other agricultural products	**1**	**0**	**1**
6888 water & ice	1	0	1
Total all manufactured equipment, machinery and products	**0**	**0**	**—-**
7110 machinery (not elec)	0	0	—
Ton-miles (x1000)	**2**	**1**	**2**
Coastwise			

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**5,598**	**1,311**	**1,517**	**366**	**2,210**	**67**	**2**	**50**	**76**
Total petroleum and petroleum products	**1,237**	**180**	**540**	**23**	**396**	**49**	**0**	**49**	**0**
Subtotal crude petroleum	**515**	**111**	**—-**	**16**	**290**	**49**	**0**	**49**	**—-**
2100 crude petroleum	515	111	—	16	290	49	0	49	—
Subtotal petroleum products	**722**	**69**	**540**	**7**	**106**	**0**	**—-**	**0**	**0**
2211 gasoline	2	—	1	—	0	—	—	—	—
2330 distillate fuel oil	720	69	538	7	106	—	—	0	0
2350 lube oil & greases	1	0	—	—	0	—	—	—	—
2990 petro. products nec	0	—	—	—	—	0	—	—	—
Total chemicals and related products	**118**	**4**	**100**	**—-**	**13**	**1**	**—-**	**—-**	**1**
Subtotal other chemicals and related products	**118**	**4**	**100**	**—-**	**13**	**1**	**—-**	**—-**	**1**
3276 metallic salts	115	3	100	—	11	—	—	—	1
3282 pigments & paints	1	—	—	—	—	1	—	—	—
3299 chem. products nec	3	1	—	—	2	—	—	—	—
Total crude materials, inedible except fuels	**1,140**	**126**	**701**	**17**	**210**	**12**	**—-**	**0**	**73**
Subtotal forest products, wood and chips	**0**	**—-**	**—-**	**—-**	**0**	**—-**	**—-**	**—-**	**—-**
4190 forest products nec	0	—	—	—	0	—	—	—	—
Subtotal soil, sand, gravel, rock and stone	**155**	**28**	**127**	**—-**	**0**	**—-**	**—-**	**—-**	**—-**
4322 limestone	143	28	116	—	—	—	—	—	—
4331 sand & gravel	10	—	10	—	0	—	—	—	—
4335 waterway improv. mat	1	—	1	—	—	—	—	—	—
Subtotal iron ore and scrap	**9**	**0**	**—-**	**9**	**—-**	**—-**	**—-**	**—-**	**—-**
4420 iron & steel scrap	9	0	—	9	—	—	—	—	—
Subtotal sulphur, clay and salt	**276**	**78**	**43**	**4**	**151**	**—-**	**—-**	**0**	**—-**
4782 clay & refrac. mat.	276	78	43	4	151	—	—	0	—
Subtotal other non-metal. min.	**700**	**20**	**531**	**4**	**59**	**12**	**—-**	**—-**	**73**
4900 non-metal. min. nec	700	20	531	4	59	12	—	—	73
Total primary manufactured goods	**94**	**20**	**3**	**1**	**69**	**—-**	**0**	**0**	**0**
Subtotal paper products	**8**	**4**	**0**	**—-**	**3**	**—-**	**—-**	**0**	**0**
5190 paper products nec	8	4	0	—	3	—	—	0	0
Subtotal lime, cement and glass	**27**	**2**	**1**	**0**	**23**	**—-**	**0**	**0**	**0**
5220 cement & concrete	27	2	1	0	23	—	0	0	0
Subtotal primary iron and steel products	**35**	**10**	**1**	**0**	**24**	**—-**	**—-**	**—-**	**—-**
5330 i&s plates & sheets	0	0	—	—	—	—	—	—	—
5360 i&s bars & shapes	1	0	1	—	0	—	—	—	—
5370 i&s pipe & tube	33	10	0	0	24	—	—	—	—
5390 primary i&s nec	0	0	—	—	0	—	—	—	—
Subtotal primary non-ferrous metal products	**24**	**4**	**1**	**0**	**18**	**—-**	**—-**	**—-**	**—-**

BAYOU LAFOURCHE AND LAFOURCHE-JUMP WATERWAY, LA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
5429 smelted prod. nec	0	0	—	—	0	—	—	—	—
5480 fab. metal products	24	4	1	0	18	—	—	—	—
Total food and farm products	**433**	**83**	**166**	**6**	**178**	**—**	**0**	**0**	**0**
Subtotal other agricultural products	**433**	**83**	**166**	**6**	**178**	**—**	**0**	**0**	**0**
6887 groceries	2	0	—	—	1	—	—	—	—
6888 water & ice	431	83	166	6	176	—	0	0	0
6889 food products nec	0	—	—	—	0	—	—	—	—
Total all manufactured equipment, machinery and products	**2,259**	**892**	**7**	**8**	**1,345**	**5**	**1**	**0**	**1**
7110 machinery (not elec)	2,250	889	7	8	1,339	5	1	0	1
7120 electrical machinery	0	0	—	—	—	—	—	—	—
7230 ships & boats	0	—	—	—	0	—	—	—	—
7400 manufac. wood prod.	7	2	—	—	5	—	—	—	—
7500 textile products	0	0	—	—	0	—	—	—	—
7600 rubber & plastic pr.	1	1	—	—	—	—	—	—	—
Total waste and scrap nec	**318**	**6**	**—**	**312**	**—**	**—**	**—**	**—**	**—**
8900 waste and scrap nec	318	6	—	312	—	—	—	—	—
Ton-miles Internal (x1000)	**87,581**	**7,502**	**53,795**	**12,857**	**9,203**	**2,597**	**70**	**796**	**760**

Tons All Traffic (x1000) **5,599**
Ton-miles All Traffic (x1000) **87,583**

BAYOU LITTLE CAILLOU, LA

Section Included: From Bayou Terrebonne to Robinson Canal, 20.6 miles. Maintained Depth: Mile 0 to mile 6, 1 foot; to Chauvin Bridge, 4 feet; to Robinson Canal, 5 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,002	1995	523	1998	376	**2001**	**434**
1993	641	1996	525	1999	373		
1994	401	1997	433	2000	305		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal		
		Inbound		Outbound
		Upbound	Downbnd	Downbnd
Total, all commodities	**434**	**5**	**2**	**427**
Total petroleum and petroleum products	**421**	**2**	**0**	**420**
Subtotal crude petroleum	**414**	**1**	**—-**	**412**
2100 crude petroleum	414	1	—	412
Subtotal petroleum products	**7**	**0**	**0**	**7**
2330 distillate fuel oil	7	0	0	7
Total crude materials, inedible except fuels	**3**	**0**	**0**	**2**
Subtotal soil, sand, gravel, rock and stone	**1**	**—-**	**0**	**0**
4322 limestone	0	—	0	—
4331 sand & gravel	0	—	—	0
Subtotal sulphur, clay and salt	**1**	**0**	**—-**	**1**
4782 clay & refrac. mat.	1	0	—	1
Subtotal other non-metal. min.	**1**	**—-**	**—-**	**1**
4900 non-metal. min. nec	1	—	—	1
Total primary manufactured goods	**1**	**0**	**1**	**0**
Subtotal lime, cement and glass	**1**	**0**	**1**	**0**
5220 cement & concrete	1	0	1	0
Subtotal primary iron and steel products	**0**	**0**	**—-**	**—-**
5370 i&s pipe & tube	0	0	—	—
Total food and farm products	**1**	**0**	**—-**	**1**
Subtotal other agricultural products	**1**	**0**	**—-**	**1**
6888 water & ice	1	0	—	1
Total all manufactured equipment, machinery and products	**8**	**3**	**0**	**4**
7110 machinery (not elec)	8	3	0	4
Ton-miles (x1000)	**11,596**	**132**	**32**	**11,432**

Tons All Traffic (x1000)	**434**
Ton-miles All Traffic (x1000)	**11,597**

HOUMA NAVIGATION CANAL, LA

Section Included: 36.6 miles from intersection of Gulf Intracoastal Waterway at Houma to Gulf of Mexico. Maintained Depth: Cat Island Pass, 16 feet; to mile 34, 15 feet; to Gulf Intracoastal Waterway, 16 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,175	1995	702	1998	925	**2001**	**533**
1993	793	1996	624	1999	415		
1994	524	1997	547	2000	411		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal					
		Inbound		Outbound		Through	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**533**	**1**	**14**	**62**	**2**	**441**	**13**
Total petroleum and petroleum products	**444**	**—-**	**1**	**0**	**—-**	**435**	**8**
Subtotal crude petroleum	**435**	**—-**	**—-**	**—-**	**—-**	**428**	**7**
2100 crude petroleum	435	—-	—-	—-	—-	428	7
Subtotal petroleum products	**9**	**—-**	**1**	**0**	**—-**	**7**	**1**
2330 distillate fuel oil	9	—-	1	0	—-	7	1
Total chemicals and related products	**0**	**—-**	**—-**	**—-**	**—-**	**0**	**—-**
Subtotal other chemicals and related products	**0**	**—-**	**—-**	**—-**	**—-**	**0**	**—-**
3276 metallic salts	0	—-	—-	—-	—-	0	—-
3299 chem. products nec	0	—-	—-	—-	—-	0	—-
Total crude materials, inedible except fuels	**79**	**—-**	**12**	**62**	**—-**	**3**	**2**
Subtotal soil, sand, gravel, rock and stone	**7**	**—-**	**7**	**—-**	**—-**	**0**	**0**
4331 sand & gravel	7	—-	7	—-	—-	0	0
Subtotal sulphur, clay and salt	**1**	**—-**	**—-**	**—-**	**—-**	**1**	**0**
4782 clay & refrac. mat.	1	—-	—-	—-	—-	1	0
Subtotal other non-metal. min.	**71**	**—-**	**5**	**62**	**—-**	**2**	**2**
4900 non-metal. min. nec	71	—-	5	62	—-	2	2
Total primary manufactured goods	**2**	**—-**	**1**	**0**	**—-**	**0**	**1**
Subtotal lime, cement and glass	**1**	**—-**	**—-**	**—-**	**—-**	**0**	**0**
5220 cement & concrete	1	—-	—-	—-	—-	0	0
Subtotal primary iron and steel products	**1**	**—-**	**1**	**—-**	**—-**	**—-**	**0**
5330 i&s plates & sheets	1	—-	1	—-	—-	—-	—-
5370 i&s pipe & tube	0	—-	0	—-	—-	—-	0
Subtotal primary non-ferrous metal products	**0**	**—-**	**0**	**0**	**—-**	**—-**	**—-**
5480 fab. metal products	0	—-	0	0	—-	—-	—-
Total food and farm products	**0**	**—-**	**—-**	**0**	**0**	**0**	**—-**
Subtotal other agricultural products	**0**	**—-**	**—-**	**0**	**0**	**0**	**—-**
6887 groceries	0	—-	—-	—-	0	—-	—-
6888 water & ice	0	—-	—-	0	0	0	—-
Total all manufactured equipment, machinery and products	**6**	**1**	**0**	**—-**	**2**	**2**	**1**
7110 machinery (not elec)	6	1	0	—-	2	2	1
Ton-miles (x1000)	**11,397**	**43**	**29**	**125**	**48**	**10,788**	**365**

Tons All Traffic (x1000) **533**
Ton-miles All Traffic (x1000) **11,397**

ATCHAFALAYA RIVER, LA MORGAN CITY TO GULF OF MEXICO

Section Included: From Morgan City, LA to the 20-foot contour in the Gulf of Mexico. Maintained Depth: 20 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,800	1995	4,228	1998	3,486	**2001**	**2,422***
1993	1,607	1996	4,074	1999	2,181		
1994	1,969	1997	3,657	2000	2,747		

*Does not include 27,492,036 tons of commerce that only pass through the three mile Atchafalaya River segment between the junction with the GIWW and the junction with the Morgan River-Port Allen Route.

Freight Traffic, 2001 (thousand short tons)

Commodity	Total	Foreign Inbound
Total, all commodities	**3**	**3**
Total chemicals and related products	**3**	**3**
Subtotal other chemicals and related products	**3**	**3**
3220 alcohols	3	3
3275 inorg. elem.,oxides, & halogen salts	0	0
3276 metallic salts	0	0
Total crude materials, inedible except fuels	**0**	**0**
Subtotal soil, sand, gravel, rock and stone	**0**	**0**
4310 building stone	0	0
Total primary manufactured goods	**0**	**0**
Subtotal primary non-ferrous metal products	**0**	**0**
5480 fab. metal products	0	0
Total food and farm products	**0**	**0**
Subtotal vegetable products	**0**	**0**
6654 vegetables & prod.	0	0
Total all manufactured equipment, machinery and products	**0**	**0**
7110 machinery (not elec)	0	0
7210 vehicles & parts	0	0
7600 rubber & plastic pr.	0	0
7900 manufac. prod. nec	0	0
Ton-miles (x1000)	**117**	**117**
Foreign		

Commodity	Total	Coastwise Through Upbound	Coastwise Through Downbnd
Total, all commodities	**5**	**3**	**2**
Total petroleum and petroleum products	**5**	**3**	**1**
Subtotal crude petroleum	**3**	**3**	**—-**
2100 crude petroleum	3	3	—-
Subtotal petroleum products	**1**	**—-**	**1**
2330 distillate fuel oil	0	—-	0
2640 liquid natural gas	1	—-	1
Total food and farm products	**0**	**—-**	**0**
Subtotal other agricultural products	**0**	**—-**	**0**
6888 water & ice	0	—-	0
Ton-miles (x1000)	**181**	**115**	**66**
Coastwise			

Commodity	Total	Internal Inbound Upbound	Internal Inbound Downbnd	Internal Outbound Upbound	Internal Outbound Downbnd	Internal Through Upbound	Internal Through Downbnd
Total, all commodities	**2,414**	**279**	**132**	**32**	**26**	**865**	**1,081**
Total petroleum and petroleum products	**1,055**	**256**	**0**	**32**	**2**	**465**	**300**
Subtotal crude petroleum	**1,038**	**256**	**0**	**32**	**2**	**457**	**291**
2100 crude petroleum	1,038	256	0	32	2	457	291
Subtotal petroleum products	**17**	**1**	**0**	**0**	**—-**	**7**	**9**
2330 distillate fuel oil	13	1	0	0	—-	4	9
2990 petro. products nec	4	—-	—-	—-	—-	4	—-

ATCHAFALAYA RIVER, LA MORGAN CITY TO GULF OF MEXICO
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal					
		Inbound		Outbound		Through	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total chemicals and related products	**1**	**—-**	**—-**	**—-**	**—-**	**1**	**1**
Subtotal other chemicals and related products	**1**	**—-**	**—-**	**—-**	**—-**	**1**	**1**
3276 metallic salts	1	—	—	—	—	1	1
3299 chem. products nec	0	—	—	—	—	—	0
Total crude materials, inedible except fuels	**367**	**—-**	**9**	**0**	**—-**	**225**	**132**
Subtotal forest products, wood and chips	**0**	**—-**	**—-**	**—-**	**—-**	**0**	**—-**
4189 lumber	0	—	—	—	—	0	—
Subtotal soil, sand, gravel, rock and stone	**40**	**—-**	**9**	**—-**	**—-**	**31**	**0**
4322 limestone	10	—	9	—	—	2	—
4323 gypsum	3	—	—	—	—	3	—
4331 sand & gravel	27	—	—	—	—	26	0
Subtotal iron ore and scrap	**11**	**—-**	**—-**	**—-**	**—-**	**0**	**11**
4420 iron & steel scrap	11	—	—	—	—	0	11
Subtotal non-ferrous ores and scrap	**2**	**—-**	**—-**	**—-**	**—-**	**2**	**—-**
4650 aluminum ore	2	—	—	—	—	2	—
Subtotal sulphur, clay and salt	**10**	**—-**	**—-**	**—-**	**—-**	**4**	**6**
4782 clay & refrac. mat.	10	—	—	—	—	4	6
Subtotal other non-metal. min.	**304**	**—-**	**—-**	**0**	**—-**	**188**	**116**
4900 non-metal. min. nec	304	—	—	0	—	188	116
Total primary manufactured goods	**92**	**—-**	**0**	**—-**	**—-**	**63**	**28**
Subtotal paper products	**0**	**—-**	**—-**	**—-**	**—-**	**0**	**0**
5190 paper products nec	0	—	—	—	—	0	0
Subtotal lime, cement and glass	**1**	**—-**	**—-**	**—-**	**—-**	**1**	**0**
5220 cement & concrete	1	—	—	—	—	1	0
5290 misc. mineral prod.	0	—	—	—	—	0	—
Subtotal primary iron and steel products	**77**	**—-**	**0**	**—-**	**—-**	**57**	**20**
5370 i&s pipe & tube	77	—	0	—	—	57	20
5390 primary i&s nec	0	—	—	—	—	0	0
Subtotal primary non-ferrous metal products	**14**	**—-**	**—-**	**—-**	**—-**	**5**	**9**
5480 fab. metal products	14	—	—	—	—	5	9
Total food and farm products	**459**	**—-**	**—-**	**—-**	**—-**	**3**	**456**
Subtotal vegetable products	**0**	**—-**	**—-**	**—-**	**—-**	**0**	**—-**
6653 vegetable oils	0	—	—	—	—	0	—
Subtotal other agricultural products	**459**	**—-**	**—-**	**—-**	**—-**	**3**	**456**
6861 sugar	419	—	—	—	—	—	419
6865 molasses	28	—	—	—	—	—	28
6887 groceries	0	—	—	—	—	0	0
6888 water & ice	11	—	—	—	—	3	9
Total all manufactured equipment, machinery and products	**318**	**22**	**0**	**—-**	**24**	**108**	**163**
7110 machinery (not elec)	316	22	0	—	24	108	161
7120 electrical machinery	0	—	—	—	—	—	0
7210 vehicles & parts	0	—	0	—	—	—	—
7400 manufac. wood prod.	2	—	—	—	—	0	2
Total waste and scrap nec	**123**	**—-**	**123**	**—-**	**—-**	**0**	**—-**
8900 waste and scrap nec	123	—	123	—	—	0	—
Ton-miles (x1000)	**32,872**	**1,294**	**405**	**568**	**847**	**21,343**	**8,415**
Internal							

Tons All Traffic (x1000) **2,422**
Ton-miles All Traffic (x1000) **33,170**

ATCHAFALAYA RIVER, LA

Section Included: Old River Lock at Mississippi River through Old River to Three Rivers thence via Atchafalaya River to Morgan City, LA, 123 miles.
Maintained Depth: 12 feet. Tidal Range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	12,141	1995	10,771	1998	12,477	**2001**	**11,554**
1993	10,279	1996	9,810	1999	13,995		
1994	12,025	1997	10,573	2000	13,441		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal						
		Inbound		Outbound		Through		Intra
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound
Total, all commodities	**11,554**	**2,741**	**497**	**1,298**	**785**	**1,950**	**4,280**	**3**
Total coal	**49**	**—-**	**—-**	**—-**	**—-**	**—-**	**49**	**—-**
1100 coal lignite	49	—-	—-	—-	—-	—-	49	—-
Total petroleum and petroleum products	**5,932**	**2,611**	**240**	**1,135**	**453**	**948**	**543**	**2**
Subtotal crude petroleum	**2,367**	**1,811**	**104**	**8**	**155**	**123**	**166**	**1**
2100 crude petroleum	2,367	1,811	104	8	155	123	166	1
Subtotal petroleum products	**3,564**	**800**	**137**	**1,127**	**298**	**825**	**378**	**1**
2211 gasoline	952	85	15	577	53	121	101	—-
2221 kerosene	4	—-	4	—-	—-	—-	—-	—-
2330 distillate fuel oil	1,385	436	97	516	140	90	106	1
2340 residual fuel oil	597	230	20	16	39	181	111	—-
2350 lube oil & greases	250	—-	—-	—-	—-	210	40	—-
2429 naphtha & solvents	192	31	—-	18	66	70	6	—-
2430 asphalt, tar & pitch	165	13	—-	—-	—-	138	13	—-
2540 petroleum coke	7	—-	—-	—-	—-	7	—-	—-
2990 petro. products nec	14	5	—-	—-	—-	9	—-	—-
Total chemicals and related products	**1,142**	**18**	**31**	**8**	**47**	**742**	**295**	**—-**
Subtotal fertilizers	**180**	**2**	**31**	**3**	**13**	**20**	**112**	**—-**
3110 nitrogenous fert.	114	—-	30	—-	1	4	78	—-
3120 phosphatic fert.	7	—-	—-	—-	—-	—-	7	—-
3130 potassic fert.	26	—-	2	—-	—-	3	21	—-
3190 fert. & mixes nec	34	2	—-	3	11	12	6	—-
Subtotal other chemicals and related products	**962**	**16**	**—-**	**5**	**34**	**722**	**184**	**—-**
3211 acyclic hydrocarbons	1	—-	—-	—-	—-	—-	1	—-
3212 benzene & toluene	2	—-	—-	—-	—-	2	—-	—-
3219 other hydrocarbons	467	—-	—-	—-	—-	463	4	—-
3220 alcohols	18	14	—-	—-	—-	4	—-	—-
3230 carboxylic acids	2	—-	—-	—-	—-	2	—-	—-
3240 nitrogen func. comp.	190	—-	—-	—-	—-	190	—-	—-
3260 organic comp. nec	6	—-	—-	—-	—-	—-	6	—-
3273 ammonia	77	—-	—-	—-	—-	17	60	—-
3274 sodium hydroxide	156	—-	—-	—-	—-	43	113	—-
3275 inorg. elem.,oxides, & halogen salts	0	—-	—-	—-	0	—-	—-	—-
3276 metallic salts	2	2	—-	—-	0	—-	—-	—-
3297 chemical additives	40	—-	—-	5	34	—-	1	—-
3299 chem. products nec	1	0	—-	—-	1	—-	—-	—-
Total crude materials, inedible except fuels	**3,877**	**87**	**218**	**—-**	**199**	**30**	**3,342**	**1**
Subtotal forest products, wood and chips	**3**	**—-**	**—-**	**—-**	**—-**	**3**	**—-**	**—-**
4190 forest products nec	3	—-	—-	—-	—-	3	—-	—-
Subtotal soil, sand, gravel, rock and stone	**3,598**	**31**	**218**	**—-**	**—-**	**6**	**3,342**	**—-**
4322 limestone	803	30	71	—-	—-	3	699	—-
4331 sand & gravel	1,201	—-	1	—-	—-	2	1,198	—-
4335 waterway improv. mat	1,593	1	146	—-	—-	1	1,445	—-
Subtotal sulphur, clay and salt	**22**	**7**	**—-**	**—-**	**15**	**—-**	**—-**	**—-**
4782 clay & refrac. mat.	22	7	—-	—-	15	—-	—-	—-
Subtotal other non-metal. min.	**254**	**49**	**—-**	**—-**	**184**	**20**	**—-**	**1**
4900 non-metal. min. nec	254	49	—-	—-	184	20	—-	1
Total primary manufactured goods	**27**	**0**	**2**	**—-**	**11**	**5**	**9**	**1**
Subtotal paper products	**0**	**0**	**—-**	**—-**	**0**	**—-**	**—-**	**—-**
5190 paper products nec	0	0	—-	—-	0	—-	—-	—-
Subtotal lime, cement and glass	**11**	**0**	**—-**	**—-**	**8**	**0**	**2**	**1**
5220 cement & concrete	9	0	—-	—-	8	0	—-	1
5290 misc. mineral prod.	2	—-	—-	—-	—-	—-	2	—-
Subtotal primary iron and steel products	**11**	**0**	**—-**	**—-**	**2**	**4**	**5**	**—-**
5315 ferro alloys	1	—-	—-	—-	—-	—-	1	—-
5320 i&s primary forms	0	0	—-	—-	—-	—-	—-	—-
5330 i&s plates & sheets	1	—-	—-	—-	—-	—-	1	—-
5360 i&s bars & shapes	2	—-	—-	—-	—-	2	—-	—-
5370 i&s pipe & tube	4	0	—-	—-	2	—-	3	—-
5390 primary i&s nec	3	—-	—-	—-	—-	3	—-	—-

ATCHAFALAYA RIVER, LA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Grand Total	Internal						
		Inbound		Outbound		Through		Intra
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound
Subtotal primary non-ferrous metal products	**5**	**0**	**2**	**—-**	**1**	**—-**	**2**	**—-**
5480 fab. metal products	5	0	2	—-	1	—-	2	—-
Total food and farm products	**470**	**0**	**5**	**155**	**43**	**226**	**40**	**—-**
Subtotal grain	**353**	**—-**	**5**	**94**	**28**	**188**	**39**	**—-**
6241 wheat	53	—-	—-	22	2	27	2	—-
6344 corn	95	—-	5	31	13	46	—-	—-
6442 rice	36	—-	—-	—-	—-	2	34	—-
6447 sorghum grains	170	—-	—-	41	13	113	3	—-
Subtotal oilseeds	**110**	**—-**	**—-**	**62**	**10**	**37**	**2**	**—-**
6522 soybeans	108	—-	—-	60	10	37	2	—-
6590 oilseeds nec	1	—-	—-	1	—-	—-	—-	—-
Subtotal vegetable products	**1**	**0**	**—-**	**—-**	**1**	**—-**	**—-**	**—-**
6653 vegetable oils	1	0	—-	—-	1	—-	—-	—-
Subtotal processed grain and animal feed	**1**	**—-**	**—-**	**—-**	**—-**	**1**	**—-**	**—-**
6782 animal feed, prep.	1	—-	—-	—-	—-	1	—-	—-
Subtotal other agricultural products	**5**	**0**	**—-**	**—-**	**5**	**—-**	**—-**	**—-**
6887 groceries	0	0	—-	—-	0	—-	—-	—-
6888 water & ice	5	0	—-	—-	5	—-	—-	—-
Total all manufactured equipment, machinery and products	**57**	**24**	**—-**	**—-**	**32**	**0**	**1**	**—-**
7110 machinery (not elec)	57	24	—-	—-	32	—-	1	—-
7230 ships & boats	0	—-	—-	—-	—-	0	—-	—-
7400 manufac. wood prod.	0	0	—-	—-	0	—-	—-	—-
Ton-miles (x1000)	**748,886**	**211,008**	**20,263**	**54,420**	**37,505**	**215,540**	**210,049**	**101**

Tons All Traffic (x1000)	**11,554**
Ton-miles All Traffic (x1000)	**748,886**

GULF INTRACOASTAL WATERWAY, MORGAN CITY-PORT ALLEN ROUTE, LA

Section Included: 64.1 miles; Morgan City, LA to Port Allen, LA via the East Atchafalaya Basin Protection Levee Borrow Pit, Bayou Sorrel Lock, Lower Grand River and Bayou Plaquemine to Indian Village, thence via Bayou Grosse Tete and Land Cut to the Mississippi River through lock in levee at Port Allen opposite Baton Rouge, LA. Maintained Depth: 10 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	23,606	1995	25,463	1998	24,135*	**2001**	**23,298**
1993	27,097	1996	25,064	1999	23,202		
1994	24,588	1997	26,437	2000	23,061		

* Revised after original year of publication
Note: Above commerce, unless it also transited the Gulf Intracoastal Waterway east or west of Morgan City, LA, is not included in the consolidated report for the Gulf Intracoastal Waterway between Apalachee Bay, FL, and the Mexican border.

Freight Traffic, 2001 (thousand short tons)

Commodity	Total	Coastwise	
		Shipments	Through Upbound
Total, all commodities	**4**	**3**	**1**
Total petroleum and petroleum products	**3**	**3**	**—-**
Subtotal petroleum products	**3**	**3**	**—-**
2640 liquid natural gas	3	3	—
Total chemicals and related products	**1**	**—-**	**1**
Subtotal other chemicals and related products	**1**	**—-**	**1**
3276 metallic salts	1	—	1
Ton-miles (x1000)	**142**	**48**	**95**
Coastwise			

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**23,293**	**198**	**421**	**342**	**451**	**13,087**	**8,787**	**2**	**6**
Total coal	**219**	**8**	**28**	**—-**	**—-**	**144**	**39**	**—-**	**—-**
1100 coal lignite	46	8	28	—	—	3	7	—	—
1200 coal coke	173	—	—	—	—	141	32	—	—
Total petroleum and petroleum products	**7,145**	**85**	**98**	**107**	**378**	**3,795**	**2,683**	**—-**	**0**
Subtotal crude petroleum	**832**	**—-**	**—-**	**0**	**216**	**318**	**297**	**—-**	**—-**
2100 crude petroleum	832	—	—	0	216	318	297	—	—
Subtotal petroleum products	**6,314**	**85**	**98**	**106**	**162**	**3,477**	**2,386**	**—-**	**0**
2211 gasoline	1,661	—	—	86	156	939	480	—	—
2221 kerosene	16	—	—	—	—	—	16	—	—
2330 distillate fuel oil	736	3	—	—	0	274	460	—	0
2340 residual fuel oil	829	—	—	—	—	528	301	—	—
2350 lube oil & greases	1,310	82	98	—	—	970	159	—	—
2410 petro. jelly & waxes	46	—	—	—	—	39	7	—	—
2429 naphtha & solvents	688	—	—	—	—	350	339	—	—
2430 asphalt, tar & pitch	281	—	—	—	—	136	145	—	—
2540 petroleum coke	557	—	—	5	2	211	340	—	—
2640 liquid natural gas	22	—	—	15	4	—	3	—	—
2990 petro. products nec	167	—	—	—	—	31	136	—	—
Total chemicals and related products	**7,136**	**8**	**7**	**—-**	**56**	**5,065**	**1,999**	**—-**	**—-**
Subtotal fertilizers	**495**	**—-**	**4**	**—-**	**—-**	**110**	**381**	**—-**	**—-**
3110 nitrogenous fert.	351	—	—	—	—	20	331	—	—
3120 phosphatic fert.	19	—	1	—	—	6	12	—	—
3130 potassic fert.	15	—	3	—	—	1	11	—	—
3190 fert. & mixes nec	109	—	—	—	—	83	27	—	—
Subtotal other chemicals and related products	**6,641**	**8**	**3**	**—-**	**56**	**4,956**	**1,618**	**—-**	**—-**
3211 acyclic hydrocarbons	164	—	—	—	56	49	60	—	—
3212 benzene & toluene	317	—	—	—	—	127	191	—	—
3219 other hydrocarbons	2,522	—	—	—	—	2,371	151	—	—
3220 alcohols	1,133	—	—	—	—	630	503	—	—
3230 carboxylic acids	281	—	—	—	—	246	35	—	—
3240 nitrogen func. comp.	247	—	—	—	—	203	44	—	—
3260 organic comp. nec	268	—	—	—	—	83	185	—	—
3271 sulphur (liquid)	92	—	—	—	—	82	10	—	—
3272 sulphuric acid	213	—	—	—	—	72	140	—	—
3273 ammonia	75	—	—	—	—	30	45	—	—
3274 sodium hydroxide	744	—	—	—	—	693	51	—	—
3275 inorg. elem.,oxides, & halogen salts	204	8	3	—	—	147	45	—	—
3276 metallic salts	147	—	—	—	—	56	92	—	—
3279 inorganic chem. nec	3	—	—	—	—	3	—	—	—
3291 pesticides	1	—	—	—	—	1	—	—	—
3297 chemical additives	167	—	—	—	—	148	19	—	—
3299 chem. products nec	62	—	—	—	—	16	46	—	—

GULF INTRACOASTAL WATERWAY, MORGAN CITY-PORT ALLEN ROUTE, LA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total crude materials, inedible except fuels	**6,175**	**46**	**5**	**180**	**16**	**3,316**	**2,603**	**2**	**6**
Subtotal forest products, wood and chips	**5**	**—-**	**—-**	**—-**	**—-**	**5**	**—-**	**—-**	**—-**
4190 forest products nec	5	—	—	—	—	5	—	—	—
Subtotal soil, sand, gravel, rock and stone	**2,209**	**—-**	**5**	**29**	**3**	**15**	**2,156**	**—-**	**—-**
4310 building stone	9	—	—	—	—	—	9	—	—
4322 limestone	1,739	—	5	—	—	2	1,732	—	—
4323 gypsum	127	—	—	—	—	—	127	—	—
4331 sand & gravel	307	—	—	29	3	12	263	—	—
4335 waterway improv. mat	25	—	—	—	—	—	25	—	—
4338 soil & fill dirt	1	—	—	—	—	1	—	—	—
Subtotal iron ore and scrap	**460**	**1**	**—-**	**151**	**1**	**269**	**37**	**—-**	**—-**
4410 iron ore	15	—	—	—	—	—	15	—	—
4420 iron & steel scrap	445	1	—	151	1	269	22	—	—
Subtotal non-ferrous ores and scrap	**611**	**—-**	**—-**	**—-**	**—-**	**583**	**29**	**—-**	**—-**
4650 aluminum ore	581	—	—	—	—	579	2	—	—
4670 manganese ore	27	—	—	—	—	2	25	—	—
4690 non-ferrous ores nec	4	—	—	—	—	1	2	—	—
Subtotal sulphur, clay and salt	**26**	**2**	**—-**	**—-**	**1**	**3**	**21**	**—-**	**—-**
4782 clay & refrac. mat.	26	2	—	—	1	3	21	—	—
Subtotal slag	**49**	**—-**	**—-**	**—-**	**—-**	**2**	**47**	**—-**	**—-**
4860 slag	49	—	—	—	—	2	47	—	—
Subtotal other non-metal. min.	**2,815**	**44**	**—-**	**—-**	**11**	**2,440**	**312**	**2**	**6**
4900 non-metal. min. nec	2,815	44	—	—	11	2,440	312	2	6
Total primary manufactured goods	**1,709**	**11**	**241**	**2**	**0**	**290**	**1,165**	**—-**	**—-**
Subtotal lime, cement and glass	**415**	**0**	**181**	**2**	**—-**	**0**	**232**	**—-**	**—-**
5210 lime	168	—	157	2	—	—	10	—	—
5220 cement & concrete	247	0	24	—	—	0	222	—	—
Subtotal primary iron and steel products	**1,204**	**6**	**36**	**—-**	**0**	**280**	**882**	**—-**	**—-**
5312 pig iron	85	—	—	—	—	3	82	—	—
5315 ferro alloys	18	—	—	—	—	4	14	—	—
5320 i&s primary forms	11	—	—	—	—	10	2	—	—
5330 i&s plates & sheets	707	3	9	—	—	76	619	—	—
5360 i&s bars & shapes	167	2	—	—	—	158	7	—	—
5370 i&s pipe & tube	144	1	26	—	0	3	114	—	—
5390 primary i&s nec	72	—	—	—	—	27	45	—	—
Subtotal primary non-ferrous metal products	**91**	**5**	**24**	**—-**	**0**	**10**	**51**	**—-**	**—-**
5429 smelted prod. nec	4	—	—	—	—	—	4	—	—
5480 fab. metal products	86	5	24	—	0	10	47	—	—
Total food and farm products	**834**	**—-**	**24**	**53**	**—-**	**464**	**294**	**—-**	**—-**
Subtotal grain	**343**	**—-**	**24**	**—-**	**—-**	**129**	**190**	**—-**	**—-**
6241 wheat	21	—	8	—	—	—	13	—	—
6344 corn	27	—	5	—	—	18	4	—	—
6442 rice	264	—	—	—	—	92	171	—	—
6445 oats	13	—	11	—	—	2	—	—	—
6447 sorghum grains	18	—	—	—	—	16	2	—	—
Subtotal oilseeds	**13**	**—-**	**—-**	**—-**	**—-**	**13**	**—-**	**—-**	**—-**
6522 soybeans	13	—	—	—	—	13	—	—	—
Subtotal processed grain and animal feed	**60**	**—-**	**—-**	**—-**	**—-**	**51**	**9**	**—-**	**—-**
6782 animal feed, prep.	60	—	—	—	—	51	9	—	—
Subtotal other agricultural products	**419**	**—-**	**—-**	**53**	**—-**	**271**	**95**	**—-**	**—-**
6861 sugar	268	—	—	53	—	215	—	—	—
6865 molasses	75	—	—	—	—	56	19	—	—
6889 food products nec	76	—	—	—	—	—	76	—	—
Total all manufactured equipment, machinery and products	**19**	**1**	**—-**	**—-**	**0**	**13**	**4**	**0**	**—-**
7110 machinery (not elec)	18	1	—	—	0	12	4	0	—
7120 electrical machinery	1	—	—	—	—	1	—	—	—
7210 vehicles & parts	0	—	—	—	—	0	—	—	—
Total waste and scrap nec	**57**	**40**	**17**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
8900 waste and scrap nec	57	40	17	—	—	—	—	—	—
Ton-miles	**1,454,297**	**3,707**	**24,870**	**18,454**	**9,624**	**837,553**	**559,895**	**52**	**142**
Internal (x1000)									

Tons All Traffic (x1000) **23,298**
Ton-miles All Traffic (x1000) **1,454,440**

PETIT ANSE, TIGRE AND CARLIN BAYOUS, LA

Section Included: Bayou Petit Anse from Gulf Intracoastal Waterway to head of Avery Island, 6.1 miles; Bayou Carlin from mouth to Lake Peigneur, 7.6 miles; Avery (McIlhenny) Canal from Gulf Intracoastal Waterway to Vermillion Bay, 2.7 miles. Maintained Depth: Bayou Petit Anse, 6 feet; Bayou Carlin, 9 feet; Avery Canal, Bar Channel, 5 feet; to Gulf Intracoastal Waterway, 7 feet. Tidal Range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	2,493	1995	2,310	1998	2,348	**2001**	**3,061**
1993	2,321	1996	2,573	1999	2,489		
1994	2,703	1997	2,706	2000	2,557		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Domestic			
		Coastwise	Internal		
		Shipments	Inbound Upbound	Outbound Downbnd	Intra Upbound
Total, all commodities	**3,061**	**1**	**66**	**2,989**	**6**
Total petroleum and petroleum products	**345**	**—-**	**49**	**289**	**6**
Subtotal crude petroleum	**344**	**—-**	**49**	**289**	**6**
2100 crude petroleum	344	—-	49	289	6
Subtotal petroleum products	**0**	**—-**	**0**	**—-**	**—-**
2340 residual fuel oil	0	—-	0	—-	—-
Total crude materials, inedible except fuels	**2,716**	**—-**	**16**	**2,700**	**—-**
Subtotal soil, sand, gravel, rock and stone	**18**	**—-**	**16**	**2**	**—-**
4322 limestone	16	—-	16	—-	—-
4331 sand & gravel	2	—-	—-	2	—-
Subtotal other non-metal. min.	**2,698**	**—-**	**—-**	**2,698**	**—-**
4900 non-metal. min. nec	2,698	—-	—-	2,698	—-
Total all manufactured equipment, machinery and products	**1**	**1**	**0**	**—-**	**—-**
7110 machinery (not elec)	0	0	0	—-	—-
7230 ships & boats	0	0	—-	—-	—-
Ton-miles (x1000)	**11,637**	**5**	**594**	**11,004**	**34**

Tons All Traffic (x1000) **3,061**
Ton-miles All Traffic (x1000) **11,637**

FRESHWATER BAYOU, LA

Section Included: 23.1 miles from intersection of Gulf Intracoastal Waterway to the Gulf of Mexico. Maintained Depth: 12 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	200	1995	3,655	1998	1,225	**2001**	**1,654**
1993	453	1996	3,674	1999	1,322		
1994	395	1997	1,124	2000	1,613		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal					
		Inbound		Outbound		Through	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**1,654**	**519**	**8**	**56**	**532**	**189**	**350**
Total petroleum and petroleum products	**89**	**0**	**3**	**55**	**0**	**8**	**23**
Subtotal crude petroleum	**55**	**—-**	**—-**	**55**	**—-**	**—-**	**—-**
2100 crude petroleum	55	—-	—-	55	—-	—-	—-
Subtotal petroleum products	**34**	**0**	**3**	**0**	**0**	**8**	**23**
2211 gasoline	3	—-	—-	—-	—-	1	1
2330 distillate fuel oil	31	0	3	0	0	6	22
Total chemicals and related products	**1**	**0**	**—-**	**—-**	**—-**	**0**	**1**
Subtotal other chemicals and related products	**1**	**0**	**—-**	**—-**	**—-**	**0**	**1**
3220 alcohols	0	—-	—-	—-	—-	—-	0
3276 metallic salts	1	—-	—-	—-	—-	0	1
3282 pigments & paints	0	—-	—-	—-	—-	—-	0
3299 chem. products nec	0	0	—-	—-	—-	0	0
Total crude materials, inedible except fuels	**39**	**0**	**2**	**0**	**4**	**2**	**32**
Subtotal soil, sand, gravel, rock and stone	**0**	**—-**	**—-**	**—-**	**—-**	**—-**	**0**
4331 sand & gravel	0	—-	—-	—-	—-	—-	0
Subtotal sulphur, clay and salt	**15**	**0**	**0**	**0**	**0**	**1**	**14**
4782 clay & refrac. mat.	15	0	0	0	0	1	14
Subtotal other non-metal. min.	**24**	**—-**	**2**	**—-**	**4**	**1**	**18**
4900 non-metal. min. nec	24	—-	2	—-	4	1	18
Total primary manufactured goods	**25**	**0**	**—-**	**—-**	**0**	**3**	**22**
Subtotal paper products	**1**	**0**	**—-**	**—-**	**0**	**1**	**0**
5190 paper products nec	1	0	—-	—-	0	1	0
Subtotal lime, cement and glass	**10**	**—-**	**—-**	**—-**	**—-**	**0**	**10**
5220 cement & concrete	10	—-	—-	—-	—-	0	10
Subtotal primary iron and steel products	**11**	**—-**	**—-**	**—-**	**0**	**1**	**10**
5360 i&s bars & shapes	0	—-	—-	—-	—-	0	0
5370 i&s pipe & tube	11	—-	—-	—-	0	1	10
Subtotal primary non-ferrous metal products	**2**	**—-**	**—-**	**—-**	**0**	**1**	**2**
5480 fab. metal products	2	—-	—-	—-	0	1	2
Total food and farm products	**32**	**0**	**0**	**0**	**0**	**5**	**27**
Subtotal other agricultural products	**32**	**0**	**0**	**0**	**0**	**5**	**27**
6887 groceries	1	—-	—-	—-	—-	—-	1
6888 water & ice	31	0	0	0	0	5	26
Total all manufactured equipment, machinery and products	**1,466**	**519**	**4**	**0**	**528**	**170**	**246**
7110 machinery (not elec)	1,465	519	4	0	528	170	245
7120 electrical machinery	0	—-	—-	—-	—-	0	—-
7400 manufac. wood prod.	1	—-	—-	—-	—-	0	1
Total waste and scrap nec	**2**	**—-**	**—-**	**—-**	**—-**	**2**	**—-**
8900 waste and scrap nec	2	—-	—-	—-	—-	2	—-
Ton-miles (x1000)	**16,022**	**2,068**	**140**	**906**	**2,128**	**3,788**	**6,994**

Tons All Traffic (x1000) **1,654**
Ton-miles All Traffic (x1000) **16,022**

LAKE CHARLES DEEP WATER CHANNEL, LA (INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT)

Section Included: Calcasieu River to Sabine River, following the Calcasieu-Sabine section of the Gulf Intracoastal Waterway, 24.9 miles. Maintained Depth: 12 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	46,434	1995	45,584	1998	41,068*	**2001**	**41,849**
1993	45,260	1996	44,352	1999	40,850		
1994	47,002	1997	44,278	2000	43,062		

* Revised after original year of publication
Totals have been adjusted to reflect modifications to internal tonnage assignments.

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Domestic							
		Coastwise		Internal					
		Shipments	Through	Inbound		Outbound	Through		Intra
			Upbound	Upbound	Downbnd	Downbnd	Upbound	Downbnd	Upbound
Total, all commodities	**41,849**	**3**	**4**	**876**	**197**	**895**	**20,542**	**19,329**	**3**
Total coal	**220**	**—-**	**—-**	**—-**	**—-**	**—-**	**154**	**65**	**—-**
1100 coal lignite	10	—	—	—	—	—	3	7	—
1200 coal coke	210	—	—	—	—	—	151	59	—
Total petroleum and petroleum products	**23,265**	**3**	**2**	**788**	**—-**	**602**	**11,195**	**10,672**	**3**
Subtotal crude petroleum	**3,899**	**—-**	**—-**	**259**	**—-**	**550**	**1,888**	**1,198**	**3**
2100 crude petroleum	3,899	—	—	259	—	550	1,888	1,198	3
Subtotal petroleum products	**19,366**	**3**	**2**	**529**	**—-**	**52**	**9,307**	**9,475**	**—-**
2211 gasoline	2,993	3	2	8	—	—	1,435	1,545	—
2221 kerosene	559	—	—	—	—	—	416	143	—
2330 distillate fuel oil	4,632	—	—	195	—	10	1,660	2,768	—
2340 residual fuel oil	3,557	—	—	311	—	21	2,129	1,096	—
2350 lube oil & greases	1,664	—	—	13	—	6	1,344	301	—
2410 petro. jelly & waxes	47	—	—	—	—	—	39	8	—
2429 naphtha & solvents	2,490	—	—	2	—	14	975	1,500	—
2430 asphalt, tar & pitch	731	—	—	—	—	—	498	233	—
2540 petroleum coke	1,494	—	—	—	—	—	696	798	—
2640 liquid natural gas	841	—	—	—	—	—	48	793	—
2990 petro. products nec	358	—	—	—	—	—	68	290	—
Total chemicals and related products	**11,376**	**—-**	**1**	**33**	**—-**	**—-**	**7,318**	**4,024**	**—-**
Subtotal fertilizers	**643**	**—-**	**—-**	**—-**	**—-**	**—-**	**135**	**507**	**—-**
3110 nitrogenous fert.	430	—	—	—	—	—	20	410	—
3120 phosphatic fert.	43	—	—	—	—	—	6	37	—
3130 potassic fert.	11	—	—	—	—	—	8	3	—
3190 fert. & mixes nec	160	—	—	—	—	—	102	58	—
Subtotal other chemicals and related products	**10,733**	**—-**	**1**	**33**	**—-**	**—-**	**7,182**	**3,517**	**—-**
3211 acyclic hydrocarbons	600	—	—	26	—	—	260	314	—
3212 benzene & toluene	990	—	—	—	—	—	295	694	—
3219 other hydrocarbons	3,864	—	—	—	—	—	3,515	349	—
3220 alcohols	1,413	—	—	—	—	—	780	632	—
3230 carboxylic acids	309	—	—	—	—	—	259	50	—
3240 nitrogen func. comp.	549	—	—	—	—	—	441	108	—
3260 organic comp. nec	404	—	—	—	—	—	85	319	—
3271 sulphur (liquid)	242	—	—	—	—	—	88	154	—
3272 sulphuric acid	262	—	—	—	—	—	85	177	—
3273 ammonia	119	—	—	—	—	—	57	62	—
3274 sodium hydroxide	1,110	—	—	—	—	—	807	304	—
3275 inorg. elem.,oxides, & halogen salts	259	—	—	—	—	—	171	88	—
3276 metallic salts	197	—	1	7	—	—	70	119	—
3279 inorganic chem. nec	5	—	—	—	—	—	3	2	—
3286 plastics	1	—	—	—	—	—	—	1	—
3291 pesticides	1	—	—	—	—	—	1	—	—
3297 chemical additives	317	—	—	—	—	—	246	71	—
3299 chem. products nec	90	—	—	—	—	—	17	73	—
Total crude materials, inedible except fuels	**2,929**	**—-**	**—-**	**34**	**192**	**23**	**1,205**	**1,475**	**—-**
Subtotal forest products, wood and chips	**22**	**—-**	**—-**	**—-**	**—-**	**—-**	**9**	**13**	**—-**
4189 lumber	0	—	—	—	—	—	—	0	—
4190 forest products nec	22	—	—	—	—	—	9	13	—
Subtotal soil, sand, gravel, rock and stone	**1,403**	**—-**	**—-**	**—-**	**192**	**—-**	**36**	**1,174**	**—-**
4310 building stone	3	—	—	—	—	—	—	3	—
4322 limestone	547	—	—	—	50	—	—	496	—
4323 gypsum	179	—	—	—	—	—	—	179	—
4331 sand & gravel	420	—	—	—	40	—	35	346	—
4335 waterway improv. mat	252	—	—	—	102	—	—	150	—
4338 soil & fill dirt	1	—	—	—	—	—	1	—	—
Subtotal iron ore and scrap	**432**	**—-**	**—-**	**—-**	**—-**	**6**	**395**	**31**	**—-**
4410 iron ore	9	—	—	—	—	6	—	3	—
4420 iron & steel scrap	423	—	—	—	—	—	395	28	—
Subtotal non-ferrous ores and scrap	**687**	**—-**	**—-**	**—-**	**—-**	**—-**	**647**	**41**	**—-**

LAKE CHARLES DEEP WATER CHANNEL, LA (INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Grand Total	Domestic							
		Coastwise		Internal					
		Shipments	Through	Inbound		Outbound	Through		Intra
			Upbound	Upbound	Downbnd	Downbnd	Upbound	Downbnd	Upbound
4650 aluminum ore	647	—	—	—	—	—	643	3	—
4670 manganese ore	36	—	—	—	—	—	2	33	—
4690 non-ferrous ores nec	5	—	—	—	—	—	1	4	—
Subtotal sulphur, clay and salt	**44**	**—**	**—**	**4**	**—**	**5**	**6**	**30**	**—**
4782 clay & refrac. mat.	44	—	—	4	—	5	6	30	—
Subtotal slag	**55**	**—**	**—**	**—**	**—**	**1**	**2**	**52**	**—**
4860 slag	55	—	—	—	—	1	2	52	—
Subtotal other non-metal. min.	**286**	**—**	**—**	**30**	**—**	**11**	**110**	**135**	**—**
4900 non-metal. min. nec	286	—	—	30	—	11	110	135	—
Total primary manufactured goods	**2,316**	**—**	**—**	**20**	**5**	**33**	**371**	**1,887**	**—**
Subtotal paper products	**0**	**—**	**—**	**—**	**—**	**—**	**—**	**0**	**—**
5190 paper products nec	0	—	—	—	—	—	—	0	—
Subtotal lime, cement and glass	**508**	**—**	**—**	**—**	**5**	**—**	**0**	**502**	**—**
5210 lime	5	—	—	—	5	—	—	—	—
5220 cement & concrete	502	—	—	—	—	—	0	502	—
Subtotal primary iron and steel products	**1,646**	**—**	**—**	**12**	**—**	**33**	**343**	**1,258**	**—**
5312 pig iron	176	—	—	—	—	—	5	172	—
5315 ferro alloys	34	—	—	—	—	—	4	29	—
5320 i&s primary forms	16	—	—	—	—	—	10	7	—
5330 i&s plates & sheets	759	—	—	12	—	2	88	657	—
5360 i&s bars & shapes	187	—	—	—	—	—	174	14	—
5370 i&s pipe & tube	359	—	—	—	—	31	26	301	—
5390 primary i&s nec	115	—	—	—	—	—	36	78	—
Subtotal primary non-ferrous metal products	**159**	**—**	**—**	**8**	**—**	**—**	**27**	**125**	**—**
5421 copper	3	—	—	—	—	—	3	—	—
5429 smelted prod. nec	27	—	—	—	—	—	—	27	—
5480 fab. metal products	130	—	—	8	—	—	24	98	—
Subtotal primary wood products	**4**	**—**	**—**	**—**	**—**	**—**	**1**	**2**	**—**
5540 primary wood prod.	4	—	—	—	—	—	1	2	—
Total food and farm products	**884**	**—**	**—**	**1**	**—**	**0**	**269**	**614**	**—**
Subtotal grain	**286**	**—**	**—**	**—**	**—**	**—**	**62**	**224**	**—**
6241 wheat	41	—	—	—	—	—	15	26	—
6344 corn	10	—	—	—	—	—	7	4	—
6442 rice	227	—	—	—	—	—	34	193	—
6445 oats	2	—	—	—	—	—	2	—	—
6447 sorghum grains	5	—	—	—	—	—	3	2	—
Subtotal oilseeds	**7**	**—**	**—**	**—**	**—**	**—**	**2**	**5**	**—**
6522 soybeans	2	—	—	—	—	—	2	—	—
6590 oilseeds nec	5	—	—	—	—	—	—	5	—
Subtotal vegetable products	**18**	**—**	**—**	**—**	**—**	**—**	**18**	**—**	**—**
6653 vegetable oils	3	—	—	—	—	—	3	—	—
6654 vegetables & prod.	15	—	—	—	—	—	15	—	—
Subtotal processed grain and animal feed	**37**	**—**	**—**	**—**	**—**	**—**	**28**	**9**	**—**
6746 wheat flour	6	—	—	—	—	—	6	—	—
6782 animal feed, prep.	31	—	—	—	—	—	22	9	—
Subtotal other agricultural products	**537**	**—**	**—**	**1**	**—**	**0**	**160**	**376**	**—**
6861 sugar	388	—	—	—	—	—	139	249	—
6865 molasses	40	—	—	—	—	—	5	36	—
6885 alcoholic beverages	5	—	—	—	—	—	—	5	—
6888 water & ice	13	—	—	1	—	0	4	9	—
6889 food products nec	91	—	—	—	—	—	13	79	—
Total all manufactured equipment, machinery and products	**118**	**—**	**0**	**1**	**—**	**5**	**30**	**82**	**—**
7110 machinery (not elec)	55	—	0	1	—	5	22	27	—
7120 electrical machinery	1	—	—	—	—	—	1	—	—
7230 ships & boats	2	—	—	—	—	—	1	1	—
7300 ordnance & access.	0	—	—	—	—	—	0	—	—
7400 manufac. wood prod.	6	—	—	—	—	—	6	—	—
7500 textile products	0	—	—	—	—	—	—	0	—
7600 rubber & plastic pr.	3	—	—	—	—	—	—	3	—
7900 manufac. prod. nec	51	—	—	—	—	—	0	51	—
Total waste and scrap nec	**740**	**—**	**—**	**—**	**—**	**231**	**—**	**509**	**—**
8900 waste and scrap nec	740	—	—	—	—	231	—	509	—

BAYOU TECHE, LA

Section Included: Mouth to Arnaudville, LA, 106.5 miles. Maintained Depth: to mile 4.5, 3 feet; to New Iberia, LA, 3 feet; to Keystone Lock, 4 feet; to Breaux Bridge, LA, 7 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	956	1995	1,113	1998	1,879	**2001**	**1,724**
1993	1,088	1996	1,237	1999	1,436		
1994	1,089	1997	1,802	2000	1,562		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal Inbound Upbound	Internal Outbound Downbnd
Total, all commodities	**1,724**	**519**	**1,206**
Total petroleum and petroleum products	**366**	**4**	**362**
Subtotal crude petroleum	**362**	**2**	**359**
2100 crude petroleum	362	2	359
Subtotal petroleum products	**4**	**2**	**2**
2330 distillate fuel oil	4	2	2
Total chemicals and related products	**1**	**1**	**1**
Subtotal other chemicals and related products	**1**	**1**	**1**
3276 metallic salts	1	1	1
Total crude materials, inedible except fuels	**545**	**414**	**132**
Subtotal forest products, wood and chips	**0**	**0**	**—-**
4189 lumber	0	0	—
Subtotal soil, sand, gravel, rock and stone	**212**	**212**	**—-**
4322 limestone	130	130	—
4323 gypsum	10	10	—
4331 sand & gravel	72	72	—
Subtotal iron ore and scrap	**31**	**15**	**16**
4410 iron ore	15	15	—
4420 iron & steel scrap	16	—	16
Subtotal non-ferrous ores and scrap	**2**	**2**	**—-**
4650 aluminum ore	2	2	—
Subtotal sulphur, clay and salt	**3**	**1**	**2**
4782 clay & refrac. mat.	3	1	2
Subtotal other non-metal. min.	**298**	**184**	**114**
4900 non-metal. min. nec	298	184	114
Total primary manufactured goods	**99**	**84**	**15**
Subtotal lime, cement and glass	**5**	**5**	**—-**
5210 lime	4	4	—
5220 cement & concrete	1	1	—
5290 misc. mineral prod.	0	0	—
Subtotal primary iron and steel products	**87**	**72**	**15**
5370 i&s pipe & tube	87	72	15
Subtotal primary non-ferrous metal products	**8**	**7**	**0**
5480 fab. metal products	8	7	0
Total food and farm products	**681**	**2**	**679**
Subtotal grain	**1**	**—-**	**1**
6447 sorghum grains	1	—	1
Subtotal other agricultural products	**680**	**2**	**678**
6861 sugar	597	—	597
6865 molasses	79	—	79
6888 water & ice	4	2	2
Total all manufactured equipment, machinery and products	**32**	**15**	**17**
7110 machinery (not elec)	32	15	17
7120 electrical machinery	0	—	0
7400 manufac. wood prod.	0	0	0
Ton-miles (x1000)	**76,341**	**24,230**	**52,111**

Tons All Traffic (x1000)	**1,724**
Ton-miles All Traffic (x1000)	**76,341**

MERMENTAU RIVER, LA

Section Included: Lower Mermentau River from Gulf Intracoastal Waterway to Gulf of Mexico; Inland Waterway from Vermilion Bay to the Mermentau River; and waterway from White Lake to Pecan Island. Maintained Depth: Lower Mermentau River, through Grand Lake, 4 feet; to Catfish Point Control Structure, 7 feet; to Grand Cheniere Highway Bridge, 12 feet; through New Channel to jetties, 10 feet; Bar Channel; 10 feet, Inland Waterway, through Schooner Bayou Cut-Off Canal to control structure, 9.0 feet; to White Lake, 11 feet; through White Lake, 6 feet; through Turtle Lake, 8 feet; through Collicon Lake, 4 feet; through Grand Lake, 4 feet; north prong of Schooner Bayou, 7 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	729	1995	741	1998	740	**2001**	**741**
1993	765	1996	660	1999	750		
1994	673	1997	729	2000	807		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal				
		Inbound		Outbound		Through
		Upbound	Downbnd	Upbound	Downbnd	Downbnd
Total, all commodities	**741**	**2**	**5**	**251**	**477**	**6**
Total petroleum and petroleum products	**731**	**2**	**2**	**250**	**471**	**6**
Subtotal crude petroleum	**715**	**—-**	**2**	**250**	**464**	**—-**
2100 crude petroleum	715	—-	2	250	464	—-
Subtotal petroleum products	**16**	**2**	**1**	**—-**	**7**	**6**
2330 distillate fuel oil	9	2	1	—-	—	6
2340 residual fuel oil	7	—-	—-	—-	7	—-
Total chemicals and related products	**0**	**—-**	**—-**	**—-**	**0**	**—-**
Subtotal other chemicals and related products	**0**	**—-**	**—-**	**—-**	**0**	**—-**
3299 chem. products nec	0	—-	—-	—-	0	—-
Total crude materials, inedible except fuels	**5**	**—-**	**1**	**2**	**3**	**—-**
Subtotal iron ore and scrap	**2**	**—-**	**—-**	**2**	**—-**	**—-**
4420 iron & steel scrap	2	—-	—-	2	—-	—-
Subtotal sulphur, clay and salt	**1**	**—-**	**1**	**—-**	**0**	**—-**
4782 clay & refrac. mat.	1	—-	1	—-	0	—-
Subtotal other non-metal. min.	**3**	**—-**	**0**	**—-**	**2**	**—-**
4900 non-metal. min. nec	3	—-	0	—-	2	—-
Total primary manufactured goods	**1**	**—-**	**1**	**—-**	**0**	**—-**
Subtotal paper products	**0**	**—-**	**—-**	**—-**	**0**	**—-**
5190 paper products nec	0	—-	—-	—-	0	—-
Subtotal lime, cement and glass	**1**	**—-**	**1**	**—-**	**0**	**—-**
5220 cement & concrete	1	—-	1	—-	0	—-
Subtotal primary iron and steel products	**0**	**—-**	**0**	**—-**	**0**	**—-**
5370 i&s pipe & tube	0	—-	0	—-	0	—-
Subtotal primary non-ferrous metal products	**0**	**—-**	**—-**	**—-**	**0**	**—-**
5480 fab. metal products	0	—-	—-	—-	0	—-
Total all manufactured equipment, machinery and products	**4**	**0**	**1**	**—-**	**3**	**—-**
7110 machinery (not elec)	4	0	1	—-	3	—-
7210 vehicles & parts	0	—-	0	—-	—-	—-
Ton-miles (x1000)	**22,196**	**47**	**97**	**6,717**	**15,111**	**223**

Tons All Traffic (x1000)	**741**
Ton-miles All Traffic (x1000)	**22,196**

BAYOU TECHE AND VERMILION RIVER, LA

Section Included: 52 miles from Vermilion Bay to General Mouton Avenue Bridge at Lafayette, LA. Maintained Depth: Bar Channel, 8 feet; to Gulf Intracoastal Waterway, 11 feet; to Abbeville, LA, 9 feet; to mile 40, 8 feet; to Pinhook Bridge, 5 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,105	1995	2,543	1998	1,804	**2001**	**1,050**
1993	1,593	1996	1,829	1999	1,490		
1994	1,434	1997	1,963	2000	1,200		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal				
		Inbound		Outbound		Through
		Upbound	Downbnd	Upbound	Downbnd	Downbnd
Total, all commodities	**1,050**	**602**	**134**	**212**	**98**	**3**
Total petroleum and petroleum products	**63**	**0**	**6**	**17**	**39**	**1**
Subtotal crude petroleum	**39**	**—-**	**—-**	**1**	**39**	**—-**
2100 crude petroleum	39	—-	—-	1	39	—-
Subtotal petroleum products	**23**	**0**	**6**	**16**	**0**	**1**
2211 gasoline	0	—-	—-	0	—-	—-
2330 distillate fuel oil	23	0	6	16	0	1
Total chemicals and related products	**1**	**—-**	**1**	**0**	**0**	**—-**
Subtotal other chemicals and related products	**1**	**—-**	**1**	**0**	**0**	**—-**
3276 metallic salts	1	—-	1	0	0	—-
3282 pigments & paints	0	—-	—-	0	—-	—-
3299 chem. products nec	0	—-	0	0	—-	—-
Total crude materials, inedible except fuels	**608**	**547**	**19**	**33**	**9**	**—-**
Subtotal forest products, wood and chips	**8**	**—-**	**—-**	**—-**	**8**	**—-**
4190 forest products nec	8	—-	—-	—-	8	—-
Subtotal soil, sand, gravel, rock and stone	**547**	**547**	**—-**	**—-**	**—-**	**—-**
4322 limestone	206	206	—-	—-	—-	—-
4331 sand & gravel	340	340	—-	—-	—-	—-
Subtotal iron ore and scrap	**6**	**—-**	**—-**	**6**	**—-**	**—-**
4420 iron & steel scrap	6	—-	—-	6	—-	—-
Subtotal sulphur, clay and salt	**15**	**0**	**1**	**13**	**1**	**—-**
4782 clay & refrac. mat.	15	0	1	13	1	—-
Subtotal other non-metal. min.	**33**	**0**	**18**	**14**	**0**	**—-**
4900 non-metal. min. nec	33	0	18	14	0	—-
Total primary manufactured goods	**23**	**—-**	**1**	**19**	**1**	**2**
Subtotal paper products	**0**	**—-**	**0**	**0**	**0**	**0**
5190 paper products nec	0	—-	0	0	0	0
Subtotal lime, cement and glass	**12**	**—-**	**0**	**9**	**0**	**2**
5220 cement & concrete	12	—-	0	9	0	2
Subtotal primary iron and steel products	**10**	**—-**	**0**	**9**	**0**	**0**
5370 i&s pipe & tube	10	—-	0	9	0	0
Subtotal primary non-ferrous metal products	**2**	**—-**	**0**	**1**	**1**	**0**
5480 fab. metal products	2	—-	0	1	1	0
Total food and farm products	**60**	**14**	**28**	**16**	**3**	**—-**
Subtotal grain	**43**	**14**	**27**	**—-**	**2**	**—-**
6442 rice	43	14	27	—-	2	—-
Subtotal other agricultural products	**18**	**0**	**0**	**16**	**1**	**—-**
6887 groceries	0	—-	—-	0	—-	—-
6888 water & ice	18	0	0	16	1	—-
Total all manufactured equipment, machinery and products	**292**	**40**	**78**	**126**	**47**	**0**
7110 machinery (not elec)	291	40	78	126	47	0
7210 vehicles & parts	0	—-	—-	0	—-	—-
7400 manufac. wood prod.	1	—-	0	0	—-	—-
Total waste and scrap nec	**2**	**—-**	**2**	**—-**	**—-**	**—-**
8900 waste and scrap nec	2	—-	2	—-	—-	—-
Ton-miles (x1000)	**17,428**	**16,187**	**0**	**0**	**1,234**	**6**

Tons All Traffic (x1000) **1,050**
Ton-miles All Traffic (x1000) **17,429**

MERMENTAU RIVER, BAYOUS NEZPIQUE AND DES CANNES, LA

Section Included: Mermentau River from Gulf Intracoastal Waterway to mile 71.5; Bayou Nezpique from mouth to mile 25; Bayou Des Cannes from mouth to mile 8.5. Maintained Depth: Mermentau River from Gulf Intracoastal Waterway to mile 71.5, 9.0 feet; Bayou Nezpique to I-10 Bridge, 14 feet; Bayou Des Cannes to I-10 Bridge, 10 feet. Tidal range to 3 feet at mean higherhigh water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,007	1995	996	1998	773	**2001**	**869**
1993	982	1996	1,253	1999	1,053		
1994	1,164	1997	986	2000	868		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal Inbound Upbound	Internal Outbound Downbnd
Total, all commodities	**869**	**437**	**433**
Total petroleum and petroleum products	**263**	**0**	**263**
Subtotal crude petroleum	**129**	**—-**	**129**
2100 crude petroleum	129	—-	129
Subtotal petroleum products	**134**	**0**	**133**
2211 gasoline	133	—-	133
2330 distillate fuel oil	0	0	—-
Total chemicals and related products	**80**	**80**	**—-**
Subtotal fertilizers	**78**	**78**	**—-**
3110 nitrogenous fert.	27	27	—-
3120 phosphatic fert.	7	7	—-
3130 potassic fert.	18	18	—-
3190 fert. & mixes nec	25	25	—-
Subtotal other chemicals and related products	**2**	**2**	**—-**
3220 alcohols	2	2	—-
Total crude materials, inedible except fuels	**350**	**350**	**—-**
Subtotal soil, sand, gravel, rock and stone	**350**	**350**	**—-**
4322 limestone	328	328	—-
4331 sand & gravel	23	23	—-
Total food and farm products	**177**	**6**	**170**
Subtotal grain	**120**	**3**	**117**
6241 wheat	3	—-	3
6344 corn	3	—-	3
6442 rice	115	3	112
Subtotal oilseeds	**52**	**—-**	**52**
6522 soybeans	52	—-	52
Subtotal processed grain and animal feed	**5**	**3**	**2**
6782 animal feed, prep.	5	3	2
Ton-miles (x1000)	**28,029**	**14,254**	**13,775**

Tons All Traffic (x1000)	**869**
Ton-miles All Traffic (x1000)	**28,029**

CALCASIEU RIVER AND PASS, LA (LAKE CHARLES, LA)

Section Included: Phillips Bluff, LA, to the 42-foot contour in Gulf of Mexico, 109.5 miles. Maintained Depth: Bar channel, 42 feet; jetty channel, 42 feet; to Lake Charles, 41-42 feet; miles 34 to 36, 36 feet; to mile 56, 12 feet; to mile 68, 7 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	44,039	1995	46,571	1998	53,701*	**2001**	**52,845**
1993	45,436	1996	49,096	1999	50,742		
1994	48,331	1997	51,279	2000	53,007*		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
Total, all commodities		**31,920**	**27,640**	**3,945**	**103**	**233**
Total coal		**12**	**—-**	**12**	**—-**	**—-**
1200	coal coke	12	—-	12	—-	—-
Total petroleum and petroleum products		**29,189**	**26,190**	**2,816**	**96**	**86**
Subtotal crude petroleum		**22,545**	**22,449**	**—-**	**96**	**—-**
2100	crude petroleum	22,545	22,449	—-	96	—-
Subtotal petroleum products		**6,643**	**3,741**	**2,816**	**—-**	**86**
2211	gasoline	76	—-	76	—-	—-
2330	distillate fuel oil	592	325	254	—-	12
2340	residual fuel oil	196	38	118	—-	40
2350	lube oil & greases	115	—-	109	—-	6
2429	naphtha & solvents	246	205	23	—-	18
2540	petroleum coke	2,246	—-	2,236	—-	10
2640	liquid natural gas	3,173	3,173	—-	—-	—-
Total chemicals and related products		**726**	**151**	**549**	**6**	**21**
Subtotal fertilizers		**22**	**22**	**—-**	**—-**	**—-**
3110	nitrogenous fert.	22	22	—-	—-	—-
Subtotal other chemicals and related products		**704**	**129**	**549**	**6**	**21**
3212	benzene & toluene	3	—-	3	—-	—-
3219	other hydrocarbons	115	—-	115	—-	—-
3260	organic comp. nec	1	—-	1	—-	—-
3274	sodium hydroxide	338	—-	317	—-	21
3275	inorg. elem.,oxides, & halogen salts	6	6	—-	—-	—-
3276	metallic salts	115	89	19	6	—-
3279	inorganic chem. nec	10	10	—-	—-	—-
3282	pigments & paints	14	10	4	—-	—-
3285	perfumes & cleansers	8	8	—-	—-	—-
3286	plastics	83	—-	83	—-	—-
3297	chemical additives	6	—-	6	—-	—-
3299	chem. products nec	6	6	—-	—-	—-
Total crude materials, inedible except fuels		**1,184**	**1,182**	**1**	**—-**	**—-**
Subtotal pulp and waste paper		**1**	**—-**	**1**	**—-**	**—-**
4225	pulp & waste paper	1	—-	1	—-	—-
Subtotal soil, sand, gravel, rock and stone		**845**	**845**	**—-**	**—-**	**—-**
4322	limestone	845	845	—-	—-	—-
Subtotal non-ferrous ores and scrap		**22**	**22**	**—-**	**—-**	**—-**
4690	non-ferrous ores nec	22	22	—-	—-	—-
Subtotal other non-metal. min.		**316**	**316**	**—-**	**—-**	**—-**
4900	non-metal. min. nec	316	316	—-	—-	—-
Total primary manufactured goods		**113**	**111**	**2**	**—-**	**—-**
Subtotal primary iron and steel products		**2**	**—-**	**2**	**—-**	**—-**
5370	i&s pipe & tube	2	—-	2	—-	—-
Subtotal primary non-ferrous metal products		**111**	**111**	**0**	**—-**	**—-**
5480	fab. metal products	111	111	0	—-	—-
Total food and farm products		**552**	**—-**	**552**	**—-**	**—-**
Subtotal grain		**365**	**—-**	**365**	**—-**	**—-**
6241	wheat	59	—-	59	—-	—-
6344	corn	26	—-	26	—-	—-
6442	rice	258	—-	258	—-	—-
6447	sorghum grains	22	—-	22	—-	—-
Subtotal oilseeds		**1**	**—-**	**1**	**—-**	**—-**
6522	soybeans	1	—-	1	—-	—-
Subtotal vegetable products		**56**	**—-**	**56**	**—-**	**—-**
6653	vegetable oils	16	—-	16	—-	—-
6654	vegetables & prod.	39	—-	39	—-	—-
Subtotal processed grain and animal feed		**86**	**—-**	**86**	**—-**	**—-**
6746	wheat flour	34	—-	34	—-	—-
6747	grain mill products	52	—-	52	—-	—-
Subtotal other agricultural products		**45**	**—-**	**45**	**—-**	**—-**
6811	meat, fresh, frozen	0	—-	0	—-	—-
6822	dairy products	1	—-	1	—-	—-
6889	food products nec	44	—-	44	—-	—-
Total all manufactured equipment, machinery and products		**142**	**4**	**12**	**—-**	**126**
7110	machinery (not elec)	16	4	12	—-	—-
7120	electrical machinery	126	—-	0	—-	126
7210	vehicles & parts	0	—-	0	—-	—-

CALCASIEU RIVER AND PASS, LA (LAKE CHARLES, LA)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
7600	rubber & plastic pr.	0	—	0	—	—
7900	manufac. prod. nec	0	—	0	—	—
Total unknown or not elsewhere classified		**2**	**2**	**0**	**—**	**—**
9900	unknown or nec	2	2	0	—	—

Commodity		Total	Domestic				
			Coastwise		Internal		
			Receipts	Shipments	Receipts	Shipments	Intraport
Total, all commodities		**20,925**	**803**	**4,162**	**7,438**	**7,819**	**703**
Total coal		**138**	**8**	**—**	**33**	**96**	**—**
1100	coal lignite	11	8	—	—	3	—
1200	coal coke	127	—	—	33	94	—
Total petroleum and petroleum products		**14,869**	**788**	**3,810**	**5,300**	**4,446**	**524**
Subtotal crude petroleum		**2,392**	**24**	**—**	**1,757**	**404**	**207**
2100	crude petroleum	2,392	24	—	1,757	404	207
Subtotal petroleum products		**12,477**	**765**	**3,810**	**3,543**	**4,042**	**317**
2211	gasoline	2,916	2	2,544	61	304	5
2221	kerosene	530	—	—	419	16	95
2330	distillate fuel oil	4,012	461	776	1,034	1,657	85
2340	residual fuel oil	2,060	268	147	808	823	14
2350	lube oil & greases	860	—	126	17	714	3
2410	petro. jelly & waxes	106	—	106	—	—	—
2429	naphtha & solvents	804	33	—	407	340	25
2430	asphalt, tar & pitch	161	—	—	130	31	—
2540	petroleum coke	835	—	111	647	71	5
2640	liquid natural gas	13	—	—	13	—	—
2990	petro. products nec	180	—	—	7	87	86
Total chemicals and related products		**2,308**	**—**	**351**	**417**	**1,461**	**79**
Subtotal fertilizers		**2**	**—**	**—**	**—**	**2**	**—**
3110	nitrogenous fert.	2	—	—	—	2	—
Subtotal other chemicals and related products		**2,306**	**—**	**351**	**417**	**1,459**	**79**
3211	acyclic hydrocarbons	137	—	—	124	13	—
3212	benzene & toluene	68	—	—	15	52	—
3219	other hydrocarbons	519	—	5	38	475	—
3220	alcohols	95	—	—	95	—	—
3271	sulphur (liquid)	181	—	—	—	181	—
3272	sulphuric acid	26	—	—	10	16	—
3274	sodium hydroxide	1,061	—	345	22	625	68
3275	inorg. elem.,oxides, & halogen salts	24	—	0	19	4	—
3276	metallic salts	89	—	0	26	51	11
3282	pigments & paints	0	—	—	—	0	—
3297	chemical additives	79	—	—	66	13	—
3299	chem. products nec	30	—	—	1	28	—
Total crude materials, inedible except fuels		**839**	**6**	**0**	**431**	**305**	**96**
Subtotal forest products, wood and chips		**0**	**—**	**—**	**—**	**0**	**—**
4189	lumber	0	—	—	—	0	—
Subtotal soil, sand, gravel, rock and stone		**295**	**—**	**—**	**295**	**0**	**—**
4310	building stone	3	—	—	3	—	—
4322	limestone	207	—	—	207	—	—
4331	sand & gravel	86	—	—	86	0	—
Subtotal iron ore and scrap		**41**	**—**	**—**	**—**	**41**	**—**
4420	iron & steel scrap	41	—	—	—	41	—
Subtotal non-ferrous ores and scrap		**19**	**6**	**—**	**13**	**—**	**—**
4650	aluminum ore	13	—	—	13	—	—
4690	non-ferrous ores nec	6	6	—	—	—	—
Subtotal sulphur, clay and salt		**97**	**—**	**0**	**36**	**59**	**2**
4782	clay & refrac. mat.	97	—	0	36	59	2
Subtotal other non-metal. min.		**386**	**—**	**—**	**86**	**206**	**94**
4900	non-metal. min. nec	386	—	—	86	206	94
Total primary manufactured goods		**319**	**—**	**—**	**275**	**43**	**1**
Subtotal paper products		**2**	**—**	**—**	**2**	**1**	**—**
5190	paper products nec	2	—	—	2	1	—
Subtotal lime, cement and glass		**246**	**—**	**—**	**231**	**15**	**0**
5220	cement & concrete	246	—	—	231	15	0
Subtotal primary iron and steel products		**24**	**—**	**—**	**6**	**18**	**0**
5312	pig iron	5	—	—	—	5	—
5360	i&s bars & shapes	0	—	—	0	0	—
5370	i&s pipe & tube	19	—	—	6	13	0
5390	primary i&s nec	0	—	—	—	0	—
Subtotal primary non-ferrous metal products		**47**	**—**	**—**	**37**	**10**	**0**
5480	fab. metal products	47	—	—	37	10	0

CALCASIEU RIVER AND PASS, LA (LAKE CHARLES, LA)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Domestic				
		Coastwise		Internal		
		Receipts	Shipments	Receipts	Shipments	Intraport
Total food and farm products	**240**	**1**	**1**	**48**	**187**	**3**
Subtotal grain	**30**	**—-**	**—-**	**4**	**26**	**—-**
6241 wheat	5	—-	—-	—-	5	—-
6344 corn	7	—-	—-	—-	7	—-
6442 rice	15	—-	—-	4	11	—-
6447 sorghum grains	3	—-	—-	—-	3	—-
Subtotal vegetable products	**4**	**—-**	**—-**	**—-**	**4**	**—-**
6654 vegetables & prod.	4	—-	—-	—-	4	—-
Subtotal processed grain and animal feed	**20**	**—-**	**—-**	**—-**	**20**	**—-**
6782 animal feed, prep.	20	—-	—-	—-	20	—-
Subtotal other agricultural products	**186**	**1**	**1**	**44**	**137**	**3**
6887 groceries	2	—-	—-	0	2	—-
6888 water & ice	177	1	1	44	128	3
6889 food products nec	8	—-	—-	—-	8	—-
Total all manufactured equipment, machinery and products	**2,137**	**—-**	**—-**	**930**	**1,206**	**0**
7110 machinery (not elec)	2,083	—-	—-	930	1,153	0
7210 vehicles & parts	0	—-	—-	—-	0	—-
7230 ships & boats	0	—-	—-	—-	0	—-
7400 manufac. wood prod.	4	—-	—-	0	4	—-
7600 rubber & plastic pr.	0	—-	—-	0	—-	—-
7900 manufac. prod. nec	50	—-	—-	0	50	—-
Total waste and scrap nec	**74**	**—-**	**—-**	**2**	**73**	**—-**
8900 waste and scrap nec	74	—-	—-	2	73	—-

***Includes 22 (x1000) tons of foreign inbound in-transits; Includes 13 (x1000) tons of foreign outbound in-transits.**

PORT OF NEW ORLEANS, LA

Section Included: Both banks of the Mississippi River from mile 81.2 A.H.P. through mile 114.9 A.H.P.; Innerharbor Navigation Canal, 5.5 miles; Mississippi River-Gulf Outlet from its junction with the Innerharbor Navigation Canal to Bayou Bienvenue, 7 miles; and Harvey Canal, 5.5 miles. Maintained Depth: Mississippi River, 45 feet; Innerharbor Navigation Canal, 30 feet to mile 2.1, thence 32 feet; Mississippi River-Gulf Outlet, 36 feet; in bar channel, 37 feet; Harvey Canal, 12 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	66,441	1995	76,984	1998	88,890*	**2001**	**85,628**
1993	67,037	1996	83,726	1999	87,511		
1994	73,333	1997	89,442	2000	89,999*		

* Revised after original year of publication

Port definitions for the ports along the deep draft stretch of the Mississippi River were changed in 1990 to conform with the Louisiana State Constitution.

Freight Traffic, 2001 (thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
Total, all commodities		**50,297**	**26,799**	**22,936**	**275**	**287**
Total coal		**406**	**300**	**106**	**—-**	**—-**
1100	coal lignite	260	162	98	—-	—-
1200	coal coke	145	137	8	—-	—-
Total petroleum and petroleum products		**15,583**	**13,524**	**1,767**	**6**	**286**
Subtotal crude petroleum		**10,920**	**10,582**	**332**	**6**	**—-**
2100	crude petroleum	10,920	10,582	332	6	—-
Subtotal petroleum products		**4,663**	**2,942**	**1,435**	**—-**	**286**
2211	gasoline	98	10	88	—-	—-
2221	kerosene	0	—-	0	—-	—-
2330	distillate fuel oil	881	761	120	—-	—-
2340	residual fuel oil	1,954	1,049	665	—-	241
2350	lube oil & greases	129	16	113	—-	—-
2410	petro. jelly & waxes	8	6	2	—-	—-
2429	naphtha & solvents	684	612	72	—-	—-
2430	asphalt, tar & pitch	68	63	6	—-	—-
2540	petroleum coke	777	363	368	—-	45
2640	liquid natural gas	64	63	0	—-	—-
Total chemicals and related products		**4,325**	**2,348**	**1,809**	**168**	**1**
Subtotal fertilizers		**1,106**	**959**	**147**	**—-**	**—-**
3110	nitrogenous fert.	861	860	1	—-	—-
3130	potassic fert.	25	0	24	—-	—-
3190	fert. & mixes nec	221	99	122	—-	—-
Subtotal other chemicals and related products		**3,219**	**1,389**	**1,662**	**168**	**1**
3211	acyclic hydrocarbons	51	18	11	22	—-
3212	benzene & toluene	38	14	3	22	—-
3219	other hydrocarbons	163	25	121	17	—-
3220	alcohols	785	572	108	105	—-
3230	carboxylic acids	63	43	20	—-	—-
3240	nitrogen func. comp.	205	13	192	—-	—-
3250	organo - inorg. comp.	48	5	43	—-	—-
3260	organic comp. nec	50	16	34	—-	—-
3272	sulphuric acid	3	—-	3	—-	—-
3273	ammonia	275	275	0	—-	—-
3274	sodium hydroxide	33	0	33	—-	—-
3275	inorg. elem.,oxides, & halogen salts	510	52	458	—-	—-
3276	metallic salts	224	203	21	—-	—-
3279	inorganic chem. nec	27	25	2	—-	—-
3281	radioactive material	27	1	26	—-	—-
3282	pigments & paints	8	4	3	—-	—-
3283	coloring mat. nec	3	1	2	—-	—-
3284	medicines	4	1	3	—-	—-
3285	perfumes & cleansers	20	7	13	—-	—-
3286	plastics	294	25	269	—-	—-
3291	pesticides	157	16	141	—-	—-
3292	starches, gluten, glue	3	2	1	—-	—-
3293	explosives	1	—-	1	—-	—-
3297	chemical additives	33	10	23	—-	—-
3298	wood & resin chem.	6	2	4	—-	—-
3299	chem. products nec	190	58	128	2	1
Total crude materials, inedible except fuels		**3,554**	**3,233**	**244**	**77**	**0**
Subtotal forest products, wood and chips		**613**	**532**	**81**	**—-**	**0**
4110	rubber & gums	438	432	5	—-	0
4150	fuel wood	0	0	0	—-	—-
4161	wood chips	0	—-	0	—-	—-
4170	wood in the rough	33	30	3	—-	—-
4189	lumber	128	56	71	—-	—-
4190	forest products nec	14	13	1	—-	—-
Subtotal pulp and waste paper		**64**	**3**	**60**	**—-**	**—-**
4225	pulp & waste paper	64	3	60	—-	—-
Subtotal soil, sand, gravel, rock and stone		**535**	**462**	**3**	**70**	**—-**
4310	building stone	7	7	—-	—-	—-
4322	limestone	452	452	0	—-	—-
4323	gypsum	71	—-	1	70	—-

PORT OF NEW ORLEANS, LA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
4331	sand & gravel	5	3	2	—	—
Subtotal iron ore and scrap		**671**	**665**	**5**	**—**	**—**
4410	iron ore	629	629	—	—	—
4420	iron & steel scrap	41	36	5	—	—
Subtotal non-ferrous ores and scrap		**851**	**826**	**18**	**6**	**—**
4650	aluminum ore	506	494	12	—	—
4670	manganese ore	56	56	0	—	—
4680	non-ferrous scrap	10	1	2	6	—
4690	non-ferrous ores nec	279	275	4	—	—
Subtotal sulphur, clay and salt		**89**	**49**	**39**	**—**	**—**
4741	sulphur, (dry)	0	—	0	—	—
4782	clay & refrac. mat.	89	49	39	—	—
Subtotal slag		**3**	**3**	**—**	**—**	**—**
4860	slag	3	3	—	—	—
Subtotal other non-metal. min.		**729**	**693**	**37**	**—**	**—**
4900	non-metal. min. nec	729	693	37	—	—
Total primary manufactured goods		**5,887**	**5,517**	**355**	**15**	**0**
Subtotal paper products		**265**	**53**	**212**	**—**	**0**
5110	newsprint	2	—	2	—	—
5120	paper & paperboard	251	49	202	—	0
5190	paper products nec	12	4	8	—	—
Subtotal lime, cement and glass		**359**	**316**	**42**	**—**	**—**
5220	cement & concrete	266	266	0	—	—
5240	glass & glass prod.	6	4	1	—	—
5290	misc. mineral prod.	87	46	41	—	—
Subtotal primary iron and steel products		**3,754**	**3,699**	**55**	**—**	**—**
5312	pig iron	568	568	0	—	—
5315	ferro alloys	272	271	1	—	—
5320	i&s primary forms	363	345	18	—	—
5330	i&s plates & sheets	1,096	1,089	8	—	—
5360	i&s bars & shapes	1,092	1,079	12	—	—
5370	i&s pipe & tube	333	319	14	—	—
5390	primary i&s nec	30	27	3	—	—
Subtotal primary non-ferrous metal products		**1,350**	**1,294**	**41**	**15**	**—**
5421	copper	467	464	2	—	—
5422	aluminum	224	207	2	15	—
5429	smelted prod. nec	335	329	6	—	—
5480	fab. metal products	324	294	30	—	—
Subtotal primary wood products		**160**	**155**	**5**	**—**	**—**
5540	primary wood prod.	160	155	5	—	—
Total food and farm products		**19,666**	**1,352**	**18,314**	**—**	**—**
Subtotal fish		**3**	**3**	**0**	**—**	**—**
6134	fish (not shellfish)	1	0	0	—	—
6136	shellfish	3	3	0	—	—
Subtotal grain		**11,485**	**227**	**11,258**	**—**	**—**
6241	wheat	1,974	—	1,974	—	—
6344	corn	8,328	—	8,328	—	—
6442	rice	444	0	444	—	—
6443	barley & rye	22	22	—	—	—
6445	oats	206	206	0	—	—
6447	sorghum grains	512	—	512	—	—
Subtotal oilseeds		**5,154**	**9**	**5,145**	**—**	**—**
6521	peanuts	7	7	—	—	—
6522	soybeans	4,284	—	4,284	—	—
6590	oilseeds nec	863	2	861	—	—
Subtotal vegetable products		**1,213**	**553**	**659**	**—**	**—**
6653	vegetable oils	1,165	541	624	—	—
6654	vegetables & prod.	48	12	35	—	—
Subtotal processed grain and animal feed		**722**	**5**	**717**	**—**	**—**
6746	wheat flour	54	—	54	—	—
6747	grain mill products	150	2	148	—	—
6781	hay & fodder	0	—	0	—	—
6782	animal feed, prep.	517	3	514	—	—
Subtotal other agricultural products		**1,090**	**554**	**535**	**—**	**—**
6811	meat, fresh, frozen	173	1	172	—	—
6817	meat, prepared	1	0	1	—	—
6822	dairy products	2	1	1	—	—
6835	fish, prepared	4	4	0	—	—
6838	tallow, animal oils	109	0	109	—	—
6839	animals & prod. nec	4	1	3	—	—
6857	fruit & nuts nec	1	1	0	—	—
6858	fruit juices	3	2	1	—	—
6861	sugar	60	29	31	—	—
6865	molasses	130	118	12	—	—
6871	coffee	294	285	9	—	—
6872	cocoa beans	0	0	—	—	—
6885	alcoholic beverages	57	55	2	—	—
6888	water & ice	7	7	0	—	—
6889	food products nec	205	46	159	—	—
6891	tobacco & products	0	0	—	—	—
6893	cotton	35	0	35	—	—
6894	natural fibers nec	2	2	0	—	—
6899	farm products nec	1	1	0	—	—

PORT OF NEW ORLEANS, LA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
Total all manufactured equipment, machinery and products		**776**	**470**	**298**	**9**	**—-**
7110	machinery (not elec)	189	129	60	—-	—-
7120	electrical machinery	103	73	22	9	—-
7210	vehicles & parts	26	19	6	—-	—-
7220	aircraft & parts	0	0	0	—-	—-
7230	ships & boats	3	2	1	—-	—-
7300	ordnance & access.	0	0	0	—-	—-
7400	manufac. wood prod.	17	11	5	—-	—-
7500	textile products	161	117	44	—-	—-
7600	rubber & plastic pr.	206	73	133	—-	—-
7900	manufac. prod. nec	71	44	27	—-	—-
Total unknown or not elsewhere classified		**98**	**56**	**43**	**—-**	**—-**
9900	unknown or nec	98	56	43	—-	—-

Commodity		Total	Domestic				
			Coastwise		Internal		
			Receipts	Shipments	Receipts	Shipments	Intraport
Total, all commodities		**35,332**	**441**	**3,318**	**18,683**	**10,787**	**2,103**
Total coal		**199**	**—-**	**—-**	**130**	**60**	**8**
1100	coal lignite	12	—-	—-	4	7	—-
1200	coal coke	187	—-	—-	126	53	8
Total petroleum and petroleum products		**16,510**	**248**	**2,772**	**6,070**	**5,516**	**1,903**
Subtotal crude petroleum		**1,099**	**—-**	**13**	**561**	**310**	**214**
2100	crude petroleum	1,099	—-	13	561	310	214
Subtotal petroleum products		**15,411**	**248**	**2,759**	**5,509**	**5,206**	**1,689**
2211	gasoline	1,103	—-	530	94	479	—-
2221	kerosene	70	—-	—-	39	31	0
2330	distillate fuel oil	3,546	17	530	1,494	1,131	375
2340	residual fuel oil	8,113	227	1,440	3,175	2,068	1,203
2350	lube oil & greases	178	—-	—-	123	55	—-
2429	naphtha & solvents	140	4	—-	97	39	—-
2430	asphalt, tar & pitch	244	—-	—-	199	38	8
2540	petroleum coke	1,219	—-	—-	201	919	99
2640	liquid natural gas	163	—-	—-	15	147	—-
2990	petro. products nec	636	—-	259	72	299	5
Total chemicals and related products		**1,426**	**72**	**2**	**541**	**810**	**2**
Subtotal fertilizers		**151**	**—-**	**—-**	**12**	**138**	**—-**
3110	nitrogenous fert.	117	—-	—-	12	105	—-
3120	phosphatic fert.	1	—-	—-	—-	1	—-
3130	potassic fert.	2	—-	—-	—-	2	—-
3190	fert. & mixes nec	30	—-	—-	—-	30	—-
Subtotal other chemicals and related products		**1,275**	**72**	**2**	**529**	**672**	**2**
3211	acyclic hydrocarbons	98	—-	—-	7	91	—-
3212	benzene & toluene	188	—-	—-	9	179	—-
3219	other hydrocarbons	240	—-	2	55	183	—-
3220	alcohols	97	4	—-	70	23	—-
3240	nitrogen func. comp.	4	—-	—-	3	1	—-
3260	organic comp. nec	82	—-	—-	75	7	—-
3271	sulphur (liquid)	78	—-	—-	76	3	—-
3272	sulphuric acid	8	—-	—-	2	6	—-
3273	ammonia	143	—-	—-	120	22	—-
3274	sodium hydroxide	181	68	—-	48	66	—-
3275	inorg. elem.,oxides, & halogen salts	4	—-	—-	4	—-	—-
3276	metallic salts	81	—-	—-	34	47	0
3279	inorganic chem. nec	27	—-	—-	—-	27	—-
3286	plastics	15	—-	—-	—-	15	—-
3297	chemical additives	22	—-	—-	20	2	—-
3298	wood & resin chem.	2	—-	—-	2	—-	—-
3299	chem. products nec	5	—-	—-	3	—-	1
Total crude materials, inedible except fuels		**2,617**	**—-**	**—-**	**1,510**	**978**	**130**
Subtotal forest products, wood and chips		**45**	**—-**	**—-**	**9**	**35**	**—-**
4189	lumber	22	—-	—-	0	22	—-
4190	forest products nec	22	—-	—-	9	13	—-
Subtotal pulp and waste paper		**22**	**—-**	**—-**	**21**	**1**	**—-**
4225	pulp & waste paper	22	—-	—-	21	1	—-
Subtotal soil, sand, gravel, rock and stone		**1,585**	**—-**	**—-**	**1,258**	**296**	**30**
4322	limestone	363	—-	—-	297	67	—-
4323	gypsum	271	—-	—-	271	—-	—-
4331	sand & gravel	592	—-	—-	552	39	—-
4335	waterway improv. mat	359	—-	—-	139	190	30
Subtotal iron ore and scrap		**201**	**—-**	**—-**	**27**	**174**	**—-**
4410	iron ore	9	—-	—-	1	8	—-
4420	iron & steel scrap	192	—-	—-	26	167	—-
Subtotal non-ferrous ores and scrap		**330**	**—-**	**—-**	**0**	**330**	**—-**
4650	aluminum ore	51	—-	—-	0	51	—-

PORT OF NEW ORLEANS, LA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Domestic				
			Coastwise		Internal		
			Receipts	Shipments	Receipts	Shipments	Intraport
4670	manganese ore	23	—	—	—	23	—
4690	non-ferrous ores nec	256	—	—	—	256	—
Subtotal sulphur, clay and salt		**39**	**—**	**—**	**19**	**20**	**—**
4782	clay & refrac. mat.	39	—	—	19	20	—
Subtotal slag		**224**	**—**	**—**	**174**	**50**	**—**
4860	slag	224	—	—	174	50	—
Subtotal other non-metal. min.		**171**	**—**	**—**	**0**	**71**	**99**
4900	non-metal. min. nec	171	—	—	0	71	99
Total primary manufactured goods		**3,596**	**4**	**7**	**580**	**2,953**	**52**
Subtotal paper products		**61**	**—**	**—**	**42**	**19**	**—**
5120	paper & paperboard	29	—	—	26	3	—
5190	paper products nec	32	—	—	16	16	—
Subtotal lime, cement and glass		**452**	**—**	**—**	**435**	**17**	**—**
5220	cement & concrete	448	—	—	433	15	—
5240	glass & glass prod.	2	—	—	—	2	—
5290	misc. mineral prod.	2	—	—	2	—	—
Subtotal primary iron and steel products		**2,503**	**—**	**—**	**56**	**2,395**	**52**
5312	pig iron	81	—	—	2	80	—
5315	ferro alloys	110	—	—	—	110	—
5320	i&s primary forms	73	—	—	3	60	10
5330	i&s plates & sheets	710	—	—	24	656	30
5360	i&s bars & shapes	935	—	—	3	929	3
5370	i&s pipe & tube	258	—	—	15	239	4
5390	primary i&s nec	336	—	—	10	321	5
Subtotal primary non-ferrous metal products		**575**	**4**	**7**	**43**	**521**	**0**
5421	copper	26	—	—	4	22	—
5422	aluminum	143	—	—	0	142	—
5429	smelted prod. nec	148	—	—	8	140	—
5480	fab. metal products	259	4	7	30	217	0
Subtotal primary wood products		**5**	**—**	**—**	**4**	**2**	**—**
5540	primary wood prod.	5	—	—	4	2	—
Total food and farm products		**10,490**	**—**	**380**	**9,822**	**280**	**8**
Subtotal grain		**5,741**	**—**	**62**	**5,653**	**25**	**—**
6241	wheat	1,477	—	45	1,432	—	—
6344	corn	3,902	—	17	3,870	15	—
6442	rice	232	—	—	223	9	—
6447	sorghum grains	130	—	—	128	1	—
Subtotal oilseeds		**3,449**	**—**	**—**	**3,429**	**18**	**1**
6522	soybeans	2,918	—	—	2,914	3	1
6590	oilseeds nec	530	—	—	515	15	—
Subtotal vegetable products		**205**	**—**	**12**	**119**	**71**	**3**
6653	vegetable oils	164	—	12	78	71	3
6654	vegetables & prod.	41	—	—	41	—	—
Subtotal processed grain and animal feed		**408**	**—**	**248**	**125**	**35**	**—**
6746	wheat flour	79	—	—	79	—	—
6747	grain mill products	251	—	248	3	—	—
6782	animal feed, prep.	78	—	—	44	35	—
Subtotal other agricultural products		**688**	**—**	**58**	**495**	**131**	**4**
6861	sugar	468	—	58	391	19	—
6865	molasses	36	—	—	4	32	—
6885	alcoholic beverages	9	—	—	9	—	—
6887	groceries	1	—	—	1	—	—
6888	water & ice	85	—	—	1	81	4
6889	food products nec	89	—	—	89	—	—
Total all manufactured equipment, machinery and products		**493**	**117**	**157**	**30**	**190**	**—**
7110	machinery (not elec)	86	—	—	20	67	—
7120	electrical machinery	2	—	—	—	2	—
7210	vehicles & parts	4	—	—	0	3	—
7230	ships & boats	1	—	—	0	0	—
7300	ordnance & access.	0	—	0	0	—	—
7400	manufac. wood prod.	6	—	—	6	0	—
7500	textile products	28	—	—	—	28	—
7600	rubber & plastic pr.	86	—	—	1	86	—
7900	manufac. prod. nec	280	117	157	3	3	—
Total waste and scrap nec		**0**	**—**	**—**	**—**	**0**	**—**
8900	waste and scrap nec	0	—	—	—	0	—

***Includes 200 (x1000) tons of foreign inbound in-transits; Includes 67 (x1000) tons of foreign outbound in-transits.**

PORT OF BATON ROUGE, LA

Section Included: Both banks of Mississippi River from mile 168.5 A.H.P. through mile 253 A.H.P; including the Baton Rouge Barge Canal from a point on the east bank of the Mississippi River at mile 234.5 A.H.P., for a distance of 5 miles. Maintained Depth: 45 feet to mile 232.4, 40 feet to mile 233.8, 9 feet beyond; 12 feet in Barge Canal. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	84,699	1995	83,613	1998	66,835	**2001**	**61,415**
1993	85,079	1996	81,009	1999	63,729		
1994	86,246	1997	84,023	2000	65,207*		

* Revised after original year of publication
Port definitions for the ports along the deep draft stretch of the Mississippi River were changed in 1990 to conform with the Louisiana State Constitution.

Freight Traffic, 2001 (thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
Total, all commodities		**20,651**	**14,074**	**6,249**	**145**	**183**
Total coal		**367**	**363**	**4**	**—-**	**—-**
1100	coal lignite	100	96	4	—-	—-
1200	coal coke	267	267	—-	—-	—-
Total petroleum and petroleum products		**8,111**	**7,385**	**608**	**26**	**92**
Subtotal crude petroleum		**5,397**	**5,243**	**147**	**6**	**—-**
2100	crude petroleum	5,397	5,243	147	6	—-
Subtotal petroleum products		**2,715**	**2,142**	**461**	**19**	**92**
2211	gasoline	33	12	2	19	—-
2221	kerosene	82	—-	82	—-	—-
2330	distillate fuel oil	1,282	1,263	19	—-	—-
2340	residual fuel oil	82	—-	82	—-	—-
2350	lube oil & greases	198	198	0	—-	—-
2410	petro. jelly & waxes	1	1	—-	—-	—-
2429	naphtha & solvents	393	389	5	—-	—-
2540	petroleum coke	643	280	271	—-	92
Total chemicals and related products		**2,726**	**1,662**	**897**	**76**	**91**
Subtotal fertilizers		**1,492**	**1,255**	**168**	**39**	**30**
3110	nitrogenous fert.	642	642	0	—-	—-
3120	phosphatic fert.	438	438	—-	—-	—-
3130	potassic fert.	198	115	44	39	—-
3190	fert. & mixes nec	214	60	124	—-	30
Subtotal other chemicals and related products		**1,234**	**407**	**729**	**37**	**61**
3211	acyclic hydrocarbons	42	12	11	20	—-
3212	benzene & toluene	10	—-	1	9	—-
3219	other hydrocarbons	69	13	47	9	—-
3220	alcohols	142	54	88	—-	—-
3230	carboxylic acids	2	0	2	—-	—-
3240	nitrogen func. comp.	37	—-	37	—-	—-
3260	organic comp. nec	56	1	55	—-	—-
3272	sulphuric acid	2	—-	2	—-	—-
3273	ammonia	157	157	—-	—-	—-
3274	sodium hydroxide	233	—-	172	—-	61
3275	inorg. elem.,oxides, & halogen salts	64	59	5	—-	—-
3276	metallic salts	70	70	0	—-	—-
3279	inorganic chem. nec	30	30	—-	—-	—-
3281	radioactive material	0	0	—-	—-	—-
3282	pigments & paints	0	—-	0	—-	—-
3283	coloring mat. nec	0	0	—-	—-	—-
3284	medicines	1	—-	1	—-	—-
3285	perfumes & cleansers	6	—-	6	—-	—-
3286	plastics	281	—-	281	—-	—-
3291	pesticides	2	2	0	—-	—-
3292	starches, gluten, glue	13	—-	13	—-	—-
3293	explosives	1	—-	1	—-	—-
3297	chemical additives	7	—-	7	—-	—-
3299	chem. products nec	9	8	1	—-	—-
Total crude materials, inedible except fuels		**3,309**	**3,121**	**159**	**29**	**—-**
Subtotal forest products, wood and chips		**0**	**—-**	**0**	**—-**	**—-**
4189	lumber	0	—-	0	—-	—-
Subtotal pulp and waste paper		**7**	**—-**	**7**	**—-**	**—-**
4225	pulp & waste paper	7	—-	7	—-	—-
Subtotal soil, sand, gravel, rock and stone		**12**	**12**	**—-**	**—-**	**—-**
4322	limestone	7	7	—-	—-	—-
4331	sand & gravel	4	4	—-	—-	—-
Subtotal iron ore and scrap		**335**	**218**	**117**	**—-**	**—-**
4410	iron ore	85	85	—-	—-	—-
4420	iron & steel scrap	249	132	117	—-	—-
Subtotal non-ferrous ores and scrap		**2,104**	**2,075**	**29**	**—-**	**—-**
4650	aluminum ore	1,971	1,942	29	—-	—-
4670	manganese ore	21	21	—-	—-	—-
4690	non-ferrous ores nec	111	111	—-	—-	—-
Subtotal sulphur, clay and salt		**129**	**129**	**—-**	**—-**	**—-**
4782	clay & refrac. mat.	129	129	—-	—-	—-
Subtotal slag		**154**	**154**	**—-**	**—-**	**—-**
4860	slag	154	154	—-	—-	—-

PORT OF BATON ROUGE, LA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign		Canadian	
		Inbound*	Outbound*	Inbound	Outbound
Subtotal other non-metal. min.	**568**	**534**	**5**	**29**	**—-**
4900 non-metal. min. nec	568	534	5	29	—
Total primary manufactured goods	**1,456**	**1,375**	**81**	**—-**	**—-**
Subtotal paper products	**67**	**—-**	**67**	**—-**	**—-**
5120 paper & paperboard	67	—	67	—	—
5190 paper products nec	0	—	0	—	—
Subtotal lime, cement and glass	**126**	**126**	**0**	**—-**	**—-**
5220 cement & concrete	119	119	—	—	—
5240 glass & glass prod.	0	—	0	—	—
5290 misc. mineral prod.	7	6	0	—	—
Subtotal primary iron and steel products	**1,053**	**1,043**	**10**	**—-**	**—-**
5312 pig iron	798	798	—	—	—
5315 ferro alloys	138	135	3	—	—
5320 i&s primary forms	104	98	6	—	—
5330 i&s plates & sheets	1	1	0	—	—
5360 i&s bars & shapes	0	—	0	—	—
5370 i&s pipe & tube	12	12	0	—	—
5390 primary i&s nec	0	—	0	—	—
Subtotal primary non-ferrous metal products	**211**	**207**	**4**	**—-**	**—-**
5422 aluminum	7	7	0	—	—
5429 smelted prod. nec	141	141	0	—	—
5480 fab. metal products	63	59	4	—	—
Subtotal primary wood products	**0**	**—-**	**0**	**—-**	**—-**
5540 primary wood prod.	0	—	0	—	—
Total food and farm products	**4,617**	**115**	**4,496**	**7**	**—-**
Subtotal grain	**2,008**	**—-**	**2,008**	**—-**	**—-**
6241 wheat	525	—	525	—	—
6344 corn	1,040	—	1,040	—	—
6442 rice	402	—	402	—	—
6447 sorghum grains	41	—	41	—	—
Subtotal oilseeds	**1,806**	**—-**	**1,806**	**—-**	**—-**
6522 soybeans	528	—	528	—	—
6590 oilseeds nec	1,278	—	1,278	—	—
Subtotal vegetable products	**18**	**1**	**17**	**—-**	**—-**
6653 vegetable oils	18	1	17	—	—
Subtotal processed grain and animal feed	**661**	**15**	**646**	**—-**	**—-**
6746 wheat flour	5	—	5	—	—
6747 grain mill products	102	15	86	—	—
6782 animal feed, prep.	554	—	554	—	—
Subtotal other agricultural products	**124**	**98**	**19**	**7**	**—-**
6838 tallow, animal oils	7	—	7	—	—
6858 fruit juices	9	—	9	—	—
6865 molasses	86	86	—	—	—
6889 food products nec	19	12	0	7	—
6899 farm products nec	3	—	3	—	—
Total all manufactured equipment, machinery and products	**63**	**53**	**3**	**7**	**—-**
7110 machinery (not elec)	4	3	1	—	—
7120 electrical machinery	57	50	0	7	—
7210 vehicles & parts	0	0	0	—	—
7230 ships & boats	0	0	0	—	—
7500 textile products	0	—	0	—	—
7600 rubber & plastic pr.	2	0	2	—	—
7900 manufac. prod. nec	1	1	0	—	—
Total unknown or not elsewhere classified	**1**	**0**	**0**	**—-**	**—-**
9900 unknown or nec	1	0	0	—	—

Commodity	Total	Domestic				
		Coastwise		Internal		
		Receipts	Shipments	Receipts	Shipments	Intraport
Total, all commodities	**40,765**	**303**	**837**	**12,081**	**24,551**	**2,993**
Total coal	**2,098**	**—-**	**—-**	**80**	**1,671**	**347**
1100 coal lignite	163	—	—	4	158	2
1200 coal coke	1,935	—	—	76	1,513	345
Total petroleum and petroleum products	**13,852**	**250**	**462**	**2,588**	**9,232**	**1,320**
Subtotal crude petroleum	**455**	**—-**	**—-**	**103**	**353**	**—-**
2100 crude petroleum	455	—	—	103	353	—
Subtotal petroleum products	**13,396**	**250**	**462**	**2,485**	**8,879**	**1,320**
2211 gasoline	3,917	60	131	714	2,940	73
2221 kerosene	4	—	—	—	4	—
2330 distillate fuel oil	3,283	99	128	446	2,128	482
2340 residual fuel oil	2,145	63	30	537	1,341	174
2350 lube oil & greases	777	26	151	176	405	20
2410 petro. jelly & waxes	31	—	—	31	—	—
2429 naphtha & solvents	818	3	23	207	586	—

PORT OF BATON ROUGE, LA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Domestic				
			Coastwise		Internal		
			Receipts	Shipments	Receipts	Shipments	Intraport
2430	asphalt, tar & pitch	274	—	—	46	168	60
2540	petroleum coke	1,817	—	—	303	1,002	511
2640	liquid natural gas	21	—	—	7	14	—
2990	petro. products nec	310	—	—	19	291	—
Total chemicals and related products		**12,042**	**53**	**372**	**2,447**	**7,864**	**1,305**
Subtotal fertilizers		**3,604**	**48**	**—**	**46**	**3,475**	**35**
3110	nitrogenous fert.	2,934	12	—	20	2,880	22
3120	phosphatic fert.	66	—	—	2	65	—
3130	potassic fert.	149	—	—	18	120	11
3190	fert. & mixes nec	454	36	—	6	410	2
Subtotal other chemicals and related products		**8,438**	**4**	**372**	**2,402**	**4,389**	**1,271**
3211	acyclic hydrocarbons	139	—	—	29	91	20
3212	benzene & toluene	1,554	4	—	616	205	729
3219	other hydrocarbons	1,322	—	26	603	577	116
3220	alcohols	1,152	—	21	506	562	63
3230	carboxylic acids	22	—	13	—	9	—
3260	organic comp. nec	135	—	7	1	127	—
3272	sulphuric acid	698	—	—	256	345	96
3273	ammonia	572	—	—	—	572	—
3274	sodium hydroxide	2,048	—	306	106	1,438	198
3275	inorg. elem.,oxides, & halogen salts	142	—	—	91	37	14
3276	metallic salts	252	—	—	—	252	—
3279	inorganic chem. nec	94	—	—	—	94	—
3297	chemical additives	256	—	—	192	32	33
3299	chem. products nec	54	—	—	1	51	1
Total crude materials, inedible except fuels		**6,025**	**—**	**—**	**2,838**	**3,176**	**11**
Subtotal forest products, wood and chips		**11**	**—**	**—**	**11**	**—**	**—**
4170	wood in the rough	11	—	—	11	—	—
Subtotal soil, sand, gravel, rock and stone		**2,451**	**—**	**—**	**2,346**	**105**	**—**
4310	building stone	2	—	—	2	—	—
4322	limestone	1,497	—	—	1,474	23	—
4323	gypsum	12	—	—	—	12	—
4331	sand & gravel	755	—	—	684	70	—
4335	waterway improv. mat	186	—	—	186	—	—
Subtotal iron ore and scrap		**462**	**—**	**—**	**111**	**351**	**—**
4410	iron ore	67	—	—	—	67	—
4420	iron & steel scrap	395	—	—	111	284	—
Subtotal non-ferrous ores and scrap		**1,720**	**—**	**—**	**94**	**1,625**	**—**
4650	aluminum ore	1,411	—	—	66	1,345	—
4670	manganese ore	113	—	—	—	113	—
4690	non-ferrous ores nec	196	—	—	28	168	—
Subtotal sulphur, clay and salt		**184**	**—**	**—**	**—**	**173**	**11**
4782	clay & refrac. mat.	184	—	—	—	173	11
Subtotal slag		**148**	**—**	**—**	**—**	**148**	**—**
4860	slag	148	—	—	—	148	—
Subtotal other non-metal. min.		**1,049**	**—**	**—**	**276**	**773**	**—**
4900	non-metal. min. nec	1,049	—	—	276	773	—
Total primary manufactured goods		**2,506**	**—**	**—**	**354**	**2,152**	**0**
Subtotal lime, cement and glass		**469**	**—**	**—**	**332**	**137**	**—**
5210	lime	11	—	—	11	—	—
5220	cement & concrete	456	—	—	319	137	—
5290	misc. mineral prod.	1	—	—	1	—	—
Subtotal primary iron and steel products		**1,886**	**—**	**—**	**6**	**1,879**	**0**
5312	pig iron	1,183	—	—	—	1,183	—
5315	ferro alloys	462	—	—	3	459	—
5320	i&s primary forms	225	—	—	—	225	—
5330	i&s plates & sheets	6	—	—	3	3	—
5370	i&s pipe & tube	1	—	—	0	—	0
5390	primary i&s nec	9	—	—	—	9	—
Subtotal primary non-ferrous metal products		**152**	**—**	**—**	**16**	**136**	**—**
5422	aluminum	35	—	—	—	35	—
5429	smelted prod. nec	1	—	—	—	1	—
5480	fab. metal products	115	—	—	16	100	—
Total food and farm products		**4,223**	**—**	**2**	**3,757**	**455**	**10**
Subtotal grain		**1,341**	**—**	**—**	**1,134**	**197**	**10**
6241	wheat	295	—	—	286	7	2
6344	corn	186	—	—	160	26	—
6442	rice	671	—	—	671	—	—
6443	barley & rye	20	—	—	—	20	—
6445	oats	150	—	—	7	136	8
6447	sorghum grains	18	—	—	10	8	—
Subtotal oilseeds		**1,950**	**—**	**2**	**1,838**	**110**	**—**
6522	soybeans	434	—	—	324	110	—
6590	oilseeds nec	1,516	—	2	1,513	—	—
Subtotal processed grain and animal feed		**779**	**—**	**—**	**775**	**3**	**—**
6746	wheat flour	2	—	—	2	—	—
6747	grain mill products	64	—	—	64	—	—
6782	animal feed, prep.	713	—	—	710	3	—
Subtotal other agricultural products		**154**	**—**	**—**	**9**	**145**	**—**
6865	molasses	148	—	—	5	144	—
6899	farm products nec	6	—	—	4	1	—

PORT OF BATON ROUGE, LA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Domestic				
		Coastwise		Internal		
		Receipts	Shipments	Receipts	Shipments	Intraport
Total all manufactured equipment, machinery and products	**17**	**—-**	**—-**	**17**	**0**	**—-**
7110 machinery (not elec)	17	—-	—-	16	0	—-
7210 vehicles & parts	0	—-	—-	0	—-	—-
7230 ships & boats	0	—-	—-	0	—-	—-
Total waste and scrap nec	**1**	**—-**	**—-**	**—-**	**1**	**—-**
8900 waste and scrap nec	1	—-	—-	—-	1	—-

***Includes 34 (x1000) tons of foreign inbound in-transits; Includes 69 (x1000) tons of foreign outbound in-transits.**

PORT OF SOUTH LOUISIANA (LA)

Section Included: Both banks of Mississippi River from mile 114.9 A.H.P. through mile 168.5 A.H.P. Maintained Depth: 45 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	199,665	1995	204,483	1998	196,662*	**2001**	**212,565**
1993	193,796	1996	189,815	1999	214,197		
1994	184,856	1997	183,628	2000	215,931*		

* Revised after original year of publication
Port definitions for the ports along the deep draft stretch of the Mississippi River were changed in 1990 to conform with the Louisiana State Constitution.

Freight Traffic, 2001 (thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
Total, all commodities		**95,681**	**32,317**	**62,750**	**224**	**391**
Total coal		**418**	**277**	**29**	**112**	**—-**
1100	coal lignite	269	148	9	112	—
1200	coal coke	150	129	21	—	—
Total petroleum and petroleum products		**23,938**	**18,676**	**4,920**	**3**	**339**
Subtotal crude petroleum		**13,885**	**13,789**	**96**	**—-**	**—-**
2100	crude petroleum	13,885	13,789	96	—	—
Subtotal petroleum products		**10,053**	**4,887**	**4,824**	**3**	**339**
2211	gasoline	1,109	156	889	—	64
2221	kerosene	29	—	23	—	6
2330	distillate fuel oil	2,684	2,214	470	—	—
2340	residual fuel oil	4,065	1,350	2,626	—	89
2350	lube oil & greases	267	133	134	—	—
2410	petro. jelly & waxes	2	0	2	—	—
2429	naphtha & solvents	750	678	69	3	—
2540	petroleum coke	1,142	351	611	—	180
2640	liquid natural gas	5	5	—	—	—
Total chemicals and related products		**5,946**	**4,787**	**1,017**	**90**	**52**
Subtotal fertilizers		**3,339**	**3,000**	**252**	**35**	**52**
3110	nitrogenous fert.	2,227	2,159	16	—	52
3120	phosphatic fert.	162	162	—	—	—
3130	potassic fert.	628	434	159	35	—
3190	fert. & mixes nec	323	245	77	—	—
Subtotal other chemicals and related products		**2,607**	**1,787**	**765**	**55**	**—-**
3211	acyclic hydrocarbons	16	13	—	3	—
3212	benzene & toluene	3	—	—	3	—
3219	other hydrocarbons	402	—	391	11	—
3220	alcohols	1,171	1,078	54	39	—
3230	carboxylic acids	7	—	7	—	—
3240	nitrogen func. comp.	8	—	8	—	—
3250	organo - inorg. comp.	0	—	0	—	—
3260	organic comp. nec	4	—	4	—	—
3272	sulphuric acid	11	11	—	—	—
3273	ammonia	420	420	—	—	—
3274	sodium hydroxide	24	—	24	—	—
3275	inorg. elem.,oxides, & halogen salts	110	110	1	—	—
3276	metallic salts	94	81	13	—	—
3279	inorganic chem. nec	46	46	—	—	—
3282	pigments & paints	111	0	111	—	—
3285	perfumes & cleansers	1	—	1	—	—
3286	plastics	23	—	23	—	—
3291	pesticides	1	—	1	—	—
3292	starches, gluten, glue	41	—	41	—	—
3297	chemical additives	30	—	30	—	—
3299	chem. products nec	85	28	57	—	—
Total crude materials, inedible except fuels		**4,464**	**4,258**	**191**	**15**	**—-**
Subtotal forest products, wood and chips		**91**	**0**	**91**	**—-**	**—-**
4161	wood chips	90	—	90	—	—
4170	wood in the rough	0	—	0	—	—
4189	lumber	1	0	1	—	—
Subtotal pulp and waste paper		**0**	**—-**	**0**	**—-**	**—-**
4225	pulp & waste paper	0	—	0	—	—
Subtotal soil, sand, gravel, rock and stone		**435**	**434**	**0**	**1**	**—-**
4310	building stone	1	1	—	—	—
4322	limestone	428	428	—	—	—
4331	sand & gravel	6	5	0	1	—
Subtotal iron ore and scrap		**352**	**349**	**4**	**—-**	**—-**
4410	iron ore	334	334	—	—	—
4420	iron & steel scrap	18	14	4	—	—
Subtotal non-ferrous ores and scrap		**2,844**	**2,738**	**92**	**14**	**—-**
4650	aluminum ore	2,718	2,654	64	—	—
4680	non-ferrous scrap	15	0	0	14	—
4690	non-ferrous ores nec	111	83	28	—	—
Subtotal sulphur, clay and salt		**63**	**60**	**3**	**—-**	**—-**
4782	clay & refrac. mat.	63	60	3	—	—
Subtotal slag		**101**	**101**	**—-**	**—-**	**—-**

PORT OF SOUTH LOUISIANA (LA)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign		Canadian	
		Inbound*	Outbound*	Inbound	Outbound
4860 slag	101	101	—	—	—
Subtotal other non-metal. min.	**577**	**576**	**0**	**—**	**—**
4900 non-metal. min. nec	577	576	0	—	—
Total primary manufactured goods	**4,253**	**4,237**	**16**	**—**	**—**
Subtotal paper products	**7**	**—**	**7**	**—**	**—**
5120 paper & paperboard	7	—	7	—	—
5190 paper products nec	0	—	0	—	—
Subtotal lime, cement and glass	**2,003**	**2,001**	**1**	**—**	**—**
5220 cement & concrete	1,924	1,924	—	—	—
5240 glass & glass prod.	0	—	0	—	—
5290 misc. mineral prod.	79	78	1	—	—
Subtotal primary iron and steel products	**2,081**	**2,075**	**6**	**—**	**—**
5312 pig iron	1,757	1,757	0	—	—
5315 ferro alloys	146	146	—	—	—
5320 i&s primary forms	32	27	5	—	—
5330 i&s plates & sheets	72	72	0	—	—
5360 i&s bars & shapes	67	67	0	—	—
5370 i&s pipe & tube	7	6	1	—	—
5390 primary i&s nec	0	0	0	—	—
Subtotal primary non-ferrous metal products	**160**	**160**	**1**	**—**	**—**
5421 copper	2	2	0	—	—
5422 aluminum	3	3	0	—	—
5429 smelted prod. nec	53	53	0	—	—
5480 fab. metal products	102	102	1	—	—
Subtotal primary wood products	**2**	**1**	**0**	**—**	**—**
5540 primary wood prod.	2	1	0	—	—
Total food and farm products	**56,633**	**58**	**56,571**	**4**	**—**
Subtotal grain	**32,873**	**19**	**32,854**	**—**	**—**
6241 wheat	3,631	—	3,631	—	—
6344 corn	27,469	—	27,469	—	—
6442 rice	614	—	614	—	—
6445 oats	19	19	0	—	—
6447 sorghum grains	1,140	—	1,140	—	—
Subtotal oilseeds	**16,843**	**—**	**16,843**	**—**	**—**
6522 soybeans	13,586	—	13,586	—	—
6590 oilseeds nec	3,257	—	3,257	—	—
Subtotal vegetable products	**863**	**7**	**851**	**4**	**—**
6653 vegetable oils	861	7	850	4	—
6654 vegetables & prod.	1	—	1	—	—
Subtotal processed grain and animal feed	**5,994**	**1**	**5,993**	**—**	**—**
6746 wheat flour	6	—	6	—	—
6747 grain mill products	564	—	564	—	—
6781 hay & fodder	1	—	1	—	—
6782 animal feed, prep.	5,422	1	5,422	—	—
Subtotal other agricultural products	**61**	**31**	**29**	**—**	**—**
6811 meat, fresh, frozen	14	—	14	—	—
6838 tallow, animal oils	7	—	7	—	—
6861 sugar	10	10	—	—	—
6865 molasses	9	9	—	—	—
6885 alcoholic beverages	1	—	1	—	—
6888 water & ice	0	—	0	—	—
6889 food products nec	20	13	7	—	—
6899 farm products nec	0	0	0	—	—
Total all manufactured equipment, machinery and products	**27**	**22**	**5**	**—**	**—**
7110 machinery (not elec)	1	0	1	—	—
7120 electrical machinery	11	10	0	—	—
7210 vehicles & parts	2	1	0	—	—
7220 aircraft & parts	0	—	0	—	—
7230 ships & boats	0	0	—	—	—
7400 manufac. wood prod.	0	—	0	—	—
7500 textile products	0	—	0	—	—
7600 rubber & plastic pr.	3	0	3	—	—
7900 manufac. prod. nec	10	10	0	—	—
Total unknown or not elsewhere classified	**2**	**2**	**1**	**—**	**—**
9900 unknown or nec	2	2	1	—	—

Commodity	Total	Domestic				
		Coastwise		Internal		
		Receipts	Shipments	Receipts	Shipments	Intraport
Total, all commodities	**116,884**	**2,454**	**14,290**	**68,300**	**28,041**	**3,800**
Total coal	**663**	**—**	**—**	**311**	**338**	**14**
1100 coal lignite	140	—	—	1	139	—
1200 coal coke	523	—	—	310	200	14

PORT OF SOUTH LOUISIANA (LA)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Domestic				
			Coastwise		Internal		
			Receipts	Shipments	Receipts	Shipments	Intraport
Total petroleum and petroleum products		**37,618**	**719**	**13,575**	**8,140**	**12,954**	**2,230**
Subtotal crude petroleum		**4,981**	**24**	**—-**	**2,897**	**2,048**	**13**
2100	crude petroleum	4,981	24	—-	2,897	2,048	13
Subtotal petroleum products		**32,637**	**695**	**13,575**	**5,243**	**10,906**	**2,217**
2211	gasoline	9,641	15	6,805	864	1,854	103
2221	kerosene	352	—-	125	1	226	—-
2330	distillate fuel oil	7,486	379	2,980	864	2,380	883
2340	residual fuel oil	9,100	283	2,859	2,056	3,006	897
2350	lube oil & greases	342	—-	—-	235	64	43
2429	naphtha & solvents	1,635	16	188	510	876	45
2430	asphalt, tar & pitch	2,159	3	611	298	1,104	142
2540	petroleum coke	1,676	—-	—-	329	1,250	97
2640	liquid natural gas	120	—-	—-	17	104	—-
2990	petro. products nec	125	—-	6	69	43	8
Total chemicals and related products		**10,697**	**—-**	**154**	**1,654**	**7,617**	**1,273**
Subtotal fertilizers		**3,833**	**—-**	**—-**	**97**	**3,604**	**132**
3110	nitrogenous fert.	2,597	—-	—-	53	2,514	30
3120	phosphatic fert.	295	—-	—-	—-	295	—-
3130	potassic fert.	208	—-	—-	18	144	46
3190	fert. & mixes nec	733	—-	—-	25	651	57
Subtotal other chemicals and related products		**6,865**	**—-**	**154**	**1,557**	**4,013**	**1,140**
3211	acyclic hydrocarbons	486	—-	—-	251	181	55
3212	benzene & toluene	611	—-	—-	206	405	—-
3219	other hydrocarbons	640	—-	—-	250	329	61
3220	alcohols	2,093	—-	73	295	1,583	143
3230	carboxylic acids	54	—-	—-	0	53	—-
3240	nitrogen func. comp.	48	—-	—-	31	17	—-
3260	organic comp. nec	129	—-	—-	13	112	4
3271	sulphur (liquid)	206	—-	51	73	81	—-
3272	sulphuric acid	245	—-	—-	128	115	1
3273	ammonia	337	—-	—-	—-	337	—-
3274	sodium hydroxide	1,237	—-	12	263	519	443
3275	inorg. elem.,oxides, & halogen salts	447	—-	—-	—-	14	433
3276	metallic salts	164	—-	—-	14	150	—-
3279	inorganic chem. nec	53	—-	—-	3	50	—-
3297	chemical additives	98	—-	18	25	55	—-
3299	chem. products nec	17	—-	—-	5	11	—-
Total crude materials, inedible except fuels		**4,426**	**1,735**	**—-**	**953**	**1,738**	**—-**
Subtotal forest products, wood and chips		**22**	**—-**	**—-**	**19**	**3**	**—-**
4161	wood chips	22	—-	—-	19	3	—-
Subtotal soil, sand, gravel, rock and stone		**2,467**	**1,735**	**—-**	**723**	**9**	**—-**
4310	building stone	3	—-	—-	3	—-	—-
4322	limestone	332	—-	—-	332	—-	—-
4327	phosphate rock	1,735	1,735	—-	—-	—-	—-
4331	sand & gravel	386	—-	—-	377	9	—-
4335	waterway improv. mat	11	—-	—-	11	—-	—-
Subtotal iron ore and scrap		**227**	**—-**	**—-**	**199**	**28**	**—-**
4410	iron ore	7	—-	—-	—-	7	—-
4420	iron & steel scrap	220	—-	—-	199	22	—-
Subtotal non-ferrous ores and scrap		**1,293**	**—-**	**—-**	**1**	**1,293**	**—-**
4650	aluminum ore	1,244	—-	—-	—-	1,244	—-
4670	manganese ore	31	—-	—-	—-	31	—-
4690	non-ferrous ores nec	19	—-	—-	1	18	—-
Subtotal sulphur, clay and salt		**70**	**—-**	**—-**	**3**	**67**	**—-**
4782	clay & refrac. mat.	70	—-	—-	3	67	—-
Subtotal slag		**100**	**—-**	**—-**	**—-**	**100**	**—-**
4860	slag	100	—-	—-	—-	100	—-
Subtotal other non-metal. min.		**248**	**—-**	**—-**	**9**	**239**	**—-**
4900	non-metal. min. nec	248	—-	—-	9	239	—-
Total primary manufactured goods		**5,166**	**—-**	**—-**	**63**	**4,994**	**109**
Subtotal lime, cement and glass		**2,250**	**—-**	**—-**	**54**	**2,089**	**107**
5220	cement & concrete	2,250	—-	—-	54	2,089	107
Subtotal primary iron and steel products		**2,709**	**—-**	**—-**	**7**	**2,700**	**2**
5312	pig iron	2,453	—-	—-	—-	2,451	2
5315	ferro alloys	147	—-	—-	1	147	—-
5320	i&s primary forms	5	—-	—-	5	—-	—-
5330	i&s plates & sheets	17	—-	—-	—-	17	—-
5360	i&s bars & shapes	47	—-	—-	—-	47	—-
5370	i&s pipe & tube	11	—-	—-	—-	11	—-
5390	primary i&s nec	29	—-	—-	1	28	—-
Subtotal primary non-ferrous metal products		**206**	**—-**	**—-**	**1**	**205**	**—-**
5421	copper	1	—-	—-	—-	1	—-
5422	aluminum	14	—-	—-	—-	14	—-
5429	smelted prod. nec	10	—-	—-	—-	10	—-
5480	fab. metal products	181	—-	—-	1	180	—-

PORT OF SOUTH LOUISIANA (LA)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Domestic				
		Coastwise		Internal		
		Receipts	Shipments	Receipts	Shipments	Intraport
Total food and farm products	**58,310**	**—-**	**560**	**57,179**	**397**	**174**
Subtotal grain	**33,955**	**—-**	**137**	**33,676**	**122**	**21**
6241 wheat	3,430	—-	109	3,312	7	3
6344 corn	28,717	—-	17	28,650	38	11
6442 rice	667	—-	12	636	19	—-
6443 barley & rye	12	—-	—-	—-	12	—-
6445 oats	47	—-	—-	3	44	—-
6447 sorghum grains	1,083	—-	—-	1,074	2	7
Subtotal oilseeds	**17,105**	**—-**	**6**	**16,990**	**74**	**35**
6522 soybeans	14,205	—-	6	14,168	11	21
6590 oilseeds nec	2,900	—-	—-	2,822	63	14
Subtotal vegetable products	**698**	**—-**	**16**	**670**	**0**	**11**
6653 vegetable oils	684	—-	16	657	0	11
6654 vegetables & prod.	14	—-	—-	14	—-	—-
Subtotal processed grain and animal feed	**6,107**	**—-**	**221**	**5,687**	**105**	**94**
6746 wheat flour	1	—-	—-	—-	1	—-
6747 grain mill products	562	—-	221	340	2	—-
6782 animal feed, prep.	5,543	—-	—-	5,347	102	94
Subtotal other agricultural products	**445**	**—-**	**180**	**156**	**96**	**12**
6838 tallow, animal oils	2	—-	2	—-	—-	—-
6861 sugar	379	—-	179	150	39	12
6865 molasses	57	—-	—-	—-	57	—-
6885 alcoholic beverages	7	—-	—-	7	—-	—-
6888 water & ice	1	—-	—-	—-	1	—-
Total all manufactured equipment, machinery and products	**3**	**—-**	**—-**	**1**	**2**	**—-**
7110 machinery (not elec)	2	—-	—-	0	2	—-
7230 ships & boats	1	—-	—-	1	—-	—-
Total waste and scrap nec	**0**	**—-**	**—-**	**—-**	**0**	**—-**
8900 waste and scrap nec	0	—-	—-	—-	0	—-

***Includes 145 (x1000) tons of foreign inbound in-transits; Includes 472 (x1000) tons of foreign outbound in-transits.**

PORT OF PLAQUEMINES, LA

Section Included: Both banks of Mississippi River from mile 0 A.H.P. through mile 81.2 A.H.P. Maintained Depth: 45 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	58,473	1995	72,897	1998	65,806	**2001**	**60,694**
1993	53,110	1996	66,910	1999	62,461		
1994	64,759	1997	63,607	2000	59,658*		

* Revised after original year of publication
Port definitions for the ports along the deep draft stretch of the Mississippi River were changed in 1990 to conform with the Louisiana State Constitution.

Freight Traffic, 2001 (thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
Total, all commodities		**23,354**	**14,871**	**8,386**	**60**	**37**
Total coal		**2,787**	**1,774**	**1,013**	**—-**	**—-**
1100	coal lignite	2,626	1,636	990	—-	—-
1200	coal coke	160	138	22	—-	—-
Total petroleum and petroleum products		**9,137**	**7,861**	**1,239**	**—-**	**37**
Subtotal crude petroleum		**6,552**	**6,552**	**—-**	**—-**	**—-**
2100	crude petroleum	6,552	6,552	—-	—-	—-
Subtotal petroleum products		**2,586**	**1,309**	**1,239**	**—-**	**37**
2330	distillate fuel oil	696	587	71	—-	37
2340	residual fuel oil	413	379	34	—-	—-
2350	lube oil & greases	18	18	—-	—-	—-
2410	petro. jelly & waxes	2	2	—-	—-	—-
2429	naphtha & solvents	219	217	2	—-	—-
2430	asphalt, tar & pitch	11	11	—-	—-	—-
2540	petroleum coke	1,226	94	1,132	—-	—-
Total chemicals and related products		**1,193**	**1,135**	**43**	**15**	**—-**
Subtotal fertilizers		**605**	**605**	**—-**	**—-**	**—-**
3110	nitrogenous fert.	529	529	—-	—-	—-
3120	phosphatic fert.	72	72	—-	—-	—-
3190	fert. & mixes nec	3	3	—-	—-	—-
Subtotal other chemicals and related products		**588**	**530**	**43**	**15**	**—-**
3211	acyclic hydrocarbons	5	3	2	—-	—-
3219	other hydrocarbons	8	6	2	—-	—-
3220	alcohols	186	176	10	—-	—-
3230	carboxylic acids	12	12	—-	—-	—-
3240	nitrogen func. comp.	5	2	3	—-	—-
3250	organo - inorg. comp.	0	0	—-	—-	—-
3260	organic comp. nec	3	—-	3	—-	—-
3273	ammonia	97	97	—-	—-	—-
3275	inorg. elem.,oxides, & halogen salts	183	182	1	—-	—-
3276	metallic salts	35	20	—-	15	—-
3279	inorganic chem. nec	7	7	—-	—-	—-
3282	pigments & paints	8	8	—-	—-	—-
3285	perfumes & cleansers	1	1	—-	—-	—-
3291	pesticides	14	14	—-	—-	—-
3297	chemical additives	21	2	20	—-	—-
3299	chem. products nec	3	1	3	—-	—-
Total crude materials, inedible except fuels		**3,869**	**3,826**	**0**	**42**	**—-**
Subtotal soil, sand, gravel, rock and stone		**186**	**186**	**—-**	**—-**	**—-**
4322	limestone	186	186	—-	—-	—-
Subtotal iron ore and scrap		**1,850**	**1,850**	**—-**	**—-**	**—-**
4410	iron ore	1,850	1,850	—-	—-	—-
Subtotal non-ferrous ores and scrap		**1,070**	**1,028**	**—-**	**42**	**—-**
4650	aluminum ore	32	32	—-	—-	—-
4670	manganese ore	253	253	—-	—-	—-
4690	non-ferrous ores nec	784	742	—-	42	—-
Subtotal sulphur, clay and salt		**41**	**41**	**0**	**—-**	**—-**
4782	clay & refrac. mat.	41	41	0	—-	—-
Subtotal slag		**0**	**0**	**—-**	**—-**	**—-**
4860	slag	0	0	—-	—-	—-
Subtotal other non-metal. min.		**722**	**722**	**—-**	**—-**	**—-**
4900	non-metal. min. nec	722	722	—-	—-	—-
Total primary manufactured goods		**231**	**231**	**—-**	**—-**	**—-**
Subtotal paper products		**0**	**0**	**—-**	**—-**	**—-**
5120	paper & paperboard	0	0	—-	—-	—-
5190	paper products nec	0	0	—-	—-	—-
Subtotal lime, cement and glass		**100**	**100**	**—-**	**—-**	**—-**
5220	cement & concrete	100	100	—-	—-	—-
5240	glass & glass prod.	0	0	—-	—-	—-
Subtotal primary iron and steel products		**124**	**124**	**—-**	**—-**	**—-**
5312	pig iron	78	78	—-	—-	—-
5315	ferro alloys	26	26	—-	—-	—-
5320	i&s primary forms	9	9	—-	—-	—-
5330	i&s plates & sheets	8	8	—-	—-	—-

PORT OF PLAQUEMINES, LA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign		Canadian	
		Inbound*	Outbound*	Inbound	Outbound
5360 i&s bars & shapes	3	3	—	—	—
5370 i&s pipe & tube	0	0	—	—	—
Subtotal primary non-ferrous metal products	**3**	**3**	**—**	**—**	**—**
5421 copper	0	0	—	—	—
5422 aluminum	2	2	—	—	—
5429 smelted prod. nec	1	1	—	—	—
5480 fab. metal products	0	0	—	—	—
Subtotal primary wood products	**4**	**4**	**—**	**—**	**—**
5540 primary wood prod.	4	4	—	—	—
Total food and farm products	**6,129**	**40**	**6,088**	**2**	**—**
Subtotal grain	**3,809**	**—**	**3,809**	**—**	**—**
6241 wheat	982	—	982	—	—
6344 corn	2,669	—	2,669	—	—
6442 rice	52	—	52	—	—
6447 sorghum grains	106	—	106	—	—
Subtotal oilseeds	**1,813**	**—**	**1,813**	**—**	**—**
6522 soybeans	1,667	—	1,667	—	—
6590 oilseeds nec	147	—	147	—	—
Subtotal vegetable products	**30**	**28**	**—**	**2**	**—**
6653 vegetable oils	30	28	—	2	—
6654 vegetables & prod.	0	0	—	—	—
Subtotal processed grain and animal feed	**465**	**—**	**465**	**—**	**—**
6747 grain mill products	123	—	123	—	—
6782 animal feed, prep.	342	—	342	—	—
Subtotal other agricultural products	**12**	**12**	**—**	**—**	**—**
6888 water & ice	0	0	—	—	—
6889 food products nec	12	12	—	—	—
Total all manufactured equipment, machinery and products	**6**	**2**	**4**	**—**	**—**
7110 machinery (not elec)	0	0	—	—	—
7120 electrical machinery	1	1	0	—	—
7600 rubber & plastic pr.	4	0	4	—	—
7900 manufac. prod. nec	0	0	—	—	—
Total unknown or not elsewhere classified	**3**	**3**	**—**	**—**	**—**
9900 unknown or nec	3	3	—	—	—

Commodity	Total	Domestic				
		Coastwise		Internal		
		Receipts	Shipments	Receipts	Shipments	Intraport
Total, all commodities	**37,340**	**1,563**	**7,657**	**18,696**	**9,403**	**21**
Total coal	**18,365**	**—**	**7,318**	**10,107**	**932**	**8**
1100 coal lignite	17,611	—	7,303	9,718	583	8
1200 coal coke	754	—	16	389	349	—
Total petroleum and petroleum products	**4,831**	**36**	**330**	**2,264**	**2,194**	**7**
Subtotal crude petroleum	**907**	**—**	**—**	**454**	**452**	**1**
2100 crude petroleum	907	—	—	454	452	1
Subtotal petroleum products	**3,925**	**36**	**330**	**1,810**	**1,742**	**7**
2211 gasoline	436	—	164	4	268	—
2221 kerosene	1	—	—	—	1	—
2330 distillate fuel oil	503	36	69	134	258	4
2340 residual fuel oil	547	—	—	276	271	—
2350 lube oil & greases	149	—	—	102	47	—
2429 naphtha & solvents	323	—	—	95	228	—
2540 petroleum coke	1,694	—	97	1,080	517	—
2640 liquid natural gas	167	—	—	115	52	—
2990 petro. products nec	104	—	—	4	98	2
Total chemicals and related products	**3,410**	**1,406**	**8**	**80**	**1,915**	**—**
Subtotal fertilizers	**2,891**	**1,403**	**—**	**—**	**1,489**	**—**
3110 nitrogenous fert.	85	—	—	—	85	—
3120 phosphatic fert.	599	175	—	—	424	—
3190 fert. & mixes nec	2,207	1,228	—	—	980	—
Subtotal other chemicals and related products	**518**	**3**	**8**	**80**	**427**	**—**
3211 acyclic hydrocarbons	67	—	—	67	—	—
3212 benzene & toluene	228	—	—	—	228	—
3219 other hydrocarbons	170	—	—	—	170	—
3220 alcohols	14	—	—	1	13	—
3271 sulphur (liquid)	17	—	8	9	—	—
3275 inorg. elem.,oxides, & halogen salts	3	—	—	3	—	—
3276 metallic salts	16	3	—	—	13	—
3279 inorganic chem. nec	3	—	—	—	3	—
Total crude materials, inedible except fuels	**3,921**	**121**	**—**	**237**	**3,563**	**—**
Subtotal forest products, wood and chips	**0**	**—**	**—**	**0**	**—**	**—**
4189 lumber	0	—	—	0	—	—

PORT OF PLAQUEMINES, LA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Domestic				
		Coastwise		Internal		
		Receipts	Shipments	Receipts	Shipments	Intraport
Subtotal soil, sand, gravel, rock and stone	**292**	**77**	**—-**	**215**	**0**	**—-**
4322 limestone	105	48	—-	56	—-	—-
4331 sand & gravel	95	29	—-	66	0	—-
4335 waterway improv. mat	92	—-	—-	92	—-	—-
Subtotal iron ore and scrap	**2,908**	**35**	**—-**	**18**	**2,855**	**—-**
4410 iron ore	2,807	—-	—-	—-	2,807	—-
4420 iron & steel scrap	101	35	—-	18	49	—-
Subtotal non-ferrous ores and scrap	**365**	**9**	**—-**	**3**	**352**	**—-**
4650 aluminum ore	21	—-	—-	—-	21	—-
4670 manganese ore	290	—-	—-	3	287	—-
4690 non-ferrous ores nec	54	9	—-	—-	45	—-
Subtotal sulphur, clay and salt	**9**	**—-**	**—-**	**—-**	**9**	**—-**
4782 clay & refrac. mat.	9	—-	—-	—-	9	—-
Subtotal other non-metal. min.	**347**	**—-**	**—-**	**1**	**347**	**—-**
4900 non-metal. min. nec	347	—-	—-	1	347	—-
Total primary manufactured goods	**781**	**—-**	**—-**	**1**	**780**	**—-**
Subtotal lime, cement and glass	**64**	**—-**	**—-**	**1**	**63**	**—-**
5220 cement & concrete	64	—-	—-	1	63	—-
Subtotal primary iron and steel products	**717**	**—-**	**—-**	**—-**	**717**	**—-**
5312 pig iron	701	—-	—-	—-	701	—-
5315 ferro alloys	12	—-	—-	—-	12	—-
5320 i&s primary forms	3	—-	—-	—-	3	—-
5360 i&s bars & shapes	1	—-	—-	—-	1	—-
Total food and farm products	**6,026**	**—-**	**—-**	**6,003**	**18**	**5**
Subtotal grain	**4,610**	**—-**	**—-**	**4,608**	**2**	**—-**
6241 wheat	1,218	—-	—-	1,218	—-	—-
6344 corn	3,269	—-	—-	3,266	2	—-
6447 sorghum grains	124	—-	—-	124	—-	—-
Subtotal oilseeds	**1,399**	**—-**	**—-**	**1,390**	**9**	**—-**
6522 soybeans	1,384	—-	—-	1,379	5	—-
6590 oilseeds nec	15	—-	—-	11	4	—-
Subtotal vegetable products	**2**	**—-**	**—-**	**2**	**1**	**—-**
6653 vegetable oils	2	—-	—-	2	1	—-
Subtotal processed grain and animal feed	**8**	**—-**	**—-**	**2**	**6**	**—-**
6782 animal feed, prep.	8	—-	—-	2	6	—-
Subtotal other agricultural products	**7**	**—-**	**—-**	**2**	**0**	**5**
6887 groceries	0	—-	—-	—-	0	—-
6888 water & ice	7	—-	—-	2	—-	5
Total all manufactured equipment, machinery and products	**5**	**—-**	**—-**	**4**	**1**	**0**
7110 machinery (not elec)	2	—-	—-	1	1	0
7120 electrical machinery	3	—-	—-	3	—-	—-
Total waste and scrap nec	**1**	**—-**	**—-**	**1**	**—-**	**0**
8900 waste and scrap nec	1	—-	—-	1	—-	0

***Includes 8 (x1000) tons of foreign inbound in-transits; Includes 149 (x1000) tons of foreign outbound in-transits.**

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT)

Section Included: Minneapolis, MN to Mouth of Passes. For navigation seasons and maintained depths see tables of individual stretches listed separately. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	491,006	1995	520,287	1998	504,412*	**2001**	**504,165**
1993	475,112	1996	505,577	1999	512,348		
1994	496,823	1997	504,701	2000	515,626*		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
Total, all commodities		**187,619**	**87,116**	**98,931**	**673**	**898**
Total coal		**3,977**	**2,713**	**1,152**	**112**	**—-**
1100	coal lignite	3,255	2,042	1,101	112	—
1200	coal coke	721	671	50	—	—
Total petroleum and petroleum products		**56,705**	**47,409**	**8,506**	**35**	**755**
Subtotal crude petroleum		**36,754**	**36,166**	**575**	**13**	**—-**
2100	crude petroleum	36,754	36,166	575	13	—
Subtotal petroleum products		**19,951**	**11,243**	**7,931**	**22**	**755**
2211	gasoline	1,240	178	979	19	64
2221	kerosene	111	—	105	—	6
2330	distillate fuel oil	5,543	4,826	680	—	37
2340	residual fuel oil	6,480	2,743	3,407	—	330
2350	lube oil & greases	595	364	231	—	—
2410	petro. jelly & waxes	12	8	4	—	—
2429	naphtha & solvents	2,035	1,895	137	3	—
2430	asphalt, tar & pitch	79	73	6	—	—
2540	petroleum coke	3,788	1,088	2,382	—	317
2640	liquid natural gas	68	68	0	—	—
Total chemicals and related products		**13,419**	**9,818**	**3,109**	**350**	**143**
Subtotal fertilizers		**6,537**	**5,816**	**565**	**73**	**82**
3110	nitrogenous fert.	4,257	4,189	16	—	52
3120	phosphatic fert.	672	672	—	—	—
3130	potassic fert.	850	550	227	73	—
3190	fert. & mixes nec	758	406	322	—	30
Subtotal other chemicals and related products		**6,883**	**4,002**	**2,543**	**276**	**61**
3211	acyclic hydrocarbons	107	45	17	44	—
3212	benzene & toluene	46	12	1	33	—
3219	other hydrocarbons	613	39	537	36	—
3220	alcohols	2,274	1,876	253	145	—
3230	carboxylic acids	63	43	20	—	—
3240	nitrogen func. comp.	182	8	174	—	—
3250	organo - inorg. comp.	12	3	10	—	—
3260	organic comp. nec	95	12	83	—	—
3272	sulphuric acid	16	11	5	—	—
3273	ammonia	949	949	0	—	—
3274	sodium hydroxide	288	—	227	—	61
3275	inorg. elem.,oxides, & halogen salts	734	389	345	—	—
3276	metallic salts	406	368	22	15	—
3279	inorganic chem. nec	106	105	1	—	—
3281	radioactive material	27	1	26	—	—
3282	pigments & paints	122	11	111	—	—
3283	coloring mat. nec	1	1	0	—	—
3284	medicines	1	0	1	—	—
3285	perfumes & cleansers	21	6	15	—	—
3286	plastics	425	6	418	—	—
3291	pesticides	48	27	21	—	—
3292	starches, gluten, glue	54	0	54	—	—
3293	explosives	2	—	2	—	—
3297	chemical additives	79	9	70	—	—
3298	wood & resin chem.	4	1	3	—	—
3299	chem. products nec	209	82	125	2	1
Total crude materials, inedible except fuels		**14,875**	**14,247**	**496**	**133**	**0**
Subtotal forest products, wood and chips		**597**	**468**	**129**	**—-**	**0**
4110	rubber & gums	387	382	5	—	0
4150	fuel wood	0	0	0	—	—
4161	wood chips	90	—	90	—	—
4170	wood in the rough	31	28	3	—	—
4189	lumber	76	45	31	—	—
4190	forest products nec	13	12	0	—	—
Subtotal pulp and waste paper		**42**	**3**	**39**	**—-**	**—-**
4225	pulp & waste paper	42	3	39	—	—
Subtotal soil, sand, gravel, rock and stone		**1,131**	**1,089**	**1**	**41**	**—-**
4310	building stone	4	4	—	—	—
4322	limestone	1,072	1,072	0	—	—
4323	gypsum	40	—	0	40	—
4331	sand & gravel	14	13	1	1	—
Subtotal iron ore and scrap		**3,126**	**3,000**	**126**	**—-**	**—-**
4410	iron ore	2,818	2,818	—	—	—
4420	iron & steel scrap	309	183	126	—	—

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
Subtotal non-ferrous ores and scrap		**6,860**	**6,664**	**133**	**63**	**—-**
4650	aluminum ore	5,220	5,120	100	—-	—-
4670	manganese ore	331	331	—-	—-	—-
4680	non-ferrous scrap	23	1	2	21	—-
4690	non-ferrous ores nec	1,286	1,212	32	42	—-
Subtotal sulphur, clay and salt		**307**	**279**	**28**	**—-**	**—-**
4741	sulphur, (dry)	0	—-	0	—-	—-
4782	clay & refrac. mat.	307	279	28	—-	—-
Subtotal slag		**259**	**259**	**—-**	**—-**	**—-**
4860	slag	259	259	—-	—-	—-
Subtotal other non-metal. min.		**2,553**	**2,485**	**39**	**29**	**—-**
4900	non-metal. min. nec	2,553	2,485	39	29	—-
Total primary manufactured goods		**11,512**	**11,185**	**312**	**15**	**—-**
Subtotal paper products		**217**	**25**	**192**	**—-**	**—-**
5110	newsprint	0	—-	0	—-	—-
5120	paper & paperboard	215	25	190	—-	—-
5190	paper products nec	2	0	2	—-	—-
Subtotal lime, cement and glass		**2,496**	**2,487**	**9**	**—-**	**—-**
5220	cement & concrete	2,381	2,381	0	—-	—-
5240	glass & glass prod.	4	3	0	—-	—-
5290	misc. mineral prod.	112	103	9	—-	—-
Subtotal primary iron and steel products		**6,970**	**6,902**	**69**	**—-**	**—-**
5312	pig iron	3,200	3,200	0	—-	—-
5315	ferro alloys	580	577	3	—-	—-
5320	i&s primary forms	505	475	29	—-	—-
5330	i&s plates & sheets	1,152	1,145	7	—-	—-
5360	i&s bars & shapes	1,158	1,146	13	—-	—-
5370	i&s pipe & tube	349	335	14	—-	—-
5390	primary i&s nec	26	24	2	—-	—-
Subtotal primary non-ferrous metal products		**1,668**	**1,615**	**38**	**15**	**—-**
5421	copper	466	463	2	—-	—-
5422	aluminum	232	216	1	15	—-
5429	smelted prod. nec	526	520	6	—-	—-
5480	fab. metal products	445	416	29	—-	—-
Subtotal primary wood products		**160**	**156**	**4**	**—-**	**—-**
5540	primary wood prod.	160	156	4	—-	—-
Total food and farm products		**86,581**	**1,331**	**85,236**	**13**	**—-**
Subtotal fish		**0**	**0**	**—-**	**—-**	**—-**
6134	fish (not shellfish)	0	0	—-	—-	—-
6136	shellfish	0	0	—-	—-	—-
Subtotal grain		**50,116**	**246**	**49,870**	**—-**	**—-**
6241	wheat	7,111	—-	7,111	—-	—-
6344	corn	39,466	—-	39,466	—-	—-
6442	rice	1,493	0	1,493	—-	—-
6443	barley & rye	22	22	—-	—-	—-
6445	oats	224	224	0	—-	—-
6447	sorghum grains	1,800	—-	1,800	—-	—-
Subtotal oilseeds		**25,599**	**0**	**25,599**	**—-**	**—-**
6522	soybeans	20,065	—-	20,065	—-	—-
6590	oilseeds nec	5,534	0	5,534	—-	—-
Subtotal vegetable products		**2,109**	**582**	**1,521**	**6**	**—-**
6653	vegetable oils	2,073	577	1,490	6	—-
6654	vegetables & prod.	36	5	31	—-	—-
Subtotal processed grain and animal feed		**7,826**	**19**	**7,807**	**—-**	**—-**
6746	wheat flour	65	—-	65	—-	—-
6747	grain mill products	927	16	912	—-	—-
6781	hay & fodder	1	—-	1	—-	—-
6782	animal feed, prep.	6,833	4	6,829	—-	—-
Subtotal other agricultural products		**930**	**484**	**440**	**7**	**—-**
6811	meat, fresh, frozen	115	0	115	—-	—-
6817	meat, prepared	1	0	0	—-	—-
6822	dairy products	1	0	1	—-	—-
6835	fish, prepared	4	4	—-	—-	—-
6838	tallow, animal oils	123	—-	123	—-	—-
6839	animals & prod. nec	0	—-	0	—-	—-
6857	fruit & nuts nec	0	0	0	—-	—-
6858	fruit juices	10	1	9	—-	—-
6861	sugar	49	39	10	—-	—-
6865	molasses	225	213	12	—-	—-
6871	coffee	116	113	3	—-	—-
6872	cocoa beans	0	0	—-	—-	—-
6885	alcoholic beverages	40	38	2	—-	—-
6888	water & ice	1	1	0	—-	—-
6889	food products nec	230	71	152	7	—-
6891	tobacco & products	0	0	—-	—-	—-
6893	cotton	10	—-	10	—-	—-
6894	natural fibers nec	2	2	0	—-	—-
6899	farm products nec	3	0	3	—-	—-
Total all manufactured equipment, machinery and products		**485**	**366**	**103**	**16**	**—-**
7110	machinery (not elec)	147	101	47	—-	—-
7120	electrical machinery	137	116	6	16	—-
7210	vehicles & parts	19	15	4	—-	—-
7220	aircraft & parts	0	0	0	—-	—-

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign		Canadian	
		Inbound*	Outbound*	Inbound	Outbound
7230 ships & boats	1	1	0	—	—
7400 manufac. wood prod.	5	5	0	—	—
7500 textile products	51	48	4	—	—
7600 rubber & plastic pr.	88	54	34	—	—
7900 manufac. prod. nec	35	28	8	—	—
Total unknown or not elsewhere classified	**64**	**47**	**17**	**—**	**—**
9900 unknown or nec	64	47	17	—	—
Ton-miles (x1000)	**27,239,866**	**12,400,917**	**14,594,588**	**101,316**	**143,044**
Foreign & Canadian					

Commodity	Total	Coastwise			
		Receipts	Shipments	Through	
				Upbound	Downbnd
Total, all commodities	**30,905**	**4,649**	**25,938**	**46**	**272**
Total coal	**7,318**	**—**	**7,318**	**—**	**—**
1100 coal lignite	7,303	—	7,303	—	—
1200 coal coke	16	—	16	—	—
Total petroleum and petroleum products	**18,600**	**1,254**	**17,140**	**31**	**176**
Subtotal crude petroleum	**37**	**24**	**13**	**—**	**—**
2100 crude petroleum	37	24	13	—	—
Subtotal petroleum products	**18,563**	**1,230**	**17,127**	**31**	**176**
2211 gasoline	7,707	75	7,630	0	1
2221 kerosene	125	—	125	—	—
2330 distillate fuel oil	4,240	532	3,708	0	0
2340 residual fuel oil	4,902	572	4,330	—	—
2350 lube oil & greases	176	26	151	—	—
2429 naphtha & solvents	236	22	211	—	3
2430 asphalt, tar & pitch	614	3	611	—	—
2540 petroleum coke	97	—	97	—	—
2640 liquid natural gas	202	—	—	30	172
2990 petro. products nec	265	—	265	—	—
Total chemicals and related products	**2,068**	**1,530**	**537**	**—**	**1**
Subtotal fertilizers	**1,451**	**1,451**	**—**	**—**	**—**
3110 nitrogenous fert.	12	12	—	—	—
3120 phosphatic fert.	175	175	—	—	—
3190 fert. & mixes nec	1,264	1,264	—	—	—
Subtotal other chemicals and related products	**617**	**79**	**537**	**—**	**1**
3212 benzene & toluene	4	4	—	—	—
3219 other hydrocarbons	28	—	28	—	—
3220 alcohols	98	4	94	—	—
3230 carboxylic acids	13	—	13	—	—
3260 organic comp. nec	7	—	7	—	—
3271 sulphur (liquid)	60	—	60	—	—
3274 sodium hydroxide	385	68	318	—	—
3276 metallic salts	5	3	—	—	1
3297 chemical additives	18	—	18	—	—
Total crude materials, inedible except fuels	**1,866**	**1,865**	**—**	**0**	**0**
Subtotal forest products, wood and chips	**0**	**—**	**—**	**0**	**—**
4189 lumber	0	—	—	0	—
Subtotal soil, sand, gravel, rock and stone	**1,812**	**1,812**	**—**	**—**	**—**
4322 limestone	48	48	—	—	—
4327 phosphate rock	1,735	1,735	—	—	—
4331 sand & gravel	29	29	—	—	—
Subtotal iron ore and scrap	**44**	**44**	**—**	**—**	**—**
4420 iron & steel scrap	44	44	—	—	—
Subtotal non-ferrous ores and scrap	**9**	**9**	**—**	**—**	**—**
4690 non-ferrous ores nec	9	9	—	—	—
Subtotal sulphur, clay and salt	**1**	**—**	**—**	**0**	**0**
4782 clay & refrac. mat.	1	—	—	0	0
Total primary manufactured goods	**0**	**—**	**—**	**0**	**0**
Subtotal lime, cement and glass	**0**	**—**	**—**	**—**	**0**
5220 cement & concrete	0	—	—	—	0
Subtotal primary iron and steel products	**0**	**—**	**—**	**0**	**—**
5360 i&s bars & shapes	0	—	—	0	—
Subtotal primary non-ferrous metal products	**0**	**—**	**—**	**0**	**—**
5480 fab. metal products	0	—	—	0	—
Total food and farm products	**1,024**	**—**	**943**	**0**	**81**
Subtotal grain	**199**	**—**	**199**	**—**	**—**
6241 wheat	154	—	154	—	—
6344 corn	34	—	34	—	—
6442 rice	12	—	12	—	—
Subtotal oilseeds	**9**	**—**	**9**	**—**	**—**
6522 soybeans	6	—	6	—	—

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Coastwise			
		Receipts	Shipments	Through	
				Upbound	Downbnd
6590 oilseeds nec	2	—	2	—	—
Subtotal vegetable products	**27**	**—**	**27**	**—**	**—**
6653 vegetable oils	27	—	27	—	—
Subtotal processed grain and animal feed	**469**	**—**	**469**	**—**	**—**
6747 grain mill products	469	—	469	—	—
Subtotal other agricultural products	**320**	**—**	**238**	**0**	**81**
6838 tallow, animal oils	2	—	2	—	—
6861 sugar	236	—	236	—	—
6888 water & ice	0	—	—	0	0
6889 food products nec	81	—	—	—	81
Total all manufactured equipment, machinery and products	**27**	**—**	**0**	**14**	**13**
7110 machinery (not elec)	1	—	—	0	0
7230 ships & boats	1	—	0	0	—
7300 ordnance & access.	0	—	0	—	—
7500 textile products	0	—	—	0	—
7600 rubber & plastic pr.	1	—	—	1	—
7900 manufac. prod. nec	25	—	—	12	12
Ton-miles (x1000)	**4,037,964**	**655,617**	**3,319,203**	**4,807**	**58,336**
Coastwise					

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**285,642**	**18,777**	**63,588**	**41,158**	**26,037**	**20,120**	**16,965**	**31,387**	**67,610**
Total coal	**39,137**	**3,115**	**8,500**	**1,949**	**5,637**	**1,535**	**2,079**	**4,248**	**12,074**
1100 coal lignite	35,632	2,491	8,335	730	5,595	1,458	2,037	4,019	10,968
1200 coal coke	3,505	624	165	1,219	42	77	43	229	1,106
Total petroleum and petroleum products	**61,154**	**8,818**	**4,190**	**11,703**	**7,890**	**4,773**	**2,654**	**10,708**	**10,419**
Subtotal crude petroleum	**6,896**	**2,255**	**664**	**546**	**435**	**233**	**347**	**1,619**	**796**
2100 crude petroleum	6,896	2,255	664	546	435	233	347	1,619	796
Subtotal petroleum products	**54,259**	**6,563**	**3,526**	**11,157**	**7,455**	**4,540**	**2,306**	**9,089**	**9,623**
2211 gasoline	11,551	1,829	981	2,908	1,569	1,558	160	2,265	282
2221 kerosene	306	—	31	109	110	6	—	12	39
2330 distillate fuel oil	11,859	1,172	690	2,507	1,735	870	411	2,430	2,044
2340 residual fuel oil	12,326	1,490	821	1,222	1,076	228	188	2,627	4,675
2350 lube oil & greases	2,381	562	93	221	252	592	97	200	364
2410 petro. jelly & waxes	47	31	—	—	—	8	8	—	—
2429 naphtha & solvents	2,831	496	184	419	985	279	78	147	244
2430 asphalt, tar & pitch	4,164	359	290	1,581	762	257	146	350	419
2540 petroleum coke	6,650	244	366	1,620	556	487	851	1,017	1,509
2640 liquid natural gas	1,115	196	9	13	291	225	368	5	7
2990 petro. products nec	1,027	183	62	556	118	30	1	36	41
Total chemicals and related products	**32,717**	**2,142**	**1,668**	**10,236**	**2,681**	**5,631**	**1,372**	**6,313**	**2,674**
Subtotal fertilizers	**11,068**	**460**	**256**	**5,290**	**610**	**581**	**202**	**3,338**	**331**
3110 nitrogenous fert.	6,581	174	113	3,574	366	279	71	1,913	91
3120 phosphatic fert.	966	90	—	411	26	68	—	371	—
3130 potassic fert.	1,062	73	137	127	172	53	124	172	204
3190 fert. & mixes nec	2,459	124	6	1,179	45	181	8	881	35
Subtotal other chemicals and related products	**21,649**	**1,682**	**1,412**	**4,946**	**2,071**	**5,050**	**1,170**	**2,975**	**2,343**
3211 acyclic hydrocarbons	790	248	90	162	185	8	7	76	14
3212 benzene & toluene	2,586	278	131	126	550	183	117	424	776
3219 other hydrocarbons	5,447	385	359	974	103	2,891	374	196	165
3220 alcohols	3,693	101	305	1,279	322	569	237	712	168
3230 carboxylic acids	324	16	1	47	16	243	1	—	—
3240 nitrogen func. comp.	549	2	31	9	10	415	82	—	—
3260 organic comp. nec	652	47	85	102	68	103	168	25	55
3271 sulphur (liquid)	205	39	82	10	37	—	—	3	34
3272 sulphuric acid	780	99	67	114	150	3	2	129	215
3273 ammonia	1,134	15	—	638	150	63	10	105	153
3274 sodium hydroxide	3,477	255	102	1,168	174	398	57	599	724
3275 inorg. elem.,oxides, & halogen salts	797	25	97	27	17	99	79	452	2
3276 metallic salts	568	5	37	94	211	42	9	147	22
3279 inorganic chem. nec	187	—	1	149	5	7	—	23	3
3286 plastics	15	—	—	15	—	—	—	—	—
3291 pesticides	1	—	—	—	—	1	—	—	—
3297 chemical additives	312	166	11	20	10	14	—	82	11
3298 wood & resin chem.	2	—	2	—	—	—	—	—	—
3299 chem. products nec	129	1	10	11	65	14	25	3	—

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total crude materials, inedible except fuels	**48,494**	**3,599**	**8,310**	**8,259**	**3,823**	**5,882**	**6,670**	**6,029**	**5,922**
Subtotal forest products, wood and chips	**825**	**44**	**0**	**31**	**304**	**300**	**25**	**17**	**104**
4161 wood chips	472	33	—	13	90	290	25	2	19
4170 wood in the rough	295	—	—	3	193	—	—	14	85
4189 lumber	22	—	0	12	10	—	0	—	—
4190 forest products nec	36	11	0	2	11	11	—	2	—
Subtotal pulp and waste paper	**22**	**13**	**2**	**1**	**—**	**—**	**—**	**—**	**6**
4225 pulp & waste paper	22	13	2	1	—	—	—	—	6
Subtotal soil, sand, gravel, rock and stone	**26,691**	**453**	**6,358**	**712**	**2,787**	**258**	**6,079**	**4,637**	**5,408**
4310 building stone	32	18	4	—	—	—	9	—	—
4322 limestone	10,201	5	4,313	446	77	30	4,213	79	1,040
4323 gypsum	949	17	326	18	3	149	377	2	57
4331 sand & gravel	10,000	183	573	164	1,344	78	573	4,183	2,900
4335 waterway improv. mat	5,508	229	1,142	83	1,363	—	908	373	1,411
4338 soil & fill dirt	1	—	—	—	—	1	—	—	—
Subtotal iron ore and scrap	**6,961**	**989**	**1,592**	**2,943**	**187**	**239**	**197**	**430**	**382**
4410 iron ore	3,075	—	29	2,859	135	14	15	22	1
4420 iron & steel scrap	3,886	989	1,563	84	52	226	181	408	381
Subtotal marine shells	**3**	**3**	**—**	**—**	**—**	**—**	**—**	**—**	**—**
4515 marine shells	3	3	—	—	—	—	—	—	—
Subtotal non-ferrous ores and scrap	**4,398**	**195**	**42**	**2,991**	**36**	**504**	**30**	**599**	**—**
4650 aluminum ore	3,313	154	0	2,190	16	456	19	477	—
4670 manganese ore	476	1	9	391	10	10	3	52	—
4680 non-ferrous scrap	9	—	5	—	—	—	5	—	—
4690 non-ferrous ores nec	599	40	28	410	9	39	3	70	—
Subtotal sulphur, clay and salt	**671**	**39**	**6**	**208**	**113**	**66**	**68**	**167**	**5**
4782 clay & refrac. mat.	671	39	6	208	113	66	68	167	5
Subtotal slag	**819**	**79**	**48**	**286**	**72**	**79**	**136**	**102**	**17**
4860 slag	819	79	48	286	72	79	136	102	17
Subtotal other non-metal. min.	**8,104**	**1,784**	**261**	**1,087**	**323**	**4,435**	**136**	**77**	**—**
4900 non-metal. min. nec	8,104	1,784	261	1,087	323	4,435	136	77	—
Total primary manufactured goods	**20,447**	**458**	**382**	**8,296**	**4,266**	**1,104**	**2,043**	**3,431**	**468**
Subtotal paper products	**104**	**2**	**34**	**18**	**—**	**42**	**0**	**1**	**6**
5110 newsprint	42	—	—	—	—	42	—	—	—
5120 paper & paperboard	29	2	18	3	—	—	—	—	6
5190 paper products nec	33	—	16	15	—	0	0	1	—
Subtotal lime, cement and glass	**8,103**	**185**	**88**	**1,409**	**3,132**	**342**	**724**	**1,867**	**357**
5210 lime	1,056	—	3	—	1,036	2	4	—	11
5220 cement & concrete	7,038	183	82	1,407	2,097	338	720	1,867	344
5240 glass & glass prod.	7	2	3	2	—	—	—	—	—
5290 misc. mineral prod.	3	—	—	—	—	2	—	—	1
Subtotal primary iron and steel products	**10,887**	**247**	**207**	**6,032**	**996**	**661**	**1,240**	**1,412**	**93**
5312 pig iron	4,434	—	2	3,361	127	4	11	929	—
5315 ferro alloys	801	24	14	600	58	12	8	86	1
5320 i&s primary forms	339	—	7	281	31	12	3	5	—
5330 i&s plates & sheets	2,623	118	139	622	575	284	669	131	85
5360 i&s bars & shapes	1,336	26	6	815	30	235	27	194	4
5370 i&s pipe & tube	577	13	6	68	151	44	289	4	1
5390 primary i&s nec	777	66	34	285	22	70	234	63	2
Subtotal primary non-ferrous metal products	**1,347**	**22**	**52**	**837**	**137**	**58**	**78**	**151**	**12**
5421 copper	27	3	—	—	—	—	—	23	1
5422 aluminum	217	—	1	174	6	21	—	14	—
5429 smelted prod. nec	163	—	8	112	23	—	3	17	—
5480 fab. metal products	940	19	44	551	108	37	75	96	12
Subtotal primary wood products	**6**	**3**	**0**	**—**	**2**	**1**	**—**	**—**	**0**
5540 primary wood prod.	6	3	0	—	2	1	—	—	0
Total food and farm products	**82,258**	**599**	**40,531**	**582**	**1,712**	**421**	**1,728**	**636**	**36,048**
Subtotal grain	**48,220**	**98**	**23,896**	**193**	**1,259**	**159**	**1,305**	**125**	**21,186**
6241 wheat	6,596	43	3,045	—	103	143	80	13	3,169
6344 corn	38,230	16	19,750	38	941	3	1,185	36	16,261
6442 rice	1,809	31	414	14	186	13	37	19	1,095
6443 barley & rye	32	—	—	27	—	—	—	5	—
6445 oats	197	1	1	112	29	—	3	47	4
6447 sorghum grains	1,356	6	685	2	2	—	—	5	656
Subtotal oilseeds	**24,652**	**114**	**11,736**	**86**	**353**	**22**	**203**	**155**	**11,983**
6522 soybeans	19,593	95	9,146	48	287	3	193	47	9,773
6590 oilseeds nec	5,058	19	2,590	38	66	18	10	107	2,210

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Subtotal vegetable products	**959**	**18**	**473**	**—-**	**40**	**—-**	**16**	**80**	**331**
6653 vegetable oils	904	3	436	—	40	—	16	80	328
6654 vegetables & prod.	55	15	37	—	—	—	—	—	3
Subtotal processed grain and animal feed	**7,028**	**65**	**4,089**	**54**	**10**	**37**	**83**	**185**	**2,504**
6746 wheat flour	82	10	70	1	—	—	—	—	—
6747 grain mill products	408	2	113	—	—	—	—	2	291
6782 animal feed, prep.	6,538	53	3,906	53	10	37	83	183	2,213
Subtotal other agricultural products	**1,400**	**304**	**336**	**249**	**50**	**204**	**121**	**92**	**44**
6861 sugar	610	269	256	41	—	16	—	9	19
6865 molasses	317	23	—	152	19	46	—	74	4
6885 alcoholic beverages	29	—	2	—	7	—	6	—	14
6887 groceries	1	—	1	0	—	0	0	—	—
6888 water & ice	267	—	—	55	24	142	36	5	4
6889 food products nec	168	12	77	—	—	—	79	—	—
6893 cotton	1	—	—	—	—	—	—	1	—
6899 farm products nec	6	—	1	—	—	—	—	1	3
Total all manufactured equipment, machinery and products	**1,178**	**46**	**6**	**133**	**27**	**562**	**376**	**22**	**5**
7110 machinery (not elec)	1,017	21	3	32	22	559	373	5	0
7120 electrical machinery	6	0	1	1	1	0	—	—	3
7210 vehicles & parts	4	0	—	3	—	0	0	—	—
7230 ships & boats	2	1	0	—	—	0	0	0	—
7300 ordnance & access.	0	0	—	—	—	—	—	—	—
7400 manufac. wood prod.	9	5	1	0	—	2	1	—	—
7500 textile products	28	—	—	13	0	—	—	15	—
7600 rubber & plastic pr.	107	18	1	83	3	—	2	—	1
7900 manufac. prod. nec	5	0	1	0	1	—	—	2	0
Total waste and scrap nec	**256**	**—-**	**0**	**—-**	**1**	**212**	**42**	**0**	**1**
8900 waste and scrap nec	256	—	0	—	1	212	42	0	1
Ton-miles Internal (x1000)	**176,029,652**	**6,549,590**	**50,722,575**	**27,678,157**	**6,482,393**	**11,345,813**	**8,814,963**	**11,947,898**	**52,488,264**

Tons All Traffic (x1000) **504,165**
Ton-miles All Traffic (x1000) **207,307,482**

***Includes 367 (x1000) tons of foreign inbound in-transits; Includes 752 (x1000) tons of foreign outbound in-transits.**

MISSISSIPPI RIVER, BATON ROUGE, LA TO NEW ORLEANS, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)

Section Included: Baton Rouge, LA to New Orleans, LA; Lower Mississippi River from mile 236 to mile 106. Maintained Depth: 40 feet from mile 236 to mile 181; 45 feet from mile 181 to mile 106. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	351,568	1995	360,646	1998	331,392*	**2001**	**336,990**
1993	340,785	1996	338,671	1999	344,353		
1994	340,896	1997	334,982	2000	349,254*		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

	Commodity	Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
	Total, all commodities	**117,021**	**46,915**	**69,159**	**373**	**574**
	Total coal	**785**	**639**	**34**	**112**	**—-**
1100	coal lignite	369	244	13	112	—
1200	coal coke	417	396	21	—	—
	Total petroleum and petroleum products	**32,092**	**26,104**	**5,528**	**28**	**431**
	Subtotal crude petroleum	**19,282**	**19,032**	**243**	**6**	**—-**
2100	crude petroleum	19,282	19,032	243	6	—
	Subtotal petroleum products	**12,810**	**7,072**	**5,285**	**22**	**431**
2211	gasoline	1,142	168	891	19	64
2221	kerosene	111	—	105	—	6
2330	distillate fuel oil	3,966	3,477	489	—	—
2340	residual fuel oil	4,147	1,350	2,708	—	89
2350	lube oil & greases	465	331	134	—	—
2410	petro. jelly & waxes	4	2	2	—	—
2429	naphtha & solvents	1,143	1,067	74	3	—
2430	asphalt, tar & pitch	23	23	—	—	—
2540	petroleum coke	1,805	650	882	—	272
2640	liquid natural gas	5	5	—	—	—
	Total chemicals and related products	**8,725**	**6,480**	**1,931**	**171**	**142**
	Subtotal fertilizers	**4,831**	**4,255**	**420**	**73**	**82**
3110	nitrogenous fert.	2,869	2,801	16	—	52
3120	phosphatic fert.	599	599	—	—	—
3130	potassic fert.	826	550	203	73	—
3190	fert. & mixes nec	537	305	201	—	30
	Subtotal other chemicals and related products	**3,894**	**2,225**	**1,511**	**98**	**61**
3211	acyclic hydrocarbons	63	25	11	27	—
3212	benzene & toluene	12	—	1	12	—
3219	other hydrocarbons	484	13	452	20	—
3220	alcohols	1,334	1,152	143	39	—
3230	carboxylic acids	17	8	9	—	—
3240	nitrogen func. comp.	46	—	46	—	—
3250	organo - inorg. comp.	0	—	0	—	—
3260	organic comp. nec	61	2	59	—	—
3272	sulphuric acid	13	11	2	—	—
3273	ammonia	577	577	—	—	—
3274	sodium hydroxide	257	—	196	—	61
3275	inorg. elem.,oxides, & halogen salts	174	169	6	—	—
3276	metallic salts	164	152	13	—	—
3279	inorganic chem. nec	78	78	—	—	—
3281	radioactive material	0	0	—	—	—
3282	pigments & paints	111	0	111	—	—
3283	coloring mat. nec	0	0	—	—	—
3284	medicines	1	—	1	—	—
3285	perfumes & cleansers	7	—	7	—	—
3286	plastics	304	—	304	—	—
3291	pesticides	3	2	1	—	—
3292	starches, gluten, glue	54	—	54	—	—
3293	explosives	1	—	1	—	—
3297	chemical additives	38	—	38	—	—
3299	chem. products nec	94	36	58	—	—
	Total crude materials, inedible except fuels	**7,772**	**7,379**	**350**	**44**	**—-**
	Subtotal forest products, wood and chips	**92**	**0**	**92**	**—-**	**—-**
4161	wood chips	90	—	90	—	—
4170	wood in the rough	0	—	0	—	—
4189	lumber	2	0	1	—	—
	Subtotal pulp and waste paper	**7**	**—-**	**7**	**—-**	**—-**
4225	pulp & waste paper	7	—	7	—	—
	Subtotal soil, sand, gravel, rock and stone	**446**	**446**	**0**	**1**	**—-**
4310	building stone	1	1	—	—	—
4322	limestone	435	435	—	—	—
4331	sand & gravel	11	10	0	1	—
	Subtotal iron ore and scrap	**687**	**566**	**121**	**—-**	**—-**
4410	iron ore	420	420	—	—	—
4420	iron & steel scrap	267	147	121	—	—
	Subtotal non-ferrous ores and scrap	**4,948**	**4,812**	**121**	**14**	**—-**
4650	aluminum ore	4,689	4,596	93	—	—
4670	manganese ore	21	21	—	—	—
4680	non-ferrous scrap	15	0	0	14	—

MISSISSIPPI RIVER, BATON ROUGE, LA TO NEW ORLEANS, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign		Canadian	
		Inbound*	Outbound*	Inbound	Outbound
4690 non-ferrous ores nec	223	195	28	—	—
Subtotal sulphur, clay and salt	**192**	**189**	**3**	**—**	**—**
4782 clay & refrac. mat.	192	189	3	—	—
Subtotal slag	**255**	**255**	**—**	**—**	**—**
4860 slag	255	255	—	—	—
Subtotal other non-metal. min.	**1,145**	**1,110**	**5**	**29**	**—**
4900 non-metal. min. nec	1,145	1,110	5	29	—
Total primary manufactured goods	**5,981**	**5,884**	**97**	**—**	**—**
Subtotal paper products	**74**	**—**	**74**	**—**	**—**
5120 paper & paperboard	74	—	74	—	—
5190 paper products nec	0	—	0	—	—
Subtotal lime, cement and glass	**2,129**	**2,127**	**2**	**—**	**—**
5220 cement & concrete	2,043	2,043	—	—	—
5240 glass & glass prod.	0	—	0	—	—
5290 misc. mineral prod.	86	84	2	—	—
Subtotal primary iron and steel products	**3,364**	**3,347**	**17**	**—**	**—**
5312 pig iron	2,555	2,555	0	—	—
5315 ferro alloys	284	280	3	—	—
5320 i&s primary forms	137	126	11	—	—
5330 i&s plates & sheets	188	187	1	—	—
5360 i&s bars & shapes	181	180	0	—	—
5370 i&s pipe & tube	20	19	1	—	—
5390 primary i&s nec	0	0	0	—	—
Subtotal primary non-ferrous metal products	**413**	**408**	**5**	**—**	**—**
5421 copper	2	2	0	—	—
5422 aluminum	16	16	0	—	—
5429 smelted prod. nec	206	206	0	—	—
5480 fab. metal products	188	184	5	—	—
Subtotal primary wood products	**2**	**2**	**0**	**—**	**—**
5540 primary wood prod.	2	2	0	—	—
Total food and farm products	**61,570**	**349**	**61,209**	**11**	**—**
Subtotal grain	**34,904**	**19**	**34,885**	**—**	**—**
6241 wheat	4,156	—	4,156	—	—
6344 corn	28,509	—	28,509	—	—
6442 rice	1,039	—	1,039	—	—
6445 oats	19	19	0	—	—
6447 sorghum grains	1,182	—	1,182	—	—
Subtotal oilseeds	**18,654**	**—**	**18,654**	**—**	**—**
6522 soybeans	14,120	—	14,120	—	—
6590 oilseeds nec	4,534	—	4,534	—	—
Subtotal vegetable products	**1,107**	**185**	**918**	**4**	**—**
6653 vegetable oils	1,106	185	917	4	—
6654 vegetables & prod.	1	—	1	—	—
Subtotal processed grain and animal feed	**6,690**	**16**	**6,674**	**—**	**—**
6746 wheat flour	11	—	11	—	—
6747 grain mill products	677	15	661	—	—
6781 hay & fodder	1	—	1	—	—
6782 animal feed, prep.	6,001	1	6,001	—	—
Subtotal other agricultural products	**215**	**130**	**79**	**7**	**—**
6811 meat, fresh, frozen	14	—	14	—	—
6838 tallow, animal oils	42	—	42	—	—
6858 fruit juices	9	—	9	—	—
6861 sugar	10	10	—	—	—
6865 molasses	95	95	—	—	—
6885 alcoholic beverages	1	—	1	—	—
6888 water & ice	0	—	0	—	—
6889 food products nec	42	25	10	7	—
6899 farm products nec	3	0	3	—	—
Total all manufactured equipment, machinery and products	**91**	**76**	**8**	**7**	**—**
7110 machinery (not elec)	5	4	1	—	—
7120 electrical machinery	67	60	0	7	—
7210 vehicles & parts	2	1	0	—	—
7220 aircraft & parts	0	—	0	—	—
7230 ships & boats	0	0	0	—	—
7400 manufac. wood prod.	0	—	0	—	—
7500 textile products	0	—	0	—	—
7600 rubber & plastic pr.	5	0	5	—	—
7900 manufac. prod. nec	11	11	0	—	—
Total unknown or not elsewhere classified	**4**	**3**	**1**	**—**	**—**
9900 unknown or nec	4	3	1	—	—
Ton-miles (x1000) Foreign & Canadian	**5,262,353**	**2,526,653**	**2,679,567**	**22,256**	**33,877**

MISSISSIPPI RIVER, BATON ROUGE, LA TO NEW ORLEANS, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Coastwise			
		Receipts	Shipments	Through	
				Upbound	Downbnd
Total, all commodities	**18,005**	**2,761**	**15,151**	**11**	**83**
Total petroleum and petroleum products	**15,019**	**969**	**14,050**	**—-**	**—-**
Subtotal crude petroleum	**24**	**24**	**—-**	**—-**	**—-**
2100 crude petroleum	24	24	—-	—-	—-
Subtotal petroleum products	**14,995**	**945**	**14,050**	**—-**	**—-**
2211 gasoline	7,011	75	6,936	—-	—-
2221 kerosene	125	—-	125	—-	—-
2330 distillate fuel oil	3,587	478	3,108	—-	—-
2340 residual fuel oil	3,247	345	2,902	—-	—-
2350 lube oil & greases	176	26	151	—-	—-
2429 naphtha & solvents	229	18	211	—-	—-
2430 asphalt, tar & pitch	614	3	611	—-	—-
2990 petro. products nec	6	—-	6	—-	—-
Total chemicals and related products	**585**	**57**	**527**	**—-**	**1**
Subtotal fertilizers	**48**	**48**	**—-**	**—-**	**—-**
3110 nitrogenous fert.	12	12	—-	—-	—-
3190 fert. & mixes nec	36	36	—-	—-	—-
Subtotal other chemicals and related products	**536**	**8**	**527**	**—-**	**1**
3212 benzene & toluene	4	4	—-	—-	—-
3219 other hydrocarbons	26	—-	26	—-	—-
3220 alcohols	98	4	94	—-	—-
3230 carboxylic acids	13	—-	13	—-	—-
3260 organic comp. nec	7	—-	7	—-	—-
3271 sulphur (liquid)	51	—-	51	—-	—-
3274 sodium hydroxide	318	—-	318	—-	—-
3276 metallic salts	1	—-	—-	—-	1
3297 chemical additives	18	—-	18	—-	—-
Total crude materials, inedible except fuels	**1,744**	**1,735**	**—-**	**9**	**—-**
Subtotal forest products, wood and chips	**0**	**—-**	**—-**	**0**	**—-**
4189 lumber	0	—-	—-	0	—-
Subtotal soil, sand, gravel, rock and stone	**1,735**	**1,735**	**—-**	**—-**	**—-**
4327 phosphate rock	1,735	1,735	—-	—-	—-
Subtotal iron ore and scrap	**9**	**—-**	**—-**	**9**	**—-**
4420 iron & steel scrap	9	—-	—-	9	—-
Total primary manufactured goods	**0**	**—-**	**—-**	**0**	**—-**
Subtotal primary iron and steel products	**0**	**—-**	**—-**	**0**	**—-**
5360 i&s bars & shapes	0	—-	—-	0	—-
Subtotal primary non-ferrous metal products	**0**	**—-**	**—-**	**0**	**—-**
5480 fab. metal products	0	—-	—-	0	—-
Total food and farm products	**655**	**—-**	**574**	**—-**	**81**
Subtotal grain	**137**	**—-**	**137**	**—-**	**—-**
6241 wheat	109	—-	109	—-	—-
6344 corn	17	—-	17	—-	—-
6442 rice	12	—-	12	—-	—-
Subtotal oilseeds	**9**	**—-**	**9**	**—-**	**—-**
6522 soybeans	6	—-	6	—-	—-
6590 oilseeds nec	2	—-	2	—-	—-
Subtotal vegetable products	**27**	**—-**	**27**	**—-**	**—-**
6653 vegetable oils	27	—-	27	—-	—-
Subtotal processed grain and animal feed	**221**	**—-**	**221**	**—-**	**—-**
6747 grain mill products	221	—-	221	—-	—-
Subtotal other agricultural products	**261**	**—-**	**180**	**—-**	**81**
6838 tallow, animal oils	2	—-	2	—-	—-
6861 sugar	179	—-	179	—-	—-
6889 food products nec	81	—-	—-	—-	81
Total all manufactured equipment, machinery and products	**1**	**—-**	**—-**	**1**	**—-**
7500 textile products	0	—-	—-	0	—-
7600 rubber & plastic pr.	1	—-	—-	1	—-
Ton-miles (x1000)	**646,995**	**141,751**	**493,179**	**1,430**	**10,635**
Coastwise					

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**201,964**	**8,928**	**68,508**	**36,206**	**13,257**	**26,892**	**37,975**	**4,667**	**5,529**
Total coal	**15,534**	**23**	**86**	**1,233**	**495**	**996**	**12,061**	**64**	**578**
1100 coal lignite	12,801	—-	5	261	36	534	11,964	—-	2
1200 coal coke	2,733	23	80	972	459	462	96	64	576

MISSISSIPPI RIVER, BATON ROUGE, LA TO NEW ORLEANS, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total petroleum and petroleum products	**41,433**	**6,738**	**2,728**	**11,127**	**9,556**	**4,238**	**2,162**	**2,201**	**2,684**
Subtotal crude petroleum	**5,410**	**2,581**	**319**	**1,241**	**836**	**129**	**191**	**11**	**100**
2100 crude petroleum	5,410	2,581	319	1,241	836	129	191	11	100
Subtotal petroleum products	**36,023**	**4,157**	**2,409**	**9,885**	**8,719**	**4,109**	**1,971**	**2,190**	**2,584**
2211 gasoline	7,269	627	772	3,416	1,206	586	305	121	236
2221 kerosene	253	1	—	91	139	21	—	—	—
2330 distillate fuel oil	7,973	827	357	2,258	2,083	409	513	679	847
2340 residual fuel oil	9,212	1,516	647	1,167	2,748	1,030	567	482	1,055
2350 lube oil & greases	2,002	193	208	223	236	882	186	53	19
2410 petro. jelly & waxes	47	31	—	—	—	8	8	—	—
2429 naphtha & solvents	2,380	438	126	219	1,089	270	39	80	118
2430 asphalt, tar & pitch	2,085	183	133	1,108	138	113	162	179	69
2540 petroleum coke	4,095	288	136	1,180	881	637	175	596	202
2640 liquid natural gas	205	10	6	5	106	71	—	—	7
2990 petro. products nec	502	42	23	218	93	80	16	—	31
Total chemicals and related products	**27,944**	**1,751**	**1,290**	**11,913**	**2,223**	**6,101**	**704**	**1,811**	**2,151**
Subtotal fertilizers	**9,404**	**6**	**40**	**6,650**	**335**	**2,062**	**48**	**163**	**100**
3110 nitrogenous fert.	5,725	3	32	5,103	255	211	30	45	45
3120 phosphatic fert.	935	2	—	333	26	574	—	—	—
3130 potassic fert.	350	—	8	224	11	3	18	64	21
3190 fert. & mixes nec	2,394	2	—	989	42	1,274	—	55	34
Subtotal other chemicals and related products	**18,540**	**1,745**	**1,249**	**5,263**	**1,888**	**4,039**	**656**	**1,648**	**2,052**
3211 acyclic hydrocarbons	622	249	21	162	99	5	2	74	10
3212 benzene & toluene	2,219	640	147	106	469	35	59	37	727
3219 other hydrocarbons	4,121	396	357	673	138	2,131	152	155	120
3220 alcohols	3,335	32	332	1,369	287	547	73	587	107
3230 carboxylic acids	320	—	0	47	16	257	1	—	—
3240 nitrogen func. comp.	274	2	28	9	8	194	32	—	—
3260 organic comp. nec	490	23	14	118	68	99	112	3	55
3271 sulphur (liquid)	205	39	82	10	46	—	—	3	26
3272 sulphuric acid	754	99	73	114	138	3	15	129	183
3273 ammonia	981	10	—	675	145	30	10	—	111
3274 sodium hydroxide	3,362	96	75	1,591	167	513	79	134	706
3275 inorg. elem.,oxides, & halogen salts	695	—	91	34	17	55	51	445	2
3276 metallic salts	542	1	15	186	220	96	25	—	—
3279 inorganic chem. nec	180	—	3	139	5	33	—	—	—
3286 plastics	13	—	—	—	—	13	—	—	—
3291 pesticides	1	—	—	—	—	1	—	—	—
3297 chemical additives	299	157	5	19	14	15	3	81	7
3298 wood & resin chem.	2	—	2	—	—	—	—	—	—
3299 chem. products nec	123	1	5	13	51	11	42	—	—
Total crude materials, inedible except fuels	**25,674**	**107**	**3,630**	**4,423**	**421**	**11,295**	**5,717**	**78**	**3**
Subtotal forest products, wood and chips	**140**	**—**	**30**	**3**	**—**	**27**	**79**	**—**	**—**
4161 wood chips	110	—	19	3	—	9	79	—	—
4170 wood in the rough	11	—	11	—	—	—	—	—	—
4189 lumber	12	—	—	—	—	12	—	—	—
4190 forest products nec	7	—	—	—	—	6	0	—	—
Subtotal pulp and waste paper	**9**	**—**	**—**	**—**	**—**	**1**	**8**	**—**	**—**
4225 pulp & waste paper	9	—	—	—	—	1	8	—	—
Subtotal soil, sand, gravel, rock and stone	**8,533**	**—**	**3,083**	**80**	**34**	**131**	**5,204**	**—**	**—**
4310 building stone	13	—	4	—	—	—	9	—	—
4322 limestone	5,450	—	1,822	23	—	74	3,531	—	—
4323 gypsum	493	—	—	9	3	—	481	—	—
4331 sand & gravel	2,138	—	1,179	49	31	54	826	—	—
4335 waterway improv. mat	437	—	79	—	—	1	357	—	—
4338 soil & fill dirt	1	—	—	—	—	1	—	—	—
Subtotal iron ore and scrap	**4,482**	**84**	**226**	**351**	**28**	**3,677**	**116**	**—**	**—**
4410 iron ore	2,864	—	—	72	1	2,791	—	—	—
4420 iron & steel scrap	1,618	84	226	279	26	887	116	—	—
Subtotal marine shells	**3**	**—**	**—**	**—**	**—**	**3**	**—**	**—**	**—**
4515 marine shells	3	—	—	—	—	3	—	—	—
Subtotal non-ferrous ores and scrap	**4,261**	**—**	**28**	**2,827**	**25**	**1,288**	**26**	**66**	**—**
4650 aluminum ore	3,275	—	—	2,513	9	667	20	66	—
4670 manganese ore	460	—	—	134	9	312	5	—	—
4690 non-ferrous ores nec	525	—	28	179	7	310	1	—	—
Subtotal sulphur, clay and salt	**287**	**—**	**2**	**218**	**21**	**12**	**23**	**10**	**3**
4782 clay & refrac. mat.	287	—	2	218	21	12	23	10	3
Subtotal slag	**556**	**—**	**—**	**245**	**2**	**64**	**244**	**—**	**—**
4860 slag	556	—	—	245	2	64	244	—	—
Subtotal other non-metal. min.	**7,403**	**22**	**261**	**699**	**311**	**6,090**	**18**	**2**	**—**
4900 non-metal. min. nec	7,403	22	261	699	311	6,090	18	2	—
Total primary manufactured goods	**13,289**	**103**	**156**	**6,971**	**410**	**3,722**	**1,661**	**267**	**1**
Subtotal paper products	**60**	**—**	**—**	**—**	**—**	**19**	**40**	**—**	**—**
5120 paper & paperboard	28	—	—	—	—	3	25	—	—
5190 paper products nec	32	—	—	—	—	16	16	—	—
Subtotal lime, cement and glass	**3,399**	**94**	**138**	**1,898**	**180**	**305**	**522**	**261**	**—**
5210 lime	179	—	11	—	—	2	166	—	—

MISSISSIPPI RIVER, BATON ROUGE, LA TO NEW ORLEANS, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
5220 cement & concrete	3,216	94	126	1,898	180	300	356	261	—
5240 glass & glass prod.	2	—	—	—	—	2	—	—	—
5290 misc. mineral prod.	3	—	1	—	—	2	—	—	—
Subtotal primary iron and steel products	**8,869**	**5**	**5**	**4,718**	**197**	**2,955**	**983**	**5**	**1**
5312 pig iron	4,411	—	—	3,507	127	770	5	2	—
5315 ferro alloys	726	2	—	580	30	110	3	1	1
5320 i&s primary forms	302	—	5	236	—	59	2	—	—
5330 i&s plates & sheets	1,515	1	—	138	23	638	712	1	—
5360 i&s bars & shapes	1,203	—	—	152	8	1,038	6	—	—
5370 i&s pipe & tube	266	0	—	12	6	57	190	0	—
5390 primary i&s nec	446	1	—	93	2	283	66	—	—
Subtotal primary non-ferrous metal products	**961**	**5**	**12**	**355**	**33**	**442**	**114**	**—**	**—**
5421 copper	24	—	—	1	—	22	1	—	—
5422 aluminum	213	—	—	52	3	158	0	—	—
5429 smelted prod. nec	143	—	—	20	6	109	8	—	—
5480 fab. metal products	581	5	12	282	24	153	105	—	—
Subtotal primary wood products	**1**	**—**	**—**	**—**	**—**	**—**	**1**	**—**	**—**
5540 primary wood prod.	1	—	—	—	—	—	1	—	—
Total food and farm products	**77,858**	**190**	**60,619**	**540**	**150**	**346**	**15,655**	**246**	**113**
Subtotal grain	**45,564**	**27**	**34,745**	**218**	**51**	**43**	**10,397**	**39**	**43**
6241 wheat	6,261	14	3,579	3	6	—	2,649	6	3
6344 corn	36,010	6	28,795	27	15	18	7,115	5	29
6442 rice	1,728	3	1,294	10	2	24	385	10	—
6443 barley & rye	32	—	—	32	—	—	—	—	—
6445 oats	190	—	1	144	27	1	—	14	2
6447 sorghum grains	1,344	3	1,076	2	2	—	249	3	10
Subtotal oilseeds	**23,717**	**117**	**18,618**	**14**	**73**	**11**	**4,751**	**78**	**54**
6522 soybeans	18,830	97	14,362	11	73	6	4,224	17	41
6590 oilseeds nec	4,886	19	4,256	3	—	6	527	61	13
Subtotal vegetable products	**854**	**8**	**689**	**—**	**—**	**66**	**78**	**7**	**6**
6653 vegetable oils	815	8	675	—	—	66	53	7	6
6654 vegetables & prod.	39	—	14	—	—	—	25	—	—
Subtotal processed grain and animal feed	**6,865**	**20**	**6,422**	**90**	**3**	**93**	**119**	**110**	**7**
6746 wheat flour	71	—	4	1	—	—	65	—	—
6747 grain mill products	408	2	402	2	—	—	3	—	—
6782 animal feed, prep.	6,386	18	6,016	87	3	93	51	110	7
Subtotal other agricultural products	**858**	**19**	**145**	**216**	**23**	**132**	**309**	**11**	**3**
6861 sugar	357	16	134	22	16	35	122	9	3
6865 molasses	317	3	—	193	6	97	17	2	—
6885 alcoholic beverages	21	—	7	—	—	—	14	—	—
6887 groceries	1	—	—	—	—	—	1	—	—
6888 water & ice	1	—	—	—	1	—	—	—	—
6889 food products nec	155	—	—	—	—	—	155	—	—
6899 farm products nec	6	—	4	1	—	—	—	—	—
Total all manufactured equipment, machinery and products	**214**	**17**	**0**	**—**	**2**	**179**	**15**	**—**	**—**
7110 machinery (not elec)	89	16	0	—	2	62	8	—	—
7120 electrical machinery	5	—	—	—	—	2	3	—	—
7210 vehicles & parts	4	0	—	—	—	3	0	—	—
7230 ships & boats	1	1	0	—	—	—	—	—	—
7400 manufac. wood prod.	0	—	—	—	—	0	—	—	—
7500 textile products	28	—	—	—	—	28	—	—	—
7600 rubber & plastic pr.	84	—	—	—	—	81	2	—	—
7900 manufac. prod. nec	3	—	—	—	—	2	1	—	—
Total waste and scrap nec	**18**	**—**	**—**	**—**	**0**	**16**	**1**	**—**	**—**
8900 waste and scrap nec	18	—	—	—	0	16	1	—	—
Ton-miles Internal (x1000)	**16,708,660**	**314,566**	**6,237,698**	**2,481,337**	**603,547**	**2,353,865**	**4,323,484**	**164,861**	**229,303**

Tons All Traffic (x1000) **336,990**
Ton-miles All Traffic (x1000) **22,618,008**

***Includes 218 (x1000) tons of foreign inbound in-transits; Includes 542 (x1000) tons of foreign outbound in-transits.**

MISSISSIPPI RIVER, MOUTH OF OHIO RIVER TO BATON ROUGE, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)

Section Included: Mouth of Ohio River to Baton Rouge, LA; Lower Mississippi River from mile 954 to mile 236. Maintained Depth: not less than 9 feet during low water and commensurably greater depths available during the high water season. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	198,689	1995	205,106	1998	196,314*	**2001**	**200,662**
1993	183,843	1996	195,875	1999	204,857		
1994	196,793	1997	193,921	2000	204,405		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity	Total	Coastwise		
		Receipts	Through	
			Upbound	Downbnd
Total, all commodities	**92**	**9**	**2**	**81**
Total crude materials, inedible except fuels	**9**	**9**	**0**	**—-**
Subtotal forest products, wood and chips	**0**	**—-**	**0**	**—-**
4189 lumber	0	—-	0	—-
Subtotal iron ore and scrap	**9**	**9**	**—-**	**—-**
4420 iron & steel scrap	9	9	—-	—-
Total primary manufactured goods	**0**	**—-**	**0**	**—-**
Subtotal primary iron and steel products	**0**	**—-**	**0**	**—-**
5360 i&s bars & shapes	0	—-	0	—-
Subtotal primary non-ferrous metal products	**0**	**—-**	**0**	**—-**
5480 fab. metal products	0	—-	0	—-
Total food and farm products	**81**	**—-**	**—-**	**81**
Subtotal other agricultural products	**81**	**—-**	**—-**	**81**
6889 food products nec	81	—-	—-	81
Total all manufactured equipment, machinery and products	**1**	**—-**	**1**	**—-**
7500 textile products	0	—-	0	—-
7600 rubber & plastic pr.	1	—-	1	—-
Ton-miles (x1000)	**45,885**	**5,464**	**860**	**39,561**
Coastwise				

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**200,570**	**10,002**	**18,314**	**1,908**	**8,683**	**56,175**	**103,949**	**1,006**	**532**
Total coal	**25,022**	**273**	**8,274**	**4**	**3**	**1,945**	**14,523**	**—-**	**—-**
1100 coal lignite	23,462	144	8,274	4	3	641	14,396	—-	—-
1200 coal coke	1,560	129	—-	—-	—-	1,304	127	—-	—-
Total petroleum and petroleum products	**24,343**	**5,052**	**300**	**1,032**	**672**	**13,347**	**2,976**	**848**	**116**
Subtotal crude petroleum	**1,572**	**1,071**	**6**	**62**	**174**	**227**	**31**	**—-**	**—-**
2100 crude petroleum	1,572	1,071	6	62	174	227	31	—-	—-
Subtotal petroleum products	**22,771**	**3,981**	**294**	**970**	**497**	**13,120**	**2,945**	**848**	**116**
2211 gasoline	7,465	1,919	171	371	265	4,254	94	378	14
2221 kerosene	140	4	31	7	—-	99	—-	—-	—-
2330 distillate fuel oil	4,846	570	14	211	81	2,669	754	448	100
2340 residual fuel oil	3,470	1,201	23	35	25	1,104	1,081	—-	1
2350 lube oil & greases	1,732	80	6	45	70	1,156	354	20	—-
2410 petro. jelly & waxes	16	—-	—-	—-	—-	8	8	—-	—-
2429 naphtha & solvents	617	7	—-	17	4	516	73	—-	—-
2430 asphalt, tar & pitch	1,882	—-	20	275	48	1,293	245	—-	—-
2540 petroleum coke	2,155	14	29	9	—-	1,795	307	—-	—-
2640 liquid natural gas	75	69	—-	—-	—-	5	—-	2	—-
2990 petro. products nec	373	117	1	—-	5	221	30	—-	—-
Total chemicals and related products	**19,474**	**1,478**	**350**	**103**	**44**	**16,386**	**1,035**	**42**	**37**
Subtotal fertilizers	**9,494**	**1,175**	**246**	**66**	**42**	**7,677**	**219**	**42**	**26**
3110 nitrogenous fert.	5,759	842	79	63	36	4,570	103	40	25
3120 phosphatic fert.	893	76	—-	—-	—-	818	—-	—-	—-
3130 potassic fert.	576	61	161	3	4	229	115	2	2
3190 fert. & mixes nec	2,266	197	6	—-	1	2,060	2	—-	—-
Subtotal other chemicals and related products	**9,980**	**302**	**104**	**37**	**1**	**8,709**	**816**	**—-**	**11**
3211 acyclic hydrocarbons	115	—-	—-	—-	—-	115	—-	—-	—-
3212 benzene & toluene	176	—-	—-	—-	—-	56	119	—-	—-
3219 other hydrocarbons	3,290	10	—-	2	—-	3,151	126	—-	—-
3220 alcohols	1,837	82	—-	—-	—-	1,471	284	—-	—-
3230 carboxylic acids	274	16	1	—-	—-	256	1	—-	—-

MISSISSIPPI RIVER, MOUTH OF OHIO RIVER TO BATON ROUGE, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
3240 nitrogen func. comp.	400	—	—	—	—	375	25	—	—
3260 organic comp. nec	354	46	71	—	—	112	125	—	—
3272 sulphuric acid	45	—	27	—	—	—	18	—	—
3273 ammonia	750	20	—	32	—	688	10	—	—
3274 sodium hydroxide	2,078	81	—	—	—	1,996	1	—	—
3275 inorg. elem.,oxides, & halogen salts	104	3	2	—	—	66	34	—	—
3276 metallic salts	275	19	—	—	1	223	21	—	11
3279 inorganic chem. nec	180	23	1	3	—	149	3	—	—
3286 plastics	13	—	—	—	—	13	—	—	—
3291 pesticides	1	—	—	—	—	1	—	—	—
3297 chemical additives	19	—	—	—	—	14	5	—	—
3298 wood & resin chem.	2	—	—	—	—	—	2	—	—
3299 chem. products nec	67	1	1	—	—	22	42	—	—
Total crude materials, inedible except fuels	**38,649**	**2,064**	**8,910**	**221**	**292**	**13,952**	**12,815**	**106**	**289**
Subtotal forest products, wood and chips	**539**	**3**	**—**	**5**	**204**	**117**	**122**	**14**	**74**
4161 wood chips	220	3	—	—	—	96	122	—	—
4170 wood in the rough	295	—	—	3	204	—	—	14	74
4189 lumber	12	—	—	—	—	12	—	—	—
4190 forest products nec	11	—	—	2	—	9	—	—	—
Subtotal pulp and waste paper	**9**	**—**	**—**	**—**	**6**	**1**	**2**	**—**	**—**
4225 pulp & waste paper	9	—	—	—	6	1	2	—	—
Subtotal soil, sand, gravel, rock and stone	**20,257**	**230**	**7,202**	**134**	**6**	**250**	**12,208**	**12**	**215**
4310 building stone	13	—	—	—	—	—	13	—	—
4322 limestone	9,655	—	3,331	—	—	122	6,195	—	7
4323 gypsum	719	—	218	9	—	7	484	—	—
4331 sand & gravel	5,168	1	1,494	125	6	119	3,203	12	208
4335 waterway improv. mat	4,700	229	2,158	—	—	1	2,312	—	—
4338 soil & fill dirt	1	—	—	—	—	1	—	—	—
Subtotal iron ore and scrap	**6,169**	**1,198**	**1,696**	**56**	**19**	**2,887**	**233**	**80**	**—**
4410 iron ore	2,851	—	3	—	—	2,848	—	—	—
4420 iron & steel scrap	3,318	1,198	1,693	56	19	39	233	80	—
Subtotal marine shells	**3**	**—**	**—**	**—**	**—**	**3**	**—**	**—**	**—**
4515 marine shells	3	—	—	—	—	3	—	—	—
Subtotal non-ferrous ores and scrap	**4,134**	**536**	**10**	**—**	**—**	**3,553**	**35**	**—**	**—**
4650 aluminum ore	3,178	499	—	—	—	2,679	0	—	—
4670 manganese ore	434	36	6	—	—	388	5	—	—
4680 non-ferrous scrap	5	—	5	—	—	—	—	—	—
4690 non-ferrous ores nec	517	2	—	—	—	486	30	—	—
Subtotal sulphur, clay and salt	**252**	**3**	**—**	**—**	**0**	**222**	**27**	**—**	**—**
4782 clay & refrac. mat.	252	3	—	—	0	222	27	—	—
Subtotal slag	**582**	**—**	**1**	**27**	**57**	**309**	**188**	**—**	**—**
4860 slag	582	—	1	27	57	309	188	—	—
Subtotal other non-metal. min.	**6,704**	**95**	**—**	**—**	**—**	**6,609**	**—**	**—**	**—**
4900 non-metal. min. nec	6,704	95	—	—	—	6,609	—	—	—
Total primary manufactured goods	**14,734**	**1,046**	**366**	**398**	**333**	**9,409**	**3,146**	**—**	**37**
Subtotal paper products	**102**	**1**	**—**	**—**	**6**	**60**	**34**	**—**	**—**
5110 newsprint	42	—	—	—	—	42	—	—	—
5120 paper & paperboard	28	—	—	—	6	3	18	—	—
5190 paper products nec	32	1	—	—	—	15	16	—	—
Subtotal lime, cement and glass	**3,978**	**3**	**122**	**2**	**—**	**2,091**	**1,760**	**—**	**—**
5210 lime	369	—	3	—	—	2	365	—	—
5220 cement & concrete	3,604	3	119	2	—	2,086	1,394	—	—
5240 glass & glass prod.	2	—	—	—	—	2	—	—	—
5290 misc. mineral prod.	3	—	—	—	—	2	1	—	—
Subtotal primary iron and steel products	**9,487**	**1,021**	**224**	**174**	**275**	**6,495**	**1,261**	**—**	**37**
5312 pig iron	4,197	849	—	—	—	3,346	2	—	—
5315 ferro alloys	697	30	14	—	—	649	4	—	—
5320 i&s primary forms	301	4	—	—	—	291	7	—	—
5330 i&s plates & sheets	2,127	42	175	104	269	700	800	—	37
5360 i&s bars & shapes	1,266	60	5	64	1	1,128	9	—	—
5370 i&s pipe & tube	322	3	0	—	1	36	282	—	—
5390 primary i&s nec	578	33	30	6	5	346	158	—	—
Subtotal primary non-ferrous metal products	**1,167**	**20**	**20**	**223**	**51**	**762**	**90**	**—**	**—**
5421 copper	24	—	—	—	—	23	1	—	—
5422 aluminum	211	—	0	—	—	210	0	—	—
5429 smelted prod. nec	136	—	—	—	—	125	11	—	—
5480 fab. metal products	797	20	20	223	51	405	78	—	—
Subtotal primary wood products	**1**	**—**	**—**	**—**	**0**	**—**	**0**	**—**	**—**
5540 primary wood prod.	1	—	—	—	0	—	0	—	—

MISSISSIPPI RIVER, MOUTH OF OHIO RIVER TO BATON ROUGE, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total food and farm products	**78,144**	**90**	**113**	**148**	**7,339**	**952**	**69,441**	**9**	**53**
Subtotal grain	**46,381**	**48**	**25**	**29**	**4,545**	**373**	**41,310**	**1**	**49**
6241 wheat	6,424	—	4	—	1,325	148	4,947	—	—
6344 corn	36,770	33	19	23	1,595	24	35,041	—	34
6442 rice	1,689	7	—	6	1,198	29	438	1	10
6443 barley & rye	32	—	—	—	—	32	—	—	—
6445 oats	147	7	—	—	—	138	2	—	—
6447 sorghum grains	1,318	1	2	—	427	2	882	—	5
Subtotal oilseeds	**23,522**	**11**	**7**	**113**	**2,774**	**19**	**20,588**	**8**	**3**
6522 soybeans	18,659	11	2	51	2,751	9	15,824	8	3
6590 oilseeds nec	4,863	—	5	61	23	10	4,763	—	—
Subtotal vegetable products	**894**	**—**	**31**	**—**	**12**	**66**	**784**	**—**	**—**
6653 vegetable oils	854	—	31	—	10	66	746	—	—
6654 vegetables & prod.	39	—	—	—	1	—	38	—	—
Subtotal processed grain and animal feed	**6,801**	**31**	**50**	**5**	**8**	**146**	**6,561**	**—**	**—**
6746 wheat flour	71	—	—	—	—	1	70	—	—
6747 grain mill products	406	—	—	—	—	2	405	—	—
6782 animal feed, prep.	6,324	31	50	5	8	143	6,087	—	—
Subtotal other agricultural products	**546**	**—**	**—**	**1**	**—**	**347**	**198**	**—**	**—**
6861 sugar	57	—	—	—	—	57	—	—	—
6865 molasses	305	—	—	—	—	289	17	—	—
6885 alcoholic beverages	21	—	—	—	—	—	21	—	—
6887 groceries	1	—	—	—	—	—	1	—	—
6889 food products nec	155	—	—	—	—	—	155	—	—
6893 cotton	1	—	—	1	—	—	—	—	—
6899 farm products nec	6	—	—	—	—	1	4	—	—
Total all manufactured equipment, machinery and products	**202**	**0**	**2**	**2**	**1**	**184**	**13**	**—**	**—**
7110 machinery (not elec)	76	—	—	2	1	67	6	—	—
7120 electrical machinery	6	0	1	—	—	2	3	—	—
7210 vehicles & parts	3	—	—	—	—	3	0	—	—
7230 ships & boats	0	—	—	—	—	—	0	—	—
7400 manufac. wood prod.	0	—	—	—	—	0	—	—	—
7500 textile products	28	—	—	—	—	28	—	—	—
7600 rubber & plastic pr.	85	—	1	—	—	81	2	—	—
7900 manufac. prod. nec	3	—	—	—	—	2	1	—	—
Total waste and scrap nec	**1**	**—**	**—**	**—**	**1**	**—**	**—**	**—**	**—**
8900 waste and scrap nec	1	—	—	—	1	—	—	—	—
Ton-miles Internal (x1000)	**123,089,962**	**3,673,299**	**8,241,195**	**555,931**	**3,810,714**	**36,941,061**	**69,697,077**	**114,118**	**56,568**

Tons All Traffic (x1000) **200,662**
Ton-miles All Traffic (x1000) **123,135,847**

MISSISSIPPI RIVER, BATON ROUGE, LA TO MOUTH OF PASSES

Section Included: Baton Rouge, LA to mouth of passes; lower Mississippi River from mile 236 to mile 0 A.H.P.; South Pass 14.2 miles; Southwest Pass 21.2 miles. Maintained Depth: Southwest Pass, 45 feet; South Pass, 13 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	426,343	1995	454,644	1998	433,524*	**2001**	**435,676**
1993	416,248	1996	440,482	1999	440,668		
1994	427,887	1997	436,653	2000	444,531*		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
Total, all commodities		**187,619**	**87,116**	**98,931**	**673**	**898**
Total coal		**3,977**	**2,713**	**1,152**	**112**	**—-**
1100	coal lignite	3,255	2,042	1,101	112	—
1200	coal coke	721	671	50	—	—
Total petroleum and petroleum products		**56,705**	**47,409**	**8,506**	**35**	**755**
Subtotal crude petroleum		**36,754**	**36,166**	**575**	**13**	**—-**
2100	crude petroleum	36,754	36,166	575	13	—
Subtotal petroleum products		**19,951**	**11,243**	**7,931**	**22**	**755**
2211	gasoline	1,240	178	979	19	64
2221	kerosene	111	—	105	—	6
2330	distillate fuel oil	5,543	4,826	680	—	37
2340	residual fuel oil	6,480	2,743	3,407	—	330
2350	lube oil & greases	595	364	231	—	—
2410	petro. jelly & waxes	12	8	4	—	—
2429	naphtha & solvents	2,035	1,895	137	3	—
2430	asphalt, tar & pitch	79	73	6	—	—
2540	petroleum coke	3,788	1,088	2,382	—	317
2640	liquid natural gas	68	68	0	—	—
Total chemicals and related products		**13,419**	**9,818**	**3,109**	**350**	**143**
Subtotal fertilizers		**6,537**	**5,816**	**565**	**73**	**82**
3110	nitrogenous fert.	4,257	4,189	16	—	52
3120	phosphatic fert.	672	672	—	—	—
3130	potassic fert.	850	550	227	73	—
3190	fert. & mixes nec	758	406	322	—	30
Subtotal other chemicals and related products		**6,883**	**4,002**	**2,543**	**276**	**61**
3211	acyclic hydrocarbons	107	45	17	44	—
3212	benzene & toluene	46	12	1	33	—
3219	other hydrocarbons	613	39	537	36	—
3220	alcohols	2,274	1,876	253	145	—
3230	carboxylic acids	63	43	20	—	—
3240	nitrogen func. comp.	182	8	174	—	—
3250	organo - inorg. comp.	12	3	10	—	—
3260	organic comp. nec	95	12	83	—	—
3272	sulphuric acid	16	11	5	—	—
3273	ammonia	949	949	0	—	—
3274	sodium hydroxide	288	—	227	—	61
3275	inorg. elem.,oxides, & halogen salts	734	389	345	—	—
3276	metallic salts	406	368	22	15	—
3279	inorganic chem. nec	106	105	1	—	—
3281	radioactive material	27	1	26	—	—
3282	pigments & paints	122	11	111	—	—
3283	coloring mat. nec	1	1	0	—	—
3284	medicines	1	0	1	—	—
3285	perfumes & cleansers	21	6	15	—	—
3286	plastics	425	6	418	—	—
3291	pesticides	48	27	21	—	—
3292	starches, gluten, glue	54	0	54	—	—
3293	explosives	2	—	2	—	—
3297	chemical additives	79	9	70	—	—
3298	wood & resin chem.	4	1	3	—	—
3299	chem. products nec	209	82	125	2	1
Total crude materials, inedible except fuels		**14,875**	**14,247**	**496**	**133**	**0**
Subtotal forest products, wood and chips		**597**	**468**	**129**	**—-**	**0**
4110	rubber & gums	387	382	5	—	0
4150	fuel wood	0	0	0	—	—
4161	wood chips	90	—	90	—	—
4170	wood in the rough	31	28	3	—	—
4189	lumber	76	45	31	—	—
4190	forest products nec	13	12	0	—	—
Subtotal pulp and waste paper		**42**	**3**	**39**	**—-**	**—-**
4225	pulp & waste paper	42	3	39	—	—
Subtotal soil, sand, gravel, rock and stone		**1,131**	**1,089**	**1**	**41**	**—-**
4310	building stone	4	4	—	—	—
4322	limestone	1,072	1,072	0	—	—
4323	gypsum	40	—	0	40	—
4331	sand & gravel	14	13	1	1	—
Subtotal iron ore and scrap		**3,126**	**3,000**	**126**	**—-**	**—-**
4410	iron ore	2,818	2,818	—	—	—
4420	iron & steel scrap	309	183	126	—	—

MISSISSIPPI RIVER, BATON ROUGE, LA TO MOUTH OF PASSES
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
	Subtotal non-ferrous ores and scrap	**6,860**	**6,664**	**133**	**63**	**—-**
4650	aluminum ore	5,220	5,120	100	—-	—-
4670	manganese ore	331	331	—-	—-	—-
4680	non-ferrous scrap	23	1	2	21	—-
4690	non-ferrous ores nec	1,286	1,212	32	42	—-
	Subtotal sulphur, clay and salt	**307**	**279**	**28**	**—-**	**—-**
4741	sulphur, (dry)	0	—-	0	—-	—-
4782	clay & refrac. mat.	307	279	28	—-	—-
	Subtotal slag	**259**	**259**	**—-**	**—-**	**—-**
4860	slag	259	259	—-	—-	—-
	Subtotal other non-metal. min.	**2,553**	**2,485**	**39**	**29**	**—-**
4900	non-metal. min. nec	2,553	2,485	39	29	—-
	Total primary manufactured goods	**11,512**	**11,185**	**312**	**15**	**—-**
	Subtotal paper products	**217**	**25**	**192**	**—-**	**—-**
5110	newsprint	0	—-	0	—-	—-
5120	paper & paperboard	215	25	190	—-	—-
5190	paper products nec	2	0	2	—-	—-
	Subtotal lime, cement and glass	**2,496**	**2,487**	**9**	**—-**	**—-**
5220	cement & concrete	2,381	2,381	0	—-	—-
5240	glass & glass prod.	4	3	0	—-	—-
5290	misc. mineral prod.	112	103	9	—-	—-
	Subtotal primary iron and steel products	**6,970**	**6,902**	**69**	**—-**	**—-**
5312	pig iron	3,200	3,200	0	—-	—-
5315	ferro alloys	580	577	3	—-	—-
5320	i&s primary forms	505	475	29	—-	—-
5330	i&s plates & sheets	1,152	1,145	7	—-	—-
5360	i&s bars & shapes	1,158	1,146	13	—-	—-
5370	i&s pipe & tube	349	335	14	—-	—-
5390	primary i&s nec	26	24	2	—-	—-
	Subtotal primary non-ferrous metal products	**1,668**	**1,615**	**38**	**15**	**—-**
5421	copper	466	463	2	—-	—-
5422	aluminum	232	216	1	15	—-
5429	smelted prod. nec	526	520	6	—-	—-
5480	fab. metal products	445	416	29	—-	—-
	Subtotal primary wood products	**160**	**156**	**4**	**—-**	**—-**
5540	primary wood prod.	160	156	4	—-	—-
	Total food and farm products	**86,581**	**1,331**	**85,236**	**13**	**—-**
	Subtotal fish	**0**	**0**	**—-**	**—-**	**—-**
6134	fish (not shellfish)	0	0	—-	—-	—-
6136	shellfish	0	0	—-	—-	—-
	Subtotal grain	**50,116**	**246**	**49,870**	**—-**	**—-**
6241	wheat	7,111	—-	7,111	—-	—-
6344	corn	39,466	—-	39,466	—-	—-
6442	rice	1,493	0	1,493	—-	—-
6443	barley & rye	22	22	—-	—-	—-
6445	oats	224	224	0	—-	—-
6447	sorghum grains	1,800	—-	1,800	—-	—-
	Subtotal oilseeds	**25,599**	**0**	**25,599**	**—-**	**—-**
6522	soybeans	20,065	—-	20,065	—-	—-
6590	oilseeds nec	5,534	0	5,534	—-	—-
	Subtotal vegetable products	**2,109**	**582**	**1,521**	**6**	**—-**
6653	vegetable oils	2,073	577	1,490	6	—-
6654	vegetables & prod.	36	5	31	—-	—-
	Subtotal processed grain and animal feed	**7,826**	**19**	**7,807**	**—-**	**—-**
6746	wheat flour	65	—-	65	—-	—-
6747	grain mill products	927	16	912	—-	—-
6781	hay & fodder	1	—-	1	—-	—-
6782	animal feed, prep.	6,833	4	6,829	—-	—-
	Subtotal other agricultural products	**930**	**484**	**440**	**7**	**—-**
6811	meat, fresh, frozen	115	0	115	—-	—-
6817	meat, prepared	1	0	0	—-	—-
6822	dairy products	1	0	1	—-	—-
6835	fish, prepared	4	4	—-	—-	—-
6838	tallow, animal oils	123	—-	123	—-	—-
6839	animals & prod. nec	0	—-	0	—-	—-
6857	fruit & nuts nec	0	0	0	—-	—-
6858	fruit juices	10	1	9	—-	—-
6861	sugar	49	39	10	—-	—-
6865	molasses	225	213	12	—-	—-
6871	coffee	116	113	3	—-	—-
6872	cocoa beans	0	0	—-	—-	—-
6885	alcoholic beverages	40	38	2	—-	—-
6888	water & ice	1	1	0	—-	—-
6889	food products nec	230	71	152	7	—-
6891	tobacco & products	0	0	—-	—-	—-
6893	cotton	10	—-	10	—-	—-
6894	natural fibers nec	2	2	0	—-	—-
6899	farm products nec	3	0	3	—-	—-
	Total all manufactured equipment, machinery and products	**485**	**366**	**103**	**16**	**—-**
7110	machinery (not elec)	147	101	47	—-	—-
7120	electrical machinery	137	116	6	16	—-
7210	vehicles & parts	19	15	4	—-	—-
7220	aircraft & parts	0	0	0	—-	—-

MISSISSIPPI RIVER, BATON ROUGE, LA TO MOUTH OF PASSES
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign		Canadian	
		Inbound*	Outbound*	Inbound	Outbound
7230 ships & boats	1	1	0	—	—
7400 manufac. wood prod.	5	5	0	—	—
7500 textile products	51	48	4	—	—
7600 rubber & plastic pr.	88	54	34	—	—
7900 manufac. prod. nec	35	28	8	—	—
Total unknown or not elsewhere classified	**64**	**47**	**17**	**—**	**—**
9900 unknown or nec	64	47	17	—	—
Ton-miles (x1000)	**27,239,866**	**12,400,917**	**14,594,588**	**101,316**	**143,044**
Foreign & Canadian					

Commodity	Total	Coastwise			
		Receipts	Shipments	Through	
				Upbound	Downbnd
Total, all commodities	**30,905**	**4,640**	**25,938**	**55**	**272**
Total coal	**7,318**	**—**	**7,318**	**—**	**—**
1100 coal lignite	7,303	—	7,303	—	—
1200 coal coke	16	—	16	—	—
Total petroleum and petroleum products	**18,600**	**1,254**	**17,140**	**31**	**176**
Subtotal crude petroleum	**37**	**24**	**13**	**—**	**—**
2100 crude petroleum	37	24	13	—	—
Subtotal petroleum products	**18,563**	**1,230**	**17,127**	**31**	**176**
2211 gasoline	7,707	75	7,630	0	1
2221 kerosene	125	—	125	—	—
2330 distillate fuel oil	4,240	532	3,708	0	0
2340 residual fuel oil	4,902	572	4,330	—	—
2350 lube oil & greases	176	26	151	—	—
2429 naphtha & solvents	236	22	211	—	3
2430 asphalt, tar & pitch	614	3	611	—	—
2540 petroleum coke	97	—	97	—	—
2640 liquid natural gas	202	—	—	30	172
2990 petro. products nec	265	—	265	—	—
Total chemicals and related products	**2,068**	**1,530**	**537**	**—**	**1**
Subtotal fertilizers	**1,451**	**1,451**	**—**	**—**	**—**
3110 nitrogenous fert.	12	12	—	—	—
3120 phosphatic fert.	175	175	—	—	—
3190 fert. & mixes nec	1,264	1,264	—	—	—
Subtotal other chemicals and related products	**617**	**79**	**537**	**—**	**1**
3212 benzene & toluene	4	4	—	—	—
3219 other hydrocarbons	28	—	28	—	—
3220 alcohols	98	4	94	—	—
3230 carboxylic acids	13	—	13	—	—
3260 organic comp. nec	7	—	7	—	—
3271 sulphur (liquid)	60	—	60	—	—
3274 sodium hydroxide	385	68	318	—	—
3276 metallic salts	5	3	—	—	1
3297 chemical additives	18	—	18	—	—
Total crude materials, inedible except fuels	**1,866**	**1,856**	**—**	**10**	**0**
Subtotal forest products, wood and chips	**0**	**—**	**—**	**0**	**—**
4189 lumber	0	—	—	0	—
Subtotal soil, sand, gravel, rock and stone	**1,812**	**1,812**	**—**	**—**	**—**
4322 limestone	48	48	—	—	—
4327 phosphate rock	1,735	1,735	—	—	—
4331 sand & gravel	29	29	—	—	—
Subtotal iron ore and scrap	**44**	**35**	**—**	**9**	**—**
4420 iron & steel scrap	44	35	—	9	—
Subtotal non-ferrous ores and scrap	**9**	**9**	**—**	**—**	**—**
4690 non-ferrous ores nec	9	9	—	—	—
Subtotal sulphur, clay and salt	**1**	**—**	**—**	**0**	**0**
4782 clay & refrac. mat.	1	—	—	0	0
Total primary manufactured goods	**0**	**—**	**—**	**0**	**0**
Subtotal lime, cement and glass	**0**	**—**	**—**	**—**	**0**
5220 cement & concrete	0	—	—	—	0
Subtotal primary iron and steel products	**0**	**—**	**—**	**0**	**—**
5360 i&s bars & shapes	0	—	—	0	—
Subtotal primary non-ferrous metal products	**0**	**—**	**—**	**0**	**—**
5480 fab. metal products	0	—	—	0	—
Total food and farm products	**1,024**	**—**	**943**	**0**	**81**
Subtotal grain	**199**	**—**	**199**	**—**	**—**
6241 wheat	154	—	154	—	—
6344 corn	34	—	34	—	—
6442 rice	12	—	12	—	—
Subtotal oilseeds	**9**	**—**	**9**	**—**	**—**
6522 soybeans	6	—	6	—	—

MISSISSIPPI RIVER, BATON ROUGE, LA TO MOUTH OF PASSES
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Coastwise			
		Receipts	Shipments	Through	
				Upbound	Downbnd
6590 oilseeds nec	2	—	2	—	—
Subtotal vegetable products	**27**	**—**	**27**	**—**	**—**
6653 vegetable oils	27	—	27	—	—
Subtotal processed grain and animal feed	**469**	**—**	**469**	**—**	**—**
6747 grain mill products	469	—	469	—	—
Subtotal other agricultural products	**320**	**—**	**238**	**0**	**81**
6838 tallow, animal oils	2	—	2	—	—
6861 sugar	236	—	236	—	—
6888 water & ice	0	—	—	0	0
6889 food products nec	81	—	—	—	81
Total all manufactured equipment, machinery and products	**27**	**—**	**0**	**14**	**13**
7110 machinery (not elec)	1	—	—	0	0
7230 ships & boats	0	—	—	0	—
7300 ordnance & access.	0	—	0	—	—
7500 textile products	0	—	—	0	—
7600 rubber & plastic pr.	1	—	—	1	—
7900 manufac. prod. nec	25	—	—	12	12
Ton-miles (x1000)	**3,992,016**	**648,820**	**3,319,141**	**5,280**	**18,775**
Coastwise					

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**217,153**	**8,015**	**96,169**	**50,360**	**10,036**	**18,355**	**13,478**	**8,128**	**12,613**
Total coal	**15,642**	**8**	**9,883**	**2,205**	**66**	**103**	**2,271**	**92**	**1,015**
1100 coal lignite	12,880	—	9,715	849	29	7	2,262	8	10
1200 coal coke	2,762	8	168	1,356	37	95	9	84	1,004
Total petroleum and petroleum products	**51,213**	**5,870**	**4,327**	**14,619**	**6,280**	**3,532**	**2,389**	**5,146**	**9,050**
Subtotal crude petroleum	**6,821**	**2,248**	**657**	**1,561**	**261**	**237**	**519**	**541**	**796**
2100 crude petroleum	6,821	2,248	657	1,561	261	237	519	541	796
Subtotal petroleum products	**44,392**	**3,622**	**3,669**	**13,058**	**6,019**	**3,295**	**1,870**	**4,605**	**8,254**
2211 gasoline	7,966	553	813	3,959	1,304	473	414	205	245
2221 kerosene	262	—	—	113	110	—	—	1	39
2330 distillate fuel oil	10,034	764	754	2,836	1,643	442	445	1,325	1,825
2340 residual fuel oil	11,808	1,183	1,183	2,152	910	305	177	1,651	4,247
2350 lube oil & greases	2,075	142	335	238	175	868	96	114	107
2410 petro. jelly & waxes	47	31	—	—	—	8	8	—	—
2429 naphtha & solvents	2,708	424	187	444	985	257	68	103	240
2430 asphalt, tar & pitch	2,279	283	170	1,118	94	178	137	186	113
2540 petroleum coke	5,209	55	155	1,607	395	447	158	1,001	1,390
2640 liquid natural gas	1,113	127	9	13	291	294	368	3	7
2990 petro. products nec	892	60	62	577	113	23	—	15	41
Total chemicals and related products	**29,577**	**1,346**	**1,435**	**14,027**	**2,245**	**4,971**	**1,040**	**2,244**	**2,268**
Subtotal fertilizers	**9,447**	**1**	**40**	**8,259**	**332**	**478**	**56**	**168**	**112**
3110 nitrogenous fert.	5,736	1	32	5,281	252	36	30	46	57
3120 phosphatic fert.	942	—	—	757	26	157	—	2	—
3130 potassic fert.	350	—	8	226	11	1	18	64	21
3190 fert. & mixes nec	2,419	—	—	1,996	42	284	8	56	34
Subtotal other chemicals and related products	**20,129**	**1,345**	**1,395**	**5,768**	**1,913**	**4,493**	**984**	**2,076**	**2,156**
3211 acyclic hydrocarbons	790	248	90	162	185	8	7	76	14
3212 benzene & toluene	2,459	269	154	137	471	190	101	410	727
3219 other hydrocarbons	4,945	362	359	975	103	2,460	328	193	165
3220 alcohols	3,408	32	338	1,403	275	554	98	589	120
3230 carboxylic acids	320	—	0	47	16	257	1	—	—
3240 nitrogen func. comp.	359	2	31	9	10	225	82	—	—
3260 organic comp. nec	566	23	14	125	68	122	158	3	55
3271 sulphur (liquid)	205	39	82	10	37	—	—	3	34
3272 sulphuric acid	754	99	73	114	138	3	15	129	183
3273 ammonia	981	10	—	675	145	30	10	—	111
3274 sodium hydroxide	3,422	87	102	1,620	174	513	56	145	724
3275 inorg. elem.,oxides, & halogen salts	735	3	95	34	17	60	79	445	2
3276 metallic salts	553	4	33	241	209	44	11	0	11
3279 inorganic chem. nec	180	—	3	169	5	3	—	—	—
3286 plastics	15	—	—	15	—	—	—	—	—
3291 pesticides	1	—	—	—	—	1	—	—	—
3297 chemical additives	312	166	11	20	10	14	—	82	11
3298 wood & resin chem.	2	—	2	—	—	—	—	—	—
3299 chem. products nec	125	1	8	13	51	11	39	1	—

MISSISSIPPI RIVER, BATON ROUGE, LA TO MOUTH OF PASSES
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total crude materials, inedible except fuels	**26,912**	**148**	**4,332**	**8,589**	**670**	**7,851**	**5,215**	**78**	**29**
Subtotal forest products, wood and chips	**172**	**9**	**30**	**18**	**21**	**15**	**79**	**—-**	**—-**
4161 wood chips	110	—	19	3	—	9	79	—	—
4170 wood in the rough	11	—	11	—	—	—	—	—	—
4189 lumber	22	—	0	12	10	—	0	—	—
4190 forest products nec	28	9	0	2	11	6	—	—	—
Subtotal pulp and waste paper	**22**	**13**	**8**	**1**	**—-**	**—-**	**—-**	**—-**	**—-**
4225 pulp & waste paper	22	13	8	1	—	—	—	—	—
Subtotal soil, sand, gravel, rock and stone	**8,804**	**3**	**3,710**	**187**	**253**	**54**	**4,597**	**—-**	**1**
4310 building stone	13	—	4	—	—	—	9	—	—
4322 limestone	5,467	—	1,966	89	—	8	3,404	—	—
4323 gypsum	493	—	107	9	3	—	374	—	—
4331 sand & gravel	2,172	3	1,373	87	32	45	633	—	—
4335 waterway improv. mat	656	—	259	1	218	—	177	—	1
4338 soil & fill dirt	1	—	—	—	—	1	—	—	—
Subtotal iron ore and scrap	**4,528**	**90**	**229**	**3,212**	**4**	**853**	**116**	**—-**	**23**
4410 iron ore	2,882	—	—	2,881	—	—	—	—	1
4420 iron & steel scrap	1,646	90	229	331	4	853	116	—	22
Subtotal marine shells	**3**	**—-**	**—-**	**—-**	**—-**	**3**	**—-**	**—-**	**—-**
4515 marine shells	3	—	—	—	—	3	—	—	—
Subtotal non-ferrous ores and scrap	**4,307**	**—-**	**32**	**3,504**	**30**	**653**	**22**	**66**	**—-**
4650 aluminum ore	3,290	—	0	2,581	12	611	19	66	—
4670 manganese ore	462	—	3	443	10	4	2	—	—
4690 non-ferrous ores nec	555	—	28	480	7	39	1	—	—
Subtotal sulphur, clay and salt	**428**	**11**	**6**	**228**	**37**	**68**	**63**	**10**	**5**
4782 clay & refrac. mat.	428	11	6	228	37	68	63	10	5
Subtotal slag	**569**	**—-**	**56**	**281**	**2**	**28**	**201**	**—-**	**—-**
4860 slag	569	—	56	281	2	28	201	—	—
Subtotal other non-metal. min.	**8,080**	**22**	**261**	**1,159**	**323**	**6,176**	**136**	**2**	**—-**
4900 non-metal. min. nec	8,080	22	261	1,159	323	6,176	136	2	—
Total primary manufactured goods	**13,903**	**123**	**247**	**10,004**	**689**	**799**	**1,747**	**274**	**19**
Subtotal paper products	**62**	**2**	**40**	**19**	**—-**	**0**	**0**	**—-**	**—-**
5120 paper & paperboard	29	2	25	3	—	—	—	—	—
5190 paper products nec	33	—	16	16	—	0	0	—	—
Subtotal lime, cement and glass	**3,565**	**94**	**139**	**1,965**	**168**	**264**	**659**	**261**	**14**
5210 lime	179	—	11	—	—	2	166	—	—
5220 cement & concrete	3,382	94	127	1,964	168	261	493	261	14
5240 glass & glass prod.	2	—	—	2	—	—	—	—	—
5290 misc. mineral prod.	3	—	1	—	—	2	—	—	—
Subtotal primary iron and steel products	**9,231**	**18**	**23**	**7,260**	**430**	**483**	**1,003**	**10**	**5**
5312 pig iron	4,426	—	2	4,288	127	3	5	2	—
5315 ferro alloys	735	—	—	683	39	7	3	3	1
5320 i&s primary forms	317	—	7	286	12	11	1	—	—
5330 i&s plates & sheets	1,572	1	—	645	55	148	718	4	1
5360 i&s bars & shapes	1,231	0	3	945	30	247	4	—	3
5370 i&s pipe & tube	462	10	7	71	148	28	197	1	—
5390 primary i&s nec	488	6	5	342	19	40	76	—	1
Subtotal primary non-ferrous metal products	**1,039**	**6**	**44**	**760**	**90**	**51**	**85**	**3**	**—-**
5421 copper	27	3	1	23	—	—	—	—	—
5422 aluminum	213	—	0	188	3	21	—	—	—
5429 smelted prod. nec	159	—	8	129	23	—	—	—	—
5480 fab. metal products	640	3	35	420	64	29	85	3	—
Subtotal primary wood products	**6**	**3**	**1**	**—-**	**2**	**1**	**—-**	**—-**	**—-**
5540 primary wood prod.	6	3	1	—	2	1	—	—	—
Total food and farm products	**78,501**	**495**	**75,936**	**764**	**60**	**329**	**397**	**290**	**231**
Subtotal grain	**45,621**	**73**	**44,919**	**240**	**29**	**22**	**230**	**42**	**65**
6241 wheat	6,289	42	6,196	3	—	—	33	6	9
6344 corn	36,011	5	35,900	43	—	3	11	7	43
6442 rice	1,751	22	1,498	16	2	18	185	10	—
6443 barley & rye	32	—	—	32	—	—	—	—	—
6445 oats	190	—	1	144	27	1	—	14	2
6447 sorghum grains	1,348	5	1,323	2	—	—	2	5	12
Subtotal oilseeds	**23,732**	**96**	**23,358**	**20**	**—-**	**6**	**25**	**101**	**127**
6522 soybeans	18,840	95	18,576	16	—	—	18	20	114
6590 oilseeds nec	4,892	0	4,782	3	—	6	7	81	13
Subtotal vegetable products	**871**	**18**	**768**	**66**	**—-**	**—-**	**—-**	**14**	**6**
6653 vegetable oils	817	3	728	66	—	—	—	14	6
6654 vegetables & prod.	55	15	40	—	—	—	—	—	—

MISSISSIPPI RIVER, BATON ROUGE, LA TO MOUTH OF PASSES
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Subtotal processed grain and animal feed	**6,887**	**24**	**6,535**	**115**	**3**	**78**	**7**	**116**	**9**
6746 wheat flour	82	10	70	1	—	—	—	—	—
6747 grain mill products	408	2	405	2	—	—	—	—	—
6782 animal feed, prep.	6,397	12	6,060	112	3	78	7	116	9
Subtotal other agricultural products	**1,390**	**284**	**356**	**323**	**28**	**224**	**134**	**16**	**24**
6861 sugar	610	269	256	41	—	16	—	9	19
6865 molasses	317	3	3	225	5	65	14	2	1
6885 alcoholic beverages	21	—	16	—	—	—	5	—	—
6887 groceries	1	—	1	0	—	0	0	—	—
6888 water & ice	267	—	—	55	24	142	36	5	4
6889 food products nec	168	12	77	—	—	—	79	—	—
6899 farm products nec	6	—	4	1	—	—	—	—	—
Total all manufactured equipment, machinery and products	**1,148**	**25**	**9**	**150**	**26**	**558**	**376**	**4**	**0**
7110 machinery (not elec)	1,007	18	3	32	22	555	373	4	0
7120 electrical machinery	6	—	3	1	1	1	—	—	—
7210 vehicles & parts	4	0	—	3	—	0	0	—	—
7230 ships & boats	2	1	0	—	—	0	0	0	—
7300 ordnance & access.	0	0	—	—	—	—	—	—	—
7400 manufac. wood prod.	9	5	1	0	—	2	1	—	—
7500 textile products	28	—	—	28	0	—	—	—	—
7600 rubber & plastic pr.	88	—	1	83	3	—	2	—	—
7900 manufac. prod. nec	5	0	1	2	1	—	—	—	—
Total waste and scrap nec	**256**	**—**	**0**	**—**	**—**	**212**	**43**	**0**	**1**
8900 waste and scrap nec	256	—	0	—	—	212	43	0	1
Ton-miles Internal (x1000)	**18,782,865**	**299,205**	**10,568,315**	**4,403,465**	**409,740**	**1,053,054**	**966,566**	**369,210**	**713,310**

Tons All Traffic (x1000) **435,676**
Ton-miles All Traffic (x1000) **50,014,747**

***Includes 367 (x1000) tons of foreign inbound in-transits; Includes 752 (x1000) tons of foreign outbound in-transits.**

PASSES OF THE MISSISSIPPI RIVER (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)

Section Included: South Pass, 14.2 miles; Southwest Pass, 21.2 miles. Maintained Depth: South Pass, 13 feet; Southwest Pass, 45 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	208,249	1995	229,956	1998	217,597*	**2001**	**218,009**
1993	208,934	1996	220,756	1999	218,734		
1994	216,343	1997	219,414	2000	222,727*		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity		Total	Foreign Through Upbound*	Foreign Through Downbnd*	Canadian Through Upbound	Canadian Through Downbnd
Total, all commodities		**187,612**	**87,110**	**98,931**	**673**	**898**
Total coal		**3,977**	**2,713**	**1,152**	**112**	**—-**
1100	coal lignite	3,255	2,042	1,101	112	—
1200	coal coke	721	671	50	—	—
Total petroleum and petroleum products		**56,705**	**47,409**	**8,506**	**35**	**755**
Subtotal crude petroleum		**36,754**	**36,166**	**575**	**13**	**—-**
2100	crude petroleum	36,754	36,166	575	13	—
Subtotal petroleum products		**19,951**	**11,243**	**7,931**	**22**	**755**
2211	gasoline	1,240	178	979	19	64
2221	kerosene	111	—	105	—	6
2330	distillate fuel oil	5,543	4,826	680	—	37
2340	residual fuel oil	6,480	2,743	3,407	—	330
2350	lube oil & greases	595	364	231	—	—
2410	petro. jelly & waxes	12	8	4	—	—
2429	naphtha & solvents	2,035	1,895	137	3	—
2430	asphalt, tar & pitch	79	73	6	—	—
2540	petroleum coke	3,788	1,088	2,382	—	317
2640	liquid natural gas	68	68	0	—	—
Total chemicals and related products		**13,419**	**9,818**	**3,109**	**350**	**143**
Subtotal fertilizers		**6,537**	**5,816**	**565**	**73**	**82**
3110	nitrogenous fert.	4,257	4,189	16	—	52
3120	phosphatic fert.	672	672	—	—	—
3130	potassic fert.	850	550	227	73	—
3190	fert. & mixes nec	758	406	322	—	30
Subtotal other chemicals and related products		**6,883**	**4,002**	**2,543**	**276**	**61**
3211	acyclic hydrocarbons	107	45	17	44	—
3212	benzene & toluene	46	12	1	33	—
3219	other hydrocarbons	613	39	537	36	—
3220	alcohols	2,274	1,876	253	145	—
3230	carboxylic acids	63	43	20	—	—
3240	nitrogen func. comp.	182	8	174	—	—
3250	organo - inorg. comp.	12	3	10	—	—
3260	organic comp. nec	95	12	83	—	—
3272	sulphuric acid	16	11	5	—	—
3273	ammonia	949	949	0	—	—
3274	sodium hydroxide	288	—	227	—	61
3275	inorg. elem.,oxides, & halogen salts	734	389	345	—	—
3276	metallic salts	406	368	22	15	—
3279	inorganic chem. nec	106	105	1	—	—
3281	radioactive material	27	1	26	—	—
3282	pigments & paints	122	11	111	—	—
3283	coloring mat. nec	1	1	0	—	—
3284	medicines	1	0	1	—	—
3285	perfumes & cleansers	21	6	15	—	—
3286	plastics	425	6	418	—	—
3291	pesticides	48	27	21	—	—
3292	starches, gluten, glue	54	0	54	—	—
3293	explosives	2	—	2	—	—
3297	chemical additives	79	9	70	—	—
3298	wood & resin chem.	4	1	3	—	—
3299	chem. products nec	209	82	125	2	1
Total crude materials, inedible except fuels		**14,873**	**14,244**	**496**	**133**	**0**
Subtotal forest products, wood and chips		**597**	**468**	**129**	**—-**	**0**
4110	rubber & gums	387	382	5	—	0
4150	fuel wood	0	0	0	—	—
4161	wood chips	90	—	90	—	—
4170	wood in the rough	31	28	3	—	—
4189	lumber	76	45	31	—	—
4190	forest products nec	13	12	0	—	—
Subtotal pulp and waste paper		**42**	**3**	**39**	**—-**	**—-**
4225	pulp & waste paper	42	3	39	—	—
Subtotal soil, sand, gravel, rock and stone		**1,131**	**1,089**	**1**	**41**	**—-**
4310	building stone	4	4	—	—	—
4322	limestone	1,072	1,072	0	—	—
4323	gypsum	40	—	0	40	—
4331	sand & gravel	14	13	1	1	—

PASSES OF THE MISSISSIPPI RIVER (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign Through Upbound*	Foreign Through Downbnd*	Canadian Through Upbound	Canadian Through Downbnd
Subtotal iron ore and scrap	**3,124**	**2,998**	**126**	**—-**	**—-**
4410 iron ore	2,818	2,818	—-	—-	—-
4420 iron & steel scrap	306	180	126	—-	—-
Subtotal non-ferrous ores and scrap	**6,860**	**6,664**	**133**	**63**	**—-**
4650 aluminum ore	5,220	5,120	100	—-	—-
4670 manganese ore	331	331	—-	—-	—-
4680 non-ferrous scrap	23	1	2	21	—-
4690 non-ferrous ores nec	1,286	1,212	32	42	—-
Subtotal sulphur, clay and salt	**307**	**279**	**28**	**—-**	**—-**
4741 sulphur, (dry)	0	—-	0	—-	—-
4782 clay & refrac. mat.	307	279	28	—-	—-
Subtotal slag	**259**	**259**	**—-**	**—-**	**—-**
4860 slag	259	259	—-	—-	—-
Subtotal other non-metal. min.	**2,553**	**2,485**	**39**	**29**	**—-**
4900 non-metal. min. nec	2,553	2,485	39	29	—-
Total primary manufactured goods	**11,508**	**11,181**	**312**	**15**	**—-**
Subtotal paper products	**217**	**25**	**192**	**—-**	**—-**
5110 newsprint	0	—-	0	—-	—-
5120 paper & paperboard	215	25	190	—-	—-
5190 paper products nec	2	0	2	—-	—-
Subtotal lime, cement and glass	**2,496**	**2,487**	**9**	**—-**	**—-**
5220 cement & concrete	2,381	2,381	0	—-	—-
5240 glass & glass prod.	4	3	0	—-	—-
5290 misc. mineral prod.	112	103	9	—-	—-
Subtotal primary iron and steel products	**6,970**	**6,902**	**69**	**—-**	**—-**
5312 pig iron	3,200	3,200	0	—-	—-
5315 ferro alloys	580	577	3	—-	—-
5320 i&s primary forms	505	475	29	—-	—-
5330 i&s plates & sheets	1,152	1,145	7	—-	—-
5360 i&s bars & shapes	1,158	1,146	13	—-	—-
5370 i&s pipe & tube	349	335	14	—-	—-
5390 primary i&s nec	26	24	2	—-	—-
Subtotal primary non-ferrous metal products	**1,664**	**1,611**	**38**	**15**	**—-**
5421 copper	466	463	2	—-	—-
5422 aluminum	232	216	1	15	—-
5429 smelted prod. nec	521	516	6	—-	—-
5480 fab. metal products	445	416	29	—-	—-
Subtotal primary wood products	**160**	**156**	**4**	**—-**	**—-**
5540 primary wood prod.	160	156	4	—-	—-
Total food and farm products	**86,581**	**1,331**	**85,236**	**13**	**—-**
Subtotal fish	**0**	**0**	**—-**	**—-**	**—-**
6134 fish (not shellfish)	0	0	—-	—-	—-
6136 shellfish	0	0	—-	—-	—-
Subtotal grain	**50,116**	**246**	**49,870**	**—-**	**—-**
6241 wheat	7,111	—-	7,111	—-	—-
6344 corn	39,466	—-	39,466	—-	—-
6442 rice	1,493	0	1,493	—-	—-
6443 barley & rye	22	22	—-	—-	—-
6445 oats	224	224	0	—-	—-
6447 sorghum grains	1,800	—-	1,800	—-	—-
Subtotal oilseeds	**25,599**	**0**	**25,599**	**—-**	**—-**
6522 soybeans	20,065	—-	20,065	—-	—-
6590 oilseeds nec	5,534	0	5,534	—-	—-
Subtotal vegetable products	**2,109**	**582**	**1,521**	**6**	**—-**
6653 vegetable oils	2,073	577	1,490	6	—-
6654 vegetables & prod.	36	5	31	—-	—-
Subtotal processed grain and animal feed	**7,826**	**19**	**7,807**	**—-**	**—-**
6746 wheat flour	65	—-	65	—-	—-
6747 grain mill products	927	16	912	—-	—-
6781 hay & fodder	1	—-	1	—-	—-
6782 animal feed, prep.	6,833	4	6,829	—-	—-
Subtotal other agricultural products	**930**	**484**	**440**	**7**	**—-**
6811 meat, fresh, frozen	115	0	115	—-	—-
6817 meat, prepared	1	0	0	—-	—-
6822 dairy products	1	0	1	—-	—-
6835 fish, prepared	4	4	—-	—-	—-
6838 tallow, animal oils	123	—-	123	—-	—-
6839 animals & prod. nec	0	—-	0	—-	—-
6857 fruit & nuts nec	0	0	0	—-	—-
6858 fruit juices	10	1	9	—-	—-
6861 sugar	49	39	10	—-	—-
6865 molasses	225	213	12	—-	—-
6871 coffee	116	113	3	—-	—-
6872 cocoa beans	0	0	—-	—-	—-
6885 alcoholic beverages	40	38	2	—-	—-
6888 water & ice	1	1	0	—-	—-
6889 food products nec	230	71	152	7	—-
6891 tobacco & products	0	0	—-	—-	—-
6893 cotton	10	—-	10	—-	—-
6894 natural fibers nec	2	2	0	—-	—-
6899 farm products nec	3	0	3	—-	—-

PASSES OF THE MISSISSIPPI RIVER (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign Through Upbound*	Foreign Through Downbnd*	Canadian Through Upbound	Canadian Through Downbnd
Total all manufactured equipment, machinery and products	**485**	**366**	**103**	**16**	**—-**
7110 machinery (not elec)	147	101	47	—	—
7120 electrical machinery	137	116	6	16	—
7210 vehicles & parts	19	15	4	—	—
7220 aircraft & parts	0	0	0	—	—
7230 ships & boats	1	1	0	—	—
7400 manufac. wood prod.	5	5	0	—	—
7500 textile products	51	48	4	—	—
7600 rubber & plastic pr.	88	54	34	—	—
7900 manufac. prod. nec	35	28	8	—	—
Total unknown or not elsewhere classified	**64**	**47**	**17**	**—-**	**—-**
9900 unknown or nec	64	47	17	—	—
Ton-miles (x1000) Foreign & Canadian	**3,939,854**	**1,829,302**	**2,077,556**	**14,140**	**18,856**

Commodity	Total	Domestic Coastwise Through Upbound	Domestic Coastwise Through Downbnd	Domestic Internal Inbound Downbnd	Domestic Internal Outbound Upbound	Domestic Internal Through Upbound	Domestic Internal Through Downbnd
Total, all commodities	**30,397**	**4,653**	**25,720**	**2**	**3**	**12**	**7**
Total coal	**7,318**	**—-**	**7,318**	**—-**	**—-**	**—-**	**—-**
1100 coal lignite	7,303	—	7,303	—	—	—	—
1200 coal coke	16	—	16	—	—	—	—
Total petroleum and petroleum products	**18,220**	**1,254**	**16,963**	**—-**	**0**	**2**	**0**
Subtotal crude petroleum	**26**	**24**	**—-**	**—-**	**0**	**2**	**—-**
2100 crude petroleum	26	24	—	—	0	2	—
Subtotal petroleum products	**18,194**	**1,230**	**16,963**	**—-**	**—-**	**0**	**0**
2211 gasoline	7,646	75	7,571	—	—	—	—
2221 kerosene	125	—	125	—	—	—	—
2330 distillate fuel oil	4,239	532	3,707	—	—	0	0
2340 residual fuel oil	4,884	572	4,311	—	—	—	—
2350 lube oil & greases	176	26	151	—	—	—	—
2429 naphtha & solvents	236	22	214	—	—	—	—
2430 asphalt, tar & pitch	614	3	611	—	—	—	—
2540 petroleum coke	97	—	97	—	—	—	—
2640 liquid natural gas	172	—	172	—	—	—	—
2990 petro. products nec	6	—	6	—	—	—	—
Total chemicals and related products	**2,013**	**1,530**	**483**	**0**	**—-**	**—-**	**0**
Subtotal fertilizers	**1,451**	**1,451**	**—-**	**—-**	**—-**	**—-**	**—-**
3110 nitrogenous fert.	12	12	—	—	—	—	—
3120 phosphatic fert.	175	175	—	—	—	—	—
3190 fert. & mixes nec	1,264	1,264	—	—	—	—	—
Subtotal other chemicals and related products	**562**	**79**	**483**	**0**	**—-**	**—-**	**0**
3212 benzene & toluene	4	4	—	—	—	—	—
3219 other hydrocarbons	28	—	28	—	—	—	—
3220 alcohols	98	4	94	—	—	—	—
3230 carboxylic acids	13	—	13	—	—	—	—
3260 organic comp. nec	7	—	7	—	—	—	—
3271 sulphur (liquid)	60	—	60	—	—	—	—
3274 sodium hydroxide	331	68	263	—	—	—	—
3275 inorg. elem.,oxides, & halogen salts	0	—	—	0	—	—	0
3276 metallic salts	3	3	—	—	—	—	—
3297 chemical additives	18	—	18	—	—	—	—
Total crude materials, inedible except fuels	**1,868**	**1,856**	**0**	**1**	**3**	**7**	**1**
Subtotal soil, sand, gravel, rock and stone	**1,812**	**1,812**	**—-**	**0**	**0**	**—-**	**0**
4322 limestone	48	48	—	—	—	—	—
4327 phosphate rock	1,735	1,735	—	—	—	—	—
4331 sand & gravel	29	29	—	0	0	—	0
Subtotal iron ore and scrap	**35**	**35**	**—-**	**—-**	**—-**	**—-**	**—-**
4420 iron & steel scrap	35	35	—	—	—	—	—
Subtotal non-ferrous ores and scrap	**9**	**9**	**—-**	**—-**	**—-**	**—-**	**—-**
4690 non-ferrous ores nec	9	9	—	—	—	—	—
Subtotal sulphur, clay and salt	**2**	**0**	**0**	**—-**	**—-**	**—-**	**1**
4782 clay & refrac. mat.	2	0	0	—	—	—	1
Subtotal other non-metal. min.	**11**	**—-**	**—-**	**1**	**3**	**7**	**0**
4900 non-metal. min. nec	11	—	—	1	3	7	0

PASSES OF THE MISSISSIPPI RIVER (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Domestic					
		Coastwise		Internal			
		Through		Inbound	Outbound	Through	
		Upbound	Downbnd	Downbnd	Upbound	Upbound	Downbnd
Total primary manufactured goods	**2**	**—-**	**0**	**1**	**0**	**0**	**1**
Subtotal lime, cement and glass	**2**	**—-**	**0**	**1**	**0**	**0**	**0**
5220 cement & concrete	2	—	0	1	0	0	0
Subtotal primary iron and steel products	**0**	**—-**	**—-**	**—-**	**—-**	**—-**	**0**
5370 i&s pipe & tube	0	—	—	—	—	—	0
Total food and farm products	**944**	**0**	**943**	**—-**	**—-**	**0**	**0**
Subtotal grain	**199**	**—-**	**199**	**—-**	**—-**	**—-**	**—-**
6241 wheat	154	—	154	—	—	—	—
6344 corn	34	—	34	—	—	—	—
6442 rice	12	—	12	—	—	—	—
Subtotal oilseeds	**9**	**—-**	**9**	**—-**	**—-**	**—-**	**—-**
6522 soybeans	6	—	6	—	—	—	—
6590 oilseeds nec	2	—	2	—	—	—	—
Subtotal vegetable products	**27**	**—-**	**27**	**—-**	**—-**	**—-**	**—-**
6653 vegetable oils	27	—	27	—	—	—	—
Subtotal processed grain and animal feed	**469**	**—-**	**469**	**—-**	**—-**	**—-**	**—-**
6747 grain mill products	469	—	469	—	—	—	—
Subtotal other agricultural products	**239**	**0**	**238**	**—-**	**—-**	**0**	**0**
6838 tallow, animal oils	2	—	2	—	—	—	—
6861 sugar	236	—	236	—	—	—	—
6888 water & ice	1	0	0	—	—	0	0
Total all manufactured equipment, machinery and products	**32**	**12**	**12**	**—-**	**—-**	**3**	**5**
7110 machinery (not elec)	7	—	—	—	—	3	5
7900 manufac. prod. nec	25	12	12	—	—	—	—
Total waste and scrap nec	**0**	**—-**	**—-**	**—-**	**—-**	**0**	**—-**
8900 waste and scrap nec	0	—	—	—	—	0	—
Ton-miles (x1000) Domestic	**638,220**	**97,710**	**540,118**	**10**	**22**	**228**	**133**

Tons All Traffic (x1000) **218,009**
Ton-miles All Traffic (x1000) **4,578,074**

***Includes 367 (x1000) tons of foreign upbound through in-transits; Includes 752 (x1000) tons of foreign downbound through in-transits.**

MISSISSIPPI RIVER SYSTEM

Section Included: Main Channels and all Tributaries of the Mississippi, Illinois, Missouri, and Ohio Rivers.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	465,434	1995	479,421	1998	491,640*	**2001**	**496,259**
1993	451,731	1996	482,791	1999	499,550		
1994	478,673	1997	488,876	2000	493,121		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**496,259**	**29,322**	**8,778**	**13,850**	**29,647**	**5,216**	**2,678**	**201,150**	**205,620**
Total coal	**177,094**	**142**	**91**	**1,689**	**5,733**	**162**	**12**	**91,457**	**77,806**
1100 coal lignite	173,328	21	12	1,200	5,688	151	8	89,705	76,543
1200 coal coke	3,765	121	79	490	44	11	4	1,753	1,263
Total petroleum and petroleum products	**75,283**	**13,418**	**2,973**	**4,337**	**7,496**	**1,633**	**1,183**	**27,264**	**16,980**
Subtotal crude petroleum	**8,896**	**3,815**	**646**	**208**	**398**	**229**	**273**	**2,519**	**808**
2100 crude petroleum	8,896	3,815	646	208	398	229	273	2,519	808
Subtotal petroleum products	**66,387**	**9,602**	**2,328**	**4,128**	**7,098**	**1,404**	**910**	**24,745**	**16,172**
2211 gasoline	16,909	2,748	949	623	1,556	257	152	7,516	3,107
2221 kerosene	347	6	—	79	110	—	—	68	84
2330 distillate fuel oil	15,447	1,591	474	1,154	1,901	329	191	6,164	3,644
2340 residual fuel oil	13,124	1,785	428	451	947	109	90	4,013	5,302
2350 lube oil & greases	2,645	1,056	51	34	333	158	5	499	509
2410 petro. jelly & waxes	79	39	—	—	8	—	—	32	—
2429 naphtha & solvents	3,003	581	128	360	1,019	152	69	313	380
2430 asphalt, tar & pitch	5,384	463	121	644	173	161	15	2,564	1,242
2540 petroleum coke	6,913	685	131	403	611	7	21	3,234	1,822
2640 liquid natural gas	1,189	196	9	9	291	225	368	84	7
2990 petro. products nec	1,349	452	36	372	149	5	—	258	77
Total chemicals and related products	**34,373**	**6,170**	**1,129**	**2,465**	**3,119**	**1,091**	**383**	**16,264**	**3,752**
Subtotal fertilizers	**11,548**	**539**	**21**	**750**	**393**	**24**	**14**	**9,066**	**741**
3110 nitrogenous fert.	6,742	42	5	631	300	—	—	5,502	262
3120 phosphatic fert.	966	139	—	46	26	18	—	736	—
3130 potassic fert.	1,366	73	15	3	18	—	6	816	434
3190 fert. & mixes nec	2,474	285	—	70	48	6	8	2,013	44
Subtotal other chemicals and related products	**22,825**	**5,631**	**1,108**	**1,715**	**2,726**	**1,067**	**369**	**7,198**	**3,011**
3211 acyclic hydrocarbons	792	253	90	53	185	3	7	186	14
3212 benzene & toluene	2,591	323	78	104	500	170	73	510	833
3219 other hydrocarbons	5,828	3,064	356	80	435	262	56	1,124	451
3220 alcohols	3,982	370	164	746	360	252	31	1,712	347
3230 carboxylic acids	324	259	0	34	17	—	—	13	1
3240 nitrogen func. comp.	662	377	31	9	131	40	57	17	—
3260 organic comp. nec	657	103	14	70	189	46	46	63	126
3271 sulphur (liquid)	205	39	82	10	37	—	—	3	34
3272 sulphuric acid	780	99	67	114	150	3	2	129	215
3273 ammonia	1,134	42	—	40	155	15	—	728	153
3274 sodium hydroxide	3,685	419	102	361	147	251	46	1,626	734
3275 inorg. elem.,oxides, & halogen salts	936	50	92	9	73	17	43	610	41
3276 metallic salts	571	44	20	40	213	4	5	204	39
3279 inorganic chem. nec	189	—	—	12	5	3	—	164	5
3286 plastics	15	—	—	15	—	—	—	—	—
3291 pesticides	1	1	—	—	—	—	—	—	—
3297 chemical additives	342	176	6	20	39	—	—	91	11
3298 wood & resin chem.	2	—	—	—	—	—	—	—	2
3299 chem. products nec	130	12	5	—	89	0	1	17	5
Total crude materials, inedible except fuels	**98,987**	**7,666**	**1,475**	**2,918**	**8,983**	**1,148**	**236**	**45,283**	**31,278**
Subtotal forest products, wood and chips	**2,232**	**283**	**0**	**112**	**1,257**	**3**	**0**	**470**	**106**
4150 fuel wood	3	—	—	—	3	—	—	—	—
4161 wood chips	1,739	268	—	97	1,101	—	—	251	21
4170 wood in the rough	428	—	—	—	133	—	—	210	85
4189 lumber	22	—	0	12	10	—	0	1	—
4190 forest products nec	40	15	0	4	11	3	—	8	—
Subtotal pulp and waste paper	**22**	**13**	**—**	**—**	**—**	**—**	**—**	**1**	**8**
4225 pulp & waste paper	22	13	—	—	—	—	—	1	8
Subtotal soil, sand, gravel, rock and stone	**74,650**	**148**	**487**	**1,986**	**6,715**	**147**	**2**	**35,617**	**29,547**
4310 building stone	32	—	—	—	9	—	—	18	4
4322 limestone	26,232	2	18	531	3,608	134	—	10,059	11,881
4323 gypsum	2,547	40	—	7	525	—	—	1,047	928
4327 phosphate rock	2	—	—	—	2	—	—	—	—
4331 sand & gravel	39,495	105	469	1,406	1,749	13	2	22,133	13,619

MISSISSIPPI RIVER SYSTEM
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
4335 waterway improv. mat	6,340	—	—	43	823	—	—	2,359	3,115
4338 soil & fill dirt	1	1	—	—	—	—	—	—	—
Subtotal iron ore and scrap	**7,361**	**1,015**	**691**	**80**	**135**	**27**	**48**	**3,860**	**1,505**
4410 iron ore	3,150	15	26	64	14	—	—	2,974	57
4420 iron & steel scrap	4,210	1,000	664	16	122	27	48	885	1,448
Subtotal marine shells	**3**	**3**	**—**	**—**	**—**	**—**	**—**	**—**	**—**
4515 marine shells	3	3	—	—	—	—	—	—	—
Subtotal non-ferrous ores and scrap	**4,515**	**669**	**10**	**109**	**40**	**2**	**16**	**3,626**	**43**
4650 aluminum ore	3,318	612	—	27	12	2	16	2,648	0
4670 manganese ore	489	5	—	46	19	—	—	407	12
4680 non-ferrous scrap	9	5	2	—	—	—	—	—	3
4690 non-ferrous ores nec	699	47	8	37	8	—	—	571	28
Subtotal sulphur, clay and salt	**740**	**22**	**6**	**25**	**87**	**66**	**59**	**463**	**11**
4782 clay & refrac. mat.	740	22	6	25	87	66	59	463	11
Subtotal slag	**1,128**	**108**	**8**	**57**	**240**	**18**	**12**	**628**	**57**
4860 slag	1,128	108	8	57	240	18	12	628	57
Subtotal other non-metal. min.	**8,336**	**5,405**	**273**	**548**	**507**	**886**	**98**	**619**	**0**
4900 non-metal. min. nec	8,336	5,405	273	548	507	886	98	619	0
Total primary manufactured goods	**25,469**	**1,229**	**211**	**2,171**	**3,302**	**251**	**327**	**15,828**	**2,151**
Subtotal paper products	**104**	**2**	**—**	**18**	**0**	**0**	**0**	**43**	**40**
5110 newsprint	42	—	—	—	—	—	—	42	—
5120 paper & paperboard	29	2	—	3	—	—	—	—	25
5190 paper products nec	33	0	—	15	0	0	0	1	16
Subtotal lime, cement and glass	**12,078**	**627**	**6**	**714**	**1,654**	**72**	**156**	**7,395**	**1,454**
5210 lime	3,399	2	—	—	166	—	—	2,216	1,015
5220 cement & concrete	8,665	624	3	714	1,488	72	156	5,171	438
5240 glass & glass prod.	11	—	3	—	—	—	—	8	—
5290 misc. mineral prod.	3	2	—	—	—	—	—	—	1
Subtotal primary iron and steel products	**11,861**	**550**	**187**	**1,244**	**1,467**	**161**	**160**	**7,493**	**600**
5312 pig iron	4,434	5	—	477	129	4	5	3,813	2
5315 ferro alloys	875	14	8	127	49	—	—	671	7
5320 i&s primary forms	540	11	—	56	12	1	1	250	207
5330 i&s plates & sheets	3,155	219	145	274	761	48	118	1,304	286
5360 i&s bars & shapes	1,344	178	5	139	38	73	—	900	12
5370 i&s pipe & tube	590	10	6	55	338	28	12	132	9
5390 primary i&s nec	924	114	23	115	140	7	24	423	78
Subtotal primary non-ferrous metal products	**1,419**	**47**	**17**	**194**	**179**	**18**	**11**	**897**	**56**
5421 copper	27	3	—	—	—	—	—	23	1
5422 aluminum	217	18	—	3	3	3	—	189	1
5429 smelted prod. nec	167	—	—	71	23	—	—	66	8
5480 fab. metal products	1,009	26	17	121	154	15	11	619	47
Subtotal primary wood products	**6**	**3**	**—**	**—**	**2**	**1**	**—**	**—**	**1**
5540 primary wood prod.	6	3	—	—	2	1	—	—	1
Total food and farm products	**83,469**	**612**	**2,893**	**169**	**949**	**176**	**124**	**4,903**	**73,643**
Subtotal grain	**48,811**	**111**	**1,170**	**2**	**842**	**2**	**3**	**2,838**	**43,845**
6241 wheat	6,638	57	460	—	34	—	—	355	5,731
6344 corn	38,778	9	375	—	556	2	2	2,204	35,632
6442 rice	1,809	41	196	—	223	—	2	35	1,312
6443 barley & rye	32	—	—	—	—	—	—	32	—
6445 oats	199	1	3	2	27	—	—	162	4
6447 sorghum grains	1,356	3	136	—	2	—	—	50	1,165
Subtotal oilseeds	**25,055**	**53**	**764**	**—**	**20**	**2**	**5**	**1,231**	**22,979**
6522 soybeans	19,873	47	736	—	18	2	—	863	18,207
6590 oilseeds nec	5,182	6	28	—	2	—	5	368	4,772
Subtotal vegetable products	**1,169**	**18**	**112**	**—**	**28**	**—**	**—**	**318**	**693**
6653 vegetable oils	1,114	3	84	—	28	—	—	318	681
6654 vegetables & prod.	55	15	28	—	—	—	—	—	12
Subtotal processed grain and animal feed	**7,029**	**88**	**515**	**6**	**7**	**7**	**—**	**327**	**6,079**
6746 wheat flour	82	10	68	—	—	—	—	1	2
6747 grain mill products	408	—	6	—	—	—	—	3	398
6782 animal feed, prep.	6,539	77	440	6	7	7	—	323	5,679
Subtotal other agricultural products	**1,405**	**343**	**333**	**161**	**52**	**166**	**115**	**188**	**47**
6861 sugar	610	269	256	41	—	16	—	9	19
6865 molasses	317	61	—	65	19	7	—	162	4
6885 alcoholic beverages	29	—	—	—	5	—	—	9	16
6887 groceries	1	0	1	0	0	0	0	—	—
6888 water & ice	272	0	—	55	28	142	36	5	4
6889 food products nec	168	12	77	—	—	—	79	—	—
6893 cotton	1	—	—	—	—	—	—	1	—
6899 farm products nec	6	—	—	—	—	—	—	1	4

MISSISSIPPI RIVER SYSTEM
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total all manufactured equipment, machinery and products	**1,243**	**85**	**6**	**101**	**64**	**543**	**371**	**64**	**9**
7110 machinery (not elec)	1,081	60	5	14	59	540	369	33	2
7120 electrical machinery	7	1	1	—-	1	0	—-	1	3
7210 vehicles & parts	4	0	—-	—-	0	—-	—-	3	—-
7230 ships & boats	2	1	—-	—-	—-	0	0	0	0
7300 ordnance & access.	0	0	—-	—-	—-	—-	—-	—-	—-
7400 manufac. wood prod.	9	5	1	—-	0	2	1	0	—-
7500 textile products	28	—-	—-	4	0	—-	—-	25	—-
7600 rubber & plastic pr.	107	18	0	83	3	—-	2	—-	2
7900 manufac. prod. nec	5	0	—-	0	1	—-	—-	2	1
Total waste and scrap nec	**342**	**—-**	**0**	**—-**	**1**	**212**	**42**	**86**	**1**
8900 waste and scrap nec	342	—-	0	—-	1	212	42	86	1
Ton-miles (x1000)	**261,252,013**	**19,338,319**	**3,571,702**	**6,453,683**	**14,727,389**	**2,966,849**	**403,593**	**87,945,503**	**125,844,976**

Tons All Traffic (x1000) **496,259**
Ton-miles All Traffic (x1000) **261,252,013**

GULF INTRACOASTAL WATERWAY BETWEEN APALACHEE BAY, FL AND THE MEXICAN BORDER (CONSOLIDATED REPORT)

Section Included: St. Marks River, FL to Brownsville, TX, 1108.9 miles. For maintained depths see tables of individual stretches listed separately.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	112,272	1995	117,963	1998	113,811*	**2001**	**112,179**
1993	115,002	1996	118,027	1999	109,641		
1994	117,620	1997	118,112	2000	113,764		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity	Total	Coastwise		
		Shipments	Through	
			Upbound	Downbnd
Total, all commodities	**678**	**8**	**643**	**28**
Total petroleum and petroleum products	**494**	**8**	**482**	**4**
Subtotal crude petroleum	**13**	**—-**	**13**	**—-**
2100 crude petroleum	13	—	13	—
Subtotal petroleum products	**481**	**8**	**469**	**4**
2211 gasoline	72	8	62	3
2330 distillate fuel oil	1	—	1	—
2340 residual fuel oil	19	—	19	—
2640 liquid natural gas	53	—	51	1
2990 petro. products nec	336	—	336	—
Total chemicals and related products	**89**	**—-**	**78**	**11**
Subtotal other chemicals and related products	**89**	**—-**	**78**	**11**
3271 sulphur (liquid)	11	—	—	11
3274 sodium hydroxide	76	—	76	—
3276 metallic salts	1	—	1	—
Total crude materials, inedible except fuels	**10**	**—-**	**—-**	**10**
Subtotal forest products, wood and chips	**1**	**—-**	**—-**	**1**
4189 lumber	1	—	—	1
Subtotal iron ore and scrap	**9**	**—-**	**—-**	**9**
4420 iron & steel scrap	9	—	—	9
Total primary manufactured goods	**1**	**—-**	**—-**	**1**
Subtotal primary iron and steel products	**1**	**—-**	**—-**	**1**
5360 i&s bars & shapes	1	—	—	1
Subtotal primary non-ferrous metal products	**0**	**—-**	**—-**	**0**
5480 fab. metal products	0	—	—	0
Total food and farm products	**81**	**0**	**81**	**—-**
Subtotal other agricultural products	**81**	**0**	**81**	**—-**
6888 water & ice	0	0	—	—
6889 food products nec	81	—	81	—
Total all manufactured equipment, machinery and products	**3**	**—-**	**1**	**1**
7110 machinery (not elec)	1	—	1	—
7230 ships & boats	1	—	1	—
7300 ordnance & access.	0	—	0	—
7500 textile products	0	—	—	0
7600 rubber & plastic pr.	1	—	—	1
Ton-miles (x1000)	**230,071**	**1,173**	**223,799**	**5,099**
Coastwise				

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**111,501**	**6,778**	**4,429**	**8,273**	**3,455**	**47,555**	**40,003**	**422**	**585**
Total coal	**5,805**	**2**	**21**	**55**	**—-**	**4,007**	**1,721**	**—-**	**—-**
1100 coal lignite	5,575	—	1	—	—	3,900	1,674	—	—
1200 coal coke	229	2	19	55	—	107	47	—	—
Total petroleum and petroleum products	**53,958**	**4,085**	**1,958**	**3,387**	**2,377**	**20,160**	**21,339**	**346**	**306**
Subtotal crude petroleum	**11,580**	**1,322**	**594**	**1,819**	**846**	**3,519**	**2,900**	**279**	**300**
2100 crude petroleum	11,580	1,322	594	1,819	846	3,519	2,900	279	300
Subtotal petroleum products	**42,377**	**2,763**	**1,364**	**1,567**	**1,531**	**16,641**	**18,438**	**67**	**6**
2211 gasoline	8,969	1,368	54	96	132	3,619	3,693	8	—
2221 kerosene	567	—	—	268	7	149	143	—	—
2330 distillate fuel oil	10,024	557	365	250	350	3,236	5,239	23	5
2340 residual fuel oil	9,368	604	376	305	478	4,091	3,491	23	—
2350 lube oil & greases	2,410	36	15	227	207	1,259	651	12	1
2410 petro. jelly & waxes	63	—	—	—	—	39	24	—	—
2429 naphtha & solvents	4,370	44	19	107	268	1,474	2,458	—	—
2430 asphalt, tar & pitch	1,590	5	—	—	12	944	629	—	—
2540 petroleum coke	1,723	134	275	279	6	483	547	—	—

GULF INTRACOASTAL WATERWAY BETWEEN APALACHEE BAY, FL AND THE MEXICAN BORDER (CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
2640 liquid natural gas	984	—	261	—	1	76	646	—	—
2990 petro. products nec	2,307	16	—	36	68	1,270	917	—	—
Total chemicals and related products	**23,618**	**235**	**172**	**432**	**380**	**13,076**	**9,323**	**—**	**0**
Subtotal fertilizers	**1,326**	**6**	**11**	**3**	**6**	**345**	**954**	**—**	**—**
3110 nitrogenous fert.	691	3	11	—	—	205	472	—	—
3120 phosphatic fert.	203	—	—	—	1	7	194	—	—
3130 potassic fert.	33	—	—	—	—	18	15	—	—
3190 fert. & mixes nec	398	3	—	3	4	115	273	—	—
Subtotal other chemicals and related products	**22,293**	**229**	**161**	**428**	**375**	**12,731**	**8,369**	**—**	**0**
3211 acyclic hydrocarbons	1,667	26	1	—	2	903	736	—	—
3212 benzene & toluene	2,918	107	109	31	40	974	1,657	—	—
3219 other hydrocarbons	6,207	52	0	361	326	4,523	944	—	—
3220 alcohols	2,693	2	—	1	5	1,457	1,229	—	—
3230 carboxylic acids	712	—	—	—	—	449	263	—	—
3240 nitrogen func. comp.	1,451	—	—	—	—	1,136	315	—	—
3250 organo - inorg. comp.	13	—	—	—	—	1	12	—	—
3260 organic comp. nec	638	3	—	—	—	246	389	—	—
3271 sulphur (liquid)	420	—	—	—	—	221	200	—	—
3272 sulphuric acid	1,140	—	—	—	—	211	930	—	—
3273 ammonia	526	—	—	—	—	239	287	—	—
3274 sodium hydroxide	1,499	11	3	—	—	1,111	375	—	—
3275 inorg. elem.,oxides, & halogen salts	340	13	0	34	—	199	94	—	—
3276 metallic salts	361	16	41	1	2	121	180	—	0
3279 inorganic chem. nec	8	—	—	—	—	6	2	—	—
3282 pigments & paints	1	—	1	—	—	—	0	—	—
3286 plastics	3	—	—	—	—	1	1	—	—
3291 pesticides	1	—	—	—	—	1	—	—	—
3297 chemical additives	1,454	—	7	—	—	784	664	—	—
3299 chem. products nec	242	0	—	—	0	148	93	—	—
Total crude materials, inedible except fuels	**20,370**	**1,888**	**1,451**	**4,333**	**103**	**8,710**	**3,822**	**23**	**39**
Subtotal forest products, wood and chips	**216**	**11**	**—**	**1**	**—**	**106**	**98**	**0**	**0**
4161 wood chips	175	11	—	—	—	79	85	—	—
4189 lumber	11	—	—	1	—	10	0	0	0
4190 forest products nec	30	—	—	—	—	17	13	—	—
Subtotal pulp and waste paper	**13**	**—**	**—**	**—**	**4**	**—**	**9**	**—**	**—**
4225 pulp & waste paper	13	—	—	—	4	—	9	—	—
Subtotal soil, sand, gravel, rock and stone	**9,312**	**1,342**	**1,095**	**11**	**4**	**4,157**	**2,700**	**2**	**0**
4310 building stone	9	6	—	—	—	—	3	—	—
4322 limestone	3,877	1,139	350	5	2	1,015	1,367	—	—
4323 gypsum	377	2	—	—	—	193	182	—	—
4327 phosphate rock	2	—	—	—	—	—	2	—	—
4331 sand & gravel	4,267	84	336	6	1	2,804	1,035	1	0
4335 waterway improv. mat	778	111	409	—	1	144	111	2	—
4338 soil & fill dirt	1	—	—	—	—	1	—	—	—
Subtotal iron ore and scrap	**1,112**	**2**	**—**	**133**	**9**	**610**	**358**	**0**	**—**
4410 iron ore	23	—	—	—	6	14	3	—	—
4420 iron & steel scrap	1,089	2	—	133	3	596	355	0	—
Subtotal marine shells	**3**	**—**	**—**	**—**	**—**	**—**	**3**	**—**	**—**
4515 marine shells	3	—	—	—	—	—	3	—	—
Subtotal non-ferrous ores and scrap	**811**	**6**	**7**	**1**	**—**	**715**	**81**	**—**	**—**
4650 aluminum ore	685	6	7	—	—	667	5	—	—
4670 manganese ore	39	—	—	—	—	4	35	—	—
4690 non-ferrous ores nec	87	—	—	1	—	45	41	—	—
Subtotal sulphur, clay and salt	**182**	**20**	**19**	**40**	**25**	**20**	**55**	**0**	**4**
4782 clay & refrac. mat.	182	20	19	40	25	20	55	0	4
Subtotal slag	**281**	**3**	**92**	**14**	**—**	**94**	**77**	**—**	**1**
4860 slag	281	3	92	14	—	94	77	—	1
Subtotal other non-metal. min.	**8,438**	**504**	**239**	**4,134**	**60**	**3,007**	**440**	**20**	**34**
4900 non-metal. min. nec	8,438	504	239	4,134	60	3,007	440	20	34
Total primary manufactured goods	**4,010**	**359**	**272**	**12**	**242**	**675**	**2,444**	**5**	**1**
Subtotal paper products	**3**	**1**	**0**	**0**	**0**	**0**	**2**	**—**	**—**
5120 paper & paperboard	2	—	—	—	—	—	2	—	—
5190 paper products nec	1	1	0	0	0	0	0	—	—
Subtotal lime, cement and glass	**1,403**	**223**	**224**	**4**	**3**	**115**	**833**	**1**	**0**
5210 lime	5	—	5	—	—	—	—	—	—
5220 cement & concrete	1,371	206	218	4	3	111	828	0	0
5290 misc. mineral prod.	27	18	—	—	—	3	6	0	—
Subtotal primary iron and steel products	**2,348**	**126**	**45**	**5**	**223**	**505**	**1,442**	**1**	**1**
5312 pig iron	230	—	—	—	—	55	175	—	—
5315 ferro alloys	64	—	—	—	1	32	31	—	—
5320 i&s primary forms	31	—	11	—	3	10	7	—	—
5330 i&s plates & sheets	970	111	24	—	6	128	701	—	—

GULF INTRACOASTAL WATERWAY BETWEEN APALACHEE BAY, FL AND THE MEXICAN BORDER (CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
5360 i&s bars & shapes	286	0	1	—	3	195	87	—	—
5370 i&s pipe & tube	616	10	2	3	210	37	351	1	1
5390 primary i&s nec	152	6	6	1	0	47	91	—	—
Subtotal primary non-ferrous metal products	**250**	**9**	**4**	**3**	**15**	**54**	**162**	**3**	**0**
5421 copper	3	—	—	—	—	3	—	—	—
5422 aluminum	24	—	—	—	—	3	21	—	—
5429 smelted prod. nec	27	—	—	—	—	—	27	—	—
5480 fab. metal products	196	9	4	3	15	48	114	3	0
Subtotal primary wood products	**6**	**—**	**—**	**—**	**—**	**1**	**4**	**—**	**—**
5540 primary wood prod.	6	—	—	—	—	1	4	—	—
Total food and farm products	**1,799**	**29**	**27**	**4**	**64**	**746**	**924**	**1**	**3**
Subtotal grain	**484**	**2**	**6**	**—**	**1**	**183**	**293**	**—**	**—**
6241 wheat	68	—	—	—	—	19	49	—	—
6344 corn	22	2	—	—	1	14	5	—	—
6442 rice	369	—	6	—	—	126	237	—	—
6445 oats	19	—	—	—	—	19	—	—	—
6447 sorghum grains	6	—	—	—	—	5	2	—	—
Subtotal oilseeds	**146**	**2**	**—**	**—**	**0**	**81**	**63**	**—**	**—**
6522 soybeans	133	2	—	—	—	79	52	—	—
6590 oilseeds nec	13	—	—	—	0	2	11	—	—
Subtotal vegetable products	**18**	**0**	**—**	**—**	**—**	**18**	**—**	**—**	**—**
6653 vegetable oils	3	0	—	—	—	3	—	—	—
6654 vegetables & prod.	15	—	—	—	—	15	—	—	—
Subtotal processed grain and animal feed	**107**	**—**	**7**	**—**	**28**	**43**	**29**	**—**	**—**
6746 wheat flour	11	—	—	—	—	6	5	—	—
6747 grain mill products	2	—	—	—	—	—	2	—	—
6781 hay & fodder	1	—	—	—	—	1	—	—	—
6782 animal feed, prep.	93	—	7	—	28	36	22	—	—
Subtotal other agricultural products	**1,043**	**25**	**14**	**4**	**35**	**421**	**540**	**1**	**3**
6861 sugar	630	—	—	—	—	382	249	—	—
6865 molasses	53	—	—	—	—	17	36	—	—
6885 alcoholic beverages	5	—	—	—	—	—	5	—	—
6887 groceries	1	0	0	0	1	—	0	—	0
6888 water & ice	263	25	14	4	34	9	172	1	3
6889 food products nec	91	—	—	—	—	13	79	—	—
6899 farm products nec	0	—	—	—	—	—	—	0	—
Total all manufactured equipment, machinery and products	**980**	**180**	**19**	**23**	**266**	**179**	**304**	**6**	**4**
7110 machinery (not elec)	908	179	17	23	264	168	247	6	4
7120 electrical machinery	2	0	—	—	—	1	1	—	—
7210 vehicles & parts	0	—	—	—	0	—	0	—	—
7230 ships & boats	2	—	0	—	—	1	1	—	—
7300 ordnance & access.	0	—	—	—	—	0	—	—	—
7400 manufac. wood prod.	9	0	0	0	2	6	0	0	—
7500 textile products	0	—	—	—	—	—	0	—	—
7600 rubber & plastic pr.	6	—	0	—	—	3	3	—	—
7900 manufac. prod. nec	53	—	2	—	—	0	51	—	—
Total waste and scrap nec	**961**	**0**	**509**	**29**	**23**	**2**	**127**	**41**	**231**
8900 waste and scrap nec	961	0	509	29	23	2	127	41	231
Ton-miles Internal (x1000)	**17,779,041**	**679,503**	**610,449**	**952,759**	**275,848**	**8,449,133**	**6,727,532**	**34,850**	**48,968**

Tons All Traffic (x1000) **112,179**
Ton-miles All Traffic (x1000) **18,009,112**

GULF INTRACOASTAL WATERWAY, MOBILE BAY, AL TO NEW ORLEANS, LA (INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT)

Section Included: Mobile Bay, AL via the Mississippi Sound and New Orleans-Rigolets Cut to the Innerharbor Navigation Canal at New Orleans, LA, 134 miles. Maintained Depth: Mobile Bay, AL to New Orleans, LA, 12 feet; Rigolets Cut to the Innerharbor Navigation Canal, 14 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	23,751	1995	23,319	1998	23,428*	**2001**	**20,841**
1993	25,756	1996	24,633	1999	21,856		
1994	24,082	1997	24,786	2000	22,454		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Domestic							
		Coastwise		Internal					
		Through		Inbound		Outbound		Through	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**20,841**	**622**	**12**	**531**	**269**	**1**	**30**	**11,065**	**8,312**
Total coal	**3,995**	**—-**	**—-**	**2**	**—-**	**—-**	**—-**	**2,324**	**1,670**
1100 coal lignite	3,985	—	—	—	—	—	—	2,318	1,667
1200 coal coke	10	—	—	2	—	—	—	6	3
Total petroleum and petroleum products	**7,296**	**484**	**—-**	**136**	**—-**	**—-**	**—-**	**3,706**	**2,970**
Subtotal crude petroleum	**1,010**	**13**	**—-**	**—-**	**—-**	**—-**	**—-**	**241**	**755**
2100 crude petroleum	1,010	13	—	—	—	—	—	241	755
Subtotal petroleum products	**6,287**	**471**	**—-**	**136**	**—-**	**—-**	**—-**	**3,465**	**2,215**
2211 gasoline	1,808	64	—	—	—	—	—	1,478	267
2330 distillate fuel oil	1,147	1	—	5	—	—	—	463	678
2340 residual fuel oil	881	19	—	132	—	—	—	340	391
2350 lube oil & greases	5	—	—	—	—	—	—	5	—
2429 naphtha & solvents	203	—	—	—	—	—	—	73	130
2430 asphalt, tar & pitch	466	—	—	—	—	—	—	177	288
2540 petroleum coke	66	—	—	—	—	—	—	63	3
2640 liquid natural gas	439	51	—	—	—	—	—	31	357
2990 petro. products nec	1,273	336	—	—	—	—	—	836	101
Total chemicals and related products	**3,884**	**56**	**—-**	**2**	**—-**	**—-**	**6**	**2,044**	**1,776**
Subtotal fertilizers	**552**	**—-**	**—-**	**2**	**—-**	**—-**	**6**	**181**	**364**
3110 nitrogenous fert.	167	—	—	2	—	—	—	148	17
3120 phosphatic fert.	153	—	—	—	—	—	1	2	150
3130 potassic fert.	11	—	—	—	—	—	—	11	—
3190 fert. & mixes nec	221	—	—	—	—	—	4	20	196
Subtotal other chemicals and related products	**3,331**	**56**	**—-**	**—-**	**—-**	**—-**	**—-**	**1,863**	**1,413**
3211 acyclic hydrocarbons	221	—	—	—	—	—	—	3	218
3212 benzene & toluene	513	—	—	—	—	—	—	200	313
3219 other hydrocarbons	1,298	—	—	—	—	—	—	860	439
3220 alcohols	215	—	—	—	—	—	—	148	68
3240 nitrogen func. comp.	97	—	—	—	—	—	—	34	64
3260 organic comp. nec	114	—	—	—	—	—	—	1	113
3271 sulphur (liquid)	68	—	—	—	—	—	—	35	33
3272 sulphuric acid	202	—	—	—	—	—	—	107	95
3273 ammonia	129	—	—	—	—	—	—	129	—
3274 sodium hydroxide	314	54	—	—	—	—	—	241	18
3275 inorg. elem.,oxides, & halogen salts	78	—	—	—	—	—	—	28	51
3276 metallic salts	32	1	—	—	—	—	—	29	1
3279 inorganic chem. nec	3	—	—	—	—	—	—	3	—
3299 chem. products nec	49	—	—	—	—	—	—	47	1
Total crude materials, inedible except fuels	**3,837**	**—-**	**9**	**173**	**50**	**1**	**12**	**2,592**	**999**
Subtotal forest products, wood and chips	**174**	**—-**	**0**	**—-**	**—-**	**—-**	**—-**	**89**	**85**
4161 wood chips	164	—	—	—	—	—	—	79	85
4189 lumber	10	—	0	—	—	—	—	10	—
Subtotal pulp and waste paper	**13**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**13**
4225 pulp & waste paper	13	—	—	—	—	—	—	—	13
Subtotal soil, sand, gravel, rock and stone	**2,549**	**—-**	**—-**	**112**	**2**	**—-**	**—-**	**1,970**	**466**
4322 limestone	1,616	—	—	105	2	—	—	1,279	230
4323 gypsum	195	—	—	2	—	—	—	193	—
4327 phosphate rock	2	—	—	—	—	—	—	—	2
4331 sand & gravel	588	—	—	—	—	—	—	354	234
4335 waterway improv. mat	149	—	—	5	—	—	—	144	—
Subtotal iron ore and scrap	**474**	**—-**	**9**	**—-**	**—-**	**—-**	**—-**	**138**	**326**
4410 iron ore	14	—	—	—	—	—	—	14	—
4420 iron & steel scrap	459	—	9	—	—	—	—	124	326
Subtotal marine shells	**3**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**3**
4515 marine shells	3	—	—	—	—	—	—	—	3
Subtotal non-ferrous ores and scrap	**119**	**—-**	**—-**	**—-**	**—-**	**1**	**—-**	**78**	**39**
4650 aluminum ore	33	—	—	—	—	—	—	33	—
4670 manganese ore	3	—	—	—	—	—	—	2	1
4690 non-ferrous ores nec	82	—	—	—	—	1	—	43	37
Subtotal sulphur, clay and salt	**29**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**17**	**12**

GULF INTRACOASTAL WATERWAY, MOBILE BAY, AL TO NEW ORLEANS, LA (INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Grand Total	Domestic							
		Coastwise		Internal					
		Through		Inbound		Outbound		Through	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
4782 clay & refrac. mat.	29	—	—	—	—	—	—	17	12
Subtotal slag	**179**	**—**	**—**	**—**	**49**	**—**	**—**	**105**	**25**
4860 slag	179	—	—	—	49	—	—	105	25
Subtotal other non-metal. min.	**299**	**—**	**—**	**61**	**—**	**—**	**12**	**194**	**31**
4900 non-metal. min. nec	299	—	—	61	—	—	12	194	31
Total primary manufactured goods	**1,452**	**—**	**1**	**214**	**217**	**—**	**11**	**328**	**681**
Subtotal paper products	**2**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**2**
5120 paper & paperboard	2	—	—	—	—	—	—	—	2
Subtotal lime, cement and glass	**937**	**—**	**—**	**203**	**216**	**—**	**2**	**57**	**459**
5220 cement & concrete	910	—	—	203	216	—	2	37	453
5290 misc. mineral prod.	26	—	—	—	—	—	—	21	6
Subtotal primary iron and steel products	**441**	**—**	**1**	**9**	**1**	**—**	**5**	**237**	**188**
5312 pig iron	58	—	—	—	—	—	—	55	3
5315 ferro alloys	30	—	—	—	—	—	1	28	2
5320 i&s primary forms	4	—	—	—	1	—	—	—	3
5330 i&s plates & sheets	195	—	—	9	—	—	—	112	74
5360 i&s bars & shapes	99	—	1	—	—	—	3	22	73
5370 i&s pipe & tube	13	—	—	—	—	—	1	5	8
5390 primary i&s nec	41	—	—	—	—	—	—	15	26
Subtotal primary non-ferrous metal products	**70**	**—**	**0**	**1**	**—**	**—**	**5**	**34**	**30**
5422 aluminum	24	—	—	—	—	—	—	3	21
5480 fab. metal products	46	—	0	1	—	—	5	31	9
Subtotal primary wood products	**2**	**—**	**—**	**—**	**—**	**—**	**—**	**0**	**2**
5540 primary wood prod.	2	—	—	—	—	—	—	0	2
Total food and farm products	**248**	**81**	**—**	**4**	**—**	**—**	**—**	**50**	**113**
Subtotal grain	**43**	**—**	**—**	**2**	**—**	**—**	**—**	**16**	**24**
6241 wheat	23	—	—	—	—	—	—	—	23
6344 corn	4	—	—	2	—	—	—	—	1
6445 oats	16	—	—	—	—	—	—	16	—
Subtotal oilseeds	**83**	**—**	**—**	**2**	**—**	**—**	**—**	**18**	**63**
6522 soybeans	70	—	—	2	—	—	—	17	52
6590 oilseeds nec	13	—	—	—	—	—	—	2	12
Subtotal processed grain and animal feed	**38**	**—**	**—**	**—**	**—**	**—**	**—**	**14**	**24**
6746 wheat flour	5	—	—	—	—	—	—	—	5
6747 grain mill products	2	—	—	—	—	—	—	—	2
6782 animal feed, prep.	32	—	—	—	—	—	—	14	18
Subtotal other agricultural products	**84**	**81**	**—**	**—**	**—**	**—**	**—**	**1**	**1**
6887 groceries	0	—	—	—	—	—	—	—	0
6888 water & ice	3	—	—	—	—	—	—	1	1
6889 food products nec	81	81	—	—	—	—	—	—	—
Total all manufactured equipment, machinery and products	**73**	**1**	**1**	**—**	**2**	**—**	**—**	**22**	**47**
7110 machinery (not elec)	65	1	—	—	—	—	—	19	45
7120 electrical machinery	1	—	—	—	—	—	—	1	0
7230 ships & boats	2	0	—	—	—	—	—	—	2
7300 ordnance & access.	0	0	—	—	—	—	—	—	—
7500 textile products	0	—	0	—	—	—	—	—	—
7600 rubber & plastic pr.	4	—	1	—	—	—	—	3	—
7900 manufac. prod. nec	2	—	—	—	2	—	—	—	—
Total waste and scrap nec	**55**	**—**	**—**	**—**	**—**	**—**	**—**	**0**	**55**
8900 waste and scrap nec	55	—	—	—	—	—	—	0	55
Ton-miles (x1000)	**1,881,645**	**69,470**	**1,511**	**2,825**	**33,607**	**8**	**108**	**1,037,692**	**736,423**

Tons All Traffic (x1000)	**20,841**
Ton-miles All Traffic (x1000)	**1,881,645**

GULF INTRACOASTAL WATERWAY, LOUISIANA PORTION, LA(INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT)

Section Included: Pearl River, LA to Sabine River, TX, 306 miles. Maintained Depth: 12 feet. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	84,942	1995	87,044	1998	78,870*	**2001**	**74,866**
1993	85,662	1996	87,334	1999	75,900		
1994	86,635	1997	84,994	2000	77,895		

* Revised after original year of publication.

Freight Traffic, 2001 (thousand short tons)

Commodity	Total	Coastwise			
		Receipts	Shipments	Through	
				Upbound	Downbnd
Total, all commodities	**820**	**120**	**152**	**536**	**11**
Total petroleum and petroleum products	**386**	**—-**	**3**	**383**	**—-**
Subtotal crude petroleum	**13**	**—-**	**—-**	**13**	**—-**
2100 crude petroleum	13	—-	—-	13	—-
Subtotal petroleum products	**372**	**—-**	**3**	**370**	**—-**
2211 gasoline	63	—-	3	61	—-
2330 distillate fuel oil	1	—-	—-	1	—-
2340 residual fuel oil	19	—-	—-	19	—-
2640 liquid natural gas	30	—-	—-	30	—-
2990 petro. products nec	259	—-	—-	259	—-
Total chemicals and related products	**56**	**—-**	**—-**	**56**	**—-**
Subtotal other chemicals and related products	**56**	**—-**	**—-**	**56**	**—-**
3274 sodium hydroxide	54	—-	—-	54	—-
3276 metallic salts	1	—-	—-	1	—-
Total crude materials, inedible except fuels	**9**	**—-**	**—-**	**—-**	**9**
Subtotal forest products, wood and chips	**0**	**—-**	**—-**	**—-**	**0**
4189 lumber	0	—-	—-	—-	0
Subtotal iron ore and scrap	**9**	**—-**	**—-**	**—-**	**9**
4420 iron & steel scrap	9	—-	—-	—-	9
Total primary manufactured goods	**11**	**4**	**7**	**—-**	**0**
Subtotal primary iron and steel products	**0**	**—-**	**—-**	**—-**	**0**
5360 i&s bars & shapes	0	—-	—-	—-	0
Subtotal primary non-ferrous metal products	**11**	**4**	**7**	**—-**	**0**
5480 fab. metal products	11	4	7	—-	0
Total food and farm products	**81**	**—-**	**0**	**81**	**—-**
Subtotal other agricultural products	**81**	**—-**	**0**	**81**	**—-**
6888 water & ice	0	—-	0	—-	—-
6889 food products nec	81	—-	—-	81	—-
Total all manufactured equipment, machinery and products	**276**	**116**	**142**	**16**	**2**
7110 machinery (not elec)	1	—-	—-	1	—-
7230 ships & boats	0	—-	—-	0	—-
7300 ordnance & access.	0	—-	—-	0	—-
7500 textile products	0	—-	—-	—-	0
7600 rubber & plastic pr.	1	—-	—-	—-	1
7900 manufac. prod. nec	274	116	142	15	0
Ton-miles (x1000)	**21,218**	**577**	**722**	**19,530**	**389**
Coastwise					

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**74,047**	**3,707**	**2,592**	**6,040**	**1,666**	**33,020**	**26,377**	**300**	**345**
Total coal	**2,557**	**2**	**1**	**—-**	**—-**	**2,472**	**82**	**—-**	**—-**
1100 coal lignite	2,341	—-	1	—-	—-	2,321	19	—-	—-
1200 coal coke	216	2	—-	—-	—-	151	63	—-	—-
Total petroleum and petroleum products	**33,442**	**2,051**	**925**	**1,666**	**939**	**14,016**	**13,274**	**269**	**302**
Subtotal crude petroleum	**9,809**	**1,325**	**592**	**1,625**	**775**	**2,873**	**2,066**	**255**	**298**
2100 crude petroleum	9,809	1,325	592	1,625	775	2,873	2,066	255	298
Subtotal petroleum products	**23,634**	**727**	**333**	**41**	**164**	**11,143**	**11,207**	**14**	**4**
2211 gasoline	3,994	37	11	—-	1	2,331	1,613	—-	—-
2221 kerosene	559	—-	—-	—-	—-	416	143	—-	—-
2330 distillate fuel oil	5,935	219	60	22	87	1,852	3,677	14	4
2340 residual fuel oil	4,564	452	258	20	41	2,392	1,401	—-	—-
2350 lube oil & greases	1,670	13	—-	—-	13	1,344	301	—-	—-
2410 petro. jelly & waxes	47	—-	—-	—-	—-	39	8	—-	—-
2429 naphtha & solvents	2,602	2	—-	—-	14	989	1,598	—-	—-
2430 asphalt, tar & pitch	1,112	—-	—-	—-	9	591	513	—-	—-

GULF INTRACOASTAL WATERWAY, LOUISIANA PORTION, LA(INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
2540 petroleum coke	1,562	—	—	—	—	761	801	—	—
2640 liquid natural gas	871	—	3	—	0	69	799	—	—
2990 petro. products nec	718	4	—	—	—	360	354	—	—
Total chemicals and related products	**13,884**	**35**	**9**	**1**	**7**	**8,477**	**5,355**	**—**	**0**
Subtotal fertilizers	**1,254**	**2**	**—**	**—**	**6**	**315**	**931**	**—**	**—**
3110 nitrogenous fert.	625	2	—	—	—	168	455	—	—
3120 phosphatic fert.	203	—	—	—	1	7	194	—	—
3130 potassic fert.	33	—	—	—	—	18	15	—	—
3190 fert. & mixes nec	392	—	—	—	4	121	267	—	—
Subtotal other chemicals and related products	**12,630**	**33**	**9**	**1**	**1**	**8,162**	**4,424**	**—**	**0**
3211 acyclic hydrocarbons	810	26	—	—	—	260	524	—	—
3212 benzene & toluene	1,276	—	—	—	—	333	943	—	—
3219 other hydrocarbons	4,324	—	—	—	—	3,780	545	—	—
3220 alcohols	1,559	—	—	—	0	923	635	—	—
3230 carboxylic acids	309	—	—	—	—	259	50	—	—
3240 nitrogen func. comp.	549	—	—	—	—	441	108	—	—
3260 organic comp. nec	438	—	—	—	—	85	352	—	—
3271 sulphur (liquid)	309	—	—	—	—	122	187	—	—
3272 sulphuric acid	459	—	—	—	—	190	269	—	—
3273 ammonia	248	—	—	—	—	186	62	—	—
3274 sodium hydroxide	1,283	—	—	—	—	964	319	—	—
3275 inorg. elem.,oxides, & halogen salts	276	—	0	—	—	183	93	—	—
3276 metallic salts	327	7	8	1	1	121	189	—	0
3279 inorganic chem. nec	8	—	—	—	—	6	2	—	—
3282 pigments & paints	1	—	1	—	—	—	0	—	—
3286 plastics	1	—	—	—	—	—	1	—	—
3291 pesticides	1	—	—	—	—	1	—	—	—
3297 chemical additives	317	—	—	—	—	246	71	—	—
3299 chem. products nec	136	0	—	—	0	61	74	—	—
Total crude materials, inedible except fuels	**16,885**	**1,167**	**1,361**	**4,325**	**86**	**6,538**	**3,345**	**23**	**38**
Subtotal forest products, wood and chips	**129**	**—**	**—**	**1**	**—**	**106**	**22**	**0**	**0**
4161 wood chips	88	—	—	—	—	79	9	—	—
4189 lumber	11	—	—	1	—	10	0	0	0
4190 forest products nec	30	—	—	—	—	17	13	—	—
Subtotal pulp and waste paper	**13**	**—**	**—**	**—**	**—**	**—**	**13**	**—**	**—**
4225 pulp & waste paper	13	—	—	—	—	—	13	—	—
Subtotal soil, sand, gravel, rock and stone	**6,055**	**647**	**1,007**	**7**	**3**	**2,093**	**2,295**	**2**	**0**
4310 building stone	9	6	—	—	—	—	3	—	—
4322 limestone	3,365	496	346	1	2	1,353	1,168	—	—
4323 gypsum	377	2	—	—	—	193	182	—	—
4331 sand & gravel	1,525	33	323	6	1	401	760	1	0
4335 waterway improv. mat	777	111	338	—	—	144	182	2	—
4338 soil & fill dirt	1	—	—	—	—	1	—	—	—
Subtotal iron ore and scrap	**1,010**	**2**	**—**	**133**	**8**	**516**	**352**	**0**	**—**
4410 iron ore	23	—	—	—	6	14	3	—	—
4420 iron & steel scrap	987	2	—	133	2	501	349	0	—
Subtotal marine shells	**3**	**—**	**—**	**—**	**—**	**—**	**3**	**—**	**—**
4515 marine shells	3	—	—	—	—	—	3	—	—
Subtotal non-ferrous ores and scrap	**782**	**—**	**7**	**—**	**—**	**695**	**81**	**—**	**—**
4650 aluminum ore	666	—	7	—	—	654	5	—	—
4670 manganese ore	39	—	—	—	—	4	35	—	—
4690 non-ferrous ores nec	78	—	—	—	—	37	41	—	—
Subtotal sulphur, clay and salt	**179**	**12**	**17**	**38**	**14**	**27**	**67**	**0**	**4**
4782 clay & refrac. mat.	179	12	17	38	14	27	67	0	4
Subtotal slag	**281**	**3**	**92**	**14**	**1**	**94**	**77**	**—**	**—**
4860 slag	281	3	92	14	1	94	77	—	—
Subtotal other non-metal. min.	**8,432**	**504**	**239**	**4,133**	**60**	**3,007**	**435**	**20**	**34**
4900 non-metal. min. nec	8,432	504	239	4,133	60	3,007	435	20	34
Total primary manufactured goods	**3,722**	**257**	**270**	**10**	**64**	**670**	**2,448**	**2**	**1**
Subtotal paper products	**3**	**1**	**—**	**0**	**0**	**0**	**2**	**—**	**—**
5120 paper & paperboard	2	—	—	—	—	—	2	—	—
5190 paper products nec	1	1	—	0	0	0	0	—	—
Subtotal lime, cement and glass	**1,310**	**206**	**223**	**4**	**3**	**41**	**833**	**1**	**0**
5210 lime	5	—	5	—	—	—	—	—	—
5220 cement & concrete	1,299	206	218	4	3	41	828	0	0
5290 misc. mineral prod.	6	—	—	—	—	0	6	0	—
Subtotal primary iron and steel products	**2,153**	**40**	**44**	**4**	**46**	**573**	**1,444**	**1**	**1**
5312 pig iron	230	—	—	—	—	55	175	—	—
5315 ferro alloys	64	—	—	—	1	32	31	—	—
5320 i&s primary forms	28	—	11	—	—	10	7	—	—
5330 i&s plates & sheets	953	33	24	—	2	193	701	—	—
5360 i&s bars & shapes	286	0	1	—	3	195	87	—	—
5370 i&s pipe & tube	445	7	2	3	40	37	354	1	1
5390 primary i&s nec	148	0	6	1	0	50	90	—	—

GULF INTRACOASTAL WATERWAY, LOUISIANA PORTION, LA(INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Subtotal primary non-ferrous metal products	**250**	**10**	**2**	**2**	**15**	**55**	**164**	**0**	**0**
5421 copper	3	—	—	—	—	3	—	—	—
5422 aluminum	24	—	—	—	—	3	21	—	—
5429 smelted prod. nec	27	—	—	—	—	—	27	—	—
5480 fab. metal products	196	10	2	2	15	49	116	0	0
Subtotal primary wood products	**6**	**—**	**—**	**—**	**—**	**1**	**4**	**—**	**—**
5540 primary wood prod.	6	—	—	—	—	1	4	—	—
Total food and farm products	**1,716**	**29**	**16**	**0**	**63**	**671**	**934**	**1**	**3**
Subtotal grain	**484**	**2**	**6**	**—**	**1**	**183**	**293**	**—**	**—**
6241 wheat	68	—	—	—	—	19	49	—	—
6344 corn	22	2	—	—	1	14	5	—	—
6442 rice	369	—	6	—	—	126	237	—	—
6445 oats	19	—	—	—	—	19	—	—	—
6447 sorghum grains	6	—	—	—	—	5	2	—	—
Subtotal oilseeds	**146**	**2**	**—**	**—**	**—**	**81**	**63**	**—**	**—**
6522 soybeans	133	2	—	—	—	79	52	—	—
6590 oilseeds nec	13	—	—	—	—	2	12	—	—
Subtotal vegetable products	**18**	**0**	**—**	**—**	**—**	**18**	**—**	**—**	**—**
6653 vegetable oils	3	0	—	—	—	3	—	—	—
6654 vegetables & prod.	15	—	—	—	—	15	—	—	—
Subtotal processed grain and animal feed	**104**	**—**	**—**	**—**	**28**	**41**	**36**	**—**	**—**
6746 wheat flour	11	—	—	—	—	6	5	—	—
6747 grain mill products	2	—	—	—	—	—	2	—	—
6782 animal feed, prep.	92	—	—	—	28	35	30	—	—
Subtotal other agricultural products	**963**	**25**	**10**	**0**	**34**	**348**	**542**	**1**	**3**
6861 sugar	558	—	—	—	—	310	249	—	—
6865 molasses	53	—	—	—	—	17	36	—	—
6885 alcoholic beverages	5	—	—	—	—	—	5	—	—
6887 groceries	1	0	—	—	1	—	0	—	0
6888 water & ice	255	25	10	0	33	9	174	0	3
6889 food products nec	91	—	—	—	—	13	79	—	—
6899 farm products nec	0	—	—	—	—	—	—	0	—
Total all manufactured equipment, machinery and products	**921**	**167**	**9**	**8**	**253**	**174**	**304**	**5**	**1**
7110 machinery (not elec)	850	166	7	8	251	163	248	5	1
7120 electrical machinery	1	0	—	—	—	1	0	—	—
7210 vehicles & parts	0	—	—	—	0	—	0	—	—
7230 ships & boats	2	—	—	—	—	1	1	—	—
7300 ordnance & access.	0	—	—	—	—	0	—	—	—
7400 manufac. wood prod.	9	0	0	—	2	6	0	0	—
7500 textile products	0	—	—	—	—	—	0	—	—
7600 rubber & plastic pr.	6	—	—	—	—	3	3	—	—
7900 manufac. prod. nec	53	—	2	—	—	0	51	—	—
Total waste and scrap nec	**920**	**0**	**—**	**29**	**254**	**2**	**636**	**0**	**—**
8900 waste and scrap nec	920	0	—	29	254	2	636	0	—
Ton-miles Internal (x1000)	**9,457,838**	**175,271**	**191,258**	**502,998**	**113,310**	**4,342,523**	**4,105,034**	**15,715**	**11,729**

Tons All Traffic (x1000) **74,866**
Ton-miles All Traffic (x1000) **9,479,056**

GULF INTRACOASTAL WATERWAY, MISSISSIPPI RIVER, LA., TO SABINE RIVER, TX (INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT)

Section Included: From Harvey and Algiers Locks at New Orleans to Sabine River, TX, 266 miles. Maintained Depth: Harvey and Algiers Locks to Sabine River, TX, 12 feet, except 10 feet intermittently between New Orleans and Sabine River, TX. Tidal range to 3 feet at mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	66,223	1995	68,322	1998	61,499*	**2001**	**61,689**
1993	65,340	1996	68,714	1999	61,084		
1994	67,915	1997	66,973	2000	62,855		

* Revised after original year of publication
Gulf Intracoastal Waterway, Morgan City-Port Allen Route, not included. For this commerce refer to index.

Freight Traffic, 2001 (thousand short tons)

Commodity	Total	Coastwise	
		Shipments	Through Upbound
Total, all commodities	**9**	**3**	**6**
Total petroleum and petroleum products	**6**	**3**	**3**
Subtotal petroleum products	**6**	**3**	**3**
2211 gasoline	5	3	2
2640 liquid natural gas	1	—	1
Total chemicals and related products	**1**	**—**	**1**
Subtotal other chemicals and related products	**1**	**—**	**1**
3276 metallic salts	1	—	1
Total food and farm products	**0**	**0**	**—**
Subtotal other agricultural products	**0**	**0**	**—**
6888 water & ice	0	0	—
Total all manufactured equipment, machinery and products	**1**	**—**	**1**
7110 machinery (not elec)	1	—	1
7230 ships & boats	0	—	0
Ton-miles (x1000)	**1,045**	**2**	**1,043**
Coastwise			

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**61,681**	**3,185**	**2,323**	**6,040**	**1,636**	**25,266**	**22,586**	**300**	**345**
Total coal	**230**	**—**	**1**	**—**	**—**	**154**	**75**	**—**	**—**
1100 coal lignite	19	—	1	—	—	3	14	—	—
1200 coal coke	212	—	—	—	—	151	60	—	—
Total petroleum and petroleum products	**30,249**	**1,915**	**925**	**1,666**	**939**	**12,406**	**11,826**	**269**	**302**
Subtotal crude petroleum	**9,364**	**1,325**	**592**	**1,625**	**775**	**2,821**	**1,673**	**255**	**298**
2100 crude petroleum	9,364	1,325	592	1,625	775	2,821	1,673	255	298
Subtotal petroleum products	**20,885**	**590**	**333**	**41**	**164**	**9,586**	**10,153**	**14**	**4**
2211 gasoline	3,277	37	11	—	1	1,669	1,559	—	—
2221 kerosene	559	—	—	—	—	416	143	—	—
2330 distillate fuel oil	5,473	215	60	22	87	1,688	3,384	14	4
2340 residual fuel oil	3,890	320	258	20	41	2,133	1,118	—	—
2350 lube oil & greases	1,670	13	—	—	13	1,344	301	—	—
2410 petro. jelly & waxes	47	—	—	—	—	39	8	—	—
2429 naphtha & solvents	2,510	2	—	—	14	982	1,513	—	—
2430 asphalt, tar & pitch	753	—	—	—	9	498	246	—	—
2540 petroleum coke	1,496	—	—	—	—	698	798	—	—
2640 liquid natural gas	848	—	3	—	0	52	793	—	—
2990 petro. products nec	362	4	—	—	—	68	290	—	—
Total chemicals and related products	**11,556**	**33**	**9**	**1**	**1**	**7,347**	**4,165**	**—**	**0**
Subtotal fertilizers	**711**	**—**	**—**	**—**	**—**	**135**	**576**	**—**	**—**
3110 nitrogenous fert.	458	—	—	—	—	20	438	—	—
3120 phosphatic fert.	50	—	—	—	—	6	44	—	—
3130 potassic fert.	23	—	—	—	—	8	15	—	—
3190 fert. & mixes nec	180	—	—	—	—	102	78	—	—
Subtotal other chemicals and related products	**10,845**	**33**	**9**	**1**	**1**	**7,211**	**3,590**	**—**	**0**
3211 acyclic hydrocarbons	600	26	—	—	—	260	314	—	—
3212 benzene & toluene	990	—	—	—	—	295	694	—	—
3219 other hydrocarbons	3,864	—	—	—	—	3,515	349	—	—
3220 alcohols	1,414	—	—	—	0	780	634	—	—
3230 carboxylic acids	309	—	—	—	—	259	50	—	—
3240 nitrogen func. comp.	549	—	—	—	—	441	108	—	—
3260 organic comp. nec	404	—	—	—	—	85	319	—	—

GULF INTRACOASTAL WATERWAY, MISSISSIPPI RIVER, LA., TO SABINE RIVER, TX (INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
3271 sulphur (liquid)	242	—	—	—	—	88	154	—	—
3272 sulphuric acid	262	—	—	—	—	85	177	—	—
3273 ammonia	119	—	—	—	—	57	62	—	—
3274 sodium hydroxide	1,110	—	—	—	—	807	304	—	—
3275 inorg. elem.,oxides, & halogen salts	261	—	0	—	—	171	90	—	—
3276 metallic salts	305	7	8	1	1	99	189	—	0
3279 inorganic chem. nec	5	—	—	—	—	3	2	—	—
3282 pigments & paints	1	—	1	—	—	—	0	—	—
3286 plastics	1	—	—	—	—	—	1	—	—
3291 pesticides	1	—	—	—	—	1	—	—	—
3297 chemical additives	317	—	—	—	—	246	71	—	—
3299 chem. products nec	91	0	—	—	0	17	73	—	—
Total crude materials, inedible except fuels	**13,821**	**1,003**	**1,311**	**4,325**	**74**	**4,194**	**2,853**	**23**	**38**
Subtotal forest products, wood and chips	**31**	**—**	**—**	**1**	**—**	**17**	**13**	**0**	**0**
4189 lumber	1	—	—	1	—	0	0	0	0
4190 forest products nec	30	—	—	—	—	17	13	—	—
Subtotal soil, sand, gravel, rock and stone	**3,932**	**544**	**1,005**	**7**	**3**	**118**	**2,252**	**2**	**0**
4310 building stone	9	6	—	—	—	—	3	—	—
4322 limestone	1,942	399	344	1	2	67	1,130	—	—
4323 gypsum	182	—	—	—	—	—	182	—	—
4331 sand & gravel	1,169	33	323	6	1	50	754	1	0
4335 waterway improv. mat	628	106	338	—	—	—	182	2	—
4338 soil & fill dirt	1	—	—	—	—	1	—	—	—
Subtotal iron ore and scrap	**593**	**2**	**—**	**133**	**8**	**420**	**31**	**0**	**—**
4410 iron ore	9	—	—	—	6	—	3	—	—
4420 iron & steel scrap	584	2	—	133	2	420	28	0	—
Subtotal non-ferrous ores and scrap	**696**	**—**	**7**	**—**	**—**	**647**	**42**	**—**	**—**
4650 aluminum ore	655	—	7	—	—	643	5	—	—
4670 manganese ore	36	—	—	—	—	2	33	—	—
4690 non-ferrous ores nec	5	—	—	—	—	1	4	—	—
Subtotal sulphur, clay and salt	**151**	**12**	**17**	**38**	**14**	**10**	**55**	**0**	**4**
4782 clay & refrac. mat.	151	12	17	38	14	10	55	0	4
Subtotal slag	**115**	**3**	**43**	**14**	**1**	**2**	**52**	**—**	**—**
4860 slag	115	3	43	14	1	2	52	—	—
Subtotal other non-metal. min.	**8,304**	**443**	**239**	**4,133**	**48**	**2,980**	**408**	**20**	**34**
4900 non-metal. min. nec	8,304	443	239	4,133	48	2,980	408	20	34
Total primary manufactured goods	**2,504**	**42**	**53**	**10**	**53**	**383**	**1,960**	**2**	**1**
Subtotal paper products	**1**	**1**	**—**	**0**	**0**	**0**	**0**	**—**	**—**
5190 paper products nec	1	1	—	0	0	0	0	—	—
Subtotal lime, cement and glass	**533**	**2**	**8**	**4**	**2**	**4**	**513**	**1**	**0**
5210 lime	5	—	5	—	—	—	—	—	—
5220 cement & concrete	527	2	2	4	2	4	513	0	0
5290 misc. mineral prod.	0	—	—	—	—	0	—	0	—
Subtotal primary iron and steel products	**1,780**	**31**	**43**	**4**	**40**	**349**	**1,311**	**1**	**1**
5312 pig iron	176	—	—	—	—	5	172	—	—
5315 ferro alloys	34	—	—	—	—	4	29	—	—
5320 i&s primary forms	27	—	10	—	—	10	7	—	—
5330 i&s plates & sheets	796	24	24	—	2	88	659	—	—
5360 i&s bars & shapes	191	0	1	—	0	174	17	—	—
5370 i&s pipe & tube	434	7	2	3	39	33	349	1	1
5390 primary i&s nec	123	0	6	1	0	36	78	—	—
Subtotal primary non-ferrous metal products	**187**	**9**	**2**	**2**	**11**	**28**	**134**	**0**	**0**
5421 copper	3	—	—	—	—	3	—	—	—
5429 smelted prod. nec	27	—	—	—	—	—	27	—	—
5480 fab. metal products	157	9	2	2	11	25	107	0	0
Subtotal primary wood products	**4**	**—**	**—**	**—**	**—**	**1**	**2**	**—**	**—**
5540 primary wood prod.	4	—	—	—	—	1	2	—	—
Total food and farm products	**1,558**	**25**	**16**	**0**	**63**	**624**	**826**	**1**	**3**
Subtotal grain	**441**	**—**	**6**	**—**	**1**	**166**	**268**	**—**	**—**
6241 wheat	45	—	—	—	—	19	26	—	—
6344 corn	18	—	—	—	1	14	4	—	—
6442 rice	369	—	6	—	—	126	237	—	—
6445 oats	2	—	—	—	—	2	—	—	—
6447 sorghum grains	6	—	—	—	—	5	2	—	—
Subtotal oilseeds	**68**	**—**	**—**	**—**	**—**	**63**	**5**	**—**	**—**
6522 soybeans	63	—	—	—	—	63	—	—	—
6590 oilseeds nec	5	—	—	—	—	—	5	—	—
Subtotal vegetable products	**18**	**0**	**—**	**—**	**—**	**18**	**—**	**—**	**—**
6653 vegetable oils	3	0	—	—	—	3	—	—	—
6654 vegetables & prod.	15	—	—	—	—	15	—	—	—
Subtotal processed grain and animal feed	**69**	**—**	**—**	**—**	**28**	**30**	**12**	**—**	**—**
6746 wheat flour	6	—	—	—	—	6	—	—	—
6782 animal feed, prep.	63	—	—	—	28	23	12	—	—

GULF INTRACOASTAL WATERWAY, MISSISSIPPI RIVER, LA., TO SABINE RIVER, TX (INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Subtotal other agricultural products	**961**	**25**	**10**	**0**	**34**	**347**	**541**	**1**	**3**
6861 sugar	558	—	—	—	—	310	249	—	—
6865 molasses	53	—	—	—	—	17	36	—	—
6885 alcoholic beverages	5	—	—	—	—	—	5	—	—
6887 groceries	1	0	—	—	1	—	0	—	0
6888 water & ice	253	25	10	0	33	8	173	0	3
6889 food products nec	91	—	—	—	—	13	79	—	—
6899 farm products nec	0	—	—	—	—	—	—	0	—
Total all manufactured equipment, machinery and products	**858**	**167**	**8**	**8**	**253**	**155**	**261**	**5**	**1**
7110 machinery (not elec)	792	166	7	8	251	148	204	5	1
7120 electrical machinery	1	0	—	—	—	1	0	—	—
7210 vehicles & parts	0	—	—	—	0	—	0	—	—
7230 ships & boats	2	—	—	—	—	1	1	—	—
7300 ordnance & access.	0	—	—	—	—	0	—	—	—
7400 manufac. wood prod.	9	0	0	—	2	6	0	0	—
7500 textile products	0	—	—	—	—	—	0	—	—
7600 rubber & plastic pr.	3	—	—	—	—	—	3	—	—
7900 manufac. prod. nec	51	—	0	—	—	0	51	—	—
Total waste and scrap nec	**905**	**0**	**—-**	**29**	**254**	**2**	**620**	**0**	**—-**
8900 waste and scrap nec	905	0	—	29	254	2	620	0	—
Ton-miles Internal (x1000)	**8,450,386**	**168,151**	**140,912**	**495,588**	**112,616**	**3,861,230**	**3,644,444**	**15,715**	**11,729**

Tons All Traffic (x1000) **61,689**
Ton-miles All Traffic (x1000) **8,451,431**

Other Harbors and Waterways 2001

Harbor or Waterway Project	Commodity	Thousand Short Tons
AMITE RIVER AND BAYOU MANCHAC, LA	No Commerce Reported	
BAYOU BONFOUCA, LA	4322 limestone	30
	5290 misc. mineral prod.	1
	Total Tons(x1000)	**31**
	Total Ton-miles(x1000)	**275**
BAYOU DUPRE, LA	2100 crude petroleum	1
	2211 gasoline	15
	Total Tons(x1000)	**16**
	Total Ton-miles(x1000)	**27**
BAYOU GROSSE TETE, LA	No Commerce Reported	
BAYOU LACOMBE, LA	No Commerce Reported	
BAYOU PLAQUEMINE BRULE, LA	No Commerce Reported	
BAYOU SEGNETTE WATERWAY, LA	No Commerce Reported	
BAYOU TERREBONNE, LA	2100 crude petroleum	16
	2330 distillate fuel oil	0
	4322 limestone	0
	4900 non-metal. min. nec	83
	5220 cement & concrete	2
	5480 fab. metal products	0
	6888 water & ice	1
	7110 machinery (not elec)	1
	Total Tons(x1000)	**104**
	Total Ton-miles(x1000)	**3,238**
BAYOUS LA LOUTRE, ST. MALO AND YSCLOSKEY, LA	2100 crude petroleum	5
	4900 non-metal. min. nec	0
	5220 cement & concrete	1
	7110 machinery (not elec)	0
	Total Tons(x1000)	**6**
	Total Ton-miles(x1000)	**23**
BIG PIGEON AND LITTLE PIGEON BAYOUS, LA	2100 crude petroleum	76
	2330 distillate fuel oil	0
	4900 non-metal. min. nec	3
	5220 cement & concrete	0
	Total Tons(x1000)	**80**
	Total Ton-miles(x1000)	**801**
CYPRESS BAYOU AND WATERWAY BETWEEN JEFFERSON, TX AND SHREVEPORT, LA	No Commerce Reported	
FRANKLIN CANAL, LA (GULF INTRACOASTAL WATERWAY)	No Commerce Reported	
PASS MANCHAC, LA	No Commerce Reported	
TCHEFUNCTE AND BOGUE FALAYA RIVERS, LA	5330 i&s plates & sheets	2
	5480 fab. metal products	4
	Total Tons(x1000)	**6**
	Total Ton-miles(x1000)	**18**
TICKFAW, NATALBANY, PONCHATOULA AND BLOOD RIVERS, LA	No Commerce Reported	
VINTON WATERWAY, LA	No Commerce Reported	

Other Harbors and Waterways 2001 - continued

Harbor or Waterway Project	Commodity	Thousand Short Tons
WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA (BAYOUS LE CARPE AND GRAND CAILLOU)	2100 crude petroleum	50
	2330 distillate fuel oil	4
	3275 inorg. elem.,oxides, & halogen salts	0
	3276 metallic salts	0
	3299 chem. products nec	0
	4189 lumber	1
	4331 sand & gravel	0
	4782 clay & refrac. mat.	2
	4900 non-metal. min. nec	86
	5220 cement & concrete	5
	5330 i&s plates & sheets	0
	5370 i&s pipe & tube	1
	5480 fab. metal products	0
	6888 water & ice	19
	7110 machinery (not elec)	15
	7400 manufac. wood prod.	0
	Total Tons(x1000)	**184**
	Total Ton-miles(x1000)	**2,093**

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
INNERHARBOR NAVIGATION CANAL, LA												
	Inbound						Outbound					
Grand Total	**12,036**	**793**	**2**	**3,048**	**4,974**	**3,219**	**11,800**	**1,051**	**30**	**3,106**	**4,459**	**3,154**
FOREIGN												
Total	**387**	**378**	**2**	**3**	**3**	**1**	**561**	**540**	**21**	**—-**	**—-**	**—-**
35	19	19	—	—	—	—	27	14	13	—	—	—
34	21	21	—	—	—	—	21	19	2	—	—	—
33	41	41	—	—	—	—	35	33	2	—	—	—
32	48	48	—	—	—	—	37	37	—	—	—	—
31	18	17	1	—	—	—	24	24	—	—	—	—
30	33	32	1	—	—	—	30	29	1	—	—	—
29	24	24	—	—	—	—	23	22	1	—	—	—
28	27	27	—	—	—	—	31	31	—	—	—	—
27	26	26	—	—	—	—	8	7	1	—	—	—
26	11	11	—	—	—	—	22	22	—	—	—	—
25	8	8	—	—	—	—	15	14	1	—	—	—
24	5	5	—	—	—	—	6	6	—	—	—	—
23	6	6	—	—	—	—	6	6	—	—	—	—
22	5	5	—	—	—	—	7	7	—	—	—	—
21	47	47	—	—	—	—	62	62	—	—	—	—
20	12	10	—	1	1	—	3	3	—	—	—	—
19	1	1	—	—	—	—	2	2	—	—	—	—
18	35	30	—	2	2	1	202	202	—	—	—	—
DOMESTIC												
Total	**11,649**	**415**	**—-**	**3,045**	**4,971**	**3,218**	**11,239**	**511**	**9**	**3,106**	**4,459**	**3,154**
28	33	33	—	—	—	—	32	32	—	—	—	—
21	—	—	—	—	—	—	1	—	—	—	—	1
18	11,616	382	—	3,045	4,971	3,218	11,206	479	9	3,106	4,459	3,153
										Total trips:		**23,836**
MISSISSIPPI RIVER-GULF OUTLET, LA												
	Upbound						Downbound					
Grand Total	**1,140**	**739**	**27**	**176**	**126**	**72**	**1,201**	**749**	**35**	**201**	**135**	**81**
FOREIGN												
Total	**451**	**411**	**27**	**5**	**8**	**—-**	**442**	**402**	**35**	**2**	**3**	**—-**
41	1	1	—	—	—	—	—	—	—	—	—	—
39	11	5	6	—	—	—	5	5	—	—	—	—
38	6	2	4	—	—	—	3	2	1	—	—	—
37	4	—	4	—	—	—	—	—	—	—	—	—
36	9	7	2	—	—	—	3	2	1	—	—	—
35	16	16	—	—	—	—	15	15	—	—	—	—
34	21	19	2	—	—	—	23	22	1	—	—	—
33	34	32	2	—	—	—	42	42	—	—	—	—
32	41	40	1	—	—	—	50	48	2	—	—	—
31	25	24	1	—	—	—	19	17	2	—	—	—
30	33	32	1	—	—	—	38	30	8	—	—	—
29	23	22	1	—	—	—	27	26	1	—	—	—
28	29	29	—	—	—	—	38	29	9	—	—	—
27	14	12	2	—	—	—	26	25	1	—	—	—
26	25	25	—	—	—	—	16	13	3	—	—	—
25	17	16	1	—	—	—	15	15	—	—	—	—
24	12	12	—	—	—	—	7	4	3	—	—	—
23	10	10	—	—	—	—	14	14	—	—	—	—
22	8	8	—	—	—	—	9	9	—	—	—	—
21	59	59	—	—	—	—	54	52	2	—	—	—
20	8	8	—	—	—	—	14	12	—	1	1	—
19	3	3	—	—	—	—	2	2	—	—	—	—
18	42	29	—	5	8	—	22	18	1	1	2	—
DOMESTIC												
Total	**689**	**328**	**—-**	**171**	**118**	**72**	**759**	**347**	**—-**	**199**	**132**	**81**
28	33	33	—	—	—	—	32	32	—	—	—	—
18	656	295	—	171	118	72	727	315	—	199	132	81
										Total trips:		**2,341**

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
MISSISSIPPI RIVER GULF OUTLET VIA VENICE VICINITY CONSOLIDATION												
	Upbound						Downbound					
Grand Total	**19,490**	**16,612**	**71**	**1,525**	**399**	**883**	**19,196**	**16,452**	**57**	**1,455**	**393**	**839**
FOREIGN												
Total	**20**	**18**	**—-**	**1**	**—-**	**1**	**196**	**196**	**—-**	**—-**	**—-**	**—-**
12	3	2	—	1	—	—	1	1	—	—	—	—
11	7	7	—	—	—	—	9	9	—	—	—	—
10	—	—	—	—	—	—	7	7	—	—	—	—
9	1	1	—	—	—	—	2	2	—	—	—	—
8	1	1	—	—	—	—	19	19	—	—	—	—
7	1	—	—	—	—	1	44	44	—	—	—	—
6	6	6	—	—	—	—	100	100	—	—	—	—
5	—	—	—	—	—	—	12	12	—	—	—	—
3	1	1	—	—	—	—	1	1	—	—	—	—
2	—	—	—	—	—	—	1	1	—	—	—	—
DOMESTIC												
Total	**19,470**	**16,594**	**71**	**1,524**	**399**	**882**	**19,000**	**16,256**	**57**	**1,455**	**393**	**839**
17	5	5	—	—	—	—	3	3	—	—	—	—
15	7	7	—	—	—	—	38	7	—	—	—	31
14	133	133	—	—	—	—	125	125	—	—	—	—
13	273	226	47	—	—	—	157	157	—	—	—	—
12	261	260	1	—	—	—	237	235	—	—	—	2
11	328	275	11	—	—	42	226	200	—	—	1	25
10	572	518	—	10	—	44	369	348	—	8	—	13
9	1,615	1,361	2	60	1	191	1,441	1,324	—	62	8	47
8	1,222	1,116	—	34	9	63	1,180	1,083	—	38	5	54
7	2,884	2,281	—	371	7	225	2,788	2,337	—	378	32	41
6	3,499	3,132	10	342	2	13	2,976	2,538	57	328	40	13
5	4,031	3,787	—	239	4	1	4,554	4,205	—	242	33	74
4	1,661	1,174	—	380	39	68	1,930	1,266	—	313	49	302
3	2,528	2,228	—	88	150	62	2,638	2,299	—	85	138	116
2	444	90	—	—	185	169	336	129	—	1	86	120
1	7	1	—	—	2	4	2	—	—	—	1	1
										Total trips:		**38,686**

WATERWAY FROM EMPIRE, LA TO GULF OF MEXICO												
	Upbound						Downbound					
Grand Total	**17,461**	**16,492**	**—-**	**804**	**65**	**100**	**17,627**	**16,650**	**—-**	**813**	**67**	**97**
DOMESTIC												
Total	**17,461**	**16,492**	**—-**	**804**	**65**	**100**	**17,627**	**16,650**	**—-**	**813**	**67**	**97**
15	6	6	—	—	—	—	6	6	—	—	—	—
14	132	123	—	9	—	—	136	128	—	8	—	—
13	137	137	—	—	—	—	207	207	—	—	—	—
12	234	229	—	5	—	—	254	247	—	7	—	—
11	174	167	—	7	—	—	221	213	—	8	—	—
10	341	333	—	2	5	1	401	398	—	3	—	—
9	1,222	1,201	—	9	5	7	1,187	1,176	—	11	—	—
8	1,050	1,036	—	2	10	2	1,053	1,049	—	3	1	—
7	2,106	1,799	—	272	1	34	1,975	1,708	—	266	—	1
6	3,416	3,196	—	183	—	37	3,910	3,722	—	186	—	2
5	4,281	4,125	—	144	2	10	3,897	3,754	—	142	1	—
4	1,644	1,488	—	152	1	3	1,567	1,402	—	158	7	—
3	2,654	2,597	—	19	38	—	2,674	2,618	—	21	35	—
2	62	55	—	—	3	4	61	22	—	—	23	16
1	2	—	—	—	—	2	78	—	—	—	—	78
										Total trips:		**35,088**

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
BARATARIA BAY WATERWAY, LA												
	Upbound						Downbound					
Grand Total	**4,381**	**3,198**	**—-**	**788**	**169**	**226**	**4,401**	**3,189**	**—-**	**718**	**275**	**219**
DOMESTIC												
Total	**4,381**	**3,198**	**—-**	**788**	**169**	**226**	**4,401**	**3,189**	**—-**	**718**	**275**	**219**
14	1	1	—	—	—	—	—	—	—	—	—	—
13	15	14	—	—	—	1	25	25	—	—	—	—
12	28	28	—	—	—	—	46	46	—	—	—	—
11	89	89	—	—	—	—	74	74	—	—	—	—
10	276	274	—	1	1	—	336	334	—	1	1	—
9	162	140	—	7	3	12	244	215	—	7	22	—
8	324	281	—	35	—	8	257	222	—	26	9	—
7	521	404	—	103	3	11	650	545	—	103	2	—
6	2,965	1,967	—	642	162	194	2,769	1,728	—	581	241	219
										Total trips:		**8,782**
BAYOU LAFOURCHE AND LAFOURCHE-JUMP WATERWAY, LA												
	Upbound						Downbound					
Grand Total	**28,119**	**23,078**	**98**	**2,171**	**1,644**	**1,128**	**27,356**	**22,342**	**109**	**2,141**	**1,607**	**1,157**
FOREIGN												
Total	**1,448**	**1,338**	**—-**	**47**	**63**	**—-**	**201**	**171**	**—-**	**20**	**10**	**—-**
21	4	3	—	—	1	—	—	—	—	—	—	—
20	2	2	—	—	—	—	1	1	—	—	—	—
19	4	4	—	—	—	—	3	3	—	—	—	—
18	14	14	—	—	—	—	4	2	—	2	—	—
17	10	6	—	4	—	—	3	2	—	1	—	—
16	15	13	—	2	—	—	12	10	—	2	—	—
15	24	21	—	3	—	—	22	18	—	3	1	—
14	11	9	—	1	1	—	12	11	—	1	—	—
13	21	21	—	—	—	—	11	10	—	—	1	—
12	68	59	—	5	4	—	36	30	—	6	—	—
11	61	57	—	4	—	—	24	22	—	2	—	—
10	46	36	—	8	2	—	17	15	—	2	—	—
9	99	93	—	4	2	—	8	8	—	—	—	—
8	166	156	—	5	5	—	16	15	—	—	1	—
7	331	303	—	9	19	—	13	10	—	—	3	—
6	516	505	—	2	9	—	9	7	—	1	1	—
5	36	31	—	—	5	—	6	5	—	—	1	—
4	16	3	—	—	13	—	1	—	—	—	1	—
3	2	1	—	—	1	—	2	1	—	—	1	—
2	2	1	—	—	1	—	—	—	—	—	—	—
1	—	—	—	—	—	—	1	1	—	—	—	—
DOMESTIC												
Total	**26,671**	**21,740**	**98**	**2,124**	**1,581**	**1,128**	**27,155**	**22,171**	**109**	**2,121**	**1,597**	**1,157**
17	63	55	—	8	—	—	63	59	—	4	—	—
16	58	35	—	23	—	—	113	93	—	20	—	—
15	57	56	—	1	—	—	99	84	—	2	—	13
14	471	454	—	17	—	—	508	492	—	16	—	—
13	364	352	—	12	—	—	1,057	973	73	11	—	—
12	639	588	—	51	—	—	725	660	1	54	3	7
11	1,154	1,153	—	—	1	—	1,278	1,234	11	—	2	31
10	2,112	2,089	—	21	2	—	2,490	2,457	4	18	7	4
9	2,992	2,846	—	55	12	79	3,412	3,162	6	56	69	119
8	2,633	2,420	—	169	20	24	3,580	3,156	—	180	82	162
7	3,828	3,370	—	384	50	24	4,231	3,547	—	381	292	11
6	3,224	2,434	98	628	10	54	4,804	4,017	14	626	124	23
5	3,316	2,874	—	356	11	75	2,227	1,613	—	353	232	29
4	1,612	1,046	—	394	61	111	1,190	548	—	393	189	60
3	317	77	—	3	92	145	468	44	—	5	414	5
2	3,653	1,891	—	2	1,316	444	792	32	—	2	181	577
1	178	—	—	—	6	172	118	—	—	—	2	116
										Total trips:		**55,475**

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
BAYOU LITTLE CAILLOU, LA												
	Upbound						Downbound					
Grand Total	**3,702**	**2,818**	**—-**	**639**	**31**	**214**	**3,962**	**2,855**	**—-**	**741**	**96**	**270**
DOMESTIC												
Total	**3,702**	**2,818**	**—-**	**639**	**31**	**214**	**3,962**	**2,855**	**—-**	**741**	**96**	**270**
12	—-	—-	—	—	—	—	3	—	—	—	—	3
11	—-	—-	—	—	—	—	7	—	—	—	—	7
10	16	15	—	1	—	—	49	31	—	5	—	13
9	18	11	—	7	—	—	45	14	—	8	—	23
8	79	51	—	27	—	1	165	55	—	42	—	68
7	502	453	—	48	—	1	572	457	—	67	—	48
6	501	376	—	119	6	—	563	376	—	144	11	32
5	497	189	—	306	1	1	550	200	—	344	1	5
4	1,098	1,088	—	8	1	1	1,101	1,086	—	8	5	2
3	276	270	—	—	5	1	284	270	—	—	6	8
2	662	365	—	123	12	162	605	366	—	123	67	49
1	53	—-	—	—	6	47	18	—	—	—	6	12
										Total trips:		**7,664**
HOUMA NAVIGATION CANAL, LA												
	Upbound						Downbound					
Grand Total	**2,219**	**653**	**—-**	**883**	**367**	**316**	**1,726**	**508**	**—-**	**739**	**188**	**291**
FOREIGN												
Total	**315**	**153**	**—-**	**57**	**105**	**—-**	**49**	**29**	**—-**	**8**	**12**	**—-**
15	6	4	—	1	1	—	4	4	—	—	—	—
14	9	7	—	2	—	—	6	4	—	2	—	—
13	4	2	—	2	—	—	1	—	—	—	1	—
12	17	7	—	7	3	—	7	6	—	1	—	—
11	21	16	—	4	1	—	1	1	—	—	—	—
10	37	20	—	11	6	—	9	5	—	4	—	—
9	42	22	—	17	3	—	6	5	—	1	—	—
8	46	24	—	7	15	—	5	2	—	—	3	—
7	48	23	—	6	19	—	5	1	—	—	4	—
6	85	28	—	—	57	—	5	1	—	—	4	—
DOMESTIC												
Total	**1,904**	**500**	**—-**	**826**	**262**	**316**	**1,677**	**479**	**—-**	**731**	**176**	**291**
15	—-	—-	—	—	—	—	1	—	—	1	—	—
14	2	2	—	—	—	—	1	1	—	—	—	—
12	4	—-	—	1	—	3	1	—	—	1	—	—
11	12	5	—	—	—	7	13	9	—	—	4	—
10	119	97	—	8	—	14	98	87	—	11	—	—
9	160	1	—	133	3	23	140	7	—	127	6	—
8	166	8	—	90	—	68	88	8	—	79	—	1
7	160	21	—	91	—	48	109	16	—	89	—	4
6	1,281	366	—	503	259	153	1,226	351	—	423	166	286
										Total trips:		**3,945**
ATCHAFALAYA RIVER, LA MORGAN CITY TO GULF OF MEXICO												
	Upbound						Downbound					
Grand Total	**8,299**	**4,079**	**1**	**2,084**	**940**	**1,195**	**7,568**	**3,626**	**—-**	**2,029**	**727**	**1,186**
FOREIGN												
Total	**643**	**546**	**1**	**18**	**78**	**—-**	**150**	**105**	**—-**	**18**	**27**	**—-**
23	1	—-	1	—	—	—	—	—	—	—	—	—
20	2	2	—	—	—	—	—	—	—	—	—	—
19	—-	—-	—	—	—	—	1	—	—	—	1	—
18	4	1	—	2	1	—	1	1	—	—	—	—
16	5	4	—	1	—	—	8	8	—	—	—	—
15	7	6	—	—	1	—	5	5	—	—	—	—
14	5	5	—	—	—	—	4	4	—	—	—	—
13	10	8	—	—	2	—	13	13	—	—	—	—
12	57	49	—	6	2	—	17	11	—	5	1	—
11	144	143	—	1	—	—	5	5	—	—	—	—
10	31	28	—	3	—	—	22	13	—	7	2	—
9	21	15	—	2	4	—	17	12	—	1	4	—
8	54	41	—	—	13	—	24	19	—	4	1	—
7	76	54	—	2	20	—	12	2	—	—	10	—
6	226	190	—	1	35	—	21	12	—	1	8	—

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
ATCHAFALAYA RIVER, LA MORGAN CITY TO GULF OF MEXICO - continued												
	Upbound						Downbound					
DOMESTIC												
Total	**7,656**	**3,533**	**—-**	**2,066**	**862**	**1,195**	**7,418**	**3,521**	**—-**	**2,011**	**700**	**1,186**
15	35	—-	—-	32	—-	3	32	—-	—-	32	—-	—-
14	39	35	—-	—-	1	3	38	37	—-	1	—-	—-
13	34	24	—-	—-	—-	10	22	22	—-	—-	—-	—-
12	59	48	—-	4	1	6	65	61	—-	3	—-	1
11	123	83	—-	—-	3	37	68	66	—-	—-	—-	2
10	333	258	—-	56	11	8	371	317	—-	46	6	2
9	465	182	—-	136	124	23	402	142	—-	118	117	25
8	734	295	—-	268	22	149	803	357	—-	282	137	27
7	774	329	—-	327	44	74	790	296	—-	340	111	43
6	5,060	2,279	—-	1,243	656	882	4,827	2,223	—-	1,189	329	1,086
										Total trips:		**15,867**
ATCHAFALAYA RIVER, LA												
	Upbound						Downbound					
Grand Total	**10,931**	**1,182**	**—-**	**3,087**	**3,756**	**2,906**	**10,510**	**1,187**	**—-**	**3,007**	**3,772**	**2,544**
DOMESTIC												
Total	**10,931**	**1,182**	**—-**	**3,087**	**3,756**	**2,906**	**10,510**	**1,187**	**—-**	**3,007**	**3,772**	**2,544**
15	1	1	—-	—-	—-	—-	1	1	—-	—-	—-	—-
14	21	21	—-	—-	—-	—-	20	20	—-	—-	—-	—-
13	19	19	—-	—-	—-	—-	19	19	—-	—-	—-	—-
12	116	58	—-	1	—-	57	80	63	—-	—-	4	13
11	111	18	—-	11	7	75	157	18	—-	9	126	4
10	418	173	—-	28	42	175	589	131	—-	20	370	68
9	1,319	—-	—-	300	175	844	1,524	14	—-	264	950	296
8	1,096	47	—-	587	69	393	1,718	57	—-	556	982	123
7	863	160	—-	528	19	156	817	123	—-	538	108	48
6	6,967	685	—-	1,632	3,444	1,206	5,585	741	—-	1,620	1,232	1,992
										Total trips:		**21,441**
GULF INTRACOASTAL WATERWAY, MORGAN CITY-PORT ALLEN ROUTE, LA												
	Upbound						Downbound					
Grand Total	**15,393**	**78**	**—-**	**3,846**	**4,727**	**6,742**	**14,857**	**78**	**—-**	**3,539**	**4,727**	**6,513**
DOMESTIC												
Total	**15,393**	**78**	**—-**	**3,846**	**4,727**	**6,742**	**14,857**	**78**	**—-**	**3,539**	**4,727**	**6,513**
14	—-	—-	—-	—-	—-	—-	6	—-	—-	—-	4	2
13	1	—-	—-	—-	1	—-	2	—-	—-	—-	2	—-
12	51	—-	—-	1	6	44	61	—-	—-	—-	23	38
11	111	—-	—-	8	18	85	223	—-	—-	7	71	145
10	308	15	—-	29	60	204	437	15	—-	26	217	179
9	4,393	—-	—-	574	1,291	2,528	2,861	—-	—-	528	1,106	1,227
8	3,163	—-	—-	713	1,460	990	2,408	—-	—-	613	1,315	480
7	1,333	—-	—-	906	191	236	1,194	—-	—-	800	185	209
6	6,033	63	—-	1,615	1,700	2,655	7,665	63	—-	1,565	1,804	4,233
										Total trips:		**30,250**
PETIT ANSE, TIGRE AND CARLIN BAYOUS, LA												
	Upbound						Downbound					
Grand Total	**2,173**	**1**	**—-**	**252**	**1,627**	**293**	**2,258**	**1**	**—-**	**233**	**1,747**	**277**
DOMESTIC												
Total	**2,173**	**1**	**—-**	**252**	**1,627**	**293**	**2,258**	**1**	**—-**	**233**	**1,747**	**277**
13	—-	—-	—-	—-	—-	—-	1	—-	—-	—-	—-	1
12	1	—-	—-	—-	1	—-	4	—-	—-	—-	4	—-
11	1	—-	—-	—-	1	—-	7	—-	—-	—-	5	2
10	3	—-	—-	—-	3	—-	22	—-	—-	—-	18	4
9	7	1	—-	3	3	—-	822	1	—-	5	809	7
8	42	—-	—-	38	1	3	968	—-	—-	38	853	77

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
PETIT ANSE, TIGRE AND CARLIN BAYOUS, LA - continued												
	Upbound						Downbound					
DOMESTIC												
7	23	—	—	21	1	1	60	—	—	22	17	21
6	174	—	—	171	1	2	171	—	—	151	9	11
5	29	—	—	17	1	11	30	—	—	15	1	14
4	27	—	—	2	—	25	3	—	—	2	—	1
3	70	—	—	—	22	48	—	—	—	—	—	—
2	1,671	—	—	—	1,546	125	170	—	—	—	31	139
1	125	—	—	—	47	78	—	—	—	—	—	—
										Total trips:		**4,431**
FRESHWATER BAYOU, LA												
	Upbound						Downbound					
Grand Total	**15,100**	**14,838**	**—**	**68**	**126**	**68**	**15,282**	**15,015**	**—**	**71**	**125**	**71**
DOMESTIC												
Total	**15,100**	**14,838**	**—**	**68**	**126**	**68**	**15,282**	**15,015**	**—**	**71**	**125**	**71**
14	31	31	—	—	—	—	31	31	—	—	—	—
13	100	100	—	—	—	—	109	109	—	—	—	—
12	289	289	—	—	—	—	291	291	—	—	—	—
11	292	292	—	—	—	—	302	302	—	—	—	—
10	10,087	10,070	—	—	—	17	10,062	10,062	—	—	—	—
9	182	177	—	—	—	5	168	168	—	—	—	—
8	871	856	—	13	—	2	892	877	—	15	—	—
7	1,119	1,104	—	15	—	—	1,141	1,126	—	15	—	—
6	497	461	—	34	—	2	667	630	—	36	1	—
5	364	357	—	6	—	1	398	388	—	5	4	1
4	554	554	—	—	—	—	501	491	—	—	8	2
3	473	472	—	—	1	—	473	469	—	—	1	3
2	233	75	—	—	125	33	240	71	—	—	109	60
1	8	—	—	—	—	8	7	—	—	—	2	5
										Total trips:		**30,382**
LAKE CHARLES DEEP WATER CHANNEL, LA												
	Upbound						Downbound					
Grand Total	**3,034**	**27**	**—**	**1,384**	**770**	**853**	**3,009**	**19**	**—**	**1,376**	**421**	**1,193**
DOMESTIC												
Total	**3,034**	**27**	**—**	**1,384**	**770**	**853**	**3,009**	**19**	**—**	**1,376**	**421**	**1,193**
15	1	—	—	—	—	1	—	—	—	—	—	—
13	2	—	—	—	—	2	—	—	—	—	—	—
12	36	4	—	1	—	31	8	3	—	3	—	2
11	45	2	—	17	—	26	20	1	—	14	—	5
10	109	1	—	25	3	80	225	1	—	26	26	172
9	253	4	—	159	1	89	247	1	—	139	75	32
8	316	1	—	242	7	66	350	—	—	276	50	24
7	344	9	—	282	17	36	305	7	—	263	17	18
6	1,928	6	—	658	742	522	1,854	6	—	655	253	940
										Total trips:		**6,043**
BAYOU TECHE, LA												
	Upbound						Downbound					
Grand Total	**1,978**	**402**	**—**	**435**	**925**	**216**	**2,030**	**404**	**—**	**437**	**943**	**246**
DOMESTIC												
Total	**1,978**	**402**	**—**	**435**	**925**	**216**	**2,030**	**404**	**—**	**437**	**943**	**246**
14	2	1	—	—	1	—	3	3	—	—	—	—
13	3	3	—	—	—	—	3	3	—	—	—	—
12	24	21	—	—	3	—	26	24	—	—	—	2
11	16	9	—	—	7	—	12	10	—	—	—	2
10	71	43	—	—	28	—	51	42	—	—	4	5
9	239	18	—	45	176	—	242	19	—	43	137	43
8	202	19	—	107	76	—	355	15	—	113	183	44

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
BAYOU TECHE, LA - continued												
			Upbound						Downbound			
DOMESTIC												
7	179	29	—	106	44	—	356	30	—	106	165	55
6	176	102	—	54	19	1	252	102	—	53	77	20
5	107	32	—	66	9	—	156	30	—	65	21	40
4	93	34	—	54	4	1	104	34	—	54	12	4
3	157	88	—	—	47	22	100	88	—	—	4	8
2	698	3	—	3	511	181	343	4	—	3	324	12
1	11	—	—	—	—	11	27	—	—	—	16	11
										Total trips:		**4,008**
MERMENTAU RIVER, LA												
			Upbound						Downbound			
Grand Total	**2,100**	**652**	**1**	**717**	**29**	**701**	**1,872**	**669**	**—**	**599**	**27**	**577**
FOREIGN												
Total	**4**	**3**	**1**	**—**	**—**	**—**	**17**	**17**	**—**	**—**	**—**	**—**
12	1	—	1	—	—	—	—	—	—	—	—	—
11	—	—	—	—	—	—	5	5	—	—	—	—
10	—	—	—	—	—	—	12	12	—	—	—	—
8	3	3	—	—	—	—	—	—	—	—	—	—
DOMESTIC												
Total	**2,096**	**649**	**—**	**717**	**29**	**701**	**1,855**	**652**	**—**	**599**	**27**	**577**
12	2	1	—	1	—	—	2	1	—	1	—	—
11	15	9	—	—	—	6	9	9	—	—	—	—
10	143	5	—	1	—	137	4	2	—	2	—	—
9	73	—	—	14	—	59	13	—	—	13	—	—
8	156	36	—	66	1	53	122	55	—	66	—	1
7	315	158	—	128	—	29	265	142	—	122	—	1
6	483	20	—	414	—	49	343	29	—	311	3	—
5	443	365	—	45	—	33	415	366	—	41	—	8
4	118	54	—	47	2	15	95	48	—	42	5	—
3	74	—	—	1	8	65	12	—	—	1	5	6
2	134	1	—	—	18	115	466	—	—	—	14	452
1	140	—	—	—	—	140	109	—	—	—	—	109
										Total trips:		**3,972**
BAYOU TECHE AND VERMILION RIVER, LA												
			Upbound						Downbound			
Grand Total	**3,979**	**3,179**	**—**	**301**	**437**	**62**	**3,971**	**3,179**	**—**	**301**	**428**	**63**
DOMESTIC												
Total	**3,979**	**3,179**	**—**	**301**	**437**	**62**	**3,971**	**3,179**	**—**	**301**	**428**	**63**
14	21	21	—	—	—	—	25	21	—	—	4	—
13	103	103	—	—	—	—	93	91	—	—	2	—
12	143	141	—	—	2	—	112	112	—	—	—	—
11	258	253	—	—	5	—	265	264	—	—	1	—
10	217	199	—	—	18	—	208	204	—	—	—	4
9	348	157	—	43	148	—	191	143	—	41	7	—
8	589	380	—	22	186	1	411	377	—	25	8	1
7	760	727	—	32	1	—	751	709	—	34	3	5
6	554	461	—	84	9	—	411	305	—	80	20	6
5	178	140	—	35	1	2	332	296	—	35	—	1
4	290	209	—	77	4	—	356	270	—	78	7	1
3	173	153	—	—	11	9	187	162	—	—	16	9
2	333	235	—	8	51	39	618	225	—	8	355	30
1	12	—	—	—	1	11	11	—	—	—	5	6
										Total trips:		**7,950**

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
MERMENTAU RIVER, BAYOUS NEZPIQUE AND DES CANNES, LA												
	Upbound						Downbound					
Grand Total	**614**	**—-**	**—-**	**134**	**373**	**107**	**651**	**—-**	**—-**	**125**	**403**	**123**
DOMESTIC												
Total	**614**	**—-**	**—-**	**134**	**373**	**107**	**651**	**—-**	**—-**	**125**	**403**	**123**
13	1	—	—	—	1	—	—	—	—	—	—	—
11	5	—	—	—	5	—	—	—	—	—	—	—
10	65	—	—	1	62	2	28	—	—	—	13	15
9	121	—	—	11	110	—	103	—	—	5	73	25
8	91	—	—	9	82	—	85	—	—	11	20	54
7	36	—	—	33	3	—	49	—	—	32	4	13
6	295	—	—	80	110	105	386	—	—	77	293	16
										Total trips:		**1,265**
CALCASIEU RIVER AND PASS, LA												
	Inbound						Outbound					
Grand Total	**26,694**	**16,937**	**596**	**2,502**	**1,877**	**4,782**	**26,895**	**16,867**	**612**	**2,486**	**2,044**	**4,886**
FOREIGN												
Total	**1,001**	**497**	**457**	**24**	**23**	**—-**	**804**	**302**	**459**	**22**	**20**	**1**
43	1	—	1	—	—	—	—	—	—	—	—	—
39	3	—	3	—	—	—	—	—	—	—	—	—
38	178	5	173	—	—	—	21	14	7	—	—	—
37	61	2	59	—	—	—	13	5	8	—	—	—
36	64	16	48	—	—	—	32	10	22	—	—	—
35	28	7	21	—	—	—	24	10	14	—	—	—
34	15	4	11	—	—	—	19	9	10	—	—	—
33	17	3	14	—	—	—	16	7	9	—	—	—
32	13	2	11	—	—	—	26	12	13	1	—	—
31	10	3	7	—	—	—	19	6	13	—	—	—
30	11	5	6	—	—	—	47	19	27	—	—	1
29	2	—	2	—	—	—	27	8	19	—	—	—
28	30	14	16	—	—	—	263	23	240	—	—	—
27	16	8	8	—	—	—	35	12	23	—	—	—
26	12	4	8	—	—	—	19	14	5	—	—	—
25	21	13	8	—	—	—	23	16	7	—	—	—
24	20	5	13	1	1	—	22	15	7	—	—	—
23	21	13	8	—	—	—	22	16	5	1	—	—
22	26	18	8	—	—	—	15	9	6	—	—	—
21	18	17	1	—	—	—	12	10	2	—	—	—
20	27	24	3	—	—	—	18	10	6	1	1	—
19	28	22	4	1	1	—	13	6	5	2	—	—
18	379	312	24	22	21	—	118	71	11	17	19	—
DOMESTIC												
Total	**25,693**	**16,440**	**139**	**2,478**	**1,854**	**4,782**	**26,091**	**16,565**	**153**	**2,464**	**2,024**	**4,885**
38	2	—	2	—	—	—	16	—	16	—	—	—
37	4	—	4	—	—	—	14	—	14	—	—	—
36	4	—	1	—	—	3	14	—	13	—	—	1
35	1	—	1	—	—	—	13	2	11	—	—	—
34	5	—	5	—	—	—	30	—	29	—	1	—
33	1	—	1	—	—	—	15	—	15	—	—	—
32	3	—	—	3	—	—	12	—	7	4	—	1
31	5	—	4	—	—	1	6	—	5	—	1	—
30	7	—	6	—	—	1	6	—	4	—	—	2
29	6	—	5	—	—	1	3	—	2	—	—	1
28	3	—	3	—	—	—	3	—	2	1	—	—
27	3	—	3	—	—	—	1	—	1	—	—	—
26	7	—	2	—	—	5	9	—	1	1	—	7
25	4	—	3	—	1	—	7	—	2	1	—	4
24	9	—	3	1	—	5	6	—	4	2	—	—
23	4	—	3	—	—	1	2	—	—	1	—	1
22	17	—	16	—	—	1	16	—	15	—	—	1
21	34	—	32	1	—	1	5	—	—	4	—	1
20	13	—	4	8	—	1	18	—	8	10	—	—
19	5	—	—	4	—	1	2	—	—	—	—	2
18	25,556	16,440	41	2,461	1,853	4,761	25,893	16,563	4	2,440	2,022	4,864
										Total trips:		**53,589**

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
PORT OF NEW ORLEANS, LA			Inbound						Outbound			
Grand Total	**49,257**	**17,147**	**572**	**13,114**	**11,966**	**6,458**	**49,291**	**16,266**	**461**	**13,188**	**13,030**	**6,346**
FOREIGN												
Total	**3,022**	**2,467**	**511**	**19**	**25**	**—-**	**2,233**	**1,787**	**403**	**23**	**18**	**2**
47	1	1	—	—	—	—	—	—	—	—	—	—
46	2	2	—	—	—	—	—	—	—	—	—	—
45	12	6	6	—	—	—	5	3	2	—	—	—
44	7	5	2	—	—	—	11	10	1	—	—	—
43	3	—	3	—	—	—	16	12	4	—	—	—
42	4	3	1	—	—	—	20	19	1	—	—	—
41	13	5	8	—	—	—	16	14	2	—	—	—
40	33	9	24	—	—	—	51	45	6	—	—	—
39	58	16	42	—	—	—	59	53	6	—	—	—
38	46	14	32	—	—	—	33	24	9	—	—	—
37	38	10	28	—	—	—	20	15	5	—	—	—
36	46	24	22	—	—	—	69	53	16	—	—	—
35	75	57	18	—	—	—	83	71	12	—	—	—
34	82	55	27	—	—	—	75	69	5	—	1	—
33	95	82	13	—	—	—	109	104	5	—	—	—
32	122	102	20	—	—	—	172	142	30	—	—	—
31	89	72	17	—	—	—	54	46	8	—	—	—
30	167	135	32	—	—	—	207	130	77	—	—	—
29	84	71	13	—	—	—	86	66	20	—	—	—
28	163	133	30	—	—	—	170	103	66	1	—	—
27	95	75	20	—	—	—	98	69	28	1	—	—
26	127	106	21	—	—	—	75	57	17	1	—	—
25	267	246	21	—	—	—	181	162	19	—	—	—
24	154	131	23	—	—	—	81	59	20	—	2	—
23	150	134	16	—	—	—	86	73	12	—	1	—
22	139	130	9	—	—	—	80	71	7	—	2	—
21	258	246	12	—	—	—	104	99	4	—	1	—
20	228	215	12	—	1	—	77	68	6	2	1	—
19	112	102	9	—	1	—	29	23	5	1	—	—
18	352	280	30	19	23	—	166	127	10	17	10	2
DOMESTIC												
Total	**46,235**	**14,680**	**61**	**13,095**	**11,941**	**6,458**	**47,058**	**14,479**	**58**	**13,165**	**13,012**	**6,344**
40	—	—	—	—	—	—	1	—	1	—	—	—
39	—	—	—	—	—	—	1	—	1	—	—	—
38	—	—	—	—	—	—	3	—	3	—	—	—
37	—	—	—	—	—	—	2	—	2	—	—	—
36	—	—	—	—	—	—	5	—	4	—	—	1
35	—	—	—	—	—	—	1	—	1	—	—	—
34	1	—	1	—	—	—	—	—	—	—	—	—
33	1	—	1	—	—	—	1	—	1	—	—	—
32	—	—	—	—	—	—	6	—	—	—	—	6
31	—	—	—	—	—	—	13	—	—	—	—	13
30	3	—	2	—	—	1	21	—	1	—	—	20
29	1	—	—	—	—	1	10	—	—	—	1	9
28	34	33	—	—	—	1	53	32	—	—	1	20
27	—	—	—	—	—	—	13	—	1	—	4	8
26	4	—	1	—	—	3	9	—	1	—	1	7
25	6	—	5	—	1	—	9	—	1	—	8	—
24	2	—	—	—	—	2	4	—	—	—	1	3
23	1	—	—	—	—	1	2	—	—	—	1	1
22	—	—	—	—	—	—	2	—	—	—	—	2
21	8	—	—	4	—	4	8	—	—	4	—	4
20	13	—	2	7	—	4	4	—	3	1	—	—
19	11	—	—	—	—	11	9	—	—	1	—	8
18	46,150	14,647	49	13,084	11,940	6,430	46,881	14,447	38	13,159	12,995	6,242
										Total trips:		**98,548**

PORT OF BATON ROUGE, LA			Inbound						Outbound			
Grand Total	**35,473**	**929**	**220**	**14,934**	**10,432**	**8,958**	**36,433**	**1,036**	**292**	**14,837**	**10,948**	**9,320**
FOREIGN												
Total	**457**	**256**	**199**	**1**	**—-**	**1**	**637**	**362**	**270**	**2**	**3**	**—-**
47	2	2	—	—	—	—	—	—	—	—	—	—
46	3	3	—	—	—	—	—	—	—	—	—	—

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
PORT OF BATON ROUGE, LA - continued												
			Inbound						Outbound			
FOREIGN												
45	8	8	—	—	—	—	—	—	—	—	—	—
44	8	8	—	—	—	—	1	1	—	—	—	—
43	4	4	—	—	—	—	1	1	—	—	—	—
42	2	2	—	—	—	—	2	2	—	—	—	—
41	7	5	2	—	—	—	—	—	—	—	—	—
40	20	13	7	—	—	—	23	18	5	—	—	—
39	25	10	15	—	—	—	14	10	4	—	—	—
38	48	19	29	—	—	—	15	9	6	—	—	—
37	22	11	11	—	—	—	12	7	5	—	—	—
36	24	12	12	—	—	—	14	10	4	—	—	—
35	25	14	11	—	—	—	25	19	6	—	—	—
34	22	12	10	—	—	—	16	7	8	—	1	—
33	14	6	8	—	—	—	21	18	3	—	—	—
32	16	9	7	—	—	—	34	21	13	—	—	—
31	8	5	3	—	—	—	17	14	3	—	—	—
30	14	5	9	—	—	—	81	13	68	—	—	—
29	9	6	3	—	—	—	21	12	9	—	—	—
28	23	14	9	—	—	—	74	25	48	—	1	—
27	10	7	3	—	—	—	26	15	11	—	—	—
26	12	8	4	—	—	—	38	9	29	—	—	—
25	12	10	2	—	—	—	27	14	12	—	1	—
24	22	14	8	—	—	—	27	15	12	—	—	—
23	11	9	2	—	—	—	20	14	6	—	—	—
22	12	8	4	—	—	—	35	30	5	—	—	—
21	6	2	4	—	—	—	22	18	4	—	—	—
20	7	3	4	—	—	—	20	18	2	—	—	—
19	9	6	3	—	—	—	14	9	5	—	—	—
18	52	21	29	1	—	1	37	33	2	2	—	—
DOMESTIC												
Total	**35,016**	**673**	**21**	**14,933**	**10,432**	**8,957**	**35,796**	**674**	**22**	**14,835**	**10,945**	**9,320**
40	1	—	1	—	—	—	—	—	—	—	—	—
38	—	—	—	—	—	—	2	—	2	—	—	—
36	2	—	—	—	—	2	—	—	—	—	—	—
34	2	—	1	—	1	—	1	—	1	—	—	—
32	2	—	2	—	—	—	5	—	5	—	—	—
31	2	—	2	—	—	—	1	—	—	—	—	1
30	9	—	9	—	—	—	11	—	10	—	—	1
29	1	—	1	—	—	—	2	—	2	—	—	—
28	—	—	—	—	—	—	1	—	—	—	—	1
27	1	—	—	—	—	1	—	—	—	—	—	—
26	6	—	—	—	—	6	1	—	—	—	—	1
25	1	—	—	—	—	1	1	—	1	—	—	—
24	5	—	3	1	—	1	4	—	1	1	1	1
23	—	—	—	—	—	—	2	—	—	1	—	1
22	—	—	—	—	—	—	1	—	—	—	1	—
21	11	—	—	11	—	—	17	—	—	16	—	1
20	12	—	1	10	1	—	13	—	—	6	—	7
19	4	—	—	—	—	4	16	—	—	1	—	15
18	34,957	673	1	14,911	10,430	8,942	35,718	674	—	14,810	10,943	9,291
											Total trips:	**71,906**

PORT OF SOUTH LOUISIANA (LA)*

			Inbound						Outbound			
Grand Total	**70,520**	**2,920**	**730**	**15,068**	**40,363**	**11,439**	**71,040**	**3,705**	**836**	**15,021**	**39,708**	**11,770**
FOREIGN												
Total	**1,389**	**843**	**539**	**3**	**3**	**1**	**2,295**	**1,638**	**636**	**9**	**11**	**1**
48	—	—	—	—	—	—	2	2	—	—	—	—
47	1	1	—	—	—	—	2	2	—	—	—	—
46	12	11	1	—	—	—	16	16	—	—	—	—
45	34	20	14	—	—	—	27	21	6	—	—	—
44	16	6	10	—	—	—	25	25	—	—	—	—
43	10	8	2	—	—	—	45	43	2	—	—	—
42	18	12	6	—	—	—	50	48	2	—	—	—
41	16	5	11	—	—	—	29	26	3	—	—	—
40	75	34	41	—	—	—	253	241	11	—	1	—
39	68	16	52	—	—	—	131	119	12	—	—	—
38	58	14	44	—	—	—	98	85	13	—	—	—
37	53	15	38	—	—	—	41	32	9	—	—	—

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
PORT OF SOUTH LOUISIANA (LA) - continued			Inbound						Outbound			
FOREIGN												
36	55	23	32	—	—	—	190	131	59	—	—	—
35	38	11	26	—	—	1	85	64	21	—	—	—
34	30	16	14	—	—	—	87	71	16	—	—	—
33	36	16	20	—	—	—	100	92	7	—	1	—
32	41	23	18	—	—	—	189	156	33	—	—	—
31	28	20	8	—	—	—	47	36	10	—	1	—
30	54	24	30	—	—	—	111	54	56	—	1	—
29	31	18	13	—	—	—	87	29	57	—	1	—
28	42	26	16	—	—	—	167	40	127	—	—	—
27	27	9	18	—	—	—	55	19	35	1	—	—
26	33	14	19	—	—	—	59	22	36	1	—	—
25	70	56	14	—	—	—	89	54	35	—	—	—
24	58	41	17	—	—	—	53	29	23	—	1	—
23	42	31	11	—	—	—	38	29	9	—	—	—
22	59	44	14	1	—	—	44	26	18	—	—	—
21	94	86	8	—	—	—	38	24	11	—	3	—
20	101	91	10	—	—	—	33	21	12	—	—	—
19	44	39	5	—	—	—	20	15	5	—	—	—
18	145	113	27	2	3	—	84	66	8	7	2	1
DOMESTIC												
Total	**69,131**	**2,077**	**191**	**15,065**	**40,360**	**11,438**	**68,745**	**2,067**	**200**	**15,012**	**39,697**	**11,769**
41	—	—	—	—	—	—	1	—	1	—	—	—
39	1	—	1	—	—	—	1	—	1	—	—	—
37	1	—	—	—	1	—	9	—	9	—	—	—
36	19	—	—	—	18	1	14	—	12	—	—	2
35	2	—	1	—	1	—	31	—	31	—	—	—
34	5	—	3	—	2	—	36	—	35	—	—	1
33	5	—	2	—	3	—	31	—	29	—	—	2
32	22	—	1	—	21	—	89	—	38	—	—	51
31	11	—	—	—	9	2	43	—	18	—	—	25
30	5	—	4	—	—	1	39	—	5	—	—	34
29	5	—	1	—	—	4	39	—	2	—	1	36
28	9	—	1	6	—	2	76	—	1	3	2	70
27	7	—	1	—	—	6	28	—	—	—	9	19
26	11	—	3	—	—	8	31	—	1	—	2	28
25	60	—	56	—	—	4	25	—	2	—	8	15
24	19	—	10	—	—	9	16	—	1	—	—	15
23	6	—	5	—	—	1	7	—	—	4	—	3
22	9	—	1	—	—	8	18	—	—	—	—	18
21	22	—	—	18	—	4	28	—	—	22	—	6
20	120	—	79	38	—	3	49	—	5	35	3	6
19	36	—	1	32	—	3	53	—	1	19	—	33
18	68,756	2,077	21	14,971	40,305	11,382	68,081	2,067	8	14,929	39,672	11,405
										Total trips:		**141,560**

***As of 2001, tugboats assisting in the navigation of larger vessels are no longer collected.**

PORT OF PLAQUEMINES, LA			Inbound						Outbound			
Grand Total	**25,876**	**8,921**	**190**	**2,511**	**12,832**	**1,422**	**24,402**	**8,806**	**101**	**2,549**	**11,446**	**1,500**
FOREIGN												
Total	**625**	**436**	**173**	**8**	**8**	**—**	**361**	**272**	**85**	**2**	**2**	**—**
47	4	4	—	—	—	—	2	2	—	—	—	—
46	11	11	—	—	—	—	1	1	—	—	—	—
45	15	12	3	—	—	—	1	—	1	—	—	—
44	17	12	5	—	—	—	8	8	—	—	—	—
43	7	4	3	—	—	—	6	6	—	—	—	—
42	23	7	16	—	—	—	21	11	10	—	—	—
41	6	1	5	—	—	—	2	2	—	—	—	—
40	36	8	28	—	—	—	34	23	11	—	—	—
39	24	5	19	—	—	—	33	27	6	—	—	—
38	19	9	10	—	—	—	14	14	—	—	—	—
37	10	7	3	—	—	—	7	7	—	—	—	—
36	14	9	5	—	—	—	31	27	4	—	—	—
35	19	10	9	—	—	—	16	13	3	—	—	—
34	19	7	12	—	—	—	14	13	1	—	—	—
33	7	3	4	—	—	—	16	12	4	—	—	—
32	18	11	7	—	—	—	11	10	1	—	—	—
31	6	4	2	—	—	—	7	3	4	—	—	—
30	16	10	6	—	—	—	8	6	1	—	1	—

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
PORT OF PLAQUEMINES, LA - continued			Inbound						Outbound			
FOREIGN												
29	5	4	1	—	—	—	3	1	2	—	—	—
28	9	4	4	—	1	—	32	15	17	—	—	—
27	10	3	6	1	—	—	9	5	4	—	—	—
26	8	4	4	—	—	—	10	4	6	—	—	—
25	33	25	7	—	1	—	11	8	3	—	—	—
24	26	22	3	1	—	—	16	16	—	—	—	—
23	28	26	2	—	—	—	8	8	—	—	—	—
22	33	33	—	—	—	—	12	11	1	—	—	—
21	67	62	5	—	—	—	5	5	—	—	—	—
20	56	56	—	—	—	—	9	4	5	—	—	—
19	15	14	1	—	—	—	2	2	—	—	—	—
18	64	49	3	6	6	—	12	8	1	2	1	—
DOMESTIC												
Total	**25,251**	**8,485**	**17**	**2,503**	**12,824**	**1,422**	**24,041**	**8,534**	**16**	**2,547**	**11,444**	**1,500**
41	1	—	1	—	—	—	—	—	—	—	—	—
40	1	—	1	—	—	—	—	—	—	—	—	—
39	—	—	—	—	—	—	2	—	2	—	—	—
36	—	—	—	—	—	—	27	—	1	—	26	—
35	15	3	—	—	12	—	32	11	1	—	20	—
34	6	—	—	—	6	—	10	—	—	—	10	—
33	2	1	1	—	—	—	6	6	—	—	—	—
32	7	—	—	—	7	—	22	—	—	—	22	—
31	—	—	—	—	—	—	15	—	—	—	15	—
30	2	—	—	—	2	—	13	—	1	—	11	1
29	1	—	—	—	1	—	7	—	2	—	5	—
28	29	—	—	20	9	—	46	—	3	30	13	—
27	—	—	—	—	—	—	5	—	1	—	4	—
26	4	—	1	—	2	1	8	—	1	—	7	—
25	14	—	3	—	10	1	46	—	—	—	46	—
24	15	—	2	12	—	1	29	—	1	22	6	—
22	13	—	—	12	1	—	17	—	—	14	3	—
21	4	—	2	—	2	—	44	—	—	—	44	—
20	3	—	—	1	2	—	51	1	—	2	48	—
19	42	—	—	34	8	—	87	—	—	50	37	—
18	25,092	8,481	6	2,424	12,762	1,419	23,574	8,516	3	2,429	11,127	1,499
										Total trips:		**50,278**

MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT)

			Upbound						Downbound			
Grand Total	**262,094**	**47,334**	**1,768**	**58,886**	**119,435**	**34,671**	**263,181**	**45,789**	**1,749**	**62,309**	**119,434**	**33,900**
FOREIGN												
Total	**5,167**	**3,676**	**1,422**	**31**	**35**	**3**	**5,383**	**3,918**	**1,394**	**35**	**33**	**3**
48	—	—	—	—	—	—	2	2	—	—	—	—
47	8	8	—	—	—	—	4	4	—	—	—	—
46	28	27	1	—	—	—	17	17	—	—	—	—
45	69	46	23	—	—	—	33	24	9	—	—	—
44	48	31	17	—	—	—	45	44	1	—	—	—
43	24	16	8	—	—	—	68	62	6	—	—	—
42	47	24	23	—	—	—	93	80	13	—	—	—
41	41	15	26	—	—	—	47	42	5	—	—	—
40	164	64	100	—	—	—	361	327	33	—	1	—
39	175	47	128	—	—	—	237	209	28	—	—	—
38	171	56	115	—	—	—	160	132	28	—	—	—
37	123	43	80	—	—	—	80	61	19	—	—	—
36	139	68	71	—	—	—	304	221	83	—	—	—
35	145	80	64	—	—	1	196	154	42	—	—	—
34	134	71	63	—	—	—	172	140	30	—	2	—
33	120	75	45	—	—	—	205	185	19	—	1	—
32	159	107	52	—	—	—	361	284	77	—	—	—
31	107	77	30	—	—	—	109	83	25	—	1	—
30	220	143	77	—	—	—	380	176	202	—	2	—
29	108	78	30	—	—	—	175	86	88	—	1	—
28	208	148	59	—	1	—	415	155	258	1	1	—
27	132	84	47	1	—	—	165	85	78	2	—	—
26	157	109	48	—	—	—	172	82	88	2	—	—
25	369	324	44	—	1	—	301	231	69	—	1	—
24	252	200	51	1	—	—	175	117	55	—	3	—
23	227	196	31	—	—	—	144	116	27	—	1	—

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
MISSISSIPPI RIVER, MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT) - continued												
			Upbound						Downbound			
FOREIGN												
22	237	209	27	1	—	—	165	132	31	—	2	—
21	367	338	29	—	—	—	118	95	19	—	4	—
20	388	361	26	—	1	—	128	102	25	1	—	—
19	179	160	18	—	1	—	63	47	15	1	—	—
18	621	471	89	28	31	2	488	423	21	28	13	3
DOMESTIC												
Total	**256,927**	**43,658**	**346**	**58,855**	**119,400**	**34,668**	**257,798**	**41,871**	**355**	**62,274**	**119,401**	**33,897**
41	—	—	—	—	—	—	1	—	1	—	—	—
40	2	—	2	—	—	—	—	—	—	—	—	—
39	1	—	1	—	—	—	2	—	2	—	—	—
38	—	—	—	—	—	—	5	—	5	—	—	—
37	1	—	—	—	1	—	11	—	11	—	—	—
36	21	—	—	—	18	3	43	—	15	—	25	3
35	17	3	1	—	13	—	53	11	22	—	20	—
34	12	—	3	—	9	—	39	—	28	—	10	1
33	8	1	4	—	3	—	51	6	44	—	—	1
32	31	—	3	—	28	—	108	—	29	—	23	56
31	12	—	2	—	9	1	83	—	31	—	15	37
30	16	—	12	—	2	2	96	—	25	—	11	60
29	6	—	2	—	1	3	57	—	4	—	7	46
28	36	—	1	22	9	4	146	—	7	34	16	89
27	8	—	1	—	—	7	34	—	3	—	7	24
26	22	—	4	—	2	16	57	—	2	—	20	35
25	78	—	62	—	11	5	81	—	3	—	61	17
24	37	—	15	12	—	10	53	—	3	23	8	19
23	7	—	5	—	—	2	10	—	—	4	1	5
22	16	—	1	12	—	3	41	—	—	14	4	23
21	40	—	2	31	2	5	92	—	—	40	44	8
20	142	—	85	48	3	6	112	1	3	44	51	13
19	75	—	1	50	8	16	159	—	1	71	37	50
18	256,339	43,654	139	58,680	119,281	34,585	256,464	41,853	116	62,044	119,041	33,410
										Total trips:		**525,275**

MISSISSIPPI RIVER, BATON ROUGE, LA TO NEW ORLEANS, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)

			Upbound						Downbound			
Grand Total	**132,963**	**3,493**	**970**	**31,140**	**72,994**	**24,366**	**131,715**	**4,406**	**1,150**	**29,800**	**72,427**	**23,932**
FOREIGN												
Total	**1,889**	**1,122**	**757**	**4**	**4**	**2**	**2,980**	**2,025**	**928**	**11**	**15**	**1**
48	—	—	—	—	—	—	2	2	—	—	—	—
47	3	3	—	—	—	—	2	2	—	—	—	—
46	15	14	1	—	—	—	16	16	—	—	—	—
45	42	28	14	—	—	—	27	21	6	—	—	—
44	24	14	10	—	—	—	26	26	—	—	—	—
43	14	12	2	—	—	—	46	44	2	—	—	—
42	20	14	6	—	—	—	52	50	2	—	—	—
41	23	10	13	—	—	—	30	27	3	—	—	—
40	95	47	48	—	—	—	277	259	17	—	1	—
39	93	26	67	—	—	—	145	129	16	—	—	—
38	108	35	73	—	—	—	113	94	19	—	—	—
37	75	26	49	—	—	—	53	39	14	—	—	—
36	82	37	45	—	—	—	204	141	63	—	—	—
35	66	28	37	—	—	1	114	87	27	—	—	—
34	54	29	25	—	—	—	103	78	24	—	1	—
33	51	23	28	—	—	—	121	110	10	—	1	—
32	60	34	26	—	—	—	226	179	47	—	—	—
31	38	26	12	—	—	—	65	50	14	—	1	—
30	73	31	42	—	—	—	200	70	129	—	1	—
29	40	24	16	—	—	—	108	41	66	—	1	—
28	68	42	26	—	—	—	242	65	176	—	1	—
27	39	16	23	—	—	—	83	35	47	1	—	—
26	49	25	24	—	—	—	102	33	68	1	—	—
25	86	69	17	—	—	—	121	70	50	—	1	—
24	82	55	27	—	—	—	85	47	37	—	1	—
23	53	40	13	—	—	—	58	43	15	—	—	—
22	71	52	18	1	—	—	82	58	24	—	—	—
21	100	88	12	—	—	—	60	42	15	—	3	—
20	108	94	14	—	—	—	56	41	15	—	—	—
19	56	45	11	—	—	—	35	25	10	—	—	—

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
MISSISSIPPI RIVER, BATON ROUGE, LA TO NEW ORLEANS, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES) - continued												
	Upbound						Downbound					
FOREIGN												
18	201	135	58	3	4	1	126	101	12	9	3	1
DOMESTIC												
Total	**131,074**	**2,371**	**213**	**31,136**	**72,990**	**24,364**	**128,735**	**2,381**	**222**	**29,789**	**72,412**	**23,931**
41	—	—	—	—	—	—	1	—	1	—	—	—
40	1	—	1	—	—	—	—	—	—	—	—	—
39	1	—	1	—	—	—	1	—	1	—	—	—
38	—	—	—	—	—	—	2	—	2	—	—	—
37	1	—	—	—	1	—	9	—	9	—	—	—
36	21	—	—	—	18	3	14	—	12	—	—	2
35	2	—	1	—	1	—	31	—	31	—	—	—
34	6	—	3	—	3	—	38	—	37	—	—	1
33	5	—	2	—	3	—	31	—	29	—	—	2
32	24	—	3	—	21	—	94	—	43	—	—	51
31	12	—	2	—	9	1	45	—	18	—	—	27
30	14	—	13	—	—	1	50	—	15	—	—	35
29	5	—	2	—	—	3	42	—	4	—	1	37
28	10	—	1	6	—	3	76	—	1	3	2	70
27	7	—	1	—	—	6	28	—	—	—	9	19
26	17	—	3	—	—	14	31	—	2	—	2	27
25	62	—	57	—	—	5	26	—	3	—	8	15
24	23	—	13	1	—	9	20	—	2	1	1	16
23	5	—	5	—	—	—	10	—	—	5	—	5
22	4	—	1	—	—	3	24	—	—	—	1	23
21	30	—	—	27	—	3	43	—	—	36	—	7
20	130	—	81	45	1	3	60	—	3	41	3	13
19	42	—	1	31	—	10	67	—	1	21	—	45
18	130,652	2,371	22	31,026	72,933	24,300	127,992	2,381	8	29,682	72,385	23,536
											Total trips:	**264,678**
MISSISSIPPI RIVER, MOUTH OF OHIO RIVER TO BATON ROUGE, LA (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)												
	Upbound						Downbound					
Grand Total	**108,608**	**93**	**—**	**12,621**	**81,064**	**14,830**	**107,527**	**88**	**—**	**12,304**	**81,131**	**14,004**
DOMESTIC												
Total	**108,608**	**93**	**—**	**12,621**	**81,064**	**14,830**	**107,527**	**88**	**—**	**12,304**	**81,131**	**14,004**
14	15	—	—	1	12	2	39	—	—	1	38	—
13	25	—	—	—	21	4	195	—	—	—	195	—
12	187	—	—	49	41	97	470	—	—	49	413	8
11	523	—	—	79	220	224	2,803	—	—	81	2,592	130
10	2,249	—	—	399	502	1,348	4,798	—	—	356	4,193	249
9	21,007	13	—	2,888	11,325	6,781	41,121	11	—	2,830	37,165	1,115
8	17,459	3	—	3,491	11,356	2,609	33,113	3	—	3,267	29,158	685
7	4,069	61	—	2,194	1,236	578	5,910	62	—	2,289	3,417	142
6	63,074	16	—	3,520	56,351	3,187	19,078	12	—	3,431	3,960	11,675
											Total trips:	**216,135**
MISSISSIPPI RIVER, BATON ROUGE, LA TO MOUTH OF PASSES												
	Upbound						Downbound					
Grand Total	**191,329**	**42,277**	**1,768**	**40,325**	**77,531**	**29,428**	**188,248**	**41,336**	**1,749**	**37,660**	**78,529**	**28,974**
FOREIGN												
Total	**5,167**	**3,676**	**1,422**	**31**	**35**	**3**	**5,383**	**3,918**	**1,394**	**35**	**33**	**3**
48	—	—	—	—	—	—	2	2	—	—	—	—
47	8	8	—	—	—	—	4	4	—	—	—	—
46	28	27	1	—	—	—	17	17	—	—	—	—
45	69	46	23	—	—	—	33	24	9	—	—	—
44	48	31	17	—	—	—	45	44	1	—	—	—
43	24	16	8	—	—	—	68	62	6	—	—	—
42	47	24	23	—	—	—	93	80	13	—	—	—
41	41	15	26	—	—	—	47	42	5	—	—	—
40	164	64	100	—	—	—	361	327	33	—	1	—
39	175	47	128	—	—	—	237	209	28	—	—	—
38	171	56	115	—	—	—	160	132	28	—	—	—
37	123	43	80	—	—	—	80	61	19	—	—	—

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
MISSISSIPPI RIVER, BATON ROUGE, LA TO MOUTH OF PASSES - continued												
	Upbound						Downbound					
FOREIGN												
36	139	68	71	—	—	—	304	221	83	—	—	—
35	145	80	64	—	—	1	196	154	42	—	—	—
34	134	71	63	—	—	—	172	140	30	—	2	—
33	120	75	45	—	—	—	205	185	19	—	1	—
32	159	107	52	—	—	—	361	284	77	—	—	—
31	107	77	30	—	—	—	109	83	25	—	1	—
30	220	143	77	—	—	—	380	176	202	—	2	—
29	108	78	30	—	—	—	175	86	88	—	1	—
28	208	148	59	—	1	—	415	155	258	1	1	—
27	132	84	47	1	—	—	165	85	78	2	—	—
26	157	109	48	—	—	—	172	82	88	2	—	—
25	369	324	44	—	1	—	301	231	69	—	1	—
24	252	200	51	1	—	—	175	117	55	—	3	—
23	227	196	31	—	—	—	144	116	27	—	1	—
22	237	209	27	1	—	—	165	132	31	—	2	—
21	367	338	29	—	—	—	118	95	19	—	4	—
20	388	361	26	—	1	—	128	102	25	1	—	—
19	179	160	18	—	1	—	63	47	15	1	—	—
18	621	471	89	28	31	2	488	423	21	28	13	3
DOMESTIC												
Total	**186,162**	**38,601**	**346**	**40,294**	**77,496**	**29,425**	**182,865**	**37,418**	**355**	**37,625**	**78,496**	**28,971**
41	—	—	—	—	—	—	1	—	1	—	—	—
40	2	—	2	—	—	—	—	—	—	—	—	—
39	1	—	1	—	—	—	2	—	2	—	—	—
38	—	—	—	—	—	—	5	—	5	—	—	—
37	1	—	—	—	1	—	11	—	11	—	—	—
36	21	—	—	—	18	3	43	—	15	—	25	3
35	17	3	1	—	13	—	53	11	22	—	20	—
34	12	—	3	—	9	—	39	—	28	—	10	1
33	8	1	4	—	3	—	51	6	44	—	—	1
32	31	—	3	—	28	—	108	—	29	—	23	56
31	12	—	2	—	9	1	83	—	31	—	15	37
30	16	—	12	—	2	2	96	—	25	—	11	60
29	6	—	2	—	1	3	57	—	4	—	7	46
28	36	—	1	22	9	4	146	—	7	34	16	89
27	8	—	1	—	—	7	34	—	3	—	7	24
26	22	—	4	—	2	16	57	—	2	—	20	35
25	78	—	62	—	11	5	81	—	3	—	61	17
24	37	—	15	12	—	10	53	—	3	23	8	19
23	7	—	5	—	—	2	10	—	—	4	1	5
22	16	—	1	12	—	3	41	—	—	14	4	23
21	40	—	2	31	2	5	92	—	—	40	44	8
20	142	—	85	48	3	6	112	1	3	44	51	13
19	75	—	1	50	8	16	159	—	1	71	37	50
18	185,574	38,597	139	40,119	77,377	29,342	181,531	37,400	116	37,395	78,136	28,484
										Total trips:		**379,577**

PASSES OF THE MISSISSIPPI RIVER (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES)

	Upbound						Downbound					
Grand Total	**10,207**	**6,191**	**1,624**	**881**	**878**	**633**	**10,302**	**6,072**	**1,630**	**956**	**973**	**671**
FOREIGN												
Total	**5,124**	**3,656**	**1,401**	**30**	**35**	**2**	**5,162**	**3,700**	**1,392**	**35**	**32**	**3**
48	—	—	—	—	—	—	2	2	—	—	—	—
47	8	8	—	—	—	—	4	4	—	—	—	—
46	28	27	1	—	—	—	17	17	—	—	—	—
45	69	46	23	—	—	—	33	24	9	—	—	—
44	48	31	17	—	—	—	45	44	1	—	—	—
43	24	16	8	—	—	—	68	62	6	—	—	—
42	47	24	23	—	—	—	93	80	13	—	—	—
41	41	15	26	—	—	—	47	42	5	—	—	—
40	164	64	100	—	—	—	361	327	33	—	1	—
39	170	46	124	—	—	—	234	206	28	—	—	—
38	167	56	111	—	—	—	160	132	28	—	—	—
37	120	43	77	—	—	—	80	61	19	—	—	—
36	137	68	69	—	—	—	302	219	83	—	—	—
35	145	80	64	—	—	1	194	152	42	—	—	—
34	132	71	61	—	—	—	171	139	30	—	2	—
33	118	75	43	—	—	—	204	184	19	—	1	—

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
PASSES OF THE MISSISSIPPI RIVER (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES) - continued												
	Upbound						Downbound					
FOREIGN												
32	159	107	52	—	—	—	359	282	77	—	—	—
31	107	77	30	—	—	—	107	82	24	—	1	—
30	219	143	76	—	—	—	376	173	201	—	2	—
29	107	78	29	—	—	—	172	83	88	—	1	—
28	208	148	59	—	1	—	414	154	258	1	1	—
27	131	84	46	1	—	—	165	85	78	2	—	—
26	157	109	48	—	—	—	172	82	88	2	—	—
25	368	324	43	—	1	—	299	229	69	—	1	—
24	252	200	51	1	—	—	174	116	55	—	3	—
23	227	196	31	—	—	—	144	116	27	—	1	—
22	237	209	27	1	—	—	165	132	31	—	2	—
21	367	338	29	—	—	—	118	95	19	—	4	—
20	388	361	26	—	1	—	128	102	25	1	—	—
19	179	160	18	—	1	—	63	47	15	1	—	—
18	600	452	89	27	31	1	291	227	21	28	12	3
DOMESTIC												
Total	**5,083**	**2,535**	**223**	**851**	**843**	**631**	**5,140**	**2,372**	**238**	**921**	**941**	**668**
40	2	—	2	—	—	—	—	—	—	—	—	—
39	1	—	1	—	—	—	2	—	2	—	—	—
38	—	—	—	—	—	—	5	—	5	—	—	—
37	1	—	—	—	1	—	11	—	11	—	—	—
36	21	—	—	—	18	3	43	—	15	—	25	3
35	17	3	1	—	13	—	53	11	22	—	20	—
34	12	—	3	—	9	—	38	—	27	—	10	1
33	8	1	4	—	3	—	50	6	43	—	—	1
32	31	—	3	—	28	—	108	—	29	—	23	56
31	11	—	2	—	9	—	80	—	31	—	15	34
30	15	—	11	—	2	2	95	—	24	—	11	60
29	6	—	2	—	1	3	55	—	4	—	7	44
28	33	—	—	22	9	2	141	—	6	30	16	89
27	6	—	1	—	—	5	33	—	3	—	7	23
26	17	—	4	—	2	11	53	—	1	—	20	32
25	76	—	61	—	10	5	77	—	—	—	61	16
24	35	—	15	12	—	8	49	—	3	22	8	16
23	5	—	5	—	—	—	7	—	—	4	1	2
22	14	—	1	12	—	1	31	—	—	14	3	14
21	22	—	2	17	2	1	73	—	—	26	44	3
20	131	—	77	46	3	5	98	1	2	34	51	10
19	65	—	1	50	8	6	136	—	1	55	37	43
18	4,554	2,531	27	692	725	579	3,902	2,354	9	736	582	221
										Total trips:		**20,509**

MISSISSIPPI RIVER SYSTEM

	Upbound						Downbound					
Grand Total	**532,210**	**64,532**	**1,768**	**142,659**	**280,823**	**42,428**	**529,725**	**64,070**	**1,749**	**141,655**	**279,822**	**42,429**
FOREIGN												
Total	**5,167**	**3,676**	**1,422**	**31**	**35**	**3**	**5,383**	**3,918**	**1,394**	**35**	**33**	**3**
13	5,051	3,595	1,422	23	9	2	5,113	3,667	1,394	29	22	1
12	33	21	—	5	7	—	26	18	—	3	5	—
11	9	8	—	—	1	—	10	9	—	1	—	—
10	9	6	—	2	1	—	14	12	—	1	1	—
9	13	10	—	1	2	—	10	9	—	—	1	—
8	14	7	—	—	7	—	27	24	—	1	1	1
7	6	3	—	—	2	1	46	45	—	—	—	1
6	28	25	—	—	3	—	123	120	—	—	3	—
5	3	—	—	—	3	—	12	12	—	—	—	—
3	1	1	—	—	—	—	1	1	—	—	—	—
2	—	—	—	—	—	—	1	1	—	—	—	—
DOMESTIC												
Total	**527,043**	**60,856**	**346**	**142,628**	**280,788**	**42,425**	**524,342**	**60,152**	**355**	**141,620**	**279,789**	**42,426**
13	2,883	405	292	1,811	191	184	3,716	343	254	1,904	615	600
12	2,106	317	1	1,124	126	538	2,517	300	—	1,095	681	441
11	3,773	242	19	1,273	1,540	699	4,875	197	5	1,227	2,741	705
10	13,603	618	4	4,785	5,445	2,751	11,584	460	—	3,927	6,001	1,196
9	89,805	5,407	7	11,641	63,941	8,809	96,923	5,426	—	11,754	72,276	7,467
8	79,408	3,088	5	24,654	46,051	5,610	119,673	3,035	2	24,655	89,302	2,679

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
MISSISSIPPI RIVER SYSTEM - continued												
	Upbound						Downbound					
DOMESTIC												
7	52,422	4,677	—	32,688	12,960	2,097	45,098	4,804	—	32,675	6,317	1,302
6	42,795	11,091	18	20,865	9,851	970	38,601	11,091	94	20,865	5,830	721
5	40,326	9,880	—	24,705	4,372	1,369	40,432	9,885	—	24,706	5,321	520
4	14,944	5,368	—	7,418	845	1,313	14,865	4,894	—	7,009	1,982	980
3	12,166	7,087	—	1,717	1,998	1,364	12,255	7,198	—	1,906	1,852	1,299
2	159,076	12,674	—	8,491	123,055	14,856	127,314	12,519	—	8,491	84,034	22,270
1	13,736	2	—	1,456	10,413	1,865	6,489	—	—	1,406	2,837	2,246
										Total trips:		**1,061,935**

GULF INTRACOASTAL WATERWAY BETWEEN APALACHEE BAY, FL AND THE MEXICAN BORDER (CONSOLIDATED REPORT)

	Upbound						Downbound					
Grand Total	**112,875**	**20,716**	**118**	**34,635**	**23,418**	**33,988**	**112,330**	**20,818**	**135**	**35,013**	**22,647**	**33,717**
DOMESTIC												
Total	**112,875**	**20,716**	**118**	**34,635**	**23,418**	**33,988**	**112,330**	**20,818**	**135**	**35,013**	**22,647**	**33,717**
15	58	16	2	35	—	5	52	4	2	32	—	14
14	258	85	—	167	1	5	252	87	2	158	5	—
13	648	146	2	485	2	13	1,107	142	75	882	3	5
12	1,498	482	—	412	112	492	1,104	502	1	303	24	274
11	1,780	442	4	460	332	542	1,463	459	26	437	98	443
10	4,735	1,206	—	1,163	538	1,828	4,559	1,270	4	1,069	394	1,822
9	19,538	803	1	3,477	6,383	8,874	15,961	846	7	3,478	3,820	7,810
8	14,917	1,552	10	5,436	4,716	3,203	12,642	1,457	3	5,602	3,025	2,555
7	14,105	2,618	—	9,185	1,269	1,033	13,185	2,522	—	9,248	688	727
6	55,338	13,366	99	13,815	10,065	17,993	62,005	13,529	15	13,804	14,590	20,067
										Total trips:		**225,205**

GULF INTRACOASTAL WATERWAY, LOUISIANA PORTION, LA (INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT)

	Upbound						Downbound					
Grand Total	**70,889**	**9,116**	**99**	**20,505**	**19,507**	**21,662**	**68,807**	**9,355**	**119**	**20,001**	**18,185**	**21,147**
DOMESTIC												
Total	**70,889**	**9,116**	**99**	**20,505**	**19,507**	**21,662**	**68,807**	**9,355**	**119**	**20,001**	**18,185**	**21,147**
15	134	48	—	35	47	4	131	36	—	34	47	14
14	209	85	—	119	1	4	210	87	—	118	5	—
13	166	145	—	7	2	12	232	142	73	9	3	5
12	870	403	—	96	68	303	705	427	1	87	23	167
11	1,123	385	1	109	234	394	975	408	20	121	86	340
10	2,711	640	—	380	432	1,259	2,625	702	4	345	374	1,200
9	12,558	385	—	1,777	5,280	5,116	9,186	445	6	1,826	2,976	3,933
8	11,137	1,197	—	3,435	4,281	2,224	8,521	1,132	1	3,384	2,469	1,535
7	6,811	1,232	—	4,075	741	763	6,300	1,154	—	4,008	590	548
6	8,218	1,413	98	5,683	446	578	7,896	1,577	14	5,501	418	386
5	5,178	1,277	—	2,986	375	540	4,783	1,317	—	2,882	262	322
4	3,610	947	—	1,325	407	931	3,052	847	—	1,300	518	387
3	2,357	794	—	153	377	1,033	2,648	916	—	164	684	884
2	14,634	165	—	318	6,676	7,475	19,820	165	—	218	9,320	10,117
1	1,173	—	—	7	140	1,026	1,723	—	—	4	410	1,309
										Total trips:		**139,696**

GULF INTRACOASTAL WATERWAY, MOBILE BAY, AL TO NEW ORLEANS, LA (INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT)

	Upbound						Downbound					
Grand Total	**20,017**	**5,452**	**2**	**4,665**	**5,980**	**3,918**	**20,079**	**5,574**	**14**	**4,615**	**5,939**	**3,937**
DOMESTIC												
Total	**20,017**	**5,452**	**2**	**4,665**	**5,980**	**3,918**	**20,079**	**5,574**	**14**	**4,615**	**5,939**	**3,937**
14	113	5	—	107	1	—	113	5	—	107	—	1
13	2	1	—	—	1	—	1	1	—	—	—	—
12	318	6	—	60	49	203	105	3	—	58	4	40
11	448	13	2	133	183	117	230	16	13	125	13	63
10	1,627	613	—	329	304	381	1,194	645	—	310	37	202

Trips and Drafts of Vessels, 2001
(draft in feet)

GULF INTRACOASTAL WATERWAY, MOBILE BAY, AL TO NEW ORLEANS, LA (INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT) - continued

Draft	Upbound: Self Propelled Vessels Total	Upbound: Self Propelled Vessels Pass & Dry Cargo	Upbound: Self Propelled Vessels Tanker	Upbound: Self Propelled Vessels Tow or Tug	Upbound: Non-Self Propelled Vessels Dry Cargo	Upbound: Non-Self Propelled Vessels Tanker	Downbound: Self Propelled Vessels Total	Downbound: Self Propelled Vessels Pass & Dry Cargo	Downbound: Self Propelled Vessels Tanker	Downbound: Self Propelled Vessels Tow or Tug	Downbound: Non-Self Propelled Vessels Dry Cargo	Downbound: Non-Self Propelled Vessels Tanker
DOMESTIC												
9	3,097	10	—	545	1,835	707	2,826	11	—	578	1,407	830
8	2,823	2	—	1,164	1,159	498	2,397	3	1	1,098	1,037	258
7	1,390	75	—	1,082	151	82	1,515	101	—	1,098	184	132
6	10,199	4,727	—	1,245	2,297	1,930	11,698	4,789	—	1,241	3,257	2,411
											Total trips:	**40,096**

GULF INTRACOASTAL WATERWAY, MISSISSIPPI RIVER, LA, TO SABINE RIVER, TX (INCLUDED IN GULF INTRACOASTAL WATERWAY CONSOLIDATED REPORT)

Draft	Upbound: Self Propelled Vessels Total	Upbound: Self Propelled Vessels Pass & Dry Cargo	Upbound: Self Propelled Vessels Tanker	Upbound: Self Propelled Vessels Tow or Tug	Upbound: Non-Self Propelled Vessels Dry Cargo	Upbound: Non-Self Propelled Vessels Tanker	Downbound: Self Propelled Vessels Total	Downbound: Self Propelled Vessels Pass & Dry Cargo	Downbound: Self Propelled Vessels Tanker	Downbound: Self Propelled Vessels Tow or Tug	Downbound: Non-Self Propelled Vessels Dry Cargo	Downbound: Non-Self Propelled Vessels Tanker
Grand Total	**61,352**	**8,842**	**99**	**18,046**	**14,868**	**19,497**	**59,904**	**9,032**	**112**	**17,523**	**14,108**	**19,129**
DOMESTIC												
Total	**61,352**	**8,842**	**99**	**18,046**	**14,868**	**19,497**	**59,904**	**9,032**	**112**	**17,523**	**14,108**	**19,129**
15	54	16	—	34	—	4	48	3	—	32	—	13
14	96	80	—	12	—	4	98	82	—	11	5	—
13	164	144	—	7	1	12	231	141	73	9	3	5
12	655	399	—	43	20	193	618	426	1	33	21	137
11	817	372	1	59	52	333	845	394	13	61	81	296
10	1,966	544	—	266	135	1,021	2,281	635	4	238	350	1,054
9	10,111	379	—	1,500	3,513	4,719	8,003	438	6	1,492	2,476	3,591
8	9,191	1,196	—	2,883	3,243	1,869	7,333	1,131	1	2,841	1,924	1,436
7	6,065	1,209	—	3,518	601	737	5,551	1,109	—	3,455	471	516
6	32,233	4,503	98	9,724	7,303	10,605	34,896	4,673	14	9,351	8,777	12,081
											Total trips:	**121,256**

AMITE RIVER AND BAYOU MANCHAC, LA
No Vessel Trips Reported

BAYOU BONFOUCA, LA
(10 feet and less)

Draft	Upbound: Self Propelled Vessels Total	Upbound: Self Propelled Vessels Pass & Dry Cargo	Upbound: Self Propelled Vessels Tanker	Upbound: Self Propelled Vessels Tow or Tug	Upbound: Non-Self Propelled Vessels Dry Cargo	Upbound: Non-Self Propelled Vessels Tanker	Downbound: Self Propelled Vessels Total	Downbound: Self Propelled Vessels Pass & Dry Cargo	Downbound: Self Propelled Vessels Tanker	Downbound: Self Propelled Vessels Tow or Tug	Downbound: Non-Self Propelled Vessels Dry Cargo	Downbound: Non-Self Propelled Vessels Tanker
Grand Total	**370**	**336**	**—**	**13**	**21**	**—**	**368**	**336**	**—**	**13**	**19**	**—**
										Total trips:		**738**

BAYOU DUPRE, LA
(9 feet and less)

Draft	Upbound: Self Propelled Vessels Total	Upbound: Self Propelled Vessels Pass & Dry Cargo	Upbound: Self Propelled Vessels Tanker	Upbound: Self Propelled Vessels Tow or Tug	Upbound: Non-Self Propelled Vessels Dry Cargo	Upbound: Non-Self Propelled Vessels Tanker	Downbound: Self Propelled Vessels Total	Downbound: Self Propelled Vessels Pass & Dry Cargo	Downbound: Self Propelled Vessels Tanker	Downbound: Self Propelled Vessels Tow or Tug	Downbound: Non-Self Propelled Vessels Dry Cargo	Downbound: Non-Self Propelled Vessels Tanker
Grand Total	**22**	**—**	**—**	**8**	**—**	**14**	**26**	**—**	**—**	**8**	**4**	**14**
										Total trips:		**48**

BAYOU GROSSE TETE, LA
No Vessel Trips Reported

BAYOU LACOMBE, LA
(9 feet and less)

Draft	Upbound: Self Propelled Vessels Total	Upbound: Self Propelled Vessels Pass & Dry Cargo	Upbound: Self Propelled Vessels Tanker	Upbound: Self Propelled Vessels Tow or Tug	Upbound: Non-Self Propelled Vessels Dry Cargo	Upbound: Non-Self Propelled Vessels Tanker	Downbound: Self Propelled Vessels Total	Downbound: Self Propelled Vessels Pass & Dry Cargo	Downbound: Self Propelled Vessels Tanker	Downbound: Self Propelled Vessels Tow or Tug	Downbound: Non-Self Propelled Vessels Dry Cargo	Downbound: Non-Self Propelled Vessels Tanker
Grand Total	**22**	**—**	**—**	**22**	**—**	**—**	**22**	**—**	**—**	**22**	**—**	**—**
										Total trips:		**44**

BAYOU PLAQUEMINE BRULE, LA
No Vessel Trips Reported

BAYOU SEGNETTE WATERWAY, LA
No Vessel Trips Reported

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
BAYOU TERREBONNE, LA												
(10 feet and less)												
			Upbound						Downbound			
Grand Total	**905**	**167**	**—-**	**415**	**107**	**216**	**966**	**182**	**—-**	**450**	**109**	**225**
										Total trips:		**1,871**
BAYOUS LA LOUTRE, ST. MALO AND YSCLOSKEY, LA												
(10 feet and less)												
			Upbound						Downbound			
Grand Total	**1,321**	**1,191**	**—-**	**113**	**2**	**15**	**1,323**	**1,192**	**—-**	**113**	**2**	**16**
										Total trips:		**2,644**
BIG PIGEON AND LITTLE PIGEON BAYOUS, LA												
(9 feet and less)												
			Upbound						Downbound			
Grand Total	**596**	**—-**	**—-**	**315**	**1**	**280**	**617**	**—-**	**—-**	**336**	**1**	**280**
										Total trips:		**1,213**
CYPRESS BAYOU AND WATERWAY BETWEEN JEFFERSON, TX AND SHREVEPORT, LA												
No Vessel Trips Reported												
FRANKLIN CANAL, LA												
(9 feet and less)												
			Upbound						Downbound			
Grand Total	**1**	**—-**	**—-**	**1**	**—-**	**—-**	**1**	**—-**	**—-**	**1**	**—-**	**—-**
										Total trips:		**2**
PASS MANCHAC, LA												
(8 feet and less)												
			Upbound						Downbound			
Grand Total	**1**	**—-**	**—-**	**1**	**—-**	**—-**	**1**	**—-**	**—-**	**1**	**—-**	**—-**
										Total trips:		**2**
TCHEFUNCTE AND BOGUE FALAYA RIVERS, LA												
(8 feet and less)												
			Upbound						Downbound			
Grand Total	**22**	**—-**	**—-**	**18**	**4**	**—-**	**23**	**—-**	**—-**	**17**	**6**	**—-**
										Total trips:		**45**
TICKFAW, NATALBANY, PONCHATOULA AND BLOOD RIVERS, LA												
No Vessel Trips Reported												
VINTON WATERWAY, LA												
No Vessel Trips Reported												
WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA (BAYOUS LE CARPE AND GRAND CAILLOU)												
(14 feet and less)												
			Upbound						Downbound			
Grand Total	**2,220**	**932**	**—-**	**934**	**169**	**185**	**2,457**	**922**	**—-**	**1,088**	**253**	**194**
										Total trips:		**4,677**

FREIGHT TRAFFIC INDEX

A

AMITE RIVER AND BAYOU MANCHAC, LA . . . 86
ATCHAFALAYA RIVER, LA . . . 18
ATCHAFALAYA RIVER, LA MORGAN CITY TO GULF OF MEXICO . . . 16

B

BARATARIA BAY WATERWAY, LA . . . 11
BATON ROUGE, LA (PORT OF BATON ROUGE, LA) . . . 37
BAYOUS:
- BIG PIGEON AND LITTLE PIGEON BAYOUS, LA . . . 86
- BONFOUCA, LA . . . 86
- CARLIN BAYOU, LA (PETIT ANSE, TIGRE AND CARLIN BAYOUS) . . . 22
- CYPRESS BAYOU AND WATERWAY BETWEEN JEFFERSON, TX AND SHREVEPORT, LA . . . 86
- DES CANNES, LA (MERMENTAU RIVER, BAYOUS NEZPIQUE AND DES CANNES, LA (UPPER SECTION)) . . . 29
- DULAC, LA (WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA (BAYOUS LE CARPE AND GRAND CAILLOU)) . . . 87
- FRESHWATER BAYOU, LA . . . 23
- GRAND CAILLOU, LA (WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA (BAYOUS LE CARPE AND GRAND CAILLOU)) . . . 87
- LAFOURCHE AND LAFOURCHE JUMP WATERWAY, LA . . . 12
- LE CARPE, LA (WATERWAYFROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA (BAYOUS LE CARPE AND GRAND CAILLOU)) . . . 87
- LITTLE CAILLOU, LA . . . 14
- LITTLE PIGEON BAYOU, LA (BIG PIGEON AND LITTLE PIGEON BAYOUS, LA) . . . 86
- MANCHAC, LA (AMITE RIVER AND BAYOU MANCHAC, LA) . . . 86
- NEZPIQUE, LA (MERMENTAU RIVER, BAYOUS NEZPIQUE AND DES CANNES, LA (UPPER SECTION)) . . . 29
- PETIT ANSE, TIGRE, AND CARLIN BAYOUS, LA . . . 22
- PLAQUEMINE BRULE, LA . . . 86
- SEGNETTE WATERWAY, LA . . . 86
- ST. MALO, LA (BAYOUS LA LOUTRE, ST. MALO AND YSCLOSKEY, LA) . . . 86
- TECHE AND VERMILION RIVER, LA . . . 28
- TECHE, LA . . . 26
- TERREBONNE, LA . . . 86
- TIGRE BAYOU, LA (PETIT ANSE, TIGRE AND CARLIN BAYOUS, LA) . . . 22
- YSCLOSKEY, LA (BAYOUS LA LOUTRE, ST. MALO, AND YSCLOSKEY, LA) . . . 86

BIG PIGEON AND LITTLE PIGEON BAYOUS, LA . . . 86
BLOOD RIVER, LA (TICKFAW, NATALBANY, PONCHATOULA AND BLOOD RIVERS, LA) . . . 86
BOGUE FALAYA RIVER, LA (TCHEFUNCTE AND BOGUE FALAYA RIVERS, LA) . . . 86
BONFOUCA BAYOU, LA (BAYOU BONFOUCA, LA) . . . 86

C

CALCASIEU RIVER AND PASS, LA (LAKE CHARLES, LA) . . . 30
CARLIN BAYOU, LA (PETIT ANSE, TIGRE AND CARLIN BAYOUS) . . . 22
CYPRESS BAYOU AND WATERWAY BETWEEN JEFFERSON, TX AND SHREVEPORT, LA . . . 86

D

DES CANNES BAYOU, LA (MERMENTAU RIVER, BAYOUS NEZPIQUE AND DES CANNES, LA (UPPER SECTION)) . . . 29
DULAC, BAYOU, LA (WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA (BAYOUS LE CARPE AND GRAND CAILLOU)) . . . 87
DUPRE BAYOU, LA (BAYOU DUPRE, LA) . . . 86

E

EMPIRE, LA (WATERWAY FROM EMPIRE, LA TO GULF OF MEXICO) . . . 10

F

FRANKLIN CANAL, LA (GULF INTRACOASTAL WATERWAY) . . . 86
FRESHWATER BAYOU, LA . . . 23

G

GRAND CAILLOU BAYOU, LA (WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA (BAYOUS LE CARPE AND GRAND CAILLOU)) . . . 87
GROSSE TETE BAYOU, LA (BAYOU GROSSE TETE, LA) . . . 86
GULF INTRACOASTAL WATERWAY:
- APALACHEE BAY, FL TO THE MEXICAN BORDER (CONSOLIDATED REPORT) . . . 75
- FRANKLIN CANAL, LA . . . 86
- LOUISIANA PORTION, LA . . . 80
- MISSISSIPPI RIVER, LA TO SABINE RIVER, TX . . . 83
- MOBILE BAY, AL TO NEW ORLEANS, LA . . . 78
- MORGAN CITY PORT ALLEN ROUTE, LA . . . 20

FREIGHT TRAFFIC INDEX

H

HOUMA NAVIGATION CANAL, LA . . . 15

I

INNERHARBOR NAVIGATION CANAL, LA . . . 1

J

JEFFERSON, TX (CYPRESS BAYOU AND WATERWAY
BETWEEN JEFFERSON, TX AND SHREVEPORT, LA) . . . 86

L

LA LOUTRE BAYOU, LA (BAYOUS LA LOUTRE, ST. MALO AND YSCLOSKEY, LA) . . . 86
LACOMBE BAYOU, LA (BAYOU LACOMBE, LA) . . . 86
LAFOURCHE BAYOU AND LAFOURCHE JUMP WATERWAY, LA. . . . 12
LAKE CHARLES DEEP WATER CHANNEL, LA. . . . 24
LAKE CHARLES, LA (CALCASIEU RIVER AND PASS, LA (LAKE CHARLES, LA)) . . . 30
LE CARPE BAYOU, LA (WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA
(BAYOUS LE CARPE AND GRAND CAILLOU)) . . . 87
LITTLE CAILLOU BAYOU, LA (BAYOU LITTLE CAILLOU, LA) . . . 14
LITTLE PIGEON BAYOU, LA (BIG PIGEON AND LITTLE PIGEON BAYOUS, LA) . . . 86

M

MANCHAC BAYOU, LA (AMITE RIVER AND BAYOU MANCHAC, LA) . . . 86
MERMENTAU RIVER, BAYOUS NEZPIQUE AND DES CANNES, LA (UPPER SECTION) . . . 29
MERMENTAU RIVER, LA . . . 27
MISSISSIPPI RIVER GULF OUTLET VIA VENICE VICINITY CONSOLIDATION . . . 9
MISSISSIPPI RIVER SYSTEM . . . 72
MISSISSIPPI RIVER:
BATON ROUGE, LA TO MOUTH OF PASSES . . . 62
BATON ROUGE, LA TO NEW ORLEANS, LA . . . 54
MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT) . . . 48
MOUTH OF OHIO RIVER TO BATON ROUGE, LA. . . . 59
PASSES OF THE MISSISSIPPI RIVER . . . 68
MISSISSIPPI RIVER-GULF OUTLET, LA . . . 6
MORGAN CITY PORT ALLEN ROUTE, LA (GULF INTRACOASTAL WATERWAY,
MORGAN CITY PORT ALLEN ROUTE, LA) . . . 20

N

NATALBANY RIVER, LA (TICKFAW, NATALBANY, PONCHATOULA AND BLOOD RIVERS, LA). . . . 86
NEW ORLEANS, LA (PORT OF NEW ORLEANS, LA) . . . 33
NEW ORLEANS, LA DISTRICT . . . 1
NEZPIQUE BAYOU, LA (MERMENTAU RIVER, BAYOUS NEZPIQUE AND DES CANNES, LA
(UPPER SECTION)) . . . 29

P

PASS MANCHAC, LA . . . 86
PASSES OF THE MISSISSIPPI RIVER (INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER,
MINNEAPOLIS TO MOUTH OF PASSES) . . . 68
PETIT ANSE, TIGRE, AND CARLIN BAYOUS, LA . . . 22
PLAQUEMINE BRULE BAYOU, LA (BAYOU PLAQUEMINE BRULE, LA) . . . 86
PONCHATOULA RIVER, LA (TICKFAW, NATALBANY, PONCHATOULA AND BLOOD RIVERS, LA). . . . 86
PORT OF BATON ROUGE, LA . . . 37
PORT OF NEW ORLEANS, LA . . . 33
PORT OF PLAQUEMINES, LA. . . . 45
PORT OF SOUTH LOUISIANA (LA) . . . 41

S

SEGNETTE BAYOU, LA (BAYOU SEGNETTE WATERWAY, LA) . . . 86
SHREVEPORT, LA (CYPRESS BAYOU AND WATERWAY
BETWEEN JEFFERSON, TX AND SHREVEPORT, LA) . . . 86
SOUTH LOUISIANA (LA) (PORT OF SOUTH LOUISIANA (LA)) . . . 41
ST. MALO BAYOU, LA (BAYOUS LA LOUTRE, ST. MALO AND YSCLOSKEY, LA) . . . 86

T

TCHEFUNCTE AND BOGUE FALAYA RIVERS, LA. . . . 86
TECHE BAYOU, LA (BAYOU TECHE AND VERMILION RIVER, LA) . . . 28
TECHE BAYOU, LA (BAYOU TECHE, LA) . . . 26
TERREBONNE BAYOU, LA (BAYOU TERREBONNE, LA) . . . 86
TICKFAW, NATALBANY, PONCHATOULA AND BLOOD RIVERS, LA . . . 86
TIGRE BAYOU, LA (PETIT ANSE, TIGRE AND CARLIN BAYOUS, LA) . . . 22

V
VERMILION RIVER, LA (BAYOU TECHE AND VERMILION RIVER, LA) 28
VINTON WATERWAY, LA 86

W
WATERWAY FROM EMPIRE, LA TO GULF OF MEXICO 10
WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA
(BAYOUS LE CARPE AND GRAND CAILLOU) 87

Y
YSCLOSKEY BAYOU, LA (BAYOUS LA LOUTRE, ST. MALO AND YSCLOSKEY, LA) 86

TRIPS AND DRAFTS INDEX

A

AMITE RIVER AND BAYOU MANCHAC, LA . . . 105
ATCHAFALAYA RIVER, LA . . . 92
ATCHAFALAYA RIVER, LA MORGAN CITY TO GULF OF MEXICO . . . 91

B

BARATARIA BAY WATERWAY, LA . . . 90
BATON ROUGE, LA (PORT OF BATON ROUGE, LA) . . . 96
BAYOUS:
- BIG PIGEON AND LITTLE PIGEON BAYOUS, LA . . . 106
- BONFOUCA, LA . . . 105
- CARLIN BAYOU, LA (PETIT ANSE, TIGRE AND CARLIN BAYOUS) . . . 92
- CYPRESS BAYOU AND WATERWAY BETWEEN JEFFERSON, TX AND SHREVEPORT, LA . . . 106
- DES CANNES, LA (MERMENTAU RIVER, BAYOUS NEZPIQUE AND DES CANNES, LA (UPPER SECTION)) . . . 95
- DULAC, LA (WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA (BAYOUS LE CARPE AND GRAND CAILLOU)) . . . 106
- DUPRE, LA. . . . 105
- FRESHWATER BAYOU, LA. . . . 93
- GRAND CAILLOU, LA (WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA (BAYOUS LE CARPE AND GRAND CAILLOU)) . . . 106
- GROSSE TETE, LA . . . 105
- LA LOUTRE, ST. MALO AND YSCLOSKEY, LA . . . 106
- LACOMBE, LA . . . 105
- LAFOURCHE AND LAFOURCHE-JUMP WATERWAY, LA. . . . 90
- LE CARPE, LA (WATERWAYFROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA (BAYOUS LE CARPE AND GRAND CAILLOU)) . . . 106
- LITTLE CAILLOU, LA . . . 91
- LITTLE PIGEON BAYOU, LA (BIG PIGEON AND LITTLE PIGEON BAYOUS, LA) . . . 106
- MANCHAC, LA (AMITE RIVER AND BAYOU MANCHAC, LA) . . . 105
- NEZPIQUE, LA (MERMENTAU RIVER, BAYOUS NEZPIQUE AND DES CANNES, LA (UPPER SECTION)) . . . 95
- PETIT ANSE, TIGRE, AND CARLIN BAYOUS, LA . . . 92
- PLAQUEMINE BRULE, LA. . . . 105
- SEGNETTE WATERWAY, LA . . . 105
- ST. MALO, LA (BAYOUS LA LOUTRE, ST. MALO AND YSCLOSKEY, LA) . . . 106
- TECHE AND VERMILION RIVER, LA. . . . 94
- TECHE, LA . . . 93
- TERREBONNE, LA . . . 106
- TIGRE BAYOU, LA (PETIT ANSE, TIGRE AND CARLIN BAYOUS, LA) . . . 92
- YSCLOSKEY, LA (BAYOUS LA LOUTRE, ST. MALO, AND YSCLOSKEY, LA) . . . 106

BIG PIGEON AND LITTLE PIGEON BAYOUS, LA . . . 106
BLOOD RIVER, LA (TICKFAW, NATALBANY, PONCHATOULA AND BLOOD RIVERS, LA) . . . 106
BOGUE FALAYA RIVER, LA (TCHEFUNCTE AND BOGUE FALAYA RIVERS, LA) . . . 106
BONFOUCA BAYOU, LA (BAYOU BONFOUCA, LA) . . . 105

C

CALCASIEU RIVER AND PASS, LA (LAKE CHARLES, LA) . . . 95
CARLIN BAYOU, LA (PETIT ANSE, TIGRE AND CARLIN BAYOUS) . . . 92
CYPRESS BAYOU AND WATERWAY BETWEEN JEFFERSON, TX AND SHREVEPORT, LA. . . . 106

D

DES CANNES BAYOU, LA (MERMENTAU RIVER, BAYOUS NEZPIQUE AND DES CANNES, LA (UPPER SECTION)) . . . 95
DULAC, BAYOU, LA (WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA (BAYOUS LE CARPE AND GRAND CAILLOU)) . . . 106

E

EMPIRE, LA (WATERWAY FROM EMPIRE, LA TO GULF OF MEXICO) . . . 89

F

FRANKLIN CANAL, LA (GULF INTRACOASTAL WATERWAY) . . . 106
FRESHWATER BAYOU, LA . . . 93

G

GRAND CAILLOU BAYOU, LA (WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA (BAYOUS LE CARPE AND GRAND CAILLOU)) . . . 106
GULF INTRACOASTAL WATERWAY:
- APALACHEE BAY, FL TO THE MEXICAN BORDER (CONSOLIDATED REPORT) . . . 104
- FRANKLIN CANAL, LA. . . . 106
- LOUISIANA PORTION, LA. . . . 104
- MISSISSIPPI RIVER, LA TO SABINE RIVER, TX . . . 105

MOBILE BAY, AL TO NEW ORLEANS, LA . . . 104
MORGAN CITY PORT ALLEN ROUTE, LA . . . 92

H

HOUMA NAVIGATION CANAL, LA . . . 91

I

INNERHARBOR NAVIGATION CANAL, LA . . . 88

J

JEFFERSON, TX
(CYPRESS BAYOU AND WATERWAY BETWEEN JEFFERSON, TX AND SHREVEPORT, LA) . . . 106

L

LAFOURCHE BAYOU AND LAFOURCHE-JUMP WATERWAY, LA . . . 90
LAKE CHARLES DEEP WATER CHANNEL, LA. . . . 93
LAKE CHARLES, LA (CALCASIEU RIVER AND PASS, LA (LAKE CHARLES, LA)) . . . 95
LE CARPE BAYOU, LA (WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA
(BAYOUS LE CARPE AND GRAND CAILLOU)) . . . 106
LITTLE CAILLOU BAYOU, LA (BAYOU LITTLE CAILLOU, LA) . . . 91
LITTLE PIGEON BAYOU, LA (BIG PIGEON AND LITTLE PIGEON BAYOUS, LA) . . . 106

M

MANCHAC BAYOU, LA (AMITE RIVER AND BAYOU MANCHAC, LA) . . . 105
MERMENTAU RIVER, BAYOUS NEZPIQUE AND DES CANNES, LA (UPPER SECTION) . . . 95
MERMENTAU RIVER, LA . . . 94
MISSISSIPPI RIVER GULF OUTLET VIA VENICE VICINITY CONSOLIDATION . . . 89
MISSISSIPPI RIVER SYSTEM . . . 103
MISSISSIPPI RIVER:
BATON ROUGE, LA TO MOUTH OF PASSES . . . 101
BATON ROUGE, LA TO NEW ORLEANS, LA . . . 100
MINNEAPOLIS, MN TO MOUTH OF PASSES (CONSOLIDATED REPORT) . . . 99
MOUTH OF OHIO RIVER TO BATON ROUGE, LA . . . 101
PASSES OF THE MISSISSIPPI RIVER . . . 102
MISSISSIPPI RIVER-GULF OUTLET, LA . . . 88
MORGAN CITY-PORT ALLEN ROUTE, LA
(GULF INTRACOASTAL WATERWAY, MORGAN CITY PORT ALLEN ROUTE, LA) . . . 92

N

NATALBANY RIVER, LA (TICKFAW, NATALBANY, PONCHATOULA AND BLOOD RIVERS, LA) . . . 106
NEW ORLEANS, LA (PORT OF NEW ORLEANS, LA) . . . 96
NEW ORLEANS, LA DISTRICT . . . 88
NEZPIQUE BAYOU, LA (MERMENTAU RIVER, BAYOUS NEZPIQUE AND DES CANNES, LA
(UPPER SECTION)) . . . 95

P

PASS MANCHAC, LA. . . . 106
PASSES OF THE MISSISSIPPI RIVER
(INCLUDED IN TRAFFIC OF MISSISSIPPI RIVER, MINNEAPOLIS TO MOUTH OF PASSES) . . . 102
PETIT ANSE, TIGRE, AND CARLIN BAYOUS, LA . . . 92
PLAQUEMINE BRULE BAYOU, LA (BAYOU PLAQUEMINE BRULE, LA). . . . 105
PONCHATOULA RIVER, LA (TICKFAW, NATALBANY, PONCHATOULA AND BLOOD RIVERS, LA) . . . 106
PORT OF BATON ROUGE, LA . . . 96
PORT OF NEW ORLEANS, LA . . . 96
PORT OF PLAQUEMINES, LA. . . . 98
PORT OF SOUTH LOUISIANA (LA) . . . 97

S

SEGNETTE BAYOU, LA (BAYOU SEGNETTE WATERWAY, LA). . . . 105
SHREVEPORT, LA
(CYPRESS BAYOU AND WATERWAY BETWEEN JEFFERSON, TX AND SHREVEPORT, LA) . . . 106
SOUTH LOUISIANA (LA) (PORT OF SOUTH LOUISIANA (LA)) . . . 97
ST. MALO BAYOU, LA (BAYOUS LA LOUTRE, ST. MALO AND YSCLOSKEY, LA) . . . 106

T

TCHEFUNCTE AND BOGUE FALAYA RIVERS, LA . . . 106
TECHE BAYOU, LA (BAYOU TECHE AND VERMILION RIVER, LA) . . . 94
TECHE BAYOU, LA (BAYOU TECHE, LA) . . . 93
TERREBONNE BAYOU, LA (BAYOU TERREBONNE, LA) . . . 106
TICKFAW, NATALBANY, PONCHATOULA AND BLOOD RIVERS, LA . . . 106
TIGRE BAYOU, LA (PETIT ANSE, TIGRE AND CARLIN BAYOUS, LA) . . . 92

V
VERMILION RIVER, LA (BAYOU TECHE AND VERMILION RIVER, LA) 94
VINTON WATERWAY, LA 106

W
WATERWAY FROM EMPIRE, LA TO GULF OF MEXICO 89
WATERWAY FROM INTRACOASTAL WATERWAY TO BAYOU DULAC, LA
(BAYOUS LE CARPE AND GRAND CAILLOU) 106

Y
YSCLOSKEY BAYOU, LA (BAYOUS LA LOUTRE, ST. MALO AND YSCLOSKEY, LA). 106

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.0 PWD: 133
Name: **Louisiana Dock Co., Inc., Harahan Fleet Mooring.**
Port: New Orleans
Location: Between miles 106.1 and 107.1 A.H.P., left bank, Mississippi River, above Huey P. Long Bridge, Harahan. Datum: MLG
Operator: Louisiana Dock Co., Inc.
Owner: Louisiana Dock Co., Inc.
Address: 5800 River Road Phone: 504 733-7870
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.940833
Total Berthing Space (feet): 1,400 | | Longitude (decimal): -90.17861

Waterway: **Mississippi River** Mile: 107.0 PWD: 133
Name: **Louisiana Dock Co., Inc., Harahan Fleet Mooring.**
Port: New Orleans
Location: Between miles 106.1 and 107.1 A.H.P., left bank, Mississippi River, above Huey P. Long Bridge, Harahan. Datum: MLG
Operator: Louisiana Dock Co., Inc.
Owner: Louisiana Dock Co., Inc.
Address: 5800 River Road Phone: 504 733-7870
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.940833
Total Berthing Space (feet): 1,400 | | Longitude (decimal): -90.17861

Remarks: Fleeting area extends from upper side of PWD Ref. No. 132, straddling entrance of T. T. Barge Cleaning Slip (Ref. No. 134) and has capacity for approximately 126 barges consisting of 14 tiers below and 4 tiers above slip entrance, each 7 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20107 New Orleans District

Remarks: Fleeting area extends from upper side of PWD Ref. No. 132, straddling entrance of T. T. Barge Cleaning Slip (Ref. No. 134) and has capacity for approximately 126 barges consisting of 14 tiers below and 4 tiers above slip entrance, each 7 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20107 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.0 PWD: 133
Name: **Louisiana Dock Co., Inc., Harahan Fleet Mooring.**
Port: New Orleans
Location: Between miles 106.1 and 107.1 A.H.P., left bank, Mississippi River, above Huey P. Long Bridge, Harahan. Datum: MLG
Operator: Louisiana Dock Co., Inc.
Owner: Louisiana Dock Co., Inc.
Address: 5800 River Road Phone: 504 733-7870
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.940833
Total Berthing Space (feet): 1,400 | | Longitude (decimal): -90.17861

Waterway: **Mississippi River** Mile: 107.0 PWD: 133
Name: **Louisiana Dock Co., Inc., Harahan Fleet Mooring.**
Port: New Orleans
Location: Between miles 106.1 and 107.1 A.H.P., left bank, Mississippi River, above Huey P. Long Bridge, Harahan. Datum: MLG
Operator: Louisiana Dock Co., Inc.
Owner: Louisiana Dock Co., Inc.
Address: 5800 River Road Phone: 504 733-7870
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.940833
Total Berthing Space (feet): 1,400 | | Longitude (decimal): -90.17861

Remarks: Fleeting area extends from upper side of PWD Ref. No. 132, straddling entrance of T. T. Barge Cleaning Slip (Ref. No. 134) and has capacity for approximately 126 barges consisting of 14 tiers below and 4 tiers above slip entrance, each 7 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20107 New Orleans District

Remarks: Fleeting area extends from upper side of PWD Ref. No. 132, straddling entrance of T. T. Barge Cleaning Slip (Ref. No. 134) and has capacity for approximately 126 barges consisting of 14 tiers below and 4 tiers above slip entrance, each 7 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20107 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 55

Name: **Baker Hughes Inteq, Venice Wharf.**

Port: Below New Orleans

Location: Right bank of Grand Pass, at entrance from Mississippi River and upper end, east side of Venice Boat Bas Datum: MLG

Operator: Baker Hughes Inteq

Owner: Ellzey's Marine Supplies, Inc.

Address: 199 Corps Road. Phone: 985/534-2379

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Shipment of drilling mud and chemicals for offshore platform operations.

Depth Alongside (feet): 20 - - | 4 - 5 | Latitude (decimal): 29.271389

Total Berthing Space (feet): 200 + | 360 | Longitude (decimal): -89.35167

Remarks: Two 5-, one 4-, and one 2-inch pneumatic pipelines extend to wharf on Grand Pass side from 5 steel storage tanks at rear, total capacity 27,000 cubic feet of drilling mud. One 40- by 10-foot, steel loading ramp is located on the Grand Pass side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

---

Waterway: **Grand Pass** Mile: PWD: 56

Name: **U.S. Army Corps of Engineers, Venice Boat Basin.**

Port: Below New Orleans

Location: Inner end and lower side of basin, right bank of Grand Pass, 500 feet below entrance from Mississippi Ri Datum: MLG

Operator: U.S. Army Corps of Engineers.

Owner: U.S. Government.

Address: Jump Basin Road. Phone: 985/534-6010

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Mooring government vessels.

Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 29.272222

Total Berthing Space (feet): 430 | | 12 Longitude (decimal): -89.3525

Remarks: Tank for storage of liquid wastes is located at mid-point of slips. At time of survey (2002), the lowest 60 feet of the upper side of the slip was leased to the Associated Branch Pilots and Crescent River Port Pilots for exchange of personnel, loading and unloading of supplies, and for short-term mooring of pilot boats and supply vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 87.0 PWD: 5

Name: **Murphy Oil USA, Inc. Miraux Refinery Wharf.**

Port: New Orleans

Location: Mile 87.0 A.H.P., left bank, Mississippi River, Meraux. Datum: MLG

Operator: Murphy Oil USA, Inc.

Owner: Murphy Oil USA, Inc.

Address: 2500 E. St. Bernard Highway. Phone: 504 278-5300

Town: Meraux State: LA County: St. Bernard Par

Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.

Purpose: Receipt of crude oil by tanker and barge; shipment of petroleum products by tanker and barge.

Depth Alongside (feet): 40 | 35 | Latitude (decimal): 29.925

Total Berthing Space (feet): 757 | 205 | Longitude (decimal): -89.9375

Remarks: One 20-, six 12-, one 14-, one 8-, and one 6-inch pipeline at wharf join with one 12-, two 10-, and four 8-inch pipelines on shore, and extend to 33 steel storage tanks at oil refinery in rear, total capacity 4,584,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20087 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556
Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face.

Port Facilities by Waterway

Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556
Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face.

Port Facilities by Waterway

Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556
Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face.

Port Facilities by Waterway

Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556
Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face.

Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556
Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face.

Port Facilities by Waterway

Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556
Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face.

Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556
Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face.

Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556

Waterway: **Mississippi River** Mile: 88.3 PWD: 6
Name: **Chalmette Refining, LLC, Crude Wharf.**
Port: New Orleans
Location: Mile 88.3 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 35 | - | 10 - 20 Latitude (decimal): 29.926667
Total Berthing Space (feet): 580 | | 580 Longitude (decimal): -89.96556
Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face.

Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two inboard and two outboard 290- by 50-foot barges can be berthed at both face and rear of face. Three 16-, one 8-, and one 2-inch pipelines extend from wharf to 8 steel, crude oil storage tanks, total capacity 1,300,000 barrels, located at refinery in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722
Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722
Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722

Waterway: **Mississippi River** Mile: 88.4 PWD: 7
Name: **Chalmette Refining, LLC, #5 Dock.**
Port: New Orleans
Location: Mile 88.4 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway System.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at anchor; mooring company-owned tank barges.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.96722
Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 350 feet of berthing space is available for idle barges below wharf at row of timber pile mooring dolphins along bank of river. Two 8-, six 6-, and three 4-inch pipelines extend from wharf to 18 steel storage tanks in rear of levee, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Waterway: **Mississippi River** Mile: 88.5 PWD: 8
Name: **Chalmette Refining, LLC, #6 Dock.**
Port: New Orleans
Location: Mile 88.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks serve terminal in rear of levee; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge; bunkering vessels.
Depth Alongside (feet): 25 | - | - Latitude (decimal): 29.927222
Total Berthing Space (feet): 310 | - | - Longitude (decimal): -89.96944

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Additional 680 feet of berthing space for barges along rear of mooring dolphins on lower side. Two 16- and one 8-inch pipelines extend to wharf from 3 steel, bunker fuel storage tanks, total capacity 225,000 barrels; one 10- and one 6-inch pipelines extend to wharf from 5 steel, diesel fuel storage tanks, total capacity 96,000 barrels; and two 6-inch pipelines extend to wharf from 3 steel, diesel fuel storage tanks, total capacity 30,900 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.6 PWD: 9

Name: **Chalmette Ferry East Bank Landing.**

Port: New Orleans

Location: Mile 88.6 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG

Operator: Crescent City Connection.

Owner: Crescent City Connection.

Address: Foot of Paris Road. Phone: 504 376-8114

Town: Chalmette State: LA County: St. Bernard Par

Railway Connection: None.

Purpose: Landing for passenger and vehicular ferry to Patterson Drive, Algiers.

Depth Alongside (feet): 24 | | Latitude (decimal): 29.9275

Total Berthing Space (feet): 138 | | Longitude (decimal): -89.97083

Remarks: Approach from foot of Paris Road consists of a 22-foot-wide, asphalt roadway over levee, a 798- by 22-foot, precast concrete bridge and a 115- by 32-foot, adjustable, steel-decked bridge. Ferries operate to landing (PWD Ref. No. 303) on opposite bank of river.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served

by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served

by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served

by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served

by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served

by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served

by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served

by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Waterway: **Mississippi River** Mile: 88.7 PWD: 10
Name: **Chalmette Refining, Inc., Boom Dock.**
Port: New Orleans
Location: Mile 88.7 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Fueling towboats.
Depth Alongside (feet): 20 | - | - Latitude (decimal): 29.928056
Total Berthing Space (feet): 100 | - | - Longitude (decimal): -89.97167

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served

by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 4-, one 3-, and one 2-inch pipelines extend to wharf from 2 steel, diesel fuel storage tanks served by 4 additional tanks located at oil refinery in rear, total capacity 514,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975
Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks

described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975
Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks

described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975
Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks

described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975
Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks

described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975
Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks

described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975
Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks

described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975
Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks

described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975

Waterway: **Mississippi River** Mile: 89.0 PWD: 12
Name: **Chalmette Refining, LLC, #3 Dock.**
Port: New Orleans
Location: Mile 89.0 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.928889
Total Berthing Space (feet): 450 | - | - Longitude (decimal): -89.975
Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks

described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 12-, three 10-, seven 8-, two 6-, and one 2-inch pipelines extend from wharf to same storage tanks described under Ref. Nos. 6 and 11, and to 5 additional steel storage tanks at oil refinery in rear, total capacity 361,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775
Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins

on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775
Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins

on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775
Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins

on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775
Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins

on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775
Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins

on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775
Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins

on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775
Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins

on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775

Waterway: **Mississippi River** Mile: 89.1 PWD: 13
Name: **Chalmette Refining, LLC, #4 Dock.**
Port: New Orleans
Location: Mile 89.1 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt of crude oil; shipment of petroleum products and petrochemicals by tanker and barge.
Depth Alongside (feet): 42 - 50 | - | - Latitude (decimal): 29.929167
Total Berthing Space (feet): 390 | - | - Longitude (decimal): -89.9775
Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins

on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: A 4-foot-wide steel walkway extends from wharf along rear of breasting dolphins to 3 mooring dolphins on lower side, and 2 mooring dolphins on upper side. One 20-, two 16-, and one 8-inch crude oil, and five 12-, one 10-, seven 8-, two 6-, three 3-, and two 2-inch petrochemical pipelines extend to wharf from storage tanks described under Ref. Nos. 6, 11, and 12.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889
Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889
Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889
Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889
Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889
Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889
Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889
Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889

Waterway: **Mississippi River** Mile: 89.2 PWD: 14
Name: **Chalmette Refining, LLC, Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Hall-Buck Marine, Inc.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.97889
Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Facilities by Waterway

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Open storage area in rear has capacity for 4,000 tons of coke.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Waterway: **Mississippi River** Mile: 90.5 PWD: 16
Name: **Chalmette National Monument Dock.**
Port: New Orleans
Location: Mile 90.5 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: New Orleans Paddlewheels, Inc.
Owner: St. Bernard Port, Harbor and Terminal District.
Address: Chalmette National Monument. Phone: 504 277-8418
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Landing for excursion vessels.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.938611
Total Berthing Space (feet): 110 | | Longitude (decimal): -89.99361
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 90.6 PWD: 18
Name: **Chalmette Slip, Dock No. 1.**
Port: New Orleans
Location: Mile 90.6 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: International Ship Services, Inc. and Bulk Material Transfer, Inc, a subsidiary of Be
Owner: St. Bernard Port, Harbor and Terminal District.
Address: Chalmette Slip Phone: 504 277-8418
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Norfolk Southern Railway Co.: Three platform-level tracks and one additional parallel surface track.
Purpose: Receipt and shipment of general bulk cargo in foreign and domestic trade.
Depth Alongside (feet): 30 - 36 | | Latitude (decimal): 29.945
Total Berthing Space (feet): 1,280 | | Longitude (decimal): -89.99722

Waterway: **Mississippi River** Mile: 90.6 PWD: 18
Name: **Chalmette Slip, Dock No. 1.**
Port: New Orleans
Location: Mile 90.6 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: International Ship Services, Inc. and Bulk Material Transfer, Inc, a subsidiary of Be
Owner: St. Bernard Port, Harbor and Terminal District.
Address: Chalmette Slip Phone: 504 277-8418
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Norfolk Southern Railway Co.: Three platform-level tracks and one additional parallel surface track.
Purpose: Receipt and shipment of general bulk cargo in foreign and domestic trade.
Depth Alongside (feet): 30 - 36 | | Latitude (decimal): 29.945
Total Berthing Space (feet): 1,280 | | Longitude (decimal): -89.99722

Remarks: Face of wharf forms 280-foot-wide slip with face of Ref. No. 17. Trucks have access to interior of transit shed. Approximately 38,000 square feet of ground surfaced storage area and 60,000 square feet of paved storage area is located at rear. One ship mooring, consisting of 4 steel pipe pile mooring dolphins and two floating moorings, designed to moor up to Panamax-sized vessel with maximumdraft of 45 feet, is located upstream of slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf forms 280-foot-wide slip with face of Ref. No. 17. Trucks have access to interior of transit shed. Approximately 38,000 square feet of ground surfaced storage area and 60,000 square feet of paved storage area is located at rear. One ship mooring, consisting of 4 steel pipe pile mooring dolphins and two floating moorings, designed to moor up to Panamax-sized vessel with maximumdraft of 45 feet, is located upstream of slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 90.6 PWD: 18
Name: **Chalmette Slip, Dock No. 1.**
Port: New Orleans
Location: Mile 90.6 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: International Ship Services, Inc. and Bulk Material Transfer, Inc, a subsidiary of Be
Owner: St. Bernard Port, Harbor and Terminal District.
Address: Chalmette Slip Phone: 504 277-8418
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Norfolk Southern Railway Co.: Three platform-level tracks and one additional parallel surface track.
Purpose: Receipt and shipment of general bulk cargo in foreign and domestic trade.
Depth Alongside (feet): 30 - 36 | | Latitude (decimal): 29.945
Total Berthing Space (feet): 1,280 | | Longitude (decimal): -89.99722

Waterway: **Mississippi River** Mile: 90.6 PWD: 18
Name: **Chalmette Slip, Dock No. 1.**
Port: New Orleans
Location: Mile 90.6 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: International Ship Services, Inc. and Bulk Material Transfer, Inc, a subsidiary of Be
Owner: St. Bernard Port, Harbor and Terminal District.
Address: Chalmette Slip Phone: 504 277-8418
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Norfolk Southern Railway Co.: Three platform-level tracks and one additional parallel surface track.
Purpose: Receipt and shipment of general bulk cargo in foreign and domestic trade.
Depth Alongside (feet): 30 - 36 | | Latitude (decimal): 29.945
Total Berthing Space (feet): 1,280 | | Longitude (decimal): -89.99722

Remarks: Face of wharf forms 280-foot-wide slip with face of Ref. No. 17. Trucks have access to interior of transit shed. Approximately 38,000 square feet of ground surfaced storage area and 60,000 square feet of paved storage area is located at rear. One ship mooring, consisting of 4 steel pipe pile mooring dolphins and two floating moorings, designed to moor up to Panamax-sized vessel with maximumdraft of 45 feet, is located upstream of slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf forms 280-foot-wide slip with face of Ref. No. 17. Trucks have access to interior of transit shed. Approximately 38,000 square feet of ground surfaced storage area and 60,000 square feet of paved storage area is located at rear. One ship mooring, consisting of 4 steel pipe pile mooring dolphins and two floating moorings, designed to moor up to Panamax-sized vessel with maximumdraft of 45 feet, is located upstream of slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 90.6 PWD: 17
Name: **Chalmette Slip, Dock No. 2.**
Port: New Orleans
Location: Mile 90.6 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: International Ship Services, Inc., a subsidiary of Kaiser Aluminum Corp.
Owner: St. Bernard Port, Harbor and Terminal District.
Address: Chalmette Slip Phone: 504 277-8418
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Three platform-level tracks along rear of transit shed, total length 4,650 feet, connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 32 - 36 | | Latitude (decimal): 29.9425
Total Berthing Space (feet): 1,680 | | Longitude (decimal): -89.99639

Waterway: **Mississippi River** Mile: 90.6 PWD: 17
Name: **Chalmette Slip, Dock No. 2.**
Port: New Orleans
Location: Mile 90.6 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: International Ship Services, Inc., a subsidiary of Kaiser Aluminum Corp.
Owner: St. Bernard Port, Harbor and Terminal District.
Address: Chalmette Slip Phone: 504 277-8418
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Three platform-level tracks along rear of transit shed, total length 4,650 feet, connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 32 - 36 | | Latitude (decimal): 29.9425
Total Berthing Space (feet): 1,680 | | Longitude (decimal): -89.99639

Remarks: At time of survey (2001), a second transit shed (Shed E, to be 64,250 sq. ft.) was under construction. Trucks have access to interior of transit sheds. Approximately 168,500 square feet of open storage area is located at river and shore ends of wharf. Face of wharf forms 280-foot-wide slip with face of PWD Ref. No. 18. Barge fleeting area approximately one mile downstream has capacity for 24 barges arranged in 4 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: At time of survey (2001), a second transit shed (Shed E, to be 64,250 sq. ft.) was under construction. Trucks have access to interior of transit sheds. Approximately 168,500 square feet of open storage area is located at river and shore ends of wharf. Face of wharf forms 280-foot-wide slip with face of PWD Ref. No. 18. Barge fleeting area approximately one mile downstream has capacity for 24 barges arranged in 4 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 90.6 PWD: 17
Name: **Chalmette Slip, Dock No. 2.**
Port: New Orleans
Location: Mile 90.6 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: International Ship Services, Inc., a subsidiary of Kaiser Aluminum Corp.
Owner: St. Bernard Port, Harbor and Terminal District.
Address: Chalmette Slip Phone: 504 277-8418
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Three platform-level tracks along rear of transit shed, total length 4,650 feet, connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 32 - 36 | | Latitude (decimal): 29.9425
Total Berthing Space (feet): 1,680 | | Longitude (decimal): -89.99639

Waterway: **Mississippi River** Mile: 90.6 PWD: 17
Name: **Chalmette Slip, Dock No. 2.**
Port: New Orleans
Location: Mile 90.6 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: International Ship Services, Inc., a subsidiary of Kaiser Aluminum Corp.
Owner: St. Bernard Port, Harbor and Terminal District.
Address: Chalmette Slip Phone: 504 277-8418
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Three platform-level tracks along rear of transit shed, total length 4,650 feet, connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 32 - 36 | | Latitude (decimal): 29.9425
Total Berthing Space (feet): 1,680 | | Longitude (decimal): -89.99639

Remarks: At time of survey (2001), a second transit shed (Shed E, to be 64,250 sq. ft.) was under construction. Trucks have access to interior of transit sheds. Approximately 168,500 square feet of open storage area is located at river and shore ends of wharf. Face of wharf forms 280-foot-wide slip with face of PWD Ref. No. 18. Barge fleeting area approximately one mile downstream has capacity for 24 barges arranged in 4 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: At time of survey (2001), a second transit shed (Shed E, to be 64,250 sq. ft.) was under construction. Trucks have access to interior of transit sheds. Approximately 168,500 square feet of open storage area is located at river and shore ends of wharf. Face of wharf forms 280-foot-wide slip with face of PWD Ref. No. 18. Barge fleeting area approximately one mile downstream has capacity for 24 barges arranged in 4 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 90.9 PWD: 19
Name: **Tate and Lyle North American Sugars, Inc., Chalmette Refinery Whar**
Port: New Orleans
Location: Mile 90.9 A.H.P., left bank, Mississippi River, below foot of Friscoville Avenue extended, Arabi. Datum: MLG
Operator: Tate and Lyle North American Sugars, Inc.
Owner: Tate and Lyle North American Sugars, Inc.
Address: 7417 North Peters St. Phone: 504-271-5331
Town: Arabi State: LA County: St. Bernard Par
Railway Connection: Trackage serving sugar refinery in rear connects with Norfolk Southern Railway Co.
Purpose: Receipt of raw sugar; shipment of refined sugar.
Depth Alongside (feet): 45 | - | - Latitude (decimal): 29.943333
Total Berthing Space (feet): 1,115 | - | - Longitude (decimal): -90.00139
Remarks: Three additional 15-foot approaches extend over street and levee from raw sugar sheds Nos. 1, 2, and 3 in rear of North Peters Street. One 10-inch pipeline, formerly used to receive fuel oil for plant consumption, extending to tanks at plant in rear, total capacity 28,600 barrels, had been abandoned in place at time of survey (2001).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 91.0 PWD: 20
Name: **Port Ship Services, Inc., Arabi Landing.**
Port: New Orleans
Location: Mile 91.0 A.H.P., left bank, Mississippi River, Arabi, at foot of Friscoville Avenue extended, Arabi. Datum: MLG
Operator: Port Ship Services, Inc.
Owner: Port Ship Services, Inc.
Address: 7121 North Peters St. Phone: 504-279-0486
Town: Arabi State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Landing for ship service boats, crews, passengers, and supplies from anchored vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.945278
Total Berthing Space (feet): 110 | 30 | Longitude (decimal): -90.00417
Remarks: Service vessels moor alongside outer face of barge and bow-to at downstream side of barge.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 91.5 PWD: 21
Name: **St. Maurice Avenue Wharf.**
Port: New Orleans
Location: Mile 91.5 A.H.P., left bank, Mississippi River, between foot of Delery Street and St. Maurice Avenue ext Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of St. Maurice Ave. Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 33 | - | Latitude (decimal): 29.951111
Total Berthing Space (feet): 1,121 | - | Longitude (decimal): -90.01444
Remarks: At time of survey (2001) wharf was in disrepair.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 91.9 PWD: 22
Name: **Pacorini USA Wharf.**
Port: New Orleans
Location: Mile 91.9 A.H.P., left bank, Mississippi River, between foot of Alabo and Flood Streets extended, Orlean Datum: MLG
Operator: Pacorini USA, Inc. and Belle Chasse Marine Transportation, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 1 Alabo St. Phone: 504 270-0100
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: One 780-foot surface track on apron joins two 900-foot platform-level tracks at rear of transit shed; connect with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade. Landing for water taxis serving anchored vessels.
Depth Alongside (feet): 27 - 33 | | Latitude (decimal): 29.952778
Total Berthing Space (feet): 1,314 | | Longitude (decimal): -90.01833
Remarks: Approximately 15 acres of concrete-paved open storage area is available on apron and at open area located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 92.1 PWD: 23
Name: **Andry Street Wharf.**
Port: New Orleans
Location: Mile 92.1 A.H.P., left bank, Mississippi River, foot of Andry Street extended, Orleans Parish. Datum: MLG
Operator: Diversified Group, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Andry Street. Phone: 504 581-3088
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion.
Depth Alongside (feet): 30 | - | Latitude (decimal): 29.953889
Total Berthing Space (feet): 1,374 | - | Longitude (decimal): -90.02139
Remarks: Building on wharf used for pipe shop, equipment storage, and office purposes. Additional facilities of company located at 1031 Annunciation Street. Lower portion of wharf abuts Ref. No. 22, connected by 68- by 14-foot concrete roadway.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 303
Name: **B & I Industries, Inc., Algiers Canal Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 350 feet northeast of foot of Buras Drive extended, Belle Chasse Datum: MLG
Operator: B & I Industries, Inc.
Owner: B & I Industries, Inc.
Address: 111 WPA Road Phone: 504-391-1117
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of fabricated structures to off-shore oil fields.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.830833
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05361
Remarks: Two abandoned seaplane ramps located on northwest side.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67007 New Orleans District

---

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 307
Name: **Bay Ltd. Offshore, Algiers Canal North Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 700 feet southeast of foot of Buras Drive extended, Belle Chasse Datum: MLG
Operator: Bay Ltd. Offshore, a division of Berry Co.
Owner: Bay Ltd. Offshore, a division of Berry Co.
Address: 219 WPA Road. Phone: 504-394-7013
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of fabricated structures to off-shore platforms.
Depth Alongside (feet): 9 - - | | Latitude (decimal): 29.828889
Total Berthing Space (feet): 170 | | Longitude (decimal): -90.05778

Waterway: **Algiers Canal** Mile: PWD: 307
Name: **Bay Ltd. Offshore, Algiers Canal North Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 700 feet southeast of foot of Buras Drive extended, Belle Chasse Datum: MLG
Operator: Bay Ltd. Offshore, a division of Berry Co.
Owner: Bay Ltd. Offshore, a division of Berry Co.
Address: 219 WPA Road. Phone: 504-394-7013
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of fabricated structures to off-shore platforms.
Depth Alongside (feet): 9 - - | | Latitude (decimal): 29.828889
Total Berthing Space (feet): 170 | | Longitude (decimal): -90.05778
Remarks: Open fabrication area located on opposite side of levee in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67008 New Orleans District

Remarks: Open fabrication area located on opposite side of levee in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67008 New Orleans District

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 307
Name: **Bay Ltd. Offshore, Algiers Canal North Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 700 feet southeast of foot of Buras Drive extended, Belle Chasse Datum: MLG
Operator: Bay Ltd. Offshore, a division of Berry Co.
Owner: Bay Ltd. Offshore, a division of Berry Co.
Address: 219 WPA Road. Phone: 504-394-7013
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of fabricated structures to off-shore platforms.
Depth Alongside (feet): 9 - - | | Latitude (decimal): 29.828889
Total Berthing Space (feet): 170 | | Longitude (decimal): -90.05778

Waterway: **Algiers Canal** Mile: PWD: 307
Name: **Bay Ltd. Offshore, Algiers Canal North Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 700 feet southeast of foot of Buras Drive extended, Belle Chasse Datum: MLG
Operator: Bay Ltd. Offshore, a division of Berry Co.
Owner: Bay Ltd. Offshore, a division of Berry Co.
Address: 219 WPA Road. Phone: 504-394-7013
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of fabricated structures to off-shore platforms.
Depth Alongside (feet): 9 - - | | Latitude (decimal): 29.828889
Total Berthing Space (feet): 170 | | Longitude (decimal): -90.05778
Remarks: Open fabrication area located on opposite side of levee in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67008 New Orleans District

Remarks: Open fabrication area located on opposite side of levee in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67008 New Orleans District

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 308
Name: **Bay Ltd. Offshore, Algiers Canal South Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 900 feet southeast of foot of Buras Drive extended, Belle Chasse Datum: MLG
Operator: Bay Ltd. Offshore, a division of Berry Co., and Mosby Enterprises.
Owner: Hero Lands Co.
Address: 219 WPA Road. Phone: 504-394-7013
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of fabricated structures to off-shore platforms.
Depth Alongside (feet): 6 | 0 - 6 | Latitude (decimal): 29.827778
Total Berthing Space (feet): 900 | 300 | Longitude (decimal): -90.05833

Waterway: **Algiers Canal** Mile: PWD: 308
Name: **Bay Ltd. Offshore, Algiers Canal South Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 900 feet southeast of foot of Buras Drive extended, Belle Chasse Datum: MLG
Operator: Bay Ltd. Offshore, a division of Berry Co., and Mosby Enterprises.
Owner: Hero Lands Co.
Address: 219 WPA Road. Phone: 504-394-7013
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of fabricated structures to off-shore platforms.
Depth Alongside (feet): 6 | 0 - 6 | Latitude (decimal): 29.827778
Total Berthing Space (feet): 900 | 300 | Longitude (decimal): -90.05833
Remarks: Fabrication area located in rear of levee. Compressed air line is available at wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67008 New Orleans District

Remarks: Fabrication area located in rear of levee. Compressed air line is available at wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67008 New Orleans District

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 308
Name: **Bay Ltd. Offshore, Algiers Canal South Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 900 feet southeast of foot of Buras Drive extended, Belle Chasse Datum: MLG
Operator: Bay Ltd. Offshore, a division of Berry Co., and Mosby Enterprises.
Owner: Hero Lands Co.
Address: 219 WPA Road. Phone: 504-394-7013
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of fabricated structures to off-shore platforms.
Depth Alongside (feet): 6 | 0 - 6 | Latitude (decimal): 29.827778
Total Berthing Space (feet): 900 | 300 | Longitude (decimal): -90.05833

Waterway: **Algiers Canal** Mile: PWD: 308
Name: **Bay Ltd. Offshore, Algiers Canal South Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 900 feet southeast of foot of Buras Drive extended, Belle Chasse Datum: MLG
Operator: Bay Ltd. Offshore, a division of Berry Co., and Mosby Enterprises.
Owner: Hero Lands Co.
Address: 219 WPA Road. Phone: 504-394-7013
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of fabricated structures to off-shore platforms.
Depth Alongside (feet): 6 | 0 - 6 | Latitude (decimal): 29.827778
Total Berthing Space (feet): 900 | 300 | Longitude (decimal): -90.05833
Remarks: Fabrication area located in rear of levee. Compressed air line is available at wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67008 New Orleans District

Remarks: Fabrication area located in rear of levee. Compressed air line is available at wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67008 New Orleans District

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 283
Name: **C&C Marine and Repair, Inc. Algiers Canal Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 0.5 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: C&C Marine and Repair, Inc.
Owner: Brown & Root, Inc.
Address: 701 Engineers Road. Phone: 504-433-2000
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring barges for repair; mooring drydock.
Depth Alongside (feet): 11 - 14 | - | Latitude (decimal): 29.864444
Total Berthing Space (feet): 1,017 | - | Longitude (decimal): -90.01361
Remarks: Face of bulkhead is in-line and contiguous with PWD Ref Nos. 284 and 285 adjacent to south side of facility. Two 1800- and two 1,200-ton floating drydocks moored at bulkhead. The two 1,200-ton docks can be combined to provide 2,400 tons of lift capacity. At time of survey (2001), facility operator had recently moved to site. Plans call for relocating levee and installing barge haulways. Repair shops located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67005 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 282
Name: **C.F. Bean Corp. Mooring.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 0.4 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: C.F. Bean Corp.
Owner: Hero Lands Co.
Address: 619 Engineers Road Phone: 504-587-8752
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.866667
Total Berthing Space (feet): 600 | | Longitude (decimal): -90.01278
Remarks: Office for marine construction and dredging contractor located in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67004 New Orleans District

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 290
Name: **Canal Barge Company, Inc., Belle Chasse Mooring.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 2.0 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: Canal Barge Company, Inc.
Owner: Canal Barge Company, Inc.
Address: 1801 Engineers Road. Phone: 504-581-2424
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring and repairing company-owned tugs and barges; mooring barges for fleeting.
Depth Alongside (feet): 8 | 5 - 8 | Latitude (decimal): 29.847778
Total Berthing Space (feet): 110 | 250 | Longitude (decimal): -90.02722
Remarks: Office is located in building in rear. Fleeting area at wharf has capacity for approximately 40 barges berthed end-to bank. Additional fleeting area is available at 8 offshore dolphins on opposite side of canal southwest of Belle Chase Highway Bridge; capacity for 15 barges in 5 tiers, 3 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67005 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 286
Name: **Circle, Inc. Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 1.2 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: Circle, Inc.
Owner: Circle, Inc.
Address: 1204 A Engineers Road Phone: 504-394-7611
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Handling contractor's marine construction equipment, materials, and supplies.
Depth Alongside (feet): 5 | | Latitude (decimal): 29.856944
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.01833
Remarks: Primary use of dock is limited to the northeast third of total water frontage. Private warehouse and equipment repair shop located in rear. Company's office is located on opposite side of Engineers Road.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67005 New Orleans District

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 293
Name: **Coastal Equipment Co. Crane Rebuild Center,Wharf**
Port: New Orleans
Location: West side, Algiers Canal, approximately 2.6 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: Coastal Equipment Co. Crane Rebuild Center, a division of Head and Engquist Equipment
Owner: Coastal Equipment Co. Crane Rebuild Center, a division of Head and Engquist Equipment, LLC.
Address: 2309 Engineers Road. Phone: 504-394-7400
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring crane barges for outfitting and repair; handle cranes for rehabilitation and repair.
Depth Alongside (feet): 8 - 9 | 3 - 5 | 3 - 5 Latitude (decimal): 29.842222
Total Berthing Space (feet): 85 | 800 | Longitude (decimal): -90.03556
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67007 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 304
Name: **Continental Construction Co., Inc., Algiers Canal Dock.**
Port: New Orleans
Location: West side, Algiers Canal, foot of Buras Drive extended, Belle Chasse. Datum: MLG
Operator: Continental Construction Co., Inc.
Owner: Professional Divers, Inc.
Address: 101 WPA Road Phone: 504-398-0014
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Handling marine construction materials.
Depth Alongside (feet): 12 - 14 | 2 - 12 | Latitude (decimal): 29.830556
Total Berthing Space (feet): 290 | 460 | Longitude (decimal): -90.055
Remarks: Open storage yard located in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67007 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 291
Name: **Delta Coatings, Inc., Wharf.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 2.3 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: Delta Coatings, Inc.
Owner: Delta Coatings, Inc.
Address: 1909 Engineers Road. Phone: 504-393-6359
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring barges and other vessels for sandblasting and painting.
Depth Alongside (feet): 4 - 5 | | Latitude (decimal): 29.845833
Total Berthing Space (feet): 150 | | Longitude (decimal): -90.03
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67007 New Orleans District

---

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 309
Name: **Dixie Offshore Transportation, Inc., Algiers Canal Dock.**
Port: New Orleans
Location: West side, Algiers Canal, at foot of WPA Road extended, Belle Chasse. Datum: MLG
Operator: Dixie Offshore Transportation, Inc., a division of Kirby Co.
Owner: Dixie Offshore Transportation, Inc., a division of Kirby Co.
Address: 333 WPA Road. Phone: 504-392-7800
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Occasional mooring of company-owned shallow-draft tugs awaiting repairs at near-by ship yards.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.826389
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.06194
Remarks: Lights, power line, and water line at wharf will not be replaced after planned levee raise.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67008 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 281
Name: **Environmental Operators, Algiers Canal Dock.**
Port: New Orleans
Location: East side, Algiers Canal, approximately 1.0 mile southwest of Louisiana State Highway 406 Bridge, Belle Datum: MLG
Operator: Not operated.
Owner: Hero Lands Co.
Address: 1042 Woodland Highway (Highway 406) Phone: 504-392-4619
Town: Belle Chasse State: LA County: Plaquemines Par
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 5 - 6 | | Latitude (decimal): 29.891389
Total Berthing Space (feet): 280 | | Longitude (decimal): -89.99583
Remarks: At time of survey (2001), facility owners were considering plans to ship municipal and industrial solid waste to its landfill at Venice, LA by barge.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 294
Name: **General Marine Leasing,Inc., Algiers Canal Wharf.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 2.7 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: General Marine Leasing, Inc.
Owner: General Marine Leasing, Inc.
Address: 2317 Engineers Road. Phone: 504-394-1155
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of fabricated structures to off-shore oil fields.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 29.841667
Total Berthing Space (feet): 260 | | Longitude (decimal): -90.03667
Remarks: At time of survey (2001), southwest end of wharf was obstructed by sunken barge. Plans call for reconstruction of wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67003 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 301
Name: **Gunter Algiers Canal Wharf.**
Port: New Orleans
Location: West side, Algiers Canal, foot of Gunther Lane, Belle Chasse. Datum: MLG
Operator: Not operated.
Owner: Dixie Services, Inc.
Address: Foot of Gunther Lane. Phone: 504-391-9200
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.8325
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.05139
Remarks: At time of survey (2001), property was leased, but was not being used for maritime purposes.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67007 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 305
Name: **Hugh Eymard Towing Co., Inc., Algiers Canal Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 500 feet southeast of foot of Buras Drive extended, Belle Chasse Datum: MLG
Operator: Hugh Eymard Towing Co., Inc. and Hugh Eymard Crane Service, Inc.
Owner: Hugh Eymard Towing Co., Inc. and Hugh Eymard Crane Service, Inc.
Address: 115 WPA Road Phone: 504-392-5986
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.83
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.05556
Remarks: Dispatch office located approximately 500 feet in rear on opposite side of levee.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67007 New Orleans District

---

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 298
Name: **John W. Stone Oil Distributors, Inc., Algiers Canal Fueling Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 3.4 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: John W. Stone Oil Distributor, LLC
Owner: John W. Stone Oil Distributor, LLC
Address: Foot of Concord Road Phone: 504-366-3401
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of diesel fuel by barge; fueling vessels; handling drummed lubricants.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.835556
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.04556
Remarks: One 6-inch pipeline extends to metered pump on wharf from 2 diesel oil storage tanks located in rear on opposite side of levee, total capacity 10,000 barrels. Open wharf area used for storage of lubricating oil in drums.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67007 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 287
Name: **Kostmayer Construction Co., Inc., Belle Chasse Dock.**
Port: New Orleans
Location: East side, Algiers Canal, approximately 1.1 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: Kostmayer Construction Co., Inc.
Owner: Barriere Construction Co., Inc.
Address: 1608 Barriere Road Phone: 504-394-6587
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Occasional shipment of rock; handling of construction equipment and materials.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.855556
Total Berthing Space (feet): 1,413 | | Longitude (decimal): -90.01778
Remarks: Approximately 30 acres of open storage area at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67005 New Orleans District

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 292
Name: **Louisiana Machinery Power Systems, Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 2.4 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: Lousiana Machinery Power Systems.
Owner: Panther Helicopters, Inc.
Address: 2011 Engineers Road. Phone: 504-393-5050
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels for in-water engine replacement or repair.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.844722
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.03139
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67007 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 297
Name: **NAS, Alvin Callender Field, Belle Chasse Fuel Dock.**
Port: New Orleans
Location: East side, Algiers Canal, approximately 3.3 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: Naval Air Station JRB
Owner: U.S. Government
Address: None Phone: 504-678-3588 ex
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of jet fuel.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.838333
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.03972
Remarks: Two 10-inch pipelines (one blanked at time of survey (2001)) extend from wharf to 7 steel storage tanks at air base one mile to rear, total storage capacity 98,000 gal.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67007 New Orleans District

---

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 289
Name: **NREC Power Systems, Inc., Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 1.8 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: NREC Power Systems, Inc.
Owner: NREC Power Systems, Inc.
Address: 1701 Engineers Road. Phone: 504-393-7272
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring small vessels for in-water engine repair; landing for excursion vessel.
Depth Alongside (feet): 12 | | - Latitude (decimal): 29.849167
Total Berthing Space (feet): 420 | | - Longitude (decimal): -90.02472
Remarks: NREC Power Systems, Inc.: Engine repair plant is located in rear.□Riverbarge Excursion Lines: Ramp is used to board and discharge RVs for waterway touring.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67006 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 295
Name: **Omega Natchiq, Belle Chasse Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 3.0 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: Omega Natchiq, a subsidiary of Natchiq, Inc.
Owner: Rathborne Properties, Inc.
Address: 2611 Engineers Road. Phone: 504-433-0922
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of fabricated structures to off-shore platforms; occasional handling of marine construction equipment.
Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 29.84
Total Berthing Space (feet): 146 | 172 | 219 Longitude (decimal): -90.03972
Remarks: Bulkheads are separated by two 78-foot-long by 62-foot wide slips, but provide 661 feet of berthing spanning slips.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67007 New Orleans District

---

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 284
Name: **Packard Pipe Terminals, Inc., Algiers Canal Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 0.7 miles southwest of Belle Chasse Highway (State Highway 23) Datum: MLG
Operator: Packard Pipe Terminals, Inc.
Owner: Brown and Root, Inc.
Address: Engineers Road Phone: 504-392-9986
Town: Belle Chasse State: LA County: Plaquemines Par
Railway Connection: None.
Purpose: Receipt of pipe, steel members, and other steel structure fabrication equipment and materials by barge.
Depth Alongside (feet): 11 - 14 | | Latitude (decimal): 29.862222
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.01556
Remarks: Face of wharf is in-line and contiguous with P.W.D. Ref. No. 283 and 285. Office and storage yard is located on opposite side of Engineers Road.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67005 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 288
Name: **Point Eight Power, Inc., Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 1.5 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: Point Eight Power, Inc.
Owner: Point Eight Power, Inc.
Address: 1510 Engineers Road Phone: 504-394-6100
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of prefabricated power control equipment to off-shore platforms by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.8525
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.02139
Remarks: At time of survey (2001), plans called for wharf improvements along the entire 610 length of occupied waterfront.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67005 New Orleans District

---

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 302
Name: **River Construction, Inc., Algiers Canal Wharf.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 800 feet northeast of foot of Buras Drive extended, Belle Chasse Datum: MLG
Operator: River Construction, Inc.
Owner: River Construction, Inc.
Address: 202 WPA Road. Phone: 504-368-0000
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Handle marine construction equipment and materials.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.831666
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.05278
Remarks: Office and construction equipment storage yard are located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67008 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 296
Name: **Sunland Construction, Inc., Algiers Canal Wharf.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 3.3 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: Sunland Construction, Inc.
Owner: Sunland Construction, Inc.
Address: 2701 Engineers Road. Phone: 504-398-1861
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring of company-owned vessels; handling of off-shore platform construction equipment.
Depth Alongside (feet): 5 | - | Latitude (decimal): 29.839167
Total Berthing Space (feet): 40 | | Longitude (decimal): -90.04167
Remarks: Wharf was designed for handling extremely heavy loads. Office and storage buildings located in rear.
□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67007 New Orleans District

---

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 300
Name: **Superior Diving Co., Algiers Canal Wharf.**
Port: New Orleans
Location: West side, Algiers Canal, foot of Gunther Lane, Belle Chasse. Datum: MLG
Operator: Action Marine, Inc.
Owner: Louis Schaefer, Jr.
Address: 225 Gunther Lane Phone: 504-393-1596
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels for refit and repair.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.832778
Total Berthing Space (feet): 380 | | Longitude (decimal): -90.05
Remarks: Wharf is in-line and contiguous with P.W.D. Ref. No. 301. Office located approximately 800 feet in rear on Gunther Lane.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67007 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 280
Name: **Transcoastal Marine Systems, Inc., Algiers Canal Dock.**
Port: New Orleans
Location: East side, Algiers Canal, approximately 0.9 mile southwest of Louisiana State Highway 407 Bridge, Algier Datum: MLG
Operator: Not operated.
Owner: Transcoastal Marine Systems, Inc.
Address: 4001 Woodland Hwy. Phone:
Town: New Orleans State: LA County: Orleans
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.894167
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.99389
Remarks: At time of survey (2001), facility was closed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67002 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 299
Name: **United Tugs, Inc., Algiers Canal Wharf.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 3.6 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: United Tugs, Inc.
Owner: United Tugs, Inc.
Address: 2017 Concord Road Phone: 504-394-6622
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring company-owned tugboats.
Depth Alongside (feet): 6 | | Latitude (decimal): 29.834444
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.04778
Remarks: Tug dispatch office located in rear on opposite side of levee. Tugs moor bow-to wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67007 New Orleans District

---

Port Facilities by Waterway

Waterway: **Algiers Canal** Mile: PWD: 306
Name: **Universal Services and Associates, Inc., Algiers Canal Wharf.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 600 feet southeast of foot of Buras Drive extended, Belle Chasse Datum: MLG
Operator: Universal Services and Associates, Inc.
Owner: Universal Services and Associates, Inc.
Address: 127 WPA Road Phone: 504-394-7716
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 6 | 2 | Latitude (decimal): 29.829444
Total Berthing Space (feet): 195 | 330 | Longitude (decimal): -90.05611
Remarks: Office located approximately 200 feet on opposite side of levee.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67008 New Orleans District

---

Waterway: **Algiers Canal** Mile: PWD: 285
Name: **Versabar, Inc., Belle Chasse Terminal Dock.**
Port: New Orleans
Location: West side, Algiers Canal, approximately 0.9 miles southwest of Belle Chasse Highway (State Highway 23) B Datum: MLG
Operator: Versabar, Inc.
Owner: Versaland Properties.
Address: 1111 Engineers Road. Phone: 504-392-3200
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad.
Purpose: Receipt of steel plate, rigging, and steel fabrication materials; shipment of fabricated steel structures.
Depth Alongside (feet): 11 - 14 | - - - | Latitude (decimal): 29.856944
Total Berthing Space (feet): 2,031 | - | Longitude (decimal): -90.01694
Remarks: Face of bulkhead is in line and contiguous with Ref. No. 283 and 284. Compressed air line available at wharf. Approximately 60 acres of open fabrication and storage area located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 67005 New Orleans District

---

Port Facilities by Waterway

Waterway: **Atchafalaya River** Mile: 4.5 PWD: 2
Name: **Bunge Corp.,Lettsworth Grain Elevator Dock.**
Port: Missouri/Arkansas R.
Location: Mile 4.5; left bank, Atchafalaya River, approximately 0.5 mile above Louisiana State Highway 1 Bridge. Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 17783 Louisiana State Highway 418 Phone: 225-492-2186
Town: Lettsworth State: LA County: Pointe Coupee
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.977778
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.78833
Remarks: Grain elevator at rear, consisting of 10 concrete silos, 15 interstices, has total capacity for 1,500,000 bushels.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20799 New Orleans District

---

Waterway: **Atchafalaya River** Mile: 5.0 PWD: 3
Name: **Moreau's Material Yard Dock**
Port: Missouri/Arkansas R.
Location: Mile 5.0; left bank, Atchafalaya River, below Kansas City Southern Railroad Bridge Datum: CRP
Operator: Moreau's Material Yard
Owner: Rickey Moreau
Address: 586 Peacock Lane Phone: 225-492-3339
Town: Lettsworth State: LA County: Pointe Coupee
Railway Connection: None.
Purpose: Receipt of crushed aggregate.
Depth Alongside (feet): - | | Latitude (decimal): 30.975555
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.79639
Remarks: Open storage area at rear has capacity for 50,000 tons of material.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20799 New Orleans District

Port Facilities by Waterway

Waterway: **Bayou Barataria** Mile: PWD: 312
Name: **Elmwood Marine Services, Inc., Belle Chasse Shipyard Wharf.**
Port: New Orleans
Location: South side, Bayou Barataria, west of foot of Buras Road extended, Belle Chasse. Datum: MLG
Operator: Elmwood Marine Services, Inc., a division of Memco.
Owner: Hero Wall Co.
Address: 222 Bayou Road. Phone: 504-392-8439
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring barges and vessels for outfitting and repair; mooring floating drydocks.
Depth Alongside (feet): 7 - 18 | | Latitude (decimal): 29.835
Total Berthing Space (feet): 350 | | Longitude (decimal): -90.05889
Remarks: One 3,200-, one 1,650-, two 1,500-, and one 1,000-ton, floating drydocks moored at bulkhead. Marine repair plant and facilities for construction of small steel vessels and barges located in rear. Approximately 1,200 feet of additional berthing space is available on opposite side of Bayou Barataria.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Bayou Barataria** Mile: PWD: 310
Name: **L.L. Turner Shipyard, Inc., Mooring.**
Port: New Orleans
Location: East side, Bayou Barataria at, junction with Algiers Canal, Belle Chasse. Datum: MLG
Operator: L.L. Turner Shipyard, Inc.
Owner: Hero Wall Co.
Address: 638 Bayou Road Phone: 504-394-2500
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring barges and vessels for repair.
Depth Alongside (feet): 6 | 4 - 6 | Latitude (decimal): 29.826389
Total Berthing Space (feet): 230 | 180 | Longitude (decimal): -90.06806
Remarks: Obsolete boiler barge and 2 vacuum barges are grounded, forming an integral part of bulkhead. Portable welding, sand blasting, and painting equipment available as required.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Bayou Barataria** Mile: PWD: 311
Name: **McDonough Marine Service, Inc., Bayou Barataria Mooring.**
Port: New Orleans
Location: East side, Bayou Barataria, northeast of foot of Bayou Road extended, Belle Chasse. Datum: MLG
Operator: McDonough Marine Service, Inc.
Owner: Hero Wall Co.
Address: 414 Bayou Road. Phone: 504-394-7547
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring company-owned barges for repair; mooring barges for fleeting.
Depth Alongside (feet): 3 - 4 | 3 - 4 | Latitude (decimal): 29.833333
Total Berthing Space (feet): 3,000 | 1,500 | Longitude (decimal): -90.06111
Remarks: One 1,500- and one 1,200-ton floating drydocks at site are used for repairing company-owned barges. One 100- by 26-foot barge permanently grounded at approximate center of wharf serves as shop. Office located on barge at north end of wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Bayou Barataria** Mile: PWD: 313
Name: **Oil Field Barges, Inc./ Barnett Marine, Inc., Bayou Barataria Whar**
Port: New Orleans
Location: South side, Bayou Barataria, east of foot of Buras Road extended, Belle Chasse. Datum: MLG
Operator: Oil Field Barges, Inc. and Barnett Marine, Inc.
Owner: Oil Field Barges, Inc.
Address: 2709 Concord Road. Phone: 504-394-6055
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring floating drydocks; mooring, repair, and construction of company-owned barges; handling construction materials, equipment, and supplies by barge.
Depth Alongside (feet): 5 - 7 | | Latitude (decimal): 29.836111
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.05694
Remarks: Barnett Marine, Inc.: Operates two 750-ton floating drydocks moored at bank, and marine repair plant at rear. Barges are built and launched at east end of property. Open storage area for construction equipment located at rear. Oil Field Barges, Inc.: Operates a rental agency for barges. Approximately 20 barges can be moored at bank simultaneously. Company offices are located onopposite side of Concord Road in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Bayou Bienvenue** Mile: PWD: 26

Name: **Port Ship Services, Inc., Bayou Bienvenue Shipyard Wharf.**

Port: New Orleans

Location: South bank, Bayou Bienvenue, below Paris Road (State Highway 47) Bridge, St Bernard Parish. Datum: MLG

Operator: Port Ship Services, Inc.

Owner: Port Ship Services, Inc.

Address: 6325B Paris Road. Phone: 504 279-0486

Town: Chalmette State: LA County: St. Bernard Par

Railway Connection: None.

Purpose: Mooring and repairing company-owned floating equipment.

Depth Alongside (feet): 7 - 15 | 7 | Latitude (decimal): 29.979722

Total Berthing Space (feet): 460 | 100 | Longitude (decimal): -89.94333

Remarks: Shed located at rear used for repairs and painting of company-owned vessels only. Approximately 5 acres of open storage area is occasionally used for yacht repairs and maintenance by vessel owners. Maximum beam of vessel hauled is constrained by 21-foot width of slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15968 New Orleans District

---

Waterway: **Bayou Bonfouca** Mile: PWD: 30

Name: **AmClyde Engineered Products Co., Bayou Liberty Facility Slip.**

Port: New Orleans

Location: Left bank, Bayou Bonfouca, approximately 200 feet above State Route 433 Bridge, Slidell. Datum: MLG

Operator: AmClyde Engineered Products Co., Inc., a unit of Halter Marine Group, Inc.

Owner: AmClyde Engineered Products Co., Inc., a unit of Halter Marine Group, Inc.

Address: 330 Bayou Liberty Road Phone: 504-646-1551

Town: Slidell State: LA County: St.Tammany Pari

Railway Connection: None.

Purpose: Mooring of barges for installation of deck cranes, winches, and other deck hardware; shipment of barge equipment and other barge outfitting materials by barge.

Depth Alongside (feet): 8 | 8 | Latitude (decimal): 30.271389

Total Berthing Space (feet): 100 | 440 | Longitude (decimal): -89.79194

Remarks: Fabrication materials for construction of barge cranes and other deck equipment is stored in open area located at rear of wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20504 New Orleans District

---

Port Facilities by Waterway

Waterway: **Bayou Bonfouca** Mile: PWD: 34
Name: **Pearl River Navigation, Inc., Bayou Bonfouca Wharf.**
Port: New Orleans
Location: Right bank, mile 6.4, Bayou Bonfouca, approximately 1,500 feet below State Route 433 Bridge, Slidell. Datum: MLG
Operator: Pearl River Navigation, Inc.
Owner: Pearl River Navigation, Inc.
Address: - Phone: 504 641-6243
Town: Slidell State: LA County: St.Tammany Pari
Railway Connection: None.
Purpose: Shipment of oil field and marine construction materials; mooring company-owned vessels for repairs and maintenance; mooring drydock.
Depth Alongside (feet): 7 | 6 | Latitude (decimal): 30.271667
Total Berthing Space (feet): 150 | 160 | Longitude (decimal): -89.79917
Remarks: Drydock, consisting of former barge with 8 sections and blocks on deck, is moored at bulkhead, used only to repair company-owned vessels. Approximately 2.6 acres of open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20504 New Orleans District

---

Waterway: **Bayou Bonfouca** Mile: PWD: 29
Name: **Port of Slidell, LLC, Wharf.**
Port: New Orleans
Location: Left bank, Bayou Bonfouca, approximately 0.4 miles below State Route 433 Bridge, Slidell. Datum: MLG
Operator: Port of Slidell, LLC.
Owner: Port of Slidell, LLC.
Address: 999 Canulette Rd. Phone: 504-522-7077 x1
Town: Slidell State: LA County: St.Tammany Pari
Railway Connection: None.
Purpose: Mooring small vessels, barges, and marine and heavy construction floating equipment.
Depth Alongside (feet): 15 - 18 | | Latitude (decimal): 30.270556
Total Berthing Space (feet): 1,160 | | Longitude (decimal): -89.79944
Remarks: A 60 by 325- foot graving dock is located on lower side. Portions of the wharf are obstructed by submerged vessels and shoals. At time of survey (2001), owner has plans to convert site into a full-service marine repair and a general cargo/ commodity transfer facility.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20504 New Orleans District

Port Facilities by Waterway

Waterway: **Bayou Bonfouca/ Slidell Slip** Mile: PWD: 31

Name: **Calle Oelsner Slidell Wharf.**

Port: New Orleans

Location: Right bank, Bayou Bonfouca, approximately 600 feet above State Route 433 Bridge, Slidell. Datum: MLG

Operator: Not operated.

Owner: Calle Oelsner

Address: - Phone: 504 643-010015

Town: Slidell State: LA County: St.Tammany Pari

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 30.273611

Total Berthing Space (feet): 150 | | Longitude (decimal): -89.79167

Remarks: At time of survey (2001), owner was clearing site. Site provides water frontage on both Bayou Bonfouca and Slidell Slip. Plans call for development as commercial navigation facility.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20504 New Orleans District

Port Facilities by Waterway

Waterway: **Bayou D'Inde** Mile: PWD: 112
Name: **Firestone Polymers, Styrene Wharf**
Port: Lake Charles
Location: Right bank of Bayou D'Inde, approximately 400 feet below State Highway 108 Bridge, Sulphur. Datum: MLW
Operator: Kirby, Inc.
Owner: Firestone Polymers, LLC, division of Bridgestone/Firestone Inc.
Address: 1801 Highway 108 East Phone: 337-882-1380
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of styrene by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.201944
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.325

Waterway: **Bayou D'Inde** Mile: PWD: 112
Name: **Firestone Polymers, Styrene Wharf**
Port: Lake Charles
Location: Right bank of Bayou D'Inde, approximately 400 feet below State Highway 108 Bridge, Sulphur. Datum: MLW
Operator: Kirby, Inc.
Owner: Firestone Polymers, LLC, division of Bridgestone/Firestone Inc.
Address: 1801 Highway 108 East Phone: 337-882-1380
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of styrene by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.201944
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.325

Remarks: One 8-inch pipeline extends from wharf to one 630,000-gallon, steel, styrene storage tank located inside nearby Firestone Synthetic Rubber & Latex Co. synthetic rubber plant. One 1-inch nitrogen line serves wharf. Firestone Polymes, LLC, synthetic rubber plant at 1801 State Highway 108 East.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch pipeline extends from wharf to one 630,000-gallon, steel, styrene storage tank located inside nearby Firestone Synthetic Rubber & Latex Co. synthetic rubber plant. One 1-inch nitrogen line serves wharf. Firestone Polymes, LLC, synthetic rubber plant at 1801 State Highway 108 East.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Bayou D'Inde** Mile: PWD: 112
Name: **Firestone Polymers, Styrene Wharf**
Port: Lake Charles
Location: Right bank of Bayou D'Inde, approximately 400 feet below State Highway 108 Bridge, Sulphur. Datum: MLW
Operator: Kirby, Inc.
Owner: Firestone Polymers, LLC, division of Bridgestone/Firestone Inc.
Address: 1801 Highway 108 East Phone: 337-882-1380
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of styrene by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.201944
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.325

Waterway: **Bayou D'Inde** Mile: PWD: 112
Name: **Firestone Polymers, Styrene Wharf**
Port: Lake Charles
Location: Right bank of Bayou D'Inde, approximately 400 feet below State Highway 108 Bridge, Sulphur. Datum: MLW
Operator: Kirby, Inc.
Owner: Firestone Polymers, LLC, division of Bridgestone/Firestone Inc.
Address: 1801 Highway 108 East Phone: 337-882-1380
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of styrene by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.201944
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.325

Remarks: One 8-inch pipeline extends from wharf to one 630,000-gallon, steel, styrene storage tank located inside nearby Firestone Synthetic Rubber & Latex Co. synthetic rubber plant. One 1-inch nitrogen line serves wharf. Firestone Polymes, LLC, synthetic rubber plant at 1801 State Highway 108 East.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch pipeline extends from wharf to one 630,000-gallon, steel, styrene storage tank located inside nearby Firestone Synthetic Rubber & Latex Co. synthetic rubber plant. One 1-inch nitrogen line serves wharf. Firestone Polymes, LLC, synthetic rubber plant at 1801 State Highway 108 East.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Bayou D'Inde** Mile: PWD: 114

Name: **Harless Shell Yard**

Port: Lake Charles

Location: Right bank of Bayou D'Inde, approximately 1,300 feet below State Highway 108 Bridge, Sulphur. Datum: MLG

Operator: Harless, Inc.

Owner: Harless, Inc.

Address: 2589 Bayou D'Inde Road Phone: 337-882-0360

Town: Sulphur State: LA County: Calcasieu

Railway Connection: None.

Purpose: Receipt of limestone and other materials by barge.

Depth Alongside (feet): 9 | | Latitude (decimal): 30.200833

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.32222

Remarks: Approximately 12 acres of open storage area located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Bayou D'Inde** Mile: PWD: 113
Name: **Texas Butylene Chemicals, Butadiene & Gas Wharf**
Port: Lake Charles
Location: Right bank of Bayou D'Inde, approximately 800 feet below State Highway 108 Bridge, Sulphur. Datum: MLW
Operator: Kirby, Inc.
Owner: Texas Butylene Chemicals, Inc.
Address: 3524 Cities Services Highway Phone: 337-882-1380
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of butadiene and shipment of crude butadiene and pyrolysis gasoline by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.201389
Total Berthing Space (feet): 228 | | Longitude (decimal): -93.32417

Waterway: **Bayou D'Inde** Mile: PWD: 113
Name: **Texas Butylene Chemicals, Butadiene & Gas Wharf**
Port: Lake Charles
Location: Right bank of Bayou D'Inde, approximately 800 feet below State Highway 108 Bridge, Sulphur. Datum: MLW
Operator: Kirby, Inc.
Owner: Texas Butylene Chemicals, Inc.
Address: 3524 Cities Services Highway Phone: 337-882-1380
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of butadiene and shipment of crude butadiene and pyrolysis gasoline by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.201389
Total Berthing Space (feet): 228 | | Longitude (decimal): -93.32417

Remarks: One 8-inch butadiene and one 6-inch vapor pipelines extend from wharf to one 630,000-gallon, steel, spherical storage tank at terminal in rear. Terminal handles crude butadiene and pyrolysis gasoline for the Equistar, Chemicals Olefins Division, Lake Charles Plant, located on the opposite side of Cities Service Highway at 4300 State Highway. One 8-inch crude butadiene and one 6-inch vapor pipelines extend to wharf from a second 630,000-gallon, steel,storage tank at rear, and a 4-inch pipeline extends to that tank from a 201,600-gallon steel storage tank inside the plant. One 4-inch pyrolysis gasoline pipeline extends to wharf from one 27,000-barrel steel storage tank and one4- inch vapor line extends from wharf to flare tower, both located in plant.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch butadiene and one 6-inch vapor pipelines extend from wharf to one 630,000-gallon, steel, spherical storage tank at terminal in rear. Terminal handles crude butadiene and pyrolysis gasoline for the Equistar, Chemicals Olefins Division, Lake Charles Plant, located on the opposite side of Cities Service Highway at 4300 State Highway. One 8-inch crude butadiene and one 6-inch vapor pipelines extend to wharf from a second 630,000-gallon, steel,storage tank at rear, and a 4-inch pipeline extends to that tank from a 201,600-gallon steel storage tank inside the plant. One 4-inch pyrolysis gasoline pipeline extends to wharf from one 27,000-barrel steel storage tank and one4- inch vapor line extends from wharf to flare tower, both located in plant.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Bayou D'Inde** Mile: PWD: 113
Name: **Texas Butylene Chemicals, Butadiene & Gas Wharf**
Port: Lake Charles
Location: Right bank of Bayou D'Inde, approximately 800 feet below State Highway 108 Bridge, Sulphur. Datum: MLW
Operator: Kirby, Inc.
Owner: Texas Butylene Chemicals, Inc.
Address: 3524 Cities Services Highway Phone: 337-882-1380
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of butadiene and shipment of crude butadiene and pyrolysis gasoline by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.201389
Total Berthing Space (feet): 228 | | Longitude (decimal): -93.32417

Waterway: **Bayou D'Inde** Mile: PWD: 113
Name: **Texas Butylene Chemicals, Butadiene & Gas Wharf**
Port: Lake Charles
Location: Right bank of Bayou D'Inde, approximately 800 feet below State Highway 108 Bridge, Sulphur. Datum: MLW
Operator: Kirby, Inc.
Owner: Texas Butylene Chemicals, Inc.
Address: 3524 Cities Services Highway Phone: 337-882-1380
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of butadiene and shipment of crude butadiene and pyrolysis gasoline by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.201389
Total Berthing Space (feet): 228 | | Longitude (decimal): -93.32417

Remarks: One 8-inch butadiene and one 6-inch vapor pipelines extend from wharf to one 630,000-gallon, steel, spherical storage tank at terminal in rear. Terminal handles crude butadiene and pyrolysis gasoline for the Equistar, Chemicals Olefins Division, Lake Charles Plant, located on the opposite side of Cities Service Highway at 4300 State Highway. One 8-inch crude butadiene and one 6-inch vapor pipelines extend to wharf from a second 630,000-gallon, steel,storage tank at rear, and a 4-inch pipeline extends to that tank from a 201,600-gallon steel storage tank inside the plant. One 4-inch pyrolysis gasoline pipeline extends to wharf from one 27,000-barrel steel storage tank and one4- inch vapor line extends from wharf to flare tower, both located in plant.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch butadiene and one 6-inch vapor pipelines extend from wharf to one 630,000-gallon, steel, spherical storage tank at terminal in rear. Terminal handles crude butadiene and pyrolysis gasoline for the Equistar, Chemicals Olefins Division, Lake Charles Plant, located on the opposite side of Cities Service Highway at 4300 State Highway. One 8-inch crude butadiene and one 6-inch vapor pipelines extend to wharf from a second 630,000-gallon, steel,storage tank at rear, and a 4-inch pipeline extends to that tank from a 201,600-gallon steel storage tank inside the plant. One 4-inch pyrolysis gasoline pipeline extends to wharf from one 27,000-barrel steel storage tank and one4- inch vapor line extends from wharf to flare tower, both located in plant.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Bayou D'Inde** Mile: PWD: 115
Name: **Transworld Exploration & Production, Bayou D'Inde Barge Dock.**
Port: Lake Charles
Location: Right bank of Bayou D'Inde, approximately 1.6 miles above mouth, Sulphur. Datum: MLG
Operator: Not operated,
Owner: Transworld Exploration & Production (Lockport), Inc.
Address: 2246 Bayou D'Inde Pass Phone: 337-882-8034
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.206667
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.30611
Remarks: Dock formerly was used for shipment of crude oil by barge. One 8-inch pipeline extends to wharf from 3 steel storage tanks in rear, total capacity 14,400 barrels. In 2002, owner planned to blank pipeline.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Bayou Sauvage** Mile: PWD: 41
Name: **Textron Marine and Land Systems Wharf.**
Port: New Orleans
Location: South bank, Bayou Sauvage, approximately 2.8 miles above Chef Menteur Pass, New Orleans. Datum: MLG
Operator: Textron Marine and Land Systems, a division of Textron, Inc.
Owner: Textron Marine and Land Systems, a division of Textron, Inc.
Address: 19401 Chef Menteur Highway. Phone: 504-254-6328
Town: New Orleans State: LA County: Orleans
Railway Connection: None.
Purpose: Moor new vessels for sea trials; mooring small vessels for repair and outfitting.
Depth Alongside (feet): 17 | 17 | 17 Latitude (decimal): 30.08
Total Berthing Space (feet): 600 | 1,200 | Longitude (decimal): -89.85306
Remarks: Plant located at rear manufactures vessels for U.S. government and other customers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20503 New Orleans District

---

Port Facilities by Waterway

Waterway: **Black Lake Bayou** Mile: PWD: 146

Name: **Hackberry Seafood Dock**

Port: Lake Charles

Location: Left bank, Black Lake Bayou, approximately 0.4 mile below State Highway 27 bridge, Hackberry. Datum: MLG

Operator: Hackberry Seafood

Owner: David Deere

Address: Phone: 337-762-3754

Town: Hackberry State: LA County: Cameron

Railway Connection: None.

Purpose: Receipt of seafood; fueling, and mooring fishing vessels.

Depth Alongside (feet): 0 - 2 | | Latitude (decimal): 30.005556

Total Berthing Space (feet): 620 | | Longitude (decimal): -93.34083

Remarks: One 1-1/4 in diesel fuel hose on wharf served by 170-barrel, diesel fuel storage tank at rear. Future Plans: One 47-barrel gasoline storage tank for fueling.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Black Lake Bayou** Mile: PWD: 149
Name: **Hilcorp Energy Corp. Hackberry East Slip.**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 100 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies, mooring company-owned crew boats.
Depth Alongside (feet): 6 | 6 - 8 | 6 - 8 Latitude (decimal): 30.005833
Total Berthing Space (feet): 40 | 90 | 175 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 149
Name: **Hilcorp Energy Corp. Hackberry East Slip.**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 100 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies, mooring company-owned crew boats.
Depth Alongside (feet): 6 | 6 - 8 | 6 - 8 Latitude (decimal): 30.005833
Total Berthing Space (feet): 40 | 90 | 175 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 149
Name: **Hilcorp Energy Corp. Hackberry East Slip.**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 100 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies, mooring company-owned crew boats.
Depth Alongside (feet): 6 | 6 - 8 | 6 - 8 Latitude (decimal): 30.005833
Total Berthing Space (feet): 40 | 90 | 175 Longitude (decimal): -93.34472

Remarks: An additional 75 feet of berthing space in 10 feet of water is available at a 50-foot, timber sheet pile bulkhead with solid fill with 2 timber breasting dolphins in line with face located below outer end of lower side of slip. One 100- by 45-foot, timber frame building and one 40- by 30- and one 30- by 20-foot, steel frame, metal-covered storage and office buildings are located on the upper side at the rear of the timber wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: An additional 75 feet of berthing space in 10 feet of water is available at a 50-foot, timber sheet pile bulkhead with solid fill with 2 timber breasting dolphins in line with face located below outer end of lower side of slip. One 100- by 45-foot, timber frame building and one 40- by 30- and one 30- by 20-foot, steel frame, metal-covered storage and office buildings are located on the upper side at the rear of the timber wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: An additional 75 feet of berthing space in 10 feet of water is available at a 50-foot, timber sheet pile bulkhead with solid fill with 2 timber breasting dolphins in line with face located below outer end of lower side of slip. One 100- by 45-foot, timber frame building and one 40- by 30- and one 30- by 20-foot, steel frame, metal-covered storage and office buildings are located on the upper side at the rear of the timber wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Black Lake Bayou** Mile: PWD: 149
Name: **Hilcorp Energy Corp. Hackberry East Slip.**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 100 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies, mooring company-owned crew boats.
Depth Alongside (feet): 6 | 6 - 8 | 6 - 8 Latitude (decimal): 30.005833
Total Berthing Space (feet): 40 | 90 | 175 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 149
Name: **Hilcorp Energy Corp. Hackberry East Slip.**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 100 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies, mooring company-owned crew boats.
Depth Alongside (feet): 6 | 6 - 8 | 6 - 8 Latitude (decimal): 30.005833
Total Berthing Space (feet): 40 | 90 | 175 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 149
Name: **Hilcorp Energy Corp. Hackberry East Slip.**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 100 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies, mooring company-owned crew boats.
Depth Alongside (feet): 6 | 6 - 8 | 6 - 8 Latitude (decimal): 30.005833
Total Berthing Space (feet): 40 | 90 | 175 Longitude (decimal): -93.34472

Remarks: An additional 75 feet of berthing space in 10 feet of water is available at a 50-foot, timber sheet pile bulkhead with solid fill with 2 timber breasting dolphins in line with face located below outer end of lower side of slip. One 100- by 45-foot, timber frame building and one 40- by 30- and one 30- by 20-foot, steel frame, metal-covered storage and office buildings are located on the upper side at the rear of the timber wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: An additional 75 feet of berthing space in 10 feet of water is available at a 50-foot, timber sheet pile bulkhead with solid fill with 2 timber breasting dolphins in line with face located below outer end of lower side of slip. One 100- by 45-foot, timber frame building and one 40- by 30- and one 30- by 20-foot, steel frame, metal-covered storage and office buildings are located on the upper side at the rear of the timber wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: An additional 75 feet of berthing space in 10 feet of water is available at a 50-foot, timber sheet pile bulkhead with solid fill with 2 timber breasting dolphins in line with face located below outer end of lower side of slip. One 100- by 45-foot, timber frame building and one 40- by 30- and one 30- by 20-foot, steel frame, metal-covered storage and office buildings are located on the upper side at the rear of the timber wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Black Lake Bayou** Mile: PWD: 149
Name: **Hilcorp Energy Corp. Hackberry East Slip.**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 100 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies, mooring company-owned crew boats.
Depth Alongside (feet): 6 | 6 - 8 | 6 - 8 Latitude (decimal): 30.005833
Total Berthing Space (feet): 40 | 90 | 175 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 149
Name: **Hilcorp Energy Corp. Hackberry East Slip.**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 100 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies, mooring company-owned crew boats.
Depth Alongside (feet): 6 | 6 - 8 | 6 - 8 Latitude (decimal): 30.005833
Total Berthing Space (feet): 40 | 90 | 175 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 149
Name: **Hilcorp Energy Corp. Hackberry East Slip.**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 100 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies, mooring company-owned crew boats.
Depth Alongside (feet): 6 | 6 - 8 | 6 - 8 Latitude (decimal): 30.005833
Total Berthing Space (feet): 40 | 90 | 175 Longitude (decimal): -93.34472

Remarks: An additional 75 feet of berthing space in 10 feet of water is available at a 50-foot, timber sheet pile bulkhead with solid fill with 2 timber breasting dolphins in line with face located below outer end of lower side of slip. One 100- by 45-foot, timber frame building and one 40- by 30- and one 30- by 20-foot, steel frame, metal-covered storage and office buildings are located on the upper side at the rear of the timber wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: An additional 75 feet of berthing space in 10 feet of water is available at a 50-foot, timber sheet pile bulkhead with solid fill with 2 timber breasting dolphins in line with face located below outer end of lower side of slip. One 100- by 45-foot, timber frame building and one 40- by 30- and one 30- by 20-foot, steel frame, metal-covered storage and office buildings are located on the upper side at the rear of the timber wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: An additional 75 feet of berthing space in 10 feet of water is available at a 50-foot, timber sheet pile bulkhead with solid fill with 2 timber breasting dolphins in line with face located below outer end of lower side of slip. One 100- by 45-foot, timber frame building and one 40- by 30- and one 30- by 20-foot, steel frame, metal-covered storage and office buildings are located on the upper side at the rear of the timber wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Black Lake Bayou** Mile: PWD: 147
Name: **Hilcorp Energy Corp. Hackberry West Slip**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 380 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road. Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 60 | 330 | 660 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 147
Name: **Hilcorp Energy Corp. Hackberry West Slip**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 380 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road. Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 60 | 330 | 660 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 147
Name: **Hilcorp Energy Corp. Hackberry West Slip**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 380 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road. Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 60 | 330 | 660 Longitude (decimal): -93.34472
Remarks: Approximately 6 acres of open storage area located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Approximately 6 acres of open storage area located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Approximately 6 acres of open storage area located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Black Lake Bayou** Mile: PWD: 147
Name: **Hilcorp Energy Corp. Hackberry West Slip**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 380 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road. Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 60 | 330 | 660 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 147
Name: **Hilcorp Energy Corp. Hackberry West Slip**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 380 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road. Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 60 | 330 | 660 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 147
Name: **Hilcorp Energy Corp. Hackberry West Slip**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 380 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road. Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 60 | 330 | 660 Longitude (decimal): -93.34472
Remarks: Approximately 6 acres of open storage area located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 6 acres of open storage area located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 6 acres of open storage area located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Black Lake Bayou** Mile: PWD: 147
Name: **Hilcorp Energy Corp. Hackberry West Slip**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 380 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road. Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 60 | 330 | 660 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 147
Name: **Hilcorp Energy Corp. Hackberry West Slip**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 380 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road. Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 60 | 330 | 660 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 147
Name: **Hilcorp Energy Corp. Hackberry West Slip**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 380 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road. Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 60 | 330 | 660 Longitude (decimal): -93.34472
Remarks: Approximately 6 acres of open storage area located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 6 acres of open storage area located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 6 acres of open storage area located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Black Lake Bayou** Mile: PWD: 148
Name: **Hilcorp Energy Corp. Hackberry Wharf**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 270 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies; fueling company-owned vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 108 | 35 | 60 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 148
Name: **Hilcorp Energy Corp. Hackberry Wharf**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 270 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies; fueling company-owned vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 108 | 35 | 60 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 148
Name: **Hilcorp Energy Corp. Hackberry Wharf**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 270 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies; fueling company-owned vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 108 | 35 | 60 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 148
Name: **Hilcorp Energy Corp. Hackberry Wharf**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 270 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies; fueling company-owned vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 108 | 35 | 60 Longitude (decimal): -93.34472
Remarks: One 2 in diesel fuel pipeline connected to 1-1/2 in hose on dock extends from one 3,000 gallon storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 2 in diesel fuel pipeline connected to 1-1/2 in hose on dock extends from one 3,000 gallon storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 2 in diesel fuel pipeline connected to 1-1/2 in hose on dock extends from one 3,000 gallon storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Black Lake Bayou** Mile: PWD: 148
Name: **Hilcorp Energy Corp. Hackberry Wharf**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 270 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies; fueling company-owned vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 108 | 35 | 60 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 148
Name: **Hilcorp Energy Corp. Hackberry Wharf**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 270 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies; fueling company-owned vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 108 | 35 | 60 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 148
Name: **Hilcorp Energy Corp. Hackberry Wharf**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 270 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies; fueling company-owned vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 108 | 35 | 60 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 148
Name: **Hilcorp Energy Corp. Hackberry Wharf**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 270 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies; fueling company-owned vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 108 | 35 | 60 Longitude (decimal): -93.34472
Remarks: One 2 in diesel fuel pipeline connected to 1-1/2 in hose on dock extends from one 3,000 gallon storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 2 in diesel fuel pipeline connected to 1-1/2 in hose on dock extends from one 3,000 gallon storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 2 in diesel fuel pipeline connected to 1-1/2 in hose on dock extends from one 3,000 gallon storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Black Lake Bayou** Mile: PWD: 148
Name: **Hilcorp Energy Corp. Hackberry Wharf**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 270 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies; fueling company-owned vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 108 | 35 | 60 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 148
Name: **Hilcorp Energy Corp. Hackberry Wharf**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 270 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies; fueling company-owned vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 108 | 35 | 60 Longitude (decimal): -93.34472

Waterway: **Black Lake Bayou** Mile: PWD: 148
Name: **Hilcorp Energy Corp. Hackberry Wharf**
Port: Lake Charles
Location: Right bank, Black Lake Bayou, approximately 0.9 mile above State Highway 27 bridge and 270 feet above fo Datum: MLG
Operator: Hilcorp Energy Corp.
Owner: Hilcorp Energy Corp.
Address: 290 Amoco Road Phone: 337-762-3503
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field equipment and supplies; fueling company-owned vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.005833
Total Berthing Space (feet): 108 | 35 | 60 Longitude (decimal): -93.34472

Remarks: One 2 in diesel fuel pipeline connected to 1-1/2 in hose on dock extends from one 3,000 gallon storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 2 in diesel fuel pipeline connected to 1-1/2 in hose on dock extends from one 3,000 gallon storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 2 in diesel fuel pipeline connected to 1-1/2 in hose on dock extends from one 3,000 gallon storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Waterway: **Black Lake Bayou** Mile: PWD: 151

Name: **Ocean Seafood Co., Hackberry Wharves.**

Port: Lake Charles

Location: Right bank, Black Lake Bayou, approximately 900 feet below State Highway 27 Bridge, Hackberry. Datum: MLG

Operator: Ocean Seafood Co., Inc.

Owner: Ocean Seafood Co., Inc.

Address: 294 Pete Seay Circle Phone: 337-762-4767

Town: Hackberry State: LA County: Cameron

Railway Connection: None.

Purpose: Upper 3 wharves: mooring fishing vessels. Lower wharf: Receipt of seafood; fueling fishing vessels.

Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 30.004444

Total Berthing Space (feet): 125 | 100 | 125 Longitude (decimal): -93.34028

Remarks: Two fuel pipelines extend to two metered pumps on seafood wharf from one diesel fuel and one gasoline storage tank at rear, storage capacity 1,000 gallons each. Steel frame, metal-covered building on seafood wharf is used as fresh seafood packing plant. Alpha Seafood Enterprises, Inc., operates a frozen seafood packing plant located at the rear of the mooring wharves.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Waterway: **Black Lake Bayou** Mile: PWD: 150

Name: **Spicer's Bait and Tackle Wharf**

Port: Lake Charles

Location: Right bank, Black Lake Bayou, approximately 400 feet below State Highway 27 Bridge, Hackberry. Datum:

Operator: Spicer's Bait and Tackle

Owner: Spicer's Bait and Tackle

Address: Phone: 337-762-4418

Town: Hackberry State: LA County: Cameron

Railway Connection: None.

Purpose: Occasional receipt of seafood. Mooring of recreational craft.

Depth Alongside (feet): 6 | | Latitude (decimal): 30.004444

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34

Remarks: One 1-inch gasoline pipeline extends to wharf from two 1,000-gallon storage tanks at rear of site. Two timber frame buildings for office and storage are located at east end of timber wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Burros Pit** Mile: PWD: 27
Name: **Bienvenue Shipyard Wharf.**
Port: New Orleans
Location: Left bank, Bourros Pit, approximately .9 mile above entrance from Bayou Bienvenue, St. Bernard Parish. Datum: MLG
Operator: Bienvenue Shipyard
Owner: Shevravast Investments, LLC.
Address: 5501 Paris Rd. Phone: 504-270-0777
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair.
Depth Alongside (feet): 16 | 8 | Latitude (decimal): 29.977222
Total Berthing Space (feet): 310 | 100 | Longitude (decimal): -89.9425
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15968 New Orleans District

---

Waterway: **Burros Pit** Mile: PWD: 28
Name: **Crewboats, Inc., Lower Wharf.**
Port: New Orleans
Location: Left bank, Bourros Pit, approximately 1.0 mile above entrance from Bayou Bienvenue, St. Bernard Parish. Datum: MLG
Operator: Crewboats, Inc.
Owner: Crewboats, Inc.
Address: 5425 Paris Rd. Phone: 504-270-0777
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Mooring company-owned crewboats for repair and maintenance.
Depth Alongside (feet): 6 - 8 | | Latitude (decimal): 29.975556
Total Berthing Space (feet): 225 | | Longitude (decimal): -89.94333
Remarks: Office at rear serves as base for crewboat operations.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15968 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 007

Name: **ASCO Oil and Gas Services, Lower Cameron Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Pass, approximately 1.4 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG

Operator: ASCO Oil and Gas Services, Inc.

Owner: ASCO Oil and Gas Services, Inc.

Address: Phone: 337-775-5309

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Handling offshore oil field equipment and supplies.

Depth Alongside (feet): 15 | | Latitude (decimal): 29.785278

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.32639

Remarks: At time of survey (2000), plans called for adding marine fuel storage and a pumping facility, and replacing a 35-ton crane with 100-ton crane in 2001. One 50- by 50-foot, steel frame, metal-covered building used as a warehouse and office, and 8 acres of open storage area are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Pass** Mile: PWD: 032

Name: **ASCO Oil and Gas Services, Upper Cameron Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Pass, approximately 3.2 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG

Operator: ASCO Oil and Gas Services, Inc.

Owner: ASCO Oil and Gas Services, Inc.

Address: Phone: 337-775-5775

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Receipt of used oil and bilge water; shipment of methanol and bulk and drummed lubricating oil by offshore service vessels; fueling vessels; loading barge for midstream water service.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.800278

Total Berthing Space (feet): 485 | | Longitude (decimal): -93.34167

Remarks: Six 3-inch pipelines connect wharf to the following storage tanks: Product Tanks No. Total capacity Bilge water 1 15,500 gallons Diesel fuel 2 40 barrels Lube oil 2 285 barrels Methanol 1 10,000 gallons Used oil 1 369 barrels A steel frame, metal-covered storage shed is located on lot.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 062
Name: **Bailey's Seafood, Monkey Island Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu Pass, approximately 1.4 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: Not operated.
Owner: Bailey's Seafood, Inc.
Address: Phone: 337-775-5117
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | 12 Latitude (decimal): 29.786111
Total Berthing Space (feet): 160 | | 175 Longitude (decimal): -93.32806
Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Pass** Mile: PWD: 003
Name: **Baker Hughes Intec Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 0.8 mile above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Baker Hughes Intec.
Owner: Charles F. Henry Estate.
Address: Phone: 337-775-5125
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Handling bagged and dry bulk barite, drilling mud, and additives; pipe, and other oil field supplies.
Depth Alongside (feet): 16 | | Latitude (decimal): 29.782778
Total Berthing Space (feet): 500 | | Longitude (decimal): -93.33389
Remarks: Pneumatic loader is served by 11 steel storage tanks at rear, total capacity 21 tons. Office and storage building are also located at rear.□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 008

Name: **Baroid Drilling Fluids, Cameron Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Pass, approximately 1.5 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG

Operator: Baroid Drilling Fluids, Inc.

Owner: Charles F. Henry Estate.

Address: Phone: 337-775-5512

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Receipt of bagged and bulk barite, liquid drilling mud and other drilling fluids by barge; shipment by small vessel.

Depth Alongside (feet): 14 | 14 | Latitude (decimal): 29.788056

Total Berthing Space (feet): 460 | 500 | Longitude (decimal): -93.32472

Remarks: Pipelines extend from wharf to the following storage tanks:□ Product
Pipelines Tanks□ No. Size (in.) No. Total capacity
Barite 1 6 (to 4-in hose) 7 1,750 tons □ Bentonite 1 4 (hose)
3 172 tons □ Completion fluids 1 6 16 17,000 barrels
2 4 □ Drilling mud 1 6 8 5,500 barrels□
Synthetic mud 1 6 6 10,000 barrelsTwo 60- by 40-foot, steel frame, metal-covered buildings used for storage and 6 acres of open storage area are located in rear. Baroid Corp. receives barite by barge from company's Sulphur wharf (Ref. No. 1□17).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Pass** Mile: PWD: 023

Name: **Bolo Ice Corp. Plant.**

Port: Lake Charles

Location: Left bank, Calcasieu Pass, approximately 2.5 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG

Operator: Bolo Ice Corp.

Owner: Lenny Vitello.

Address: Phone: 337-775-5987

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Icing fishing vessels.

Depth Alongside (feet): 3 | | Latitude (decimal): 29.798056

Total Berthing Space (feet): 170 | | Longitude (decimal): -93.33083

Remarks: Ice house is located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 013
Name: **Cameron Offshore Boats, McCalls Offshore Dock.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.05 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: Henry McCall and Cameron Offshore Boats, Inc.
Owner: Henry McCall.
Address: Phone: 337-775-5505
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Handling oil field supplies for offshore crew and utility boats.
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 29.794444
Total Berthing Space (feet): 230 | 230 | 230 Longitude (decimal): -93.32444
Remarks: Dolphins provide berthing space at faces of piers for four offshore utility boats, each up to 220 foot long.□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Pass** Mile: PWD: 063
Name: **Cameron Pilots Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu Pass, above lower intersection with Calcasieu Ship Channel, on Monkey Island, Came Datum: MLG
Operator: Lake Charles Pilots Association.
Owner: Lake Charles Pilots Association.
Address: Phone: 337-775-5430
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring pilot boats.
Depth Alongside (feet): 23 | | Latitude (decimal): 29.776667
Total Berthing Space (feet): 100 | | Longitude (decimal): -93.34194
Remarks: Pilot boats 'Calcasieu Pilot II' and 'Lake Charles Pilot' moor at wharf.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 028
Name: **Cameron Seafood Processors, Fish House Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.75 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: Cameron Seafood Processors, Inc., d.b.a. Fish House.
Owner: Cameron Seafood Processors, Inc.
Address: Phone: 337-775-5510
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of fish and seafood; icing fishing vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.798611
Total Berthing Space (feet): 375 | | Longitude (decimal): -93.33417
Remarks: Additional mooring for fishing vessels in 3-foot water depths is provided by one 80- by 3-foot timber pier with 40 feet of berthing space on each side located below wharf; one T-shaped, timber pier with 30 feet of berthing space at the face located at rear of wharf's upper portion; and one 20- by 3-foot, timber pile, steel-grating-decked pier located above wharf. One 4-inch, flexible icing hose extends to wharf from a truck-loading platform at the innerend of the approach. Ice is provided by truck. A building used for fish packing is located on the upper side of the approach.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Pass** Mile: PWD: 018
Name: **Charlida Boat Shed.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.2 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Charles F. Hebert.
Owner: Charles F. Hebert.
Address: Phone: 337-775-5449
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring recreational craft for rental.
Depth Alongside (feet): 3 | 3 | Latitude (decimal): 29.796667
Total Berthing Space (feet): 35 | 25 | Longitude (decimal): -93.32667
Remarks: A boat launching ramp is located adjacent to north side of boat shed.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 001
Name: **Dehyco Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 0.6 mile above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Dehyco, Inc.
Owner: Charles F. Henry Estate.
Address: Phone: 337-775-5480
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Handling offshore oil field equipment and supplies; fueling vessels.
Depth Alongside (feet): 3 - 20 | 3 - 20 | Latitude (decimal): 29.781111
Total Berthing Space (feet): 520 | | Longitude (decimal): -93.33667
Remarks: One 3-inch diesel fuel pipeline extends to wharf from 2 steel storage tanks at rear, total capacity 2850 barrels. One 100- by 50-foot, steel frame, metal-covered storage and office building is located at rear. Bulkhead services offshore workboats; offshore wharf services crewboats.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Pass** Mile: PWD: 005
Name: **Dowell Schlumberger Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 1.0 mile above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Dowell Schlumberger, Inc.
Owner: Dowell Schlumberger, Inc.
Address: Phone: 337-775-5766
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of bagged and dry bulk drilling cement and additives by small vessel.
Depth Alongside (feet): 16 | | Latitude (decimal): 29.783889
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.33083
Remarks: Pneumatic loader is served by 8 steel storage tanks, total capacity 376 cubic yards of dry bulk cement or additives.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 009
Name: **Energy Logistics Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 1.6 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Energy Logistics, Inc.
Owner: Energy Logistics, Inc.
Address: Phone: 337-775-2981
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Handling offshore oil field equipment and supplies; receipt of oil-field waste from offshore service vessels.

Depth Alongside (feet):	18	|	|	Latitude (decimal):	29.789444
Total Berthing Space (feet):	500	|	|	Longitude (decimal):	-93.32333

Remarks: Oil field waste is transferred directly to trucks for Magnum Mud, Inc. One 80- by 60-foot, steel frame, metal-covered elevated building used as office and for storage, and approximately 5 acres of open storage area are located at rear. An additional 2 acres of open storage area are located on opposite side of Jetty Road (Parish Road 3145).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Pass** Mile: PWD: 017
Name: **Francis Drilling Fluids Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approx. 2.2 miles above lower intersection with Calcasieu Ship Channel, above Datum: MLG
Operator: Francis Drilling Fluids, Inc.
Owner: W.H. Carter; George Duris; Mrs. E. E. Laurents; and A.M. Richard.
Address: Phone: 337-775-5006
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Handling offshore oil-well drilling fluids and additives.

Depth Alongside (feet):	15	|	15	|	15	Latitude (decimal):	29.796667
Total Berthing Space (feet):	383	|	72	|	43	Longitude (decimal):	-93.32611

Remarks: An elevated, steel, helicopter-landing platform is located at rear of upper wharf. An elevated, steel platform is located above upper side. Approximately 2 acres of open storage area are located at rear. One 5-inch drilling mud pipeline extends to dock from 4 storage tanks with a total capacity of 504,000 gallons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 027
Name: **Gulf Crews Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.7 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Gulf Crews, Inc.
Owner: Gulf Crews, Inc.
Address: Phone: 337-775-5384
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring company-owned service vessels and crew boats.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.798611
Total Berthing Space (feet): 110 | | Longitude (decimal): -93.33306
Remarks: Building located at rear is used for storage and dispatch office.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Pass** Mile: PWD: 014
Name: **Manning Menard Oil Co. Dock.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approx. 2.1 miles above lower intersection with Calcasieu Ship Channel, at fo Datum: MLG
Operator: Manning Menard Oil Co.
Owner: Manning Menard Oil Co.
Address: Phone:
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Transient mooring of fishing vessels.
Depth Alongside (feet): 6 | 0 - 6 | 0 - 6 Latitude (decimal): 29.795
Total Berthing Space (feet): 100 | 60 | 75 Longitude (decimal): -93.32556
Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Pass** Mile: PWD: 019
Name: **McCall's Boat Dock.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.3 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Norman McCall.
Owner: Norman McCall.
Address: Phone: 337-775-5685
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring offshore crewboats.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 29.797222
Total Berthing Space (feet): 125 | 125 | Longitude (decimal): -93.32722
Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 012

Name: **MI, Cameron North Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Pass, approximately 100 feet above intersection of J. A. Davis and Jetty Roads, Cam Datum: MLG

Operator: MI, LLC.

Owner: MI, LLC.

Address: Phone: 337-775-5311

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Handling offshore oil field equipment, supplies, barite, liquid and drilling mud, and completion fluids; mooring small vessels.

Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.7925

Total Berthing Space (feet): 550 | | Longitude (decimal): -93.32278

Waterway: **Calcasieu Pass** Mile: PWD: 012

Name: **MI, Cameron North Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Pass, approximately 100 feet above intersection of J. A. Davis and Jetty Roads, Cam Datum: MLG

Operator: MI, LLC.

Owner: MI, LLC.

Address: Phone: 337-775-5311

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Handling offshore oil field equipment, supplies, barite, liquid and drilling mud, and completion fluids; mooring small vessels.

Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.7925

Total Berthing Space (feet): 550 | | Longitude (decimal): -93.32278

Remarks: Three 4-inch lines extend from wharf to the following storage tanks: □ Product Pipelines Tanks □ No. Size (in.) No. Total capacity Barite* 1 4 10 1,800 tons □ Completion fluids } 12 420,000 gallons□ Drilling mud } 1 4 5 210,000 gallons Liquid mud 1 4 8 504,000 gallons□*Rate for loading barite is 110 tons per hour. One 220- by 50-foot, steel frame, metal-covered warehouse is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Three 4-inch lines extend from wharf to the following storage tanks: □ Product Pipelines Tanks □ No. Size (in.) No. Total capacity Barite* 1 4 10 1,800 tons □ Completion fluids } 12 420,000 gallons□ Drilling mud } 1 4 5 210,000 gallons Liquid mud 1 4 8 504,000 gallons□*Rate for loading barite is 110 tons per hour. One 220- by 50-foot, steel frame, metal-covered warehouse is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 012

Name: **MI, Cameron North Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Pass, approximately 100 feet above intersection of J. A. Davis and Jetty Roads, Cam Datum: MLG

Operator: MI, LLC.

Owner: MI, LLC.

Address: Phone: 337-775-5311

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Handling offshore oil field equipment, supplies, barite, liquid and drilling mud, and completion fluids; mooring small vessels.

Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.7925

Total Berthing Space (feet): 550 | | Longitude (decimal): -93.32278

Waterway: **Calcasieu Pass** Mile: PWD: 012

Name: **MI, Cameron North Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Pass, approximately 100 feet above intersection of J. A. Davis and Jetty Roads, Cam Datum: MLG

Operator: MI, LLC.

Owner: MI, LLC.

Address: Phone: 337-775-5311

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Handling offshore oil field equipment, supplies, barite, liquid and drilling mud, and completion fluids; mooring small vessels.

Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.7925

Total Berthing Space (feet): 550 | | Longitude (decimal): -93.32278

Remarks: Three 4-inch lines extend from wharf to the following storage tanks: □ Product Pipelines Tanks □ No. Size (in.) No. Total capacity Barite* 1 4 10 1,800 tons □ Completion fluids } 12 420,000 gallons□ Drilling mud } 1 4 5 210,000 gallons Liquid mud 1 4 8 504,000 gallons□*Rate for loading barite is 110 tons per hour. One 220- by 50-foot, steel frame, metal-covered warehouse is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Three 4-inch lines extend from wharf to the following storage tanks: □ Product Pipelines Tanks □ No. Size (in.) No. Total capacity Barite* 1 4 10 1,800 tons □ Completion fluids } 12 420,000 gallons□ Drilling mud } 1 4 5 210,000 gallons Liquid mud 1 4 8 504,000 gallons□*Rate for loading barite is 110 tons per hour. One 220- by 50-foot, steel frame, metal-covered warehouse is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 011
Name: **MI, Cameron South Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, at intersection of J. A. Davis and Jetty Roads (Parish Roads 3143 and 3145, r Datum: MLG
Operator: Not operated.
Owner: James S. Henry Estates.
Address: Phone: 337-775-5311
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.791111
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.32306

Waterway: **Calcasieu Pass** Mile: PWD: 011
Name: **MI, Cameron South Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, at intersection of J. A. Davis and Jetty Roads (Parish Roads 3143 and 3145, r Datum: MLG
Operator: Not operated.
Owner: James S. Henry Estates.
Address: Phone: 337-775-5311
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.791111
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.32306

Remarks: One 4-inch pipeline extends from wharf to one 12,140-barrel, steel, diesel fuel storage tank at rear; one 3-inch pipeline extends from tank to two metered pumps equipped with 3-, 2-, and 1-inch fueling hoses on wharf, all out of use at time of survey (2000).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch pipeline extends from wharf to one 12,140-barrel, steel, diesel fuel storage tank at rear; one 3-inch pipeline extends from tank to two metered pumps equipped with 3-, 2-, and 1-inch fueling hoses on wharf, all out of use at time of survey (2000).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 011
Name: **MI, Cameron South Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, at intersection of J. A. Davis and Jetty Roads (Parish Roads 3143 and 3145, r Datum: MLG
Operator: Not operated.
Owner: James S. Henry Estates.
Address: Phone: 337-775-5311
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.791111
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.32306

Waterway: **Calcasieu Pass** Mile: PWD: 011
Name: **MI, Cameron South Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, at intersection of J. A. Davis and Jetty Roads (Parish Roads 3143 and 3145, r Datum: MLG
Operator: Not operated.
Owner: James S. Henry Estates.
Address: Phone: 337-775-5311
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.791111
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.32306

Remarks: One 4-inch pipeline extends from wharf to one 12,140-barrel, steel, diesel fuel storage tank at rear; one 3-inch pipeline extends from tank to two metered pumps equipped with 3-, 2-, and 1-inch fueling hoses on wharf, all out of use at time of survey (2000).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch pipeline extends from wharf to one 12,140-barrel, steel, diesel fuel storage tank at rear; one 3-inch pipeline extends from tank to two metered pumps equipped with 3-, 2-, and 1-inch fueling hoses on wharf, all out of use at time of survey (2000).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 021
Name: **Monkey Island Ferry, East Bank Slip.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approx. 2.4 miles above lower intersection with Calcasieu Ship Channel, foot Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular and passenger ferry to Monkey Island.
Depth Alongside (feet): 0 | 0 - 12 | Latitude (decimal): 29.797778
Total Berthing Space (feet): 20 | 70 | Longitude (decimal): -93.32889

Waterway: **Calcasieu Pass** Mile: PWD: 021
Name: **Monkey Island Ferry, East Bank Slip.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approx. 2.4 miles above lower intersection with Calcasieu Ship Channel, foot Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular and passenger ferry to Monkey Island.
Depth Alongside (feet): 0 | 0 - 12 | Latitude (decimal): 29.797778
Total Berthing Space (feet): 20 | 70 | Longitude (decimal): -93.32889

Remarks: Ferry operates to Monkey Island Ferry, Monkey Island Slip (Ref. No. 61). Ferry is comprised of the tugboat 'George Bailey' and the 60- by 30-foot, steel barge '305041'.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Ferry operates to Monkey Island Ferry, Monkey Island Slip (Ref. No. 61). Ferry is comprised of the tugboat 'George Bailey' and the 60- by 30-foot, steel barge '305041'.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 021
Name: **Monkey Island Ferry, East Bank Slip.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approx. 2.4 miles above lower intersection with Calcasieu Ship Channel, foot Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular and passenger ferry to Monkey Island.
Depth Alongside (feet): 0 | 0 - 12 | Latitude (decimal): 29.797778
Total Berthing Space (feet): 20 | 70 | Longitude (decimal): -93.32889

Waterway: **Calcasieu Pass** Mile: PWD: 021
Name: **Monkey Island Ferry, East Bank Slip.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approx. 2.4 miles above lower intersection with Calcasieu Ship Channel, foot Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular and passenger ferry to Monkey Island.
Depth Alongside (feet): 0 | 0 - 12 | Latitude (decimal): 29.797778
Total Berthing Space (feet): 20 | 70 | Longitude (decimal): -93.32889

Remarks: Ferry operates to Monkey Island Ferry, Monkey Island Slip (Ref. No. 61). Ferry is comprised of the tugboat 'George Bailey' and the 60- by 30-foot, steel barge '305041'.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Ferry operates to Monkey Island Ferry, Monkey Island Slip (Ref. No. 61). Ferry is comprised of the tugboat 'George Bailey' and the 60- by 30-foot, steel barge '305041'.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 061
Name: **Monkey Island Ferry, Monkey Island Slip.**
Port: Lake Charles
Location: Right bank, Calcasieu Pass, approximately 2.5 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular and passenger ferry from Cameron.
Depth Alongside (feet): 0 | 0 - 12 | Latitude (decimal): 29.794167
Total Berthing Space (feet): 20 | 70 | Longitude (decimal): -93.33083

Waterway: **Calcasieu Pass** Mile: PWD: 061
Name: **Monkey Island Ferry, Monkey Island Slip.**
Port: Lake Charles
Location: Right bank, Calcasieu Pass, approximately 2.5 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular and passenger ferry from Cameron.
Depth Alongside (feet): 0 | 0 - 12 | Latitude (decimal): 29.794167
Total Berthing Space (feet): 20 | 70 | Longitude (decimal): -93.33083

Remarks: Ferry operates to Monkey Island Ferry, East Bank Slip (Ref. No. 21) at Cameron. Ferry is described under Ref. No. 21.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Ferry operates to Monkey Island Ferry, East Bank Slip (Ref. No. 21) at Cameron. Ferry is described under Ref. No. 21.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 061
Name: **Monkey Island Ferry, Monkey Island Slip.**
Port: Lake Charles
Location: Right bank, Calcasieu Pass, approximately 2.5 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular and passenger ferry from Cameron.
Depth Alongside (feet): 0 | 0 - 12 | Latitude (decimal): 29.794167
Total Berthing Space (feet): 20 | 70 | Longitude (decimal): -93.33083

Waterway: **Calcasieu Pass** Mile: PWD: 061
Name: **Monkey Island Ferry, Monkey Island Slip.**
Port: Lake Charles
Location: Right bank, Calcasieu Pass, approximately 2.5 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular and passenger ferry from Cameron.
Depth Alongside (feet): 0 | 0 - 12 | Latitude (decimal): 29.794167
Total Berthing Space (feet): 20 | 70 | Longitude (decimal): -93.33083

Remarks: Ferry operates to Monkey Island Ferry, East Bank Slip (Ref. No. 21) at Cameron. Ferry is described under Ref. No. 21.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Ferry operates to Monkey Island Ferry, East Bank Slip (Ref. No. 21) at Cameron. Ferry is described under Ref. No. 21.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 006
Name: **Newpark Drilling Fluids Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 1.1 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Newpark Drilling Fluids, Inc.
Owner: Newpark Resources, Inc.
Address: Phone: 337-775-5554
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of dry bulk barite and other drilling chemicals, pipe, and other oil field supplies by small vessel.

Depth Alongside (feet):	8	16	16	Latitude (decimal):	29.783889
Total Berthing Space (feet):	140	275	275	Longitude (decimal):	-93.32861

Remarks: Two rows of breasting dolphins are in line providing 550 feet of berthing space. Pneumatic loaders served by 10 steel, barite storage tanks, total capacity 2,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Pass** Mile: PWD: 004
Name: **Newpark Environmental Services, Cameron Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 0.9 mile above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Newpark Environmental Services, Inc.
Owner: Newpark Resources, Inc.
Address: Phone: 337-775-8073
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of contaminated oil-field waste by barge and service vessel.

Depth Alongside (feet):	9 - 12			Latitude (decimal):	29.783333
Total Berthing Space (feet):	400			Longitude (decimal):	-93.33167

Remarks: Approximately 5.8 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 034
Name: **Old Doxey Marine Pier.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 3.4 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: James S. Henry Estate.
Owner: James S. Henry Estate.
Address: Phone:
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Transient mooring of fishing boats.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 29.800833
Total Berthing Space (feet): 220 | 80 | 80 Longitude (decimal): -93.34444
Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Pass** Mile: PWD: 031
Name: **Omega Protein Equipment Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 3.0 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Omega Protein, Inc.
Owner: Omega Protein, Inc.
Address: Phone: 337-775-2314
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Handling and storage of fishing equipment; mooring company-owned fishing vessels for repair and storage.
Depth Alongside (feet): 3 - 5 | 0 - 3 | 0 - 3 Latitude (decimal): 29.799444
Total Berthing Space (feet): 870 | 35 | 60 Longitude (decimal): -93.33833
Remarks: An L-shaped timber pier above wharf forms a 120- by 60-foot basin with the upper side. An additional 60 feet of berthing space is available along lower side of pier. Pier and extension from upper side of wharf are in deteriorated condition and wharf will not support lifting equipment. Two buildings at rear of wharf are used for repairing company-owned fishing vessels and storage of fishing equipment.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 002
Name: **OSCA, Cameron Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 0.7 mile above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: OSCA, Inc.
Owner: Charles F. Henry Estate.
Address: Phone: 337-775-7888
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of calcium chloride and calcium bromide; shipment of bagged and bulk liquid drilling fluids, additives, and other oil field chemicals.
Depth Alongside (feet): 14 - 15 | | Latitude (decimal): 29.781389
Total Berthing Space (feet): 300 | | Longitude (decimal): -93.33556
Remarks: One 4-inch pipeline extends to wharf from 5 steel storage tanks at rear, total capacity 445,000 gallons. Office and storage building are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Pass** Mile: PWD: 020
Name: **Quality Welding & Fabricating Wharf and Curtis Tregle Pier.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, 2.38 miles above lower intersection with Calcasieu Ship Channel, below foot o Datum: MLG
Operator: Quality Welding & Fabricating, Inc. and Curtis Tregle.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5329
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of steel fabrications for offshore industry; mooring offshore utility vessels and crewboats for repair and modification. Curtis Tregle: receipt of seafood.
Depth Alongside (feet): 12 | | 0 - 12 Latitude (decimal): 29.7975
Total Berthing Space (feet): 200 | | 62 Longitude (decimal): -93.32806
Remarks: Curtis Tregle moors fishing vessels for receipt of seafood on upper side of pier. Pier forms a 30-foot-wide slip with timber rack of adjacent ferry slip (Ref. No. 21). Metal shed is located at outer end of pier. Welding and fabrication shop are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 024
Name: **Roy Bailey Construction, East Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.55 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: Roy Bailey Construction, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5384
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of construction aggregate by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.798056
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.33139

Waterway: **Calcasieu Pass** Mile: PWD: 024
Name: **Roy Bailey Construction, East Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.55 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: Roy Bailey Construction, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5384
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of construction aggregate by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.798056
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.33139

Remarks: Fishing vessels moor at several dilapidated finger piers extending from the shore. Approximately one acre of open storage area for aggregate and a truck scale are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Fishing vessels moor at several dilapidated finger piers extending from the shore. Approximately one acre of open storage area for aggregate and a truck scale are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 024
Name: **Roy Bailey Construction, East Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.55 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: Roy Bailey Construction, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5384
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of construction aggregate by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.798056
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.33139

Waterway: **Calcasieu Pass** Mile: PWD: 024
Name: **Roy Bailey Construction, East Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.55 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: Roy Bailey Construction, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5384
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of construction aggregate by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.798056
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.33139

Remarks: Fishing vessels moor at several dilapidated finger piers extending from the shore. Approximately one acre of open storage area for aggregate and a truck scale are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Fishing vessels moor at several dilapidated finger piers extending from the shore. Approximately one acre of open storage area for aggregate and a truck scale are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 015
Name: **Roy Bailey's Seafood, East Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, 2.15 miles above lower intersection with Calcasieu Ship Channel, below foot o Datum: MLG
Operator: Roy Bailey's Seafood, Inc.
Owner: Roy Bailey's Seafood, Inc.
Address: Phone: 337-775-5117
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 20 | | 20 Latitude (decimal): 29.795833
Total Berthing Space (feet): 165 | | 80 Longitude (decimal): -93.32556

Waterway: **Calcasieu Pass** Mile: PWD: 015
Name: **Roy Bailey's Seafood, East Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, 2.15 miles above lower intersection with Calcasieu Ship Channel, below foot o Datum: MLG
Operator: Roy Bailey's Seafood, Inc.
Owner: Roy Bailey's Seafood, Inc.
Address: Phone: 337-775-5117
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 20 | | 20 Latitude (decimal): 29.795833
Total Berthing Space (feet): 165 | | 80 Longitude (decimal): -93.32556
Remarks: Upper side of approach forms a slip 30 feet wide with the lower approach to Ref. No. 16.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Upper side of approach forms a slip 30 feet wide with the lower approach to Ref. No. 16.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 015
Name: **Roy Bailey's Seafood, East Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, 2.15 miles above lower intersection with Calcasieu Ship Channel, below foot o Datum: MLG
Operator: Roy Bailey's Seafood, Inc.
Owner: Roy Bailey's Seafood, Inc.
Address: Phone: 337-775-5117
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 20 | | 20 Latitude (decimal): 29.795833
Total Berthing Space (feet): 165 | | 80 Longitude (decimal): -93.32556

Waterway: **Calcasieu Pass** Mile: PWD: 015
Name: **Roy Bailey's Seafood, East Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, 2.15 miles above lower intersection with Calcasieu Ship Channel, below foot o Datum: MLG
Operator: Roy Bailey's Seafood, Inc.
Owner: Roy Bailey's Seafood, Inc.
Address: Phone: 337-775-5117
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 20 | | 20 Latitude (decimal): 29.795833
Total Berthing Space (feet): 165 | | 80 Longitude (decimal): -93.32556
Remarks: Upper side of approach forms a slip 30 feet wide with the lower approach to Ref. No. 16.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Upper side of approach forms a slip 30 feet wide with the lower approach to Ref. No. 16.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 016
Name: **Roy Bailey's Seafood, West Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, 2.17 miles above lower intersection with Calcasieu Ship Channel, below foot o Datum: MLG
Operator: Roy Bailey's Seafood, Inc.
Owner: Roy Bailey's Seafood, Inc.
Address: Phone: 337-775-5117
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood at face; mooring fishing vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.795833
Total Berthing Space (feet): 100 | 75 | Longitude (decimal): -93.32556

Waterway: **Calcasieu Pass** Mile: PWD: 016
Name: **Roy Bailey's Seafood, West Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, 2.17 miles above lower intersection with Calcasieu Ship Channel, below foot o Datum: MLG
Operator: Roy Bailey's Seafood, Inc.
Owner: Roy Bailey's Seafood, Inc.
Address: Phone: 337-775-5117
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood at face; mooring fishing vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.795833
Total Berthing Space (feet): 100 | 75 | Longitude (decimal): -93.32556

Remarks: Lower approach forms a slip 30 feet wide with the approach to Ref. No. 15. Timber buildings used as packing plant are located on upper approach and at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Lower approach forms a slip 30 feet wide with the approach to Ref. No. 15. Timber buildings used as packing plant are located on upper approach and at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 016
Name: **Roy Bailey's Seafood, West Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, 2.17 miles above lower intersection with Calcasieu Ship Channel, below foot o Datum: MLG
Operator: Roy Bailey's Seafood, Inc.
Owner: Roy Bailey's Seafood, Inc.
Address: Phone: 337-775-5117
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood at face; mooring fishing vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.795833
Total Berthing Space (feet): 100 | 75 | Longitude (decimal): -93.32556

Waterway: **Calcasieu Pass** Mile: PWD: 016
Name: **Roy Bailey's Seafood, West Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, 2.17 miles above lower intersection with Calcasieu Ship Channel, below foot o Datum: MLG
Operator: Roy Bailey's Seafood, Inc.
Owner: Roy Bailey's Seafood, Inc.
Address: Phone: 337-775-5117
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood at face; mooring fishing vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.795833
Total Berthing Space (feet): 100 | 75 | Longitude (decimal): -93.32556

Remarks: Lower approach forms a slip 30 feet wide with the approach to Ref. No. 15. Timber buildings used as packing plant are located on upper approach and at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Lower approach forms a slip 30 feet wide with the approach to Ref. No. 15. Timber buildings used as packing plant are located on upper approach and at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 029
Name: **Tesoro Marine Services, Cameron Base, East Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.8 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Tesoro Marine Services, Inc.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring offshore utility and work boats.
Depth Alongside (feet): 13 | | Latitude (decimal): 29.798611
Total Berthing Space (feet): 230 | | Longitude (decimal): -93.33556

Waterway: **Calcasieu Pass** Mile: PWD: 029
Name: **Tesoro Marine Services, Cameron Base, East Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.8 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Tesoro Marine Services, Inc.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring offshore utility and work boats.
Depth Alongside (feet): 13 | | Latitude (decimal): 29.798611
Total Berthing Space (feet): 230 | | Longitude (decimal): -93.33556

Remarks: One 90- by 50-foot warehouse is located on lot for storing supplies for boats.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 90- by 50-foot warehouse is located on lot for storing supplies for boats.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 029
Name: **Tesoro Marine Services, Cameron Base, East Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.8 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Tesoro Marine Services, Inc.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring offshore utility and work boats.
Depth Alongside (feet): 13 | | Latitude (decimal): 29.798611
Total Berthing Space (feet): 230 | | Longitude (decimal): -93.33556

Waterway: **Calcasieu Pass** Mile: PWD: 029
Name: **Tesoro Marine Services, Cameron Base, East Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.8 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Tesoro Marine Services, Inc.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring offshore utility and work boats.
Depth Alongside (feet): 13 | | Latitude (decimal): 29.798611
Total Berthing Space (feet): 230 | | Longitude (decimal): -93.33556

Remarks: One 90- by 50-foot warehouse is located on lot for storing supplies for boats.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 90- by 50-foot warehouse is located on lot for storing supplies for boats.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 030
Name: **Tesoro Marine Services, Cameron Base, West Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.9 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Tesoro Marine Services, Inc.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring offshore service vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.799167
Total Berthing Space (feet): 165 | | Longitude (decimal): -93.33667

Waterway: **Calcasieu Pass** Mile: PWD: 030
Name: **Tesoro Marine Services, Cameron Base, West Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.9 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Tesoro Marine Services, Inc.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring offshore service vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.799167
Total Berthing Space (feet): 165 | | Longitude (decimal): -93.33667

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 030
Name: **Tesoro Marine Services, Cameron Base, West Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.9 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Tesoro Marine Services, Inc.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring offshore service vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.799167
Total Berthing Space (feet): 165 | | Longitude (decimal): -93.33667

Waterway: **Calcasieu Pass** Mile: PWD: 030
Name: **Tesoro Marine Services, Cameron Base, West Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.9 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Tesoro Marine Services, Inc.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring offshore service vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.799167
Total Berthing Space (feet): 165 | | Longitude (decimal): -93.33667

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 033

Name: **Tetra Technologies Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Pass, approximately 3.3 miles above lower intersection with Calcasieu Ship Channel, Datum: MLG

Operator: Tetra Technologies, Inc.

Owner: Tetra Technologies, Inc.

Address: Phone: 337-775-8078

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Receipt of oil well completion fluids by vessel and shipment by offshore service vessel.

Depth Alongside (feet): 16 | | Latitude (decimal): 29.800556

Total Berthing Space (feet): 250 | | Longitude (decimal): -93.34278

Remarks: One 6-inch, completion-fluid pipeline with 4-inch flexible hose extends from wharf to 20 storage tanks, total capacity 798,000 gallons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 025
Name: **TJ Seafood, East Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.62 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: TJ Seafood, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5289
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 10 - 12 | 10 | 10 Latitude (decimal): 29.798056
Total Berthing Space (feet): 200 | 50 | 50 Longitude (decimal): -93.33194

Waterway: **Calcasieu Pass** Mile: PWD: 025
Name: **TJ Seafood, East Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.62 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: TJ Seafood, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5289
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 10 - 12 | 10 | 10 Latitude (decimal): 29.798056
Total Berthing Space (feet): 200 | 50 | 50 Longitude (decimal): -93.33194
Remarks: Packing house is located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Packing house is located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 025
Name: **TJ Seafood, East Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.62 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: TJ Seafood, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5289
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 10 - 12 | 10 | 10 Latitude (decimal): 29.798056
Total Berthing Space (feet): 200 | 50 | 50 Longitude (decimal): -93.33194

Waterway: **Calcasieu Pass** Mile: PWD: 025
Name: **TJ Seafood, East Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.62 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: TJ Seafood, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5289
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 10 - 12 | 10 | 10 Latitude (decimal): 29.798056
Total Berthing Space (feet): 200 | 50 | 50 Longitude (decimal): -93.33194
Remarks: Packing house is located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Packing house is located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 026
Name: **TJ Seafood, West Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.65 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: TJ Seafood, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-775-5510
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 20 | | 0 - 20 Latitude (decimal): 29.798056
Total Berthing Space (feet): 220 | | 50 Longitude (decimal): -93.33278

Waterway: **Calcasieu Pass** Mile: PWD: 026
Name: **TJ Seafood, West Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.65 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: TJ Seafood, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-775-5510
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 20 | | 0 - 20 Latitude (decimal): 29.798056
Total Berthing Space (feet): 220 | | 50 Longitude (decimal): -93.33278
Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 026
Name: **TJ Seafood, West Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.65 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: TJ Seafood, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-775-5510
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 20 | | 0 - 20 Latitude (decimal): 29.798056
Total Berthing Space (feet): 220 | | 50 Longitude (decimal): -93.33278

Waterway: **Calcasieu Pass** Mile: PWD: 026
Name: **TJ Seafood, West Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approximately 2.65 miles above lower intersection with Calcasieu Ship Channel Datum: MLG
Operator: TJ Seafood, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-775-5510
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 20 | | 0 - 20 Latitude (decimal): 29.798056
Total Berthing Space (feet): 220 | | 50 Longitude (decimal): -93.33278
Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Pass** Mile: PWD: 022
Name: **Tricon Environmental Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, 2.45 miles above lower intersection with Calcasieu Ship Channel, above foot o Datum: MLG
Operator: Tricon Environmental, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-2875
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring offshore service vessels for tank cleaning.
Depth Alongside (feet): 12 | 4 - 12 | 10 - 12 Latitude (decimal): 29.798056
Total Berthing Space (feet): 260 | 60 | 50 Longitude (decimal): -93.32917
Remarks: An additional 33+54 and 190 feet of berthing space are available at bulkheads below and at the rear of the wharf, respectively, with respective water depths of 3 to 4 and 10 feet. The rear of the extension on the upper side of the wharf provides an additional 65 feet of berthing space and forms a 50-foot-wide slip with the bulkhead. One 75- by 45-foot building is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Pass** Mile: PWD: 010
Name: **Trosclair Canning Co. Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Pass, approx. 1.7 miles above lower intersection with Calcasieu Ship Channel, at fo Datum: MLG
Operator: Trosclair Canning Co., Inc.
Owner: Trosclair Canning Co., Inc.
Address: Phone: 337-775-5275
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 7 - 8 | | Latitude (decimal): 29.790833
Total Berthing Space (feet): 280 | | Longitude (decimal): -93.32306
Remarks: One 280- by 30-foot building at rear serves as packing plant.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 092

Name: **American International Refinery, Lake Charles Wharf.**

Port: Lake Charles

Location: Left bank of Calcasieu River, at mouth of Old Town Bay, approximately 5 miles above State Highway 171 Br Datum: MLG

Operator: American International Refinery, Inc.

Owner: American International Refinery, Inc.

Address: 4646 State Route 3059. Phone: 337-439-4066

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: None.

Purpose: Receipt of crude oil and shipment of petroleum products, including asphalt by barge.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.289444

Total Berthing Space (feet): 345 | | Longitude (decimal): -93.14528

Remarks: Four 10-inch petroleum products pipelines extend to wharf from 15 steel storage tanks at rear, total capacity 450,000 barrels. One 10-inch crude oil pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 275,000 barrels. One 10-inch asphalt pipeline extends to wharf from 4 storage tanks, total capacity 197 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu River** Mile: PWD: 091

Name: **Angelle Lake Charles Plant Wharf.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 500 feet above foot of North Goos Street extended, Lake Char Datum: MLG

Operator: Not operated.

Owner: Angelle, Inc.

Address: 1717 Fitzenreiter Road. Phone: 337-436-0009

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 16 | 0 - 16 | 0 - 16 Latitude (decimal): 30.265556

Total Berthing Space (feet): 80 | | 200 Longitude (decimal): -93.19389

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 117

Name: **Baroid Drilling Fluids, Sulphur Wharf.**

Port: Lake Charles

Location: Right bank, Rose Bluff Cutoff Channel of Calcasieu River, approximately 0.6 mile above lower end, Sulphu Datum: MLG

Operator: Baroid Drilling Fluids, Inc.

Owner: Lake Charles Harbor & Terminal District.

Address: Bayou D'Inde Road Phone: 337-775-5512

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Two surface tracks serving undertrack pit, loading hopper, and warehouse in rear connect with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Shipment of bagged and bulk barite by barge; fueling vessels.

Depth Alongside (feet): 12 | | Latitude (decimal): 30.188611

Total Berthing Space (feet): 1,100 | | Longitude (decimal): -93.30278

Remarks: Two 6-inch, pneumatic bulk barite loading pipelines and two 10-inch, pneumatic dust pipelines extend to face from 10 steel storage tanks on wharf, total capacity 3,000 tons. One 4-inch, pneumatic unloading pipeline, not used at time of survey (2000), extends from face to tanks. One 2-inch, metered diesel fuel pipeline extends to wharf from one 238-barrel, steel storage tank at rear. One 2-inch compressed air line serves wharf. Bulk barite ore is received bytruck from the adjacent Lake Charles Harbor & Terminal District, Bulk Terminal No. 1 (Ref. No. 116) and by rail, and stored in a 125,000-ton capacity open storage area at rear. A grinding mill, bagging plant, and 200- by 125-foot,steel frame, metal-covered storage warehouse for bagged barite are located at rear of wharf. Barite is shipped by barge to company's Cameron Wharf (Ref. No. 8).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 139
Name: **Bollinger Calcasieu, Gas-freeing Dock**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for gas-freeing and cleaning.
Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722
Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 139
Name: **Bollinger Calcasieu, Gas-freeing Dock**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for gas-freeing and cleaning.
Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722
Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 139
Name: **Bollinger Calcasieu, Gas-freeing Dock**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for gas-freeing and cleaning.
Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722
Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 139

Name: **Bollinger Calcasieu, Gas-freeing Dock**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring barges for gas-freeing and cleaning.

Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722

Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 139
Name: **Bollinger Calcasieu, Gas-freeing Dock**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for gas-freeing and cleaning.
Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722
Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 139
Name: **Bollinger Calcasieu, Gas-freeing Dock**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for gas-freeing and cleaning.
Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722
Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 139
Name: **Bollinger Calcasieu, Gas-freeing Dock**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for gas-freeing and cleaning.
Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722
Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 139

Name: **Bollinger Calcasieu, Gas-freeing Dock**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring barges for gas-freeing and cleaning.

Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722

Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 139
Name: **Bollinger Calcasieu, Gas-freeing Dock**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for gas-freeing and cleaning.
Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722
Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 139
Name: **Bollinger Calcasieu, Gas-freeing Dock**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for gas-freeing and cleaning.
Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722
Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 139
Name: **Bollinger Calcasieu, Gas-freeing Dock**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for gas-freeing and cleaning.
Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722
Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 139

Name: **Bollinger Calcasieu, Gas-freeing Dock**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring barges for gas-freeing and cleaning.

Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722

Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 139
Name: **Bollinger Calcasieu, Gas-freeing Dock**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for gas-freeing and cleaning.
Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722
Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 139
Name: **Bollinger Calcasieu, Gas-freeing Dock**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for gas-freeing and cleaning.
Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722
Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 139
Name: **Bollinger Calcasieu, Gas-freeing Dock**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for gas-freeing and cleaning.
Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722
Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 139

Name: **Bollinger Calcasieu, Gas-freeing Dock**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.2 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring barges for gas-freeing and cleaning.

Depth Alongside (feet): 12 - 18 | 9 - 14 | Latitude (decimal): 30.094722

Total Berthing Space (feet): 340 | 535 | Longitude (decimal): -93.3275

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Two 4-inch pipelines extend from wharf to 2 steel sludge-storage tanks at rear, total capacity 20,000 barrels; and one 2-inch pipeline extends to one 210,000-gallon wash water storage tank at treatment facility in rear. Wharf is also served by 4-inch ballast water, 2-inch wash water, 6- and 4-inch vacuum, 4-inch compressed air, and 2-inch nitrogen lines.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 138
Name: **Bollinger Calcasieu, Lower Repair Docks**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.
Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111
Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 138
Name: **Bollinger Calcasieu, Lower Repair Docks**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.
Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111
Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 138
Name: **Bollinger Calcasieu, Lower Repair Docks**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.
Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111
Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 138

Name: **Bollinger Calcasieu, Lower Repair Docks**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.

Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111

Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 138
Name: **Bollinger Calcasieu, Lower Repair Docks**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.
Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111
Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 138
Name: **Bollinger Calcasieu, Lower Repair Docks**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.
Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111
Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 138
Name: **Bollinger Calcasieu, Lower Repair Docks**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.
Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111
Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 138

Name: **Bollinger Calcasieu, Lower Repair Docks**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.

Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111

Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 138
Name: **Bollinger Calcasieu, Lower Repair Docks**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.
Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111
Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 138
Name: **Bollinger Calcasieu, Lower Repair Docks**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.
Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111
Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 138
Name: **Bollinger Calcasieu, Lower Repair Docks**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.
Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111
Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 138

Name: **Bollinger Calcasieu, Lower Repair Docks**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.

Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111

Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 138
Name: **Bollinger Calcasieu, Lower Repair Docks**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.
Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111
Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 138
Name: **Bollinger Calcasieu, Lower Repair Docks**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.
Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111
Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Waterway: **Calcasieu River** Mile: PWD: 138
Name: **Bollinger Calcasieu, Lower Repair Docks**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.
Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111
Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 138

Name: **Bollinger Calcasieu, Lower Repair Docks**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.3 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring towboats and other small vessels for outfitting and repair; mooring barges and small vessels awaiting haulout; mooring floating drydocks.

Depth Alongside (feet): 0 - 18 | 12 - 18 | 10 - 24 Latitude (decimal): 30.096111

Total Berthing Space (feet): 200 | 165 | 270 Longitude (decimal): -93.3275

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Lower side of southern pier is contiguous with face of side launch ways forming upper side of outer portion of southern slip. Vessels under repair moor across face of side-launch ways. Southern side of outer portion of southern slip is part of Gas-freeing Dock, Ref. No. 139. One 1,800-, and one 1,600-long ton floating drydocks moor at southern and northern sides, respectively, of inner portion of lower slip. One 400-ton marine railway is located at head ofnorthern slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 137
Name: **Bollinger Calcasieu, Mooring Basin**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges awaiting repair.
Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944
Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Waterway: **Calcasieu River** Mile: PWD: 137
Name: **Bollinger Calcasieu, Mooring Basin**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges awaiting repair.
Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944
Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Waterway: **Calcasieu River** Mile: PWD: 137
Name: **Bollinger Calcasieu, Mooring Basin**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges awaiting repair.
Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944
Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 137

Name: **Bollinger Calcasieu, Mooring Basin**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring barges awaiting repair.

Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944

Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 137
Name: **Bollinger Calcasieu, Mooring Basin**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges awaiting repair.
Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944
Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Waterway: **Calcasieu River** Mile: PWD: 137
Name: **Bollinger Calcasieu, Mooring Basin**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges awaiting repair.
Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944
Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Waterway: **Calcasieu River** Mile: PWD: 137
Name: **Bollinger Calcasieu, Mooring Basin**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges awaiting repair.
Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944
Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 137

Name: **Bollinger Calcasieu, Mooring Basin**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring barges awaiting repair.

Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944

Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 137
Name: **Bollinger Calcasieu, Mooring Basin**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges awaiting repair.
Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944
Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Waterway: **Calcasieu River** Mile: PWD: 137
Name: **Bollinger Calcasieu, Mooring Basin**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges awaiting repair.
Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944
Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Waterway: **Calcasieu River** Mile: PWD: 137
Name: **Bollinger Calcasieu, Mooring Basin**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges awaiting repair.
Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944
Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 137

Name: **Bollinger Calcasieu, Mooring Basin**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring barges awaiting repair.

Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944

Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 137
Name: **Bollinger Calcasieu, Mooring Basin**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges awaiting repair.
Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944
Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Waterway: **Calcasieu River** Mile: PWD: 137
Name: **Bollinger Calcasieu, Mooring Basin**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges awaiting repair.
Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944
Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Waterway: **Calcasieu River** Mile: PWD: 137
Name: **Bollinger Calcasieu, Mooring Basin**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges awaiting repair.
Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944
Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 137

Name: **Bollinger Calcasieu, Mooring Basin**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.4 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring barges awaiting repair.

Depth Alongside (feet): 8 - 11 | 8 | Latitude (decimal): 30.096944

Total Berthing Space (feet): 150 | 35 | Longitude (decimal): -93.32806

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 136
Name: **Bollinger Calcasieu, Upper Repair Docks.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975
Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Waterway: **Calcasieu River** Mile: PWD: 136
Name: **Bollinger Calcasieu, Upper Repair Docks.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975
Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Waterway: **Calcasieu River** Mile: PWD: 136
Name: **Bollinger Calcasieu, Upper Repair Docks.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975
Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 136

Name: **Bollinger Calcasieu, Upper Repair Docks.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.

Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975

Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 136
Name: **Bollinger Calcasieu, Upper Repair Docks.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975
Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Waterway: **Calcasieu River** Mile: PWD: 136
Name: **Bollinger Calcasieu, Upper Repair Docks.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975
Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Waterway: **Calcasieu River** Mile: PWD: 136
Name: **Bollinger Calcasieu, Upper Repair Docks.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975
Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 136

Name: **Bollinger Calcasieu, Upper Repair Docks.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.

Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975

Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 136
Name: **Bollinger Calcasieu, Upper Repair Docks.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975
Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Waterway: **Calcasieu River** Mile: PWD: 136
Name: **Bollinger Calcasieu, Upper Repair Docks.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975
Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Waterway: **Calcasieu River** Mile: PWD: 136
Name: **Bollinger Calcasieu, Upper Repair Docks.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975
Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 136

Name: **Bollinger Calcasieu, Upper Repair Docks.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG

Operator: Bollinger Shipyards, Inc.

Owner: Bollinger Shipyards, Inc.

Address: Burton Shipyard Road Phone: 337-583-7383

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.

Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975

Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 136
Name: **Bollinger Calcasieu, Upper Repair Docks.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975
Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Waterway: **Calcasieu River** Mile: PWD: 136
Name: **Bollinger Calcasieu, Upper Repair Docks.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975
Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Waterway: **Calcasieu River** Mile: PWD: 136
Name: **Bollinger Calcasieu, Upper Repair Docks.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975
Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 136
Name: **Bollinger Calcasieu, Upper Repair Docks.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.5 mile above entrance to Gulf Intracoastal Waterway (Choupi Datum: MLG
Operator: Bollinger Shipyards, Inc.
Owner: Bollinger Shipyards, Inc.
Address: Burton Shipyard Road Phone: 337-583-7383
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring towboats, barges, and other small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 10 - 18 | 24 - - | 24 - - Latitude (decimal): 30.0975
Total Berthing Space (feet): 285 | | Longitude (decimal): -93.32833
Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One 1,950-long ton floating drydock moors in slip. Repair fleet for up to 25 barges is located on opposite bank of river, along 3,000 feet of natural bank with shore moorings, in 8-foot depth.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu River** Mile: PWD: 099
Name: **Bridge Point Yacht Center.**
Port: Lake Charles
Location: Right bank of Calcasieu River, inner end of upper slip at foot of Mike Hooks Road, Westlake. Datum: MLG
Operator: Bridge Point Yacht Center.
Owner: Bridge Point Yacht Center
Address: 800 Mike Hooks Road Phone: 337-436-0803
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring small vessels for repair and lift-out.
Depth Alongside (feet): 8 - 12 | 8 | Latitude (decimal): 30.220833
Total Berthing Space (feet): 50 | 50 | Longitude (decimal): -93.25028
Remarks: Repair yard and machine shop located at rear. Full service marina for recreational craft located in slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 090
Name: **Calcasieu Recycling, Terminal Wharf.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 2,000 feet above foot of See St. extended, Lake Charles. Datum: MLG
Operator: Calcasieu Recycling, Inc.
Owner: Calcasieu Recycling, Inc.
Address: 1225 North 1st Avenue. Phone: 337-439-5475
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Union Pacific Railroad surface track at rear of yard.
Purpose: Receipt and shipment of scrap metal by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.255833
Total Berthing Space (feet): 265 | | Longitude (decimal): -93.20194
Remarks: Scrap is transferred directly from trucks to barges.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu River** Mile: PWD: 073
Name: **Calcasieu Refining Co. Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu River, approximately 0.7 mile above entrance to Moss Lake, Haymark. Datum: MLG
Operator: Calcasieu Refining Co.
Owner: Calcasieu Refining Co.
Address: 4359 Tank Farm Road Phone: 337-478-2130
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment and occasional receipt of petroleum products.
Depth Alongside (feet): 17 | 17 | Latitude (decimal): 30.135556
Total Berthing Space (feet): 725 | | Longitude (decimal): -93.32111
Remarks: One 10- and one 8-inch pipelines extend from lower and upper wharves, respectively, to 2 steel crude oil storage tanks, total capacity 210,000 barrels; one 10-inch pipeline extends to lower wharf from 11 steel petroleum products storage tanks, total capacity 514,500 barrels; and three 8-inch pipelines extend to upper wharf from one steel, 45,500-barrel, heavy fuel oil storage tank and the 11 products storage tanks described above. The lowerwharf is used for petroleum products and the upper wharf for petroleum products and crude.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Waterway: **Calcasieu River** Mile: PWD: 125
Name: **CITGO Petroleum Corp. Refinery, Dock A.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.1 miles below lower end of Rose Bluff Cutoff Channel, Sulph Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil and shipment of petroleum products and molten sulphur by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 30.173056
Total Berthing Space (feet): 720 | | Longitude (decimal): -93.31944

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 12-, one 10-, two 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch molten sulphur pipeline extends to wharf from 2 storage tanks at the refinery, total capacity 5,500 tons.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Waterway: **Calcasieu River** Mile: PWD: 124
Name: **CITGO Petroleum Corp. Refinery, Dock B.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.9 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.174444
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.31917

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 20-, one 16-, one 12-, three 10-, three 8-, and two 6-inch pipelines extend from wharf to crude oil storage tanks described under Dock C (Ref. No. 123), and to wharf from petroleum product storage tanks at refinery described under Dock D (Ref. No. 119).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122
Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 122

Name: **CITGO Petroleum Corp. Refinery, Dock C, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approx. 0.7 mile below lower end of Rose Bluff Cutoff Channel, in rear of u Datum: MLG

Operator: CITGO Petroleum Corp.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6237

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt of sulfuric acid and liquid caustic soda; shipment of butane liquefied petroleum gas, sulfuric acid, sludge acid, and spent caustic soda by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.1775

Total Berthing Space (feet): 200 | | Longitude (decimal): -93.31806

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 4-inch sulfuric acid pipeline extends from wharf to 5 storage tanks, total capacity approx. 804,000 gallons; one 6-inch caustic soda pipeline extends from wharf to 2 storage tanks, total capacity 840,000 gallons; and one 4-inch spent caustic soda pipeline extends to wharf from 2 storage tanks, total capacity 840,000 gallons. One 6-in pipeline for butane is connected to 17 liquefied petroleum gas storage tanks at the refinery, total capacity approximately60,000 barrels, shared with CITGO Dock-C (Ref. No. 123). All storage tanks are located at oil refinery in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Waterway: **Calcasieu River** Mile: PWD: 123
Name: **CITGO Petroleum Corp. Refinery, Dock C.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.7 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: Trackage serving oil refinery in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of crude oil by barge and vessel; receipt and shipment of petroleum products and liquefied petroleum gas by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.1775
Total Berthing Space (feet): 950 | | Longitude (decimal): -93.31806

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 30-inch crude oil pipeline extends from two 16-inch pipeline unloading arms on wharf to 20 steel storage tanks at refinery, total capacity 1,300,000 barrels. Crude oil storage tanks are shared with Dock-B and Dock-A (Ref. Nos. 124 and 125). Six 8-inch pipelines extend to wharf from the petroleum product storage tanks described under Dock D (Ref. No. 119). One 8-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend to wharf from theappropriate storage tanks at refinery in rear described under Dock-C barge wharf (Ref. No. 122). One 8-inch ballast pipeline serves wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Waterway: **Calcasieu River** Mile: PWD: 118
Name: **CITGO Petroleum Corp. Refinery, Dock D, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, in rea Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of lubricating oil and liquid wax by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.183889
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.31028

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from 8 steel storage tanks in rear, total capacity 144,100 barrels; and from 18 steel storage tanks at nearby Cit-Con Oil Corp. plant, total capacity 596,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Waterway: **Calcasieu River** Mile: PWD: 119
Name: **CITGO Petroleum Corp. Refinery, Dock D.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.2 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of propylene; shipment of petroleum products, including liquid wax and lubricating oils.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.183611
Total Berthing Space (feet): 835 | | Longitude (decimal): -93.31111

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch liquid propylene and one 6-inch vapor return pipelines extend from wharf to one 30,000-barrel, steel storage tank, and one 3-inch propylene vapor recovery pipeline extends from wharf to flare tower. One 12-, one 8-, one 6-, and four 4-inch petroleum product pipelines extend to wharf from 42 steel storage tanks, total capacity 4,104,000 barrels. All petroleum product storage tanks and flare tower are located at refinery in rear and are shared by allCITGO docks (Ref. Nos. 119 and 122-125). One 3-inch liquid wax and five 8-inch lubricating oil pipelines extend to wharf from appropriate tankage described under Dock-D barge wharf Ref. No. 118.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Waterway: **Calcasieu River** Mile: PWD: 120
Name: **CITGO Petroleum Corp. Refinery, Petrochemical PCD Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.3 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: Not operated.
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.182222
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.31361

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was formerly used by adjacent CITGO Petroleum Corp. refinery for shipment of petrochemicals. At time of survey, all pipelines to wharf from refinery at rear had been blanked.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Waterway: **Calcasieu River** Mile: PWD: 121
Name: **CITGO Petroleum Corp. Roll-on, Roll-off Dock and Tugboat mooring**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 0.6 mile below lower end of Rose Bluff Cutoff Channel, Sulphu Datum: MLG
Operator: CITGO Petroleum Corp. (See Remarks)
Owner: CITGO Petroleum Corp.
Address: Phone: 337-708-6237
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring tugboats, receipt of machinery and equipment for refinery.
Depth Alongside (feet): 20 | 0 - 20 | 10 - 20 Latitude (decimal): 30.179167
Total Berthing Space (feet): 72 | 110 | 200 Longitude (decimal): -93.31722

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges moor end-to face of ramp and breast against 85-foot upper side of wharf in 20-foot water depth. Harbor Docking and Towing Co. moors tugboats 'Allan', 'Edith' and 'Carl,' and Hvide Marine Co. moors tugboats 'Samson' and 'Titan' at wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Waterway: **Calcasieu River** Mile: PWD: 126

Name: **CITGO Pipeline Co., Clifton Ridge Terminal, Barge Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 2.4 miles above head of Moss Lake via Cutoff Channel, Carlyss Datum: MLG

Operator: CITGO Pipeline Co.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6124

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Receipt and shipment of crude oil and petroleum feed stock by barge.

Depth Alongside (feet): 40 | | Latitude (decimal): 30.159722

Total Berthing Space (feet): 250 | | Longitude (decimal): -93.32444

Remarks: Two 8-inch pipelines used for crude oil and petroleum feed stock connected to storage tanks described under Tanker Wharf (Ref. No. 127).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 127

Name: **CITGO Pipeline Co., Clifton Ridge Terminal, Tanker Wharf.**

Port: Lake Charles

Location: Right bank of Calcasieu River, approximately 2.3 miles above head of Moss Lake via Cutoff Channel, Carly Datum: MLG

Operator: CITGO Pipeline Co.

Owner: CITGO Petroleum Corp.

Address: Phone: 337-708-6124

Town: Carlyss State: LA County: Calcasieu

Railway Connection: None.

Purpose: Receipt and shipment of crude oil and petroleum feed stock.

Depth Alongside (feet): 40 | | Latitude (decimal): 30.159167

Total Berthing Space (feet): 1,290 | | Longitude (decimal): -93.32611

Remarks: One 20-in and one 30-inch crude oil pipelines extend from the wharf to 15 storage tanks, total capacity 4,095,000 barrels. One 12-inch and one 8-inch petroleum feed stock pipelines connect the wharf to 5 storage tanks, total capacity 400,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 131
Name: **Conoco Domestic Marine Operations, Pecan Grove Mooring.**
Port: Lake Charles
Location: Right bank of Calcasieu River, upper side of slip approximately 1.5 miles above head of Moss Lake via Cu Datum: MLG
Operator: Conoco Domestic Marine Operations, Division of Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-583-3364
Town: Carlyss State: LA County: Calcasieu
Railway Connection: One surface track in rear connects with Kansas City Southern Railway.
Purpose: Mooring company-owned towboats and barges for repair; mooring company-owned work barge and idle tank barges.
Depth Alongside (feet): 18 | 18 | 0 - 18 Latitude (decimal): 30.150278
Total Berthing Space (feet): 500 | 65 | Longitude (decimal): -93.33417

Waterway: **Calcasieu River** Mile: PWD: 131
Name: **Conoco Domestic Marine Operations, Pecan Grove Mooring.**
Port: Lake Charles
Location: Right bank of Calcasieu River, upper side of slip approximately 1.5 miles above head of Moss Lake via Cu Datum: MLG
Operator: Conoco Domestic Marine Operations, Division of Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-583-3364
Town: Carlyss State: LA County: Calcasieu
Railway Connection: One surface track in rear connects with Kansas City Southern Railway.
Purpose: Mooring company-owned towboats and barges for repair; mooring company-owned work barge and idle tank barges.
Depth Alongside (feet): 18 | 18 | 0 - 18 Latitude (decimal): 30.150278
Total Berthing Space (feet): 500 | 65 | Longitude (decimal): -93.33417
Remarks: Mooring is located on upper side of 600- by 320-foot dredged slip. Towboats moor at pier and up to 6 barges in 2 tiers, each 3 barges wide, moor along natural bank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Mooring is located on upper side of 600- by 320-foot dredged slip. Towboats moor at pier and up to 6 barges in 2 tiers, each 3 barges wide, moor along natural bank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 131
Name: **Conoco Domestic Marine Operations, Pecan Grove Mooring.**
Port: Lake Charles
Location: Right bank of Calcasieu River, upper side of slip approximately 1.5 miles above head of Moss Lake via Cu Datum: MLG
Operator: Conoco Domestic Marine Operations, Division of Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-583-3364
Town: Carlyss State: LA County: Calcasieu
Railway Connection: One surface track in rear connects with Kansas City Southern Railway.
Purpose: Mooring company-owned towboats and barges for repair; mooring company-owned work barge and idle tank barges.
Depth Alongside (feet): 18 | 18 | 0 - 18 Latitude (decimal): 30.150278
Total Berthing Space (feet): 500 | 65 | Longitude (decimal): -93.33417

Waterway: **Calcasieu River** Mile: PWD: 131
Name: **Conoco Domestic Marine Operations, Pecan Grove Mooring.**
Port: Lake Charles
Location: Right bank of Calcasieu River, upper side of slip approximately 1.5 miles above head of Moss Lake via Cu Datum: MLG
Operator: Conoco Domestic Marine Operations, Division of Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-583-3364
Town: Carlyss State: LA County: Calcasieu
Railway Connection: One surface track in rear connects with Kansas City Southern Railway.
Purpose: Mooring company-owned towboats and barges for repair; mooring company-owned work barge and idle tank barges.
Depth Alongside (feet): 18 | 18 | 0 - 18 Latitude (decimal): 30.150278
Total Berthing Space (feet): 500 | 65 | Longitude (decimal): -93.33417
Remarks: Mooring is located on upper side of 600- by 320-foot dredged slip. Towboats moor at pier and up to 6 barges in 2 tiers, each 3 barges wide, moor along natural bank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Mooring is located on upper side of 600- by 320-foot dredged slip. Towboats moor at pier and up to 6 barges in 2 tiers, each 3 barges wide, moor along natural bank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 128
Name: **Conoco, Clifton Ridge Marine Terminal, Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 2.0 miles above head of Moss Lake via Cutoff Channel, Carlyss Datum: MLG
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: 2115 Davison Road Phone: 337-583-3364
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil and bunker fuel by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.157778
Total Berthing Space (feet): 350 | | Longitude (decimal): -93.32889
Remarks: Two 8-inch pipelines extend from wharf to 16 steel crude oil storage tanks in rear, total capacity 4,300,000 barrels, shared with Tanker Wharf and Pecan Grove Marine Terminal Wharf (Ref Nos. 129 and 132, respectively). One of the pipelines also connects to one 8-inch bunker fuel pipeline extending to the storage tank described under the Tanker Wharf. One 12-inch crude oil pipeline extends to the tanks from the Conoco Pecan Grove Marine Terminal Wharf. One20-inch pipeline connects the tanks to 7 crude oil storage tanks at the Conoco Oil Refinery, described under Ref. No. 101, to 15 storage tanks at the CITGO Pipeline Co. Clifton Ridge Terminal described under Ref. No. 127, and to theEquilon Pipe Line Co. interstate pipeline system, respectively.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu River** Mile: PWD: 129
Name: **Conoco, Clifton Ridge Marine Terminal, Tanker Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.9 miles above head of Moss Lake via Cutoff Channel, Carlyss Datum: MLG
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: 2115 Davison Road Phone: 337-583-3364
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; bunkering vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.156111
Total Berthing Space (feet): 960 | | Longitude (decimal): -93.33056
Remarks: Two 16-inch crude oil and one 8-inch purge pipelines extend from wharf to 16 storage tanks at rear described under Ref. No. 128. One 8-inch bunkering pipeline with 6-inch flexible hose extends to wharf from one 80,000 barrel storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 132

Name: **Conoco, Pecan Grove Marine Terminal Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, lower side of slip approximately 1.5 miles above head of Moss Lake via Cuto Datum: MLW

Operator: Conoco, Inc.

Owner: Conoco, Inc.

Address: Phone: 337-583-3364

Town: Carlyss State: LA County: Calcasieu

Railway Connection: One surface track in rear connects with Kansas City Southern Railway.

Purpose: Receipt and shipment of lube oil, receipt of crude oil, and shipment of caustic sodium hydrosulfide by barge.

Depth Alongside (feet): 25 | | Latitude (decimal): 30.149722

Total Berthing Space (feet): 560 | | Longitude (decimal): -93.33389

Waterway: **Calcasieu River** Mile: PWD: 132

Name: **Conoco, Pecan Grove Marine Terminal Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, lower side of slip approximately 1.5 miles above head of Moss Lake via Cuto Datum: MLW

Operator: Conoco, Inc.

Owner: Conoco, Inc.

Address: Phone: 337-583-3364

Town: Carlyss State: LA County: Calcasieu

Railway Connection: One surface track in rear connects with Kansas City Southern Railway.

Purpose: Receipt and shipment of lube oil, receipt of crude oil, and shipment of caustic sodium hydrosulfide by barge.

Depth Alongside (feet): 25 | | Latitude (decimal): 30.149722

Total Berthing Space (feet): 560 | | Longitude (decimal): -93.33389

Remarks: Pipelines for the following commodities serve wharf:□Size Commodity Tanks Capacity□12' Crude oil 16 (Tanks at PWD 128) 10' Crude oil 2 160,000 bbls□ 8' Lube Oil 1 20,000 bbls□ 3' Slop 1 12,600 gals 8' Caustic Sodium 1 420,000 gals□ Hydrosulfide□Storage yard is located 0.5 mile in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Pipelines for the following commodities serve wharf:□Size Commodity Tanks Capacity□12' Crude oil 16 (Tanks at PWD 128) 10' Crude oil 2 160,000 bbls□ 8' Lube Oil 1 20,000 bbls□ 3' Slop 1 12,600 gals 8' Caustic Sodium 1 420,000 gals□ Hydrosulfide□Storage yard is located 0.5 mile in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 132

Name: **Conoco, Pecan Grove Marine Terminal Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, lower side of slip approximately 1.5 miles above head of Moss Lake via Cuto Datum: MLW

Operator: Conoco, Inc.

Owner: Conoco, Inc.

Address: Phone: 337-583-3364

Town: Carlyss State: LA County: Calcasieu

Railway Connection: One surface track in rear connects with Kansas City Southern Railway.

Purpose: Receipt and shipment of lube oil, receipt of crude oil, and shipment of caustic sodium hydrosulfide by barge.

Depth Alongside (feet): 25 | | Latitude (decimal): 30.149722

Total Berthing Space (feet): 560 | | Longitude (decimal): -93.33389

Waterway: **Calcasieu River** Mile: PWD: 132

Name: **Conoco, Pecan Grove Marine Terminal Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu River, lower side of slip approximately 1.5 miles above head of Moss Lake via Cuto Datum: MLW

Operator: Conoco, Inc.

Owner: Conoco, Inc.

Address: Phone: 337-583-3364

Town: Carlyss State: LA County: Calcasieu

Railway Connection: One surface track in rear connects with Kansas City Southern Railway.

Purpose: Receipt and shipment of lube oil, receipt of crude oil, and shipment of caustic sodium hydrosulfide by barge.

Depth Alongside (feet): 25 | | Latitude (decimal): 30.149722

Total Berthing Space (feet): 560 | | Longitude (decimal): -93.33389

Remarks: Pipelines for the following commodities serve wharf:□Size Commodity Tanks Capacity□12' Crude oil 16 (Tanks at PWD 128) 10' Crude oil 2 160,000 bbls□ 8' Lube Oil 1 20,000 bbls□ 3' Slop 1 12,600 gals 8' Caustic Sodium 1 420,000 gals□ Hydrosulfide□Storage yard is located 0.5 mile in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Pipelines for the following commodities serve wharf:□Size Commodity Tanks Capacity□12' Crude oil 16 (Tanks at PWD 128) 10' Crude oil 2 160,000 bbls□ 8' Lube Oil 1 20,000 bbls□ 3' Slop 1 12,600 gals 8' Caustic Sodium 1 420,000 gals□ Hydrosulfide□Storage yard is located 0.5 mile in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 152
Name: **Davis Seafood Wharf**
Port: Lake Charles
Location: Right bank, Calcasieu Lake Bypass Channel, upper side & outer end of point of land, 700 feet below mouth Datum: MLG
Operator: Danny and Ronny Davis
Owner: Danny and Ronny Davis
Address: Pete Seay Circle Phone: 337-762-3793
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood; fueling fishing vessels.
Depth Alongside (feet): 7 - 8 | 7 - 8 | 7 - 8 Latitude (decimal): 30.005278
Total Berthing Space (feet): 65 | 60 | 82 Longitude (decimal): -93.33361
Remarks: One 54- by 15-foot truckloading shed extends over pier. Two 2-inch fueling pipelines extend to two metered pumps at upper section of wharf, one from 4 diesel fuel storage tanks, total capacity 330 barrels, and one from 2 gasoline storage tanks, total capacity 165 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu River** Mile: PWD: 153
Name: **Dugas Landing Docks.**
Port: Lake Charles
Location: West side of side channel parallel to right bank of Calcasieu Lake Bypass Channel, 2.8 miles below mouth Datum: MLG
Operator: Dugas Landing
Owner: Jack Hebert.
Address: 524 Joe Dugas Road Phone: 337-762-4677
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Dugas Landing: receipt of seafood; fueling and mooring small vessels. Kenneth Ford Seafood Co.: receipt of seafood.
Depth Alongside (feet): 0 - 12 | 0 - 12 | Latitude (decimal): 29.967222
Total Berthing Space (feet): 100 | 130 | Longitude (decimal): -93.3425
Remarks: Facility is located below peninsula on west bank of side channel, west of spoil bank along right side of ship channel. Two 2-inch fuel pipelines extend to two metered pumps on pier from one 3,000-gallon gasoline and one 1,000-gallon diesel fuel storage tanks at rear. Two buildings used as a store and a storage shed are located on pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 096
Name: **Dunham-Price Lake Charles Landings**
Port: Lake Charles
Location: West shore of Lake Charles, approximately 0.3 mile below Interstate Highway 10-U.S. Highway 90 Bridge, Datum: MLG
Operator: Dunham-Price, Inc. and MI, LLC
Owner: Dunham-Price Properties.
Address: Phone: 337-433-3900
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of stone; receipt of barite ore and shipment of barite.
Depth Alongside (feet): 10 - - | 10 | Latitude (decimal): 30.228611
Total Berthing Space (feet): 1000 | | Longitude (decimal): -93.2475
Remarks: Platform was under construction at time of survey (2000). Loaded hopper barges breast against 140-foot side of crane barge and against sides of empty barges moored below crane barge. Two receiving hoppers and front-end loaders serve electric, belt conveyors extending from and to Dunham-Price, Inc., ready-mix concrete plant. R. E. Heidt Construction Co. and asphalt batch plant in rear. MI, LLC ships barite through one 5-in pneumatic pipeline, rate 70 tons/hour,extending to row of dolphins from six storage silos, total capacity 1200 tons, located at company's grinding mill in south portion of yard. Two open storage areas, total capacity 120,000 tons of stone, serve plants.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu River** Mile: PWD: 145
Name: **Dynegy, Hackberry LPG Terminal Wharf**
Port: Lake Charles
Location: Right bank, Calcasieu Lake Bypass Channel, on upper side of slip 2.0 miles above mouth of Black Lake Bay Datum: MLG
Operator: Not Operated.
Owner: Dynegy Inc.
Address: Phone: 337-762-4201
Town: Hackberry State: LA County: Cameron
Railway Connection: None.
Purpose: Not Used.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.038056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.33222
Remarks: Wharf was formerly used for receipt and shipment of liquefied petroleum gas. Wharf is located on the upper side of a 1,360- by 708- to 330-foot dredged slip. One refrigerated 16-inch pipeline extends from wharf to 2 salt dome caverns, total capacity 2,500,000 barrels. Wharf is served by one 6- and one 3-inch vapor return lines with nitrogen connection.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 087
Name: **Eastlake Oils, Terminal No. 1.**
Port: Lake Charles
Location: Left bank of Calcasieu River, foot of North Louisiana Street extended, Lake Charles. Datum: MLG
Operator: Eastlake Oils, Inc.
Owner: Eastlake Oils, Inc.
Address: 604 North Enterprise Boulevard. Phone: 337-436-6643
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One surface track at rear connects with Union Pacific Railroad.
Purpose: Occasional receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 30.245278
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.20583

Waterway: **Calcasieu River** Mile: PWD: 087
Name: **Eastlake Oils, Terminal No. 1.**
Port: Lake Charles
Location: Left bank of Calcasieu River, foot of North Louisiana Street extended, Lake Charles. Datum: MLG
Operator: Eastlake Oils, Inc.
Owner: Eastlake Oils, Inc.
Address: 604 North Enterprise Boulevard. Phone: 337-436-6643
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One surface track at rear connects with Union Pacific Railroad.
Purpose: Occasional receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 30.245278
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.20583
Remarks: One 8- and three 6-inch pipelines extend from wharf to 7 steel storage tanks in rear, total capacity 67,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to 7 steel storage tanks in rear, total capacity 67,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 087
Name: **Eastlake Oils, Terminal No. 1.**
Port: Lake Charles
Location: Left bank of Calcasieu River, foot of North Louisiana Street extended, Lake Charles. Datum: MLG
Operator: Eastlake Oils, Inc.
Owner: Eastlake Oils, Inc.
Address: 604 North Enterprise Boulevard. Phone: 337-436-6643
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One surface track at rear connects with Union Pacific Railroad.
Purpose: Occasional receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 30.245278
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.20583

Waterway: **Calcasieu River** Mile: PWD: 087
Name: **Eastlake Oils, Terminal No. 1.**
Port: Lake Charles
Location: Left bank of Calcasieu River, foot of North Louisiana Street extended, Lake Charles. Datum: MLG
Operator: Eastlake Oils, Inc.
Owner: Eastlake Oils, Inc.
Address: 604 North Enterprise Boulevard. Phone: 337-436-6643
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One surface track at rear connects with Union Pacific Railroad.
Purpose: Occasional receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 30.245278
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.20583
Remarks: One 8- and three 6-inch pipelines extend from wharf to 7 steel storage tanks in rear, total capacity 67,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to 7 steel storage tanks in rear, total capacity 67,000 barrels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 089
Name: **Eastlake Oils, Terminal No. 2.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 1,500 feet above foot of See Street extended, Lake Charles. Datum: MLG
Operator: Eastlake Oils, Inc.
Owner: Eastlake Oils, Inc.
Address: 1221 North 1st Avenue. Phone: 337-436-6643
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One surface track connects with Union Pacific Railroad.
Purpose: Occasional receipt and shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.254722
Total Berthing Space (feet): 250 | | Longitude (decimal): -93.2025

Waterway: **Calcasieu River** Mile: PWD: 089
Name: **Eastlake Oils, Terminal No. 2.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 1,500 feet above foot of See Street extended, Lake Charles. Datum: MLG
Operator: Eastlake Oils, Inc.
Owner: Eastlake Oils, Inc.
Address: 1221 North 1st Avenue. Phone: 337-436-6643
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One surface track connects with Union Pacific Railroad.
Purpose: Occasional receipt and shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.254722
Total Berthing Space (feet): 250 | | Longitude (decimal): -93.2025
Remarks: Six 6-inch pipelines extend from wharf to 6 steel storage tanks at rear, total capacity 56,000 barrels, and one 6-inch pipeline extends from wharf to truckloading rack at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 6-inch pipelines extend from wharf to 6 steel storage tanks at rear, total capacity 56,000 barrels, and one 6-inch pipeline extends from wharf to truckloading rack at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 089
Name: **Eastlake Oils, Terminal No. 2.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 1,500 feet above foot of See Street extended, Lake Charles. Datum: MLG
Operator: Eastlake Oils, Inc.
Owner: Eastlake Oils, Inc.
Address: 1221 North 1st Avenue. Phone: 337-436-6643
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One surface track connects with Union Pacific Railroad.
Purpose: Occasional receipt and shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.254722
Total Berthing Space (feet): 250 | | Longitude (decimal): -93.2025

Waterway: **Calcasieu River** Mile: PWD: 089
Name: **Eastlake Oils, Terminal No. 2.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 1,500 feet above foot of See Street extended, Lake Charles. Datum: MLG
Operator: Eastlake Oils, Inc.
Owner: Eastlake Oils, Inc.
Address: 1221 North 1st Avenue. Phone: 337-436-6643
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One surface track connects with Union Pacific Railroad.
Purpose: Occasional receipt and shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.254722
Total Berthing Space (feet): 250 | | Longitude (decimal): -93.2025
Remarks: Six 6-inch pipelines extend from wharf to 6 steel storage tanks at rear, total capacity 56,000 barrels, and one 6-inch pipeline extends from wharf to truckloading rack at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Six 6-inch pipelines extend from wharf to 6 steel storage tanks at rear, total capacity 56,000 barrels, and one 6-inch pipeline extends from wharf to truckloading rack at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 140
Name: **Global Industries, Carlyss Slips.**
Port: Lake Charles
Location: Right bank, Calcasieu River, north of entrance to Gulf Intracoastal Waterway Choupique Cutoff, Carlyss. Datum: MLG
Operator: Global Industries, LTD.
Owner: Global Industries, LTD.
Address: 8000 Global Drive Phone: 337-583-5000
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Spooling of welded marine pipeline for shipment and laying. Mooring company-owned, pipe laying vessels.
Depth Alongside (feet): 25 - 30 | 25 - 30 | 25 - 30 Latitude (decimal): 30.093333
Total Berthing Space (feet): 1600 | 1600 | 500 Longitude (decimal): -93.33222
Remarks: Company-owned pipeline laying barges are moored in slips and loaded with pipe which is rolled onto barge-mounted spools.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu River** Mile: PWD: 130
Name: **Grace Davison Chemical Co. Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.8 miles above head of Moss Lake via Cutoff Channel, Carlyss Datum: MLG
Operator: Grace Davison Chemical Co..
Owner: Grace Davison Chemical Co..
Address: 1800 Davison Road Phone: 337-583-2611
Town: Carlyss State: LA County: Calcasieu
Railway Connection: Trackage serving chemical plant in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of sulfuric acid and caustic soda by barge.
Depth Alongside (feet): 9 - 10 | 9 - 10 | Latitude (decimal): 30.155556
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.3325
Remarks: One 4-inch sulfuric acid pipeline extends from upper platform to one 207,000- gallon storage tank, and one 6-in caustic soda pipeline extends from lower platform to a 1400-ton storage tank at plant.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 097
Name: **Holnam Lake Charles Docks.**
Port: Lake Charles
Location: West shore of Lake Charles, approximately 0.7 mile below Interstate Highway 10-U.S. Highway 90 Bridge, Datum: MLG
Operator: Holnam, Inc.
Owner: Holderbank, Inc.
Address: Foot of Ideal Road. Phone: 337-436-7561
Town: Westlake State: LA County: Calcasieu
Railway Connection: Three surface tracks serve plant in rear; connect with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of bulk cement by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.226667
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.24556
Remarks: Cement barges are tied off to the unloader barge which receives into four 12-inch and one 8-inch pneumatic pipelines, unloading rate 150 tons per hour through 1 line, and maximum 600 tons per hour through 4 lines, and which ships through same lines, loading rate 110 tons per hour through one line . The pipelines extend from 4 concrete, cement storage silos and an interstice bin, total capacity 17,360 tons. North wharf is not used.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu River** Mile: PWD: 155
Name: **Isle of Capri Casino Wharves**
Port: Lake Charles
Location: Right Bank, Calcasieu River, south of I-10/US 90 Bridge Datum:
Operator: Isle of Capri Casino
Owner: Isle of Capri Casino
Address: 100 Westlake Avenue Phone: 337-430-2446
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Boarding passengers
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 30.234444
Total Berthing Space (feet): 260 | 375 | Longitude (decimal): -93.24806
Remarks: Two casino boats moor at wharves.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 098

Name: **Lafarge Corporation, West Lake Terminal**

Port: Lake Charles

Location: West shore of Lake Charles, approximately 0.9 mile below Interstate Highway 10-U.S. Highway 90 Bridge, Datum: MLG

Operator: Lafarge Corporation

Owner: Lafarge Corporation

Address: 500 General Portland Road Phone: 337-436-3386

Town: Westlake State: LA County: Calcasieu

Railway Connection: Two surface tracks serve undertrack pit at plant in rear; connect with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt and shipment of bulk cement.

Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 30.224444

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.24333

Remarks: 2300 volts A.C. power is provided to a barge unloader. One 10-inch pipeline extends to 2 concrete, cement storage silos, total capacity 5,400 tons, and 6 steel, cement storage silos, total capacity 3,600 tons. Compressed air is available.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889
Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889
Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889
Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889
Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889
Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889

Waterway: **Calcasieu River** Mile: PWD: 083
Name: **Lake Charles Harbor & Terminal District, Berth No. 15.**
Port: Lake Charles
Location: Left bank of Calcasieu River, west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two platform-level tracks, one 8-car inside and one 2-car along west side of transit shed, join with additional terminal trackage; connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; shipment of linerboard and other paper products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.218056
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.24889
Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Concrete ramps at west end of transit shed provide truck access. Transit Shed has an 8-truck loading platform at east end and a 1-truck platform at rear. Face is contiguous with Berth No. 15B (Ref. No. 82). Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222
Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222
Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222
Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222
Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222

Waterway: **Calcasieu River** Mile: PWD: 082
Name: **Lake Charles Harbor & Terminal District, Berth No. 15B.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 990 feet west of foot of Marine Street, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: One platform-level track joins additional trackage; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.217778
Total Berthing Space (feet): 374 | | Longitude (decimal): -93.25222
Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berths Nos. 1, 2, and 3 (Ref. No. 81) and Berth No. 15 (Ref No. 83). One 5-truck-capacity loading ramp at rear of shed. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk

Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk

Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk

Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk

Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk

Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Waterway: **Calcasieu River** Mile: PWD: 081

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 1, 2, and 3.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 1,180 feet west of foot of Marine Street, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two platform-level tracks along rear of transit shed, total length 2,900 feet, and additional terminal trackage, connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo; and shipment of sulphur compounds and caustic soda in foreign and domestic trades.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.218611

Total Berthing Space (feet): 1,678 | | Longitude (decimal): -93.25806

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk

Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with Berth No. 15B (Ref. No. 82). Additional terminal trackage and storage warehouses (S.W. Ref Nos 1 and 2) are located at rear of transit shed. Transit shed has 5 loading platforms at west end. One elevated, 6-inch pipeline, currently used for sulphur compounds along Berth No. 2, loading rate 27,000 gallons per hour, extends from 3 steel storage tanks at Bulk Terminal No. 6 in rear, total capacity 300,000 gallons. Occasionalshipment of caustic soda using same pipeline possible in future.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Waterway: **Calcasieu River** Mile: PWD: 080

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 4, 5, and 6.**

Port: Lake Charles

Location: Left bank of Calcasieu River, approximately 700 feet above entrance to Contraband Bayou, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks on apron, total length 3,180 feet; and 2 platform- level tracks along rear of transit shed, total length 3,180 ft; connect w/Union Pacific Railroad & Burlington Northern Santa Fe RR.Santa Fe Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.217222

Total Berthing Space (feet): 1,680 | 110 | Longitude (decimal): -93.25889

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barges may extend along lower portion of Berth No. 6 or upper portion of Berth No. 7 (Ref. No. 79). Transit shed is divided into 3 sections by firewalls. Additional terminal railroad trackage serves 15 storage warehouses at rear of transit shed (S.W. Ref. Nos. 2 and 3), total storage area 400,000 sq ft. Open storage area at rear is described under Berth No. 9A (Ref. No. 78).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079

Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**

Port: Lake Charles

Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389

Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Waterway: **Calcasieu River** Mile: PWD: 079
Name: **Lake Charles Harbor & Terminal District, Berths Nos. 7, 8, and 9.**
Port: Lake Charles
Location: Upper side of entrance to Contraband Bayou and left bank of Calsasieu River, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks along rear of Transit Shed No. 9 and south side of Shed No. 7, total length 1,450 feet; and a 245-foot carfloor- level track along north side of Shed No. 7 (Cont. under Remarks.)
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.211389
Total Berthing Space (feet): 950 | 577 | Longitude (decimal): -93.2575

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Railway - cont.: connects with Union Pacific Railroad and Burlington Northern Santa Fe Railroad. Face of Berths Nos. 8 and 9 are in line and contiguous with faces of Berth No. 9A (Ref. No. 78) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Open storage area at rear is described under Berth No. 9A.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 116

Name: **Lake Charles Harbor & Terminal District, Bulk Terminal No. 1 Wharf**

Port: Lake Charles

Location: Right bank, Rose Bluff Cutoff Channel of Calcasieu River, approximately 0.7 mile above lower end, Sulphu Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: Bayou D'Inde Road Phone: 337-439-3661

Town: Sulphur State: LA County: Calcasieu

Railway Connection: Trackage serving rotary car dumper, 3 undertrack pits, and rail- loading hopper at terminal in rear; connects with Kansas City Southern Railway and Union Pacific Railroad.

Purpose: Receipt and shipment of dry bulk commodities, including shipment of green and calcined petroleum coke and receipt of barite ore. Shipment of caustic soda.

Depth Alongside (feet): 40 | | Latitude (decimal): 30.19

Total Berthing Space (feet): 2060 | | Longitude (decimal): -93.30111

Remarks: Six calcined petroleum coke storage silos, total capacity 15,000 tons; 4 paved, open, green petroleum coke storage areas, total capacity 80,000 tons, served by 20-car per hour rotary car dumper, traveling, dual arm stacker, and traveling, dual bucket-wheel reclaimer, reclaiming rate 1,000 tons per hour; and 50,000-ton capacity, paved, open, storage area, served by two, 24-cubic yard, diesel front-end loaders serving ground-level hopper, all located at rear. One25-cubic yard rail-loading hopper and two 12-cubic yard truck-loading hoppers. Conveyor system also extends from 48-inch, electric, belt-conveyor system in adjacent Conoco, Inc., Lake Charles Coke Handling Terminal, with 4 paved, open,green petroleum coke storage areas, total capacity 390,000 tons, served by 2 ground-level hoppers, and 2 traveling bucket-wheel stacker/reclaimers, reclaiming rate 2,000□ tons per hour, each. Reclaiming is performed by onestacker/reclaimer at a time. One 6-inch caustic soda pipeline extends to wharf from one 1,200-ton capacity storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu River** Mile: PWD: 085

Name: **Lake Charles Harbor & Terminal District, Bulk Terminal No. 7 Wharf**

Port: Lake Charles

Location: Left bank of Calcasieu River, foot of Hodges Street extended, Lake Charles. Datum: MLG

Operator: Not operated.

Owner: Lake Charles Harbor & Terminal District.

Address: Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Two surface tracks at rear connect with Union Pacific Railroad.

Purpose: Not used.

Depth Alongside (feet): 30 | | Latitude (decimal): 30.2425

Total Berthing Space (feet): 250 | | Longitude (decimal): -93.21139

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 094
Name: **Lake Charles Harbor & Terminal District, North Westlake Facility W**
Port: Lake Charles
Location: Right bank of Calcasieu River, lower side of slip, approximately 0.8 mile above Union Pacific Railroad B Datum: MLG
Operator: Not operated.
Owner: Lake Charles Harbor & Terminal District.
Address: Phone: 337-439-3661
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.249167
Total Berthing Space (feet): 260 | | Longitude (decimal): -93.24639
Remarks: Dredged slip is approximately 65 feet wide. The bulkhead was in deteriorated condition at time of survey. Twenty-nine acres of open storage area are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu River** Mile: PWD: 095
Name: **Lake Charles Harbor & Terminal District, Westlake Bulk Terminal No**
Port: Lake Charles
Location: West shore of Lake Charles, approximately 0.4 mile below Interstate Highway 10 (U.S. Highway 90) Bridge, Datum: MLG
Operator: Port Aggregates, Inc.
Owner: Lake Charles Harbor & Terminal District.
Address: Westlake Avenue South. Phone: 337-439-3661
Town: Westlake State: LA County: Calcasieu
Railway Connection: Trackage in plant at rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of crushed stone by ship or barge.
Depth Alongside (feet): 35 | 14 - 24 | 14 - 24 Latitude (decimal): 30.231944
Total Berthing Space (feet): 900 | 325 | 135 Longitude (decimal): -93.24722
Remarks: Approximately 8 acres of open storage area for aggregate are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 084
Name: **Louisiana Department of Wildlife and Fisheries, Boathouse Slips.**
Port: Lake Charles
Location: Left bank of Calcasieu River, northeast shore of Lake Charles, Lake Charles. Datum: MLG
Operator: State of Louisiana, Department of Wildlife and Fisheries.
Owner: State of Louisiana.
Address: 1213 North Lakeshore Drive. Phone: 337-491-2579
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring patrol and research vessels.
Depth Alongside (feet): 0 - 4 | | Latitude (decimal): 30.235833
Total Berthing Space (feet): 36 | | Longitude (decimal): -93.23028
Remarks: Office, laboratory, and equipment storage building are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu River** Mile: PWD: 135
Name: **Oakley Shipyard Dock.**
Port: Lake Charles
Location: Right bank, Calcasieu River, on upper side of cove off southwest side of Moss Lake, Carlyss. Datum: MLG
Operator: Oakley Shipyard, Inc.
Owner: Oakley Shipyard, Inc.
Address: Bahnesen Road Phone: 337-583-7245
Town: Carlyss State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring fishing boats and other small vessels for repair.
Depth Alongside (feet): 3 | 3 | Latitude (decimal): 30.1125
Total Berthing Space (feet): 80 | 65 | Longitude (decimal): -93.34028
Remarks: One 30-ton marine railway is located at center of end of slip. One 50- by 30-foot, steel frame, metal-covered shop building is located at rear of west portion of end. Additional mooring for 30 small vessels is available along 860 feet of timber breasting piles fronting west side of slip, adjacent 100- by 70- and 65- by 50-foot slips, and bank of cove between slips.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 154
Name: **Players Island Casino Pier**
Port: Lake Charles
Location: North shore of Lake Charles, east of the Louisiana Department of Wildlife and Fisheries Boathouse Slips Datum: MLG
Operator: Players island Casino
Owner: Players Island Casino
Address: 507 N. Lakeshore Drive Phone: 337-437-1681
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Boarding passengers
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 30.233889
Total Berthing Space (feet): 260 | 367 | Longitude (decimal): -93.22472
Remarks: Two casino boats moor at pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu River** Mile: PWD: 059
Name: **Roy Bailey Construction, West Yard.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, opposite Monkey Island, 0.5 mile above lower intersection with Calca Datum: MLG
Operator: Roy Bailey Construction, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5384
Town: Johnsons Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of construction aggregate by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.781667
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34778

Waterway: **Calcasieu River** Mile: PWD: 059
Name: **Roy Bailey Construction, West Yard.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, opposite Monkey Island, 0.5 mile above lower intersection with Calca Datum: MLG
Operator: Roy Bailey Construction, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5384
Town: Johnsons Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of construction aggregate by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.781667
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34778
Remarks: One truck scale is located at rear of approximately one acre of open storage area.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One truck scale is located at rear of approximately one acre of open storage area.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 059
Name: **Roy Bailey Construction, West Yard.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, opposite Monkey Island, 0.5 mile above lower intersection with Calca Datum: MLG
Operator: Roy Bailey Construction, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5384
Town: Johnsons Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of construction aggregate by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.781667
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34778

Waterway: **Calcasieu River** Mile: PWD: 059
Name: **Roy Bailey Construction, West Yard.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, opposite Monkey Island, 0.5 mile above lower intersection with Calca Datum: MLG
Operator: Roy Bailey Construction, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5384
Town: Johnsons Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of construction aggregate by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.781667
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34778
Remarks: One truck scale is located at rear of approximately one acre of open storage area.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One truck scale is located at rear of approximately one acre of open storage area.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 074
Name: **Shell Pipeline , Haymark Terminal Wharf.**
Port: Lake Charles
Location: Left bank of Calcasieu River, approximately 0.9 mile above head of Moss Lake, Haymark. Datum: MLG
Operator: Shell Pipeline
Owner: Shell Pipline
Address: Tank Farm Road Phone: 337-477-5314
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of crude oil.
Depth Alongside (feet): 25 | | 15 Latitude (decimal): 30.135833
Total Berthing Space (feet): 480 | | 200 Longitude (decimal): -93.31917
Remarks: Equilion Pipeline Co., owner/operator at time of survey, planned to change name to Shell Pipleline in May, 2002 as described. One 8- and one 12-inch pipelines on approach connect with one 10-inch pipeline extending to 3 steel storage tanks in rear, total capacity 228,000 barrels. Adjustable, aluminum gangway at each end of wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu River** Mile: PWD: 088
Name: **Southern Scrap Xpress Recycling, Lake Charles Terminal.**
Port: Lake Charles
Location: Left bank of Calcasieu River, foot of Commercial Street, Lake Charles. Datum: MLG
Operator: Southern Scrap Xpress Recycling, Inc.
Owner: Southern Holdings, LLC
Address: 901 North 1st Avenue. Phone: 337-430-4600
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of recyclable metals.
Depth Alongside (feet): 13 | | Latitude (decimal): 30.249167
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.20389
Remarks:

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 086

Name: **Transit Mix Concrete and Materials Co., Lake Charles Wharf.**

Port: Lake Charles

Location: Left bank of Calcasieu River, foot of North Ford Street, Lake Charles. Datum: MLG

Operator: Transit Mix Concrete and Materials Co.

Owner: Transit Mix Concrete and Materials Co.

Address: 401 North Kirkman Street. Phone: 337-433-0681

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: None.

Purpose: Receipt of limestone by barge.

Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 30.242778

Total Berthing Space (feet): 350 | | Longitude (decimal): -93.21139

Remarks: Open storage areas located in rear have total capacity for 16,000 tons of limestone. A prestressed, concrete beam casting plant is located in rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 134

Name: **Venco Lake Charles Calcining Plant and Westlake Styrene Ship Wharf**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 1.2 miles above head of Moss Lake via Cutoff Channel, on uppe Datum: MLG

Operator: Venco and Westlake Styrene, Inc.

Owner: Venco.

Address: 1920 Paktank Road Phone: 337-583-3214

Town: Carlyss State: LA County: Calcasieu

Railway Connection: Trackage serving scale and rail car pit at storage silos in rear connects with Kansas City Southern Railway.

Purpose: Venco: Shipment of calcined petroleum coke; Westlake Styrene: Receipt of benzene and shipment of styrene.

Depth Alongside (feet): 40 | | Latitude (decimal): 30.146111

Total Berthing Space (feet): 750 | | Longitude (decimal): -93.33333

Waterway: **Calcasieu River** Mile: PWD: 134

Name: **Venco Lake Charles Calcining Plant and Westlake Styrene Ship Wharf**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 1.2 miles above head of Moss Lake via Cutoff Channel, on uppe Datum: MLG

Operator: Venco and Westlake Styrene, Inc.

Owner: Venco.

Address: 1920 Paktank Road Phone: 337-583-3214

Town: Carlyss State: LA County: Calcasieu

Railway Connection: Trackage serving scale and rail car pit at storage silos in rear connects with Kansas City Southern Railway.

Purpose: Venco: Shipment of calcined petroleum coke; Westlake Styrene: Receipt of benzene and shipment of styrene.

Depth Alongside (feet): 40 | | Latitude (decimal): 30.146111

Total Berthing Space (feet): 750 | | Longitude (decimal): -93.33333

Remarks: Wharf is located on upper side of a 1,000- by 650-foot dredged slip. Venco: One 25,000-ton capacity, concrete-framed, metal-covered storage building at the calcining plant has one electric, traveling, overhead crane equipped with 7 1/2-cubic yard bucket, and two 11-cubic yard, diesel front-end loaders, which serve 13 ground-level hoppers and the outer loading tower's conveyor system. 28 concrete storage silos and 3 concrete storage bins located at rear, totalcapacity 25,000 tons, serve the inner loading tower's conveyor system. Westlake Styrene: One 8-in benzene pipeline extends from wharf to one 1,680,000-gal storage tank and one 8-in styrene pipeline extends to wharf fromone 5,040,000-gal storage tank, both tanks at plant approximately one-half mile to rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf is located on upper side of a 1,000- by 650-foot dredged slip. Venco: One 25,000-ton capacity, concrete-framed, metal-covered storage building at the calcining plant has one electric, traveling, overhead crane equipped with 7 1/2-cubic yard bucket, and two 11-cubic yard, diesel front-end loaders, which serve 13 ground-level hoppers and the outer loading tower's conveyor system. 28 concrete storage silos and 3 concrete storage bins located at rear, totalcapacity 25,000 tons, serve the inner loading tower's conveyor system. Westlake Styrene: One 8-in benzene pipeline extends from wharf to one 1,680,000-gal storage tank and one 8-in styrene pipeline extends to wharf fromone 5,040,000-gal storage tank, both tanks at plant approximately one-half mile to rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 134

Name: **Venco Lake Charles Calcining Plant and Westlake Styrene Ship Wharf**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 1.2 miles above head of Moss Lake via Cutoff Channel, on uppe Datum: MLG

Operator: Venco and Westlake Styrene, Inc.

Owner: Venco.

Address: 1920 Paktank Road Phone: 337-583-3214

Town: Carlyss State: LA County: Calcasieu

Railway Connection: Trackage serving scale and rail car pit at storage silos in rear connects with Kansas City Southern Railway.

Purpose: Venco: Shipment of calcined petroleum coke; Westlake Styrene: Receipt of benzene and shipment of styrene.

Depth Alongside (feet): 40 | | Latitude (decimal): 30.146111

Total Berthing Space (feet): 750 | | Longitude (decimal): -93.33333

Waterway: **Calcasieu River** Mile: PWD: 134

Name: **Venco Lake Charles Calcining Plant and Westlake Styrene Ship Wharf**

Port: Lake Charles

Location: Right bank, Calcasieu River, approximately 1.2 miles above head of Moss Lake via Cutoff Channel, on uppe Datum: MLG

Operator: Venco and Westlake Styrene, Inc.

Owner: Venco.

Address: 1920 Paktank Road Phone: 337-583-3214

Town: Carlyss State: LA County: Calcasieu

Railway Connection: Trackage serving scale and rail car pit at storage silos in rear connects with Kansas City Southern Railway.

Purpose: Venco: Shipment of calcined petroleum coke; Westlake Styrene: Receipt of benzene and shipment of styrene.

Depth Alongside (feet): 40 | | Latitude (decimal): 30.146111

Total Berthing Space (feet): 750 | | Longitude (decimal): -93.33333

Remarks: Wharf is located on upper side of a 1,000- by 650-foot dredged slip. Venco: One 25,000-ton capacity, concrete-framed, metal-covered storage building at the calcining plant has one electric, traveling, overhead crane equipped with 7 1/2-cubic yard bucket, and two 11-cubic yard, diesel front-end loaders, which serve 13 ground-level hoppers and the outer loading tower's conveyor system. 28 concrete storage silos and 3 concrete storage bins located at rear, totalcapacity 25,000 tons, serve the inner loading tower's conveyor system. Westlake Styrene: One 8-in benzene pipeline extends from wharf to one 1,680,000-gal storage tank and one 8-in styrene pipeline extends to wharf fromone 5,040,000-gal storage tank, both tanks at plant approximately one-half mile to rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf is located on upper side of a 1,000- by 650-foot dredged slip. Venco: One 25,000-ton capacity, concrete-framed, metal-covered storage building at the calcining plant has one electric, traveling, overhead crane equipped with 7 1/2-cubic yard bucket, and two 11-cubic yard, diesel front-end loaders, which serve 13 ground-level hoppers and the outer loading tower's conveyor system. 28 concrete storage silos and 3 concrete storage bins located at rear, totalcapacity 25,000 tons, serve the inner loading tower's conveyor system. Westlake Styrene: One 8-in benzene pipeline extends from wharf to one 1,680,000-gal storage tank and one 8-in styrene pipeline extends to wharf fromone 5,040,000-gal storage tank, both tanks at plant approximately one-half mile to rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 133
Name: **Venco Lake Charles Calcining Plant, Green Coke Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.3 miles above head of Moss Lake via Cutoff Channel, Carlyss Datum: MLG
Operator: Venco.
Owner: Venco.
Address: 1920 Paktank Road Phone: 337-583-3214
Town: Carlyss State: LA County: Calcasieu
Railway Connection: Trackage serving calcined coke storage silos connects with Kansas City Southern Railway.
Purpose: Receipt of green petroleum coke by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.146111
Total Berthing Space (feet): 1,224 | | Longitude (decimal): -93.33333

Waterway: **Calcasieu River** Mile: PWD: 133
Name: **Venco Lake Charles Calcining Plant, Green Coke Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.3 miles above head of Moss Lake via Cutoff Channel, Carlyss Datum: MLG
Operator: Venco.
Owner: Venco.
Address: 1920 Paktank Road Phone: 337-583-3214
Town: Carlyss State: LA County: Calcasieu
Railway Connection: Trackage serving calcined coke storage silos connects with Kansas City Southern Railway.
Purpose: Receipt of green petroleum coke by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.146111
Total Berthing Space (feet): 1,224 | | Longitude (decimal): -93.33333

Remarks: Open storage area has capacity for 56,000 tons of green coke. Three 11-cubic yard and one 4-cubic yard diesel front-end loaders reclaim coke to two, 30-ton receiving hoppers, each serving a 36-inch, electric, belt-conveyor system extending to coke calcining plant at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Open storage area has capacity for 56,000 tons of green coke. Three 11-cubic yard and one 4-cubic yard diesel front-end loaders reclaim coke to two, 30-ton receiving hoppers, each serving a 36-inch, electric, belt-conveyor system extending to coke calcining plant at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu River** Mile: PWD: 133
Name: **Venco Lake Charles Calcining Plant, Green Coke Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.3 miles above head of Moss Lake via Cutoff Channel, Carlyss Datum: MLG
Operator: Venco.
Owner: Venco.
Address: 1920 Paktank Road Phone: 337-583-3214
Town: Carlyss State: LA County: Calcasieu
Railway Connection: Trackage serving calcined coke storage silos connects with Kansas City Southern Railway.
Purpose: Receipt of green petroleum coke by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.146111
Total Berthing Space (feet): 1,224 | | Longitude (decimal): -93.33333

Waterway: **Calcasieu River** Mile: PWD: 133
Name: **Venco Lake Charles Calcining Plant, Green Coke Barge Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu River, approximately 1.3 miles above head of Moss Lake via Cutoff Channel, Carlyss Datum: MLG
Operator: Venco.
Owner: Venco.
Address: 1920 Paktank Road Phone: 337-583-3214
Town: Carlyss State: LA County: Calcasieu
Railway Connection: Trackage serving calcined coke storage silos connects with Kansas City Southern Railway.
Purpose: Receipt of green petroleum coke by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.146111
Total Berthing Space (feet): 1,224 | | Longitude (decimal): -93.33333

Remarks: Open storage area has capacity for 56,000 tons of green coke. Three 11-cubic yard and one 4-cubic yard diesel front-end loaders reclaim coke to two, 30-ton receiving hoppers, each serving a 36-inch, electric, belt-conveyor system extending to coke calcining plant at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Open storage area has capacity for 56,000 tons of green coke. Three 11-cubic yard and one 4-cubic yard diesel front-end loaders reclaim coke to two, 30-ton receiving hoppers, each serving a 36-inch, electric, belt-conveyor system extending to coke calcining plant at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 060
Name: **AB Dock Services Wharf.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, approx. 0.25 mile below lower intersection with Calcasieu Pass, John Datum: MLG
Operator: AB Dock Services, Inc.
Owner: JC Aube'.
Address: Phone: 337-643-2565
Town: Johnson's Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Handling drilling fluids, fuel, water, and supplies by offshore supply and utility boats.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.768056
Total Berthing Space (feet): 1,939 | | Longitude (decimal): -93.34833
Remarks: Wharf was under construction at time of survey (2000) and is described as planned.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Ship Channel** Mile: PWD: 035
Name: **BJ Services Co. Wharf.**
Port: Lake Charles
Location: Left bank, upper intersection of Calcasieu Pass and Calcasieu Ship Channel, approximately 3.45 miles abo Datum: MLG
Operator: BJ Services Co.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5764
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of dry bulk drilling cement by offshore service vessel.
Depth Alongside (feet): 15 - 24 | | Latitude (decimal): 29.801667
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.345
Remarks: Pneumatic loader is served by 8 steel storage tanks, total capacity 437 cubic yards. One 60- by 30-foot, steel frame, metal-covered warehouse at rear is used for storing drummed and palletized drilling cement.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 045
Name: **Fountain Seafood Co. Slip.**
Port: Lake Charles
Location: Left bank of drainage canal, 0.7 mile above upper intersection of Calcasieu Pass and Ship Channel, below Datum: MLG
Operator: Fountain Seafood Co.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-775-5696
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 4 | | Latitude (decimal): 29.810833
Total Berthing Space (feet): 20 | | Longitude (decimal): -93.34444
Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Ship Channel** Mile: PWD: 040
Name: **Halliburton Energy Services, Cameron Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.3 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Halliburton Energy Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5872
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of dry bulk drilling cement.
Depth Alongside (feet): 17 | | Latitude (decimal): 29.805556
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611
Remarks: Pneumatic loader is served by 8 steel storage tanks, total capacity 2,860 tons. Two 60- by 50-foot, steel frame, metal-covered warehouses are located at rear.□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 046
Name: **LA-TEX Bait Corp., Shop Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above mouth of drainage canal, approx. 0.7 mile above upper intersect Datum: MLG
Operator: LA-TEX Bait Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-8024
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.811944
Total Berthing Space (feet): 170 | | Longitude (decimal): -93.34639
Remarks: Wharf was in deteriorated condition at time of survey (2000).□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Calcasieu Ship Channel** Mile: PWD: 047
Name: **Louisiana Resources Co., Calcasieu River Loading Terminal Dock.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 1.0 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Louisiana Resources Co.
Owner: Louisiana Resources Co.
Address: Phone: 337-538-2504
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of condensate crude oil by barge.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.816111
Total Berthing Space (feet): 280 | | Longitude (decimal): -93.34667
Remarks: One 8-inch pipeline with 6-inch flexible hoses extends to wharf from a 15,000-barrel storage tank on opposite side of Pogy Plant Road.□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 057

Name: **Omega Protein Plant Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu Ship Channel, opposite Monkey Isl., approx. 0.8 mile above lower intersection with Datum: MLG

Operator: Omega Protein, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-775-2314

Town: Johnsons Bayou State: LA County: Cameron

Railway Connection: None.

Purpose: Receipt of fish and diesel fuel by barge; shipment of fish oil, fishmeal, and solubles by barge; fueling company-owned vessels; mooring vessels for repair.

Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 29.786667

Total Berthing Space (feet): 1,300 | | Longitude (decimal): -93.3475

Waterway: **Calcasieu Ship Channel** Mile: PWD: 057

Name: **Omega Protein Plant Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu Ship Channel, opposite Monkey Isl., approx. 0.8 mile above lower intersection with Datum: MLG

Operator: Omega Protein, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-775-2314

Town: Johnsons Bayou State: LA County: Cameron

Railway Connection: None.

Purpose: Receipt of fish and diesel fuel by barge; shipment of fish oil, fishmeal, and solubles by barge; fueling company-owned vessels; mooring vessels for repair.

Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 29.786667

Total Berthing Space (feet): 1,300 | | Longitude (decimal): -93.3475

Remarks: Following storage tanks are each connected to the wharf by one pipeline: Product Pipelines Tanks Size (in.) No. Total capacity Diesel fuel 4 1 11,900 barrels Fish oil 8 16 2,250,000 tons Fish solubles 8 6 1,000,000 gallons Hydraulic oil 2 1 95 barrels Lubricating oil 2 1 95 barrels Numerous other storage tanks on site used for transfer or waste. A steelframe, metal-covered processing building with total capacity for 12,000 tons of fishmeal is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Following storage tanks are each connected to the wharf by one pipeline: Product Pipelines Tanks Size (in.) No. Total capacity Diesel fuel 4 1 11,900 barrels Fish oil 8 16 2,250,000 tons Fish solubles 8 6 1,000,000 gallons Hydraulic oil 2 1 95 barrels Lubricating oil 2 1 95 barrels Numerous other storage tanks on site used for transfer or waste. A steelframe, metal-covered processing building with total capacity for 12,000 tons of fishmeal is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 057

Name: **Omega Protein Plant Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu Ship Channel, opposite Monkey Isl., approx. 0.8 mile above lower intersection with Datum: MLG

Operator: Omega Protein, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-775-2314

Town: Johnsons Bayou State: LA County: Cameron

Railway Connection: None.

Purpose: Receipt of fish and diesel fuel by barge; shipment of fish oil, fishmeal, and solubles by barge; fueling company-owned vessels; mooring vessels for repair.

Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 29.786667

Total Berthing Space (feet): 1,300 | | Longitude (decimal): -93.3475

Waterway: **Calcasieu Ship Channel** Mile: PWD: 057

Name: **Omega Protein Plant Wharf.**

Port: Lake Charles

Location: Right bank, Calcasieu Ship Channel, opposite Monkey Isl., approx. 0.8 mile above lower intersection with Datum: MLG

Operator: Omega Protein, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-775-2314

Town: Johnsons Bayou State: LA County: Cameron

Railway Connection: None.

Purpose: Receipt of fish and diesel fuel by barge; shipment of fish oil, fishmeal, and solubles by barge; fueling company-owned vessels; mooring vessels for repair.

Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 29.786667

Total Berthing Space (feet): 1,300 | | Longitude (decimal): -93.3475

Remarks: Following storage tanks are each connected to the wharf by one pipeline: Product Pipelines Tanks Size (in.) No. Total capacity Diesel fuel 4 1 11,900 barrels Fish oil 8 16 2,250,000 tons Fish solubles 8 6 1,000,000 gallons Hydraulic oil 2 1 95 barrels Lubricating oil 2 1 95 barrels Numerous other storage tanks on site used for transfer or waste. A steelframe, metal-covered processing building with total capacity for 12,000 tons of fishmeal is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Following storage tanks are each connected to the wharf by one pipeline: Product Pipelines Tanks Size (in.) No. Total capacity Diesel fuel 4 1 11,900 barrels Fish oil 8 16 2,250,000 tons Fish solubles 8 6 1,000,000 gallons Hydraulic oil 2 1 95 barrels Lubricating oil 2 1 95 barrels Numerous other storage tanks on site used for transfer or waste. A steelframe, metal-covered processing building with total capacity for 12,000 tons of fishmeal is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 058
Name: **Omega Protein, Purse Boat Slip.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, opposite Monkey Island, 0.55 mile above lower intersection with Calc Datum: MLG
Operator: Omega Protein, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-2314
Town: Johnsons Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring fishing vessels for repair.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 29.784167
Total Berthing Space (feet): 125 | 90 | 135 Longitude (decimal): -93.34778

Waterway: **Calcasieu Ship Channel** Mile: PWD: 058
Name: **Omega Protein, Purse Boat Slip.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, opposite Monkey Island, 0.55 mile above lower intersection with Calc Datum: MLG
Operator: Omega Protein, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-2314
Town: Johnsons Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring fishing vessels for repair.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 29.784167
Total Berthing Space (feet): 125 | 90 | 135 Longitude (decimal): -93.34778

Remarks: Purse seine boats moor in slip. An additional 85 feet of berthing space is available alongside a steel sheet pile bulkhead capped with steel grating catwalk at rear of lower end of Plant Wharf (Ref. No. 57). Lower side of basin and lower end of Plant Wharf form a 60-foot-wide entrance to basin. A 150- by 55-foot, steel frame, metal-covered building at rear of upper side is used as a repair shop.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Purse seine boats moor in slip. An additional 85 feet of berthing space is available alongside a steel sheet pile bulkhead capped with steel grating catwalk at rear of lower end of Plant Wharf (Ref. No. 57). Lower side of basin and lower end of Plant Wharf form a 60-foot-wide entrance to basin. A 150- by 55-foot, steel frame, metal-covered building at rear of upper side is used as a repair shop.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 058
Name: **Omega Protein, Purse Boat Slip.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, opposite Monkey Island, 0.55 mile above lower intersection with Calc Datum: MLG
Operator: Omega Protein, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-2314
Town: Johnsons Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring fishing vessels for repair.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 29.784167
Total Berthing Space (feet): 125 | 90 | 135 Longitude (decimal): -93.34778

Waterway: **Calcasieu Ship Channel** Mile: PWD: 058
Name: **Omega Protein, Purse Boat Slip.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, opposite Monkey Island, 0.55 mile above lower intersection with Calc Datum: MLG
Operator: Omega Protein, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-775-2314
Town: Johnsons Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring fishing vessels for repair.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 29.784167
Total Berthing Space (feet): 125 | 90 | 135 Longitude (decimal): -93.34778

Remarks: Purse seine boats moor in slip. An additional 85 feet of berthing space is available alongside a steel sheet pile bulkhead capped with steel grating catwalk at rear of lower end of Plant Wharf (Ref. No. 57). Lower side of basin and lower end of Plant Wharf form a 60-foot-wide entrance to basin. A 150- by 55-foot, steel frame, metal-covered building at rear of upper side is used as a repair shop.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Purse seine boats moor in slip. An additional 85 feet of berthing space is available alongside a steel sheet pile bulkhead capped with steel grating catwalk at rear of lower end of Plant Wharf (Ref. No. 57). Lower side of basin and lower end of Plant Wharf form a 60-foot-wide entrance to basin. A 150- by 55-foot, steel frame, metal-covered building at rear of upper side is used as a repair shop.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 038
Name: **State Highways 27 and 82 Ferry, East Bank Slip.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.15 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular ferry to west bank of ship channel.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.803889
Total Berthing Space (feet): 52 | 204 | Longitude (decimal): -93.34556

Waterway: **Calcasieu Ship Channel** Mile: PWD: 038
Name: **State Highways 27 and 82 Ferry, East Bank Slip.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.15 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular ferry to west bank of ship channel.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.803889
Total Berthing Space (feet): 52 | 204 | Longitude (decimal): -93.34556

Remarks: Upper rack has 30- by 4-foot, timber pile, timber-decked approach from truck- loading platform at rear. Ferry operates to State Highways 27 and 82 Ferry, West Bank Slip (Ref. No. 55). Ferry 'MV Cameron II' is 204 by 50 feet with capacity for 42 automobiles.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Upper rack has 30- by 4-foot, timber pile, timber-decked approach from truck- loading platform at rear. Ferry operates to State Highways 27 and 82 Ferry, West Bank Slip (Ref. No. 55). Ferry 'MV Cameron II' is 204 by 50 feet with capacity for 42 automobiles.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 038
Name: **State Highways 27 and 82 Ferry, East Bank Slip.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.15 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular ferry to west bank of ship channel.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.803889
Total Berthing Space (feet): 52 | 204 | Longitude (decimal): -93.34556

Waterway: **Calcasieu Ship Channel** Mile: PWD: 038
Name: **State Highways 27 and 82 Ferry, East Bank Slip.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.15 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular ferry to west bank of ship channel.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.803889
Total Berthing Space (feet): 52 | 204 | Longitude (decimal): -93.34556

Remarks: Upper rack has 30- by 4-foot, timber pile, timber-decked approach from truck- loading platform at rear. Ferry operates to State Highways 27 and 82 Ferry, West Bank Slip (Ref. No. 55). Ferry 'MV Cameron II' is 204 by 50 feet with capacity for 42 automobiles.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Upper rack has 30- by 4-foot, timber pile, timber-decked approach from truck- loading platform at rear. Ferry operates to State Highways 27 and 82 Ferry, West Bank Slip (Ref. No. 55). Ferry 'MV Cameron II' is 204 by 50 feet with capacity for 42 automobiles.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 055
Name: **State Highways 27 and 82 Ferry, West Bank Slip.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, approximately 0.15 mile above upper intersection with Calcasieu Pass Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Johnsons Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular ferry to east bank of ship channel.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 29.803333
Total Berthing Space (feet): 52 | 204 | 204 Longitude (decimal): -93.34889

Waterway: **Calcasieu Ship Channel** Mile: PWD: 055
Name: **State Highways 27 and 82 Ferry, West Bank Slip.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, approximately 0.15 mile above upper intersection with Calcasieu Pass Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Johnsons Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular ferry to east bank of ship channel.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 29.803333
Total Berthing Space (feet): 52 | 204 | 204 Longitude (decimal): -93.34889

Remarks: Ferry operates to State Highways 27 and 82 Ferry, East Bank Slip (Ref. No. 38). Ferry 'MV Cameron II' is described under Ref. No. 38.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Ferry operates to State Highways 27 and 82 Ferry, East Bank Slip (Ref. No. 38). Ferry 'MV Cameron II' is described under Ref. No. 38.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 055
Name: **State Highways 27 and 82 Ferry, West Bank Slip.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, approximately 0.15 mile above upper intersection with Calcasieu Pass Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Johnsons Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular ferry to east bank of ship channel.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 29.803333
Total Berthing Space (feet): 52 | 204 | 204 Longitude (decimal): -93.34889

Waterway: **Calcasieu Ship Channel** Mile: PWD: 055
Name: **State Highways 27 and 82 Ferry, West Bank Slip.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, approximately 0.15 mile above upper intersection with Calcasieu Pass Datum: MLG
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 337-775-7444
Town: Johnsons Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Landing for vehicular ferry to east bank of ship channel.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 29.803333
Total Berthing Space (feet): 52 | 204 | 204 Longitude (decimal): -93.34889

Remarks: Ferry operates to State Highways 27 and 82 Ferry, East Bank Slip (Ref. No. 38). Ferry 'MV Cameron II' is described under Ref. No. 38.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Ferry operates to State Highways 27 and 82 Ferry, East Bank Slip (Ref. No. 38). Ferry 'MV Cameron II' is described under Ref. No. 38.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043

Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043

Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043

Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043

Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043

Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043

Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043
Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 043

Name: **Tesoro Marine Services, Cameron Crane Loading Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.5 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and supplies for drilling and oil production industry by offshore service vessels.

Depth Alongside (feet): 20 | | Latitude (decimal): 29.808611

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036

Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778

Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036

Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778

Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036

Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778

Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036

Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778

Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036

Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778

Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036

Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778

Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036
Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 036

Name: **Tesoro Marine Services, Cameron East Yard Lower Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, above upper intersection with Calcasieu Pass, Cameron. Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.802778

Total Berthing Space (feet): 225 | | Longitude (decimal): -93.34528

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Approximately 3 acres of open storage area are located at rear.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037

Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037

Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037

Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037

Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037

Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037

Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037
Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 037

Name: **Tesoro Marine Services, Cameron East Yard Upper Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.1 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.803333

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34583

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041

Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041

Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041

Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041

Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041

Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041

Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041
Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 041

Name: **Tesoro Marine Services, Cameron Fuel Station No. 3 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.4 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of equipment and lube oil by offshore service vessel; fueling offshore service vessels.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.807222

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 3-inch fuel line delivers diesel fuel to wharf from storage tank described under Ref. No. 44. Three bulk lube tanks, total capacity 714 barrels, are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042

Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling vessels for offshore oil industry.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042

Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling vessels for offshore oil industry.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042

Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling vessels for offshore oil industry.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042

Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling vessels for offshore oil industry.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042

Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling vessels for offshore oil industry.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042

Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling vessels for offshore oil industry.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042
Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling vessels for offshore oil industry.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056
Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 042

Name: **Tesoro Marine Services, Cameron Fuel Station No. 4 Wharf.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.45 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling vessels for offshore oil industry.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.808056

Total Berthing Space (feet): 220 | | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. Fuel is delivered through a 4-inch pipeline with 3-inch connections from storage tank at Ref. No. 44.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044

Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling offshore utility boats.

Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889

Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044

Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling offshore utility boats.

Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889

Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044

Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling offshore utility boats.

Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889

Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044

Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling offshore utility boats.

Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889

Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044

Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling offshore utility boats.

Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889

Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044

Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling offshore utility boats.

Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889

Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044
Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Fueling offshore utility boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889
Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 044

Name: **Tesoro Marine Services, Cameron Fuel Station Nos. 5 & 6 Wharves.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.55 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: James S. Henry Estate.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Fueling offshore utility boats.

Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.808889

Total Berthing Space (feet): 220 | 220 | Longitude (decimal): -93.34611

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: Breasting dolphins are part of continuous row in line with faces of Ref. Nos. 41 to 44. One 6-inch pipeline to each wharf, becoming one 4-inch pipeline on each wharf, delivering fuel from one 17,000-barrel storage tank at rear that services all 4 Fuel Station Wharves (Ref. Nos 41, 42 and 44).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039

Name: **Tesoro Marine Services, Cameron Main Yard.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: Martha and J. A. Davis Trust.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.

Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805

Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039

Name: **Tesoro Marine Services, Cameron Main Yard.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: Martha and J. A. Davis Trust.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.

Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805

Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039

Name: **Tesoro Marine Services, Cameron Main Yard.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: Martha and J. A. Davis Trust.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.

Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805

Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039

Name: **Tesoro Marine Services, Cameron Main Yard.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: Martha and J. A. Davis Trust.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.

Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805

Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039

Name: **Tesoro Marine Services, Cameron Main Yard.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: Martha and J. A. Davis Trust.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.

Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805

Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039

Name: **Tesoro Marine Services, Cameron Main Yard.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: Martha and J. A. Davis Trust.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.

Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805

Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039
Name: **Tesoro Marine Services, Cameron Main Yard.**
Port: Lake Charles
Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Martha and J. A. Davis Trust.
Address: Phone: 337-569-2612
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805
Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 039

Name: **Tesoro Marine Services, Cameron Main Yard.**

Port: Lake Charles

Location: Left bank, Calcasieu Ship Channel, approximately 0.2 mile above upper intersection with Calcasieu Pass, Datum: MLG

Operator: Tesoro Marine Services, Inc.

Owner: Martha and J. A. Davis Trust.

Address: Phone: 337-569-2612

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Shipment of drilling and oil production supplies and equipment by offshore service vessels; fueling vessels.

Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 29.805

Total Berthing Space (feet): 500 | 90 | Longitude (decimal): -93.34583

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Remarks: One storage tank for diesel fuel has capacity for 5,000 barrels.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Calcasieu Ship Channel** Mile: PWD: 056
Name: **Tesoro Marine Services, Cameron West Yard.**
Port: Lake Charles
Location: Right bank, Calcasieu Ship Channel, opposite upper intersection with Calcasieu Pass, Johnson Bayou. Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Tesoro Marine Services, Inc.
Address: Phone: 337-569-2612
Town: Johnsons Bayou State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of diesel fuel, lube oil, and water by offshore service vessel; fueling vessels.
Depth Alongside (feet): 21 | 21 | 21 Latitude (decimal): 29.799444
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -93.34806
Remarks: Four-inch pipelines extend to wharf from one 12,000-barrel diesel fuel storage tank. Water lines extend from 5 storage tanks, total capacity 210,000 gallons. Lubricating oil is pumped directly from trucks onto vessels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Contraband Bayou** Mile: PWD: 076
Name: **Bowtie Marina Slip.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, above foot of Giovanni Street, Lake Charles. Datum:
Operator: Bowtie, LLC (See Remarks.)
Owner: Bowtie, LLC
Address: 1245 Giovanni Street. Phone: 337-478-0130
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels; mooring vessels for minor repairs; fueling small vessels.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 30.203611
Total Berthing Space (feet): 60 | 180 | 250 Longitude (decimal): -93.23917
Remarks: U.S. Coast Guard, Marine Safety Detachment Lake Charles maintains two boats at the marina and leases one equipment shed at rear. Timber bulkhead was under construction at time of survey (2000). Pier on south side of launch slip serves as a fueling dock. Two storage tanks, for gasoline and diesel fuel, each with capacity of 120 barrels, are located in the yard. Marina yard totals 5.5 acres. Two 52- by 400-foot, metal storage buildings at rear house 110recreational craft on trailers. Store and office building adjacent to inner end of slip.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Port Facilities by Waterway

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222
Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Port Facilities by Waterway

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222
Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Port Facilities by Waterway

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222
Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Port Facilities by Waterway

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222
Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Port Facilities by Waterway

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222
Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Port Facilities by Waterway

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222

Waterway: **Contraband Bayou** Mile: PWD: 078
Name: **Lake Charles Harbor & Terminal District, Berth No. 9A.**
Port: Lake Charles
Location: Right bank of Contraband Bayou, approximately 1,450 feet above junction with Calcasieu River, Lake Charl Datum: MLG
Operator: Lake Charles Harbor & Terminal District.
Owner: Lake Charles Harbor & Terminal District.
Address: 150 Marine Street. Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Two carfloor-level tracks connect with Union Pacific Railroad and Burlington Northern Santa Fe Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; shipment of bagged commodities.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.208889
Total Berthing Space (feet): 926 | | Longitude (decimal): -93.25222
Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Face is in line and contiguous with faces of Berths Nos. 8 and 9 (Ref. No. 79) and Lake Charles Public Grain Elevator Wharf (Ref. No. 77). Transit shed was under construction at time of survey (2000). Approximately 20 acres of open storage area at rear of shed are shared with all Lake Charles Terminal facilities.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Contraband Bayou** Mile: PWD: 077

Name: **Lake Charles Public Grain Elevator, Contraband Bayou Wharf (Ship B**

Port: Lake Charles

Location: Right bank of Contraband Bayou, approximately 1,700 feet above junction with Calcasieu River, Lake Charl Datum: MLG

Operator: Lake Charles Harbor & Terminal District.

Owner: Lake Charles Harbor & Terminal District.

Address: 150 Marine Street. Phone: 337-439-3661

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: Three surface tracks in rear, one serving car pit and 3,300-bushelcarloading hopper, and two used for storage, total capacity 20 cars, join other terminal trackage; connect with Union Pacific Railroad and BurlingtonNorthern SantaFe Railroad.

Purpose: Shipment of grain and wood chips.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.209444

Total Berthing Space (feet): 675 | | Longitude (decimal): -93.24972

Remarks: Face is in line and contiguous with faces of Lake Charles Harbor & Terminal District, Berth No. 9A (Ref. No. 78) and Berths Nos. 8 & 9 (Ref. No. 79). Grain elevator in rear consists of 14 concrete silos and 14 steel storage tanks, total capacity 1,046,000 bushels, and 4 steel shipping tanks, total capacity 12,000 bushels. One hydraulic truck dumper serves radial stacker in concrete-paved open storage area in rear with capacity for 35,000 tons of woodchips. One 17,000-square foot building at rear houses automated bagging plant.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Contraband Bayou** Mile: PWD: 075

Name: **The Olmsted Corp. Shipyard.**

Port: Lake Charles

Location: Right bank of Contraband Bayou, below West Prien Lake Road Bridge, Lake Charles. Datum:

Operator: The Olmsted Corp.

Owner: The Olmsted Corp.

Address: 906 West Prien Lake Road. Phone: 337-477-3912

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring small craft for repairs.

Depth Alongside (feet): 9 | 9 | 9 Latitude (decimal): 30.199167

Total Berthing Space (feet): 50 | 30 | 85 Longitude (decimal): -93.23611

Remarks: One 75-ton marine railway is located in southeast corner of slip, adjacent to inner end of southern pier. The four covered piers provide a total of 45 slips for recreational craft.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 050
Name: **Ambar Corp., Center Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.4 mile above intersection with Calcasieu Ship Ch Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of bulk barite; handling supplies for offshore oil industry; fueling vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.820556
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34083

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 050
Name: **Ambar Corp., Center Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.4 mile above intersection with Calcasieu Ship Ch Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of bulk barite; handling supplies for offshore oil industry; fueling vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.820556
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34083

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 050
Name: **Ambar Corp., Center Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.4 mile above intersection with Calcasieu Ship Ch Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of bulk barite; handling supplies for offshore oil industry; fueling vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.820556
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34083
Remarks: Dolphins are in line with faces of West and East Wharves (Ref. Nos. 49 and 51), providing 600 feet of continuous berthing space. Pneumatic loader is served by 13 dry bulk barite storage tanks, total capacity 1250 tons. One 4-inch diesel fuel pipeline extends to dock from storage tank described under West Wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Dolphins are in line with faces of West and East Wharves (Ref. Nos. 49 and 51), providing 600 feet of continuous berthing space. Pneumatic loader is served by 13 dry bulk barite storage tanks, total capacity 1250 tons. One 4-inch diesel fuel pipeline extends to dock from storage tank described under West Wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Dolphins are in line with faces of West and East Wharves (Ref. Nos. 49 and 51), providing 600 feet of continuous berthing space. Pneumatic loader is served by 13 dry bulk barite storage tanks, total capacity 1250 tons. One 4-inch diesel fuel pipeline extends to dock from storage tank described under West Wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 050
Name: **Ambar Corp., Center Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.4 mile above intersection with Calcasieu Ship Ch Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of bulk barite; handling supplies for offshore oil industry; fueling vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.820556
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34083

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 050
Name: **Ambar Corp., Center Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.4 mile above intersection with Calcasieu Ship Ch Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of bulk barite; handling supplies for offshore oil industry; fueling vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.820556
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34083

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 050
Name: **Ambar Corp., Center Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.4 mile above intersection with Calcasieu Ship Ch Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of bulk barite; handling supplies for offshore oil industry; fueling vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.820556
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34083
Remarks: Dolphins are in line with faces of West and East Wharves (Ref. Nos. 49 and 51), providing 600 feet of continuous berthing space. Pneumatic loader is served by 13 dry bulk barite storage tanks, total capacity 1250 tons. One 4-inch diesel fuel pipeline extends to dock from storage tank described under West Wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Dolphins are in line with faces of West and East Wharves (Ref. Nos. 49 and 51), providing 600 feet of continuous berthing space. Pneumatic loader is served by 13 dry bulk barite storage tanks, total capacity 1250 tons. One 4-inch diesel fuel pipeline extends to dock from storage tank described under West Wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Dolphins are in line with faces of West and East Wharves (Ref. Nos. 49 and 51), providing 600 feet of continuous berthing space. Pneumatic loader is served by 13 dry bulk barite storage tanks, total capacity 1250 tons. One 4-inch diesel fuel pipeline extends to dock from storage tank described under West Wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 050
Name: **Ambar Corp., Center Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.4 mile above intersection with Calcasieu Ship Ch Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of bulk barite; handling supplies for offshore oil industry; fueling vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.820556
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34083

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 050
Name: **Ambar Corp., Center Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.4 mile above intersection with Calcasieu Ship Ch Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of bulk barite; handling supplies for offshore oil industry; fueling vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.820556
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34083

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 050
Name: **Ambar Corp., Center Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.4 mile above intersection with Calcasieu Ship Ch Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of bulk barite; handling supplies for offshore oil industry; fueling vessels.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.820556
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34083
Remarks: Dolphins are in line with faces of West and East Wharves (Ref. Nos. 49 and 51), providing 600 feet of continuous berthing space. Pneumatic loader is served by 13 dry bulk barite storage tanks, total capacity 1250 tons. One 4-inch diesel fuel pipeline extends to dock from storage tank described under West Wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Dolphins are in line with faces of West and East Wharves (Ref. Nos. 49 and 51), providing 600 feet of continuous berthing space. Pneumatic loader is served by 13 dry bulk barite storage tanks, total capacity 1250 tons. One 4-inch diesel fuel pipeline extends to dock from storage tank described under West Wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Dolphins are in line with faces of West and East Wharves (Ref. Nos. 49 and 51), providing 600 feet of continuous berthing space. Pneumatic loader is served by 13 dry bulk barite storage tanks, total capacity 1250 tons. One 4-inch diesel fuel pipeline extends to dock from storage tank described under West Wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 051
Name: **Ambar Corp., East Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.45 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of dry bulk barite, liquid drilling mud, and drilling fluid.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.821111
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34028

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 051
Name: **Ambar Corp., East Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.45 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of dry bulk barite, liquid drilling mud, and drilling fluid.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.821111
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34028

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 051
Name: **Ambar Corp., East Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.45 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of dry bulk barite, liquid drilling mud, and drilling fluid.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.821111
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34028
Remarks: Dolphins are in line with faces of West and Center Wharves (Ref. Nos. 49 and 50), providing 600 feet of continuous berthing space. Pneumatic loader is served by 5 barite storage tanks through a 4-inch line, total capacity 1,000 tons. Two 4-inch pipelines extends to wharf, one from 26 drilling mud and one from 10 drilling fluid storage tanks, total capacity 1,092,000 and 315,000 gallons, respectively. One 300- by 50- to 70-foot, steel frame, metal-coveredwarehouse is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Dolphins are in line with faces of West and Center Wharves (Ref. Nos. 49 and 50), providing 600 feet of continuous berthing space. Pneumatic loader is served by 5 barite storage tanks through a 4-inch line, total capacity 1,000 tons. Two 4-inch pipelines extends to wharf, one from 26 drilling mud and one from 10 drilling fluid storage tanks, total capacity 1,092,000 and 315,000 gallons, respectively. One 300- by 50- to 70-foot, steel frame, metal-coveredwarehouse is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Dolphins are in line with faces of West and Center Wharves (Ref. Nos. 49 and 50), providing 600 feet of continuous berthing space. Pneumatic loader is served by 5 barite storage tanks through a 4-inch line, total capacity 1,000 tons. Two 4-inch pipelines extends to wharf, one from 26 drilling mud and one from 10 drilling fluid storage tanks, total capacity 1,092,000 and 315,000 gallons, respectively. One 300- by 50- to 70-foot, steel frame, metal-coveredwarehouse is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 051
Name: **Ambar Corp., East Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.45 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of dry bulk barite, liquid drilling mud, and drilling fluid.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.821111
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34028

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 051
Name: **Ambar Corp., East Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.45 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of dry bulk barite, liquid drilling mud, and drilling fluid.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.821111
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34028

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 051
Name: **Ambar Corp., East Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.45 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of dry bulk barite, liquid drilling mud, and drilling fluid.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.821111
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34028
Remarks: Dolphins are in line with faces of West and Center Wharves (Ref. Nos. 49 and 50), providing 600 feet of continuous berthing space. Pneumatic loader is served by 5 barite storage tanks through a 4-inch line, total capacity 1,000 tons. Two 4-inch pipelines extends to wharf, one from 26 drilling mud and one from 10 drilling fluid storage tanks, total capacity 1,092,000 and 315,000 gallons, respectively. One 300- by 50- to 70-foot, steel frame, metal-coveredwarehouse is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Dolphins are in line with faces of West and Center Wharves (Ref. Nos. 49 and 50), providing 600 feet of continuous berthing space. Pneumatic loader is served by 5 barite storage tanks through a 4-inch line, total capacity 1,000 tons. Two 4-inch pipelines extends to wharf, one from 26 drilling mud and one from 10 drilling fluid storage tanks, total capacity 1,092,000 and 315,000 gallons, respectively. One 300- by 50- to 70-foot, steel frame, metal-coveredwarehouse is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Dolphins are in line with faces of West and Center Wharves (Ref. Nos. 49 and 50), providing 600 feet of continuous berthing space. Pneumatic loader is served by 5 barite storage tanks through a 4-inch line, total capacity 1,000 tons. Two 4-inch pipelines extends to wharf, one from 26 drilling mud and one from 10 drilling fluid storage tanks, total capacity 1,092,000 and 315,000 gallons, respectively. One 300- by 50- to 70-foot, steel frame, metal-coveredwarehouse is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 051
Name: **Ambar Corp., East Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.45 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of dry bulk barite, liquid drilling mud, and drilling fluid.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.821111
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34028

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 051
Name: **Ambar Corp., East Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.45 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of dry bulk barite, liquid drilling mud, and drilling fluid.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.821111
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34028

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 051
Name: **Ambar Corp., East Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.45 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of dry bulk barite, liquid drilling mud, and drilling fluid.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.821111
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34028
Remarks: Dolphins are in line with faces of West and Center Wharves (Ref. Nos. 49 and 50), providing 600 feet of continuous berthing space. Pneumatic loader is served by 5 barite storage tanks through a 4-inch line, total capacity 1,000 tons. Two 4-inch pipelines extends to wharf, one from 26 drilling mud and one from 10 drilling fluid storage tanks, total capacity 1,092,000 and 315,000 gallons, respectively. One 300- by 50- to 70-foot, steel frame, metal-coveredwarehouse is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Dolphins are in line with faces of West and Center Wharves (Ref. Nos. 49 and 50), providing 600 feet of continuous berthing space. Pneumatic loader is served by 5 barite storage tanks through a 4-inch line, total capacity 1,000 tons. Two 4-inch pipelines extends to wharf, one from 26 drilling mud and one from 10 drilling fluid storage tanks, total capacity 1,092,000 and 315,000 gallons, respectively. One 300- by 50- to 70-foot, steel frame, metal-coveredwarehouse is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Dolphins are in line with faces of West and Center Wharves (Ref. Nos. 49 and 50), providing 600 feet of continuous berthing space. Pneumatic loader is served by 5 barite storage tanks through a 4-inch line, total capacity 1,000 tons. Two 4-inch pipelines extends to wharf, one from 26 drilling mud and one from 10 drilling fluid storage tanks, total capacity 1,092,000 and 315,000 gallons, respectively. One 300- by 50- to 70-foot, steel frame, metal-coveredwarehouse is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 049
Name: **Ambar Corp., West Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.35 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment, bulk barite, drilling mud, and diesel fuel by offshore service vessel.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 29.820278
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34139

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 049
Name: **Ambar Corp., West Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.35 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment, bulk barite, drilling mud, and diesel fuel by offshore service vessel.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 29.820278
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34139

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 049
Name: **Ambar Corp., West Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.35 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment, bulk barite, drilling mud, and diesel fuel by offshore service vessel.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 29.820278
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34139
Remarks: Dolphins are in line with faces of Center and East Wharves (Ref. Nos. 50 and 51), providing 600 feet of continuous berthing space. One 4-inch pneumatic pipeline extends to loader from four barite storage tanks, total capacity 800 tons, and two drilling mud storage tanks, total capacity 250 tons. One 4-inch, diesel-fuel pipeline extends to wharf from one 20,000-barrel storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Dolphins are in line with faces of Center and East Wharves (Ref. Nos. 50 and 51), providing 600 feet of continuous berthing space. One 4-inch pneumatic pipeline extends to loader from four barite storage tanks, total capacity 800 tons, and two drilling mud storage tanks, total capacity 250 tons. One 4-inch, diesel-fuel pipeline extends to wharf from one 20,000-barrel storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Dolphins are in line with faces of Center and East Wharves (Ref. Nos. 50 and 51), providing 600 feet of continuous berthing space. One 4-inch pneumatic pipeline extends to loader from four barite storage tanks, total capacity 800 tons, and two drilling mud storage tanks, total capacity 250 tons. One 4-inch, diesel-fuel pipeline extends to wharf from one 20,000-barrel storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 049
Name: **Ambar Corp., West Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.35 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment, bulk barite, drilling mud, and diesel fuel by offshore service vessel.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 29.820278
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34139

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 049
Name: **Ambar Corp., West Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.35 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment, bulk barite, drilling mud, and diesel fuel by offshore service vessel.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 29.820278
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34139

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 049
Name: **Ambar Corp., West Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.35 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment, bulk barite, drilling mud, and diesel fuel by offshore service vessel.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 29.820278
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34139
Remarks: Dolphins are in line with faces of Center and East Wharves (Ref. Nos. 50 and 51), providing 600 feet of continuous berthing space. One 4-inch pneumatic pipeline extends to loader from four barite storage tanks, total capacity 800 tons, and two drilling mud storage tanks, total capacity 250 tons. One 4-inch, diesel-fuel pipeline extends to wharf from one 20,000-barrel storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Dolphins are in line with faces of Center and East Wharves (Ref. Nos. 50 and 51), providing 600 feet of continuous berthing space. One 4-inch pneumatic pipeline extends to loader from four barite storage tanks, total capacity 800 tons, and two drilling mud storage tanks, total capacity 250 tons. One 4-inch, diesel-fuel pipeline extends to wharf from one 20,000-barrel storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Dolphins are in line with faces of Center and East Wharves (Ref. Nos. 50 and 51), providing 600 feet of continuous berthing space. One 4-inch pneumatic pipeline extends to loader from four barite storage tanks, total capacity 800 tons, and two drilling mud storage tanks, total capacity 250 tons. One 4-inch, diesel-fuel pipeline extends to wharf from one 20,000-barrel storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 049
Name: **Ambar Corp., West Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.35 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment, bulk barite, drilling mud, and diesel fuel by offshore service vessel.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 29.820278
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34139

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 049
Name: **Ambar Corp., West Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.35 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment, bulk barite, drilling mud, and diesel fuel by offshore service vessel.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 29.820278
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34139

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 049
Name: **Ambar Corp., West Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.35 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Ambar Corp.
Owner: James S. Henry Estate.
Address: Phone: 337-775-5995
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Shipment of equipment, bulk barite, drilling mud, and diesel fuel by offshore service vessel.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 29.820278
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34139
Remarks: Dolphins are in line with faces of Center and East Wharves (Ref. Nos. 50 and 51), providing 600 feet of continuous berthing space. One 4-inch pneumatic pipeline extends to loader from four barite storage tanks, total capacity 800 tons, and two drilling mud storage tanks, total capacity 250 tons. One 4-inch, diesel-fuel pipeline extends to wharf from one 20,000-barrel storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Dolphins are in line with faces of Center and East Wharves (Ref. Nos. 50 and 51), providing 600 feet of continuous berthing space. One 4-inch pneumatic pipeline extends to loader from four barite storage tanks, total capacity 800 tons, and two drilling mud storage tanks, total capacity 250 tons. One 4-inch, diesel-fuel pipeline extends to wharf from one 20,000-barrel storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Dolphins are in line with faces of Center and East Wharves (Ref. Nos. 50 and 51), providing 600 feet of continuous berthing space. One 4-inch pneumatic pipeline extends to loader from four barite storage tanks, total capacity 800 tons, and two drilling mud storage tanks, total capacity 250 tons. One 4-inch, diesel-fuel pipeline extends to wharf from one 20,000-barrel storage tank.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 052

Name: **Amerada Hess Corp., Cameron Wharf.**

Port: Lake Charles

Location: Left bank, East Fork of Calcasieu Pass, approximately 0.5 mile above intersection with Calcasieu Ship Ch Datum: MLG

Operator: Amerada Hess Corp.

Owner: Martha and J. A. Davis Trust.

Address: Phone: 337-775-5153

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Handling offshore oil field equipment and supplies.

Depth Alongside (feet): 18 | | Latitude (decimal): 29.821389

Total Berthing Space (feet): 374 | | Longitude (decimal): -93.33972

Remarks: Approximately 2 acres of open storage area are located at rear, and an additional 3 acres on the opposite side of East Fork Road.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 054

Name: **Coastline Contractors Wharf.**

Port: Lake Charles

Location: Left bank, East Fork of Calcasieu Pass, approximately 0.65 mile above intersection with Calcasieu Ship C Datum: MLG

Operator: Coastline Contractors, Inc.

Owner: David Nolan.

Address: Phone:

Town: Cameron State: LA County: Cameron

Railway Connection: None.

Purpose: Not Used

Depth Alongside (feet): 20 | | Latitude (decimal): 29.8225

Total Berthing Space (feet): 405 | | Longitude (decimal): -93.33694

Remarks: Wharf formerly was used for mooring offshore service vessels for repair. Shipyard was temporarily shut down at time of survey (2000). Plans called for the installation of a floating drydock in future. Approximately 20 acres of open storage area are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 048
Name: **Energy Environmental Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.25 mile above intersection with Calcasieu Ship C Datum: MLG
Operator: Not operated.
Owner: James S. Henry Estate.
Address: Phone:
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 - 18 | | Latitude (decimal): 29.819722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.34278
Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **East Fork, Calcasieu Pass** Mile: PWD: 053
Name: **Trussco Wharf.**
Port: Lake Charles
Location: Left bank, East Fork of Calcasieu Pass, approximately 0.6 mile above intersection with Calcasieu Ship Ch Datum: MLG
Operator: Trussco, Inc.
Owner: James S. Henry Estate.
Address: Phone: 337-893-1005
Town: Cameron State: LA County: Cameron
Railway Connection: None.
Purpose: Mooring offshore service vessels for tank cleaning.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.821944
Total Berthing Space (feet): 355 | | Longitude (decimal): -93.33833
Remarks: Fluids are transferred directly into trucks. Two 20- by 14-foot, steel frame, fiberglass-covered storage buildings, one office trailer, and approximately one acre of open storage area are located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Freeport Barge Canal** Mile: PWD: 45
Name: **Freeport-McMoRan Sulphur Co., Canal Pier.**
Port: Below New Orleans
Location: East side, approximately 0.5 mile below head of Freeport Barge Canal. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.465556
Total Berthing Space (feet): - | 315 | 315 Longitude (decimal): -89.69111

Waterway: **Freeport Barge Canal** Mile: PWD: 45
Name: **Freeport-McMoRan Sulphur Co., Canal Pier.**
Port: Below New Orleans
Location: East side, approximately 0.5 mile below head of Freeport Barge Canal. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.465556
Total Berthing Space (feet): - | 315 | 315 Longitude (decimal): -89.69111

Waterway: **Freeport Barge Canal** Mile: PWD: 45
Name: **Freeport-McMoRan Sulphur Co., Canal Pier.**
Port: Below New Orleans
Location: East side, approximately 0.5 mile below head of Freeport Barge Canal. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.465556
Total Berthing Space (feet): - | 315 | 315 Longitude (decimal): -89.69111

Remarks: Two 8-inch steam-traced pipelines, blanked at time of survey (2002), extend to storage tanks described under Ref. No. 42. Also, one 6-inch ballast water, one 3-inch steam, and one 2-inch condensate-return pipelines serve pier. Additional berthing space is available for one barge off west side, and one barge in dredged area southeast of pier, each alongside 2 timber breasting dolphins and in 10-foot depths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Remarks: Two 8-inch steam-traced pipelines, blanked at time of survey (2002), extend to storage tanks described under Ref. No. 42. Also, one 6-inch ballast water, one 3-inch steam, and one 2-inch condensate-return pipelines serve pier. Additional berthing space is available for one barge off west side, and one barge in dredged area southeast of pier, each alongside 2 timber breasting dolphins and in 10-foot depths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Remarks: Two 8-inch steam-traced pipelines, blanked at time of survey (2002), extend to storage tanks described under Ref. No. 42. Also, one 6-inch ballast water, one 3-inch steam, and one 2-inch condensate-return pipelines serve pier. Additional berthing space is available for one barge off west side, and one barge in dredged area southeast of pier, each alongside 2 timber breasting dolphins and in 10-foot depths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Waterway: **Freeport Barge Canal** Mile: PWD: 45
Name: **Freeport-McMoRan Sulphur Co., Canal Pier.**
Port: Below New Orleans
Location: East side, approximately 0.5 mile below head of Freeport Barge Canal. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.465556
Total Berthing Space (feet): - | 315 | 315 Longitude (decimal): -89.69111

Waterway: **Freeport Barge Canal** Mile: PWD: 45
Name: **Freeport-McMoRan Sulphur Co., Canal Pier.**
Port: Below New Orleans
Location: East side, approximately 0.5 mile below head of Freeport Barge Canal. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.465556
Total Berthing Space (feet): - | 315 | 315 Longitude (decimal): -89.69111

Waterway: **Freeport Barge Canal** Mile: PWD: 45
Name: **Freeport-McMoRan Sulphur Co., Canal Pier.**
Port: Below New Orleans
Location: East side, approximately 0.5 mile below head of Freeport Barge Canal. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.465556
Total Berthing Space (feet): - | 315 | 315 Longitude (decimal): -89.69111
Remarks: Two 8-inch steam-traced pipelines, blanked at time of survey (2002), extend to storage tanks described under Ref. No. 42. Also, one 6-inch ballast water, one 3-inch steam, and one 2-inch condensate-return pipelines serve pier. Additional berthing space is available for one barge off west side, and one barge in dredged area southeast of pier, each alongside 2 timber breasting dolphins and in 10-foot depths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Remarks: Two 8-inch steam-traced pipelines, blanked at time of survey (2002), extend to storage tanks described under Ref. No. 42. Also, one 6-inch ballast water, one 3-inch steam, and one 2-inch condensate-return pipelines serve pier. Additional berthing space is available for one barge off west side, and one barge in dredged area southeast of pier, each alongside 2 timber breasting dolphins and in 10-foot depths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Remarks: Two 8-inch steam-traced pipelines, blanked at time of survey (2002), extend to storage tanks described under Ref. No. 42. Also, one 6-inch ballast water, one 3-inch steam, and one 2-inch condensate-return pipelines serve pier. Additional berthing space is available for one barge off west side, and one barge in dredged area southeast of pier, each alongside 2 timber breasting dolphins and in 10-foot depths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Waterway: **Freeport Barge Canal** Mile: PWD: 45
Name: **Freeport-McMoRan Sulphur Co., Canal Pier.**
Port: Below New Orleans
Location: East side, approximately 0.5 mile below head of Freeport Barge Canal. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.465556
Total Berthing Space (feet): - | 315 | 315 Longitude (decimal): -89.69111

Waterway: **Freeport Barge Canal** Mile: PWD: 45
Name: **Freeport-McMoRan Sulphur Co., Canal Pier.**
Port: Below New Orleans
Location: East side, approximately 0.5 mile below head of Freeport Barge Canal. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.465556
Total Berthing Space (feet): - | 315 | 315 Longitude (decimal): -89.69111

Waterway: **Freeport Barge Canal** Mile: PWD: 45
Name: **Freeport-McMoRan Sulphur Co., Canal Pier.**
Port: Below New Orleans
Location: East side, approximately 0.5 mile below head of Freeport Barge Canal. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.465556
Total Berthing Space (feet): - | 315 | 315 Longitude (decimal): -89.69111

Remarks: Two 8-inch steam-traced pipelines, blanked at time of survey (2002), extend to storage tanks described under Ref. No. 42. Also, one 6-inch ballast water, one 3-inch steam, and one 2-inch condensate-return pipelines serve pier. Additional berthing space is available for one barge off west side, and one barge in dredged area southeast of pier, each alongside 2 timber breasting dolphins and in 10-foot depths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Remarks: Two 8-inch steam-traced pipelines, blanked at time of survey (2002), extend to storage tanks described under Ref. No. 42. Also, one 6-inch ballast water, one 3-inch steam, and one 2-inch condensate-return pipelines serve pier. Additional berthing space is available for one barge off west side, and one barge in dredged area southeast of pier, each alongside 2 timber breasting dolphins and in 10-foot depths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Remarks: Two 8-inch steam-traced pipelines, blanked at time of survey (2002), extend to storage tanks described under Ref. No. 42. Also, one 6-inch ballast water, one 3-inch steam, and one 2-inch condensate-return pipelines serve pier. Additional berthing space is available for one barge off west side, and one barge in dredged area southeast of pier, each alongside 2 timber breasting dolphins and in 10-foot depths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

---

Waterway: **Grand Pass** Mile: PWD: 71

Name: **Berwick Bay Oil Co., Venice Dock.**

Port: Below New Orleans

Location: Right bank of Grand Pass, 0.6 mile below entrance from Mississippi River. Datum: MLG

Operator: Not operated

Owner: The Louisiana Fruit Company.

Address: Icehouse Road. Phone: 985/534-9282

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 29.264167

Total Berthing Space (feet): 175 | | Longitude (decimal): -89.35278

Remarks: At time of survey (2002), erosion had destroyed most of the bulkhead and undermined the front half of the building on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

---

Waterway: **Grand Pass** Mile: PWD: 58

Name: **Bud's Boat Rental Wharf No. 2.**

Port: Below New Orleans

Location: Upper side of slip, right bank of Grand Pass, 1,100 feet below entrance from Mississippi River. Datum: MLG

Operator: Bud's Boat Rental, Inc.

Owner: The Louisiana Fruit Co.

Address: Jump Basin Road. Phone: 985-534-2394

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Mooring commercial vessels.

Depth Alongside (feet): 12 | | Latitude (decimal): 29.27

Total Berthing Space (feet): 210 | | Longitude (decimal): -89.35278

Remarks: Vessels moor end-to wharf. One 30- by 12-foot, adjustable steel ramp is located on upper side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

---

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 69

Name: **Bud's Boat Rental, Wharf No. 3.**

Port: Below New Orleans

Location: Lower side of The Jump Basin, 300 feet inside entrance from right bank, Grand Pass, 0.6 mile below entra Datum: MLG

Operator: Bud's Boat Rental, Inc.

Owner: Plaquemines Parish Commission Council.

Address: Icehouse Road. Phone: 985/534-2394

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Mooring commercial vessels.

Depth Alongside (feet): 5 - 8 | | Latitude (decimal): 29.265

Total Berthing Space (feet): 80 + | | Longitude (decimal): -89.35333

Remarks: Vessels moor end-to wharf. Piers on lower end form three 60- by 18-foot berths; center pier provides 100 feet of berthing space on lower side, with mooring piles and fenders forming five 40- by 12-foot berths on upper side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 72
Name: **Chevron U.S.A., Venice Base, East Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.6 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 12 - 20 | 12 | 12 - 20 Latitude (decimal): 29.263333
Total Berthing Space (feet): 342 | 170 | 496 Longitude (decimal): -89.35333

Waterway: **Grand Pass** Mile: PWD: 72
Name: **Chevron U.S.A., Venice Base, East Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.6 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 12 - 20 | 12 | 12 - 20 Latitude (decimal): 29.263333
Total Berthing Space (feet): 342 | 170 | 496 Longitude (decimal): -89.35333

Waterway: **Grand Pass** Mile: PWD: 72
Name: **Chevron U.S.A., Venice Base, East Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.6 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 12 - 20 | 12 | 12 - 20 Latitude (decimal): 29.263333
Total Berthing Space (feet): 342 | 170 | 496 Longitude (decimal): -89.35333
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 72
Name: **Chevron U.S.A., Venice Base, East Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.6 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 12 - 20 | 12 | 12 - 20 Latitude (decimal): 29.263333
Total Berthing Space (feet): 342 | 170 | 496 Longitude (decimal): -89.35333

Waterway: **Grand Pass** Mile: PWD: 72
Name: **Chevron U.S.A., Venice Base, East Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.6 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 12 - 20 | 12 | 12 - 20 Latitude (decimal): 29.263333
Total Berthing Space (feet): 342 | 170 | 496 Longitude (decimal): -89.35333

Waterway: **Grand Pass** Mile: PWD: 72
Name: **Chevron U.S.A., Venice Base, East Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.6 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 12 - 20 | 12 | 12 - 20 Latitude (decimal): 29.263333
Total Berthing Space (feet): 342 | 170 | 496 Longitude (decimal): -89.35333
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 72
Name: **Chevron U.S.A., Venice Base, East Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.6 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 12 - 20 | 12 | 12 - 20 Latitude (decimal): 29.263333
Total Berthing Space (feet): 342 | 170 | 496 Longitude (decimal): -89.35333

Waterway: **Grand Pass** Mile: PWD: 72
Name: **Chevron U.S.A., Venice Base, East Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.6 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 12 - 20 | 12 | 12 - 20 Latitude (decimal): 29.263333
Total Berthing Space (feet): 342 | 170 | 496 Longitude (decimal): -89.35333

Waterway: **Grand Pass** Mile: PWD: 72
Name: **Chevron U.S.A., Venice Base, East Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.6 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 12 - 20 | 12 | 12 - 20 Latitude (decimal): 29.263333
Total Berthing Space (feet): 342 | 170 | 496 Longitude (decimal): -89.35333
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 73
Name: **Chevron U.S.A., Venice Base, Mooring.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.7 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling water, supplies, and equipment for offshore operations.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.2625
Total Berthing Space (feet): 150 + | | Longitude (decimal): -89.35278

Waterway: **Grand Pass** Mile: PWD: 73
Name: **Chevron U.S.A., Venice Base, Mooring.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.7 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling water, supplies, and equipment for offshore operations.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.2625
Total Berthing Space (feet): 150 + | | Longitude (decimal): -89.35278

Waterway: **Grand Pass** Mile: PWD: 73
Name: **Chevron U.S.A., Venice Base, Mooring.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.7 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling water, supplies, and equipment for offshore operations.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.2625
Total Berthing Space (feet): 150 + | | Longitude (decimal): -89.35278
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 73
Name: **Chevron U.S.A., Venice Base, Mooring.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.7 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling water, supplies, and equipment for offshore operations.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.2625
Total Berthing Space (feet): 150 + | | Longitude (decimal): -89.35278

Waterway: **Grand Pass** Mile: PWD: 73
Name: **Chevron U.S.A., Venice Base, Mooring.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.7 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling water, supplies, and equipment for offshore operations.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.2625
Total Berthing Space (feet): 150 + | | Longitude (decimal): -89.35278

Waterway: **Grand Pass** Mile: PWD: 73
Name: **Chevron U.S.A., Venice Base, Mooring.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.7 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling water, supplies, and equipment for offshore operations.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.2625
Total Berthing Space (feet): 150 + | | Longitude (decimal): -89.35278
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 73
Name: **Chevron U.S.A., Venice Base, Mooring.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.7 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling water, supplies, and equipment for offshore operations.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.2625
Total Berthing Space (feet): 150 + | | Longitude (decimal): -89.35278

Waterway: **Grand Pass** Mile: PWD: 73
Name: **Chevron U.S.A., Venice Base, Mooring.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.7 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling water, supplies, and equipment for offshore operations.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.2625
Total Berthing Space (feet): 150 + | | Longitude (decimal): -89.35278

Waterway: **Grand Pass** Mile: PWD: 73
Name: **Chevron U.S.A., Venice Base, Mooring.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.7 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling water, supplies, and equipment for offshore operations.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.2625
Total Berthing Space (feet): 150 + | | Longitude (decimal): -89.35278
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 74
Name: **Chevron U.S.A., Venice Base, West Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.8 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 11 - 15 | 11 - 15 | 11 - 15 Latitude (decimal): 29.261389
Total Berthing Space (feet): 450 | 225 | 450 + Longitude (decimal): -89.35417

Waterway: **Grand Pass** Mile: PWD: 74
Name: **Chevron U.S.A., Venice Base, West Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.8 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 11 - 15 | 11 - 15 | 11 - 15 Latitude (decimal): 29.261389
Total Berthing Space (feet): 450 | 225 | 450 + Longitude (decimal): -89.35417

Waterway: **Grand Pass** Mile: PWD: 74
Name: **Chevron U.S.A., Venice Base, West Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.8 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 11 - 15 | 11 - 15 | 11 - 15 Latitude (decimal): 29.261389
Total Berthing Space (feet): 450 | 225 | 450 + Longitude (decimal): -89.35417
Remarks: Upper side of entrance is irregularly-shaped, 40- + 30-foot, steel sheet pile bulkhead with solid fill used as fueling station. A helicopter and seaplane base is located at lower side of entrance.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: Upper side of entrance is irregularly-shaped, 40- + 30-foot, steel sheet pile bulkhead with solid fill used as fueling station. A helicopter and seaplane base is located at lower side of entrance.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: Upper side of entrance is irregularly-shaped, 40- + 30-foot, steel sheet pile bulkhead with solid fill used as fueling station. A helicopter and seaplane base is located at lower side of entrance.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 74
Name: **Chevron U.S.A., Venice Base, West Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.8 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 11 - 15 | 11 - 15 | 11 - 15 Latitude (decimal): 29.261389
Total Berthing Space (feet): 450 | 225 | 450 + Longitude (decimal): -89.35417

Waterway: **Grand Pass** Mile: PWD: 74
Name: **Chevron U.S.A., Venice Base, West Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.8 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 11 - 15 | 11 - 15 | 11 - 15 Latitude (decimal): 29.261389
Total Berthing Space (feet): 450 | 225 | 450 + Longitude (decimal): -89.35417

Waterway: **Grand Pass** Mile: PWD: 74
Name: **Chevron U.S.A., Venice Base, West Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.8 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 11 - 15 | 11 - 15 | 11 - 15 Latitude (decimal): 29.261389
Total Berthing Space (feet): 450 | 225 | 450 + Longitude (decimal): -89.35417
Remarks: Upper side of entrance is irregularly-shaped, 40- + 30-foot, steel sheet pile bulkhead with solid fill used as fueling station. A helicopter and seaplane base is located at lower side of entrance.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: Upper side of entrance is irregularly-shaped, 40- + 30-foot, steel sheet pile bulkhead with solid fill used as fueling station. A helicopter and seaplane base is located at lower side of entrance.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: Upper side of entrance is irregularly-shaped, 40- + 30-foot, steel sheet pile bulkhead with solid fill used as fueling station. A helicopter and seaplane base is located at lower side of entrance.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 74
Name: **Chevron U.S.A., Venice Base, West Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.8 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 11 - 15 | 11 - 15 | 11 - 15 Latitude (decimal): 29.261389
Total Berthing Space (feet): 450 | 225 | 450 + Longitude (decimal): -89.35417

Waterway: **Grand Pass** Mile: PWD: 74
Name: **Chevron U.S.A., Venice Base, West Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.8 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 11 - 15 | 11 - 15 | 11 - 15 Latitude (decimal): 29.261389
Total Berthing Space (feet): 450 | 225 | 450 + Longitude (decimal): -89.35417

Waterway: **Grand Pass** Mile: PWD: 74
Name: **Chevron U.S.A., Venice Base, West Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 0.8 mile below entrance from Mississippi River. Datum: MLG
Operator: Chevron U.S.A. Production Co., Inc.
Owner: The Louisiana Fruit Co.
Address: Highway 23 South. Phone: 985/534-6436
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 11 - 15 | 11 - 15 | 11 - 15 Latitude (decimal): 29.261389
Total Berthing Space (feet): 450 | 225 | 450 + Longitude (decimal): -89.35417
Remarks: Upper side of entrance is irregularly-shaped, 40- + 30-foot, steel sheet pile bulkhead with solid fill used as fueling station. A helicopter and seaplane base is located at lower side of entrance.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: Upper side of entrance is irregularly-shaped, 40- + 30-foot, steel sheet pile bulkhead with solid fill used as fueling station. A helicopter and seaplane base is located at lower side of entrance.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: Upper side of entrance is irregularly-shaped, 40- + 30-foot, steel sheet pile bulkhead with solid fill used as fueling station. A helicopter and seaplane base is located at lower side of entrance.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 60
Name: **Freeport-McMoRan Sulphur Company, Venice Terminal.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 2,000 feet below entrance from Mississippi River. Datum: MLG
Operator: Not operated.
Owner: The Louisiana Fruit Co.
Address: Offshore Shipyard Road. Phone: 985/534-9282
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.266667
Total Berthing Space (feet): 2 | | Longitude (decimal): -89.3525
Remarks: At time of survey (2002), the bulkhead, pilings, and stringers were in disrepair.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

---

Waterway: **Grand Pass** Mile: PWD: 57
Name: **L and L Oil and Gas Services, LLC., Venice Fuel Wharf.**
Port: Below New Orleans
Location: Right bank and upper side of slip, Grand Pass, 500 feet below entrance from Mississippi River. Datum: MLG
Operator: L&L Oil and Gas Services, LLC., a subsidiary of ASCO Fuel and Lubricants.
Owner: The Louisiana Fruit Co.
Address: Jump Basin Road. Phone: 985/534-7401
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Fueling crewboats, offshore supply boats, and other vessels; shipment of fuels and lubricants.
Depth Alongside (feet): 23 | 12 - 18 | Latitude (decimal): 29.269444
Total Berthing Space (feet): 512 | 75+75 | Longitude (decimal): -89.35167
Remarks: The storage barge 'CBC20', 235- by 50-foot, with capacity for 800,000 gallons of diesel fuel is permanently moored at rear of slip side. One 6- and one 3-inch diesel line and one 3-inch gasoline line connect to 15 steel storage tanks, total diesel capacity 210,000 barrels, total gasoline capacity 15,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 63
Name: **Offshore Shipyard Wharf.**
Port: Below New Orleans
Location: Upper side of The Jump Basin, 800 feet inside entrance from right bank Grand Pass, 0.6 mile below entran Datum: MLG
Operator: Offshore Shipyard, L,L,C.; and Service Tugs and Crewboats, Inc.
Owner: Plaquemines Parish Commission Council.
Address: 150 Offshore Shipyard Road Phone: 985/534-2277
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring company-owned vessels.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.266667
Total Berthing Space (feet): 630 | | Longitude (decimal): -89.35417
Remarks: An additional 300 feet of berthing space is available alongside the remains of a timber bulkhead protrusion with solid fill at inner end of wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

---

Waterway: **Grand Pass** Mile: PWD: 64
Name: **Plaquemines Parish Commission Council, North Side Jump Basin Moori**
Port: Below New Orleans
Location: Head and inner lower end of The Jump Basin, right bank of Grand Pass, 0.6 mile below entrance from Missi Datum: MLG
Operator: Various lessees.
Owner: Plaquemines Parish Commission Council.
Address: Jump Basin Road. Phone: 504/392-6690 Ex
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring fishing vessels and other small craft.
Depth Alongside (feet): 7 | 7 - 8 | Latitude (decimal): 29.267778
Total Berthing Space (feet): 360 | 160 | Longitude (decimal): -89.35528
Remarks: At time of survey (2002), the piers on the north side of the basin were in disrepair.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

---

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 66

Name: **Plaquemines Parish Jump Basin, West Side Jump Basin Mooring.**

Port: Below New Orleans

Location: Lower side of The Jump Basin, 1,000 feet inside entrance from right bank, Grand Pass, 0.6 mile below ent Datum: MLG

Operator: Various lessees.

Owner: Plaquemines Parish Commission Council.

Address: Icehouse Road. Phone: 504/392-6690 Ex

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Mooring fishing vessels and other small craft.

Depth Alongside (feet): 7 | | Latitude (decimal): 29.266389

Total Berthing Space (feet): 222 | | Longitude (decimal): -89.35528

Remarks: Wharf extends from inner end of south side of Venice Ice Co. Wharf (Ref. No. 65). At time of survey, the wharf and apron had suffered damage and was in disrepair.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 68
Name: **Sharkco Seafood International, Inc., Venice Lower Wharf**
Port: Below New Orleans
Location: Lower side of The Jump Basin, 500 feet inside entrance from right bank, Grand Pass, 0.6 mile below entra Datum: MLG
Operator: Sharkco Seafood International, Inc.
Owner: Plaquemines Parish Commission Council.
Address: Icehouse Road. Phone: 985/534-9577
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 4 - 5 | | Latitude (decimal): 29.265556
Total Berthing Space (feet): 105 | | Longitude (decimal): -89.35389

Waterway: **Grand Pass** Mile: PWD: 68
Name: **Sharkco Seafood International, Inc., Venice Lower Wharf**
Port: Below New Orleans
Location: Lower side of The Jump Basin, 500 feet inside entrance from right bank, Grand Pass, 0.6 mile below entra Datum: MLG
Operator: Sharkco Seafood International, Inc.
Owner: Plaquemines Parish Commission Council.
Address: Icehouse Road. Phone: 985/534-9577
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 4 - 5 | | Latitude (decimal): 29.265556
Total Berthing Space (feet): 105 | | Longitude (decimal): -89.35389

Remarks: Wharf moors up to 5 fishing vessels moored end-to. One 5-truck-capacity, truck-loading platform is located at rear of building.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: Wharf moors up to 5 fishing vessels moored end-to. One 5-truck-capacity, truck-loading platform is located at rear of building.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 68
Name: **Sharkco Seafood International, Inc., Venice Lower Wharf**
Port: Below New Orleans
Location: Lower side of The Jump Basin, 500 feet inside entrance from right bank, Grand Pass, 0.6 mile below entra Datum: MLG
Operator: Sharkco Seafood International, Inc.
Owner: Plaquemines Parish Commission Council.
Address: Icehouse Road. Phone: 985/534-9577
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 4 - 5 | | Latitude (decimal): 29.265556
Total Berthing Space (feet): 105 | | Longitude (decimal): -89.35389

Waterway: **Grand Pass** Mile: PWD: 68
Name: **Sharkco Seafood International, Inc., Venice Lower Wharf**
Port: Below New Orleans
Location: Lower side of The Jump Basin, 500 feet inside entrance from right bank, Grand Pass, 0.6 mile below entra Datum: MLG
Operator: Sharkco Seafood International, Inc.
Owner: Plaquemines Parish Commission Council.
Address: Icehouse Road. Phone: 985/534-9577
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 4 - 5 | | Latitude (decimal): 29.265556
Total Berthing Space (feet): 105 | | Longitude (decimal): -89.35389

Remarks: Wharf moors up to 5 fishing vessels moored end-to. One 5-truck-capacity, truck-loading platform is located at rear of building.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: Wharf moors up to 5 fishing vessels moored end-to. One 5-truck-capacity, truck-loading platform is located at rear of building.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 67
Name: **Sharkco Seafood International, Inc., Venice Upper Wharf**
Port: Below New Orleans
Location: Lower side of The Jump Basin, 800 feet inside entrance from right bank, Grand Pass, 0.6 mile below entra Datum: MLG
Operator: Sharkco Seafood International, Inc.
Owner: Plaquemines Parish Commission Council.
Address: Icehouse Road. Phone: 985/534-9577
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of seafood; icing fishing vessels; mooring fishing vessels.
Depth Alongside (feet): 7 - 8 | | Latitude (decimal): 29.265833
Total Berthing Space (feet): 225 | | Longitude (decimal): -89.35417

Waterway: **Grand Pass** Mile: PWD: 67
Name: **Sharkco Seafood International, Inc., Venice Upper Wharf**
Port: Below New Orleans
Location: Lower side of The Jump Basin, 800 feet inside entrance from right bank, Grand Pass, 0.6 mile below entra Datum: MLG
Operator: Sharkco Seafood International, Inc.
Owner: Plaquemines Parish Commission Council.
Address: Icehouse Road. Phone: 985/534-9577
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of seafood; icing fishing vessels; mooring fishing vessels.
Depth Alongside (feet): 7 - 8 | | Latitude (decimal): 29.265833
Total Berthing Space (feet): 225 | | Longitude (decimal): -89.35417
Remarks: One 5-truck-capacity, truck-loading platform is located at rear of building and a 3-truck-capacity, truck-loading ramp is located at rear of outer side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: One 5-truck-capacity, truck-loading platform is located at rear of building and a 3-truck-capacity, truck-loading ramp is located at rear of outer side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 67
Name: **Sharkco Seafood International, Inc., Venice Upper Wharf**
Port: Below New Orleans
Location: Lower side of The Jump Basin, 800 feet inside entrance from right bank, Grand Pass, 0.6 mile below entra Datum: MLG
Operator: Sharkco Seafood International, Inc.
Owner: Plaquemines Parish Commission Council.
Address: Icehouse Road. Phone: 985/534-9577
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of seafood; icing fishing vessels; mooring fishing vessels.
Depth Alongside (feet): 7 - 8 | | Latitude (decimal): 29.265833
Total Berthing Space (feet): 225 | | Longitude (decimal): -89.35417

Waterway: **Grand Pass** Mile: PWD: 67
Name: **Sharkco Seafood International, Inc., Venice Upper Wharf**
Port: Below New Orleans
Location: Lower side of The Jump Basin, 800 feet inside entrance from right bank, Grand Pass, 0.6 mile below entra Datum: MLG
Operator: Sharkco Seafood International, Inc.
Owner: Plaquemines Parish Commission Council.
Address: Icehouse Road. Phone: 985/534-9577
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of seafood; icing fishing vessels; mooring fishing vessels.
Depth Alongside (feet): 7 - 8 | | Latitude (decimal): 29.265833
Total Berthing Space (feet): 225 | | Longitude (decimal): -89.35417

Remarks: One 5-truck-capacity, truck-loading platform is located at rear of building and a 3-truck-capacity, truck-loading ramp is located at rear of outer side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: One 5-truck-capacity, truck-loading platform is located at rear of building and a 3-truck-capacity, truck-loading ramp is located at rear of outer side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 59
Name: **Shell Offshore, Venice Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 1,600 feet below entrance from Mississippi River. Datum: MLG
Operator: Shell Offshore, Inc.
Owner: The Louisiana Fruit Co.
Address: Jump Basin Road. Phone: 504/588-7797
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment.
Depth Alongside (feet): 7 - 14 | 7 - 14 | 14 - 23 Latitude (decimal): 29.268611
Total Berthing Space (feet): 300 | 165 | 494 Longitude (decimal): -89.35306
Remarks: An additional 300 feet of berthing space at 23-foot depth is available alongside a steel sheet pile bulkhead with solid fill and at 3 steel breasting dolphins with walkway approach on Grand Pass below slip entrance.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

---

Waterway: **Grand Pass** Mile: PWD: 70
Name: **Tesoro Marine Services, Venice Wharf.**
Port: Below New Orleans
Location: Lower side of The Jump Basin, inside entrance from right bank, Grand Pass, 0.6 mile below entrance from Datum: MLG
Operator: Tesoro Marine Services, Inc.
Owner: Plaquemines Parish Commission Council.
Address: 781 Icehouse Road. Phone: 504/885-6476
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of diesel fuel; fueling vessels and small craft; loading bunkering barges for supplying offshore platform operations; shipment of drummed lubricants.
Depth Alongside (feet): 12 - 18 | 8 - 10 | Latitude (decimal): 29.264444
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.35306
Remarks: One 4-inch pipeline extends to wharf from 2 steel, diesel fuel storage tanks at rear, total capacity 6,900 barrels; two 6-inch pipelines extend from above tanks for loading bunkering barges to supply offshore platforms; and two 3-inch pipelines extend from tanks to serve three vessel-fueling stations. One 700-barrel-capacity settling tank is located at rear. Drummed lubricants are stored in building at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 61
Name: **U. S. Fish and Wildlife Service, Grand Pass Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 2,400 feet below entrance from Mississippi River. Datum: MLG
Operator: Fish and Wildlife Service, United States Department of the Interior.
Owner: U. S. Government.
Address: 215 Offshore Shipyard Road. Phone: 985/534-2235
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring government-owned floating equipment; handling equipment and supplies.
Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 29.265833
Total Berthing Space (feet): 60 | 32 | 45 Longitude (decimal): -89.3525

Waterway: **Grand Pass** Mile: PWD: 61
Name: **U. S. Fish and Wildlife Service, Grand Pass Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 2,400 feet below entrance from Mississippi River. Datum: MLG
Operator: Fish and Wildlife Service, United States Department of the Interior.
Owner: U. S. Government.
Address: 215 Offshore Shipyard Road. Phone: 985/534-2235
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring government-owned floating equipment; handling equipment and supplies.
Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 29.265833
Total Berthing Space (feet): 60 | 32 | 45 Longitude (decimal): -89.3525

Remarks: At time of survey (2002), slip was primarily used by the Louisiana State Department of Fish and Wildlife to moor State refuge service vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: At time of survey (2002), slip was primarily used by the Louisiana State Department of Fish and Wildlife to moor State refuge service vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 61
Name: **U. S. Fish and Wildlife Service, Grand Pass Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 2,400 feet below entrance from Mississippi River. Datum: MLG
Operator: Fish and Wildlife Service, United States Department of the Interior.
Owner: U. S. Government.
Address: 215 Offshore Shipyard Road. Phone: 985/534-2235
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring government-owned floating equipment; handling equipment and supplies.
Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 29.265833
Total Berthing Space (feet): 60 | 32 | 45 Longitude (decimal): -89.3525

Waterway: **Grand Pass** Mile: PWD: 61
Name: **U. S. Fish and Wildlife Service, Grand Pass Slip.**
Port: Below New Orleans
Location: Right bank of Grand Pass, 2,400 feet below entrance from Mississippi River. Datum: MLG
Operator: Fish and Wildlife Service, United States Department of the Interior.
Owner: U. S. Government.
Address: 215 Offshore Shipyard Road. Phone: 985/534-2235
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring government-owned floating equipment; handling equipment and supplies.
Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 29.265833
Total Berthing Space (feet): 60 | 32 | 45 Longitude (decimal): -89.3525

Remarks: At time of survey (2002), slip was primarily used by the Louisiana State Department of Fish and Wildlife to moor State refuge service vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: At time of survey (2002), slip was primarily used by the Louisiana State Department of Fish and Wildlife to moor State refuge service vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 62
Name: **U. S. Fish and Wildlife Service, Jump Basin Slip.**
Port: Below New Orleans
Location: Upper side of Jump Basin, 400 feet inside entrance from right bank of Grand Pass, 0.6 mile below entranc Datum: MLG
Operator: Fish and Wildlife Service, United States Department of the Interior.
Owner: U. S. Government.
Address: 215 Offshore Shipyard Road. Phone: 985/534-2235
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring government-owned floating equipment.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.265556
Total Berthing Space (feet): 2 | | Longitude (decimal): -89.35306

Waterway: **Grand Pass** Mile: PWD: 62
Name: **U. S. Fish and Wildlife Service, Jump Basin Slip.**
Port: Below New Orleans
Location: Upper side of Jump Basin, 400 feet inside entrance from right bank of Grand Pass, 0.6 mile below entranc Datum: MLG
Operator: Fish and Wildlife Service, United States Department of the Interior.
Owner: U. S. Government.
Address: 215 Offshore Shipyard Road. Phone: 985/534-2235
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring government-owned floating equipment.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.265556
Total Berthing Space (feet): 2 | | Longitude (decimal): -89.35306
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

Port Facilities by Waterway

Waterway: **Grand Pass** Mile: PWD: 62
Name: **U. S. Fish and Wildlife Service, Jump Basin Slip.**
Port: Below New Orleans
Location: Upper side of Jump Basin, 400 feet inside entrance from right bank of Grand Pass, 0.6 mile below entranc Datum: MLG
Operator: Fish and Wildlife Service, United States Department of the Interior.
Owner: U. S. Government.
Address: 215 Offshore Shipyard Road. Phone: 985/534-2235
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring government-owned floating equipment.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.265556
Total Berthing Space (feet): 2 | | Longitude (decimal): -89.35306

Waterway: **Grand Pass** Mile: PWD: 62
Name: **U. S. Fish and Wildlife Service, Jump Basin Slip.**
Port: Below New Orleans
Location: Upper side of Jump Basin, 400 feet inside entrance from right bank of Grand Pass, 0.6 mile below entranc Datum: MLG
Operator: Fish and Wildlife Service, United States Department of the Interior.
Owner: U. S. Government.
Address: 215 Offshore Shipyard Road. Phone: 985/534-2235
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring government-owned floating equipment.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.265556
Total Berthing Space (feet): 2 | | Longitude (decimal): -89.35306
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

---

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

---

Waterway: **Grand Pass** Mile: PWD: 65
Name: **Venice Fish and Shrimp, Inc., Venice Unloading Wharf.**
Port: Below New Orleans
Location: Lower side below head of The Jump Basin, right bank of Grand Pass, 0.6 mile below entrance from Mississi Datum: MLG
Operator: Venice Fish and Shrimp, Inc.
Owner: Plaquemines Parish Commission Council.
Address: 129 Icehouse Road. Phone: 985/534-2841
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of seafood; icing fishing vessels; mooring fishing vessels.
Depth Alongside (feet): 6 - 8 | 6 - 8 | Latitude (decimal): 29.266944
Total Berthing Space (feet): 200 | 190 | Longitude (decimal): -89.35528
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20451 New Orleans District

---

Port Facilities by Waterway

Waterway: **Gulf Intracoastal Waterway** Mile: 238.6 PWD: 064
Name: **U.S. Army Corps of Engineers, Calcasieu Lock Wharf.**
Port: Lake Charles
Location: Mile 238.6 W.H.L., north bank, G.I.W.W., approximately 0.4 mile east of Calcasieu River, at west end of Datum: MLW
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: Phone: 337-477-1482
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Handling construction equipment and supplies; mooring government-owned vessels and equipment.
Depth Alongside (feet): 4 - 10 | 10 | Latitude (decimal): 30.089722
Total Berthing Space (feet): 100 | 20 | Longitude (decimal): -93.29528
Remarks: Barges moor at wharf with end-to face of pier. A concrete-surfaced launch ramp forms east side of slip. An additional 110 feet of berthing space with 6 to 10 foot depths is available at 3 timber breasting dolphins east of slip and approximately 55 feet in rear of guide wall.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66238 New Orleans District

---

Waterway: **Gulf Intracoastal Waterway** Mile: 241.8 PWD: 144
Name: **Devall Fleeting Service, Calcasieu River Intersection Fleet.**
Port: Lake Charles
Location: Mile 241.8 West of Harvey Lock, south bank, Gulf Intracoastal Waterway, Choupique Cutoff west of Calcasi Datum: MLG
Operator: Devall Enterprises, Inc.
Owner: Devall Enterprises, Inc.
Address: Phone: 337-762-4703
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring company-owned floating equipment.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.082778
Total Berthing Space (feet): 5280 | 1000 | 780 Longitude (decimal): -93.33111
Remarks: *Cut-through is 250 to 380 feet wide, permitting barges to be moored end-to bank. Entire area has capacity for 50 barges. Fleeting area along GIWW east of cut-through is on north side of triangular island (Devall's Island), at Calcasieu River intersection. South bank of cut-through is Devall Fleeting Service's barge repair base.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66241 New Orleans District

---

Port Facilities by Waterway

Waterway: **Gulf Intracoastal Waterway** Mile: 243.6 PWD: 141
Name: **Falco Lime, Ellender Chemical Dock**
Port: Lake Charles
Location: Mile 243.6 West of Harvey Lock, north bank, Gulf Intracoastal Waterway, 0.1 mile west of State Hwy 27 (E Datum: MLG
Operator: Falco Lime, Inc.
Owner: Falco Lime, Inc.
Address: 8190 Falco Road Phone: 337-583-2848
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of lime by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.064722
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.34944
Remarks: One 12-in vacuum pipeline extends from spud barge to one 900-ton capacity truckloading hopper at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66243 New Orleans District

---

Waterway: **Gulf Intracoastal Waterway** Mile: 243.6 PWD: 143
Name: **Harless Ellender Yard**
Port: Lake Charles
Location: Mile 243.6 West of Harvey Lock, south bank, Gulf Intracoastal Waterway, 0.1 mile west of State Hwy 27 (E Datum:
Operator: Harless, Inc.
Owner: Harless, Inc.
Address: Phone: 337-882-0360
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of limestone and other materials by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.063333
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.34944
Remarks: Truck scale located at rear of approximately one acre of open storage.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66243 New Orleans District

---

Port Facilities by Waterway

Waterway: **Gulf Intracoastal Waterway** Mile: 244.0 PWD: 142
Name: **Devall Diesel Services Dock and Fleeting Service Mooring.**
Port: Lake Charles
Location: Mile 244.0 West of Harvey Lock, north bank, Gulf Intracoastal Waterway, 0.5 mile west of State Hwy 27 (E Datum: MLG
Operator: Devall Enterprises, Inc.
Owner: West Calcasieu Port, Harbor & Terminal District
Address: Foot of Dock Board Road Phone: 337-625-3517
Town: Sulphur State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring barges for fleeting and cleaning. Mooring tugboats for engine repair.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 30.061667
Total Berthing Space (feet): 70 | 160 | 2030 Longitude (decimal): -93.35389
Remarks: Diesel repair shop located at eastern end of facility, at rear of bulkhead. Fleet has capacity for 60 barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66244 New Orleans District

---

Waterway: **Hagaman Chute** Mile: 2 PWD: 93
Name: **Bunge Corp., Lake Providence Elevator Dock.**
Port: Lake Providence
Location: Right bank, Hagaman Chute, approximately 2.0 miles above Mile 483.0 A.H.P., right bank, Mississippi Rive Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Port Access Road. Phone: 318/559-2175
Town: Hagaman Chute State: LA County: East Carroll
Railway Connection: None.
Purpose: Shipment of grain and soybeans.
Depth Alongside (feet): 9 | | Latitude (decimal): 32.756389
Total Berthing Space (feet): 350 | | Longitude (decimal): -91.17167
Remarks: Grain elevator at rear consisting of 8 concrete silos and 12 metal bins, has total capacity for 1,400,000 bushels.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21484 New Orleans District

---

Port Facilities by Waterway

Waterway: **Hagaman Chute** Mile: 2 PWD: 95
Name: **Lake Providence Port Commission Ramp.**
Port: Lake Providence
Location: Right bank, Hagaman Chute, approximately 1.8 miles above Mile 483.0 A.H.P., right bank, Mississippi Rive Datum: LWRP
Operator: Lake Providence Port Commission.
Owner: Lake Providence Port Commission.
Address: Port Access Road. Phone: 318/559-2365
Town: Hagaman Chute State: LA County: East Carroll
Railway Connection: None.
Purpose: Mooring towboats and barges; occasional receipt of agricultural limestone. (See Remarks.)
Depth Alongside (feet): - 9 | | Latitude (decimal): 32.753889
Total Berthing Space (feet): 100 | | Longitude (decimal): -91.17056
Remarks: At higher river stages, increased depth alongside bulkhead allows for greater berthing distance to moor barges for unloading agricultural limestone to be stored at Ref. No. 92.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21484 New Orleans District

---

Waterway: **Hagaman Chute** Mile: 2 PWD: 94
Name: **Lake Providence Port Commission, General Cargo Pier.**
Port: Lake Providence
Location: Right bank, Hagaman Chute, approximately 1.9 miles above Mile 483.0 A.H.P., right bank, Mississippi Rive Datum: LWRP
Operator: Cobra Resources, Inc.
Owner: Lake Providence Port Commission.
Address: Port Access Road. Phone: 318/559-2365
Town: Hagaman Chute State: LA County: East Carroll
Railway Connection: One surface track on pier joins 2 platform-level tracks serving transit sheds in rear, connects with 40-car capacity yard of Delta Southern Railroad.
Purpose: Receipt and shipment of general cargo, machinery, and heavy-lift items; receipt of coal and miscellaneous bulk materials.
Depth Alongside (feet): 9 | | Latitude (decimal): 32.755278
Total Berthing Space (feet): 220 | | Longitude (decimal): -91.17139
Remarks: Open coal storage area in rear has capacity for 20,000 tons. Approximately 10 acres of additional open storage area is available as required. At time of survey, transit sheds were under lease to private operato

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21484 New Orleans District

Port Facilities by Waterway

Waterway: **Hagaman Chute** Mile: 2 PWD: 92
Name: **Terral Barge Line Dock.**
Port: Lake Providence
Location: Right bank, Hagaman Chute, approximately 2.1 miles above Mile 483.0 A.H.P., right bank, Mississippi Rive Datum: LWRP
Operator: Terral Barge Line, Inc.
Owner: Terral Barge Line, Inc.
Address: Port Access Road. Phone: 318/559-2175
Town: Lake Providence State: LA County: East Carroll
Railway Connection: None.
Purpose: Receipt of fertilizer, limestone, and agricultural limestone; mooring barges for fleeting (See Remarks).
Depth Alongside (feet): 9 | | Latitude (decimal): 32.757222
Total Berthing Space (feet): 295 | | Longitude (decimal): -91.17222
Remarks: Timber storage building at rear has capacity for 24,000 tons of fertilizer; open storage area has capacity for approximately 50,000 tons of limestone.□Operator maintains a public fleeting area with capacity for 3 2-abreast at shore moorings along opposite bank of Hagaman Chute.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21484 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 251
Name: **Alpha Biotek Environmental, Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.5 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Alpha Biotak Environmental.
Owner: Alpha Biotek Environmental.
Address: 646 Peters Road. Phone: 504-365-3902
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of contaminated waste water by barge.
Depth Alongside (feet): 6 | | Latitude (decimal): 29.9025
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.08028
Remarks: Wharf is in line and contiguous with P.W.D. Ref. No. 250, providing approximately 300 feet of continuous berthing space.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 235
Name: **American Tugs, Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 1.87 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: American Tugs, Inc.
Owner: Autry Dufrene
Address: 1304 Peters Road. Phone: 504-368-7907
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair and maintenance.
Depth Alongside (feet): 1 - 8 | 4 - 8 | 4 - 8 Latitude (decimal): 29.885278
Total Berthing Space (feet): 110 | 210 | 60 Longitude (decimal): -90.07361
Remarks: Building at rear is used for storage and office. Slip is 210 by 120 feet and is shared with P. W. D. Ref. No. 236.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 234
Name: **ASCO PLC (U.S.), Harvey Canal Dock.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 1.9 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: ASCO PLC (U.S.)
Owner: Sarah D. Champagne.
Address: 1738 Peters Road Phone: 504-366-4937
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair and maintenance.
Depth Alongside (feet): 6 - 8 | 6 | 8 Latitude (decimal): 29.884167
Total Berthing Space (feet): 360 | 75 | 45 Longitude (decimal): -90.07389
Remarks: Barges moor to outer side of dolphins. Tugs moor along south side of pier. End of pier has 5-foot-wide depressed loading ramp. One 6,000 square foot warehouse and office located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 199
Name: **Babin Marine, LLC. Mooring Dock.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 2.1 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Babin Marine, LLC.
Owner: Harvey Canal Limited Partnership.
Address: 1900 Destrehan Avenue Phone: 504-367-4435
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in brokerage.
Depth Alongside (feet): 3 | | Latitude (decimal): 29.878333
Total Berthing Space (feet): 150 | | Longitude (decimal): -90.07306
Remarks: Wharf is in line and contiguous with P.W.D. Reference Nos. 200 and 201, providing approximately 900 feet on continuous mooring space. Building located at rear of wharf used for fabrication and painting of construction equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 233
Name: **Barriere Construction Co., Inc., Harvey Canal Mooring.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 2.0 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Barriere Construction Co., Inc.
Owner: Barriere Construction Co., Inc.
Address: 1910 Peters Road Phone: 504-368-3674
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Occasional receipt of sand, gravel, and crushed limestone by self-unloading barge.
Depth Alongside (feet): 4 - 8 | | Latitude (decimal): 29.8825
Total Berthing Space (feet): 1,499 | | Longitude (decimal): -90.07361
Remarks: Typical barge unloading rate is 600 tons/hour. Open storage area for approximately 50,000 tons of aggregates. Ready-mix asphalt plant located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 195
Name: **Bay and Ocean Equipment Co., Inc., Harvey Canal Slip.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 1.8 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Bay and Ocean Equipment Co., Inc.
Owner: Rathborne Land Company, Inc.
Address: 1601 Destrehan Avenue Phone: 504-347-2892
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in brokerage.
Depth Alongside (feet): 0 - 8 | 0 - 8 | 8 Latitude (decimal): 29.883333
Total Berthing Space (feet): 45 | 138 | 180 Longitude (decimal): -90.075
Remarks: Slip is at 60 degree angle to canal. At time of survey (2001), access to bank on north side of slip was blocked by row of steel pipe pile posts protecting pumping plant outlet. Row of posts is fronted by two off-shore breasting dolphins. Also, access to head and south side of slip was obstructed by a grounded barge.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 207
Name: **Bollinger Gretna, Inc., Slip and Gas Freeing Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, between Bayou Barataria and Hero Cutoff Canal, Harvey. Datum: MLG
Operator: Bollinger Gretna, Inc.
Owner: Bollinger Gretna, Inc.
Address: 4640 Peters Road Phone: 504-367-8080
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring barges and small vessels for repair, outfitting, and conversion; mooring barges for tank cleaning and gas freeing.
Depth Alongside (feet): 5 | 8 | 6 - 8 Latitude (decimal): 29.838611
Total Berthing Space (feet): 200 | 222 | 200 Longitude (decimal): -90.0575
Remarks: Slip is located at south end of property on Bayou Barataria. A 300- by 100-foot, repair graving dock, and one 780- by 100-foot new construction graving dock with recessed entrance basin, are located 50 and 140 feet north of slip, respectively. One 1,600-ton capacity drydock is moored at bulkhead above entrance to upper graving dock. Marine repair and construction plant located in rear. Three fixed, electric, rotating, tower cranes serve graving docks,the traveling bridge cranes span 105 feet across construction graving dock, and serve fabrication yard at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 189
Name: **Bollinger Quick Repair LLC, Harvey Canal Slip.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.6 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion: mooring drydocks.
Depth Alongside (feet): 12 - 20 | 7 | Latitude (decimal): 29.901667
Total Berthing Space (feet): | 72 | Longitude (decimal): -90.08139

Waterway: **Harvey Canal** Mile: PWD: 189
Name: **Bollinger Quick Repair LLC, Harvey Canal Slip.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.6 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion: mooring drydocks.
Depth Alongside (feet): 12 - 20 | 7 | Latitude (decimal): 29.901667
Total Berthing Space (feet): | 72 | Longitude (decimal): -90.08139

Waterway: **Harvey Canal** Mile: PWD: 189
Name: **Bollinger Quick Repair LLC, Harvey Canal Slip.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.6 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion: mooring drydocks.
Depth Alongside (feet): 12 - 20 | 7 | Latitude (decimal): 29.901667
Total Berthing Space (feet): | 72 | Longitude (decimal): -90.08139
Remarks: Small vessels and barges can be built and side-launched over bulkhead at west end of slip. One 3000-, two 2,560-, one 1,760-, one 1,050-, and one 1,000-short ton floating drydocks moored in slip or at lower end of adjacent wharf along canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Small vessels and barges can be built and side-launched over bulkhead at west end of slip. One 3000-, two 2,560-, one 1,760-, one 1,050-, and one 1,000-short ton floating drydocks moored in slip or at lower end of adjacent wharf along canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Remarks: Small vessels and barges can be built and side-launched over bulkhead at west end of slip. One 3000-, two 2,560-, one 1,760-, one 1,050-, and one 1,000-short ton floating drydocks moored in slip or at lower end of adjacent wharf along canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 189
Name: **Bollinger Quick Repair LLC, Harvey Canal Slip.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.6 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion: mooring drydocks.
Depth Alongside (feet): 12 - 20 | 7 | Latitude (decimal): 29.901667
Total Berthing Space (feet): | 72 | Longitude (decimal): -90.08139

Waterway: **Harvey Canal** Mile: PWD: 189
Name: **Bollinger Quick Repair LLC, Harvey Canal Slip.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.6 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion: mooring drydocks.
Depth Alongside (feet): 12 - 20 | 7 | Latitude (decimal): 29.901667
Total Berthing Space (feet): | 72 | Longitude (decimal): -90.08139

Waterway: **Harvey Canal** Mile: PWD: 189
Name: **Bollinger Quick Repair LLC, Harvey Canal Slip.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.6 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion: mooring drydocks.
Depth Alongside (feet): 12 - 20 | 7 | Latitude (decimal): 29.901667
Total Berthing Space (feet): | 72 | Longitude (decimal): -90.08139
Remarks: Small vessels and barges can be built and side-launched over bulkhead at west end of slip. One 3000-, two 2,560-, one 1,760-, one 1,050-, and one 1,000-short ton floating drydocks moored in slip or at lower end of adjacent wharf along canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Small vessels and barges can be built and side-launched over bulkhead at west end of slip. One 3000-, two 2,560-, one 1,760-, one 1,050-, and one 1,000-short ton floating drydocks moored in slip or at lower end of adjacent wharf along canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Remarks: Small vessels and barges can be built and side-launched over bulkhead at west end of slip. One 3000-, two 2,560-, one 1,760-, one 1,050-, and one 1,000-short ton floating drydocks moored in slip or at lower end of adjacent wharf along canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 189
Name: **Bollinger Quick Repair LLC, Harvey Canal Slip.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.6 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion: mooring drydocks.
Depth Alongside (feet): 12 - 20 | 7 | Latitude (decimal): 29.901667
Total Berthing Space (feet): | 72 | Longitude (decimal): -90.08139

Waterway: **Harvey Canal** Mile: PWD: 189
Name: **Bollinger Quick Repair LLC, Harvey Canal Slip.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.6 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion: mooring drydocks.
Depth Alongside (feet): 12 - 20 | 7 | Latitude (decimal): 29.901667
Total Berthing Space (feet): | 72 | Longitude (decimal): -90.08139

Waterway: **Harvey Canal** Mile: PWD: 189
Name: **Bollinger Quick Repair LLC, Harvey Canal Slip.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.6 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion: mooring drydocks.
Depth Alongside (feet): 12 - 20 | 7 | Latitude (decimal): 29.901667
Total Berthing Space (feet): | 72 | Longitude (decimal): -90.08139
Remarks: Small vessels and barges can be built and side-launched over bulkhead at west end of slip. One 3000-, two 2,560-, one 1,760-, one 1,050-, and one 1,000-short ton floating drydocks moored in slip or at lower end of adjacent wharf along canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Small vessels and barges can be built and side-launched over bulkhead at west end of slip. One 3000-, two 2,560-, one 1,760-, one 1,050-, and one 1,000-short ton floating drydocks moored in slip or at lower end of adjacent wharf along canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Remarks: Small vessels and barges can be built and side-launched over bulkhead at west end of slip. One 3000-, two 2,560-, one 1,760-, one 1,050-, and one 1,000-short ton floating drydocks moored in slip or at lower end of adjacent wharf along canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 188
Name: **Bollinger Quick Repair, LLC, □Harvey Canal Wet Dock #1.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.5 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion; mooring drydocks.
Depth Alongside (feet): 12 - - | | Latitude (decimal): 29.902778
Total Berthing Space (feet): 215 | | Longitude (decimal): -90.08167

Waterway: **Harvey Canal** Mile: PWD: 188
Name: **Bollinger Quick Repair, LLC, □Harvey Canal Wet Dock #1.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.5 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion; mooring drydocks.
Depth Alongside (feet): 12 - - | | Latitude (decimal): 29.902778
Total Berthing Space (feet): 215 | | Longitude (decimal): -90.08167

Waterway: **Harvey Canal** Mile: PWD: 188
Name: **Bollinger Quick Repair, LLC, □Harvey Canal Wet Dock #1.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.5 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion; mooring drydocks.
Depth Alongside (feet): 12 - - | | Latitude (decimal): 29.902778
Total Berthing Space (feet): 215 | | Longitude (decimal): -90.08167
Remarks: Compressed air and welding gas is available at wharf.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Compressed air and welding gas is available at wharf.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Compressed air and welding gas is available at wharf.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 188
Name: **Bollinger Quick Repair, LLC, □Harvey Canal Wet Dock #1.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.5 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion; mooring drydocks.
Depth Alongside (feet): 12 - - | | Latitude (decimal): 29.902778
Total Berthing Space (feet): 215 | | Longitude (decimal): -90.08167

Waterway: **Harvey Canal** Mile: PWD: 188
Name: **Bollinger Quick Repair, LLC, □Harvey Canal Wet Dock #1.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.5 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion; mooring drydocks.
Depth Alongside (feet): 12 - - | | Latitude (decimal): 29.902778
Total Berthing Space (feet): 215 | | Longitude (decimal): -90.08167

Waterway: **Harvey Canal** Mile: PWD: 188
Name: **Bollinger Quick Repair, LLC, □Harvey Canal Wet Dock #1.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.5 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion; mooring drydocks.
Depth Alongside (feet): 12 - - | | Latitude (decimal): 29.902778
Total Berthing Space (feet): 215 | | Longitude (decimal): -90.08167
Remarks: Compressed air and welding gas is available at wharf.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Compressed air and welding gas is available at wharf.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Compressed air and welding gas is available at wharf.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 188
Name: **Bollinger Quick Repair, LLC, □Harvey Canal Wet Dock #1.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.5 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion; mooring drydocks.
Depth Alongside (feet): 12 - - | | Latitude (decimal): 29.902778
Total Berthing Space (feet): 215 | | Longitude (decimal): -90.08167

Waterway: **Harvey Canal** Mile: PWD: 188
Name: **Bollinger Quick Repair, LLC, □Harvey Canal Wet Dock #1.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.5 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion; mooring drydocks.
Depth Alongside (feet): 12 - - | | Latitude (decimal): 29.902778
Total Berthing Space (feet): 215 | | Longitude (decimal): -90.08167

Waterway: **Harvey Canal** Mile: PWD: 188
Name: **Bollinger Quick Repair, LLC, □Harvey Canal Wet Dock #1.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.5 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue. Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair, outfitting, and conversion; mooring drydocks.
Depth Alongside (feet): 12 - - | | Latitude (decimal): 29.902778
Total Berthing Space (feet): 215 | | Longitude (decimal): -90.08167
Remarks: Compressed air and welding gas is available at wharf.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Compressed air and welding gas is available at wharf.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Compressed air and welding gas is available at wharf.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 190
Name: **Bollinger Quick Repair, LLC, Harvey Canal Wet Dock #2.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.8 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves open storage area in rear; connects with tracks of Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, outfitting, and conversion.
Depth Alongside (feet): 7 - 12 | | Latitude (decimal): 29.899167
Total Berthing Space (feet): 1,085 | | Longitude (decimal): -90.08056

Waterway: **Harvey Canal** Mile: PWD: 190
Name: **Bollinger Quick Repair, LLC, Harvey Canal Wet Dock #2.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.8 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves open storage area in rear; connects with tracks of Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, outfitting, and conversion.
Depth Alongside (feet): 7 - 12 | | Latitude (decimal): 29.899167
Total Berthing Space (feet): 1,085 | | Longitude (decimal): -90.08056

Waterway: **Harvey Canal** Mile: PWD: 190
Name: **Bollinger Quick Repair, LLC, Harvey Canal Wet Dock #2.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.8 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves open storage area in rear; connects with tracks of Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, outfitting, and conversion.
Depth Alongside (feet): 7 - 12 | | Latitude (decimal): 29.899167
Total Berthing Space (feet): 1,085 | | Longitude (decimal): -90.08056

Remarks: Open storage areas are located in rear of and on opposite side of Destrehan Avenue. One-story building at rear of south side of slip used as warehouse. West Bank Expressway (Harvey) Tunnel crosses canal near center of wharf, under concrete portion of bulkhead. Tunnel is flanked by twin spans of West Bank Expressway high-level bridge over wharf and canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Remarks: Open storage areas are located in rear of and on opposite side of Destrehan Avenue. One-story building at rear of south side of slip used as warehouse. West Bank Expressway (Harvey) Tunnel crosses canal near center of wharf, under concrete portion of bulkhead. Tunnel is flanked by twin spans of West Bank Expressway high-level bridge over wharf and canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Open storage areas are located in rear of and on opposite side of Destrehan Avenue. One-story building at rear of south side of slip used as warehouse. West Bank Expressway (Harvey) Tunnel crosses canal near center of wharf, under concrete portion of bulkhead. Tunnel is flanked by twin spans of West Bank Expressway high-level bridge over wharf and canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 190
Name: **Bollinger Quick Repair, LLC, Harvey Canal Wet Dock #2.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.8 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves open storage area in rear; connects with tracks of Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, outfitting, and conversion.
Depth Alongside (feet): 7 - 12 | | Latitude (decimal): 29.899167
Total Berthing Space (feet): 1,085 | | Longitude (decimal): -90.08056

Waterway: **Harvey Canal** Mile: PWD: 190
Name: **Bollinger Quick Repair, LLC, Harvey Canal Wet Dock #2.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.8 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves open storage area in rear; connects with tracks of Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, outfitting, and conversion.
Depth Alongside (feet): 7 - 12 | | Latitude (decimal): 29.899167
Total Berthing Space (feet): 1,085 | | Longitude (decimal): -90.08056

Waterway: **Harvey Canal** Mile: PWD: 190
Name: **Bollinger Quick Repair, LLC, Harvey Canal Wet Dock #2.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.8 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves open storage area in rear; connects with tracks of Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, outfitting, and conversion.
Depth Alongside (feet): 7 - 12 | | Latitude (decimal): 29.899167
Total Berthing Space (feet): 1,085 | | Longitude (decimal): -90.08056

Remarks: Open storage areas are located in rear of and on opposite side of Destrehan Avenue. One-story building at rear of south side of slip used as warehouse. West Bank Expressway (Harvey) Tunnel crosses canal near center of wharf, under concrete portion of bulkhead. Tunnel is flanked by twin spans of West Bank Expressway high-level bridge over wharf and canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Remarks: Open storage areas are located in rear of and on opposite side of Destrehan Avenue. One-story building at rear of south side of slip used as warehouse. West Bank Expressway (Harvey) Tunnel crosses canal near center of wharf, under concrete portion of bulkhead. Tunnel is flanked by twin spans of West Bank Expressway high-level bridge over wharf and canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Open storage areas are located in rear of and on opposite side of Destrehan Avenue. One-story building at rear of south side of slip used as warehouse. West Bank Expressway (Harvey) Tunnel crosses canal near center of wharf, under concrete portion of bulkhead. Tunnel is flanked by twin spans of West Bank Expressway high-level bridge over wharf and canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 190
Name: **Bollinger Quick Repair, LLC, Harvey Canal Wet Dock #2.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.8 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves open storage area in rear; connects with tracks of Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, outfitting, and conversion.
Depth Alongside (feet): 7 - 12 | | Latitude (decimal): 29.899167
Total Berthing Space (feet): 1,085 | | Longitude (decimal): -90.08056

Waterway: **Harvey Canal** Mile: PWD: 190
Name: **Bollinger Quick Repair, LLC, Harvey Canal Wet Dock #2.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.8 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves open storage area in rear; connects with tracks of Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, outfitting, and conversion.
Depth Alongside (feet): 7 - 12 | | Latitude (decimal): 29.899167
Total Berthing Space (feet): 1,085 | | Longitude (decimal): -90.08056

Waterway: **Harvey Canal** Mile: PWD: 190
Name: **Bollinger Quick Repair, LLC, Harvey Canal Wet Dock #2.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.8 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Bollinger Quick Repair, LLC.
Owner: Bollinger Quick Repair, LLC.
Address: 615 Destrehan Avenue Phone: 504-371-7413
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves open storage area in rear; connects with tracks of Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, outfitting, and conversion.
Depth Alongside (feet): 7 - 12 | | Latitude (decimal): 29.899167
Total Berthing Space (feet): 1,085 | | Longitude (decimal): -90.08056

Remarks: Open storage areas are located in rear of and on opposite side of Destrehan Avenue. One-story building at rear of south side of slip used as warehouse. West Bank Expressway (Harvey) Tunnel crosses canal near center of wharf, under concrete portion of bulkhead. Tunnel is flanked by twin spans of West Bank Expressway high-level bridge over wharf and canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Remarks: Open storage areas are located in rear of and on opposite side of Destrehan Avenue. One-story building at rear of south side of slip used as warehouse. West Bank Expressway (Harvey) Tunnel crosses canal near center of wharf, under concrete portion of bulkhead. Tunnel is flanked by twin spans of West Bank Expressway high-level bridge over wharf and canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Open storage areas are located in rear of and on opposite side of Destrehan Avenue. One-story building at rear of south side of slip used as warehouse. West Bank Expressway (Harvey) Tunnel crosses canal near center of wharf, under concrete portion of bulkhead. Tunnel is flanked by twin spans of West Bank Expressway high-level bridge over wharf and canal. Compressed air and welding gas is available at moorings.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Waterway: **Harvey Canal** Mile: PWD: 210

Name: **Boomtown Casino Westbank, Casino Boat Basin.**

Port: New Orleans

Location: East side, Harvey Canal, approximately 0.4 mile north of entrance to Hero Cutoff Canal, Harvey. Datum: MLG

Operator: Boomtown Casino Westbank.

Owner: Boomtown Casino Westbank

Address: 4132 Peters Road. Phone: 504-364-8764

Town: Harvey State: LA County: Jefferson

Railway Connection: None.

Purpose: Mooring casino vessel.

Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 29.848611

Total Berthing Space (feet): 440 | 565 | 490 Longitude (decimal): -90.06

Remarks: Active casino vessel moors on south face of basin. Former casino vessel moors at north end of east side. Entrance to basin from canal is approximately 240 feet wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Waterway: **Harvey Canal** Mile: PWD: 220

Name: **Bredero Price Co., Inc., Harvey Canal Wharf.**

Port: New Orleans

Location: East side, Harvey Canal, approximately 2,000 feet south of Harvey Canal (Lapalco Boulevard) Bridge, Harv Datum: MLG

Operator: Bredero Price Co., a subsidiary of Bredero-Shaw Group.

Owner: Rathborne Land Company, Inc.

Address: 2900 Peters Road. Phone: 504-362-2000

Town: Harvey State: LA County: Jefferson

Railway Connection: Surface tracks serve open storage area in rear; connect with tracks of Union Pacific Railroad.

Purpose: Receipt of steel pipe and bulk iron ore: shipment of coated pipe by barge and small vessel.

Depth Alongside (feet): 7 - 9 | | Latitude (decimal): 29.863889

Total Berthing Space (feet): 1,450 | | Longitude (decimal): -90.0675

Remarks: Plant for wrapping and concrete coating steel pipe and a 100-acre, open, steel pipe and iron ore storage yard located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 238
Name: **C&C Marine and Repair, Harvey Canal Wharf and Slip.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 1.4 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: C&C Marine and Repair, Inc. and Dynamic Industries, Inc.
Owner: C&C Marine and Repair, Inc.
Address: 1220 Peters Road. Phone: 504-362-3171
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves area in rear; connects with tracks of Union Pacific Transportation Co.
Purpose: Shipment of fabricated structures and drilling pipe to off-shore platforms.
Depth Alongside (feet): 4 - 12 | 4 - 12 | 4 - 12 Latitude (decimal): 29.89
Total Berthing Space (feet): 253 | 190 | 730 Longitude (decimal): -90.07611
Remarks: C&C Marine. At time of survey (2001), owner was transferring marine repair business to new site on Algiers Canal (P.W.D. Ref. No. 283).□ Dynamic Industries. At time of survey (2001), Dynamic Industries was leasing 544 feet of the north wharf. Plans call for leasing entire facility after owners' transfer is complete.□Open storage area located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 187
Name: **Charles E. Spahr, Harvey Wharf.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.4 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Not operated.
Owner: Kathyrn Ward.
Address: 545 Destrehan Avenue Phone: 504-349-9912
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 - - | - - - | - - - Latitude (decimal): 29.904167
Total Berthing Space (feet): 125 | - | - Longitude (decimal): -90.08222
Remarks: At time of survey (2001), property was under contract for sale.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 219
Name: **Chet Morrison Contractors, Inc., Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.5 miles south of Harvey Canal (Lapalco Boulevard) Bridge, Harve Datum: MLG
Operator: Chet Morrison Contractors, Inc.
Owner: Chet Morrison Contractors, Inc.
Address: 3434 Peters Road. Phone: 504-367-4333
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Handling construction equipment.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.861667
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.06667
Remarks: High pressure compressed air supply available at wharf. At time of survey (2001), plans called for installation of welding gas and acetylene pipelines to wharf area.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 247
Name: **Chevron U.S.A. Production Co., Harvey Canal Terminal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.65 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Chevron U.S.A., Production Co.
Owner: Chevron U.S.A., Production Co.
Address: 740 Peters Road. Phone: 504-592-7772
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of offshore oil well drilling equipment and supplies by barge.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 29.900556
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.07972
Remarks: Open storage area located in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 241
Name: **Chevron U.S.A. Production Co., Harvey Terminal Gulf Dock.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 1.0 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Chevron U.S.A. Production Co.
Owner: Chevron U.S.A. Production Co.
Address: 1050 Peters Road. Phone: 504-592-7772
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track along rear of property connects with tracks of Union Pacific Railroad.
Purpose: Receipt and shipment of offshore oil well drilling equipment and supplies by barge.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.894722
Total Berthing Space (feet): 428 | | Longitude (decimal): -90.07778
Remarks: Open storage yard for oil well drilling equipment and supplies located in rear.□Office is located on opposite side of Peters Road.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 225
Name: **ChibbCo Enterprises, Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 1,500 feet north of Harvey Canal (Lapalco Boulevard) Bridge, Harv Datum: MLG
Operator: ChibbCo Enterprises.
Owner: Total Services, Inc. a subsidiary of ChibbCo Enterprises.
Address: 2268 Peters Road. Phone: 504-365-1101
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels and barges for renovation and repair.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.874444
Total Berthing Space (feet): 680 | | Longitude (decimal): -90.07111
Remarks: Facility specializes in welding services. Open storage area and shop located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 227
Name: **Dean Equipment, Inc., Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 1,900 feet north of Harvey Canal (Lapalco Boulevard) Bridge, Harv Datum: MLG
Operator: Dean Equipment, Inc.
Owner: Dean Equipment, Inc.
Address: 2240 Peters Road. Phone: 504-367-3100
Town: Harvey State: LA County: Jefferson
Railway Connection: Single surface track at rear; connects to tracks of Union Pacific Transportation Co.
Purpose: Occasional handling of swamp buggies on barge.
Depth Alongside (feet): 5 - 10 | | Latitude (decimal): 29.875833
Total Berthing Space (feet): 350 | | Longitude (decimal): -90.07167
Remarks: Office, fabrication, and assembly shops located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 250
Name: **Dyson Contractors, Inc., Harvey Canal Wharf**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.5 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Dyson Contractors, Inc.
Owner: Charles Augustine
Address: 682 Peters Road. Phone: 504-227-9955
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Occasional handling of marine construction materials on barge.
Depth Alongside (feet): 6 | | Latitude (decimal): 29.902778
Total Berthing Space (feet): 225 | | Longitude (decimal): -90.08056
Remarks: Equipment storage yard and office located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 237
Name: **Evans Industries, Inc., Main Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 1.7 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Evans Industries, Inc.
Owner: Evans Industries, Inc.
Address: 1255 Peters Road. Phone: 504-368-6186
Town: Harvey State: LA County: Jefferson
Railway Connection: Two surface tracks on apron of south side of slip; connect with tracks of Union Pacific Transportation Co.
Purpose: Receipt of steel coils.
Depth Alongside (feet): 12 | 4 - 8 | 12 Latitude (decimal): 29.886944
Total Berthing Space (feet): 255 | 204 | 206 Longitude (decimal): -90.075
Remarks: At time of survey (2001), sedimentation affects ability to use slip and all receipts were at south wharf. Plant in rear manufactures and reconditions steel drums and packages miscellaneous bulk liquids. Covered and open storage area are located in rear. Office building is located on opposite side of Peters Road. Additional 385 feet of berthing space is available at natural bank immediately north of north wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 222
Name: **Evans Industries, Inc., North Yard Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, south of Harvey Canal (Lapalco Boulevard) Bridge, Harvey. Datum: MLG
Operator: Not operated.
Owner: Evans Industries, Inc.
Address: 2800 Peters Road. Phone: 504-374-6186
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves open area in rear; connects with tracks of Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | - | Latitude (decimal): 29.869444
Total Berthing Space (feet): 550 | - | Longitude (decimal): -90.06944
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 198
Name: **Exxon Company U.S.A, Harvey Production District Dock.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 2.1 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Not operated.
Owner: Exxon Company, U.S.A.
Address: 1800 Destrehan Avenue. Phone: 281-456-5173
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 1 - 8 | | Latitude (decimal): 29.879167
Total Berthing Space (feet): 477 | | Longitude (decimal): -90.07361
Remarks: Open storage area and office located in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 248
Name: **G&T Crane Co., Inc., Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.6 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Not operated.
Owner: G&T Crane Co. Inc.
Address: 730 Peters Road. Phone: 504-367-7664
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 3 | - | Latitude (decimal): 29.901667
Total Berthing Space (feet): 200 | - | Longitude (decimal): -90.08
Remarks: Company owns and rents shore-based cranes. Wharf is in line and contiguous with PWD Ref. No. 249.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 204
Name: **GMC&W Fabricator's, Inc., Wharf.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.2 miles north of Harvey Canal (Lapalco Boulevard) Bridge, Harve Datum: MLG
Operator: GMC&W Fabricator's, Inc.
Owner: Harvey Canal Limited Partnership.
Address: 2051 Destrehan Avenue. Phone: 504-341-5881
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Occasional shipment of piping and skid packages to offshore platforms by barge.
Depth Alongside (feet): 6 - 10 | | Latitude (decimal): 29.874444
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.07167
Remarks: Fabrication shop, office, and open storage area are located in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 208
Name: **Goldin Industries Louisiana, Inc., Wharf**
Port: New Orleans
Location: East side, Harvey Canal, opposite entrance to Hero Cutoff Canal, Harvey. Datum: MLG
Operator: Not operated.
Owner: Goldin Industries Louisiana, Inc.
Address: 4400 Peters Road. Phone: 504-361-3622
Town: Harvey State: LA County: Jefferson
Railway Connection: Three surface tracks serve open storage area in rear; connect with tracks of Norfolk Southern Railway Co.
Purpose: Not used.
Depth Alongside (feet): 11 | - | - Latitude (decimal): 29.8425
Total Berthing Space (feet): 700 | - | - Longitude (decimal): -90.05806
Remarks: Approximately 30 acres of open storage area located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 231
Name: **Herbert Machine Works, Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 2.2 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Not operated.
Owner: Autry Dufrene
Address: 2104 Peters Road Phone: 504-362-9015
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.878889
Total Berthing Space (feet): 65 | | Longitude (decimal): -90.0725
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 197
Name: **Houma Industries, Inc., Harvey Canal Dock.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 2.0 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Houma Industries, Inc.
Owner: Houma Industries, Inc.
Address: 1725 Destrehan Avenue Phone: 504-347-4585
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated oil well drilling platforms and structures; receipt of construction materials; mooring platforms for outfitting.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 29.881111
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.07417

Waterway: **Harvey Canal** Mile: PWD: 197
Name: **Houma Industries, Inc., Harvey Canal Dock.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 2.0 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Houma Industries, Inc.
Owner: Houma Industries, Inc.
Address: 1725 Destrehan Avenue Phone: 504-347-4585
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated oil well drilling platforms and structures; receipt of construction materials; mooring platforms for outfitting.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 29.881111
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.07417

Remarks: Fabrication plant for oil field equipment in rear. Compressed air, acetylene, and oxygen lines serve wharf. At time of survey (2001), plans call for construction of new bulkhead landward of existing bulkhead and adding an extension to the south.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Fabrication plant for oil field equipment in rear. Compressed air, acetylene, and oxygen lines serve wharf. At time of survey (2001), plans call for construction of new bulkhead landward of existing bulkhead and adding an extension to the south.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 197
Name: **Houma Industries, Inc., Harvey Canal Dock.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 2.0 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Houma Industries, Inc.
Owner: Houma Industries, Inc.
Address: 1725 Destrehan Avenue Phone: 504-347-4585
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated oil well drilling platforms and structures; receipt of construction materials; mooring platforms for outfitting.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 29.881111
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.07417

Waterway: **Harvey Canal** Mile: PWD: 197
Name: **Houma Industries, Inc., Harvey Canal Dock.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 2.0 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Houma Industries, Inc.
Owner: Houma Industries, Inc.
Address: 1725 Destrehan Avenue Phone: 504-347-4585
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated oil well drilling platforms and structures; receipt of construction materials; mooring platforms for outfitting.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 29.881111
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.07417

Remarks: Fabrication plant for oil field equipment in rear. Compressed air, acetylene, and oxygen lines serve wharf. At time of survey (2001), plans call for construction of new bulkhead landward of existing bulkhead and adding an extension to the south.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Fabrication plant for oil field equipment in rear. Compressed air, acetylene, and oxygen lines serve wharf. At time of survey (2001), plans call for construction of new bulkhead landward of existing bulkhead and adding an extension to the south.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 196
Name: **Houma Industries, Inc., Harvey Canal Mooring.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 1.9 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Houma Industries, Inc.
Owner: Harvey Canal Limited Partnership.
Address: 1725 Destrehan Avenue Phone: 504-347-4585
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring for transient oil well platforms.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.882778
Total Berthing Space (feet): 75 | | Longitude (decimal): -90.07444

Waterway: **Harvey Canal** Mile: PWD: 196
Name: **Houma Industries, Inc., Harvey Canal Mooring.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 1.9 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Houma Industries, Inc.
Owner: Harvey Canal Limited Partnership.
Address: 1725 Destrehan Avenue Phone: 504-347-4585
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring for transient oil well platforms.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.882778
Total Berthing Space (feet): 75 | | Longitude (decimal): -90.07444
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 196
Name: **Houma Industries, Inc., Harvey Canal Mooring.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 1.9 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Houma Industries, Inc.
Owner: Harvey Canal Limited Partnership.
Address: 1725 Destrehan Avenue Phone: 504-347-4585
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring for transient oil well platforms.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.882778
Total Berthing Space (feet): 75 | | Longitude (decimal): -90.07444

Waterway: **Harvey Canal** Mile: PWD: 196
Name: **Houma Industries, Inc., Harvey Canal Mooring.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 1.9 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Houma Industries, Inc.
Owner: Harvey Canal Limited Partnership.
Address: 1725 Destrehan Avenue Phone: 504-347-4585
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring for transient oil well platforms.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.882778
Total Berthing Space (feet): 75 | | Longitude (decimal): -90.07444
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 232
Name: **Hungry Bend Marine, Harvey Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 2.1 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Hungry Bend Marine, a subsidiary of Tako Towing, Inc.
Owner: Hungry Bend Marine, a subsidiary of Tako Towing, Inc.
Address: 2100 Peters Road. Phone: 504-348-7813
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring for maintenance and repair of company-owned tug boats.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.879722
Total Berthing Space (feet): 295 | | Longitude (decimal): -90.07306
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 249
Name: **Jefferson Marine Towing, Inc., Harvey Canal Dock.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.55 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Jefferson Marine Towing, Inc.
Owner: Jefferson Land Co.
Address: 700 Peters Road. Phone: 504-367-2822
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring company-owned towboats and barges.
Depth Alongside (feet): 7 | | Latitude (decimal): 29.901944
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.08
Remarks: Vessels are moored end-to wharf. Dispatch office located in building at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 201
Name: **Johnson Bros. Corp., Harvey Yard Dock.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 2.2 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Johnson Bros. Corp.
Owner: Johnson Bros. Corp.
Address: 1902 Destrehan Avenue Phone: 504-341-1498
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Handling shore-based cranes for marine construction.
Depth Alongside (feet): 5 | | Latitude (decimal): 29.876389
Total Berthing Space (feet): 22 | | Longitude (decimal): -90.0725
Remarks: Wharf area is in line and contiguous with P.W.D. Ref Nos. 199 and 200, providing approximately 900 feet of continuous berthing space.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 192
Name: **Kass Bros., Inc., Harvey Canal Dock.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 1.2 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Kass Bros, Inc.
Owner: Kass Bros, Inc.
Address: 1101 Destrehan Avenue. Phone: 504-348-9018
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Occasional handling of construction equipment.
Depth Alongside (feet): 3 | 5 - 16 | Latitude (decimal): 29.893056
Total Berthing Space (feet): 65* | 125 | Longitude (decimal): -90.07833
Remarks: At time of survey (2001), part of mooring area was obstructed by debris. Open storage area and one 300- by 120-foot, steel frame, metal-covered warehouse located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 254
Name: **Kody Marine, Inc., Harvey Canal Wharf**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.3 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Kody Marine, Inc.
Owner: Kody Marine, Inc.
Address: 600 Peters Road. Phone: 504-364-1176
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels and barges for repair, outfitting and conversion; mooring dry dock; launching new vessels.

Depth Alongside (feet):	8	|	|	Latitude (decimal): 29.905
Total Berthing Space (feet):	750	|	|	Longitude (decimal): -90.08194

Remarks: An additional 30 feet of recessed timber bulkhead at north end of wharf, fronted by four timber breasting dolphins and a work barge, is occasionally used to moor tugs bow-to.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 236
Name: **L&L Marine Transportation, Inc., Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 1.84 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: L&L Marine Transportation, Inc.
Owner: L&L Marine Transportation, Inc.
Address: 1300 Peters Road. Phone: 504-366-2871
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring of company-owned vessels for maintenance and repair.

Depth Alongside (feet):	8 - *	|	4 - 8	|	4 - 8	Latitude (decimal): 29.885
Total Berthing Space (feet):	338 *	|	210	|	60	Longitude (decimal): -90.07444

Remarks: At time of survey (2001), wharf at canal was obstructed by a sunken barge. Slip is 210 by 120 feet and is shared with P.W.D. Ref. No. 235.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 215
Name: **Litton Avondale Industries, Inc., Steel Sales Division Warehouse D**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.7 mile north of entrance to Hero Cutoff Canal, Harvey. Datum: MLG
Operator: Not operated.
Owner: Litton Avondale Industries, Inc. Steel Sales Division.
Address: 3800 Peters Road. Phone: 504-367-6553
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.852778
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.06306

Waterway: **Harvey Canal** Mile: PWD: 215
Name: **Litton Avondale Industries, Inc., Steel Sales Division Warehouse D**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.7 mile north of entrance to Hero Cutoff Canal, Harvey. Datum: MLG
Operator: Not operated.
Owner: Litton Avondale Industries, Inc. Steel Sales Division.
Address: 3800 Peters Road. Phone: 504-367-6553
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.852778
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.06306
Remarks: Storage warehouse is located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Storage warehouse is located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 215
Name: **Litton Avondale Industries, Inc., Steel Sales Division Warehouse D**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.7 mile north of entrance to Hero Cutoff Canal, Harvey. Datum: MLG
Operator: Not operated.
Owner: Litton Avondale Industries, Inc. Steel Sales Division.
Address: 3800 Peters Road. Phone: 504-367-6553
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.852778
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.06306

Waterway: **Harvey Canal** Mile: PWD: 215
Name: **Litton Avondale Industries, Inc., Steel Sales Division Warehouse D**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.7 mile north of entrance to Hero Cutoff Canal, Harvey. Datum: MLG
Operator: Not operated.
Owner: Litton Avondale Industries, Inc. Steel Sales Division.
Address: 3800 Peters Road. Phone: 504-367-6553
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 29.852778
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.06306
Remarks: Storage warehouse is located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Storage warehouse is located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 211
Name: **Litton/Avondale Industries, Inc., Steel Sales Division, Harvey Can**
Port: New Orleans
Location: East side, Harvey Canal, south side at inner end of basin, approx. 0.5 mile north of entrance to Hero Cu Datum: MLG
Operator: Litton/Avondale Industries, Inc., Steel Sales Division.
Owner: Litton/Avondale Industries, Inc., Steel Sales Division.
Address: 4000 Peters Road Phone: 504-367-6553
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves storage area in rear; connects with tracks of Norfolk Southern Corp.
Purpose: Receipt and occasional shipment of steel beams, plates, and structural sections.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 29.849722
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.06111

Waterway: **Harvey Canal** Mile: PWD: 211
Name: **Litton/Avondale Industries, Inc., Steel Sales Division, Harvey Can**
Port: New Orleans
Location: East side, Harvey Canal, south side at inner end of basin, approx. 0.5 mile north of entrance to Hero Cu Datum: MLG
Operator: Litton/Avondale Industries, Inc., Steel Sales Division.
Owner: Litton/Avondale Industries, Inc., Steel Sales Division.
Address: 4000 Peters Road Phone: 504-367-6553
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves storage area in rear; connects with tracks of Norfolk Southern Corp.
Purpose: Receipt and occasional shipment of steel beams, plates, and structural sections.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 29.849722
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.06111
Remarks: Approximately 6 1/2 acres of open storage area located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Approximately 6 1/2 acres of open storage area located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 211
Name: **Litton/Avondale Industries, Inc., Steel Sales Division, Harvey Can**
Port: New Orleans
Location: East side, Harvey Canal, south side at inner end of basin, approx. 0.5 mile north of entrance to Hero Cu Datum: MLG
Operator: Litton/Avondale Industries, Inc., Steel Sales Division.
Owner: Litton/Avondale Industries, Inc., Steel Sales Division.
Address: 4000 Peters Road Phone: 504-367-6553
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves storage area in rear; connects with tracks of Norfolk Southern Corp.
Purpose: Receipt and occasional shipment of steel beams, plates, and structural sections.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 29.849722
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.06111

Waterway: **Harvey Canal** Mile: PWD: 211
Name: **Litton/Avondale Industries, Inc., Steel Sales Division, Harvey Can**
Port: New Orleans
Location: East side, Harvey Canal, south side at inner end of basin, approx. 0.5 mile north of entrance to Hero Cu Datum: MLG
Operator: Litton/Avondale Industries, Inc., Steel Sales Division.
Owner: Litton/Avondale Industries, Inc., Steel Sales Division.
Address: 4000 Peters Road Phone: 504-367-6553
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves storage area in rear; connects with tracks of Norfolk Southern Corp.
Purpose: Receipt and occasional shipment of steel beams, plates, and structural sections.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 29.849722
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.06111
Remarks: Approximately 6 1/2 acres of open storage area located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Approximately 6 1/2 acres of open storage area located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 214
Name: **Marine Systems, Inc., Harvey Repair Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.6 mile north of entrance to Hero Cutoff Canal, Harvey. Datum: MLG
Operator: Marine Systems, Inc.
Owner: Marine Systems, Inc.
Address: 3824 Peters Road Phone: 504-368-9250
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 7 | - | Latitude (decimal): 29.852222
Total Berthing Space (feet): 300 | - | Longitude (decimal): -90.06278
Remarks: Facility specializes is repair of reduction gears. Machine shop and offices are located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 230
Name: **Metal Building Products Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 2.3 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Not operated.
Owner: Rathborne Land Company, Inc.
Address: 2126 Peters Road Phone: 504-368-6355
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 4 - 6 | | Latitude (decimal): 29.878056
Total Berthing Space (feet): 176 | | Longitude (decimal): -90.0725
Remarks: Flood wall is offset 20 feet to rear of face. At time of survey (2001), facility was vacant and available for lease.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 209
Name: **M-I, LLC, Harvey Terminal Dock.**
Port: New Orleans
Location: East side, Harvey Canal, north of entrance to Hero Cutoff Canal, Harvey. Datum: MLG
Operator: M-I, LLC.
Owner: M-I, LLC.
Address: 4300 Peters Road Phone: 504-368-1414
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Occasional handling of construction equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.844167
Total Berthing Space (feet): 290 | | Longitude (decimal): -90.06028
Remarks: A 10,200 square-foot building is located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 200
Name: **Midship Marine, Shipyard Dock.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 2.2 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Midship Marine.
Owner: Harvey Canal Limited Partnership
Address: 1901 Destrehan Avenue Phone: 504-341-4359
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Launching vessels, mooring vessels for outfitting.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.877222
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.07278
Remarks: Wharf area is in line and contiguous with P.W.D. Ref Nos. 199 and 201, providing approximately 900 feet of continuous berthing space. Facility has access to 165-ton travel lift located at P.W.D. Ref. No. 205 for launching vessels when required. Yard at rear fabricates aluminum vessels to 155 feet in length.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 226
Name: **Monica Lee Tugs, Harvey Canal Dock.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 1,700 feet north of Harvey Canal (Lapalco Boulevard) Bridge, Harv Datum: MLG
Operator: Monica Lee Tugs.
Owner: Monica Lee Tugs.
Address: 2260 Peters Road. Phone: 504-340-050
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring and maintaining company-owned towboats.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 29.875278
Total Berthing Space (feet): 150 | | Longitude (decimal): -90.07139
Remarks: Tugs moor bow-to wharf. Dispatch office and warehouse located in building in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 239
Name: **Morrill and Associates Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 1.3 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Not operated.
Owner: Estate of Robert Morrell.
Address: 1200 Peters Road. Phone: 504-368-9521
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 - 10 | - | Latitude (decimal): 29.8925
Total Berthing Space (feet): 510 | - | Longitude (decimal): -90.07694
Remarks: Facility was formerly used for marine repair and dry docking. At time of survey (2001), the business was closed and the property was advertised for lease.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 216
Name: **Nabors Offshore Corp., Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.8 mile north of entrance to Hero Cutoff Canal, Harvey. Datum: MLG
Operator: Nabors Offshore Corp.
Owner: Harvey Canal Limited Partnership.
Address: 3640 Peters Road. Phone: 504-365-3219
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated steel structures by workboat and barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.854167
Total Berthing Space (feet): 1,050 | | Longitude (decimal): -90.06361
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 240
Name: **Ocean Technical Services, Inc., Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 1.2 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Ocean Technical Services, Inc.
Owner: Ocean Technical Services, Inc.
Address: 1140 Peters Road Phone: 504-364-1572
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring floating dry dock; launching new vessels.
Depth Alongside (feet): 9 - 10 | - | Latitude (decimal): 29.893611
Total Berthing Space (feet): 580 | - | Longitude (decimal): -90.0775
Remarks: Vessel repair and fabrication shops located ar rear. Facility constructs commercial and military fiberglass vessels up to 7 meters in length.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 223
Name: **Ocean-River International, LLC, Harvey Canal Division Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, north of Harvey Canal (Lapalco Boulevard) Bridge, Harvey. Datum: MLG
Operator: Ocean-River International, LLC.
Owner: Ocean-River International, LLC.
Address: 2550 Peters Road Phone: 504-433-4940
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repairs.
Depth Alongside (feet): 6 - - | | Latitude (decimal): 29.871667
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.07
Remarks: Facility performs repairs to hydraulic systems and other above-waterline repairs. Repair shop (below) and office (above) located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 217
Name: **Otto Candies, LLC, Harvey Canal Mooring Basin.**
Port: New Orleans
Location: East side, Harvey Canal, south portion of rectangular basin, approximately one mile north of Hero Cutoff Datum: MLG
Operator: Otto Candies, LLC.
Owner: Otto Candies, LLC.
Address: Peters Road Phone: 504-469-7700
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 14 | 14 | 14 Latitude (decimal): 29.857778
Total Berthing Space (feet): 300 | 240 | 300 Longitude (decimal): -90.06389
Remarks: The 1,000- by 300-foot basin is shared with Ref. No. 218.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 206
Name: **Petrex, Inc, Dock.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 800 feet north of Harvey Canal (Lapalco Boulevard) Bridge, Harvey Datum: MLG
Operator: Petrex, Inc.
Owner: Harvey Canal Limited Partnership.
Address: 2465 Destrehan Avenue. Phone: 504-341-2700
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated oil and gas processing equipment by barge.
Depth Alongside (feet): 0 - 3 | 10 - 12 | 0 - 3 Latitude (decimal): 29.8725
Total Berthing Space (feet): - | 127 | - Longitude (decimal): -90.07111
Remarks: One 200- by 130-foot, steel frame, metal-covered fabrication shop and open fabrication area in rear. One 50-ton overhead bridge crane serves shop.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 203
Name: **Premier Industries, Dock and Slip.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.3 miles north of Harvey Canal (Lapalco Boulevard) Bridge, Harve Datum: MLG
Operator: Not operated (See Remarks)
Owner: Harvey Canal Limited Partnership.
Address: 2025 Destrehan Avenue. Phone: 504-328-1100
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 10 - - | 10 - - | 10 - - Latitude (decimal): 29.875278
Total Berthing Space (feet): 100 | 120 | 40 Longitude (decimal): -90.07194
Remarks: At time of survey (2001), plans called for construction of off-shore drilling platforms at facilities located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 221
Name: **Production Management Industries, Inc., Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, 1,000 feet south of Harvey Canal (Lapalco Blvd.) Bridge, Harvey. Datum: MLG
Operator: Production Management Industries, Inc.
Owner: Production Management Industries, Inc.
Address: 2804 Peters Road Phone: 504-363-5900
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track serves open fabrication area in rear; connects with tracks of Union Pacific Railroad.
Purpose: Shipment of fabricated assemblies to offshore platforms by barge.
Depth Alongside (feet): 12 | - | Latitude (decimal): 29.867778
Total Berthing Space (feet): 915 | - | Longitude (decimal): -90.06889
Remarks: Fabrication facilities covering approximately 10 acres are located in rear. □□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 228
Name: **Reagan Equipment Co. Dock.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 2,100 feet north of Harvey Canal (Lapalco Boulevard) Bridge, Harv Datum: MLG
Operator: Reagan Equipment Co.
Owner: Tom Reagan.
Address: 2230 Peters Road. Phone: 504-367-1870
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated steel structures, equipment, and parts for offshore oil well drilling operations.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 29.876667
Total Berthing Space (feet): 215 | | Longitude (decimal): -90.07167
Remarks: Oil field equipment supplies, warehouse, and fabrication shop located in rear.□At time of survey (2001) plans called for replacing portion of timber bulkhead with steel sheet pile.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 186
Name: **Retif Oil and Fuel, LLC, Harvey Bulk Plant Wharf.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.3 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Retif Oil and Fuel, LLC.
Owner: Retif Oil and Fuel, LLC.
Address: 527 Destrehan Avenue Phone: 504-349-9112
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of diesel fuel by barge; fueling small vessels; occasional mooring by commercial fishing vessels.
Depth Alongside (feet): 0 - 7 | 12 | - - - Latitude (decimal): 29.904444
Total Berthing Space (feet): 115 | 200 | - Longitude (decimal): -90.08222
Remarks: One 6-inch, pipeline extends from wharf to one 16,600-barrel steel storage tank at rear. One 6-inch fueling pipeline extends from tank to pump at wharf with one 6- and one 4-inch metered connections. One 6-inch lubricating oil pipeline extends from one 380-barrel steel storage tank at rear to metered pump on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 224
Name: **River Construction Co., Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 1,100 feet north of Harvey Canal (Lapalco Blvd.) Bridge, Harvey. Datum: MLG
Operator: River Construction Co.
Owner: River Construction Co.
Address: 2500 Peters Road. Phone: 504-368-0000
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track at property in rear connects with tracks of Union Pacific Railroad.
Purpose: Occasional mooring of transient vessels.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.872778
Total Berthing Space (feet): 330 | - | - Longitude (decimal): -90.07056
Remarks: Wharf has mooring bits at 35 foot centers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 253
Name: **Ryan Marine and Safety, Inc., Harvey Canal Dock**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.45 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Ryan Marine and Safety, Inc..
Owner: John and Sandra Ducoing
Address: 612 Peters Road. Phone: 504-366-6489
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for inspection and certification; launching small vessels.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.903889
Total Berthing Space (feet): 75 | | Longitude (decimal): -90.08083
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 229
Name: **Salathe Oil Co., INc., Dock.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 2,400 feet north of Harvey Canal (Lapalco Boulevard) Bridge, Harv Datum: MLG
Operator: Not operated.
Owner: Salathe Oil Co., Inc.
Address: 2226 Peters Road. Phone: 504-366-4542
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | - | Latitude (decimal): 29.877222
Total Berthing Space (feet): 200 | - | Longitude (decimal): -90.07194
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 193
Name: **Shell Oil Exploration and Production Co., Harvey Canal Wharf.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 1.3 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Not operated
Owner: Shell Exploration and Production Co.
Address: 1145 Destrehan Avenue. Phone: 504-728-67445 o
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | - | - Latitude (decimal): 29.890278
Total Berthing Space (feet): 1,000 | - | - Longitude (decimal): -90.07722
Remarks: Warehouse and open storage area for oil well supplies located in rear. At time of survey (2001), all supplies were trucked to Port Fouchon for off-shore shipment. North 40-foot portion of wharf is at a lower level and previously served as a seaplane loading area.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 245
Name: **Signal Companies, Inc., Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.75 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Signal Companies, Inc.
Owner: Rathborne Land Company, Inc.
Address: 766 Peters Road Phone: 504-367-7500
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Occasional shipment of off-shore platform equipment and storage tanks by deck barge.
Depth Alongside (feet): 5 | | Latitude (decimal): 29.899167
Total Berthing Space (feet): 61 | (See | Longitude (decimal): -90.07889
Remarks: At time of survey (2001), the northern 100 feet of wharf was not leased by occupant and was not operated or used for maritime commerce. Open storage and and temporary office located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 185
Name: **Southern Shell Fish Co., Inc., Slips.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 0.25 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Southern Shell Fish Co., Inc.
Owner: Southern Shell Fish Co., Inc.
Address: 501 Destrehan Avenue Phone: 504-341-5631
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Occasional mooring of commercial fishing boats.
Depth Alongside (feet): 5 | | - - - Latitude (decimal): 29.905556
Total Berthing Space (feet): 115 | | - Longitude (decimal): -90.0825
Remarks: Similar slip at north end of adjacent P.W. D. Ref. No. 186 is also occasional used for temporary mooring by fishing vessels. Slips are separated by approx. 375 feet of partially asphalt-revetted, sloping bank along canal. Metal fabrication shops are located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 218

Name: **Southport of Houma, Harvey Canal, Basin and Wharf.**

Port: New Orleans

Location: East side, Harvey Canal, east and north side of rectangular basin, 0.8 mile south of Harvey Canal (Lapal Datum: MLG

Operator: Not operated.

Owner: Southport of Houma, LLC.

Address: 3450 Peters Road Phone: 504-580-2220

Town: Harvey State: LA County: Jefferson

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 14 | 14 | 14 Latitude (decimal): 29.859722

Total Berthing Space (feet): 250 | 300 | 950 Longitude (decimal): -90.06611

Remarks: At time of survey (2001) facility had recently been closed. The 1,000- by 300-foot basin is shared with Ref. No. 217; entrance to basin from canal is 250 feet wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 212
Name: **Stan Blast Abrasives, Harvey South Yard Basin.**
Port: New Orleans
Location: East side, Harvey Canal, at inner end and north side of basin, approx. 0.5 mile north of entrance to Her Datum: MLG
Operator: Not operated.
Owner: Stan Blast Abrasives, a division of Fairmount Industries.
Address: 3860 Peters Road Phone: 504-263-8521
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track in rear of east side connects with tracks of Norfolk Southern Corp.
Purpose: Not used.
Depth Alongside (feet): 3 - 12 | 3 - 12 | 3 - 12 Latitude (decimal): 29.850556
Total Berthing Space (feet): 150 | - | - Longitude (decimal): -90.06167

Waterway: **Harvey Canal** Mile: PWD: 212
Name: **Stan Blast Abrasives, Harvey South Yard Basin.**
Port: New Orleans
Location: East side, Harvey Canal, at inner end and north side of basin, approx. 0.5 mile north of entrance to Her Datum: MLG
Operator: Not operated.
Owner: Stan Blast Abrasives, a division of Fairmount Industries.
Address: 3860 Peters Road Phone: 504-263-8521
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track in rear of east side connects with tracks of Norfolk Southern Corp.
Purpose: Not used.
Depth Alongside (feet): 3 - 12 | 3 - 12 | 3 - 12 Latitude (decimal): 29.850556
Total Berthing Space (feet): 150 | - | - Longitude (decimal): -90.06167

Remarks: At time of survey (2001), navigation in basin was obstructed by sediment.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: At time of survey (2001), navigation in basin was obstructed by sediment.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 212
Name: **Stan Blast Abrasives, Harvey South Yard Basin.**
Port: New Orleans
Location: East side, Harvey Canal, at inner end and north side of basin, approx. 0.5 mile north of entrance to Her Datum: MLG
Operator: Not operated.
Owner: Stan Blast Abrasives, a division of Fairmount Industries.
Address: 3860 Peters Road Phone: 504-263-8521
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track in rear of east side connects with tracks of Norfolk Southern Corp.
Purpose: Not used.
Depth Alongside (feet): 3 - 12 | 3 - 12 | 3 - 12 Latitude (decimal): 29.850556
Total Berthing Space (feet): 150 | - | - Longitude (decimal): -90.06167

Waterway: **Harvey Canal** Mile: PWD: 212
Name: **Stan Blast Abrasives, Harvey South Yard Basin.**
Port: New Orleans
Location: East side, Harvey Canal, at inner end and north side of basin, approx. 0.5 mile north of entrance to Her Datum: MLG
Operator: Not operated.
Owner: Stan Blast Abrasives, a division of Fairmount Industries.
Address: 3860 Peters Road Phone: 504-263-8521
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track in rear of east side connects with tracks of Norfolk Southern Corp.
Purpose: Not used.
Depth Alongside (feet): 3 - 12 | 3 - 12 | 3 - 12 Latitude (decimal): 29.850556
Total Berthing Space (feet): 150 | - | - Longitude (decimal): -90.06167

Remarks: At time of survey (2001), navigation in basin was obstructed by sediment.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: At time of survey (2001), navigation in basin was obstructed by sediment.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 213
Name: **Stan Blast Abrasives, Harvey South Yard Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.5 mile north of entrance to Hero Cutoff Canal, Harvey. Datum: MLG
Operator: Stan Blast Abrasives, a division of Fairmount Industries.
Owner: Stan Blast Abrasives, a division of Fairmount Industries.
Address: 3860 Peters Road Phone: 504-263-8521
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track in rear connects with tracks of Norfolk Southern Corp.
Purpose: Receipt of slag by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.851667
Total Berthing Space (feet): 410 | | Longitude (decimal): -90.0625

Waterway: **Harvey Canal** Mile: PWD: 213
Name: **Stan Blast Abrasives, Harvey South Yard Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.5 mile north of entrance to Hero Cutoff Canal, Harvey. Datum: MLG
Operator: Stan Blast Abrasives, a division of Fairmount Industries.
Owner: Stan Blast Abrasives, a division of Fairmount Industries.
Address: 3860 Peters Road Phone: 504-263-8521
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track in rear connects with tracks of Norfolk Southern Corp.
Purpose: Receipt of slag by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.851667
Total Berthing Space (feet): 410 | | Longitude (decimal): -90.0625
Remarks: Open storage area at rear of processing plant has capacity for 10,000 tons of slag.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Open storage area at rear of processing plant has capacity for 10,000 tons of slag.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 213
Name: **Stan Blast Abrasives, Harvey South Yard Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.5 mile north of entrance to Hero Cutoff Canal, Harvey. Datum: MLG
Operator: Stan Blast Abrasives, a division of Fairmount Industries.
Owner: Stan Blast Abrasives, a division of Fairmount Industries.
Address: 3860 Peters Road Phone: 504-263-8521
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track in rear connects with tracks of Norfolk Southern Corp.
Purpose: Receipt of slag by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.851667
Total Berthing Space (feet): 410 | | Longitude (decimal): -90.0625

Waterway: **Harvey Canal** Mile: PWD: 213
Name: **Stan Blast Abrasives, Harvey South Yard Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.5 mile north of entrance to Hero Cutoff Canal, Harvey. Datum: MLG
Operator: Stan Blast Abrasives, a division of Fairmount Industries.
Owner: Stan Blast Abrasives, a division of Fairmount Industries.
Address: 3860 Peters Road Phone: 504-263-8521
Town: Harvey State: LA County: Jefferson
Railway Connection: One surface track in rear connects with tracks of Norfolk Southern Corp.
Purpose: Receipt of slag by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.851667
Total Berthing Space (feet): 410 | | Longitude (decimal): -90.0625
Remarks: Open storage area at rear of processing plant has capacity for 10,000 tons of slag.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Open storage area at rear of processing plant has capacity for 10,000 tons of slag.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 244
Name: **State of Lousiana, Harvey Canal Dock.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.8 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Jefferson Parish
Owner: State of Louisiana.
Address: 900 Peters Road. Phone: 504-361-6495
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Occasional shipment of waste trees for marsh restoration by barge.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.8975
Total Berthing Space (feet): 435 | | Longitude (decimal): -90.07833
Remarks: West Bank Expressway (Harvey) Tunnel crosses canal under concrete bulkhead north of facility, steel sheet piling extends approximately 100 feet on each side of bulkhead to protect piers for West Bank Expressway high level bridge.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 252
Name: **Stepper Towing, Inc., Harvey Canal Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.5 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Stepper Towing, Inc.
Owner: Stepper Towing, Inc.
Address: 634 Peters Road Phone: 504-361-7744
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring of company-owned tugs for maintenance and repair.
Depth Alongside (feet): 8 | - | Latitude (decimal): 29.903056
Total Berthing Space (feet): 151 | - | Longitude (decimal): -90.08056
Remarks: U-shaped warehouse in rear leased to a marine supply company.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 194
Name: **Stewart & Stevenson Services, Inc., □Harvey Canal Dock.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 1.5 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Stewart & Stevenson Services, Inc.
Owner: Stewart & Stevenson Services, Inc.
Address: 1400 Destrehan Avenue Phone: 504-347-4326
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for engine repair.
Depth Alongside (feet): 6 - 12 | | Latitude (decimal): 29.886111
Total Berthing Space (feet): 1,680 | | Longitude (decimal): -90.07583
Remarks: Diesel engine repair facility, parts and service buildings, and open storage areas located in rear.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 243
Name: **Stewart Construction Co., Inc. North Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.85 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Stewart Construction Co., Inc.
Owner: Stewart Construction Co., Inc.
Address: 1040 Peters Road. Phone: 504-361-5960
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated dock structures and equipment; handling marine construction materials and supplies; and mooring company-owned floating equipment.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.896111
Total Berthing Space (feet): 211 | | Longitude (decimal): -90.07833

Waterway: **Harvey Canal** Mile: PWD: 243
Name: **Stewart Construction Co., Inc. North Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.85 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Stewart Construction Co., Inc.
Owner: Stewart Construction Co., Inc.
Address: 1040 Peters Road. Phone: 504-361-5960
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated dock structures and equipment; handling marine construction materials and supplies; and mooring company-owned floating equipment.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.896111
Total Berthing Space (feet): 211 | | Longitude (decimal): -90.07833
Remarks: Open storage yard located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Open storage yard located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 243
Name: **Stewart Construction Co., Inc. North Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.85 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Stewart Construction Co., Inc.
Owner: Stewart Construction Co., Inc.
Address: 1040 Peters Road. Phone: 504-361-5960
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated dock structures and equipment; handling marine construction materials and supplies; and mooring company-owned floating equipment.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.896111
Total Berthing Space (feet): 211 | | Longitude (decimal): -90.07833

Waterway: **Harvey Canal** Mile: PWD: 243
Name: **Stewart Construction Co., Inc. North Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.85 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Stewart Construction Co., Inc.
Owner: Stewart Construction Co., Inc.
Address: 1040 Peters Road. Phone: 504-361-5960
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated dock structures and equipment; handling marine construction materials and supplies; and mooring company-owned floating equipment.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.896111
Total Berthing Space (feet): 211 | | Longitude (decimal): -90.07833
Remarks: Open storage yard located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Open storage yard located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 242
Name: **Stewart Construction Co., Inc., South Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.9 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Stewart Construction Co., Inc.
Owner: Stewart Construction Co., Inc.
Address: 1040 Peters Road. Phone: 504-361-5960
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated dock structures and equipment; handling marine construction materials and supplies; and mooring company-owned floating equipment.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 29.895556
Total Berthing Space (feet): 233 | | Longitude (decimal): -90.07806

Waterway: **Harvey Canal** Mile: PWD: 242
Name: **Stewart Construction Co., Inc., South Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.9 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Stewart Construction Co., Inc.
Owner: Stewart Construction Co., Inc.
Address: 1040 Peters Road. Phone: 504-361-5960
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated dock structures and equipment; handling marine construction materials and supplies; and mooring company-owned floating equipment.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 29.895556
Total Berthing Space (feet): 233 | | Longitude (decimal): -90.07806
Remarks: Open storage yard located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Open storage yard located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 242
Name: **Stewart Construction Co., Inc., South Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.9 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Stewart Construction Co., Inc.
Owner: Stewart Construction Co., Inc.
Address: 1040 Peters Road. Phone: 504-361-5960
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated dock structures and equipment; handling marine construction materials and supplies; and mooring company-owned floating equipment.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 29.895556
Total Berthing Space (feet): 233 | | Longitude (decimal): -90.07806

Waterway: **Harvey Canal** Mile: PWD: 242
Name: **Stewart Construction Co., Inc., South Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.9 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Stewart Construction Co., Inc.
Owner: Stewart Construction Co., Inc.
Address: 1040 Peters Road. Phone: 504-361-5960
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of fabricated dock structures and equipment; handling marine construction materials and supplies; and mooring company-owned floating equipment.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 29.895556
Total Berthing Space (feet): 233 | | Longitude (decimal): -90.07806
Remarks: Open storage yard located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Remarks: Open storage yard located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Waterway: **Harvey Canal** Mile: PWD: 246
Name: **Tassin International, Ltd., Harvey Canal North Wharf.**
Port: New Orleans
Location: East side, Harvey Canal, approximately 0.7 mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Not operated.
Owner: Woodson Construction Co.
Address: 756 Peters Road. Phone: 504-366-5866
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 5 | | Latitude (decimal): 29.899444
Total Berthing Space (feet): 332 | | Longitude (decimal): -90.07917
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 202
Name: **Taulli Construction Co., Inc., Landing.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 2.3 miles south of Harvey Lock, Harvey. Datum: MLG
Operator: Taulli Construction Co., Inc.
Owner: Harvey Canal Limited Partnership.
Address: 2002 Destrehan Avenue. Phone: 504-341-5257
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Shipment of marsh buggies by barge; handling construction materials, supplies, and equipment.
Depth Alongside (feet): 3 - 5 | | Latitude (decimal): 29.876111
Total Berthing Space (feet): 75 | | Longitude (decimal): -90.07222
Remarks: Barges moor end-to at landing. Construction equipment and marsh buggies load ed and unloaded with portable ramps. Office and open storage area are located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 191
Name: **Texaco, USA, Harvey Canal Dock.**
Port: New Orleans
Location: West side, Harvey Canal, approximately one mile south of Harvey Lock, Harvey. Datum: MLG
Operator: Not operated.
Owner: Texaco USA (See Remarks)
Address: 1029 Destrehan Avenue. Phone: 504-283-8691
Town: Harvey State: LA County: Jefferson
Railway Connection: Two surface tracks serve open storage area located in rear, connect with tracks of Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 6 | _ | - Latitude (decimal): 29.895833
Total Berthing Space (feet): 1,000 | - | - Longitude (decimal): -90.07917
Remarks: At time of survey (2001), property was for sale.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Harvey Canal** Mile: PWD: 205
Name: **Total Marine Services of Jefferson, Inc., Slip and Wharf.**
Port: New Orleans
Location: West side, Harvey Canal, approximately 1,000 feet north of Harvey Canal (Lapalco Boulevard) Bridge, Harv Datum: MLG
Operator: Total Marine Services of Jefferson, Inc.
Owner: Harvey Canal Limited Partnership.
Address: 2057 Destrehan Avenue. Phone: 504-348-3000
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring drydock.
Depth Alongside (feet): 3 - 10 | 9 | Latitude (decimal): 29.873333
Total Berthing Space (feet): 200 | 90 | Longitude (decimal): -90.07139
Remarks: Marine repair plant located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Port Facilities by Waterway

Waterway: **Harvey Canal** Mile: PWD: 255
Name: **U.S. Army Corps of Engineers, Harvey Canal Depot Dock.**
Port: New Orleans
Location: East side, Harvey Canal, south of Harvey Lock, Harvey. Datum: MLG
Operator: Not operated.
Owner: U.S. Government.
Address: Texaco Lane Phone: 504-862-2245
Town: Harvey State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 2 | 2 | 2 Latitude (decimal): 29.907222
Total Berthing Space (feet): 75 | 285 | 30 Longitude (decimal): -90.08194
Remarks: Two warehouses located at rear are used for storage of equipment for government-owned vessels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66002 New Orleans District

---

Waterway: **Industrial Canal** Mile: PWD: 071
Name: **CMS Trunkline LNG Co. Wharf.**
Port: Lake Charles
Location: North side, Industrial Canal, west of entrance to turning basin, Lake Charles. Datum: MLG
Operator: CMS Trunkline LNG Co.
Owner: Lake Charles Harbor and Terminal District.
Address: 8100 Big Lake Road at Lincoln Road Phone: 337-475-4287
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of liquefied natural gas and bunker fuel; bunkering tankers at berth.
Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 30.110278
Total Berthing Space (feet): 936 | | Longitude (decimal): -93.29111
Remarks: LNG unloading platform: one 10- and one 32-inch pipelines becoming a single 32-inch pipeline extend to 3 insulated, steel storage tanks at rear, total capacity 1,800,000 barrels; one 12-inch vapor line connects one 16-inch unloading arm to storage tanks; one 10-inch bunker oil pipeline extends from one 57,000-barrel storage tank; one 32-inch nitrogen line also serves wharf; Bunker fuel platform: one 10-inch pipeline extends from wharf to storage tankdescribed above.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Industrial Canal** Mile: PWD: 068
Name: **Crowley Marine Services, Lake Charles Wharf.**
Port: Lake Charles
Location: South bank, Industrial Canal Turning Basin, Lake Charles. Datum: MSL
Operator: Crowley Marine Services, Inc.
Owner: Lake Charles Harbor and Terminal District.
Address: 8200 Big Lake Road Phone: 337-478-2403
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring company-owned tugboats for service, repair, and storage.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.104722
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.2875
Remarks: Tugboats moor at spud barge.□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Industrial Canal** Mile: PWD: 072
Name: **Lake Charles Carbon Co. Wharf.**
Port: Lake Charles
Location: North side, Industrial Canal, 0.8 mile east of entrance, Lake Charles. Datum: MLG
Operator: Lake Charles Carbon Co., a division of Reynolds Metals Co.
Owner: Lake Charles Harbor and Terminal District.
Address: Granger Road Phone: 337-480-7635
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt of green coke; shipment of calcined petroleum coke and molded carbon anode blocks.
Depth Alongside (feet): 31 | | Latitude (decimal): 30.110278
Total Berthing Space (feet): 1,340 | | Longitude (decimal): -93.295
Remarks: *Vessels up to 940 feet long can moor at wharf. Barges can moor along entire 1,340-foot breasting distance. One of the conveyors extends to wharf from 3 calcined coke storage bins, total capacity 24,000 tons; and the other extends from wharf to a 30,000-ton storage silo and to serving an open storage area, with capacity for 150,000 tons of green coke. One 10- and one 9-cubic-yard front-end loaders serve an elevated hopper in the open storage area, serving a30-inch belt-conveyor system extending to calcining plant.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Industrial Canal** Mile: PWD: 070
Name: **Lake Charles Harbor and Terminal District, General Cargo Terminal**
Port: Lake Charles
Location: Center portion of east side of Industrial Canal, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor and Terminal District.
Owner: Lake Charles Harbor and Terminal District.
Address: Big Lake Road Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of roll-on/roll-off general cargo by vessel and barge.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.107222
Total Berthing Space (feet): 880 | | Longitude (decimal): -93.28389

Waterway: **Industrial Canal** Mile: PWD: 070
Name: **Lake Charles Harbor and Terminal District, General Cargo Terminal**
Port: Lake Charles
Location: Center portion of east side of Industrial Canal, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor and Terminal District.
Owner: Lake Charles Harbor and Terminal District.
Address: Big Lake Road Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of roll-on/roll-off general cargo by vessel and barge.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.107222
Total Berthing Space (feet): 880 | | Longitude (decimal): -93.28389

Remarks: Trailer marshalling yard described under Roll-on/Roll-off Barge Wharf (Ref. No. 69) is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Trailer marshalling yard described under Roll-on/Roll-off Barge Wharf (Ref. No. 69) is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Industrial Canal** Mile: PWD: 070
Name: **Lake Charles Harbor and Terminal District, General Cargo Terminal**
Port: Lake Charles
Location: Center portion of east side of Industrial Canal, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor and Terminal District.
Owner: Lake Charles Harbor and Terminal District.
Address: Big Lake Road Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of roll-on/roll-off general cargo by vessel and barge.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.107222
Total Berthing Space (feet): 880 | | Longitude (decimal): -93.28389

Waterway: **Industrial Canal** Mile: PWD: 070
Name: **Lake Charles Harbor and Terminal District, General Cargo Terminal**
Port: Lake Charles
Location: Center portion of east side of Industrial Canal, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor and Terminal District.
Owner: Lake Charles Harbor and Terminal District.
Address: Big Lake Road Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of roll-on/roll-off general cargo by vessel and barge.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.107222
Total Berthing Space (feet): 880 | | Longitude (decimal): -93.28389

Remarks: Trailer marshalling yard described under Roll-on/Roll-off Barge Wharf (Ref. No. 69) is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Trailer marshalling yard described under Roll-on/Roll-off Barge Wharf (Ref. No. 69) is located at rear.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Industrial Canal** Mile: PWD: 069
Name: **Lake Charles Harbor and Terminal District, Roll-on/Roll-off Barge**
Port: Lake Charles
Location: Southeast corner, Industrial Canal Turning Basin, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor and Terminal District.
Owner: Lake Charles Harbor and Terminal District.
Address: Big Lake Road Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of roll-on/roll-off general cargo by barge.
Depth Alongside (feet): 14 | 14 | Latitude (decimal): 30.104722
Total Berthing Space (feet): 120 | 820 | Longitude (decimal): -93.28472

Waterway: **Industrial Canal** Mile: PWD: 069
Name: **Lake Charles Harbor and Terminal District, Roll-on/Roll-off Barge**
Port: Lake Charles
Location: Southeast corner, Industrial Canal Turning Basin, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor and Terminal District.
Owner: Lake Charles Harbor and Terminal District.
Address: Big Lake Road Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of roll-on/roll-off general cargo by barge.
Depth Alongside (feet): 14 | 14 | Latitude (decimal): 30.104722
Total Berthing Space (feet): 120 | 820 | Longitude (decimal): -93.28472

Remarks: Ballasted triple-decked seagoing barges up to 730 feet long berth at dolphins, with end-to bulkhead and ramp. Approximately 28 acres of paved trailer marshalling area with capacity for 1,000 trailers.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Ballasted triple-decked seagoing barges up to 730 feet long berth at dolphins, with end-to bulkhead and ramp. Approximately 28 acres of paved trailer marshalling area with capacity for 1,000 trailers.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Industrial Canal** Mile: PWD: 069
Name: **Lake Charles Harbor and Terminal District, Roll-on/Roll-off Barge**
Port: Lake Charles
Location: Southeast corner, Industrial Canal Turning Basin, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor and Terminal District.
Owner: Lake Charles Harbor and Terminal District.
Address: Big Lake Road Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of roll-on/roll-off general cargo by barge.
Depth Alongside (feet): 14 | 14 | Latitude (decimal): 30.104722
Total Berthing Space (feet): 120 | 820 | Longitude (decimal): -93.28472

Waterway: **Industrial Canal** Mile: PWD: 069
Name: **Lake Charles Harbor and Terminal District, Roll-on/Roll-off Barge**
Port: Lake Charles
Location: Southeast corner, Industrial Canal Turning Basin, Lake Charles. Datum: MLG
Operator: Lake Charles Harbor and Terminal District.
Owner: Lake Charles Harbor and Terminal District.
Address: Big Lake Road Phone: 337-439-3661
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of roll-on/roll-off general cargo by barge.
Depth Alongside (feet): 14 | 14 | Latitude (decimal): 30.104722
Total Berthing Space (feet): 120 | 820 | Longitude (decimal): -93.28472
Remarks: Ballasted triple-decked seagoing barges up to 730 feet long berth at dolphins, with end-to bulkhead and ramp. Approximately 28 acres of paved trailer marshalling area with capacity for 1,000 trailers.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Ballasted triple-decked seagoing barges up to 730 feet long berth at dolphins, with end-to bulkhead and ramp. Approximately 28 acres of paved trailer marshalling area with capacity for 1,000 trailers.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Waterway: **Industrial Canal** Mile: PWD: 065
Name: **Marine Spill Response Corp. Wharf.**
Port: Lake Charles
Location: South bank, entrance to the Industrial Canal, Lake Charles. Datum:
Operator: Marine Spill Response Corp.
Owner: Lake Charles Harbor & Terminal District.
Address: 3961 Henry Pugh Boulevard Phone: 337-478-4617
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Handling and storing oil spill containment, retrieval, and clean-up equipment; mooring oil-spill response vessel.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.105278
Total Berthing Space (feet): 347 | | Longitude (decimal): -93.30611
Remarks: -□□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Industrial Canal** Mile: PWD: 066
Name: **Talens Marine & Fuel Wharf.**
Port: Lake Charles
Location: South bank, Industrial Canal, 0.25 mile east of entrance, Lake Charles. Datum:
Operator: Talens Marine & Fuel, Inc.
Owner: Lake Charles Harbor & Terminal District.
Address: Henry Pugh Boulevard Phone: 337-474-5284
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Handling marine lubricants and other supplies; receipt of waste oil; mooring midstream fueling barges and, occasionally, mooring bunkering barges.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.105556
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.30528
Remarks: Four 2-inch pipelines, available for loading petroleum products and receipt of waste oil, extend to wharf from 3 diesel fuel storage tanks, total capacity 440 barrels, and extend from wharf to one 476-barrel waste oil storage tank. One 40- by 50-foot storage/office building located at rear is used for storing packaged lubricants and fuels.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Waterway: **Industrial Canal** Mile: PWD: 067
Name: **Unifab International West Wharf.**
Port: Lake Charles
Location: West Bank of Industrial Canal Turning Basin, Lake Charles. Datum: MSL
Operator: Unifab International West, LLC
Owner: Lake Charles Harbor and Terminal District.
Address: Henry Pugh Boulevard Phone: 337-562-1414
Town: Lake Charles State: LA County: Calcasieu
Railway Connection: None.
Purpose: Mooring vessels and offshore oil field structures for conversion, outfitting, and repair; shipment of fabricated petrochemical processing equipment and piping modules.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.106389
Total Berthing Space (feet): 1272 | | Longitude (decimal): -93.29
Remarks: A fabrication shop, 157 feet by 300 feet, with three 20-ton, traveling bridge cranes, and a pipe fabrication shop with office, 280 feet by 100 feet, are located at rear. Three additional fabrication shops are planned. One set of ways extend from fabrication shop. Four concrete loadout platforms and two concrete crane platforms on apron were planned at time of survey (2000).

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 59
Name: **Bollinger Gulf Repair, LLC, Industrial Canal Construction and Outf**
Port: New Orleans
Location: East side, Inner Harbor (Industrial) Canal, approximately 300 feet south of U.S. Interstate 10 Highway B Datum: MLG
Operator: Bollinger Gulf Repair, LLC.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3900 Jourdan Road. Phone: 504 242-5200
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage in rear connect with New Orleans Public Belt Railroad and CSX Transportation Inc.
Purpose: Mooring dry docks; mooring vessels, barges, and offshore oil well platforms for outfitting and repair.
Depth Alongside (feet): 15 - 35 | | 10 - 30 Latitude (decimal): 30
Total Berthing Space (feet): 1,894 | | 800 Longitude (decimal): -90.02333
Remarks: Berthing space includes approximately 1200 feet across the centrally located barge building and launching ways; with an additional 800 feet available along natural bank of canal south of slip. Oil field service vessels, towboats, and barges are built at plant in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 63
Name: **Dwyer Road Wharf.**
Port: New Orleans
Location: East bank, Inner Harbor (Industrial) Canal, approximately 0.8 mile north of Chef Menteur Highway Bridge, Datum: MLG
Operator: Board of Commissioners of the Port of New Orleans.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Jourdan Road. Phone: (504) 528-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform level tracks at rear of transit shed.
Purpose: Mooring of transient vessels.
Depth Alongside (feet): 22 | | Latitude (decimal): 30.020556
Total Berthing Space (feet): 340 | | Longitude (decimal): -90.03056
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 60
Name: **Entergy Corp., Paterson Power Plant Wharf.**
Port: New Orleans
Location: East side, Inner Harbor (Industrial) Canal, approximately 0.7 mile north of Chef Menteur Highway Bridge, Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Jourdan Road. Phone: 504 253-3041
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.015833
Total Berthing Space (feet): 424 | | Longitude (decimal): -90.02833
Remarks: Wharf formerly used for receipt of fuel oil by barge for plant consumption. Plant now converted to burn natural gas for peak demand periods only.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 81
Name: **Florida Avenue Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, upper west side of turning basin, south of Florid Datum: MLG
Operator: The Kearney Co.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Florida Ave. Phone: (504) 528-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along concrete roadway at rear of transit shed.
Purpose: Occasional mooring of barges.
Depth Alongside (feet): 30 | 20 | 15 - 20 Latitude (decimal): 29.979444
Total Berthing Space (feet): 482 | 60 | 40 Longitude (decimal): -90.025
Remarks: At time of survey (2001) shed was used only as a warehouse. Concrete roadway along rear of transit shed is at shed-floor level. Trucks have access to interior of transit shed via approaches to door at north end and roadway along rear. RO/RO ramp allows transfer of cargo via vessel stern ramp. The 4.9 acre Florida Avenue marshalling area is located adjacent to the wharf on the north side of turning basin.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 80
Name: **France Road Terminal, Berth No. 1.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, north of Florida Avenue Bridge, New Orleans. Datum: MLG
Operator: Universal Maritime Service Corp, a subsidiary of Maersk Sealand, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 2700 France Road. Phone: 504 948-0284
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 32 | | Latitude (decimal): 29.983333
Total Berthing Space (feet): 830 | | Longitude (decimal): -90.02194

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 80
Name: **France Road Terminal, Berth No. 1.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, north of Florida Avenue Bridge, New Orleans. Datum: MLG
Operator: Universal Maritime Service Corp, a subsidiary of Maersk Sealand, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 2700 France Road. Phone: 504 948-0284
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 32 | | Latitude (decimal): 29.983333
Total Berthing Space (feet): 830 | | Longitude (decimal): -90.02194

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 80
Name: **France Road Terminal, Berth No. 1.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, north of Florida Avenue Bridge, New Orleans. Datum: MLG
Operator: Universal Maritime Service Corp, a subsidiary of Maersk Sealand, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 2700 France Road. Phone: 504 948-0284
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 32 | | Latitude (decimal): 29.983333
Total Berthing Space (feet): 830 | | Longitude (decimal): -90.02194
Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Open storage area at rear has space for 1,100 containers on chassis, including 160 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Open storage area at rear has space for 1,100 containers on chassis, including 160 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Open storage area at rear has space for 1,100 containers on chassis, including 160 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 80
Name: **France Road Terminal, Berth No. 1.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, north of Florida Avenue Bridge, New Orleans. Datum: MLG
Operator: Universal Maritime Service Corp, a subsidiary of Maersk Sealand, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 2700 France Road. Phone: 504 948-0284
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 32 | | Latitude (decimal): 29.983333
Total Berthing Space (feet): 830 | | Longitude (decimal): -90.02194

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 80
Name: **France Road Terminal, Berth No. 1.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, north of Florida Avenue Bridge, New Orleans. Datum: MLG
Operator: Universal Maritime Service Corp, a subsidiary of Maersk Sealand, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 2700 France Road. Phone: 504 948-0284
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 32 | | Latitude (decimal): 29.983333
Total Berthing Space (feet): 830 | | Longitude (decimal): -90.02194

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 80
Name: **France Road Terminal, Berth No. 1.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, north of Florida Avenue Bridge, New Orleans. Datum: MLG
Operator: Universal Maritime Service Corp, a subsidiary of Maersk Sealand, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 2700 France Road. Phone: 504 948-0284
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 32 | | Latitude (decimal): 29.983333
Total Berthing Space (feet): 830 | | Longitude (decimal): -90.02194
Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Open storage area at rear has space for 1,100 containers on chassis, including 160 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Open storage area at rear has space for 1,100 containers on chassis, including 160 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Open storage area at rear has space for 1,100 containers on chassis, including 160 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 80
Name: **France Road Terminal, Berth No. 1.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, north of Florida Avenue Bridge, New Orleans. Datum: MLG
Operator: Universal Maritime Service Corp, a subsidiary of Maersk Sealand, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 2700 France Road. Phone: 504 948-0284
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 32 | | Latitude (decimal): 29.983333
Total Berthing Space (feet): 830 | | Longitude (decimal): -90.02194

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 80
Name: **France Road Terminal, Berth No. 1.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, north of Florida Avenue Bridge, New Orleans. Datum: MLG
Operator: Universal Maritime Service Corp, a subsidiary of Maersk Sealand, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 2700 France Road. Phone: 504 948-0284
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 32 | | Latitude (decimal): 29.983333
Total Berthing Space (feet): 830 | | Longitude (decimal): -90.02194

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 80
Name: **France Road Terminal, Berth No. 1.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, north of Florida Avenue Bridge, New Orleans. Datum: MLG
Operator: Universal Maritime Service Corp, a subsidiary of Maersk Sealand, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 2700 France Road. Phone: 504 948-0284
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 32 | | Latitude (decimal): 29.983333
Total Berthing Space (feet): 830 | | Longitude (decimal): -90.02194
Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Open storage area at rear has space for 1,100 containers on chassis, including 160 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Open storage area at rear has space for 1,100 containers on chassis, including 160 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Open storage area at rear has space for 1,100 containers on chassis, including 160 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 79
Name: **France Road Terminal, Berth No. 4.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.5 mile north of Florida Avenue Br Datum: MLG
Operator: Ceres Gulf, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3401 France Road Phone: 504 941-5400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 30 - 33 | - | Latitude (decimal): 29.988333
Total Berthing Space (feet): 700 | - | Longitude (decimal): -90.02167

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 79
Name: **France Road Terminal, Berth No. 4.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.5 mile north of Florida Avenue Br Datum: MLG
Operator: Ceres Gulf, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3401 France Road Phone: 504 941-5400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 30 - 33 | - | Latitude (decimal): 29.988333
Total Berthing Space (feet): 700 | - | Longitude (decimal): -90.02167

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 79
Name: **France Road Terminal, Berth No. 4.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.5 mile north of Florida Avenue Br Datum: MLG
Operator: Ceres Gulf, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3401 France Road Phone: 504 941-5400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 30 - 33 | - | Latitude (decimal): 29.988333
Total Berthing Space (feet): 700 | - | Longitude (decimal): -90.02167

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 78, providing 2,280 feet of continuous berthing space. All containers are handled on chassis; paved storage area has capacity for 739 containers, including 60 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 78, providing 2,280 feet of continuous berthing space. All containers are handled on chassis; paved storage area has capacity for 739 containers, including 60 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 78, providing 2,280 feet of continuous berthing space. All containers are handled on chassis; paved storage area has capacity for 739 containers, including 60 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 79
Name: **France Road Terminal, Berth No. 4.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.5 mile north of Florida Avenue Br Datum: MLG
Operator: Ceres Gulf, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3401 France Road Phone: 504 941-5400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 30 - 33 | - | Latitude (decimal): 29.988333
Total Berthing Space (feet): 700 | - | Longitude (decimal): -90.02167

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 79
Name: **France Road Terminal, Berth No. 4.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.5 mile north of Florida Avenue Br Datum: MLG
Operator: Ceres Gulf, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3401 France Road Phone: 504 941-5400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 30 - 33 | - | Latitude (decimal): 29.988333
Total Berthing Space (feet): 700 | - | Longitude (decimal): -90.02167

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 79
Name: **France Road Terminal, Berth No. 4.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.5 mile north of Florida Avenue Br Datum: MLG
Operator: Ceres Gulf, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3401 France Road Phone: 504 941-5400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 30 - 33 | - | Latitude (decimal): 29.988333
Total Berthing Space (feet): 700 | - | Longitude (decimal): -90.02167

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 78, providing 2,280 feet of continuous berthing space. All containers are handled on chassis; paved storage area has capacity for 739 containers, including 60 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 78, providing 2,280 feet of continuous berthing space. All containers are handled on chassis; paved storage area has capacity for 739 containers, including 60 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 78, providing 2,280 feet of continuous berthing space. All containers are handled on chassis; paved storage area has capacity for 739 containers, including 60 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 79
Name: **France Road Terminal, Berth No. 4.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.5 mile north of Florida Avenue Br Datum: MLG
Operator: Ceres Gulf, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3401 France Road Phone: 504 941-5400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 30 - 33 | - | Latitude (decimal): 29.988333
Total Berthing Space (feet): 700 | - | Longitude (decimal): -90.02167

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 79
Name: **France Road Terminal, Berth No. 4.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.5 mile north of Florida Avenue Br Datum: MLG
Operator: Ceres Gulf, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3401 France Road Phone: 504 941-5400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 30 - 33 | - | Latitude (decimal): 29.988333
Total Berthing Space (feet): 700 | - | Longitude (decimal): -90.02167

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 79
Name: **France Road Terminal, Berth No. 4.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.5 mile north of Florida Avenue Br Datum: MLG
Operator: Ceres Gulf, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3401 France Road Phone: 504 941-5400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side.
Purpose: Receipt and shipment of containerized cargo in foreign and domestic trade.
Depth Alongside (feet): 30 - 33 | - | Latitude (decimal): 29.988333
Total Berthing Space (feet): 700 | - | Longitude (decimal): -90.02167

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 78, providing 2,280 feet of continuous berthing space. All containers are handled on chassis; paved storage area has capacity for 739 containers, including 60 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 78, providing 2,280 feet of continuous berthing space. All containers are handled on chassis; paved storage area has capacity for 739 containers, including 60 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 78, providing 2,280 feet of continuous berthing space. All containers are handled on chassis; paved storage area has capacity for 739 containers, including 60 positions for refrigerated cargo containers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 78
Name: **France Road Terminal, Berth No. 5.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.7 mile north of Florida Avenue Br Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3501 France Road Phone: 504 940-3400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized and roll-on/ roll-off cargo in foreign trade.
Depth Alongside (feet): 30 - 33 | 33 | 30 - 33 Latitude (decimal): 29.991944
Total Berthing Space (feet): 900 | 115 | 300 Longitude (decimal): -90.02278

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 78
Name: **France Road Terminal, Berth No. 5.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.7 mile north of Florida Avenue Br Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3501 France Road Phone: 504 940-3400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized and roll-on/ roll-off cargo in foreign trade.
Depth Alongside (feet): 30 - 33 | 33 | 30 - 33 Latitude (decimal): 29.991944
Total Berthing Space (feet): 900 | 115 | 300 Longitude (decimal): -90.02278

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 78
Name: **France Road Terminal, Berth No. 5.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.7 mile north of Florida Avenue Br Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3501 France Road Phone: 504 940-3400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized and roll-on/ roll-off cargo in foreign trade.
Depth Alongside (feet): 30 - 33 | 33 | 30 - 33 Latitude (decimal): 29.991944
Total Berthing Space (feet): 900 | 115 | 300 Longitude (decimal): -90.02278

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 79, providing 2,280 feet of continuous berthing space. RO/RO ramp extends from north end of berth allowing transfer of cargo via vessel stern ramp. Paved, 75-acre, open storage area at rear has capacity for the following 40-foot containers: 311 on chassis; 3,564 stacked 3-high; and 74 positions forrefrigerated cargo. An additional 10-acre, open storage area is located across France Road and has a capacity for 119 forty-foot and 96 twenty-foot containers on chassis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 79, providing 2,280 feet of continuous berthing space. RO/RO ramp extends from north end of berth allowing transfer of cargo via vessel stern ramp. Paved, 75-acre, open storage area at rear has capacity for the following 40-foot containers: 311 on chassis; 3,564 stacked 3-high; and 74 positions forrefrigerated cargo. An additional 10-acre, open storage area is located across France Road and has a capacity for 119 forty-foot and 96 twenty-foot containers on chassis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 79, providing 2,280 feet of continuous berthing space. RO/RO ramp extends from north end of berth allowing transfer of cargo via vessel stern ramp. Paved, 75-acre, open storage area at rear has capacity for the following 40-foot containers: 311 on chassis; 3,564 stacked 3-high; and 74 positions forrefrigerated cargo. An additional 10-acre, open storage area is located across France Road and has a capacity for 119 forty-foot and 96 twenty-foot containers on chassis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 78
Name: **France Road Terminal, Berth No. 5.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.7 mile north of Florida Avenue Br Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3501 France Road Phone: 504 940-3400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized and roll-on/ roll-off cargo in foreign trade.
Depth Alongside (feet): 30 - 33 | 33 | 30 - 33 Latitude (decimal): 29.991944
Total Berthing Space (feet): 900 | 115 | 300 Longitude (decimal): -90.02278

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 78
Name: **France Road Terminal, Berth No. 5.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.7 mile north of Florida Avenue Br Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3501 France Road Phone: 504 940-3400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized and roll-on/ roll-off cargo in foreign trade.
Depth Alongside (feet): 30 - 33 | 33 | 30 - 33 Latitude (decimal): 29.991944
Total Berthing Space (feet): 900 | 115 | 300 Longitude (decimal): -90.02278

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 78
Name: **France Road Terminal, Berth No. 5.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.7 mile north of Florida Avenue Br Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3501 France Road Phone: 504 940-3400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized and roll-on/ roll-off cargo in foreign trade.
Depth Alongside (feet): 30 - 33 | 33 | 30 - 33 Latitude (decimal): 29.991944
Total Berthing Space (feet): 900 | 115 | 300 Longitude (decimal): -90.02278

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 79, providing 2,280 feet of continuous berthing space. RO/RO ramp extends from north end of berth allowing transfer of cargo via vessel stern ramp. Paved, 75-acre, open storage area at rear has capacity for the following 40-foot containers: 311 on chassis; 3,564 stacked 3-high; and 74 positions forrefrigerated cargo. An additional 10-acre, open storage area is located across France Road and has a capacity for 119 forty-foot and 96 twenty-foot containers on chassis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 79, providing 2,280 feet of continuous berthing space. RO/RO ramp extends from north end of berth allowing transfer of cargo via vessel stern ramp. Paved, 75-acre, open storage area at rear has capacity for the following 40-foot containers: 311 on chassis; 3,564 stacked 3-high; and 74 positions forrefrigerated cargo. An additional 10-acre, open storage area is located across France Road and has a capacity for 119 forty-foot and 96 twenty-foot containers on chassis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 79, providing 2,280 feet of continuous berthing space. RO/RO ramp extends from north end of berth allowing transfer of cargo via vessel stern ramp. Paved, 75-acre, open storage area at rear has capacity for the following 40-foot containers: 311 on chassis; 3,564 stacked 3-high; and 74 positions forrefrigerated cargo. An additional 10-acre, open storage area is located across France Road and has a capacity for 119 forty-foot and 96 twenty-foot containers on chassis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 78
Name: **France Road Terminal, Berth No. 5.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.7 mile north of Florida Avenue Br Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3501 France Road Phone: 504 940-3400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized and roll-on/ roll-off cargo in foreign trade.
Depth Alongside (feet): 30 - 33 | 33 | 30 - 33 Latitude (decimal): 29.991944
Total Berthing Space (feet): 900 | 115 | 300 Longitude (decimal): -90.02278

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 78
Name: **France Road Terminal, Berth No. 5.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.7 mile north of Florida Avenue Br Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3501 France Road Phone: 504 940-3400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized and roll-on/ roll-off cargo in foreign trade.
Depth Alongside (feet): 30 - 33 | 33 | 30 - 33 Latitude (decimal): 29.991944
Total Berthing Space (feet): 900 | 115 | 300 Longitude (decimal): -90.02278

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 78
Name: **France Road Terminal, Berth No. 5.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.7 mile north of Florida Avenue Br Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3501 France Road Phone: 504 940-3400
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along south side of container freight station.
Purpose: Receipt and shipment of containerized and roll-on/ roll-off cargo in foreign trade.
Depth Alongside (feet): 30 - 33 | 33 | 30 - 33 Latitude (decimal): 29.991944
Total Berthing Space (feet): 900 | 115 | 300 Longitude (decimal): -90.02278

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 79, providing 2,280 feet of continuous berthing space. RO/RO ramp extends from north end of berth allowing transfer of cargo via vessel stern ramp. Paved, 75-acre, open storage area at rear has capacity for the following 40-foot containers: 311 on chassis; 3,564 stacked 3-high; and 74 positions forrefrigerated cargo. An additional 10-acre, open storage area is located across France Road and has a capacity for 119 forty-foot and 96 twenty-foot containers on chassis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 79, providing 2,280 feet of continuous berthing space. RO/RO ramp extends from north end of berth allowing transfer of cargo via vessel stern ramp. Paved, 75-acre, open storage area at rear has capacity for the following 40-foot containers: 311 on chassis; 3,564 stacked 3-high; and 74 positions forrefrigerated cargo. An additional 10-acre, open storage area is located across France Road and has a capacity for 119 forty-foot and 96 twenty-foot containers on chassis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Operator also maintains facilities at Mississippi River Terminal Complex (PWD Ref. Nos. 115-122). Face of wharf is in line and contiguous with Ref. No. 79, providing 2,280 feet of continuous berthing space. RO/RO ramp extends from north end of berth allowing transfer of cargo via vessel stern ramp. Paved, 75-acre, open storage area at rear has capacity for the following 40-foot containers: 311 on chassis; 3,564 stacked 3-high; and 74 positions forrefrigerated cargo. An additional 10-acre, open storage area is located across France Road and has a capacity for 119 forty-foot and 96 twenty-foot containers on chassis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 84

Name: **Galvez Street Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 400 feet north of North Claiborne A Datum: MLG

Operator: Not operated.

Owner: Board of Commissioners of the Port of New Orleans.

Address: Foot of Galvez Street. Phone: 504-524-3297

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: Two connecting surface tracks on apron and 2 platform-level tracks along roadway at rear of transit shed, connect with Claiborne Storage Yard.

Purpose: Not used.

Depth Alongside (feet): 35 | 20 - 30 | Latitude (decimal): 29.973611

Total Berthing Space (feet): 2,470 | 265 | Longitude (decimal): -90.02444

Remarks: After completion of survey (2001), facility was demolished for construction of new Industrial Canal lock.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 61
Name: **Global Lime, LLC, Slip.**
Port: New Orleans
Location: North side of slip, east bank of Inner Harbor (Industrial) Canal,approx. 0.6 mile north of Chef Menteur Datum: MLG
Operator: Global Lime, LLC.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 5100 Jourdan Road. Phone: 504-248-6363
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: One surface track along rear of building at rear joins additional plant trackage; connects with New Orleans Public Belt Railroad.
Purpose: Mooring barge-mounted kiln.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 275w/ | | Longitude (decimal): -90.02833

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 61
Name: **Global Lime, LLC, Slip.**
Port: New Orleans
Location: North side of slip, east bank of Inner Harbor (Industrial) Canal,approx. 0.6 mile north of Chef Menteur Datum: MLG
Operator: Global Lime, LLC.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 5100 Jourdan Road. Phone: 504-248-6363
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: One surface track along rear of building at rear joins additional plant trackage; connects with New Orleans Public Belt Railroad.
Purpose: Mooring barge-mounted kiln.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 275w/ | | Longitude (decimal): -90.02833

Remarks: Slip is approximately 330 by 80 feet. Building at rear of wharf (260 by 100 feet) is used by company as storage warehouse.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Slip is approximately 330 by 80 feet. Building at rear of wharf (260 by 100 feet) is used by company as storage warehouse.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 61
Name: **Global Lime, LLC, Slip.**
Port: New Orleans
Location: North side of slip, east bank of Inner Harbor (Industrial) Canal,approx. 0.6 mile north of Chef Menteur Datum: MLG
Operator: Global Lime, LLC.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 5100 Jourdan Road. Phone: 504-248-6363
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: One surface track along rear of building at rear joins additional plant trackage; connects with New Orleans Public Belt Railroad.
Purpose: Mooring barge-mounted kiln.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 275w/ | | Longitude (decimal): -90.02833

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 61
Name: **Global Lime, LLC, Slip.**
Port: New Orleans
Location: North side of slip, east bank of Inner Harbor (Industrial) Canal,approx. 0.6 mile north of Chef Menteur Datum: MLG
Operator: Global Lime, LLC.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 5100 Jourdan Road. Phone: 504-248-6363
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: One surface track along rear of building at rear joins additional plant trackage; connects with New Orleans Public Belt Railroad.
Purpose: Mooring barge-mounted kiln.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 275w/ | | Longitude (decimal): -90.02833

Remarks: Slip is approximately 330 by 80 feet. Building at rear of wharf (260 by 100 feet) is used by company as storage warehouse.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Slip is approximately 330 by 80 feet. Building at rear of wharf (260 by 100 feet) is used by company as storage warehouse.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 62
Name: **Global Lime, LLC, Wharf.**
Port: New Orleans
Location: East bank, Inner Harbor (Industrial) Canal, approximately 0.7 mile north of Chef Menteur Highway Bridge, Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 5100 Jourdan Road. Phone: 504-248-6363
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Three surface tracks serve plant in rear; connect with New Orleans Public Belt Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.018333
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.02944

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 62
Name: **Global Lime, LLC, Wharf.**
Port: New Orleans
Location: East bank, Inner Harbor (Industrial) Canal, approximately 0.7 mile north of Chef Menteur Highway Bridge, Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 5100 Jourdan Road. Phone: 504-248-6363
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Three surface tracks serve plant in rear; connect with New Orleans Public Belt Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.018333
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.02944

Remarks: At time of survey (2001), new use of facility was being established. At present, shipment and receipt of calcium carbonate and shipment of powdered lime is by rail and truck only.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: At time of survey (2001), new use of facility was being established. At present, shipment and receipt of calcium carbonate and shipment of powdered lime is by rail and truck only.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 62
Name: **Global Lime, LLC, Wharf.**
Port: New Orleans
Location: East bank, Inner Harbor (Industrial) Canal, approximately 0.7 mile north of Chef Menteur Highway Bridge, Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 5100 Jourdan Road. Phone: 504-248-6363
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Three surface tracks serve plant in rear; connect with New Orleans Public Belt Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.018333
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.02944

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 62
Name: **Global Lime, LLC, Wharf.**
Port: New Orleans
Location: East bank, Inner Harbor (Industrial) Canal, approximately 0.7 mile north of Chef Menteur Highway Bridge, Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 5100 Jourdan Road. Phone: 504-248-6363
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Three surface tracks serve plant in rear; connect with New Orleans Public Belt Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.018333
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.02944

Remarks: At time of survey (2001), new use of facility was being established. At present, shipment and receipt of calcium carbonate and shipment of powdered lime is by rail and truck only.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: At time of survey (2001), new use of facility was being established. At present, shipment and receipt of calcium carbonate and shipment of powdered lime is by rail and truck only.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 68
Name: **Halliburton/Baroid Drilling Fluids, Inc., Industrial Canal Ore Wha**
Port: New Orleans
Location: East bank, Inner Harbor Navigation (Industrial) Canal, approximately 700 feet south of Seabrook Bridge, Datum: MLG
Operator: Halliburton/Baroid Drilling Fluids, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 8000 Jourdan Road Phone: 504 245-0600
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage in rear connects with New Orleans Public Belt Railroad.
Purpose: Receipt of baroid ore by barge.
Depth Alongside (feet): 23 | | Latitude (decimal): 30.03
Total Berthing Space (feet): 490 | | Longitude (decimal): -90.03333

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 68
Name: **Halliburton/Baroid Drilling Fluids, Inc., Industrial Canal Ore Wha**
Port: New Orleans
Location: East bank, Inner Harbor Navigation (Industrial) Canal, approximately 700 feet south of Seabrook Bridge, Datum: MLG
Operator: Halliburton/Baroid Drilling Fluids, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 8000 Jourdan Road Phone: 504 245-0600
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage in rear connects with New Orleans Public Belt Railroad.
Purpose: Receipt of baroid ore by barge.
Depth Alongside (feet): 23 | | Latitude (decimal): 30.03
Total Berthing Space (feet): 490 | | Longitude (decimal): -90.03333

Remarks: Ships transfer ore mid-stream to barges; thence carried to wharf. Open storage area in rear for 60,000 tons of barite ore.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Ships transfer ore mid-stream to barges; thence carried to wharf. Open storage area in rear for 60,000 tons of barite ore.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 68
Name: **Halliburton/Baroid Drilling Fluids, Inc., Industrial Canal Ore Wha**
Port: New Orleans
Location: East bank, Inner Harbor Navigation (Industrial) Canal, approximately 700 feet south of Seabrook Bridge, Datum: MLG
Operator: Halliburton/Baroid Drilling Fluids, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 8000 Jourdan Road Phone: 504 245-0600
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage in rear connects with New Orleans Public Belt Railroad.
Purpose: Receipt of baroid ore by barge.
Depth Alongside (feet): 23 | | Latitude (decimal): 30.03
Total Berthing Space (feet): 490 | | Longitude (decimal): -90.03333

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 68
Name: **Halliburton/Baroid Drilling Fluids, Inc., Industrial Canal Ore Wha**
Port: New Orleans
Location: East bank, Inner Harbor Navigation (Industrial) Canal, approximately 700 feet south of Seabrook Bridge, Datum: MLG
Operator: Halliburton/Baroid Drilling Fluids, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 8000 Jourdan Road Phone: 504 245-0600
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage in rear connects with New Orleans Public Belt Railroad.
Purpose: Receipt of baroid ore by barge.
Depth Alongside (feet): 23 | | Latitude (decimal): 30.03
Total Berthing Space (feet): 490 | | Longitude (decimal): -90.03333

Remarks: Ships transfer ore mid-stream to barges; thence carried to wharf. Open storage area in rear for 60,000 tons of barite ore.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Ships transfer ore mid-stream to barges; thence carried to wharf. Open storage area in rear for 60,000 tons of barite ore.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 67
Name: **Halliburton/Baroid Drilling Fluids, Inc., Industrial Canal Warehou**
Port: New Orleans
Location: East bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile south of Seabrook Bridge, Datum: MLG
Operator: Halliburton/Baroid Drilling Fluids, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 8000 Jourdan Road Phone: 504 245-0600
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: One surface track along rear of bulkhead joins with an additional track along rear of building; connects with New Orleans Public Belt Railroad.
Purpose: Shipment of bagged drilling mud.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 532 | - | Longitude (decimal): -90.03222

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 67
Name: **Halliburton/Baroid Drilling Fluids, Inc., Industrial Canal Warehou**
Port: New Orleans
Location: East bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile south of Seabrook Bridge, Datum: MLG
Operator: Halliburton/Baroid Drilling Fluids, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 8000 Jourdan Road Phone: 504 245-0600
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: One surface track along rear of bulkhead joins with an additional track along rear of building; connects with New Orleans Public Belt Railroad.
Purpose: Shipment of bagged drilling mud.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 532 | - | Longitude (decimal): -90.03222

Remarks: Building at rear of bulkhead (260 by 100 feet) used by company as packaging plant and storage warehouse. One 2,000-ton and two 300-ton drilling mud storage silos are located on northwest end of bulkhead; three additional storage silos at grinding mill have total capacity for 1,000 tons.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Building at rear of bulkhead (260 by 100 feet) used by company as packaging plant and storage warehouse. One 2,000-ton and two 300-ton drilling mud storage silos are located on northwest end of bulkhead; three additional storage silos at grinding mill have total capacity for 1,000 tons.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 67

Name: **Halliburton/Baroid Drilling Fluids, Inc., Industrial Canal Warehou**

Port: New Orleans

Location: East bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile south of Seabrook Bridge, Datum: MLG

Operator: Halliburton/Baroid Drilling Fluids, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 8000 Jourdan Road Phone: 504 245-0600

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: One surface track along rear of bulkhead joins with an additional track along rear of building; connects with New Orleans Public Belt Railroad.

Purpose: Shipment of bagged drilling mud.

Depth Alongside (feet): 10 | | Latitude (decimal): 30.028889

Total Berthing Space (feet): 532 | - | Longitude (decimal): -90.03222

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 67

Name: **Halliburton/Baroid Drilling Fluids, Inc., Industrial Canal Warehou**

Port: New Orleans

Location: East bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile south of Seabrook Bridge, Datum: MLG

Operator: Halliburton/Baroid Drilling Fluids, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 8000 Jourdan Road Phone: 504 245-0600

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: One surface track along rear of bulkhead joins with an additional track along rear of building; connects with New Orleans Public Belt Railroad.

Purpose: Shipment of bagged drilling mud.

Depth Alongside (feet): 10 | | Latitude (decimal): 30.028889

Total Berthing Space (feet): 532 | - | Longitude (decimal): -90.03222

Remarks: Building at rear of bulkhead (260 by 100 feet) used by company as packaging plant and storage warehouse. One 2,000-ton and two 300-ton drilling mud storage silos are located on northwest end of bulkhead; three additional storage silos at grinding mill have total capacity for 1,000 tons.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Building at rear of bulkhead (260 by 100 feet) used by company as packaging plant and storage warehouse. One 2,000-ton and two 300-ton drilling mud storage silos are located on northwest end of bulkhead; three additional storage silos at grinding mill have total capacity for 1,000 tons.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 71

Name: **Holnum, Inc., New Orleans Cement Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.7 mile north of Chef Menteur High Datum: MLG

Operator: Holnum, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 5301 France Road. Phone: 504-282-6426

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: Surface tracks serve car-loading spout and car-receiving pit, and join with a 20-car-capacity storage yard in rear.

Purpose: Receipt of bulk cement by barge.

Depth Alongside (feet): 17 | | Latitude (decimal): 30.018889

Total Berthing Space (feet): 560 | | Longitude (decimal): -90.03083

Remarks: A discharge hose and manifold system on lower platform of wharf connects to four 14-inch pipelines extending to 31 concrete cement storage silos, capacity 55,000 tons, and two steel cement storage silos, capacity 3,000 tons, at rear and near lower end of wharf. Plant is equipped to receive bulk cement from rail cars via a receiving pit with screw-type conveyor extending to concrete storage silos at a rate of 75 tons per hour, and to load rail cars through onespout at a rate of one car per hour. An additional 620 feet of barge mooring space is available along natural bank below the wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 82

Name: **Lafarge Corp. New Orleans Cement Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, lower west side of turning basin, south of Florid Datum: MLG

Operator: Lafarge Corp.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 2315 Florida Ave. Phone: 504 943-5550

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: None.

Purpose: Receipt of cement by barge.

Depth Alongside (feet): 11 | | Latitude (decimal): 29.977778

Total Berthing Space (feet): 600 | | Longitude (decimal): -90.02583

Remarks: One 12-inch, pneumatic pipeline extends to 24 concrete, cement storage silos with 11 interstitial storage bins, total capacity 60,000 tons. Plant is equipped to supply cement to trucks through 2 spouts.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 77
Name: **MECO Mooring.**
Port: New Orleans
Location: North side, Slip No. 3, west bank of Inner Harbor (Industrial) Canal, approx. 0.4 mile south of U.S. Int Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3855 France Road. Phone: 504 599-4358
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.998889
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.02528
Remarks: Plant located at rear fabricates water purification equipment, including steel storage tanks. At time of survey (2001), all shipment of fabricated equipment was by truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 66
Name: **Morrison Yard Turning Basin Wharf.**
Port: New Orleans
Location: East bank of Inner Harbor Navigation (Industrial) Canal Turning Basin, approximately 0.3 mile south of S Datum: MLG
Operator: Board of Commissioners of the Port of New Orleans.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Jourdan Road Phone: (504) 528-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Surface tracks at rear connect with New Orleans Public Belt Railroad.
Purpose: Mooring of transient vessels.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.027778
Total Berthing Space (feet): 670 | | Longitude (decimal): -90.03111
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 65
Name: **Morrison Yard Wharf.**
Port: New Orleans
Location: East bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile south of Seabrook Bridge, Datum: MLG
Operator: Board of Commissioners of the Port of New Orleans.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Jourdan Road. Phone: (504) 528-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Three connecting surface tracks on wharf apron join surface track at rear; connect with New Orleans Public Belt Railroad. (See Remarks.)
Purpose: Mooring of transient vessels.
Depth Alongside (feet): 28 - 30 | | 12 - 30 Latitude (decimal): 30.024722
Total Berthing Space (feet): 970 | | 434 Longitude (decimal): -90.03139
Remarks: Surface tracks extending along apron were blocked by dividing fence across apron at time of survey (2001). Approximately 6 acres of open storage area located at rear. Turning basin located above north side of wharf. Buildings ar rear used as maintenance shops for Board of Commissioners.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 83
Name: **Namasco Corp. New Orleans Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, south side of turning basin, south of Florida Ave Datum: MLG
Operator: Namasco Corp.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4501 N. Miro St. Phone: 504 947-4215
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: One part surface and part platform-level track extends 520 feet through plant at rear.
Purpose: Receipt of structural steel shapes, flat-rolled steel, and wire products by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.976667
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.025
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 70
Name: **Orleans Materials & Equipment Co., Inc., Barge Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.8 mile south of below Seabrook Br Datum: MLG
Operator: Orleans Materials & Equipment Company, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 5501 France Road. Phone: 504-288-6361
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Four surface tracks serve open storage yards; and one serves inside of fabrication shop.
Purpose: Receipt and occasional shipment of structural and reinforcing steel by barge.
Depth Alongside (feet): 13 | 13 | 13 Latitude (decimal): 30.020556
Total Berthing Space (feet): 50 | 217 | 190 Longitude (decimal): -90.03194
Remarks: Steel fabrication shop and warehouse located in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 76
Name: **Pontchartrain Materials Corps., Industrial Canal Slip.**
Port: New Orleans
Location: West bank and Slip 4, Inner Harbor Navigation (Industrial) Canal, approxim. 750 feet south of U.S. Inter Datum: MLG
Operator: Pontchartrain Materials Corp.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3819 France Road. Phone: 504 949-7571
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Receipt and shipment of limestone and sand by barge.
Depth Alongside (feet): 9 | 9 - 20 | 9 - 20 Latitude (decimal): 30.002778
Total Berthing Space (feet): 200 | 1,500 | 800 Longitude (decimal): -90.02611
Remarks: Additional 400 feet of mooring available along canal south of slip. Slip is approximately 200 feet wide and at a 45 degree angle to canal. Open storage area in rear has capacity for 50,000 cubic yards of sand and 125,000 cubic yards of limestone.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 25
Name: **Southern Scrap Material Co., LLC, □Industrial Canal Shredder Loadi**
Port: New Orleans
Location: Southeast side of turning basin, junction of Mississippi River-Gulf Outlet Seaway Canal with Inner Harbo Datum: MLG
Operator: Southern Scrap Material Co., LLC., a division of Southern Holdings, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4801 Florida Avenue Phone: 504 942-0348
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Shipment of scrap metal by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.990556
Total Berthing Space (feet): 310 | | Longitude (decimal): -90.01611

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 25
Name: **Southern Scrap Material Co., LLC, □Industrial Canal Shredder Loadi**
Port: New Orleans
Location: Southeast side of turning basin, junction of Mississippi River-Gulf Outlet Seaway Canal with Inner Harbo Datum: MLG
Operator: Southern Scrap Material Co., LLC., a division of Southern Holdings, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4801 Florida Avenue Phone: 504 942-0348
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Shipment of scrap metal by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.990556
Total Berthing Space (feet): 310 | | Longitude (decimal): -90.01611
Remarks: Auto shredder and approximately 5 acres of open storage area are located at rear.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Auto shredder and approximately 5 acres of open storage area are located at rear.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 25
Name: **Southern Scrap Material Co., LLC, Industrial Canal Shredder Loadi**
Port: New Orleans
Location: Southeast side of turning basin, junction of Mississippi River-Gulf Outlet Seaway Canal with Inner Harbo Datum: MLG
Operator: Southern Scrap Material Co., LLC., a division of Southern Holdings, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4801 Florida Avenue Phone: 504 942-0348
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Shipment of scrap metal by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.990556
Total Berthing Space (feet): 310 | | Longitude (decimal): -90.01611

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 25
Name: **Southern Scrap Material Co., LLC, Industrial Canal Shredder Loadi**
Port: New Orleans
Location: Southeast side of turning basin, junction of Mississippi River-Gulf Outlet Seaway Canal with Inner Harbo Datum: MLG
Operator: Southern Scrap Material Co., LLC., a division of Southern Holdings, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4801 Florida Avenue Phone: 504 942-0348
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Shipment of scrap metal by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.990556
Total Berthing Space (feet): 310 | | Longitude (decimal): -90.01611

Remarks: Auto shredder and approximately 5 acres of open storage area are located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: Auto shredder and approximately 5 acres of open storage area are located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 24

Name: **Southern Scrap Material Co., LLC, Industrial Canal Main Wharf.**

Port: New Orleans

Location: East bank, Inner Harbor Navigation (Industrial) Canal, approximately 750 feet north of Florida Avenue Br Datum: MLG

Operator: Southern Scrap Material Co., LLC., a division of Southern Holdings, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4801 Florida Avenue Phone: 504 942-0348

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: Two marginal surface tracks on wharf join additional trackage serving open storage area in rear.

Purpose: Receipt of scrap metal by barge; shipment of scrap metal by ship and barge.

Depth Alongside (feet): 32 | | Latitude (decimal): 29.983333

Total Berthing Space (feet): 451 | | Longitude (decimal): -90.02028

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 24

Name: **Southern Scrap Material Co., LLC, Industrial Canal Main Wharf.**

Port: New Orleans

Location: East bank, Inner Harbor Navigation (Industrial) Canal, approximately 750 feet north of Florida Avenue Br Datum: MLG

Operator: Southern Scrap Material Co., LLC., a division of Southern Holdings, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4801 Florida Avenue Phone: 504 942-0348

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: Two marginal surface tracks on wharf join additional trackage serving open storage area in rear.

Purpose: Receipt of scrap metal by barge; shipment of scrap metal by ship and barge.

Depth Alongside (feet): 32 | | Latitude (decimal): 29.983333

Total Berthing Space (feet): 451 | | Longitude (decimal): -90.02028

Remarks: A 400- by 150-foot, steel sheet pile bulkhead slip with 10-foot depth of water north of wharf is occasionally used by operator for shipbreaking. Approximately 10 acres of open storage area are located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: A 400- by 150-foot, steel sheet pile bulkhead slip with 10-foot depth of water north of wharf is occasionally used by operator for shipbreaking. Approximately 10 acres of open storage area are located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 24

Name: **Southern Scrap Material Co., LLC, Industrial Canal Main Wharf.**

Port: New Orleans

Location: East bank, Inner Harbor Navigation (Industrial) Canal, approximately 750 feet north of Florida Avenue Br Datum: MLG

Operator: Southern Scrap Material Co., LLC., a division of Southern Holdings, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4801 Florida Avenue Phone: 504 942-0348

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: Two marginal surface tracks on wharf join additional trackage serving open storage area in rear.

Purpose: Receipt of scrap metal by barge; shipment of scrap metal by ship and barge.

Depth Alongside (feet): 32 | | Latitude (decimal): 29.983333

Total Berthing Space (feet): 451 | | Longitude (decimal): -90.02028

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 24

Name: **Southern Scrap Material Co., LLC, Industrial Canal Main Wharf.**

Port: New Orleans

Location: East bank, Inner Harbor Navigation (Industrial) Canal, approximately 750 feet north of Florida Avenue Br Datum: MLG

Operator: Southern Scrap Material Co., LLC., a division of Southern Holdings, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4801 Florida Avenue Phone: 504 942-0348

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: Two marginal surface tracks on wharf join additional trackage serving open storage area in rear.

Purpose: Receipt of scrap metal by barge; shipment of scrap metal by ship and barge.

Depth Alongside (feet): 32 | | Latitude (decimal): 29.983333

Total Berthing Space (feet): 451 | | Longitude (decimal): -90.02028

Remarks: A 400- by 150-foot, steel sheet pile bulkhead slip with 10-foot depth of water north of wharf is occasionally used by operator for shipbreaking. Approximately 10 acres of open storage area are located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Remarks: A 400- by 150-foot, steel sheet pile bulkhead slip with 10-foot depth of water north of wharf is occasionally used by operator for shipbreaking. Approximately 10 acres of open storage area are located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72
Name: **Trinity Yachts, Inc., Outfitting Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.
Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.
Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278
Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72
Name: **Trinity Yachts, Inc., Outfitting Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.
Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.
Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278
Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72
Name: **Trinity Yachts, Inc., Outfitting Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.
Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.
Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278
Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72

Name: **Trinity Yachts, Inc., Outfitting Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.

Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.

Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278

Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72
Name: **Trinity Yachts, Inc., Outfitting Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.
Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.
Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278
Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72
Name: **Trinity Yachts, Inc., Outfitting Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.
Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.
Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278
Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72
Name: **Trinity Yachts, Inc., Outfitting Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.
Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.
Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278
Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72

Name: **Trinity Yachts, Inc., Outfitting Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.

Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.

Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278

Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72
Name: **Trinity Yachts, Inc., Outfitting Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.
Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.
Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278
Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72
Name: **Trinity Yachts, Inc., Outfitting Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.
Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.
Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278
Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72
Name: **Trinity Yachts, Inc., Outfitting Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.
Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.
Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278
Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72

Name: **Trinity Yachts, Inc., Outfitting Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.

Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.

Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278

Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72
Name: **Trinity Yachts, Inc., Outfitting Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.
Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.
Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278
Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72
Name: **Trinity Yachts, Inc., Outfitting Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.
Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.
Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278
Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72
Name: **Trinity Yachts, Inc., Outfitting Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.
Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.
Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278
Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 72

Name: **Trinity Yachts, Inc., Outfitting Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.4 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Four surface tracks located at rear of wharf; connect with New Orleans Public Belt Railroad.

Purpose: Launching new yachts; hauling yachts for repair; mooring yachts for outfitting and repair.

Depth Alongside (feet): 17 | 17 | 9 - 17 Latitude (decimal): 30.015278

Total Berthing Space (feet): 230 | 95 | 190 Longitude (decimal): -90.03028

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: South side of wharf forms north side of slip described in PWD Ref. No. 73. Two 42-ton, diesel-electric, full-portal gantry cranes, each with 115-foot boom, serve open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74
Name: **Trinity Yachts, Inc., Plant Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111
Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74
Name: **Trinity Yachts, Inc., Plant Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111
Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74
Name: **Trinity Yachts, Inc., Plant Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111
Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74

Name: **Trinity Yachts, Inc., Plant Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road. Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.

Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.

Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111

Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74
Name: **Trinity Yachts, Inc., Plant Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111
Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74
Name: **Trinity Yachts, Inc., Plant Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111
Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74
Name: **Trinity Yachts, Inc., Plant Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111
Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74

Name: **Trinity Yachts, Inc., Plant Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road. Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.

Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.

Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111

Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74
Name: **Trinity Yachts, Inc., Plant Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111
Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74
Name: **Trinity Yachts, Inc., Plant Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111
Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74
Name: **Trinity Yachts, Inc., Plant Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111
Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74

Name: **Trinity Yachts, Inc., Plant Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road. Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.

Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.

Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111

Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74
Name: **Trinity Yachts, Inc., Plant Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111
Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74
Name: **Trinity Yachts, Inc., Plant Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111
Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74
Name: **Trinity Yachts, Inc., Plant Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111
Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 74

Name: **Trinity Yachts, Inc., Plant Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.2 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road. Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.

Purpose: Above-waterline yacht repairs; handling materials and equipment to and from yachts.

Depth Alongside (feet): 17 | | Latitude (decimal): 30.011111

Total Berthing Space (feet): 1066 | | Longitude (decimal): -90.02833

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Additional berthing is available in 170-by 40-foot covered boat basin adjacent to north end of bulkhead.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75
Name: **Trinity Yachts, Inc., Shear Shop Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444
Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75
Name: **Trinity Yachts, Inc., Shear Shop Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444
Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75
Name: **Trinity Yachts, Inc., Shear Shop Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444
Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75

Name: **Trinity Yachts, Inc., Shear Shop Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.

Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.

Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444

Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75
Name: **Trinity Yachts, Inc., Shear Shop Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444
Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75
Name: **Trinity Yachts, Inc., Shear Shop Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444
Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75
Name: **Trinity Yachts, Inc., Shear Shop Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444
Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75

Name: **Trinity Yachts, Inc., Shear Shop Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.

Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.

Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444

Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75
Name: **Trinity Yachts, Inc., Shear Shop Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444
Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75
Name: **Trinity Yachts, Inc., Shear Shop Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444
Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75
Name: **Trinity Yachts, Inc., Shear Shop Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444
Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75

Name: **Trinity Yachts, Inc., Shear Shop Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.

Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.

Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444

Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75
Name: **Trinity Yachts, Inc., Shear Shop Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444
Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75
Name: **Trinity Yachts, Inc., Shear Shop Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444
Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75
Name: **Trinity Yachts, Inc., Shear Shop Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444
Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 75

Name: **Trinity Yachts, Inc., Shear Shop Wharf.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.1 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.

Purpose: Handling materials and equipment to and from yachts undergoing repair and outfitting.

Depth Alongside (feet): 17 | | Latitude (decimal): 30.009444

Total Berthing Space (feet): 212 | | Longitude (decimal): -90.02778

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Two-story office building located at rear of north portion of bulkhead.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73
Name: **Trinity Yachts, Inc., Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Launching and hauling yachts.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73
Name: **Trinity Yachts, Inc., Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Launching and hauling yachts.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73
Name: **Trinity Yachts, Inc., Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Launching and hauling yachts.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73

Name: **Trinity Yachts, Inc., Slip.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road. Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.

Purpose: Launching and hauling yachts.

Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778

Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73
Name: **Trinity Yachts, Inc., Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Launching and hauling yachts.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73
Name: **Trinity Yachts, Inc., Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Launching and hauling yachts.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73
Name: **Trinity Yachts, Inc., Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Launching and hauling yachts.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73

Name: **Trinity Yachts, Inc., Slip.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road. Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.

Purpose: Launching and hauling yachts.

Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778

Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73
Name: **Trinity Yachts, Inc., Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Launching and hauling yachts.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73
Name: **Trinity Yachts, Inc., Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Launching and hauling yachts.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73
Name: **Trinity Yachts, Inc., Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Launching and hauling yachts.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73

Name: **Trinity Yachts, Inc., Slip.**

Port: New Orleans

Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG

Operator: Trinity Yachts, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 4325 France Road. Phone: 504 284-7151

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.

Purpose: Launching and hauling yachts.

Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778

Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73
Name: **Trinity Yachts, Inc., Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Launching and hauling yachts.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73
Name: **Trinity Yachts, Inc., Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Launching and hauling yachts.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73
Name: **Trinity Yachts, Inc., Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Launching and hauling yachts.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 73
Name: **Trinity Yachts, Inc., Slip.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, approximately 0.3 mile north of Chef Menteur High Datum: MLG
Operator: Trinity Yachts, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4325 France Road. Phone: 504 284-7151
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear connects with New Orleans Public Belt Railroad.
Purpose: Launching and hauling yachts.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.012778
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.02944
Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Remarks: Bridge cranes span slip, used for launching and hauling yachts.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 69
Name: **TXI New Orleans Aggregate Terminal Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, north side of Slip No. 6, approx. 700 feet south Datum: MLG
Operator: Not operated (See Remarks).
Owner: Board of Commissioners of the Port of New Orleans.
Address: 6401 France Road. Phone: 504 464-0411
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: One surface track in rear of bank along slip; connects with New Orleans Public Belt Railroad, not in use at time of survey (2001).
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 30.028611
Total Berthing Space (feet): 200 | 800 | Longitude (decimal): -90.03528
Remarks: Slip is approximately 200 feet wide and at a 45 degree angle to canal. Open storage area in rear for 60,000 cubic yards of aggregate and broken concrete. At time of survey (2001), new use of facility was being established. Barge loading and/or unloading equipment may be added in future.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Port Facilities by Waterway

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 85
Name: **U.S. Coast Guard Group New Orleans Wharf.**
Port: New Orleans
Location: West bank, Inner Harbor Navigation (Industrial) Canal, south of North Claiborne Avenue Bridge, New Orle Datum: MLG
Operator: U.S. Coast Guard.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 4640 Urquhart Street. Phone: 504-942-3053
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels.
Depth Alongside (feet): 5 - 10 | | Latitude (decimal): 29.9675
Total Berthing Space (feet): 735 | | Longitude (decimal): -90.02667
Remarks: Shops, open storage area, and depot located in rear. Additional berthing available below south side of wharf for small craft maintenance and repair: 1 open and 3 covered, parallel, 30- by 8-foot concrete pile, concrete-decked piers spaced approximately 40 feet apart; piers extend from face of timber pile, concrete-decked extension from bulkhead with concrete-surfaced solid fill.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

---

Waterway: **Inner Harbor Navigation Canal** Mile: PWD: 64
Name: **United States Gypsum Co. Industrial Canal Wharf.**
Port: New Orleans
Location: East bank, Inner Harbor (Industrial) Canal, approximately 0.7 mile south of Seabrook Bridge, New Orleans Datum: MLG
Operator: United States Gypsum Co.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 6900 Jourdan Road. Phone: 504-241-2020 x
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Plant trackage located in rear; connects with New Orleans Public Belt Railroad.
Purpose: Receipt of synthetic gypsum and limestone by barge.
Depth Alongside (feet): 25 | 12 | Latitude (decimal): 30.021389
Total Berthing Space (feet): 362 | 240 | Longitude (decimal): -90.03028
Remarks: Synthetic gypsum storage bins have a total capacity of 60,000 tons and the open storage area has a capacity for 16,000 tons of limestone.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20500 New Orleans District

Port Facilities by Waterway

Waterway: **Lake Ponchartrain** Mile: PWD: 37
Name: **Treasure Chest Casino, New Orleans Pier.**
Port: New Orleans
Location: South shore, Lake Pontchartrain, foot of Williams Blvd. extended, Kenner. Datum:
Operator: Treasure Chest Casino.
Owner: Treasure Chest Casino.
Address: 5050 Williams Blvd. Phone: (504) 443-8000
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring casino vessel.
Depth Alongside (feet): - | | Latitude (decimal): 30.040833
Total Berthing Space (feet): 245 | | Longitude (decimal): -90.23611
Remarks: Barge superstructure contains lounge, restaurants, shops, and casino offices. Shipside end of outer approach ramp equipped with 2-stall truck unloading bay. □

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20503 New Orleans District

---

Waterway: **Lake Pontchartrain** Mile: PWD: 40
Name: **Bally's Casino New Orleans Wharf.**
Port: New Orleans
Location: South side, Lake Pontchartrain, approximately 1.3 miles northeast of entrance to Industrial Canal, New O Datum: MLG
Operator: Bally's Casino New Orleans.
Owner: Bally's Casino New Orleans.
Address: One Stars and Stripes Blvd. Phone: 504 248-3325
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring casino vessel.
Depth Alongside (feet): | - | - Latitude (decimal): 30.041667
Total Berthing Space (feet): | - | - Longitude (decimal): -90.01528
Remarks: Pier is protected from wave action by breakwater on north and west sides. Building at rear contains restaurant, offices, and shops.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20503 New Orleans District

Port Facilities by Waterway

Waterway: **Lake Pontchartrain** Mile: PWD: 38
Name: **New Orleans Sheriff's Department, Marine Patrol Wharf.**
Port: New Orleans
Location: Upper west side, Bonnabel Boat Basin, south shore of Lake Pontchartrain, foot of Bonnabel Blvd. extended Datum:
Operator: New Orleans Sheriff's Department.
Owner: New Orleans Parish.
Address: Foot of Bonnabel Blvd. extended. Phone: 504-832-2430
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring police vessel.
Depth Alongside (feet): | | Latitude (decimal): 30.019444
Total Berthing Space (feet): 10 | | Longitude (decimal): -90.14222
Remarks: Police boat moors stern-to at 10-foot wide boarding ramp on dock. Office located inside fenced area at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20503 New Orleans District

---

Waterway: **Lake Pontchartrain** Mile: PWD: 39
Name: **U.S. Coast Guard New Orleans Station, West End Wharf.**
Port: New Orleans
Location: West bank, mouth of New River, south shore Lake Pontchartrain, New Orleans (See Remarks). Datum: MLG
Operator: U. S. Coast Guard.
Owner: U.S. Government
Address: Lakeshore Drive. Phone: 504 989-2331
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels.
Depth Alongside (feet): 5 | 5 | 5 Latitude (decimal): 30.025
Total Berthing Space (feet): 100 | | Longitude (decimal): -90.11306
Remarks: One 800 gal. diesel fuel tank and one 300 gal. gasoline fuel tank are located at lower end of wharf. Offices, communication center, and lighthouse located in buildings at rear. The facility is scheduled to move to a new wharf at Bucktown in June 2001.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20503 New Orleans District

---

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 50
Name: **Air Products and Chemicals, Inc., Michoud Canal Ammonia Loading D**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.1 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc..
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.90611

Waterway: **Michoud Canal** Mile: PWD: 50
Name: **Air Products and Chemicals, Inc., Michoud Canal Ammonia Loading D**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.1 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc..
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.90611

Waterway: **Michoud Canal** Mile: PWD: 50
Name: **Air Products and Chemicals, Inc., Michoud Canal Ammonia Loading D**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.1 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc..
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.90611
Remarks: Two 6-inch pipelines extend to wharf from one 12-inch pipeline extending from one 33,000-ton anhydrous ammonia storage tank in rear. At time of survey (2001), the pipelines on the wharf had been removed and blanked.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: Two 6-inch pipelines extend to wharf from one 12-inch pipeline extending from one 33,000-ton anhydrous ammonia storage tank in rear. At time of survey (2001), the pipelines on the wharf had been removed and blanked.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: Two 6-inch pipelines extend to wharf from one 12-inch pipeline extending from one 33,000-ton anhydrous ammonia storage tank in rear. At time of survey (2001), the pipelines on the wharf had been removed and blanked.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 50
Name: **Air Products and Chemicals, Inc., Michoud Canal Ammonia Loading D**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.1 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc..
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.90611

Waterway: **Michoud Canal** Mile: PWD: 50
Name: **Air Products and Chemicals, Inc., Michoud Canal Ammonia Loading D**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.1 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc..
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.90611

Waterway: **Michoud Canal** Mile: PWD: 50
Name: **Air Products and Chemicals, Inc., Michoud Canal Ammonia Loading D**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.1 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc..
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.90611
Remarks: Two 6-inch pipelines extend to wharf from one 12-inch pipeline extending from one 33,000-ton anhydrous ammonia storage tank in rear. At time of survey (2001), the pipelines on the wharf had been removed and blanked.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: Two 6-inch pipelines extend to wharf from one 12-inch pipeline extending from one 33,000-ton anhydrous ammonia storage tank in rear. At time of survey (2001), the pipelines on the wharf had been removed and blanked.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: Two 6-inch pipelines extend to wharf from one 12-inch pipeline extending from one 33,000-ton anhydrous ammonia storage tank in rear. At time of survey (2001), the pipelines on the wharf had been removed and blanked.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 50
Name: **Air Products and Chemicals, Inc., Michoud Canal Ammonia Loading D**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.1 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc..
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.90611

Waterway: **Michoud Canal** Mile: PWD: 50
Name: **Air Products and Chemicals, Inc., Michoud Canal Ammonia Loading D**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.1 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc..
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.90611

Waterway: **Michoud Canal** Mile: PWD: 50
Name: **Air Products and Chemicals, Inc., Michoud Canal Ammonia Loading D**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.1 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc..
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.90611
Remarks: Two 6-inch pipelines extend to wharf from one 12-inch pipeline extending from one 33,000-ton anhydrous ammonia storage tank in rear. At time of survey (2001), the pipelines on the wharf had been removed and blanked.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: Two 6-inch pipelines extend to wharf from one 12-inch pipeline extending from one 33,000-ton anhydrous ammonia storage tank in rear. At time of survey (2001), the pipelines on the wharf had been removed and blanked.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: Two 6-inch pipelines extend to wharf from one 12-inch pipeline extending from one 33,000-ton anhydrous ammonia storage tank in rear. At time of survey (2001), the pipelines on the wharf had been removed and blanked.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 51
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Hydrogen L**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.2 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 34 | - | - Latitude (decimal): 30.030278
Total Berthing Space (feet): 76 | | Longitude (decimal): -89.905

Waterway: **Michoud Canal** Mile: PWD: 51
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Hydrogen L**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.2 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 34 | - | - Latitude (decimal): 30.030278
Total Berthing Space (feet): 76 | | Longitude (decimal): -89.905

Waterway: **Michoud Canal** Mile: PWD: 51
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Hydrogen L**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.2 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 34 | - | - Latitude (decimal): 30.030278
Total Berthing Space (feet): 76 | | Longitude (decimal): -89.905

Remarks: Specially designed barges berth stern-to-face of two center breasting platforms. One 14-inch pipeline extends to wharf from 2 spherical-shaped, liquid hydrogen storage tanks, total capacity 300 tons. At time of survey (2001), facility was being maintained on a stand-by basis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: Specially designed barges berth stern-to-face of two center breasting platforms. One 14-inch pipeline extends to wharf from 2 spherical-shaped, liquid hydrogen storage tanks, total capacity 300 tons. At time of survey (2001), facility was being maintained on a stand-by basis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: Specially designed barges berth stern-to-face of two center breasting platforms. One 14-inch pipeline extends to wharf from 2 spherical-shaped, liquid hydrogen storage tanks, total capacity 300 tons. At time of survey (2001), facility was being maintained on a stand-by basis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 51
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Hydrogen L**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.2 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 34 | - | - Latitude (decimal): 30.030278
Total Berthing Space (feet): 76 | | Longitude (decimal): -89.905

Waterway: **Michoud Canal** Mile: PWD: 51
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Hydrogen L**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.2 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 34 | - | - Latitude (decimal): 30.030278
Total Berthing Space (feet): 76 | | Longitude (decimal): -89.905

Waterway: **Michoud Canal** Mile: PWD: 51
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Hydrogen L**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.2 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 34 | - | - Latitude (decimal): 30.030278
Total Berthing Space (feet): 76 | | Longitude (decimal): -89.905
Remarks: Specially designed barges berth stern-to-face of two center breasting platforms. One 14-inch pipeline extends to wharf from 2 spherical-shaped, liquid hydrogen storage tanks, total capacity 300 tons. At time of survey (2001), facility was being maintained on a stand-by basis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: Specially designed barges berth stern-to-face of two center breasting platforms. One 14-inch pipeline extends to wharf from 2 spherical-shaped, liquid hydrogen storage tanks, total capacity 300 tons. At time of survey (2001), facility was being maintained on a stand-by basis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: Specially designed barges berth stern-to-face of two center breasting platforms. One 14-inch pipeline extends to wharf from 2 spherical-shaped, liquid hydrogen storage tanks, total capacity 300 tons. At time of survey (2001), facility was being maintained on a stand-by basis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 51
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Hydrogen L**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.2 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 34 | - | - Latitude (decimal): 30.030278
Total Berthing Space (feet): 76 | | Longitude (decimal): -89.905

Waterway: **Michoud Canal** Mile: PWD: 51
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Hydrogen L**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.2 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 34 | - | - Latitude (decimal): 30.030278
Total Berthing Space (feet): 76 | | Longitude (decimal): -89.905

Waterway: **Michoud Canal** Mile: PWD: 51
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Hydrogen L**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.2 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 34 | - | - Latitude (decimal): 30.030278
Total Berthing Space (feet): 76 | | Longitude (decimal): -89.905
Remarks: Specially designed barges berth stern-to-face of two center breasting platforms. One 14-inch pipeline extends to wharf from 2 spherical-shaped, liquid hydrogen storage tanks, total capacity 300 tons. At time of survey (2001), facility was being maintained on a stand-by basis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: Specially designed barges berth stern-to-face of two center breasting platforms. One 14-inch pipeline extends to wharf from 2 spherical-shaped, liquid hydrogen storage tanks, total capacity 300 tons. At time of survey (2001), facility was being maintained on a stand-by basis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: Specially designed barges berth stern-to-face of two center breasting platforms. One 14-inch pipeline extends to wharf from 2 spherical-shaped, liquid hydrogen storage tanks, total capacity 300 tons. At time of survey (2001), facility was being maintained on a stand-by basis.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 52
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Oxygen Loa**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.3 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 30 | - | - Latitude (decimal): 30.031389
Total Berthing Space (feet): 168 | | Longitude (decimal): -89.90417

Waterway: **Michoud Canal** Mile: PWD: 52
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Oxygen Loa**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.3 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 30 | - | - Latitude (decimal): 30.031389
Total Berthing Space (feet): 168 | | Longitude (decimal): -89.90417

Waterway: **Michoud Canal** Mile: PWD: 52
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Oxygen Loa**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.3 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 30 | - | - Latitude (decimal): 30.031389
Total Berthing Space (feet): 168 | | Longitude (decimal): -89.90417
Remarks: At time of survey, wharf was being maintained on a standby basis. When in use, specially designed barges berth stern-to-face of breasting platforms. One 10-inch pipeline extends to loading arms on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: At time of survey, wharf was being maintained on a standby basis. When in use, specially designed barges berth stern-to-face of breasting platforms. One 10-inch pipeline extends to loading arms on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: At time of survey, wharf was being maintained on a standby basis. When in use, specially designed barges berth stern-to-face of breasting platforms. One 10-inch pipeline extends to loading arms on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 52
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Oxygen Loa**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.3 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 30 | - | - Latitude (decimal): 30.031389
Total Berthing Space (feet): 168 | | Longitude (decimal): -89.90417

Waterway: **Michoud Canal** Mile: PWD: 52
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Oxygen Loa**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.3 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 30 | - | - Latitude (decimal): 30.031389
Total Berthing Space (feet): 168 | | Longitude (decimal): -89.90417

Waterway: **Michoud Canal** Mile: PWD: 52
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Oxygen Loa**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.3 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 30 | - | - Latitude (decimal): 30.031389
Total Berthing Space (feet): 168 | | Longitude (decimal): -89.90417

Remarks: At time of survey, wharf was being maintained on a standby basis. When in use, specially designed barges berth stern-to-face of breasting platforms. One 10-inch pipeline extends to loading arms on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: At time of survey, wharf was being maintained on a standby basis. When in use, specially designed barges berth stern-to-face of breasting platforms. One 10-inch pipeline extends to loading arms on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: At time of survey, wharf was being maintained on a standby basis. When in use, specially designed barges berth stern-to-face of breasting platforms. One 10-inch pipeline extends to loading arms on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 52
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Oxygen Loa**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.3 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 30 | - | - Latitude (decimal): 30.031389
Total Berthing Space (feet): 168 | | Longitude (decimal): -89.90417

Waterway: **Michoud Canal** Mile: PWD: 52
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Oxygen Loa**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.3 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 30 | - | - Latitude (decimal): 30.031389
Total Berthing Space (feet): 168 | | Longitude (decimal): -89.90417

Waterway: **Michoud Canal** Mile: PWD: 52
Name: **Air Products and Chemicals, Inc., Michoud Canal Liquid Oxygen Loa**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.3 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Not operated.
Owner: Air Products and Chemicals, Inc.
Address: 14700 Intracoastal Drive Phone: 504-254-6296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Not used.
Depth Alongside (feet): 30 | - | - Latitude (decimal): 30.031389
Total Berthing Space (feet): 168 | | Longitude (decimal): -89.90417

Remarks: At time of survey, wharf was being maintained on a standby basis. When in use, specially designed barges berth stern-to-face of breasting platforms. One 10-inch pipeline extends to loading arms on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: At time of survey, wharf was being maintained on a standby basis. When in use, specially designed barges berth stern-to-face of breasting platforms. One 10-inch pipeline extends to loading arms on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: At time of survey, wharf was being maintained on a standby basis. When in use, specially designed barges berth stern-to-face of breasting platforms. One 10-inch pipeline extends to loading arms on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

---

Waterway: **Michoud Canal** Mile: PWD: 45

Name: **Holnum, Inc., Michoud Fly Ash Terminal Dock.**

Port: New Orleans

Location: East bank, Michoud Canal, approximately 0.6 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG

Operator: Not operated.

Owner: Holnum, Inc.

Address: 15100 Intracoastal Drive Phone: 504-282-6426

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: One surface track serves carpit and loading spout located in rear; connects with CSX Transportation, Inc.

Purpose: Not used.

Depth Alongside (feet): 30 | | Latitude (decimal): 30.02

Total Berthing Space (feet): 4 | | Longitude (decimal): -89.90583

Remarks: Two 12-inch pneumatic pipelines extending from wharf to 6 concrete, cement storage silos in rear, total capacity 10,000 tons. At time of survey (2001), facility was being closed. Former unloading float and vacuum pump had been relocated to Holmum's France Avenue facility wharf (PWD Ref. No. 71).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

---

Waterway: **Michoud Canal** Mile: PWD: 43

Name: **International Petroleum Corp., Michoud Canal Wharf.**

Port: New Orleans

Location: East bank, Michoud Canal, approximately 0.4 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG

Operator: International Petroleum Corp. a division of Earth Liquids Co.

Owner: International Petroleum Corp. a division of Earth Liquids Co.

Address: 14890 Intracoastal Drive. Phone: 504-254-9021 x

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: One surface track located at rear on west side of Intracoastal Drive, connects with CSX Transportation, Inc.

Purpose: Receipt of waste oil and contaminated water by self-unloading vessels; shipment of recycled petroleum products by barge.

Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 30.018611

Total Berthing Space (feet): 250 | | Longitude (decimal): -89.90583

Remarks: One 6-inch pipeline extends from wharf to 2 steel storage tanks, total capacity 1,680,000 gallons, rate for loading petroleum tank vessels 6,000 gal./hour. Rail spur equipped with 4 car loading stalls and overhead pipe rack.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

---

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 49
Name: **Lone Star Industries, Inc., Michoud Barge Slip.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.0 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Two surface tracks on wharf; connect with CSX Transportation, Inc.
Purpose: Shipment of fertilizer by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.0275
Total Berthing Space (feet): 324 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 49
Name: **Lone Star Industries, Inc., Michoud Barge Slip.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.0 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Two surface tracks on wharf; connect with CSX Transportation, Inc.
Purpose: Shipment of fertilizer by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.0275
Total Berthing Space (feet): 324 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 49
Name: **Lone Star Industries, Inc., Michoud Barge Slip.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.0 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Two surface tracks on wharf; connect with CSX Transportation, Inc.
Purpose: Shipment of fertilizer by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.0275
Total Berthing Space (feet): 324 | | Longitude (decimal): -89.90583
Remarks: A 70- by 40-foot, concrete pile, concrete-decked crane platform is located on lower side at midpoint of slip. Open storage area located at rear of platform.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: A 70- by 40-foot, concrete pile, concrete-decked crane platform is located on lower side at midpoint of slip. Open storage area located at rear of platform.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: A 70- by 40-foot, concrete pile, concrete-decked crane platform is located on lower side at midpoint of slip. Open storage area located at rear of platform.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 49
Name: **Lone Star Industries, Inc., Michoud Barge Slip.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.0 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Two surface tracks on wharf; connect with CSX Transportation, Inc.
Purpose: Shipment of fertilizer by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.0275
Total Berthing Space (feet): 324 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 49
Name: **Lone Star Industries, Inc., Michoud Barge Slip.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.0 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Two surface tracks on wharf; connect with CSX Transportation, Inc.
Purpose: Shipment of fertilizer by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.0275
Total Berthing Space (feet): 324 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 49
Name: **Lone Star Industries, Inc., Michoud Barge Slip.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.0 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Two surface tracks on wharf; connect with CSX Transportation, Inc.
Purpose: Shipment of fertilizer by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.0275
Total Berthing Space (feet): 324 | | Longitude (decimal): -89.90583
Remarks: A 70- by 40-foot, concrete pile, concrete-decked crane platform is located on lower side at midpoint of slip. Open storage area located at rear of platform.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: A 70- by 40-foot, concrete pile, concrete-decked crane platform is located on lower side at midpoint of slip. Open storage area located at rear of platform.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: A 70- by 40-foot, concrete pile, concrete-decked crane platform is located on lower side at midpoint of slip. Open storage area located at rear of platform.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 49
Name: **Lone Star Industries, Inc., Michoud Barge Slip.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.0 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Two surface tracks on wharf; connect with CSX Transportation, Inc.
Purpose: Shipment of fertilizer by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.0275
Total Berthing Space (feet): 324 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 49
Name: **Lone Star Industries, Inc., Michoud Barge Slip.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.0 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Two surface tracks on wharf; connect with CSX Transportation, Inc.
Purpose: Shipment of fertilizer by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.0275
Total Berthing Space (feet): 324 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 49
Name: **Lone Star Industries, Inc., Michoud Barge Slip.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 1.0 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Two surface tracks on wharf; connect with CSX Transportation, Inc.
Purpose: Shipment of fertilizer by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.0275
Total Berthing Space (feet): 324 | | Longitude (decimal): -89.90583
Remarks: A 70- by 40-foot, concrete pile, concrete-decked crane platform is located on lower side at midpoint of slip. Open storage area located at rear of platform.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: A 70- by 40-foot, concrete pile, concrete-decked crane platform is located on lower side at midpoint of slip. Open storage area located at rear of platform.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: A 70- by 40-foot, concrete pile, concrete-decked crane platform is located on lower side at midpoint of slip. Open storage area located at rear of platform.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 48
Name: **Lone Star Industries, Inc., Michoud Plant Barge Loading Dock.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.9 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Shipment of bulk cement by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.025556
Total Berthing Space (feet): 196 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 48
Name: **Lone Star Industries, Inc., Michoud Plant Barge Loading Dock.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.9 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Shipment of bulk cement by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.025556
Total Berthing Space (feet): 196 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 48
Name: **Lone Star Industries, Inc., Michoud Plant Barge Loading Dock.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.9 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Shipment of bulk cement by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.025556
Total Berthing Space (feet): 196 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 48
Name: **Lone Star Industries, Inc., Michoud Plant Barge Loading Dock.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.9 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Shipment of bulk cement by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.025556
Total Berthing Space (feet): 196 | | Longitude (decimal): -89.90583
Remarks: Plant is also equipped to load bulk cement to rail cars through 3 spouts or to trucks through 3 spouts at a rate of 300 tons per hour.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: Plant is also equipped to load bulk cement to rail cars through 3 spouts or to trucks through 3 spouts at a rate of 300 tons per hour.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: Plant is also equipped to load bulk cement to rail cars through 3 spouts or to trucks through 3 spouts at a rate of 300 tons per hour.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 48
Name: **Lone Star Industries, Inc., Michoud Plant Barge Loading Dock.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.9 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Shipment of bulk cement by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.025556
Total Berthing Space (feet): 196 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 48
Name: **Lone Star Industries, Inc., Michoud Plant Barge Loading Dock.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.9 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Shipment of bulk cement by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.025556
Total Berthing Space (feet): 196 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 48
Name: **Lone Star Industries, Inc., Michoud Plant Barge Loading Dock.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.9 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Shipment of bulk cement by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.025556
Total Berthing Space (feet): 196 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 48
Name: **Lone Star Industries, Inc., Michoud Plant Barge Loading Dock.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.9 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Shipment of bulk cement by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.025556
Total Berthing Space (feet): 196 | | Longitude (decimal): -89.90583
Remarks: Plant is also equipped to load bulk cement to rail cars through 3 spouts or to trucks through 3 spouts at a rate of 300 tons per hour.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: Plant is also equipped to load bulk cement to rail cars through 3 spouts or to trucks through 3 spouts at a rate of 300 tons per hour.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: Plant is also equipped to load bulk cement to rail cars through 3 spouts or to trucks through 3 spouts at a rate of 300 tons per hour.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 48
Name: **Lone Star Industries, Inc., Michoud Plant Barge Loading Dock.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.9 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Shipment of bulk cement by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.025556
Total Berthing Space (feet): 196 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 48
Name: **Lone Star Industries, Inc., Michoud Plant Barge Loading Dock.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.9 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Shipment of bulk cement by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.025556
Total Berthing Space (feet): 196 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 48
Name: **Lone Star Industries, Inc., Michoud Plant Barge Loading Dock.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.9 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Shipment of bulk cement by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.025556
Total Berthing Space (feet): 196 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 48
Name: **Lone Star Industries, Inc., Michoud Plant Barge Loading Dock.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.9 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Shipment of bulk cement by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.025556
Total Berthing Space (feet): 196 | | Longitude (decimal): -89.90583
Remarks: Plant is also equipped to load bulk cement to rail cars through 3 spouts or to trucks through 3 spouts at a rate of 300 tons per hour.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: Plant is also equipped to load bulk cement to rail cars through 3 spouts or to trucks through 3 spouts at a rate of 300 tons per hour.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: Plant is also equipped to load bulk cement to rail cars through 3 spouts or to trucks through 3 spouts at a rate of 300 tons per hour.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 47
Name: **Lone Star Industries, Inc., Michoud Plant Ship Wharf.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.75 mile above entrance from Gulf Intracoastal Waterway, New Or Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt of bulk cement, urea, ammonium nitrate, fertilizer, and granulated slag by ship.
Depth Alongside (feet): 34 | | Latitude (decimal): 30.025
Total Berthing Space (feet): 840 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 47
Name: **Lone Star Industries, Inc., Michoud Plant Ship Wharf.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.75 mile above entrance from Gulf Intracoastal Waterway, New Or Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt of bulk cement, urea, ammonium nitrate, fertilizer, and granulated slag by ship.
Depth Alongside (feet): 34 | | Latitude (decimal): 30.025
Total Berthing Space (feet): 840 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 47
Name: **Lone Star Industries, Inc., Michoud Plant Ship Wharf.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.75 mile above entrance from Gulf Intracoastal Waterway, New Or Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt of bulk cement, urea, ammonium nitrate, fertilizer, and granulated slag by ship.
Depth Alongside (feet): 34 | | Latitude (decimal): 30.025
Total Berthing Space (feet): 840 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 47
Name: **Lone Star Industries, Inc., Michoud Plant Ship Wharf.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.75 mile above entrance from Gulf Intracoastal Waterway, New Or Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt of bulk cement, urea, ammonium nitrate, fertilizer, and granulated slag by ship.
Depth Alongside (feet): 34 | | Latitude (decimal): 30.025
Total Berthing Space (feet): 840 | | Longitude (decimal): -89.90583
Remarks: Twenty-six concrete cement storage silos, total capacity 90,000 tons, are located in rear. Open storage area has capacity for 300,000 tons. Urea and ammonium nitrate is transferred directly to rail cars for trans-shipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: Twenty-six concrete cement storage silos, total capacity 90,000 tons, are located in rear. Open storage area has capacity for 300,000 tons. Urea and ammonium nitrate is transferred directly to rail cars for trans-shipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: Twenty-six concrete cement storage silos, total capacity 90,000 tons, are located in rear. Open storage area has capacity for 300,000 tons. Urea and ammonium nitrate is transferred directly to rail cars for trans-shipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 47
Name: **Lone Star Industries, Inc., Michoud Plant Ship Wharf.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.75 mile above entrance from Gulf Intracoastal Waterway, New Or Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt of bulk cement, urea, ammonium nitrate, fertilizer, and granulated slag by ship.
Depth Alongside (feet): 34 | | Latitude (decimal): 30.025
Total Berthing Space (feet): 840 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 47
Name: **Lone Star Industries, Inc., Michoud Plant Ship Wharf.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.75 mile above entrance from Gulf Intracoastal Waterway, New Or Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt of bulk cement, urea, ammonium nitrate, fertilizer, and granulated slag by ship.
Depth Alongside (feet): 34 | | Latitude (decimal): 30.025
Total Berthing Space (feet): 840 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 47
Name: **Lone Star Industries, Inc., Michoud Plant Ship Wharf.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.75 mile above entrance from Gulf Intracoastal Waterway, New Or Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt of bulk cement, urea, ammonium nitrate, fertilizer, and granulated slag by ship.
Depth Alongside (feet): 34 | | Latitude (decimal): 30.025
Total Berthing Space (feet): 840 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 47
Name: **Lone Star Industries, Inc., Michoud Plant Ship Wharf.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.75 mile above entrance from Gulf Intracoastal Waterway, New Or Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt of bulk cement, urea, ammonium nitrate, fertilizer, and granulated slag by ship.
Depth Alongside (feet): 34 | | Latitude (decimal): 30.025
Total Berthing Space (feet): 840 | | Longitude (decimal): -89.90583
Remarks: Twenty-six concrete cement storage silos, total capacity 90,000 tons, are located in rear. Open storage area has capacity for 300,000 tons. Urea and ammonium nitrate is transferred directly to rail cars for trans-shipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: Twenty-six concrete cement storage silos, total capacity 90,000 tons, are located in rear. Open storage area has capacity for 300,000 tons. Urea and ammonium nitrate is transferred directly to rail cars for trans-shipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: Twenty-six concrete cement storage silos, total capacity 90,000 tons, are located in rear. Open storage area has capacity for 300,000 tons. Urea and ammonium nitrate is transferred directly to rail cars for trans-shipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 47
Name: **Lone Star Industries, Inc., Michoud Plant Ship Wharf.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.75 mile above entrance from Gulf Intracoastal Waterway, New Or Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt of bulk cement, urea, ammonium nitrate, fertilizer, and granulated slag by ship.
Depth Alongside (feet): 34 | | Latitude (decimal): 30.025
Total Berthing Space (feet): 840 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 47
Name: **Lone Star Industries, Inc., Michoud Plant Ship Wharf.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.75 mile above entrance from Gulf Intracoastal Waterway, New Or Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt of bulk cement, urea, ammonium nitrate, fertilizer, and granulated slag by ship.
Depth Alongside (feet): 34 | | Latitude (decimal): 30.025
Total Berthing Space (feet): 840 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 47
Name: **Lone Star Industries, Inc., Michoud Plant Ship Wharf.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.75 mile above entrance from Gulf Intracoastal Waterway, New Or Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt of bulk cement, urea, ammonium nitrate, fertilizer, and granulated slag by ship.
Depth Alongside (feet): 34 | | Latitude (decimal): 30.025
Total Berthing Space (feet): 840 | | Longitude (decimal): -89.90583

Waterway: **Michoud Canal** Mile: PWD: 47
Name: **Lone Star Industries, Inc., Michoud Plant Ship Wharf.**
Port: New Orleans
Location: East bank, Michoud Canal, approximately 0.75 mile above entrance from Gulf Intracoastal Waterway, New Or Datum: MLG
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 14900 Intracoastal Drive Phone: 504-254-6464
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt of bulk cement, urea, ammonium nitrate, fertilizer, and granulated slag by ship.
Depth Alongside (feet): 34 | | Latitude (decimal): 30.025
Total Berthing Space (feet): 840 | | Longitude (decimal): -89.90583
Remarks: Twenty-six concrete cement storage silos, total capacity 90,000 tons, are located in rear. Open storage area has capacity for 300,000 tons. Urea and ammonium nitrate is transferred directly to rail cars for trans-shipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Remarks: Twenty-six concrete cement storage silos, total capacity 90,000 tons, are located in rear. Open storage area has capacity for 300,000 tons. Urea and ammonium nitrate is transferred directly to rail cars for trans-shipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

Port Facilities by Waterway

Remarks: Twenty-six concrete cement storage silos, total capacity 90,000 tons, are located in rear. Open storage area has capacity for 300,000 tons. Urea and ammonium nitrate is transferred directly to rail cars for trans-shipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

---

Waterway: **Michoud Canal** Mile: PWD: 44

Name: **Orsouth Inc., Michoud Canal Mooring.**

Port: New Orleans

Location: East bank, Michoud Canal, approximately 0.5 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG

Operator: Orsouth, Inc.

Owner: Waste Management, Inc.

Address: Intracoastal Drive. Phone: 504-536-0237

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: None.

Purpose: Mooring tugboats and transient barges.

Depth Alongside (feet): 10 | | Latitude (decimal): 30.019167

Total Berthing Space (feet): 195 | | Longitude (decimal): -89.90583

Remarks: ugs moor bow-to outer face of barge.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

---

Waterway: **Michoud Canal** Mile: PWD: 42

Name: **Stolt Offshore, Inc., Michoud Canal Wharf.**

Port: New Orleans

Location: East bank, Michoud Canal, approximately 0.3 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG

Operator: Stolt Offshore, Inc.

Owner: Stolt and Nielsen Co.

Address: 15160 Intracoastal Drive Phone: 504-254-2135

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: One surface track located at rear on west side of Intracoastal Drive, connects with CSX Transportation, Inc.

Purpose: Construction, outfitting and shipment of floating concrete gravity structures.

Depth Alongside (feet): 12 | - | - Latitude (decimal): 30.016944

Total Berthing Space (feet): 160 | - | - Longitude (decimal): -89.90583

Remarks: Drydock is used exclusively for the construction of concrete gravity structures.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

---

Port Facilities by Waterway

Waterway: **Michoud Canal** Mile: PWD: 46

Name: **Vulcan/ICA Distribution Co., Michoud Canal Wharf.**

Port: New Orleans

Location: East bank, Michoud Canal, approximately 0.7 mile above entrance from Gulf Intracoastal Waterway, New Orl Datum: MLG

Operator: Vulcan/ICA Distribution Co.

Owner: Vulcan/ICA Distribution Co.

Address: 15000 Intracoastal Drive Phone: 504-254-5574

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: One surface track located at rear on west side of Intracoastal Drive, connects with CSX Transportation, Inc.

Purpose: Receipt of crushed limestone by self-unloading vessel.

Depth Alongside (feet): 38 - - | - | - Latitude (decimal): 30.022222

Total Berthing Space (feet): 585 | | Longitude (decimal): -89.90583

Remarks: Portable 60-inch electric belt conveyor/stacker transfers aggregate from shipside stockpile to open storage area on waterside of levee, rate 3,800 tons per hour. If needed, rental trucks haul overflow material to additional open storage area landside of levee, total storage area approximately 6 acres.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15800 New Orleans District

---

Waterway: **Miss. River-Gulf Outlet Canal** Mile: PWD: 58

Name: **Bergeron Marine Service, Inc., Ship Repair Yard Dock.**

Port: New Orleans

Location: North bank, Mississippi River- Gulf Outlet Canal at junction with Inner Harbor Navigation (Industrial) C Datum: MLG

Operator: Bergeron Marine Service, Inc., a member of the Bergeron Group.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 3410 Jourdan Road. Phone: 504 245-1581

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: None.

Purpose: Mooring drydocks; mooring barges for repair.

Depth Alongside (feet): 10 | 10 | Latitude (decimal): 29.993889

Total Berthing Space (feet): 230 | 200 | Longitude (decimal): -90.01889

Remarks: One 850-ton and one 3,000-ton dry docks are moored at faces of office and crane barges. Facility provides dry docking, steel fabrication services, above-and below water line marine repairs, and constructs new barges.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15973 New Orleans District

---

Port Facilities by Waterway

Waterway: **Miss. River-Gulf Outlet Canal** Mile: PWD: 55
Name: **Boh Bros. Construction Co., LLC, MR-GO Dock.**
Port: New Orleans
Location: North bank, Mississippi River-Gulf Outlet Seaway Canal, approximately 0.7 miles west of Paris Road Bridg Datum: MLG
Operator: Boh Bros. Construction Co., LLC.
Owner: Boh Bros Construction Co., LLC.
Address: 10300 Almonaster Ave. Phone: 504 244-9211
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring company-owned marine construction vessels.
Depth Alongside (feet): 8& - 1 | | Latitude (decimal): 30.003333
Total Berthing Space (feet): 900 | | Longitude (decimal): -89.95167
Remarks: Vessels berth at wharf, bulkhead, and occasional along additional 2,800 feet of natural bank west of wharf. Open area located in rear has space for storage of additional construction equipment and material.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15960 New Orleans District

---

Waterway: **Miss. River-Gulf Outlet Canal** Mile: PWD: 56
Name: **Elaine Street, MR-GO Bulk Terminal Wharf.**
Port: New Orleans
Location: North bank, Mississippi River-Gulf Outlet Seaway Canal, approx. 1.7 mi. east of junction with Industrial Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: North Elaine Street Phone: 504 245-1581
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: N.O. Public Belt Railroad: Surface tracks serve car-loading platform, receiving pit, North open storage area, and salt plant; join with 130-car cap. terminal storage yard and adj. 413-car cap. France Yard.
Purpose: Not used.
Depth Alongside (feet): 36 | 20 | - Latitude (decimal): 29.998333
Total Berthing Space (feet): 2,235 | 1,808 | - Longitude (decimal): -89.99083
Remarks: Ancillary facilities at terminal served by conveyor system include: a rail hopper car pit, rate 6 cars per hour*; 4 spouts for loading hopper and 6 for loading box cars, rate 600 tons per hour*; 10 steel storage silos, total capacity 30,000 tons*; and approximately 15 acres of asphalt paved open storage area served by traveling stacker. An additional 25 acres of open storage area is not served by conveyor system. Electric winch at rear of face of wharf forpositioning barges.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15973 New Orleans District

---

Port Facilities by Waterway

Waterway: **Miss. River-Gulf Outlet Canal** Mile: PWD: 54
Name: **Entergy Corp., Michoud Electric Station Oil Dock.**
Port: New Orleans
Location: North bank, Mississippi River-Gulf Outlet Seaway Canal, approximately 0.25 mile east of Paris Road Bridg Datum: MLG
Operator: Entergy Corp.
Owner: Entergy Corp.
Address: 3601 Paris Road Phone: 504 253-3041
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt of fuel oil by barge for plant consumption.
Depth Alongside (feet): 12 | - | Latitude (decimal): 30.005
Total Berthing Space (feet): 590 | | Longitude (decimal): -89.93611
Remarks: One 14-inch pipeline extends from wharf to 2 steel storage tanks in rear, total capacity 350,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15960 New Orleans District

---

Waterway: **Miss. River-Gulf Outlet Canal** Mile: PWD: 57
Name: **Jourdan Road Terminal, Berths Nos. 4 and 5.**
Port: New Orleans
Location: North bank, Miss. River-Gulf Outlet Seaway Canal, approx. 0.2 mile east of junction with Inner Harbor (I Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3401 Jourdan Road. Phone: 504 270-0100
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: One surface track on wharf apron, approximate length 1,100 feet, joins two platform level tracks at rear of transit shed, total length 2,800 feet; connect with New Orleans Public Belt Railroad.
Purpose: Not used.
Depth Alongside (feet): 36 | | Latitude (decimal): 29.994722
Total Berthing Space (feet): 1,400 | | Longitude (decimal): -90.01806
Remarks: Ten-acre open storage area located at rear. Design of wharf will accommodate future depth alongside of 45 feet.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15973 New Orleans District

---

Port Facilities by Waterway

Waterway: **Miss. River-Gulf Outlet Canal** Mile: PWD: 53
Name: **NASA-Michoud Harbor Dock.**
Port: New Orleans
Location: North bank, Mississippi River-Gulf Outlet Seaway Canal, northeast corner of Michoud Harbor Slip, New Orl Datum: MLG
Operator: National Aeronautics & Space Administration, Michoud Assembly Facility.
Owner: United States Government.
Address: 13800 Old Gentilly Road Phone: 504-257-4225
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: Four surface tracks serve plant located in rear; connect with CSX Transportation, Inc.
Purpose: Receipt and shipment of space shuttle components by specially designed barges.
Depth Alongside (feet): 8 - 22 | - | Latitude (decimal): 30.011944
Total Berthing Space (feet): 104 | | Longitude (decimal): -89.92889
Remarks: Specially designed barges berth stern-to-face. Wharf is designed specifically to handle large rocket components. Warehouse and dock office building located at rear of wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 15960 New Orleans District

---

Waterway: **Mississippi R., Southwest Pass** Mile: -4.8 PWD: 127
Name: **Pogo Producing Co., W-1 Boat Landing (a.k.a. Scott's Landing.**
Port: Below New Orleans
Location: Right bank, Southwest Pass, Mississippi River, Mile 4.8 B.H.P. Datum: MLG
Operator: Pogo Producing Co.
Owner: State of Louisiana.
Address: Southwest Pass Phone: 985/534-7737 or
Town: Southwest Pass State: LA County: Plaquemines
Railway Connection: None.
Purpose: Occasional landing for crewboat; occasional receipt of supplies including fuel oil, lubricating oil and water for station consumption.
Depth Alongside (feet): 19 | | Latitude (decimal): 29.0875
Total Berthing Space (feet): 100 | | Longitude (decimal): -89.28444
Remarks: One 2-inch fuel oil, one 2-inch lubricating oil, and one 2-inch water pipelines, each extend from face to steel storage tanks in rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20417 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 1.9 PWD: 003
Name: **Associated Branch Pilots and Crescent River Port Pilot Association**
Port: Below New Orleans
Location: Mile 1.9 AHP, left bank, Mississippi River, Pilottown. Datum: MLG
Operator: Associated Branch Pilots and Crescent River Port Pilot Association. (See Remarks.)
Owner: U.S. Government.
Address: Southwest Pass Phone: 504/831-6615
Town: Pilottown State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring pilot boats.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 29.178333
Total Berthing Space (feet): 200 | 280 | Longitude (decimal): -89.25833
Remarks: 20-foot wide timber piers extend downstream 25 and 50 feet from outer ends of lower and upper piers respectively; upper pier extension is undecked.□Associated Branch Pilots operate upper pier; Crescent River Port Pilot Association operates lower pier.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20002 New Orleans District

---

Waterway: **Mississippi River** Mile: 10.7 PWD: 54
Name: **U.S. Army Corps of Engineers, Dredge Wheeler Dock.**
Port: Below New Orleans
Location: Mile 10.7 AHP, right bank, Mississippi River, Venice. Datum: MLG
Operator: U. S. Army Corps of Engineers.
Owner: U. S. Government.
Address: State Highway 23. Phone: 985/534-6010
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring government-owned dredge and fuel barge.
Depth Alongside (feet): 36 | 4 - 30 | Latitude (decimal): 29.275
Total Berthing Space (feet): 352 | 250 | Longitude (decimal): -89.35278
Remarks: The U.S. Army Corps of Engineers dredge 'Wheeler' moors at wharf when operating in lower Mississippi River area. Description above does not reflect damage by recent ship strike, which caused loss of portions of wharf, dolphins, and wharf extension. Plans called for repairs.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20010 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 100.1 PWD: 120
Name: **Nashville Avenue Wharf B.**
Port: New Orleans
Location: Mile 100.1 A.H.P., left bank, Mississippi River, approximately 0.8 mile above foot of Napoleon Avenue ex Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,785 | | Longitude (decimal): -90.11889

Waterway: **Mississippi River** Mile: 100.1 PWD: 120
Name: **Nashville Avenue Wharf B.**
Port: New Orleans
Location: Mile 100.1 A.H.P., left bank, Mississippi River, approximately 0.8 mile above foot of Napoleon Avenue ex Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,785 | | Longitude (decimal): -90.11889

Waterway: **Mississippi River** Mile: 100.1 PWD: 120
Name: **Nashville Avenue Wharf B.**
Port: New Orleans
Location: Mile 100.1 A.H.P., left bank, Mississippi River, approximately 0.8 mile above foot of Napoleon Avenue ex Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,785 | | Longitude (decimal): -90.11889

Waterway: **Mississippi River** Mile: 100.1 PWD: 120
Name: **Nashville Avenue Wharf B.**
Port: New Orleans
Location: Mile 100.1 A.H.P., left bank, Mississippi River, approximately 0.8 mile above foot of Napoleon Avenue ex Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,785 | | Longitude (decimal): -90.11889
Remarks: Face of wharf is contiguous with PWD Ref. Nos. 119, 121 and 122. Open storage area described under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is contiguous with PWD Ref. Nos. 119, 121 and 122. Open storage area described under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is contiguous with PWD Ref. Nos. 119, 121 and 122. Open storage area described under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 100.1 PWD: 120
Name: **Nashville Avenue Wharf B.**
Port: New Orleans
Location: Mile 100.1 A.H.P., left bank, Mississippi River, approximately 0.8 mile above foot of Napoleon Avenue ex Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,785 | | Longitude (decimal): -90.11889

Waterway: **Mississippi River** Mile: 100.1 PWD: 120
Name: **Nashville Avenue Wharf B.**
Port: New Orleans
Location: Mile 100.1 A.H.P., left bank, Mississippi River, approximately 0.8 mile above foot of Napoleon Avenue ex Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,785 | | Longitude (decimal): -90.11889

Waterway: **Mississippi River** Mile: 100.1 PWD: 120
Name: **Nashville Avenue Wharf B.**
Port: New Orleans
Location: Mile 100.1 A.H.P., left bank, Mississippi River, approximately 0.8 mile above foot of Napoleon Avenue ex Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,785 | | Longitude (decimal): -90.11889

Waterway: **Mississippi River** Mile: 100.1 PWD: 120
Name: **Nashville Avenue Wharf B.**
Port: New Orleans
Location: Mile 100.1 A.H.P., left bank, Mississippi River, approximately 0.8 mile above foot of Napoleon Avenue ex Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,785 | | Longitude (decimal): -90.11889
Remarks: Face of wharf is contiguous with PWD Ref. Nos. 119, 121 and 122. Open storage area described under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is contiguous with PWD Ref. Nos. 119, 121 and 122. Open storage area described under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is contiguous with PWD Ref. Nos. 119, 121 and 122. Open storage area described under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 100.1 PWD: 120
Name: **Nashville Avenue Wharf B.**
Port: New Orleans
Location: Mile 100.1 A.H.P., left bank, Mississippi River, approximately 0.8 mile above foot of Napoleon Avenue ex Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,785 | | Longitude (decimal): -90.11889

Waterway: **Mississippi River** Mile: 100.1 PWD: 120
Name: **Nashville Avenue Wharf B.**
Port: New Orleans
Location: Mile 100.1 A.H.P., left bank, Mississippi River, approximately 0.8 mile above foot of Napoleon Avenue ex Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,785 | | Longitude (decimal): -90.11889

Waterway: **Mississippi River** Mile: 100.1 PWD: 120
Name: **Nashville Avenue Wharf B.**
Port: New Orleans
Location: Mile 100.1 A.H.P., left bank, Mississippi River, approximately 0.8 mile above foot of Napoleon Avenue ex Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,785 | | Longitude (decimal): -90.11889

Waterway: **Mississippi River** Mile: 100.1 PWD: 120
Name: **Nashville Avenue Wharf B.**
Port: New Orleans
Location: Mile 100.1 A.H.P., left bank, Mississippi River, approximately 0.8 mile above foot of Napoleon Avenue ex Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,785 | | Longitude (decimal): -90.11889
Remarks: Face of wharf is contiguous with PWD Ref. Nos. 119, 121 and 122. Open storage area described under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is contiguous with PWD Ref. Nos. 119, 121 and 122. Open storage area described under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is contiguous with PWD Ref. Nos. 119, 121 and 122. Open storage area described under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Waterway: **Mississippi River** Mile: 100.2 PWD: 149
Name: **Wood Resources Corp., ARTCO-Sarah Fleet Mooring.**
Port: New Orleans
Location: Mile 100.2- 110.7 A.H.P., right bank, Mississippi River, Waggaman. Datum: MLG
Operator: Wood Resources Corp.
Owner: Wood Resources Corp.
Address: River Road Phone: 504 436-1234
Town: Waggaman State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for fleeting and repair.
Depth Alongside (feet): - | | Latitude (decimal): 29.945
Total Berthing Space (feet): 2,800 | | Longitude (decimal): -90.22611

Waterway: **Mississippi River** Mile: 100.2 PWD: 149
Name: **Wood Resources Corp., ARTCO-Sarah Fleet Mooring.**
Port: New Orleans
Location: Mile 100.2- 110.7 A.H.P., right bank, Mississippi River, Waggaman. Datum: MLG
Operator: Wood Resources Corp.
Owner: Wood Resources Corp.
Address: River Road Phone: 504 436-1234
Town: Waggaman State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for fleeting and repair.
Depth Alongside (feet): - | | Latitude (decimal): 29.945
Total Berthing Space (feet): 2,800 | | Longitude (decimal): -90.22611
Remarks: Fleeting area has capacity for 112 barges arranged in 14 tiers, each 8 barges wide. At time of survey (2001), plans call for installation of two mid-stream ship moorings adjacent to fleeting area at approximately mile 110.7 A.H.P.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20110 New Orleans District

Remarks: Fleeting area has capacity for 112 barges arranged in 14 tiers, each 8 barges wide. At time of survey (2001), plans call for installation of two mid-stream ship moorings adjacent to fleeting area at approximately mile 110.7 A.H.P.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20110 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 100.2 PWD: 149
Name: **Wood Resources Corp., ARTCO-Sarah Fleet Mooring.**
Port: New Orleans
Location: Mile 100.2- 110.7 A.H.P., right bank, Mississippi River, Waggaman. Datum: MLG
Operator: Wood Resources Corp.
Owner: Wood Resources Corp.
Address: River Road Phone: 504 436-1234
Town: Waggaman State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for fleeting and repair.
Depth Alongside (feet): - | | Latitude (decimal): 29.945
Total Berthing Space (feet): 2,800 | | Longitude (decimal): -90.22611

Waterway: **Mississippi River** Mile: 100.2 PWD: 149
Name: **Wood Resources Corp., ARTCO-Sarah Fleet Mooring.**
Port: New Orleans
Location: Mile 100.2- 110.7 A.H.P., right bank, Mississippi River, Waggaman. Datum: MLG
Operator: Wood Resources Corp.
Owner: Wood Resources Corp.
Address: River Road Phone: 504 436-1234
Town: Waggaman State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for fleeting and repair.
Depth Alongside (feet): - | | Latitude (decimal): 29.945
Total Berthing Space (feet): 2,800 | | Longitude (decimal): -90.22611

Remarks: Fleeting area has capacity for 112 barges arranged in 14 tiers, each 8 barges wide. At time of survey (2001), plans call for installation of two mid-stream ship moorings adjacent to fleeting area at approximately mile 110.7 A.H.P.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20110 New Orleans District

Remarks: Fleeting area has capacity for 112 barges arranged in 14 tiers, each 8 barges wide. At time of survey (2001), plans call for installation of two mid-stream ship moorings adjacent to fleeting area at approximately mile 110.7 A.H.P.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20110 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 100.5 PWD: 175
Name: **Louisiana Dock Co., Marrero Fleet Mooring.**
Port: New Orleans
Location: Mile 100.2 to 100.7 A.H.P., right bank, Mississippi River, approximately 2.4 miles above entrance to Har Datum: MLG
Operator: Louisiana Dock Co., Inc.
Owner: Louisiana Dock Co., Inc.
Address: River Road Phone: 504 733-7870
Town: Marrero State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring barges for fleeting.
Depth Alongside (feet): 10 - - | | Latitude (decimal): 29.905278
Total Berthing Space (feet): 2,730 | | Longitude (decimal): -90.12333
Remarks: Fleeting area has capacity for approximately 132 barges consisting of 10 tiers, each 10 barges wide, and 4 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 100.8 PWD: 174
Name: **Industrial Pump Sales and Repair, Inc., Repair Dock.**
Port: New Orleans
Location: Mile 100.8 A.H.P., right bank, Mississippi River, approximately 2.7 miles above entrance to Harvey Canal Datum: MLG
Operator: Industrial Pump Sales and Repair, Inc.
Owner: Sylvester 'Woody' Yandle
Address: 7260 River Road Phone: 504 393-7010
Town: Marrero State: LA County: Jefferson
Railway Connection: None.
Purpose: Handling engines, winches, and other deck-mounted barge equipment for repairs.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.908333
Total Berthing Space (feet): 295 | | Longitude (decimal): -90.12806
Remarks: At time of survey (2001), operators were seeking a permit to construct a ship mooring at this site.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 100.8 PWD: 121
Name: **Nashville Avenue Wharf A.**
Port: New Orleans
Location: Mile 100.8 A.H.P., left bank, Mississippi River, between foot of Nashville and Henry Clay Avenues extend Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of State St., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: One surface track on apron; two platform-level tracks at rear of transit shed, total length 3,800 feet.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912778
Total Berthing Space (feet): 2,759 | | Longitude (decimal): -90.12417

Waterway: **Mississippi River** Mile: 100.8 PWD: 121
Name: **Nashville Avenue Wharf A.**
Port: New Orleans
Location: Mile 100.8 A.H.P., left bank, Mississippi River, between foot of Nashville and Henry Clay Avenues extend Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of State St., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: One surface track on apron; two platform-level tracks at rear of transit shed, total length 3,800 feet.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912778
Total Berthing Space (feet): 2,759 | | Longitude (decimal): -90.12417

Waterway: **Mississippi River** Mile: 100.8 PWD: 121
Name: **Nashville Avenue Wharf A.**
Port: New Orleans
Location: Mile 100.8 A.H.P., left bank, Mississippi River, between foot of Nashville and Henry Clay Avenues extend Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of State St., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: One surface track on apron; two platform-level tracks at rear of transit shed, total length 3,800 feet.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912778
Total Berthing Space (feet): 2,759 | | Longitude (decimal): -90.12417

Remarks: Face of wharf is in line and contiguous with PWD Ref. No. 119 and 120 and contiguous with PWD Ref. No. 122. Trucks have access to wharf apron, interior of transit shed, and 4 recessed loading platforms at ends and rear of transit shed, total capacity 64 trucks. Open storage area discribed under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is in line and contiguous with PWD Ref. No. 119 and 120 and contiguous with PWD Ref. No. 122. Trucks have access to wharf apron, interior of transit shed, and 4 recessed loading platforms at ends and rear of transit shed, total capacity 64 trucks. Open storage area discribed under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is in line and contiguous with PWD Ref. No. 119 and 120 and contiguous with PWD Ref. No. 122. Trucks have access to wharf apron, interior of transit shed, and 4 recessed loading platforms at ends and rear of transit shed, total capacity 64 trucks. Open storage area discribed under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 100.8 PWD: 121
Name: **Nashville Avenue Wharf A.**
Port: New Orleans
Location: Mile 100.8 A.H.P., left bank, Mississippi River, between foot of Nashville and Henry Clay Avenues extend Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of State St., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: One surface track on apron; two platform-level tracks at rear of transit shed, total length 3,800 feet.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912778
Total Berthing Space (feet): 2,759 | | Longitude (decimal): -90.12417

Waterway: **Mississippi River** Mile: 100.8 PWD: 121
Name: **Nashville Avenue Wharf A.**
Port: New Orleans
Location: Mile 100.8 A.H.P., left bank, Mississippi River, between foot of Nashville and Henry Clay Avenues extend Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of State St., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: One surface track on apron; two platform-level tracks at rear of transit shed, total length 3,800 feet.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912778
Total Berthing Space (feet): 2,759 | | Longitude (decimal): -90.12417

Waterway: **Mississippi River** Mile: 100.8 PWD: 121
Name: **Nashville Avenue Wharf A.**
Port: New Orleans
Location: Mile 100.8 A.H.P., left bank, Mississippi River, between foot of Nashville and Henry Clay Avenues extend Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of State St., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: One surface track on apron; two platform-level tracks at rear of transit shed, total length 3,800 feet.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912778
Total Berthing Space (feet): 2,759 | | Longitude (decimal): -90.12417

Remarks: Face of wharf is in line and contiguous with PWD Ref. No. 119 and 120 and contiguous with PWD Ref. No. 122. Trucks have access to wharf apron, interior of transit shed, and 4 recessed loading platforms at ends and rear of transit shed, total capacity 64 trucks. Open storage area discribed under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is in line and contiguous with PWD Ref. No. 119 and 120 and contiguous with PWD Ref. No. 122. Trucks have access to wharf apron, interior of transit shed, and 4 recessed loading platforms at ends and rear of transit shed, total capacity 64 trucks. Open storage area discribed under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is in line and contiguous with PWD Ref. No. 119 and 120 and contiguous with PWD Ref. No. 122. Trucks have access to wharf apron, interior of transit shed, and 4 recessed loading platforms at ends and rear of transit shed, total capacity 64 trucks. Open storage area discribed under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 100.8 PWD: 121
Name: **Nashville Avenue Wharf A.**
Port: New Orleans
Location: Mile 100.8 A.H.P., left bank, Mississippi River, between foot of Nashville and Henry Clay Avenues extend Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of State St., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: One surface track on apron; two platform-level tracks at rear of transit shed, total length 3,800 feet.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912778
Total Berthing Space (feet): 2,759 | | Longitude (decimal): -90.12417

Waterway: **Mississippi River** Mile: 100.8 PWD: 121
Name: **Nashville Avenue Wharf A.**
Port: New Orleans
Location: Mile 100.8 A.H.P., left bank, Mississippi River, between foot of Nashville and Henry Clay Avenues extend Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of State St., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: One surface track on apron; two platform-level tracks at rear of transit shed, total length 3,800 feet.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912778
Total Berthing Space (feet): 2,759 | | Longitude (decimal): -90.12417

Waterway: **Mississippi River** Mile: 100.8 PWD: 121
Name: **Nashville Avenue Wharf A.**
Port: New Orleans
Location: Mile 100.8 A.H.P., left bank, Mississippi River, between foot of Nashville and Henry Clay Avenues extend Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of State St., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: One surface track on apron; two platform-level tracks at rear of transit shed, total length 3,800 feet.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912778
Total Berthing Space (feet): 2,759 | | Longitude (decimal): -90.12417

Remarks: Face of wharf is in line and contiguous with PWD Ref. No. 119 and 120 and contiguous with PWD Ref. No. 122. Trucks have access to wharf apron, interior of transit shed, and 4 recessed loading platforms at ends and rear of transit shed, total capacity 64 trucks. Open storage area discribed under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is in line and contiguous with PWD Ref. No. 119 and 120 and contiguous with PWD Ref. No. 122. Trucks have access to wharf apron, interior of transit shed, and 4 recessed loading platforms at ends and rear of transit shed, total capacity 64 trucks. Open storage area discribed under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is in line and contiguous with PWD Ref. No. 119 and 120 and contiguous with PWD Ref. No. 122. Trucks have access to wharf apron, interior of transit shed, and 4 recessed loading platforms at ends and rear of transit shed, total capacity 64 trucks. Open storage area discribed under PWD Ref. No. 119.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Waterway: **Mississippi River** Mile: 101.1 PWD: 122

Name: **Henry Clay Avenue Wharf.**

Port: New Orleans

Location: Mile 101.1 A.H.P., left bank, Mississippi River, above foot of Henry Clay Avenue extended, New Orleans. Datum: MLG

Operator: P&O Ports Louisiana, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: Foot of Henry Clay Ave., extended Phone: 504 894-6511

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: one surface track on apron; two platform-level tracks at rear of transit shed.

Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.

Depth Alongside (feet): 38 | - | Latitude (decimal): 29.914722

Total Berthing Space (feet): 842 | | Longitude (decimal): -90.13028

Remarks: Face of wharf is contiguous with Ref. No. 121. Trucks have access to wharf apron and interior of transit shed. One 18-truck capacity, recessed loading platform is located at rear of the lower side of transit shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 101.4 PWD: 173

Name: **ST Services, LLC, Westwego Terminal Wharf.**

Port: New Orleans

Location: Mile 101.4 A.H.P., right bank, Mississippi River, approximately 2.6 miles below Nine Mile Point, Westweg Datum: MLG

Operator: ST Services, LLC.

Owner: ST Services, LLC.

Address: Foot of LaBauve Drive Phone: 504 340-3000

Town: Westwego State: LA County: Jefferson

Railway Connection: Three surface tracks serve terminal and 20-car capacity tank car loading rack in rear; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of molasses, miscellaneous chemicals, bulk liquids, fats, and oils by vessel and barge.

Depth Alongside (feet): 30 | 25 | Latitude (decimal): 29.913333

Total Berthing Space (feet): 650 | 100 | Longitude (decimal): -90.13833

Remarks: Pipelines extend between wharf and storage tanks at terminal in rear.□ □Commodity Pipeline/s Tanks Capacity □Molasses one 16-inch 5 29,400 tons□Vegetable oil(misc) two 8-inch 14 3 million gallonsHAN (fertilizer) one 8- & one 10-inch 14 30,000 tons□Sodium hydrosulf oil one 16-inch 2 8.5 million gallons□Nepthenic acid one 8-inch 1 350,000 gallons(unused) one 6- & one 8-inch -□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 101.7 PWD: 123

Name: **Audubon Park Excursion Boat Landing.**

Port: New Orleans

Location: Mile 101.7 A.H.P., left bank, Mississippi River, between foot of Henry Clay Avenue and Walnut Street ext Datum: MLG

Operator: New Orleans Steamboat Company.

Owner: City of New Orleans.

Address: Audobon Park Phone: 504 586-8777

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: None.

Purpose: Passenger landing for excursion boat.

Depth Alongside (feet): 10 | - | Latitude (decimal): 29.920278

Total Berthing Space (feet): 110 | - | Longitude (decimal): -90.135

Remarks: The vessel 'John James Audubon' uses landing for excursion cruise to Audubon Park Zoo from Bienville Street (Aquarium) Wharf (PWD Ref. No. 96).□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 101.7 PWD: 172
Name: **City of Westwego Landing.**
Port: New Orleans
Location: Mile 101.7 A.H.P., right bank, Mississippi River, approximately 2.4 miles below Nine Mile Point, Westweg Datum: MLG
Operator: Not operated.
Owner: City of Westwego
Address: Foot of Sala Ave., extended. Phone: 504 347-5745
Town: Westwego State: LA County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.916667
Total Berthing Space (feet): 140 | | Longitude (decimal): -90.14111
Remarks: At time of survey (2001), plans were to use wharf as excursion vessel landing.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 101.8 PWD: 171
Name: **Progressive Barge Line, Inc., Westwego Wharf.**
Port: New Orleans
Location: Mile 101.8 A.H.P., right bank, Mississippi River, approximately 2.3 miles below Nine Mile Point, Westweg Datum: MLG
Operator: Progressive Barge Line, Inc.
Owner: Progressive Barge Line, Inc.
Address: Foot of Louisiana Street Phone: 504 340-8414
Town: Westwego State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring barges and company-owned floating equipment.
Depth Alongside (feet): 0 - 20 | | Latitude (decimal): 29.917222
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.14139
Remarks: Company-owned tow boats moor bow-to face of barge. Lower two dolphins are part of municipal pier (PWD Ref. No. 172) and are leased on an interim basis. Additional mooring space is available at four company-owned dolphins on right river bank about 1/2 mile below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 101.9 PWD: 170

Name: **National Gypsum Co., Westwego Plant Wharf.**

Port: New Orleans

Location: Mile 101.9.1 A.H.P., right bank, Mississippi River, approximately 2.2 miles below Nine Mile Point, Westw Datum: MLG

Operator: National Gypsum Co. and Vopak Terminal Westwego, Inc. (See Remarks).

Owner: National Gypsum Co.

Address: 10 Louisiana Street Phone: 504 349-4717

Town: Westwego State: LA County: Jefferson

Railway Connection: None.

Purpose: Receipt of gypsum rock by self-unloading vessel; receipt of synthetic gypsum by barge; receipt of miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 29 | | Latitude (decimal): 29.921944

Total Berthing Space (feet): 720 | | Longitude (decimal): -90.14278

Remarks: Vopak Terminal Westwego, Inc.: Operates the lower platform; one 12-, one 10-, five 8-, and one 6-inch pipelines extend from wharf to 19 steel storage tanks at terminal in rear, total capacity 776,000 barrels. One 6-inch pipeline with 4-inch connection on wharf extends from a 2-inch truck connection at levee in rear.National Gypsum Co.: Open storage area for 75,000 tons of gypsum rock and synthetic gypsum, located at wall board manufacturing plant in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 102.1 PWD: 124

Name: **Bisso Towboat Co., Inc. Mooring.**

Port: New Orleans

Location: Mile 102.1 A.H.P., left bank, Mississippi River, below foot of Walnut Street extended, New Orleans. Datum: MLG

Operator: Bisso Towboat Co., Inc.

Owner: Bisso Towboat Co., Inc.

Address: 8237 Walnut Street Phone: 504 861-1411

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: None.

Purpose: Mooring company-owned tugs.

Depth Alongside (feet): 12 | | Latitude (decimal): 29.923611

Total Berthing Space (feet): 120 | | Longitude (decimal): -90.13528

Remarks: Company-owned tugs and floating derrick moor at wharf or along natural bank. Berthing configuration changes as required to accommodate floating equipment to be moored.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 102.3 PWD: 125
Name: **E. N. Bisso and Son, Inc. Dock.**
Port: New Orleans
Location: Mile 102.3 A.H.P., left bank, Mississippi River, above foot of Walnut Street extended, New Orleans. Datum: MLG
Operator: E. N. Bisso & Son, Inc.
Owner: E. N. Bisso & Son, Inc., and Bisso Ferry Co., Inc.
Address: Foot of Walnut St. extended Phone: 504 828-3296
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.13528
Remarks: Sixteen company-owned tugs and floating derricks based at wharf.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 102.4 PWD: 126
Name: **Bisso Marine Co., Inc. Mooring.**
Port: New Orleans
Location: Mile 102.4 A.H.P., left bank, Mississippi River, foot of Walnut Street extended, New Orleans. Datum: MLG
Operator: Bisso Marine Co, Inc.
Owner: Bisso Marine Co, Inc.
Address: Foot of Walnut St., extended Phone: 504 866-6341
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.926111
Total Berthing Space (feet): 160 | | Longitude (decimal): -90.13556
Remarks: Company-owned floating cranes and four tugs moored at wharf and along natural bank at rear, total length 1,600 feet. Berthing configuration changes as required to accommodate floating equipment to be moored.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 102.4 PWD: 169

Name: **Vopak Terminal Westwego, Inc., Westwego Wharf.**

Port: New Orleans

Location: Mile 102.4 A.H.P., right bank, Mississippi River, approximately 1.7 mile below Nine Mile Point, Westwego Datum: MLG

Operator: Vopak Terminal Westwego, Inc.

Owner: Vopak Terminal Westwego, Inc.

Address: Foot of Bridge City Ave. Phone: 504 436-2242

Town: Westwego State: LA County: Jefferson

Railway Connection: None.

Purpose: Receipt of liquid petroleum products and other bulk liquid commodities by barge.

Depth Alongside (feet): 16 | | Latitude (decimal): 29.929444

Total Berthing Space (feet): 560 | | Longitude (decimal): -90.14333

Remarks: Two 8-inch pipelines extend from wharf to three steel storage tanks in rear, total capacity 130,000 barrels. One 10-inch pipeline extends to one 52,000 barrel storage tank. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 102.5 PWD: 168

Name: **Kass Bros, Inc., Westwego Landing.**

Port: New Orleans

Location: Mile 102.5 A.H.P., right bank, Mississippi River, approximately 1.6 mile below Nine Mile Point, Westwego Datum: MLG

Operator: Not operated.

Owner: Kass Bros, Inc.

Address: River Road Phone: 504 348-9018

Town: Westwego State: LA County: Jefferson

Railway Connection: Two surface tracks in rear, total length 1,000 feet, connect with Union Pacific Railroad.

Purpose: Not used.

Depth Alongside (feet): 6 - 7 | | Latitude (decimal): 29.931389

Total Berthing Space (feet): 500 | | Longitude (decimal): -90.14333

Remarks: Open storage area in rear has a capacity for 2,000 tons of stone. Sand pits located ar rear are occasional used for disposal of dredged material.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 102.7 PWD: 127

Name: **U. S. Army Corps of Engineers Wharf.**

Port: New Orleans

Location: Mile 102.7 A.H.P., left bank, Mississippi River, foot of Prytania Street extended, New Orleans. Datum: MLG

Operator: U. S. Army Corps of Engineers.

Owner: United States Government.

Address: Foot of Prytania St., extended Phone: 504 862-2245

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: None.

Purpose: Mooring government-owned floating equipment.

Depth Alongside (feet): 25 - 30 | - | - Latitude (decimal): 29.933889

Total Berthing Space (feet): 180 | 150 | 1,900 Longitude (decimal): -90.13556

Remarks: Breasting barges are located above upper side of wharf parallel with levee and have one 90- by 12-foot and one 125- by 12-foot vehicle and one 100- by 4-foot walkway approaches. Diesel fuel is supplied to government vessels through one 2-inch pipeline extending from one 190-barrel storage tank located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 103.0 PWD: 167
Name: **Cargill, Inc., Westwego Barge Slip.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt of grain by barge.
Depth Alongside (feet): 17 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 720 | | Longitude (decimal): -90.14167

Waterway: **Mississippi River** Mile: 103.0 PWD: 167
Name: **Cargill, Inc., Westwego Barge Slip.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt of grain by barge.
Depth Alongside (feet): 17 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 720 | | Longitude (decimal): -90.14167

Waterway: **Mississippi River** Mile: 103.0 PWD: 167
Name: **Cargill, Inc., Westwego Barge Slip.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt of grain by barge.
Depth Alongside (feet): 17 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 720 | | Longitude (decimal): -90.14167

Remarks: Slip provides straight through passage of barges which can be positioned at bucket unloader by winch and cable or by tug; slip can accommodate two 35-foot-wide barges side by side, or a single 50-foot-wide barge. Portion of slip is covered and has an automated hoisting system for removing and replacing barge hatch covers. A fleeting area for 23 barges is maintained at 6 steel breasting dolphins fronting outer wall of barge slip and space for 23additional barges is maintained at 3 spar barges with shore moorings located approximately 500 feet below slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Slip provides straight through passage of barges which can be positioned at bucket unloader by winch and cable or by tug; slip can accommodate two 35-foot-wide barges side by side, or a single 50-foot-wide barge. Portion of slip is covered and has an automated hoisting system for removing and replacing barge hatch covers. A fleeting area for 23 barges is maintained at 6 steel breasting dolphins fronting outer wall of barge slip and space for 23additional barges is maintained at 3 spar barges with shore moorings located approximately 500 feet below slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Slip provides straight through passage of barges which can be positioned at bucket unloader by winch and cable or by tug; slip can accommodate two 35-foot-wide barges side by side, or a single 50-foot-wide barge. Portion of slip is covered and has an automated hoisting system for removing and replacing barge hatch covers. A fleeting area for 23 barges is maintained at 6 steel breasting dolphins fronting outer wall of barge slip and space for 23additional barges is maintained at 3 spar barges with shore moorings located approximately 500 feet below slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 103.0 PWD: 167
Name: **Cargill, Inc., Westwego Barge Slip.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt of grain by barge.
Depth Alongside (feet): 17 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 720 | | Longitude (decimal): -90.14167

Waterway: **Mississippi River** Mile: 103.0 PWD: 167
Name: **Cargill, Inc., Westwego Barge Slip.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt of grain by barge.
Depth Alongside (feet): 17 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 720 | | Longitude (decimal): -90.14167

Waterway: **Mississippi River** Mile: 103.0 PWD: 167
Name: **Cargill, Inc., Westwego Barge Slip.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt of grain by barge.
Depth Alongside (feet): 17 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 720 | | Longitude (decimal): -90.14167

Remarks: Slip provides straight through passage of barges which can be positioned at bucket unloader by winch and cable or by tug; slip can accommodate two 35-foot-wide barges side by side, or a single 50-foot-wide barge. Portion of slip is covered and has an automated hoisting system for removing and replacing barge hatch covers. A fleeting area for 23 barges is maintained at 6 steel breasting dolphins fronting outer wall of barge slip and space for 23additional barges is maintained at 3 spar barges with shore moorings located approximately 500 feet below slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Slip provides straight through passage of barges which can be positioned at bucket unloader by winch and cable or by tug; slip can accommodate two 35-foot-wide barges side by side, or a single 50-foot-wide barge. Portion of slip is covered and has an automated hoisting system for removing and replacing barge hatch covers. A fleeting area for 23 barges is maintained at 6 steel breasting dolphins fronting outer wall of barge slip and space for 23additional barges is maintained at 3 spar barges with shore moorings located approximately 500 feet below slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Slip provides straight through passage of barges which can be positioned at bucket unloader by winch and cable or by tug; slip can accommodate two 35-foot-wide barges side by side, or a single 50-foot-wide barge. Portion of slip is covered and has an automated hoisting system for removing and replacing barge hatch covers. A fleeting area for 23 barges is maintained at 6 steel breasting dolphins fronting outer wall of barge slip and space for 23additional barges is maintained at 3 spar barges with shore moorings located approximately 500 feet below slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 103.0 PWD: 167
Name: **Cargill, Inc., Westwego Barge Slip.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt of grain by barge.
Depth Alongside (feet): 17 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 720 | | Longitude (decimal): -90.14167

Waterway: **Mississippi River** Mile: 103.0 PWD: 167
Name: **Cargill, Inc., Westwego Barge Slip.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt of grain by barge.
Depth Alongside (feet): 17 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 720 | | Longitude (decimal): -90.14167

Waterway: **Mississippi River** Mile: 103.0 PWD: 167
Name: **Cargill, Inc., Westwego Barge Slip.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt of grain by barge.
Depth Alongside (feet): 17 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 720 | | Longitude (decimal): -90.14167

Remarks: Slip provides straight through passage of barges which can be positioned at bucket unloader by winch and cable or by tug; slip can accommodate two 35-foot-wide barges side by side, or a single 50-foot-wide barge. Portion of slip is covered and has an automated hoisting system for removing and replacing barge hatch covers. A fleeting area for 23 barges is maintained at 6 steel breasting dolphins fronting outer wall of barge slip and space for 23additional barges is maintained at 3 spar barges with shore moorings located approximately 500 feet below slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Slip provides straight through passage of barges which can be positioned at bucket unloader by winch and cable or by tug; slip can accommodate two 35-foot-wide barges side by side, or a single 50-foot-wide barge. Portion of slip is covered and has an automated hoisting system for removing and replacing barge hatch covers. A fleeting area for 23 barges is maintained at 6 steel breasting dolphins fronting outer wall of barge slip and space for 23additional barges is maintained at 3 spar barges with shore moorings located approximately 500 feet below slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Slip provides straight through passage of barges which can be positioned at bucket unloader by winch and cable or by tug; slip can accommodate two 35-foot-wide barges side by side, or a single 50-foot-wide barge. Portion of slip is covered and has an automated hoisting system for removing and replacing barge hatch covers. A fleeting area for 23 barges is maintained at 6 steel breasting dolphins fronting outer wall of barge slip and space for 23additional barges is maintained at 3 spar barges with shore moorings located approximately 500 feet below slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 103.0 PWD: 166
Name: **Cargill, Inc., Westwego Equipment Wharf.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Handling company-owned roll-on/ roll-off and other equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.1425

Waterway: **Mississippi River** Mile: 103.0 PWD: 166
Name: **Cargill, Inc., Westwego Equipment Wharf.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Handling company-owned roll-on/ roll-off and other equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.1425

Waterway: **Mississippi River** Mile: 103.0 PWD: 166
Name: **Cargill, Inc., Westwego Equipment Wharf.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Handling company-owned roll-on/ roll-off and other equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.1425

Waterway: **Mississippi River** Mile: 103.0 PWD: 166
Name: **Cargill, Inc., Westwego Equipment Wharf.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Handling company-owned roll-on/ roll-off and other equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.1425
Remarks: Barges usually berth end-to-bank against dolphin.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Barges usually berth end-to-bank against dolphin.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Barges usually berth end-to-bank against dolphin.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 103.0 PWD: 166
Name: **Cargill, Inc., Westwego Equipment Wharf.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Handling company-owned roll-on/ roll-off and other equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.1425

Waterway: **Mississippi River** Mile: 103.0 PWD: 166
Name: **Cargill, Inc., Westwego Equipment Wharf.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Handling company-owned roll-on/ roll-off and other equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.1425

Waterway: **Mississippi River** Mile: 103.0 PWD: 166
Name: **Cargill, Inc., Westwego Equipment Wharf.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Handling company-owned roll-on/ roll-off and other equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.1425

Waterway: **Mississippi River** Mile: 103.0 PWD: 166
Name: **Cargill, Inc., Westwego Equipment Wharf.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Handling company-owned roll-on/ roll-off and other equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.1425
Remarks: Barges usually berth end-to-bank against dolphin.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Barges usually berth end-to-bank against dolphin.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Barges usually berth end-to-bank against dolphin.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 103.0 PWD: 166
Name: **Cargill, Inc., Westwego Equipment Wharf.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Handling company-owned roll-on/ roll-off and other equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.1425

Waterway: **Mississippi River** Mile: 103.0 PWD: 166
Name: **Cargill, Inc., Westwego Equipment Wharf.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Handling company-owned roll-on/ roll-off and other equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.1425

Waterway: **Mississippi River** Mile: 103.0 PWD: 166
Name: **Cargill, Inc., Westwego Equipment Wharf.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Handling company-owned roll-on/ roll-off and other equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.1425

Waterway: **Mississippi River** Mile: 103.0 PWD: 166
Name: **Cargill, Inc., Westwego Equipment Wharf.**
Port: New Orleans
Location: Mile 103.0 A.H.P., right bank, Mississippi River, approximately 1.1 mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Handling company-owned roll-on/ roll-off and other equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.1425
Remarks: Barges usually berth end-to-bank against dolphin.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Barges usually berth end-to-bank against dolphin.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Barges usually berth end-to-bank against dolphin.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 103.1 PWD: 165
Name: **Cargill, Inc., Westwego Elevator Wharf.**
Port: New Orleans
Location: Mile 103.1 A.H.P., right bank, Mississippi River, approximately one mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 40 | 20 - 40 | 12 Latitude (decimal): 29.938333
Total Berthing Space (feet): 1,837 | | 1,837 Longitude (decimal): -90.14167

Waterway: **Mississippi River** Mile: 103.1 PWD: 165
Name: **Cargill, Inc., Westwego Elevator Wharf.**
Port: New Orleans
Location: Mile 103.1 A.H.P., right bank, Mississippi River, approximately one mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 40 | 20 - 40 | 12 Latitude (decimal): 29.938333
Total Berthing Space (feet): 1,837 | | 1,837 Longitude (decimal): -90.14167

Waterway: **Mississippi River** Mile: 103.1 PWD: 165
Name: **Cargill, Inc., Westwego Elevator Wharf.**
Port: New Orleans
Location: Mile 103.1 A.H.P., right bank, Mississippi River, approximately one mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 40 | 20 - 40 | 12 Latitude (decimal): 29.938333
Total Berthing Space (feet): 1,837 | | 1,837 Longitude (decimal): -90.14167
Remarks: Twenty-four bridge cranes in covered shed over barge unloader, each supports a 6-ton electric hoist for handling hatch covers. Grain elevator in rear, consisting of 64 concrete silos, has total capacity for 3,388,000 bushels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Twenty-four bridge cranes in covered shed over barge unloader, each supports a 6-ton electric hoist for handling hatch covers. Grain elevator in rear, consisting of 64 concrete silos, has total capacity for 3,388,000 bushels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Twenty-four bridge cranes in covered shed over barge unloader, each supports a 6-ton electric hoist for handling hatch covers. Grain elevator in rear, consisting of 64 concrete silos, has total capacity for 3,388,000 bushels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 103.1 PWD: 165
Name: **Cargill, Inc., Westwego Elevator Wharf.**
Port: New Orleans
Location: Mile 103.1 A.H.P., right bank, Mississippi River, approximately one mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 40 | 20 - 40 | 12 Latitude (decimal): 29.938333
Total Berthing Space (feet): 1,837 | | 1,837 Longitude (decimal): -90.14167

Waterway: **Mississippi River** Mile: 103.1 PWD: 165
Name: **Cargill, Inc., Westwego Elevator Wharf.**
Port: New Orleans
Location: Mile 103.1 A.H.P., right bank, Mississippi River, approximately one mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 40 | 20 - 40 | 12 Latitude (decimal): 29.938333
Total Berthing Space (feet): 1,837 | | 1,837 Longitude (decimal): -90.14167

Waterway: **Mississippi River** Mile: 103.1 PWD: 165
Name: **Cargill, Inc., Westwego Elevator Wharf.**
Port: New Orleans
Location: Mile 103.1 A.H.P., right bank, Mississippi River, approximately one mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 40 | 20 - 40 | 12 Latitude (decimal): 29.938333
Total Berthing Space (feet): 1,837 | | 1,837 Longitude (decimal): -90.14167
Remarks: Twenty-four bridge cranes in covered shed over barge unloader, each supports a 6-ton electric hoist for handling hatch covers. Grain elevator in rear, consisting of 64 concrete silos, has total capacity for 3,388,000 bushels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Twenty-four bridge cranes in covered shed over barge unloader, each supports a 6-ton electric hoist for handling hatch covers. Grain elevator in rear, consisting of 64 concrete silos, has total capacity for 3,388,000 bushels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Twenty-four bridge cranes in covered shed over barge unloader, each supports a 6-ton electric hoist for handling hatch covers. Grain elevator in rear, consisting of 64 concrete silos, has total capacity for 3,388,000 bushels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 103.1 PWD: 165
Name: **Cargill, Inc., Westwego Elevator Wharf.**
Port: New Orleans
Location: Mile 103.1 A.H.P., right bank, Mississippi River, approximately one mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 40 | 20 - 40 | 12 Latitude (decimal): 29.938333
Total Berthing Space (feet): 1,837 | | 1,837 Longitude (decimal): -90.14167

Waterway: **Mississippi River** Mile: 103.1 PWD: 165
Name: **Cargill, Inc., Westwego Elevator Wharf.**
Port: New Orleans
Location: Mile 103.1 A.H.P., right bank, Mississippi River, approximately one mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 40 | 20 - 40 | 12 Latitude (decimal): 29.938333
Total Berthing Space (feet): 1,837 | | 1,837 Longitude (decimal): -90.14167

Waterway: **Mississippi River** Mile: 103.1 PWD: 165
Name: **Cargill, Inc., Westwego Elevator Wharf.**
Port: New Orleans
Location: Mile 103.1 A.H.P., right bank, Mississippi River, approximately one mile below Nine Mile Point, Westwego Datum: MLG
Operator: Cargill, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 933 River Road Phone: 504 436-5816
Town: Westwego State: LA County: Jefferson
Railway Connection: Surface tracks serve two car-receiving pits and car-loading spout at rear of grain elevator; join with two 125-car capacity storage yards; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 40 | 20 - 40 | 12 Latitude (decimal): 29.938333
Total Berthing Space (feet): 1,837 | | 1,837 Longitude (decimal): -90.14167
Remarks: Twenty-four bridge cranes in covered shed over barge unloader, each supports a 6-ton electric hoist for handling hatch covers. Grain elevator in rear, consisting of 64 concrete silos, has total capacity for 3,388,000 bushels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Twenty-four bridge cranes in covered shed over barge unloader, each supports a 6-ton electric hoist for handling hatch covers. Grain elevator in rear, consisting of 64 concrete silos, has total capacity for 3,388,000 bushels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Twenty-four bridge cranes in covered shed over barge unloader, each supports a 6-ton electric hoist for handling hatch covers. Grain elevator in rear, consisting of 64 concrete silos, has total capacity for 3,388,000 bushels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Waterway: **Mississippi River** Mile: 103.5 PWD: 164

Name: **Beverly Industries, Inc./Vulcan ICA Distribution Co., Westwego Yar**

Port: New Orleans

Location: Mile 103.5 A.H.P., right bank, Mississippi River, approximately 0.8 mile below Nine Mile Point, Westwego Datum: MLG

Operator: Beverly Industries, Inc., and Vulcan ICA Distribution Co.

Owner: Phillip Family Trust, LLC.

Address: River Road Phone: 504 464-7625

Town: Westwego State: LA County: Jefferson

Railway Connection: None.

Purpose: Receipt of aggregates by barge.

Depth Alongside (feet): | | Latitude (decimal): 29.946389

Total Berthing Space (feet): 1,200 | 384 | Longitude (decimal): -90.14222

Remarks: Breasting dolphins and shore moorings, maintained by Cargill, Inc, are occasionally used for ship mooring. Beverly Industries, Inc., operates sand pit at rear. Landing located at rear of upper end of row of breasting dolphins. Approximately 2 acres of open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Waterway: **Mississippi River** Mile: 103.5 PWD: 128

Name: **Louisiana Dock Co. Inc., Carrollton Fleet Mooring.**

Port: New Orleans

Location: Mile 103.5 A.H.P., left bank, Mississippi River, between foot of Fern and Monroe Streets extended, New O Datum: MLG

Operator: Louisiana Dock, Co., Inc.

Owner: Louisiana Dock Co., Inc.

Address: Foot of South Carrollton Ave. Phone: 504 733-7870

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): - | | Latitude (decimal): 29.944444

Total Berthing Space (feet): 930 | 1,830 | Longitude (decimal): -90.13611

Remarks: Offices for fleeting operations are located at Harahan facility upstream (PWD Ref. No. 133). Fleeting area has capacity for 112 barges consisting of 16 tiers, each 7 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 103.8 PWD: 163
Name: **Entergy Louisiana, Inc., Nine Mile Point Steam Electric Station, F**
Port: New Orleans
Location: Mile 103.8 A.H.P., right bank, Mississippi River, approximately 2,000 feet below Nine Mile Point, Westwe Datum: MLG
Operator: Entergy Louisiana, Inc.
Owner: Entergy Louisiana, Inc.
Address: 1617 River Road Phone: 504 436-5921
Town: Westwego State: LA County: Jefferson
Railway Connection: One surface track serves power plant in rear; connects with Union Pacific Railroad.
Purpose: Occasional receipt of No. 2 fuel oil by barge.
Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 29.947222
Total Berthing Space (feet): 600 | | Longitude (decimal): -90.14306
Remarks: One 16-inch, insulated, electrically-traced pipeline extends from wharf to 3 steel storage tanks at power plant in rear, total capacity 450,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 104.0 PWD: 129
Name: **Equilon Enterprises, LLC, Wharf.**
Port: New Orleans
Location: Mile 104.0 A.H.P., left bank, Mississippi River, approximately 0.2 mile above foot of Monticello Avenue Datum: MLG
Operator: Equilon Enterprises, LLC., affiliated with Shell Oil Co.
Owner: Equilon Enterprises, LLC., affiliated with Shell Oil Co.
Address: 309 Jefferson Highway Phone: 504 836-3311
Town: Jefferson State: LA County: Jefferson Par.
Railway Connection: Plant trackage in rear connects with Canadian National and Kansas City Southern Railroad.
Purpose: Receipt of lubricating oil base stocks.
Depth Alongside (feet): 15 | - | Latitude (decimal): 29.955556
Total Berthing Space (feet): 164 | | Longitude (decimal): -90.14083
Remarks: Two 8-inch pipelines extend from wharf to 21 steel, horizontal storage tanks, total capacity 175,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 104.2 PWD: 130
Name: **Bertucci Contracting Corp. Mooring.**
Port: New Orleans
Location: Mile 104.2 A.H.P., left bank, Mississippi River, foot of Iris Street extended, Jefferson. Datum: MLG
Operator: Bertucci Contracting Corp.
Owner: Dan and Barbara Zelenka
Address: 7 River Road Phone: 504 835-0303
Town: Jefferson State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; handling construction materials and supplies to and from barges.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.956111
Total Berthing Space (feet): 300 | 600 & | Longitude (decimal): -90.14028
Remarks: Area in rear used for offices and for storing equipment and materials.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 104.4 PWD: 162
Name: **T. T. Barge Coatings, Inc., West Bank Barge Cleaning Wharf.**
Port: New Orleans
Location: Mile 104.4 A.H.P., right bank, Mississippi River, approximately 1.4 mile below Huey P. Long Bridge, West Datum: MLG
Operator: T. T. Barge Coatings, Inc.
Owner: T. T. Barge Coatings, Inc.
Address: 2012 River Road Phone: 504 436-3766
Town: Westwego State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for cleaning.
Depth Alongside (feet): 5 | | Latitude (decimal): 29.952778
Total Berthing Space (feet): 475 | | Longitude (decimal): -90.1475

Waterway: **Mississippi River** Mile: 104.4 PWD: 162
Name: **T. T. Barge Coatings, Inc., West Bank Barge Cleaning Wharf.**
Port: New Orleans
Location: Mile 104.4 A.H.P., right bank, Mississippi River, approximately 1.4 mile below Huey P. Long Bridge, West Datum: MLG
Operator: T. T. Barge Coatings, Inc.
Owner: T. T. Barge Coatings, Inc.
Address: 2012 River Road Phone: 504 436-3766
Town: Westwego State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for cleaning.
Depth Alongside (feet): 5 | | Latitude (decimal): 29.952778
Total Berthing Space (feet): 475 | | Longitude (decimal): -90.1475
Remarks: Office is located in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Office is located in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 104.4 PWD: 162
Name: **T. T. Barge Coatings, Inc., West Bank Barge Cleaning Wharf.**
Port: New Orleans
Location: Mile 104.4 A.H.P., right bank, Mississippi River, approximately 1.4 mile below Huey P. Long Bridge, West Datum: MLG
Operator: T. T. Barge Coatings, Inc.
Owner: T. T. Barge Coatings, Inc.
Address: 2012 River Road Phone: 504 436-3766
Town: Westwego State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for cleaning.
Depth Alongside (feet): 5 | | Latitude (decimal): 29.952778
Total Berthing Space (feet): 475 | | Longitude (decimal): -90.1475

Waterway: **Mississippi River** Mile: 104.4 PWD: 162
Name: **T. T. Barge Coatings, Inc., West Bank Barge Cleaning Wharf.**
Port: New Orleans
Location: Mile 104.4 A.H.P., right bank, Mississippi River, approximately 1.4 mile below Huey P. Long Bridge, West Datum: MLG
Operator: T. T. Barge Coatings, Inc.
Owner: T. T. Barge Coatings, Inc.
Address: 2012 River Road Phone: 504 436-3766
Town: Westwego State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for cleaning.
Depth Alongside (feet): 5 | | Latitude (decimal): 29.952778
Total Berthing Space (feet): 475 | | Longitude (decimal): -90.1475
Remarks: Office is located in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Office is located in rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 104.8 PWD: 161
Name: **T. T. Barge Coatings, Inc., West Bank Barge Repair Wharf.**
Port: New Orleans
Location: Mile 104.8 A.H.P., right bank, Mississippi River, approximately one mile below Huey P. Long Bridge, West Datum: MLG
Operator: T. T. Barge Coatings, Inc.
Owner: T. T. Barge Coatings, Inc.
Address: 2012 River Road Phone: 504 436-3766
Town: Westwego State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.952222
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.15167

Waterway: **Mississippi River** Mile: 104.8 PWD: 161
Name: **T. T. Barge Coatings, Inc., West Bank Barge Repair Wharf.**
Port: New Orleans
Location: Mile 104.8 A.H.P., right bank, Mississippi River, approximately one mile below Huey P. Long Bridge, West Datum: MLG
Operator: T. T. Barge Coatings, Inc.
Owner: T. T. Barge Coatings, Inc.
Address: 2012 River Road Phone: 504 436-3766
Town: Westwego State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.952222
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.15167

Remarks: At time of survey (2001), repair operation was just being established. Repair storage building located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: At time of survey (2001), repair operation was just being established. Repair storage building located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 104.8 PWD: 161
Name: **T. T. Barge Coatings, Inc., West Bank Barge Repair Wharf.**
Port: New Orleans
Location: Mile 104.8 A.H.P., right bank, Mississippi River, approximately one mile below Huey P. Long Bridge, West Datum: MLG
Operator: T. T. Barge Coatings, Inc.
Owner: T. T. Barge Coatings, Inc.
Address: 2012 River Road Phone: 504 436-3766
Town: Westwego State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.952222
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.15167

Waterway: **Mississippi River** Mile: 104.8 PWD: 161
Name: **T. T. Barge Coatings, Inc., West Bank Barge Repair Wharf.**
Port: New Orleans
Location: Mile 104.8 A.H.P., right bank, Mississippi River, approximately one mile below Huey P. Long Bridge, West Datum: MLG
Operator: T. T. Barge Coatings, Inc.
Owner: T. T. Barge Coatings, Inc.
Address: 2012 River Road Phone: 504 436-3766
Town: Westwego State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.952222
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.15167
Remarks: At time of survey (2001), repair operation was just being established. Repair storage building located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: At time of survey (2001), repair operation was just being established. Repair storage building located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 105.2 PWD: 131

Name: **Zito Fleeting, LLC/Intercoastal Marine Repairs, Inc., Mooring.**

Port: New Orleans

Location: Mile 105.2 A.H.P., left bank, Mississippi River, approximately 1.1 mile below Huey P. Long Bridge, Jeffe Datum: MLG

Operator: Zito Fleeting, LLC and Intracoastal Marine Repairs, Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: Foot of Shrewsbury Court, extended Phone: 504 835-8531

Town: Jefferson State: LA County: Jefferson Par.

Railway Connection: None.

Purpose: Mooring dry docks; mooring vessels and barges for repair; fleeting barges.

Depth Alongside (feet): 30 | 9 - 30 | Latitude (decimal): 29.956389

Total Berthing Space (feet): 1,185 | 3,500 | Longitude (decimal): -90.15833

Remarks: Five dry docks, with lift capacity to 2,500 tons, are moored at Intracoastal Marine Repairs facility at lower fleeting area. Two in-stream ship moorings with 60-foot draft capability are located above wharf. Fleeting area has capacity for 230 barges, in tiers up to 5 barges wide, along shore moorings on upper side extending to under Huey P. Long Bridge, and along shore moorings on lower side.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 106.4 PWD: 132

Name: **National Maintenance and Repair of Louisiana, Inc., Mooring.**

Port: New Orleans

Location: Mile 106.4 A.H.P., left bank, Mississippi River, above Huey P. Long Bridge, Harahan. Datum: MLG

Operator: National Maintenance and Repair of Louisiana, Inc.

Owner: National Maintenance and Repair of Louisiana, Inc.

Address: 5004 River Road. Phone: 504 733-4190

Town: Harahan State: LA County: Jefferson Par.

Railway Connection: None.

Purpose: Mooring vessels and barges for repair; mooring floating drydocks. (See Remarks.)

Depth Alongside (feet): 8 - 30 | | Latitude (decimal): 29.944444

Total Berthing Space (feet): 1,700 | | Longitude (decimal): -90.175

Remarks: One 3,300-, one 3,000-, one 2,500-, and one 900-ton, floating drydocks moored at wharf. Machine shop, electrical, and engineering services are available.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20107 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Waterway: **Mississippi River** Mile: 106.6 PWD: 160
Name: **Litton/Avondale Industries, Inc., Main Plant Gas Freeing Wharf.**
Port: New Orleans
Location: Mile 106.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Huey P. Long Bridge, Brid Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring tank barges for gas freeing and cleaning.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.1725

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing space for 12 barges is located at 8 steel breasting dolphins located below lower side. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Waterway: **Mississippi River** Mile: 106.9 PWD: 159
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 4.**
Port: New Orleans
Location: Mile 106.9 A.H.P., right bank, Mississippi River, Bridge City. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on adjacent wharf (PWD Ref. No. 158) joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 - 45 | - | Latitude (decimal): 29.931944
Total Berthing Space (feet): 150 + | | Longitude (decimal): -90.17778

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 20,000 ton floating drydock is moored at wharf. Wharf is in line and contiguous with Wet Dock No. 3 (Ref. No. 158) providing 3,300 feet of continuous berthing space. Floating drydock and wharf are equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056
Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056
Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056
Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056
Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056
Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056

Waterway: **Mississippi River** Mile: 107.1 PWD: 158
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 3.**
Port: New Orleans
Location: Mile 107.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Bridge City State: LA County: Jefferson
Railway Connection: One surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 40 - 45 | | Latitude (decimal): 29.929722
Total Berthing Space (feet): 1591 | | Longitude (decimal): -90.18056
Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is in line and contiguous with Wet Dock No. 4 (PWD Ref. No. 159) providing 3,300 feet of continuous berthing space. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located at upper side. Occasional fueling is accomplished via tank car or truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.3 PWD: 134
Name: **T.T. Barge Cleaning, Inc., East Bank Slip.**
Port: New Orleans
Location: Mile 107.3 A.H.P., left bank, Mississippi River, approximately one mile above Huey P. Long Bridge, Harah Datum: MLG
Operator: T.T. Barge Cleaning, Inc.
Owner: Louisiana Dock Co., Inc.
Address: 6000 River Road. Phone: 504 436-3766
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 7. - 5 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.3 PWD: 134
Name: **T.T. Barge Cleaning, Inc., East Bank Slip.**
Port: New Orleans
Location: Mile 107.3 A.H.P., left bank, Mississippi River, approximately one mile above Huey P. Long Bridge, Harah Datum: MLG
Operator: T.T. Barge Cleaning, Inc.
Owner: Louisiana Dock Co., Inc.
Address: 6000 River Road. Phone: 504 436-3766
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 7. - 5 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.18472
Remarks: Additional berthing is available at 2 off-shore mooring dolphins opposite head of slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing is available at 2 off-shore mooring dolphins opposite head of slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.3 PWD: 134
Name: **T.T. Barge Cleaning, Inc., East Bank Slip.**
Port: New Orleans
Location: Mile 107.3 A.H.P., left bank, Mississippi River, approximately one mile above Huey P. Long Bridge, Harah Datum: MLG
Operator: T.T. Barge Cleaning, Inc.
Owner: Louisiana Dock Co., Inc.
Address: 6000 River Road. Phone: 504 436-3766
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 7. - 5 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.3 PWD: 134
Name: **T.T. Barge Cleaning, Inc., East Bank Slip.**
Port: New Orleans
Location: Mile 107.3 A.H.P., left bank, Mississippi River, approximately one mile above Huey P. Long Bridge, Harah Datum: MLG
Operator: T.T. Barge Cleaning, Inc.
Owner: Louisiana Dock Co., Inc.
Address: 6000 River Road. Phone: 504 436-3766
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 7. - 5 | | Latitude (decimal): 29.936389
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.18472
Remarks: Additional berthing is available at 2 off-shore mooring dolphins opposite head of slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Additional berthing is available at 2 off-shore mooring dolphins opposite head of slip.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.4 PWD: 135
Name: **T.T. Barge Cleaning, Inc., East Bank Wharf.**
Port: New Orleans
Location: Mile 107.4 A.H.P., left bank, Mississippi River, approximately 1.1 mile above Huey P. Datum: Long Bridge, Harah
Operator: T.T. Barge Cleaning, Inc.
Owner: Louisiana Dock Co., Inc.
Address: 6000 River Road. Phone: 504 436-3766
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for cleaning and gas freeing.
Depth Alongside (feet): | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 350 | | Longitude (decimal): -90.18583

Waterway: **Mississippi River** Mile: 107.4 PWD: 135
Name: **T.T. Barge Cleaning, Inc., East Bank Wharf.**
Port: New Orleans
Location: Mile 107.4 A.H.P., left bank, Mississippi River, approximately 1.1 mile above Huey P. Datum: Long Bridge, Harah
Operator: T.T. Barge Cleaning, Inc.
Owner: Louisiana Dock Co., Inc.
Address: 6000 River Road. Phone: 504 436-3766
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for cleaning and gas freeing.
Depth Alongside (feet): | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 350 | | Longitude (decimal): -90.18583
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.4 PWD: 135
Name: **T.T. Barge Cleaning, Inc., East Bank Wharf.**
Port: New Orleans
Location: Mile 107.4 A.H.P., left bank, Mississippi River, approximately 1.1 mile above Huey P. Datum: Long Bridge, Harah
Operator: T.T. Barge Cleaning, Inc.
Owner: Louisiana Dock Co., Inc.
Address: 6000 River Road. Phone: 504 436-3766
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for cleaning and gas freeing.
Depth Alongside (feet): | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 350 | | Longitude (decimal): -90.18583

Waterway: **Mississippi River** Mile: 107.4 PWD: 135
Name: **T.T. Barge Cleaning, Inc., East Bank Wharf.**
Port: New Orleans
Location: Mile 107.4 A.H.P., left bank, Mississippi River, approximately 1.1 mile above Huey P. Datum: Long Bridge, Harah
Operator: T.T. Barge Cleaning, Inc.
Owner: Louisiana Dock Co., Inc.
Address: 6000 River Road. Phone: 504 436-3766
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for cleaning and gas freeing.
Depth Alongside (feet): | | Latitude (decimal): 29.934444
Total Berthing Space (feet): 350 | | Longitude (decimal): -90.18583
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Waterway: **Mississippi River** Mile: 107.5 PWD: 157
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 2.**
Port: New Orleans
Location: Mile 107.5 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; launching vessels.
Depth Alongside (feet): 32 | 5 - 30 | Latitude (decimal): 29.926667
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.18472

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. Shipbuilding and side-launching ways located below wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Waterway: **Mississippi River** Mile: 107.6 PWD: 156
Name: **Litton/Avondale Industries, Inc., Main Plant, Upper Yard Dock**
Port: New Orleans
Location: Mile 107.6 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 42 | | Latitude (decimal): 29.925278
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.18667

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: One 81,000-ton floating drydock moored at wharf, with shipbuilding ways located at rear. Vessels are transferred directly from ways to drydock for launching via removable transfer beams lay across wharf connecting building ways and drydock which has removable port side wingwall. Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide and steam and electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028
Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028
Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028
Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028
Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028
Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028

Waterway: **Mississippi River** Mile: 107.8 PWD: 155
Name: **Litton/Avondale Industries, Inc., Main Plant Wet Dock No. 1**
Port: New Orleans
Location: Mile 107.8 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: Litton/Avondale Industries, Inc.
Owner: Litton/Avondale Industries, Inc.
Address: 5100 River Road Phone: 504 436-5165
Town: Avondale State: LA County: Jefferson
Railway Connection: One 1,218-foot surface track on wharf joins additional trackage serving plant in rear; connects with Union Pacific Railroad.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating plant.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.924444
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -90.19028
Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Wharf is equipped with lines for supplying compressed air, oxygen, natural gas, argon/carbon dioxide, and steam and electrical connections for welding equipment. 'Avondale Sr.': twin-boom, electric, floating, shear-leg derrick with 160-foot booms having 660-ton capacity at 51-foot outboard reach, 440 tons at 67 feet and 220 tons at 97 feet, also equipped with 75-foot jib booms, capacity 75 tons each, is available for use at each of the company's wharves(PWD Ref. Nos. 155 through 160, 272, and 273).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 108.1 PWD: 154
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 2**
Port: New Orleans
Location: Mile 108.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge.
Depth Alongside (feet): 40 | 12 - 25 | Latitude (decimal): 29.922222
Total Berthing Space (feet): 400 | 195 | Longitude (decimal): -90.19306

Waterway: **Mississippi River** Mile: 108.1 PWD: 154
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 2**
Port: New Orleans
Location: Mile 108.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge.
Depth Alongside (feet): 40 | 12 - 25 | Latitude (decimal): 29.922222
Total Berthing Space (feet): 400 | 195 | Longitude (decimal): -90.19306

Waterway: **Mississippi River** Mile: 108.1 PWD: 154
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 2**
Port: New Orleans
Location: Mile 108.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge.
Depth Alongside (feet): 40 | 12 - 25 | Latitude (decimal): 29.922222
Total Berthing Space (feet): 400 | 195 | Longitude (decimal): -90.19306

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf and connect with same pipelines serving storage tanks shown under PWD Ref. No. 153. One 4-inch steam, one 2-inch water wash-down lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf and connect with same pipelines serving storage tanks shown under PWD Ref. No. 153. One 4-inch steam, one 2-inch water wash-down lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf and connect with same pipelines serving storage tanks shown under PWD Ref. No. 153. One 4-inch steam, one 2-inch water wash-down lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 108.1 PWD: 154
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 2**
Port: New Orleans
Location: Mile 108.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge.
Depth Alongside (feet): 40 | 12 - 25 | Latitude (decimal): 29.922222
Total Berthing Space (feet): 400 | 195 | Longitude (decimal): -90.19306

Waterway: **Mississippi River** Mile: 108.1 PWD: 154
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 2**
Port: New Orleans
Location: Mile 108.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge.
Depth Alongside (feet): 40 | 12 - 25 | Latitude (decimal): 29.922222
Total Berthing Space (feet): 400 | 195 | Longitude (decimal): -90.19306

Waterway: **Mississippi River** Mile: 108.1 PWD: 154
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 2**
Port: New Orleans
Location: Mile 108.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge.
Depth Alongside (feet): 40 | 12 - 25 | Latitude (decimal): 29.922222
Total Berthing Space (feet): 400 | 195 | Longitude (decimal): -90.19306

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf and connect with same pipelines serving storage tanks shown under PWD Ref. No. 153. One 4-inch steam, one 2-inch water wash-down lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf and connect with same pipelines serving storage tanks shown under PWD Ref. No. 153. One 4-inch steam, one 2-inch water wash-down lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf and connect with same pipelines serving storage tanks shown under PWD Ref. No. 153. One 4-inch steam, one 2-inch water wash-down lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 108.1 PWD: 154
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 2**
Port: New Orleans
Location: Mile 108.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge.
Depth Alongside (feet): 40 | 12 - 25 | Latitude (decimal): 29.922222
Total Berthing Space (feet): 400 | 195 | Longitude (decimal): -90.19306

Waterway: **Mississippi River** Mile: 108.1 PWD: 154
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 2**
Port: New Orleans
Location: Mile 108.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge.
Depth Alongside (feet): 40 | 12 - 25 | Latitude (decimal): 29.922222
Total Berthing Space (feet): 400 | 195 | Longitude (decimal): -90.19306

Waterway: **Mississippi River** Mile: 108.1 PWD: 154
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 2**
Port: New Orleans
Location: Mile 108.1 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge.
Depth Alongside (feet): 40 | 12 - 25 | Latitude (decimal): 29.922222
Total Berthing Space (feet): 400 | 195 | Longitude (decimal): -90.19306

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf and connect with same pipelines serving storage tanks shown under PWD Ref. No. 153. One 4-inch steam, one 2-inch water wash-down lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf and connect with same pipelines serving storage tanks shown under PWD Ref. No. 153. One 4-inch steam, one 2-inch water wash-down lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf and connect with same pipelines serving storage tanks shown under PWD Ref. No. 153. One 4-inch steam, one 2-inch water wash-down lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 108.2 PWD: 153
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 1**
Port: New Orleans
Location: Mile 108.2 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge and vessel.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.921667
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.19472

Waterway: **Mississippi River** Mile: 108.2 PWD: 153
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 1**
Port: New Orleans
Location: Mile 108.2 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge and vessel.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.921667
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.19472

Waterway: **Mississippi River** Mile: 108.2 PWD: 153
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 1**
Port: New Orleans
Location: Mile 108.2 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge and vessel.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.921667
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.19472

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf to 76 steel storage tanks in rear, total capacity 675,000 barrels. One 4-inch steam and one 2-inch compressed air lines serve wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf to 76 steel storage tanks in rear, total capacity 675,000 barrels. One 4-inch steam and one 2-inch compressed air lines serve wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf to 76 steel storage tanks in rear, total capacity 675,000 barrels. One 4-inch steam and one 2-inch compressed air lines serve wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 108.2 PWD: 153
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 1**
Port: New Orleans
Location: Mile 108.2 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge and vessel.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.921667
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.19472

Waterway: **Mississippi River** Mile: 108.2 PWD: 153
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 1**
Port: New Orleans
Location: Mile 108.2 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge and vessel.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.921667
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.19472

Waterway: **Mississippi River** Mile: 108.2 PWD: 153
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 1**
Port: New Orleans
Location: Mile 108.2 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge and vessel.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.921667
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.19472

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf to 76 steel storage tanks in rear, total capacity 675,000 barrels. One 4-inch steam and one 2-inch compressed air lines serve wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf to 76 steel storage tanks in rear, total capacity 675,000 barrels. One 4-inch steam and one 2-inch compressed air lines serve wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf to 76 steel storage tanks in rear, total capacity 675,000 barrels. One 4-inch steam and one 2-inch compressed air lines serve wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 108.2 PWD: 153
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 1**
Port: New Orleans
Location: Mile 108.2 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge and vessel.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.921667
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.19472

Waterway: **Mississippi River** Mile: 108.2 PWD: 153
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 1**
Port: New Orleans
Location: Mile 108.2 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge and vessel.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.921667
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.19472

Waterway: **Mississippi River** Mile: 108.2 PWD: 153
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 1**
Port: New Orleans
Location: Mile 108.2 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, liquid chemicals, petrochemicals, lard, and vegetable, fish, and tung oils by barge and vessel.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.921667
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.19472

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf to 76 steel storage tanks in rear, total capacity 675,000 barrels. One 4-inch steam and one 2-inch compressed air lines serve wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf to 76 steel storage tanks in rear, total capacity 675,000 barrels. One 4-inch steam and one 2-inch compressed air lines serve wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Two 10-, eight 8-, and four 6-inch pipelines extend from wharf to 76 steel storage tanks in rear, total capacity 675,000 barrels. One 4-inch steam and one 2-inch compressed air lines serve wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 108.3 PWD: 152
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 3**
Port: New Orleans
Location: Mile 108.3 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Loading barges for bunkering vessels at berth.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.921111
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.19722

Waterway: **Mississippi River** Mile: 108.3 PWD: 152
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 3**
Port: New Orleans
Location: Mile 108.3 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Loading barges for bunkering vessels at berth.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.921111
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.19722

Waterway: **Mississippi River** Mile: 108.3 PWD: 152
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 3**
Port: New Orleans
Location: Mile 108.3 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Loading barges for bunkering vessels at berth.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.921111
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.19722

Remarks: Three 8-inch petroleum product pipelines, one steam-traced, extend to wharf from 7 steel storage tanks at rear, total capacity 325,000 barrels. Company operates a similar facility on the left bank of the Mississippi River at St. Rose, mile 118.5 A.H.P. (See Port Series Report No. 20A - Above New Orleans section.)

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Three 8-inch petroleum product pipelines, one steam-traced, extend to wharf from 7 steel storage tanks at rear, total capacity 325,000 barrels. Company operates a similar facility on the left bank of the Mississippi River at St. Rose, mile 118.5 A.H.P. (See Port Series Report No. 20A - Above New Orleans section.)

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Three 8-inch petroleum product pipelines, one steam-traced, extend to wharf from 7 steel storage tanks at rear, total capacity 325,000 barrels. Company operates a similar facility on the left bank of the Mississippi River at St. Rose, mile 118.5 A.H.P. (See Port Series Report No. 20A - Above New Orleans section.)

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 108.3 PWD: 152
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 3**
Port: New Orleans
Location: Mile 108.3 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Loading barges for bunkering vessels at berth.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.921111
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.19722

Waterway: **Mississippi River** Mile: 108.3 PWD: 152
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 3**
Port: New Orleans
Location: Mile 108.3 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Loading barges for bunkering vessels at berth.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.921111
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.19722

Waterway: **Mississippi River** Mile: 108.3 PWD: 152
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 3**
Port: New Orleans
Location: Mile 108.3 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Loading barges for bunkering vessels at berth.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.921111
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.19722

Remarks: Three 8-inch petroleum product pipelines, one steam-traced, extend to wharf from 7 steel storage tanks at rear, total capacity 325,000 barrels. Company operates a similar facility on the left bank of the Mississippi River at St. Rose, mile 118.5 A.H.P. (See Port Series Report No. 20A - Above New Orleans section.)

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Three 8-inch petroleum product pipelines, one steam-traced, extend to wharf from 7 steel storage tanks at rear, total capacity 325,000 barrels. Company operates a similar facility on the left bank of the Mississippi River at St. Rose, mile 118.5 A.H.P. (See Port Series Report No. 20A - Above New Orleans section.)

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Three 8-inch petroleum product pipelines, one steam-traced, extend to wharf from 7 steel storage tanks at rear, total capacity 325,000 barrels. Company operates a similar facility on the left bank of the Mississippi River at St. Rose, mile 118.5 A.H.P. (See Port Series Report No. 20A - Above New Orleans section.)

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 108.3 PWD: 152
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 3**
Port: New Orleans
Location: Mile 108.3 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Loading barges for bunkering vessels at berth.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.921111
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.19722

Waterway: **Mississippi River** Mile: 108.3 PWD: 152
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 3**
Port: New Orleans
Location: Mile 108.3 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Loading barges for bunkering vessels at berth.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.921111
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.19722

Waterway: **Mississippi River** Mile: 108.3 PWD: 152
Name: **International-Matex Tank Terminals, Ltd., Avondale Dock No. 3**
Port: New Orleans
Location: Mile 108.3 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 5450 River Road Phone: 504 436-4466
Town: Avondale State: LA County: Jefferson
Railway Connection: Four surface tracks serve 4 tank car loading racks at terminal in rear, total capacity sixty 20,000-gallon cars; connect with Union Pacific Railroad.
Purpose: Loading barges for bunkering vessels at berth.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.921111
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.19722
Remarks: Three 8-inch petroleum product pipelines, one steam-traced, extend to wharf from 7 steel storage tanks at rear, total capacity 325,000 barrels. Company operates a similar facility on the left bank of the Mississippi River at St. Rose, mile 118.5 A.H.P. (See Port Series Report No. 20A - Above New Orleans section.)

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Port Facilities by Waterway

Remarks: Three 8-inch petroleum product pipelines, one steam-traced, extend to wharf from 7 steel storage tanks at rear, total capacity 325,000 barrels. Company operates a similar facility on the left bank of the Mississippi River at St. Rose, mile 118.5 A.H.P. (See Port Series Report No. 20A - Above New Orleans section.)

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Remarks: Three 8-inch petroleum product pipelines, one steam-traced, extend to wharf from 7 steel storage tanks at rear, total capacity 325,000 barrels. Company operates a similar facility on the left bank of the Mississippi River at St. Rose, mile 118.5 A.H.P. (See Port Series Report No. 20A - Above New Orleans section.)

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Waterway: **Mississippi River** Mile: 108.4 PWD: 151

Name: **Wood Resources Corp., Avondale Wharf.**

Port: New Orleans

Location: Mile 108.4 A.H.P., right bank, Mississippi River, Avondale. Datum: MLG

Operator: Not operated

Owner: Wood Resources Corp.

Address: River Road Phone: 504 436-1234

Town: Avondale State: LA County: Jefferson

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 17 | | Latitude (decimal): 29.920833

Total Berthing Space (feet): 500 | | Longitude (decimal): -90.20083

Remarks: Ar time of survey (2001), plans call for demolition of platform and construction of ship mooring at site.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20108 New Orleans District

Waterway: **Mississippi River** Mile: 108.7 PWD: 137

Name: **Western Towing Co., Fleet Mooring.**

Port: New Orleans

Location: Mile 108.7 A.H.P., left bank, Mississippi River, lower side of Twelve Mile Point, Harahan. Datum: MLG

Operator: Western Towing Co., a subsidiary of Kirby Inland Marine, Inc.

Owner: Kirby Inland Marine, Inc.

Address: Foot of Oak St., extended Phone: 225 757-1347

Town: Harahan State: LA County: Jefferson Par.

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 20 | | Latitude (decimal): 29.925556

Total Berthing Space (feet): 1,600 | | Longitude (decimal): -90.20556

Remarks: Fleeting area can be extended upstream using shore mooring on bank, has total capacity for approximately 45 barges.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20107 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 11.5 PWD: 53
Name: **Baptist Collette Launch, LLC Wharf.**
Port: Below New Orleans
Location: Mile 11.5 AHP, right bank, Mississippi River, Venice. Datum: MLG
Operator: Baptist Collette Launch, LLC.
Owner: Gerald W Newman, James M. Mewman & Sarah C. Newman, LLC.
Address: 42511 Hwy. 23. Phone: 985/534-2628
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Launching government, emergency, and recreational small craft.
Depth Alongside (feet): 3 - 4 | | 15 - 16 Latitude (decimal): 29.286111
Total Berthing Space (feet): 40 & | | Longitude (decimal): -89.36139
Remarks: Wharf is occasionally used for transfer of supplies to vessels in transit.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20011 New Orleans District

---

Waterway: **Mississippi River** Mile: 11.8 PWD: 52
Name: **Plains Marketing, L.P., Venice Terminal, Pier 2 Barge Dock.**
Port: Below New Orleans
Location: Mile 11.8 AHP, right bank, Mississippi River, Venice. Datum: MLG
Operator: Not operated.
Owner: Plains Marketing, L.P.
Address: State Highway 23. Phone: 800/248-0028
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.288056
Total Berthing Space (feet): 390 | | Longitude (decimal): -89.3625

Waterway: **Mississippi River** Mile: 11.8 PWD: 52
Name: **Plains Marketing, L.P., Venice Terminal, Pier 2 Barge Dock.**
Port: Below New Orleans
Location: Mile 11.8 AHP, right bank, Mississippi River, Venice. Datum: MLG
Operator: Not operated.
Owner: Plains Marketing, L.P.
Address: State Highway 23. Phone: 800/248-0028
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.288056
Total Berthing Space (feet): 390 | | Longitude (decimal): -89.3625
Remarks: One 10-inch, crude oil pipeline and one 12-inch ballast pipeline extend to wharf from respective storage tanks described under Pier No. 1 Ship Dock (Ref. No. 51).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20011 New Orleans District

---

Remarks: One 10-inch, crude oil pipeline and one 12-inch ballast pipeline extend to wharf from respective storage tanks described under Pier No. 1 Ship Dock (Ref. No. 51).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20011 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 11.8 PWD: 52
Name: **Plains Marketing, L.P., Venice Terminal, Pier 2 Barge Dock.**
Port: Below New Orleans
Location: Mile 11.8 AHP, right bank, Mississippi River, Venice. Datum: MLG
Operator: Not operated.
Owner: Plains Marketing, L.P.
Address: State Highway 23. Phone: 800/248-0028
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.288056
Total Berthing Space (feet): 390 | | Longitude (decimal): -89.3625

Waterway: **Mississippi River** Mile: 11.8 PWD: 52
Name: **Plains Marketing, L.P., Venice Terminal, Pier 2 Barge Dock.**
Port: Below New Orleans
Location: Mile 11.8 AHP, right bank, Mississippi River, Venice. Datum: MLG
Operator: Not operated.
Owner: Plains Marketing, L.P.
Address: State Highway 23. Phone: 800/248-0028
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.288056
Total Berthing Space (feet): 390 | | Longitude (decimal): -89.3625

Remarks: One 10-inch, crude oil pipeline and one 12-inch ballast pipeline extend to wharf from respective storage tanks described under Pier No. 1 Ship Dock (Ref. No. 51).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20011 New Orleans District

Remarks: One 10-inch, crude oil pipeline and one 12-inch ballast pipeline extend to wharf from respective storage tanks described under Pier No. 1 Ship Dock (Ref. No. 51).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20011 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 11.9 PWD: 51
Name: **Plains Marketing, L.P, Venice Terminal, Pier 1 Ship Dock.**
Port: Below New Orleans
Location: Mile 11.9 AHP, right bank, Mississippi River, Venice. Datum: MLG
Operator: Plains Marketing, L.P.
Owner: Plains Marketing, L.P.
Address: State Highway 23. Phone: 800/248-0028
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of crude oil by tanker.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.289444
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -89.36361

Waterway: **Mississippi River** Mile: 11.9 PWD: 51
Name: **Plains Marketing, L.P, Venice Terminal, Pier 1 Ship Dock.**
Port: Below New Orleans
Location: Mile 11.9 AHP, right bank, Mississippi River, Venice. Datum: MLG
Operator: Plains Marketing, L.P.
Owner: Plains Marketing, L.P.
Address: State Highway 23. Phone: 800/248-0028
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of crude oil by tanker.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.289444
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -89.36361

Remarks: One 30-inch, crude oil pipeline extends to wharf from 3 steel storage tanks at rear, total capacity 300,000 barrels; one 20-inch pipeline extends to one 5,000-barrel slop tank located at terminal in rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20011 New Orleans District

Remarks: One 30-inch, crude oil pipeline extends to wharf from 3 steel storage tanks at rear, total capacity 300,000 barrels; one 20-inch pipeline extends to one 5,000-barrel slop tank located at terminal in rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20011 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 11.9 PWD: 51
Name: **Plains Marketing, L.P, Venice Terminal, Pier 1 Ship Dock.**
Port: Below New Orleans
Location: Mile 11.9 AHP, right bank, Mississippi River, Venice. Datum: MLG
Operator: Plains Marketing, L.P.
Owner: Plains Marketing, L.P.
Address: State Highway 23. Phone: 800/248-0028
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of crude oil by tanker.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.289444
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -89.36361

Waterway: **Mississippi River** Mile: 11.9 PWD: 51
Name: **Plains Marketing, L.P, Venice Terminal, Pier 1 Ship Dock.**
Port: Below New Orleans
Location: Mile 11.9 AHP, right bank, Mississippi River, Venice. Datum: MLG
Operator: Plains Marketing, L.P.
Owner: Plains Marketing, L.P.
Address: State Highway 23. Phone: 800/248-0028
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of crude oil by tanker.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.289444
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -89.36361

Remarks: One 30-inch, crude oil pipeline extends to wharf from 3 steel storage tanks at rear, total capacity 300,000 barrels; one 20-inch pipeline extends to one 5,000-barrel slop tank located at terminal in rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20011 New Orleans District

Remarks: One 30-inch, crude oil pipeline extends to wharf from 3 steel storage tanks at rear, total capacity 300,000 barrels; one 20-inch pipeline extends to one 5,000-barrel slop tank located at terminal in rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20011 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 110.0 PWD: 138

Name: **ARTCO, Twelve-Mile Fleet Mooring.**

Port: New Orleans

Location: Mile 110.0 A.H.P., left bank, Mississippi River, above Twelve Mile Point, Harahan. Datum: MLG

Operator: Not operated.

Owner: American River Transportation Co., a division of Archer Daniels Midland Co.

Address: 5821 River Road Phone: 504 431-1488

Town: Harahan State: LA County: Jefferson Par.

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 20 - 30 | | Latitude (decimal): 29.933333

Total Berthing Space (feet): 4,800 | | Longitude (decimal): -90.21528

Remarks: At time of survey (2001), fleeting area had been removed from service as a potential hazard to navigation. Former fleeting area had capacity for approximately 147 barges consisting of 21 tiers, each 7 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20110 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 110.0 PWD: 150
Name: **Wood Resources Corp., Point Landing Fleet Mooring.**
Port: New Orleans
Location: Mile 110.0 A.H.P., right bank, Mississippi River, Waggaman. Datum: MLG
Operator: Wood Resources Corps.
Owner: Willswood Industries
Address: River Road Phone: 504 436-1234
Town: Waggaman State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 9 | 6 - 12 | Latitude (decimal): 29.928889
Total Berthing Space (feet): 96 | 54 | Longitude (decimal): -90.22083

Waterway: **Mississippi River** Mile: 110.0 PWD: 150
Name: **Wood Resources Corp., Point Landing Fleet Mooring.**
Port: New Orleans
Location: Mile 110.0 A.H.P., right bank, Mississippi River, Waggaman. Datum: MLG
Operator: Wood Resources Corps.
Owner: Willswood Industries
Address: River Road Phone: 504 436-1234
Town: Waggaman State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 9 | 6 - 12 | Latitude (decimal): 29.928889
Total Berthing Space (feet): 96 | 54 | Longitude (decimal): -90.22083

Remarks: Upper fleet has capacity for 64 barges arranged in 8 tiers, each 8 barges wide.□Lower fleet has capacity for 54 barges arranged in 9 tiers, each 6 barges wide.□At time of survey (2001), lower fleeting are was not being operated.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20110 New Orleans District

Remarks: Upper fleet has capacity for 64 barges arranged in 8 tiers, each 8 barges wide.□Lower fleet has capacity for 54 barges arranged in 9 tiers, each 6 barges wide.□At time of survey (2001), lower fleeting are was not being operated.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20110 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 110.0 PWD: 150
Name: **Wood Resources Corp., Point Landing Fleet Mooring.**
Port: New Orleans
Location: Mile 110.0 A.H.P., right bank, Mississippi River, Waggaman. Datum: MLG
Operator: Wood Resources Corps.
Owner: Willswood Industries
Address: River Road Phone: 504 436-1234
Town: Waggaman State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 9 | 6 - 12 | Latitude (decimal): 29.928889
Total Berthing Space (feet): 96 | 54 | Longitude (decimal): -90.22083

Waterway: **Mississippi River** Mile: 110.0 PWD: 150
Name: **Wood Resources Corp., Point Landing Fleet Mooring.**
Port: New Orleans
Location: Mile 110.0 A.H.P., right bank, Mississippi River, Waggaman. Datum: MLG
Operator: Wood Resources Corps.
Owner: Willswood Industries
Address: River Road Phone: 504 436-1234
Town: Waggaman State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 9 | 6 - 12 | Latitude (decimal): 29.928889
Total Berthing Space (feet): 96 | 54 | Longitude (decimal): -90.22083

Remarks: Upper fleet has capacity for 64 barges arranged in 8 tiers, each 8 barges wide.□Lower fleet has capacity for 54 barges arranged in 9 tiers, each 6 barges wide.□At time of survey (2001), lower fleeting are was not being operated.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20110 New Orleans District

Remarks: Upper fleet has capacity for 64 barges arranged in 8 tiers, each 8 barges wide.□Lower fleet has capacity for 54 barges arranged in 9 tiers, each 6 barges wide.□At time of survey (2001), lower fleeting are was not being operated.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20110 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 111.0 PWD: 148
Name: **ARTCO New Orleans Shipyard Slip.**
Port: New Orleans
Location: Mile 111.0 A.H.P., right bank, Mississippi River, Waggaman. Datum:
Operator: ARTCO, a subsidiary of Archer Daniels Midland Co.
Owner: ARTCO, a subsidiary of Archer Daniels Midland Co.
Address: 8400 River Road Phone: 504 431-1488
Town: Waggaman State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair.
Depth Alongside (feet): | | Latitude (decimal): 29.946389
Total Berthing Space (feet): | | Longitude (decimal): -90.22639
Remarks: Marine repair facilities for company-owned vessels only located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20111 New Orleans District

---

Waterway: **Mississippi River** Mile: 111.3 PWD: 147
Name: **Channel Shipyard Wharf.**
Port: New Orleans
Location: Mile 111.3 A.H.P., right bank, Mississippi River, Waggaman. Datum: MLG
Operator: Channel Shipyard.
Owner: Phillips River Road Enterprises, Inc.
Address: 8608 River Road Phone: 504 431-0914
Town: Waggaman State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring dry docks; mooring vessels for repair; mooring barges for fleeting; servicing mid-channel ship moorings.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.951389
Total Berthing Space (feet): 80 | | 50 Longitude (decimal): -90.22861
Remarks: Dry docks are moored at lower face and at lower end of office/shop barge. Fleeting area has capacity for 70 barges, arranged in 6 tiers upstream of wharf and one tier downstream of wharf, 10 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20111 New Orleans District

---

Waterway: **Mississippi River** Mile: 111.5 PWD: 146
Name: **J. P. & Sons, Inc, Dock.**
Port: New Orleans
Location: Mile 111.5 A.H.P., right bank, Mississippi River, Live Oak Manor. Datum: MLG
Operator: J.P. & Sons, Inc.
Owner: J.P. & Sons, Inc.
Address: Foot of Azalea Drive, extended. Phone: 504 431-9631
Town: Waggaman State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Receipt of aggregate by barge; servicing mid-channel ship moorings.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.956389
Total Berthing Space (feet): 190 | | Longitude (decimal): -90.23333
Remarks: Mid-stream ship moorings are leased by this operator.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20113 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 112.1 PWD: 140
Name: **L&L Oil and Gas Services, LLC, River Ridge Slip.**
Port: New Orleans
Location: Mile 112.1 A.H.P., left bank, Mississippi River, River Ridge. Datum: MLG
Operator: L&L Oil and Gas Services, LLC, a subsidiary of ASCO US, PLC.
Owner: Magnolia Holdings, Inc.
Address: 100 Florida Street Phone: 504 832-8640
Town: River Ridge State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Shipment of bunker fuel, lubricating oils, and other petroleum products to mid-stream anchored vessels.
Depth Alongside (feet): 4 | | Latitude (decimal): 29.964167
Total Berthing Space (feet): 150 | | Longitude (decimal): -90.23278
Remarks: Two 4-inch pipelines extend from head of slip to 36 steel storage tanks, capacity ranging from 190 to 560 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20112 New Orleans District

---

Waterway: **Mississippi River** Mile: 112.1 PWD: 139
Name: **Maintenance Dredging, Inc., River Ridge Mooring.**
Port: New Orleans
Location: Mile 112.1 A.H.P., left bank, Mississippi River, River Ridge Datum: MLG
Operator: Maintenance Dredging, Inc.
Owner: Magnolia Holdings, Inc.
Address: 100 Florida St. Phone: 504 737-1600
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Occasional mooring of company-owned dredge and support vessels for maintenance and repairs.
Depth Alongside (feet): 4 | 4 | 4 Latitude (decimal): 29.964444
Total Berthing Space (feet): 175+ | 600 | 350 Longitude (decimal): -90.23222
Remarks: Dredge moors bow-to bank using spuds. Other vessels use anchors and shore moorings. Head and upper side of upper slip used by facility at PWD Ref. No. 140.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20112 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 112.2 PWD: 145
Name: **Azalea Fleet, Inc., Mooring.**
Port: New Orleans
Location: Mile 111.6- Mile 113.3 A.H.P., right bank, Mississippi River, Live Oak Manor. Datum: MLG
Operator: Azalea Fleet, Inc., subsidiary of Alter Barge Line, Inc.
Owner: Azalea Fleet, Inc., subsidiary of Alter Barge Line, Inc.
Address: 9600 River Road Phone: 504/431-7368
Town: Live Oak Manor State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring company-owned equipment; mooring barges for fleeting and repair; mooring floating drydock; servicing mid-channel ship moorings.
Depth Alongside (feet): 35 | 35 | 25 - 15 Latitude (decimal): 29.960833
Total Berthing Space (feet): 580 | 195 | 200 Longitude (decimal): -90.23833
Remarks: Fleeting area at upper end of wharf has capacity for 156 barges, consisting of 39 barges at each mooring barge, arranged in 5 tiers, each 8 barges wide. Fleeting area at lower end of wharf has capacity for 80 barges on shore moorings, arranged in 10 tiers, each 8 barges wide. One 350-ton floating drydock is moored end-to at lower side of center barge. A 200- by 200-foot slip in bank below wharf is used for beaching barges for repair.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20113 New Orleans District

---

Waterway: **Mississippi River** Mile: 113.0 PWD: 141
Name: **City of Kenner Landing.**
Port: New Orleans
Location: Mile 113.0 A.H.P., left bank, Mississippi River, Kenner. Datum: MLG
Operator: City of Kenner.
Owner: City of Kenner.
Address: Foot of Williams Blvd., extended. Phone: 504 468-4090
Town: Kenner State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Excursion boat landing.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.971944
Total Berthing Space (feet): 110 | - | Longitude (decimal): -90.24722
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20113 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 114.5 PWD: 144
Name: **Cytec Industries, Inc, Fortier Plant Dock.**
Port: New Orleans
Location: Mile 114.5 A.H.P., right bank, Mississippi River, South Kenner. Datum: MLG
Operator: Cytec Industries, Inc.
Owner: Cytec Industries, Inc.
Address: 10800 River Road Phone: 504 431-6564
Town: South Kenner State: LA County: Jefferson Par.
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad.
Purpose: Receipt of ammonia, methanol, acetone, and liquid sulphur; shipment of acrylonitrile, sulfuric acid, methanol, and methyl methacrylate; occasional receipt of sulfuric acid.
Depth Alongside (feet): 25 - - | - - | - - - Latitude (decimal): 29.961667
Total Berthing Space (feet): 630 | | Longitude (decimal): -90.27194
Remarks: One 12-inch pipeline extends from wharf to onr ammonia storage tank, capacity 25,000 tons; four 10-inch pipelines extend from wharf; one to five methyl methacrylate storage tanks, total capacity approximately 900,000 gallons, one to a 7,000-short ton sulfuric acid storage tank, one from the loading arm to a 9,000-long ton liquid sulphur storage tank, and one out of service. In addition, one common 8-inch pipeline extends to one 5 million gallon methanolstorage tank, to one 833,000-gallon acetone storage tank, and to 2 acrylonitrile storage tanks, total capacity 2.7 million gallons. One 1 1/2-inch compressed air-, one 2-inch potable water line, and one 2-inch nitrogenutility pipelines also serve wharf.□Barges also moor inside wharf below walkway. Additional mooring area for 6 barges is available at 3 steel breasting dolphins, with two upstream mooringanchor buoys, located below wharf. Access walkway to fleet area also supports 6-inch fire line.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20114 New Orleans District

---

Waterway: **Mississippi River** Mile: 114.9 PWD: 143
Name: **Wood Resources Corp., Point Landing Lower Ama Fleet Mooring.**
Port: New Orleans
Location: Mile 114.8-115.1 A.H.P., right bank, Mississippi River, South Kenner. Datum: MLG
Operator: Wood Resources Corp.
Owner: Sarah Louise Wood Trust, et.al.
Address: River Road Phone: 504 436-1234
Town: South Kenner State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 - - | - - - | - - - Latitude (decimal): 29.962778
Total Berthing Space (feet): 1,500 | - | - Longitude (decimal): -90.27889
Remarks: Fleeting area has capacity for 70 barges consisting of 7 tiers, each 10 barges wide.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20114 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 115.0 PWD: 142

Name: **Bell Chasse Marine Transportation, Inc., Ama Launch Mooring.**

Port: New Orleans

Location: Mile 115.0 A.H.P., left bank, Mississippi River, Kenner. Datum: MLG

Operator: Belle Chasse Marine Transportation, Inc.

Owner: Belle Chasse Marine Transportation, Inc.

Address: 153 W. 3rd St. Phone: 504 837-3125

Town: Kenner State: LA County: Jefferson Par.

Railway Connection: None.

Purpose: Landing for anchorage service and crew boats.

Depth Alongside (feet): 12 | | Latitude (decimal): 29.972778

Total Berthing Space (feet): 120 | | Longitude (decimal): -90.27722

Remarks: Dispatch office located on deck of barge. Boats moor stern-to-face of wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20114 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 115.1 PWD: 200
Name: **Lower River Ship Services, Ama Landing.**
Port: South Louisiana
Location: Mile 115.1 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: Port Ship Services, Inc.
Owner: Universal Match Corp. and Lower River Marine, Inc.
Address: River Road. Phone: 504/466-5648
Town: St. Rose State: LA County: St. Charles
Railway Connection: None.
Purpose: Landing for ship service launches; mooring company-owned vessels.
Depth Alongside (feet): 20 | | 0 - 20 Latitude (decimal): 29.971389
Total Berthing Space (feet): 98 | | 900 Longitude (decimal): -90.28167

Waterway: **Mississippi River** Mile: 115.1 PWD: 200
Name: **Lower River Ship Services, Ama Landing.**
Port: South Louisiana
Location: Mile 115.1 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: Port Ship Services, Inc.
Owner: Universal Match Corp. and Lower River Marine, Inc.
Address: River Road. Phone: 504/466-5648
Town: St. Rose State: LA County: St. Charles
Railway Connection: None.
Purpose: Landing for ship service launches; mooring company-owned vessels.
Depth Alongside (feet): 20 | | 0 - 20 Latitude (decimal): 29.971389
Total Berthing Space (feet): 98 | | 900 Longitude (decimal): -90.28167

Remarks: Lower 700 feet of natural bank is owned by Universal Match Corp., and upper 300 feet, including wharf barge, is owned by Lower River Marine, Inc. The ship service vessel mooring is operated by Port Ship Services, Inc. One 3,200-gallon, diesel fuel tank is mounted on float for fueling service vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20115 New Orleans District

Remarks: Lower 700 feet of natural bank is owned by Universal Match Corp., and upper 300 feet, including wharf barge, is owned by Lower River Marine, Inc. The ship service vessel mooring is operated by Port Ship Services, Inc. One 3,200-gallon, diesel fuel tank is mounted on float for fueling service vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20115 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 115.1 PWD: 200
Name: **Lower River Ship Services, Ama Landing.**
Port: South Louisiana
Location: Mile 115.1 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: Port Ship Services, Inc.
Owner: Universal Match Corp. and Lower River Marine, Inc.
Address: River Road. Phone: 504/466-5648
Town: St. Rose State: LA County: St. Charles
Railway Connection: None.
Purpose: Landing for ship service launches; mooring company-owned vessels.
Depth Alongside (feet): 20 | | 0 - 20 Latitude (decimal): 29.971389
Total Berthing Space (feet): 98 | | 900 Longitude (decimal): -90.28167

Waterway: **Mississippi River** Mile: 115.1 PWD: 200
Name: **Lower River Ship Services, Ama Landing.**
Port: South Louisiana
Location: Mile 115.1 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: Port Ship Services, Inc.
Owner: Universal Match Corp. and Lower River Marine, Inc.
Address: River Road. Phone: 504/466-5648
Town: St. Rose State: LA County: St. Charles
Railway Connection: None.
Purpose: Landing for ship service launches; mooring company-owned vessels.
Depth Alongside (feet): 20 | | 0 - 20 Latitude (decimal): 29.971389
Total Berthing Space (feet): 98 | | 900 Longitude (decimal): -90.28167

Remarks: Lower 700 feet of natural bank is owned by Universal Match Corp., and upper 300 feet, including wharf barge, is owned by Lower River Marine, Inc. The ship service vessel mooring is operated by Port Ship Services, Inc. One 3,200-gallon, diesel fuel tank is mounted on float for fueling service vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20115 New Orleans District

Remarks: Lower 700 feet of natural bank is owned by Universal Match Corp., and upper 300 feet, including wharf barge, is owned by Lower River Marine, Inc. The ship service vessel mooring is operated by Port Ship Services, Inc. One 3,200-gallon, diesel fuel tank is mounted on float for fueling service vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20115 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 115.2 PWD: 202

Name: **Crescent Ship Service, Ama Landing.**

Port: South Louisiana

Location: Mile 115.2 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP

Operator: Crescent Ship Service, Inc.

Owner: T. L. James and Co., Inc.

Address: River Road Phone: 504/277-8956

Town: St. Rose State: LA County: St. Charles

Railway Connection: None.

Purpose: Landing for ship service launches; mooring company-owned vessels; handling miscellaneous marine supplies.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 29.970833

Total Berthing Space (feet): 227 | | Longitude (decimal): -90.28333

Remarks: Lower barge 'CSS No. 4' serves as dispatch office. Upper barge contains a water treatment plant. Ship service vessels moor along and below office barge. At time of survey (2002), a floating crane 'CSS No. 6' was moored at the dolphins upstream from the water treatment barge. Operator fuels own vessels from 2 diesel fuel storage tanks on office barge, total capacity 10,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20115 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 115.2 PWD: 201
Name: **Lower River Ship Services, Ama Mooring.**
Port: South Louisiana
Location: Mile 115.2 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: Lower Ship Services, Inc.
Owner: Deltec International
Address: River Road. Phone: 504/466-5648
Town: St. Rose State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring transient vessels.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.970833
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.28278

Waterway: **Mississippi River** Mile: 115.2 PWD: 201
Name: **Lower River Ship Services, Ama Mooring.**
Port: South Louisiana
Location: Mile 115.2 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: Lower Ship Services, Inc.
Owner: Deltec International
Address: River Road. Phone: 504/466-5648
Town: St. Rose State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring transient vessels.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.970833
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.28278

Remarks: One 6-inch waterline extends to wharf from municipal water supply connection.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20115 New Orleans District

Remarks: One 6-inch waterline extends to wharf from municipal water supply connection.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20115 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 115.2 PWD: 201
Name: **Lower River Ship Services, Ama Mooring.**
Port: South Louisiana
Location: Mile 115.2 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: Lower Ship Services, Inc.
Owner: Deltec International
Address: River Road. Phone: 504/466-5648
Town: St. Rose State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring transient vessels.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.970833
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.28278

Waterway: **Mississippi River** Mile: 115.2 PWD: 201
Name: **Lower River Ship Services, Ama Mooring.**
Port: South Louisiana
Location: Mile 115.2 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: Lower Ship Services, Inc.
Owner: Deltec International
Address: River Road. Phone: 504/466-5648
Town: St. Rose State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring transient vessels.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.970833
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.28278
Remarks: One 6-inch waterline extends to wharf from municipal water supply connection.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20115 New Orleans District

Remarks: One 6-inch waterline extends to wharf from municipal water supply connection.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20115 New Orleans District

Waterway: **Mississippi River** Mile: 115.4 PWD: 203
Name: **ARTCO Tulane Fleeting, Flowers Fleet Mooring.**
Port: South Louisiana
Location: Miles 115.3 - 115.7 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Address: River Road Phone: 504/431-1488
Town: St. Rose State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.968889
Total Berthing Space (feet): 2,100 | | Longitude (decimal): -90.28722
Remarks: Fleeting area had capacity for 58 barges arranged in 6 tiers, each 8 barges wide, and in 2 tiers, each 5 barges wide. Fleet is operated from Kenner Bend Barge Cleaning Facility and Lower Kenner Bend Fleet Mooring (Ref. No. 324).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20115 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 115.8 PWD: 324
Name: **ARTCO Tulane Fleeting, Barge Cleaning Wharf and Lower Kenner Bend**
Port: South Louisiana
Location: Mile 116.0 - 115.2 A.H.P., right bank, Mississippi River, Ama. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Address: 10400 River Road (Hwy 18), Ama Phone: 504-431-1488
Town: Ama State: LA County: St. Charles
Railway Connection: None.
Purpose: Landing for towboats; mooring barges for cleaning and fleeting.
Depth Alongside (feet): 20 | 15 - 20 | Latitude (decimal): 29.961667
Total Berthing Space (feet): 400 | 4,100 | Longitude (decimal): -90.28222

Waterway: **Mississippi River** Mile: 115.8 PWD: 324
Name: **ARTCO Tulane Fleeting, Barge Cleaning Wharf and Lower Kenner Bend**
Port: South Louisiana
Location: Mile 116.0 - 115.2 A.H.P., right bank, Mississippi River, Ama. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Address: 10400 River Road (Hwy 18), Ama Phone: 504-431-1488
Town: Ama State: LA County: St. Charles
Railway Connection: None.
Purpose: Landing for towboats; mooring barges for cleaning and fleeting.
Depth Alongside (feet): 20 | 15 - 20 | Latitude (decimal): 29.961667
Total Berthing Space (feet): 400 | 4,100 | Longitude (decimal): -90.28222

Remarks: Fleeting area has capacity for 150 barges arranged in 15 tiers, each 10 barges wide. Fleet office is located adjacent to ADM/Growmark, Ama Grain Elevator (Ref. No. 322).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20116 New Orleans District

Remarks: Fleeting area has capacity for 150 barges arranged in 15 tiers, each 10 barges wide. Fleet office is located adjacent to ADM/Growmark, Ama Grain Elevator (Ref. No. 322).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20116 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 115.8 PWD: 324
Name: **ARTCO Tulane Fleeting, Barge Cleaning Wharf and Lower Kenner Bend**
Port: South Louisiana
Location: Mile 116.0 - 115.2 A.H.P., right bank, Mississippi River, Ama. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Address: 10400 River Road (Hwy 18), Ama Phone: 504-431-1488
Town: Ama State: LA County: St. Charles
Railway Connection: None.
Purpose: Landing for towboats; mooring barges for cleaning and fleeting.
Depth Alongside (feet): 20 | 15 - 20 | Latitude (decimal): 29.961667
Total Berthing Space (feet): 400 | 4,100 | Longitude (decimal): -90.28222

Waterway: **Mississippi River** Mile: 115.8 PWD: 324
Name: **ARTCO Tulane Fleeting, Barge Cleaning Wharf and Lower Kenner Bend**
Port: South Louisiana
Location: Mile 116.0 - 115.2 A.H.P., right bank, Mississippi River, Ama. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Address: 10400 River Road (Hwy 18), Ama Phone: 504-431-1488
Town: Ama State: LA County: St. Charles
Railway Connection: None.
Purpose: Landing for towboats; mooring barges for cleaning and fleeting.
Depth Alongside (feet): 20 | 15 - 20 | Latitude (decimal): 29.961667
Total Berthing Space (feet): 400 | 4,100 | Longitude (decimal): -90.28222

Remarks: Fleeting area has capacity for 150 barges arranged in 15 tiers, each 10 barges wide. Fleet office is located adjacent to ADM/Growmark, Ama Grain Elevator (Ref. No. 322).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20116 New Orleans District

Remarks: Fleeting area has capacity for 150 barges arranged in 15 tiers, each 10 barges wide. Fleet office is located adjacent to ADM/Growmark, Ama Grain Elevator (Ref. No. 322).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20116 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 116.0 PWD: 204

Name: **Angelo IaFrante Const., St. Rose Landing.**

Port: South Louisiana

Location: Miles 116.0, left bank, Mississippi River, St. Rose. Datum: LWRP

Operator: Angelo Iafrante Construction, L.L.C.

Owner: Angelo Iafrante Construction, L.L.C.

Address: River Road Phone: 504/468-7795

Town: St. Rose State: LA County: St. Charles

Railway Connection: None.

Purpose: Receipt of aggregate; occasional shipment of stone.

Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.965

Total Berthing Space (feet): 300 | | Longitude (decimal): -90.29444

Remarks: Hopper barges are moored alongside outer face of contractor-owned crane barge during unloading operation. Two sand pits, a rock quarry, and approximately 2 acres of open storage area are located at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20116 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 116.7 PWD: 323
Name: **ARTCO Tulane Fleeting, Upper Kenner Bend Fleet Mooring.**
Port: South Louisiana
Location: Mile 116.8 - 116.0 A.H.P., right bank, Mississippi River, Ama. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Address: Louisiana State Highway 18 Phone: 504-431-1488
Town: Ama State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 - 40 | | Latitude (decimal): 29.952778
Total Berthing Space (feet): 4,400 | | Longitude (decimal): -90.29778

Waterway: **Mississippi River** Mile: 116.7 PWD: 323
Name: **ARTCO Tulane Fleeting, Upper Kenner Bend Fleet Mooring.**
Port: South Louisiana
Location: Mile 116.8 - 116.0 A.H.P., right bank, Mississippi River, Ama. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Address: Louisiana State Highway 18 Phone: 504-431-1488
Town: Ama State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 - 40 | | Latitude (decimal): 29.952778
Total Berthing Space (feet): 4,400 | | Longitude (decimal): -90.29778

Remarks: Fleeting area has capacity for 85 barges consisting of 17 tiers, each 5 barges wide. Fleet office is located adjacent to ADM/Growmark, Ama Grain Elevator (Ref. No. 322).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20116 New Orleans District

Remarks: Fleeting area has capacity for 85 barges consisting of 17 tiers, each 5 barges wide. Fleet office is located adjacent to ADM/Growmark, Ama Grain Elevator (Ref. No. 322).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20116 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 116.7 PWD: 323
Name: **ARTCO Tulane Fleeting, Upper Kenner Bend Fleet Mooring.**
Port: South Louisiana
Location: Mile 116.8 - 116.0 A.H.P., right bank, Mississippi River, Ama. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Address: Louisiana State Highway 18 Phone: 504-431-1488
Town: Ama State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 - 40 | | Latitude (decimal): 29.952778
Total Berthing Space (feet): 4,400 | | Longitude (decimal): -90.29778

Waterway: **Mississippi River** Mile: 116.7 PWD: 323
Name: **ARTCO Tulane Fleeting, Upper Kenner Bend Fleet Mooring.**
Port: South Louisiana
Location: Mile 116.8 - 116.0 A.H.P., right bank, Mississippi River, Ama. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland.
Address: Louisiana State Highway 18 Phone: 504-431-1488
Town: Ama State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 - 40 | | Latitude (decimal): 29.952778
Total Berthing Space (feet): 4,400 | | Longitude (decimal): -90.29778

Remarks: Fleeting area has capacity for 85 barges consisting of 17 tiers, each 5 barges wide. Fleet office is located adjacent to ADM/Growmark, Ama Grain Elevator (Ref. No. 322).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20116 New Orleans District

Remarks: Fleeting area has capacity for 85 barges consisting of 17 tiers, each 5 barges wide. Fleet office is located adjacent to ADM/Growmark, Ama Grain Elevator (Ref. No. 322).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20116 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 117.1 PWD: 205
Name: **ARTCO Tulane Fleeting, Tulane Fleet Mooring.**
Port: South Louisiana
Location: Miles 116.3 - 116.9 A.H.P. and miles 117.1 - 117.9 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Address: River Road Phone: 504/431-1488
Town: St. Rose State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | 9 - 20 | Latitude (decimal): 29.951667
Total Berthing Space (feet): 3,000 | 4,420 | Longitude (decimal): -90.30833
Remarks: Fleeting areas have capacity for 232 barges consisting of 29 tiers, each 8 barges wide. Row of 6 spar barges is located in lower fleeting area. Fleet is operated from Kenner Bend Barge Cleaning Facility and Lower Kenner Bend Fleet Mooring (Ref. No. 324).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20116 New Orleans District

---

Waterway: **Mississippi River** Mile: 117.6 PWD: 322
Name: **ADM/Growmark, Ama Grain Elevator Dock.**
Port: South Louisiana
Location: Mile 117.6 A.H.P., right bank, Mississippi River, Ama. Datum: LWRP
Operator: ADM/GROWMARK, subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: 11079 River Road (Highway 18), Ama Phone: 504/431-8245
Town: Ama State: LA County: St. Charles
Railway Connection: Two surface tracks serving 2 receiving pits and one carloading spout,connect with Union Pacific Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 50 | 40 | 40 Latitude (decimal): 29.940833
Total Berthing Space (feet): 1,000 | 606 | 600 Longitude (decimal): -90.31083
Remarks: Twenty-four 7 1/2-ton bridge cranes spanning lower end of barge slip remove hatch covers, hold and replace them as winch-and-cable system transfers barges to and from unloading position under marine leg on alternate sides of slip. One 10-ton bridge crane handles barge cleanout equipment. Grain elevator at rear has capacity for 5,250,000 bushels. Sixteen barges can be moored at lower portion of rear of face in 4 tiers, each 4 barges wide, and a fleeting area for24 barges in 4 tiers, each 6 barges wide, is located at 5 steel breasting dolphins approximately 1,000 feet upstream from barge slip.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20117 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 118.5 PWD: 206
Name: **International Matex, St. Rose Terminal, Berths Nos. 8, 10, 11, 12,**
Port: South Louisiana
Location: Mile 118.5 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities, including vegetable oil and petroleum products, by vessel and barge; handling supplies.
Depth Alongside (feet): 15 | 15 | 30 Latitude (decimal): 29.938611
Total Berthing Space (feet): 335 | 500 | 600 Longitude (decimal): -90.32444

Waterway: **Mississippi River** Mile: 118.5 PWD: 206
Name: **International Matex, St. Rose Terminal, Berths Nos. 8, 10, 11, 12,**
Port: South Louisiana
Location: Mile 118.5 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities, including vegetable oil and petroleum products, by vessel and barge; handling supplies.
Depth Alongside (feet): 15 | 15 | 30 Latitude (decimal): 29.938611
Total Berthing Space (feet): 335 | 500 | 600 Longitude (decimal): -90.32444

Waterway: **Mississippi River** Mile: 118.5 PWD: 206
Name: **International Matex, St. Rose Terminal, Berths Nos. 8, 10, 11, 12,**
Port: South Louisiana
Location: Mile 118.5 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities, including vegetable oil and petroleum products, by vessel and barge; handling supplies.
Depth Alongside (feet): 15 | 15 | 30 Latitude (decimal): 29.938611
Total Berthing Space (feet): 335 | 500 | 600 Longitude (decimal): -90.32444

Remarks: Two 24-inch, petroleum products pipelines extend from Berth No. 8, and two 8- and two 6-inch pipelines extend from Berths Nos. 12 & 13, joining ten 4- to 12-inch, vegetable oil pipelines extending from wharf to appropriate tankage described under Ref. No. 207. One 4-inch steam and one 2-inch compressed air pipelines also serve berths. Berth No. 13 is used for transferring supplies to towboats in low water. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Remarks: Two 24-inch, petroleum products pipelines extend from Berth No. 8, and two 8- and two 6-inch pipelines extend from Berths Nos. 12 & 13, joining ten 4- to 12-inch, vegetable oil pipelines extending from wharf to appropriate tankage described under Ref. No. 207. One 4-inch steam and one 2-inch compressed air pipelines also serve berths. Berth No. 13 is used for transferring supplies to towboats in low water. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Remarks: Two 24-inch, petroleum products pipelines extend from Berth No. 8, and two 8- and two 6-inch pipelines extend from Berths Nos. 12 & 13, joining ten 4- to 12-inch, vegetable oil pipelines extending from wharf to appropriate tankage described under Ref. No. 207. One 4-inch steam and one 2-inch compressed air pipelines also serve berths. Berth No. 13 is used for transferring supplies to towboats in low water. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 118.5 PWD: 206
Name: **International Matex, St. Rose Terminal, Berths Nos. 8, 10, 11, 12,**
Port: South Louisiana
Location: Mile 118.5 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities, including vegetable oil and petroleum products, by vessel and barge; handling supplies.
Depth Alongside (feet): 15 | 15 | 30 Latitude (decimal): 29.938611
Total Berthing Space (feet): 335 | 500 | 600 Longitude (decimal): -90.32444

Waterway: **Mississippi River** Mile: 118.5 PWD: 206
Name: **International Matex, St. Rose Terminal, Berths Nos. 8, 10, 11, 12,**
Port: South Louisiana
Location: Mile 118.5 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities, including vegetable oil and petroleum products, by vessel and barge; handling supplies.
Depth Alongside (feet): 15 | 15 | 30 Latitude (decimal): 29.938611
Total Berthing Space (feet): 335 | 500 | 600 Longitude (decimal): -90.32444

Waterway: **Mississippi River** Mile: 118.5 PWD: 206
Name: **International Matex, St. Rose Terminal, Berths Nos. 8, 10, 11, 12,**
Port: South Louisiana
Location: Mile 118.5 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities, including vegetable oil and petroleum products, by vessel and barge; handling supplies.
Depth Alongside (feet): 15 | 15 | 30 Latitude (decimal): 29.938611
Total Berthing Space (feet): 335 | 500 | 600 Longitude (decimal): -90.32444

Remarks: Two 24-inch, petroleum products pipelines extend from Berth No. 8, and two 8- and two 6-inch pipelines extend from Berths Nos. 12 & 13, joining ten 4- to 12-inch, vegetable oil pipelines extending from wharf to appropriate tankage described under Ref. No. 207. One 4-inch steam and one 2-inch compressed air pipelines also serve berths. Berth No. 13 is used for transferring supplies to towboats in low water. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Remarks: Two 24-inch, petroleum products pipelines extend from Berth No. 8, and two 8- and two 6-inch pipelines extend from Berths Nos. 12 & 13, joining ten 4- to 12-inch, vegetable oil pipelines extending from wharf to appropriate tankage described under Ref. No. 207. One 4-inch steam and one 2-inch compressed air pipelines also serve berths. Berth No. 13 is used for transferring supplies to towboats in low water. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Remarks: Two 24-inch, petroleum products pipelines extend from Berth No. 8, and two 8- and two 6-inch pipelines extend from Berths Nos. 12 & 13, joining ten 4- to 12-inch, vegetable oil pipelines extending from wharf to appropriate tankage described under Ref. No. 207. One 4-inch steam and one 2-inch compressed air pipelines also serve berths. Berth No. 13 is used for transferring supplies to towboats in low water. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 118.5 PWD: 206
Name: **International Matex, St. Rose Terminal, Berths Nos. 8, 10, 11, 12,**
Port: South Louisiana
Location: Mile 118.5 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities, including vegetable oil and petroleum products, by vessel and barge; handling supplies.
Depth Alongside (feet): 15 | 15 | 30 Latitude (decimal): 29.938611
Total Berthing Space (feet): 335 | 500 | 600 Longitude (decimal): -90.32444

Waterway: **Mississippi River** Mile: 118.5 PWD: 206
Name: **International Matex, St. Rose Terminal, Berths Nos. 8, 10, 11, 12,**
Port: South Louisiana
Location: Mile 118.5 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities, including vegetable oil and petroleum products, by vessel and barge; handling supplies.
Depth Alongside (feet): 15 | 15 | 30 Latitude (decimal): 29.938611
Total Berthing Space (feet): 335 | 500 | 600 Longitude (decimal): -90.32444

Waterway: **Mississippi River** Mile: 118.5 PWD: 206
Name: **International Matex, St. Rose Terminal, Berths Nos. 8, 10, 11, 12,**
Port: South Louisiana
Location: Mile 118.5 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities, including vegetable oil and petroleum products, by vessel and barge; handling supplies.
Depth Alongside (feet): 15 | 15 | 30 Latitude (decimal): 29.938611
Total Berthing Space (feet): 335 | 500 | 600 Longitude (decimal): -90.32444

Remarks: Two 24-inch, petroleum products pipelines extend from Berth No. 8, and two 8- and two 6-inch pipelines extend from Berths Nos. 12 & 13, joining ten 4- to 12-inch, vegetable oil pipelines extending from wharf to appropriate tankage described under Ref. No. 207. One 4-inch steam and one 2-inch compressed air pipelines also serve berths. Berth No. 13 is used for transferring supplies to towboats in low water. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Remarks: Two 24-inch, petroleum products pipelines extend from Berth No. 8, and two 8- and two 6-inch pipelines extend from Berths Nos. 12 & 13, joining ten 4- to 12-inch, vegetable oil pipelines extending from wharf to appropriate tankage described under Ref. No. 207. One 4-inch steam and one 2-inch compressed air pipelines also serve berths. Berth No. 13 is used for transferring supplies to towboats in low water. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Remarks: Two 24-inch, petroleum products pipelines extend from Berth No. 8, and two 8- and two 6-inch pipelines extend from Berths Nos. 12 & 13, joining ten 4- to 12-inch, vegetable oil pipelines extending from wharf to appropriate tankage described under Ref. No. 207. One 4-inch steam and one 2-inch compressed air pipelines also serve berths. Berth No. 13 is used for transferring supplies to towboats in low water. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 118.6 PWD: 207
Name: **International Matex, St. Rose Terminal, Berths Nos. 6 and 7.**
Port: South Louisiana
Location: Miles 118.6 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by barge.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.938056
Total Berthing Space (feet): 350 | 350 | Longitude (decimal): -90.32583

Waterway: **Mississippi River** Mile: 118.6 PWD: 207
Name: **International Matex, St. Rose Terminal, Berths Nos. 6 and 7.**
Port: South Louisiana
Location: Miles 118.6 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by barge.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.938056
Total Berthing Space (feet): 350 | 350 | Longitude (decimal): -90.32583

Waterway: **Mississippi River** Mile: 118.6 PWD: 207
Name: **International Matex, St. Rose Terminal, Berths Nos. 6 and 7.**
Port: South Louisiana
Location: Miles 118.6 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by barge.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.938056
Total Berthing Space (feet): 350 | 350 | Longitude (decimal): -90.32583

Remarks: Six 24-inch pipelines extend from wharf to 27 petroleum products storage tanks, total capacity 5,000,000 barrels, and to 8 crude oil storage tanks, total capacity 1,500,000 barrels. Ten 4- to 12-inch, vegetable oil pipelines extend to 100 storage tanks, total capacity 2,000,000 barrels. Tanks can be converted to storage of other products to meet customer demand. One 8-inch steam and one 4-inch compressed air lines serve wharf. Facility is operated for publicstorage of bulk liquids. A drumming plant is located on premises. Hill Petroleum Co. operates a refinery within the terminal complex.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Remarks: Six 24-inch pipelines extend from wharf to 27 petroleum products storage tanks, total capacity 5,000,000 barrels, and to 8 crude oil storage tanks, total capacity 1,500,000 barrels. Ten 4- to 12-inch, vegetable oil pipelines extend to 100 storage tanks, total capacity 2,000,000 barrels. Tanks can be converted to storage of other products to meet customer demand. One 8-inch steam and one 4-inch compressed air lines serve wharf. Facility is operated for publicstorage of bulk liquids. A drumming plant is located on premises. Hill Petroleum Co. operates a refinery within the terminal complex.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Remarks: Six 24-inch pipelines extend from wharf to 27 petroleum products storage tanks, total capacity 5,000,000 barrels, and to 8 crude oil storage tanks, total capacity 1,500,000 barrels. Ten 4- to 12-inch, vegetable oil pipelines extend to 100 storage tanks, total capacity 2,000,000 barrels. Tanks can be converted to storage of other products to meet customer demand. One 8-inch steam and one 4-inch compressed air lines serve wharf. Facility is operated for publicstorage of bulk liquids. A drumming plant is located on premises. Hill Petroleum Co. operates a refinery within the terminal complex.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 118.6 PWD: 207
Name: **International Matex, St. Rose Terminal, Berths Nos. 6 and 7.**
Port: South Louisiana
Location: Miles 118.6 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by barge.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.938056
Total Berthing Space (feet): 350 | 350 | Longitude (decimal): -90.32583

Waterway: **Mississippi River** Mile: 118.6 PWD: 207
Name: **International Matex, St. Rose Terminal, Berths Nos. 6 and 7.**
Port: South Louisiana
Location: Miles 118.6 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by barge.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.938056
Total Berthing Space (feet): 350 | 350 | Longitude (decimal): -90.32583

Waterway: **Mississippi River** Mile: 118.6 PWD: 207
Name: **International Matex, St. Rose Terminal, Berths Nos. 6 and 7.**
Port: South Louisiana
Location: Miles 118.6 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by barge.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.938056
Total Berthing Space (feet): 350 | 350 | Longitude (decimal): -90.32583

Remarks: Six 24-inch pipelines extend from wharf to 27 petroleum products storage tanks, total capacity 5,000,000 barrels, and to 8 crude oil storage tanks, total capacity 1,500,000 barrels. Ten 4- to 12-inch, vegetable oil pipelines extend to 100 storage tanks, total capacity 2,000,000 barrels. Tanks can be converted to storage of other products to meet customer demand. One 8-inch steam and one 4-inch compressed air lines serve wharf. Facility is operated for publicstorage of bulk liquids. A drumming plant is located on premises. Hill Petroleum Co. operates a refinery within the terminal complex.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Remarks: Six 24-inch pipelines extend from wharf to 27 petroleum products storage tanks, total capacity 5,000,000 barrels, and to 8 crude oil storage tanks, total capacity 1,500,000 barrels. Ten 4- to 12-inch, vegetable oil pipelines extend to 100 storage tanks, total capacity 2,000,000 barrels. Tanks can be converted to storage of other products to meet customer demand. One 8-inch steam and one 4-inch compressed air lines serve wharf. Facility is operated for publicstorage of bulk liquids. A drumming plant is located on premises. Hill Petroleum Co. operates a refinery within the terminal complex.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Remarks: Six 24-inch pipelines extend from wharf to 27 petroleum products storage tanks, total capacity 5,000,000 barrels, and to 8 crude oil storage tanks, total capacity 1,500,000 barrels. Ten 4- to 12-inch, vegetable oil pipelines extend to 100 storage tanks, total capacity 2,000,000 barrels. Tanks can be converted to storage of other products to meet customer demand. One 8-inch steam and one 4-inch compressed air lines serve wharf. Facility is operated for publicstorage of bulk liquids. A drumming plant is located on premises. Hill Petroleum Co. operates a refinery within the terminal complex.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 118.6 PWD: 207
Name: **International Matex, St. Rose Terminal, Berths Nos. 6 and 7.**
Port: South Louisiana
Location: Miles 118.6 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by barge.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.938056
Total Berthing Space (feet): 350 | 350 | Longitude (decimal): -90.32583

Waterway: **Mississippi River** Mile: 118.6 PWD: 207
Name: **International Matex, St. Rose Terminal, Berths Nos. 6 and 7.**
Port: South Louisiana
Location: Miles 118.6 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by barge.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.938056
Total Berthing Space (feet): 350 | 350 | Longitude (decimal): -90.32583

Waterway: **Mississippi River** Mile: 118.6 PWD: 207
Name: **International Matex, St. Rose Terminal, Berths Nos. 6 and 7.**
Port: South Louisiana
Location: Miles 118.6 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by barge.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.938056
Total Berthing Space (feet): 350 | 350 | Longitude (decimal): -90.32583

Remarks: Six 24-inch pipelines extend from wharf to 27 petroleum products storage tanks, total capacity 5,000,000 barrels, and to 8 crude oil storage tanks, total capacity 1,500,000 barrels. Ten 4- to 12-inch, vegetable oil pipelines extend to 100 storage tanks, total capacity 2,000,000 barrels. Tanks can be converted to storage of other products to meet customer demand. One 8-inch steam and one 4-inch compressed air lines serve wharf. Facility is operated for publicstorage of bulk liquids. A drumming plant is located on premises. Hill Petroleum Co. operates a refinery within the terminal complex.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Remarks: Six 24-inch pipelines extend from wharf to 27 petroleum products storage tanks, total capacity 5,000,000 barrels, and to 8 crude oil storage tanks, total capacity 1,500,000 barrels. Ten 4- to 12-inch, vegetable oil pipelines extend to 100 storage tanks, total capacity 2,000,000 barrels. Tanks can be converted to storage of other products to meet customer demand. One 8-inch steam and one 4-inch compressed air lines serve wharf. Facility is operated for publicstorage of bulk liquids. A drumming plant is located on premises. Hill Petroleum Co. operates a refinery within the terminal complex.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Remarks: Six 24-inch pipelines extend from wharf to 27 petroleum products storage tanks, total capacity 5,000,000 barrels, and to 8 crude oil storage tanks, total capacity 1,500,000 barrels. Ten 4- to 12-inch, vegetable oil pipelines extend to 100 storage tanks, total capacity 2,000,000 barrels. Tanks can be converted to storage of other products to meet customer demand. One 8-inch steam and one 4-inch compressed air lines serve wharf. Facility is operated for publicstorage of bulk liquids. A drumming plant is located on premises. Hill Petroleum Co. operates a refinery within the terminal complex.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 118.8 PWD: 208
Name: **International Matex, St. Rose Terminal, Berths Nos. 2, 3 and 4.**
Port: South Louisiana
Location: Miles 118.8 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by vessel and barge.
Depth Alongside (feet): 55 | 55 | 30 Latitude (decimal): 29.937222
Total Berthing Space (feet): 600 | 900 | 860 Longitude (decimal): -90.32694

Waterway: **Mississippi River** Mile: 118.8 PWD: 208
Name: **International Matex, St. Rose Terminal, Berths Nos. 2, 3 and 4.**
Port: South Louisiana
Location: Miles 118.8 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by vessel and barge.
Depth Alongside (feet): 55 | 55 | 30 Latitude (decimal): 29.937222
Total Berthing Space (feet): 600 | 900 | 860 Longitude (decimal): -90.32694

Waterway: **Mississippi River** Mile: 118.8 PWD: 208
Name: **International Matex, St. Rose Terminal, Berths Nos. 2, 3 and 4.**
Port: South Louisiana
Location: Miles 118.8 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by vessel and barge.
Depth Alongside (feet): 55 | 55 | 30 Latitude (decimal): 29.937222
Total Berthing Space (feet): 600 | 900 | 860 Longitude (decimal): -90.32694

Waterway: **Mississippi River** Mile: 118.8 PWD: 208
Name: **International Matex, St. Rose Terminal, Berths Nos. 2, 3 and 4.**
Port: South Louisiana
Location: Miles 118.8 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by vessel and barge.
Depth Alongside (feet): 55 | 55 | 30 Latitude (decimal): 29.937222
Total Berthing Space (feet): 600 | 900 | 860 Longitude (decimal): -90.32694
Remarks: Wharves provide a total of over 1,530 feet of continuous berthing space. Six 20- and six 24-inch petroleum products/crude oil pipelines extend from upper and lower wharves, respectively, and ten 4- to 12-inch vegetable oil pipelines extend from lower wharf to appropriate tankage described under Ref. No. 207. One 8-inch steam and one 4-inch compressed air pipelines serve lower wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Remarks: Wharves provide a total of over 1,530 feet of continuous berthing space. Six 20- and six 24-inch petroleum products/crude oil pipelines extend from upper and lower wharves, respectively, and ten 4- to 12-inch vegetable oil pipelines extend from lower wharf to appropriate tankage described under Ref. No. 207. One 8-inch steam and one 4-inch compressed air pipelines serve lower wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Remarks: Wharves provide a total of over 1,530 feet of continuous berthing space. Six 20- and six 24-inch petroleum products/crude oil pipelines extend from upper and lower wharves, respectively, and ten 4- to 12-inch vegetable oil pipelines extend from lower wharf to appropriate tankage described under Ref. No. 207. One 8-inch steam and one 4-inch compressed air pipelines serve lower wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 118.8 PWD: 208
Name: **International Matex, St. Rose Terminal, Berths Nos. 2, 3 and 4.**
Port: South Louisiana
Location: Miles 118.8 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by vessel and barge.
Depth Alongside (feet): 55 | 55 | 30 Latitude (decimal): 29.937222
Total Berthing Space (feet): 600 | 900 | 860 Longitude (decimal): -90.32694

Waterway: **Mississippi River** Mile: 118.8 PWD: 208
Name: **International Matex, St. Rose Terminal, Berths Nos. 2, 3 and 4.**
Port: South Louisiana
Location: Miles 118.8 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by vessel and barge.
Depth Alongside (feet): 55 | 55 | 30 Latitude (decimal): 29.937222
Total Berthing Space (feet): 600 | 900 | 860 Longitude (decimal): -90.32694

Waterway: **Mississippi River** Mile: 118.8 PWD: 208
Name: **International Matex, St. Rose Terminal, Berths Nos. 2, 3 and 4.**
Port: South Louisiana
Location: Miles 118.8 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by vessel and barge.
Depth Alongside (feet): 55 | 55 | 30 Latitude (decimal): 29.937222
Total Berthing Space (feet): 600 | 900 | 860 Longitude (decimal): -90.32694
Remarks: Wharves provide a total of over 1,530 feet of continuous berthing space. Six 20- and six 24-inch petroleum products/crude oil pipelines extend from upper and lower wharves, respectively, and ten 4- to 12-inch vegetable oil pipelines extend from lower wharf to appropriate tankage described under Ref. No. 207. One 8-inch steam and one 4-inch compressed air pipelines serve lower wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Remarks: Wharves provide a total of over 1,530 feet of continuous berthing space. Six 20- and six 24-inch petroleum products/crude oil pipelines extend from upper and lower wharves, respectively, and ten 4- to 12-inch vegetable oil pipelines extend from lower wharf to appropriate tankage described under Ref. No. 207. One 8-inch steam and one 4-inch compressed air pipelines serve lower wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Remarks: Wharves provide a total of over 1,530 feet of continuous berthing space. Six 20- and six 24-inch petroleum products/crude oil pipelines extend from upper and lower wharves, respectively, and ten 4- to 12-inch vegetable oil pipelines extend from lower wharf to appropriate tankage described under Ref. No. 207. One 8-inch steam and one 4-inch compressed air pipelines serve lower wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 118.8 PWD: 208
Name: **International Matex, St. Rose Terminal, Berths Nos. 2, 3 and 4.**
Port: South Louisiana
Location: Miles 118.8 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by vessel and barge.
Depth Alongside (feet): 55 | 55 | 30 Latitude (decimal): 29.937222
Total Berthing Space (feet): 600 | 900 | 860 Longitude (decimal): -90.32694

Waterway: **Mississippi River** Mile: 118.8 PWD: 208
Name: **International Matex, St. Rose Terminal, Berths Nos. 2, 3 and 4.**
Port: South Louisiana
Location: Miles 118.8 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by vessel and barge.
Depth Alongside (feet): 55 | 55 | 30 Latitude (decimal): 29.937222
Total Berthing Space (feet): 600 | 900 | 860 Longitude (decimal): -90.32694

Waterway: **Mississippi River** Mile: 118.8 PWD: 208
Name: **International Matex, St. Rose Terminal, Berths Nos. 2, 3 and 4.**
Port: South Louisiana
Location: Miles 118.8 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by vessel and barge.
Depth Alongside (feet): 55 | 55 | 30 Latitude (decimal): 29.937222
Total Berthing Space (feet): 600 | 900 | 860 Longitude (decimal): -90.32694

Waterway: **Mississippi River** Mile: 118.8 PWD: 208
Name: **International Matex, St. Rose Terminal, Berths Nos. 2, 3 and 4.**
Port: South Louisiana
Location: Miles 118.8 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 11824 River Road Phone: 504/461-8712
Town: St. Rose State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous bulk liquids including vegetable oil, petroleum products, and crude oil by vessel and barge.
Depth Alongside (feet): 55 | 55 | 30 Latitude (decimal): 29.937222
Total Berthing Space (feet): 600 | 900 | 860 Longitude (decimal): -90.32694
Remarks: Wharves provide a total of over 1,530 feet of continuous berthing space. Six 20- and six 24-inch petroleum products/crude oil pipelines extend from upper and lower wharves, respectively, and ten 4- to 12-inch vegetable oil pipelines extend from lower wharf to appropriate tankage described under Ref. No. 207. One 8-inch steam and one 4-inch compressed air pipelines serve lower wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Remarks: Wharves provide a total of over 1,530 feet of continuous berthing space. Six 20- and six 24-inch petroleum products/crude oil pipelines extend from upper and lower wharves, respectively, and ten 4- to 12-inch vegetable oil pipelines extend from lower wharf to appropriate tankage described under Ref. No. 207. One 8-inch steam and one 4-inch compressed air pipelines serve lower wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Remarks: Wharves provide a total of over 1,530 feet of continuous berthing space. Six 20- and six 24-inch petroleum products/crude oil pipelines extend from upper and lower wharves, respectively, and ten 4- to 12-inch vegetable oil pipelines extend from lower wharf to appropriate tankage described under Ref. No. 207. One 8-inch steam and one 4-inch compressed air pipelines serve lower wharf. Facility is operated for public storage of bulk liquids.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Waterway: **Mississippi River** Mile: 118.9 PWD: 321
Name: **GNOTS-Reserve, St. Rose West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 119.6 - 118.4 A.H.P., right bank, Mississippi River, Lone Star Datum: LWRP
Operator: GNOTS-Reserve, Inc.
Owner: GNOTS-Reserve, Inc.
Address: Louisiana State Highway 18 Phone: 504/466-8700
Town: Lone Star State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.931389
Total Berthing Space (feet): 6,900 | | Longitude (decimal): -90.32806

Waterway: **Mississippi River** Mile: 118.9 PWD: 321
Name: **GNOTS-Reserve, St. Rose West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 119.6 - 118.4 A.H.P., right bank, Mississippi River, Lone Star Datum: LWRP
Operator: GNOTS-Reserve, Inc.
Owner: GNOTS-Reserve, Inc.
Address: Louisiana State Highway 18 Phone: 504/466-8700
Town: Lone Star State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.931389
Total Berthing Space (feet): 6,900 | | Longitude (decimal): -90.32806

Remarks: Fleet has capacity for 243 barges in 27 tiers, each 9 barges wide. Fleeting is operated from GNOTS-Reserve facility on left bank (Ref. No. 210).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Fleet has capacity for 243 barges in 27 tiers, each 9 barges wide. Fleeting is operated from GNOTS-Reserve facility on left bank (Ref. No. 210).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 118.9 PWD: 321
Name: **GNOTS-Reserve, St. Rose West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 119.6 - 118.4 A.H.P., right bank, Mississippi River, Lone Star Datum: LWRP
Operator: GNOTS-Reserve, Inc.
Owner: GNOTS-Reserve, Inc.
Address: Louisiana State Highway 18 Phone: 504/466-8700
Town: Lone Star State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.931389
Total Berthing Space (feet): 6,900 | | Longitude (decimal): -90.32806

Waterway: **Mississippi River** Mile: 118.9 PWD: 321
Name: **GNOTS-Reserve, St. Rose West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 119.6 - 118.4 A.H.P., right bank, Mississippi River, Lone Star Datum: LWRP
Operator: GNOTS-Reserve, Inc.
Owner: GNOTS-Reserve, Inc.
Address: Louisiana State Highway 18 Phone: 504/466-8700
Town: Lone Star State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.931389
Total Berthing Space (feet): 6,900 | | Longitude (decimal): -90.32806
Remarks: Fleet has capacity for 243 barges in 27 tiers, each 9 barges wide. Fleeting is operated from GNOTS-Reserve facility on left bank (Ref. No. 210).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Fleet has capacity for 243 barges in 27 tiers, each 9 barges wide. Fleeting is operated from GNOTS-Reserve facility on left bank (Ref. No. 210).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Waterway: **Mississippi River** Mile: 119.2 PWD: 209
Name: **Crescent Towing & Salvage, St. Rose Wharf.**
Port: South Louisiana
Location: Mile 119.2 A.H.P., left bank, Mississippi River, St. Rose. Datum: LWRP
Operator: Crescent Towing and Salvage Co.
Owner: Crescent Towing and Salvage Co.
Address: 12097 River Road Phone: 504/366-1521
Town: St. Rose State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring company-owned vessels; loading company-owned water barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.936667
Total Berthing Space (feet): 150 | | Longitude (decimal): -90.33417
Remarks: Water barge is loaded from 3-inch pipeline extending from wharf to truck connection and municipal water supply connection.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20118 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 119.3 PWD: 210
Name: **GNOTS-Reserve, St. Rose East Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 119.3 - 119.8 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: GNOTS-Reserve, Inc., and Webb, Inc.
Owner: GNOTS-Reserve, Inc.
Address: 12043 River Road Phone: 504/466-8700
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring company-owned towboats; mooring grain barges for fleeting, cleaning and repair; mooring floating drydock.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 29.936667
Total Berthing Space (feet): 300 | 585 | 1,600 Longitude (decimal): -90.33611

Waterway: **Mississippi River** Mile: 119.3 PWD: 210
Name: **GNOTS-Reserve, St. Rose East Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 119.3 - 119.8 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: GNOTS-Reserve, Inc., and Webb, Inc.
Owner: GNOTS-Reserve, Inc.
Address: 12043 River Road Phone: 504/466-8700
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring company-owned towboats; mooring grain barges for fleeting, cleaning and repair; mooring floating drydock.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 29.936667
Total Berthing Space (feet): 300 | 585 | 1,600 Longitude (decimal): -90.33611
Remarks: One 536-ton floating drydock, and up to 24 barges in 3 tiers, 8 barges wide, moor at repair wharf. Fleet has capacity for 72 barges in 5 blocks totalling 8 tiers, 9 barges wide. Webb, Inc. cleans and performs above-waterline repairs to barges in fleet.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: One 536-ton floating drydock, and up to 24 barges in 3 tiers, 8 barges wide, moor at repair wharf. Fleet has capacity for 72 barges in 5 blocks totalling 8 tiers, 9 barges wide. Webb, Inc. cleans and performs above-waterline repairs to barges in fleet.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 119.3 PWD: 210
Name: **GNOTS-Reserve, St. Rose East Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 119.3 - 119.8 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: GNOTS-Reserve, Inc., and Webb, Inc.
Owner: GNOTS-Reserve, Inc.
Address: 12043 River Road Phone: 504/466-8700
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring company-owned towboats; mooring grain barges for fleeting, cleaning and repair; mooring floating drydock.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 29.936667
Total Berthing Space (feet): 300 | 585 | 1,600 Longitude (decimal): -90.33611

Waterway: **Mississippi River** Mile: 119.3 PWD: 210
Name: **GNOTS-Reserve, St. Rose East Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 119.3 - 119.8 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: GNOTS-Reserve, Inc., and Webb, Inc.
Owner: GNOTS-Reserve, Inc.
Address: 12043 River Road Phone: 504/466-8700
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring company-owned towboats; mooring grain barges for fleeting, cleaning and repair; mooring floating drydock.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 29.936667
Total Berthing Space (feet): 300 | 585 | 1,600 Longitude (decimal): -90.33611
Remarks: One 536-ton floating drydock, and up to 24 barges in 3 tiers, 8 barges wide, moor at repair wharf. Fleet has capacity for 72 barges in 5 blocks totalling 8 tiers, 9 barges wide. Webb, Inc. cleans and performs above-waterline repairs to barges in fleet.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: One 536-ton floating drydock, and up to 24 barges in 3 tiers, 8 barges wide, moor at repair wharf. Fleet has capacity for 72 barges in 5 blocks totalling 8 tiers, 9 barges wide. Webb, Inc. cleans and performs above-waterline repairs to barges in fleet.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 119.8 PWD: 320
Name: **Monsanto Co. Luling Plant, Dock No. 4**
Port: South Louisiana
Location: Mile 119.8 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Receipt of miscellaneous process bulk liquids.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.931667
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.34528

Waterway: **Mississippi River** Mile: 119.8 PWD: 320
Name: **Monsanto Co. Luling Plant, Dock No. 4**
Port: South Louisiana
Location: Mile 119.8 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Receipt of miscellaneous process bulk liquids.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.931667
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.34528

Waterway: **Mississippi River** Mile: 119.8 PWD: 320
Name: **Monsanto Co. Luling Plant, Dock No. 4**
Port: South Louisiana
Location: Mile 119.8 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Receipt of miscellaneous process bulk liquids.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.931667
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.34528
Remarks: Two 8-inch pipelines extend from wharf to bulk liquid storage tanks at plant in rear. One 3-inch steam line and one 2-inch compressed air line serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Two 8-inch pipelines extend from wharf to bulk liquid storage tanks at plant in rear. One 3-inch steam line and one 2-inch compressed air line serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Two 8-inch pipelines extend from wharf to bulk liquid storage tanks at plant in rear. One 3-inch steam line and one 2-inch compressed air line serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 119.8 PWD: 320
Name: **Monsanto Co. Luling Plant, Dock No. 4**
Port: South Louisiana
Location: Mile 119.8 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Receipt of miscellaneous process bulk liquids.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.931667
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.34528

Waterway: **Mississippi River** Mile: 119.8 PWD: 320
Name: **Monsanto Co. Luling Plant, Dock No. 4**
Port: South Louisiana
Location: Mile 119.8 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Receipt of miscellaneous process bulk liquids.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.931667
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.34528

Waterway: **Mississippi River** Mile: 119.8 PWD: 320
Name: **Monsanto Co. Luling Plant, Dock No. 4**
Port: South Louisiana
Location: Mile 119.8 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Receipt of miscellaneous process bulk liquids.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.931667
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.34528
Remarks: Two 8-inch pipelines extend from wharf to bulk liquid storage tanks at plant in rear. One 3-inch steam line and one 2-inch compressed air line serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Two 8-inch pipelines extend from wharf to bulk liquid storage tanks at plant in rear. One 3-inch steam line and one 2-inch compressed air line serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Two 8-inch pipelines extend from wharf to bulk liquid storage tanks at plant in rear. One 3-inch steam line and one 2-inch compressed air line serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 119.8 PWD: 320
Name: **Monsanto Co. Luling Plant, Dock No. 4**
Port: South Louisiana
Location: Mile 119.8 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Receipt of miscellaneous process bulk liquids.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.931667
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.34528

Waterway: **Mississippi River** Mile: 119.8 PWD: 320
Name: **Monsanto Co. Luling Plant, Dock No. 4**
Port: South Louisiana
Location: Mile 119.8 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Receipt of miscellaneous process bulk liquids.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.931667
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.34528

Waterway: **Mississippi River** Mile: 119.8 PWD: 320
Name: **Monsanto Co. Luling Plant, Dock No. 4**
Port: South Louisiana
Location: Mile 119.8 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Receipt of miscellaneous process bulk liquids.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.931667
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.34528
Remarks: Two 8-inch pipelines extend from wharf to bulk liquid storage tanks at plant in rear. One 3-inch steam line and one 2-inch compressed air line serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Two 8-inch pipelines extend from wharf to bulk liquid storage tanks at plant in rear. One 3-inch steam line and one 2-inch compressed air line serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Two 8-inch pipelines extend from wharf to bulk liquid storage tanks at plant in rear. One 3-inch steam line and one 2-inch compressed air line serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 119.9 PWD: 319
Name: **Monsanto Co. Luling Plant, Dock No. 3**
Port: South Louisiana
Location: Mile 119.9 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Not operated.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.932222
Total Berthing Space (feet): 312 | | Longitude (decimal): -90.34833

Waterway: **Mississippi River** Mile: 119.9 PWD: 319
Name: **Monsanto Co. Luling Plant, Dock No. 3**
Port: South Louisiana
Location: Mile 119.9 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Not operated.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.932222
Total Berthing Space (feet): 312 | | Longitude (decimal): -90.34833

Waterway: **Mississippi River** Mile: 119.9 PWD: 319
Name: **Monsanto Co. Luling Plant, Dock No. 3**
Port: South Louisiana
Location: Mile 119.9 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Not operated.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.932222
Total Berthing Space (feet): 312 | | Longitude (decimal): -90.34833
Remarks: Former 8-inch product pipeline and 3-inch vapor return line were blanked at time of survey (2002).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Former 8-inch product pipeline and 3-inch vapor return line were blanked at time of survey (2002).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Former 8-inch product pipeline and 3-inch vapor return line were blanked at time of survey (2002).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 119.9 PWD: 319
Name: **Monsanto Co. Luling Plant, Dock No. 3**
Port: South Louisiana
Location: Mile 119.9 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Not operated.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.932222
Total Berthing Space (feet): 312 | | Longitude (decimal): -90.34833

Waterway: **Mississippi River** Mile: 119.9 PWD: 319
Name: **Monsanto Co. Luling Plant, Dock No. 3**
Port: South Louisiana
Location: Mile 119.9 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Not operated.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.932222
Total Berthing Space (feet): 312 | | Longitude (decimal): -90.34833

Waterway: **Mississippi River** Mile: 119.9 PWD: 319
Name: **Monsanto Co. Luling Plant, Dock No. 3**
Port: South Louisiana
Location: Mile 119.9 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Not operated.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.932222
Total Berthing Space (feet): 312 | | Longitude (decimal): -90.34833
Remarks: Former 8-inch product pipeline and 3-inch vapor return line were blanked at time of survey (2002).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Former 8-inch product pipeline and 3-inch vapor return line were blanked at time of survey (2002).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Former 8-inch product pipeline and 3-inch vapor return line were blanked at time of survey (2002).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 119.9 PWD: 319
Name: **Monsanto Co. Luling Plant, Dock No. 3**
Port: South Louisiana
Location: Mile 119.9 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Not operated.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.932222
Total Berthing Space (feet): 312 | | Longitude (decimal): -90.34833

Waterway: **Mississippi River** Mile: 119.9 PWD: 319
Name: **Monsanto Co. Luling Plant, Dock No. 3**
Port: South Louisiana
Location: Mile 119.9 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Not operated.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.932222
Total Berthing Space (feet): 312 | | Longitude (decimal): -90.34833

Waterway: **Mississippi River** Mile: 119.9 PWD: 319
Name: **Monsanto Co. Luling Plant, Dock No. 3**
Port: South Louisiana
Location: Mile 119.9 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Not operated.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.932222
Total Berthing Space (feet): 312 | | Longitude (decimal): -90.34833
Remarks: Former 8-inch product pipeline and 3-inch vapor return line were blanked at time of survey (2002).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Former 8-inch product pipeline and 3-inch vapor return line were blanked at time of survey (2002).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: Former 8-inch product pipeline and 3-inch vapor return line were blanked at time of survey (2002).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 120.0 PWD: 211
Name: **Bunge Corp North America, Destrehan Elevator Wharf.**
Port: South Louisiana
Location: Mile 120.0 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: Bunge North America, Inc.
Owner: Bunge North America, Inc.
Address: 12422 River Road. Phone: 985/725-8210
Town: Destrehan State: LA County: St. Charles
Railway Connection: Five surface tracks with storage capacity for 75 cars serve undertrack pit in car shed and connect with Canadian National/ Illinois Central Railroad.
Purpose: Receipt and shipment of grain and shipment of soybean meal.
Depth Alongside (feet): 45 - - | 11 | 11 Latitude (decimal): 29.938056
Total Berthing Space (feet): 1,000 | 1,400 | 200 Longitude (decimal): -90.34806

Waterway: **Mississippi River** Mile: 120.0 PWD: 211
Name: **Bunge Corp North America, Destrehan Elevator Wharf.**
Port: South Louisiana
Location: Mile 120.0 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: Bunge North America, Inc.
Owner: Bunge North America, Inc.
Address: 12422 River Road. Phone: 985/725-8210
Town: Destrehan State: LA County: St. Charles
Railway Connection: Five surface tracks with storage capacity for 75 cars serve undertrack pit in car shed and connect with Canadian National/ Illinois Central Railroad.
Purpose: Receipt and shipment of grain and shipment of soybean meal.
Depth Alongside (feet): 45 - - | 11 | 11 Latitude (decimal): 29.938056
Total Berthing Space (feet): 1,000 | 1,400 | 200 Longitude (decimal): -90.34806

Remarks: Grain elevator at rear consisting of 84 concrete storage bins and 2 steel tanks has capacity for 6,513,000 bushels. Two steel-frame, metal-covered, flat storage buildings at rear have capacity for 1,060,000 bushels of soybean meal. A row of steel breasting dolphins with concrete approach ramp along shore at upper end of wharf provides fleeting area for 4 to 5 barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Remarks: Grain elevator at rear consisting of 84 concrete storage bins and 2 steel tanks has capacity for 6,513,000 bushels. Two steel-frame, metal-covered, flat storage buildings at rear have capacity for 1,060,000 bushels of soybean meal. A row of steel breasting dolphins with concrete approach ramp along shore at upper end of wharf provides fleeting area for 4 to 5 barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 120.0 PWD: 211
Name: **Bunge Corp North America, Destrehan Elevator Wharf.**
Port: South Louisiana
Location: Mile 120.0 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: Bunge North America, Inc.
Owner: Bunge North America, Inc.
Address: 12422 River Road. Phone: 985/725-8210
Town: Destrehan State: LA County: St. Charles
Railway Connection: Five surface tracks with storage capacity for 75 cars serve undertrack pit in car shed and connect with Canadian National/ Illinois Central Railroad.
Purpose: Receipt and shipment of grain and shipment of soybean meal.
Depth Alongside (feet): 45 - - | 11 | 11 Latitude (decimal): 29.938056
Total Berthing Space (feet): 1,000 | 1,400 | 200 Longitude (decimal): -90.34806

Waterway: **Mississippi River** Mile: 120.0 PWD: 211
Name: **Bunge Corp North America, Destrehan Elevator Wharf.**
Port: South Louisiana
Location: Mile 120.0 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: Bunge North America, Inc.
Owner: Bunge North America, Inc.
Address: 12422 River Road. Phone: 985/725-8210
Town: Destrehan State: LA County: St. Charles
Railway Connection: Five surface tracks with storage capacity for 75 cars serve undertrack pit in car shed and connect with Canadian National/ Illinois Central Railroad.
Purpose: Receipt and shipment of grain and shipment of soybean meal.
Depth Alongside (feet): 45 - - | 11 | 11 Latitude (decimal): 29.938056
Total Berthing Space (feet): 1,000 | 1,400 | 200 Longitude (decimal): -90.34806

Remarks: Grain elevator at rear consisting of 84 concrete storage bins and 2 steel tanks has capacity for 6,513,000 bushels. Two steel-frame, metal-covered, flat storage buildings at rear have capacity for 1,060,000 bushels of soybean meal. A row of steel breasting dolphins with concrete approach ramp along shore at upper end of wharf provides fleeting area for 4 to 5 barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Remarks: Grain elevator at rear consisting of 84 concrete storage bins and 2 steel tanks has capacity for 6,513,000 bushels. Two steel-frame, metal-covered, flat storage buildings at rear have capacity for 1,060,000 bushels of soybean meal. A row of steel breasting dolphins with concrete approach ramp along shore at upper end of wharf provides fleeting area for 4 to 5 barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 120.0 PWD: 318
Name: **Monsanto Co. Luling Plant, Dock No. 2**
Port: South Louisiana
Location: Mile 120.0 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Trackage serving plant in rear, connects with Union Pacific Railroad.
Purpose: Receipt of 50% caustic by barge.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.9325
Total Berthing Space (feet): 625 | | Longitude (decimal): -90.34944

Waterway: **Mississippi River** Mile: 120.0 PWD: 318
Name: **Monsanto Co. Luling Plant, Dock No. 2**
Port: South Louisiana
Location: Mile 120.0 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Trackage serving plant in rear, connects with Union Pacific Railroad.
Purpose: Receipt of 50% caustic by barge.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.9325
Total Berthing Space (feet): 625 | | Longitude (decimal): -90.34944

Waterway: **Mississippi River** Mile: 120.0 PWD: 318
Name: **Monsanto Co. Luling Plant, Dock No. 2**
Port: South Louisiana
Location: Mile 120.0 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Trackage serving plant in rear, connects with Union Pacific Railroad.
Purpose: Receipt of 50% caustic by barge.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.9325
Total Berthing Space (feet): 625 | | Longitude (decimal): -90.34944

Remarks: One 8-inch caustic pipeline extends from wharf to storage tanks located at rear; one 3-inch steam line and one 2-inch compressed air line extend to wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: One 8-inch caustic pipeline extends from wharf to storage tanks located at rear; one 3-inch steam line and one 2-inch compressed air line extend to wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: One 8-inch caustic pipeline extends from wharf to storage tanks located at rear; one 3-inch steam line and one 2-inch compressed air line extend to wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 120.0 PWD: 318
Name: **Monsanto Co. Luling Plant, Dock No. 2**
Port: South Louisiana
Location: Mile 120.0 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Trackage serving plant in rear, connects with Union Pacific Railroad.
Purpose: Receipt of 50% caustic by barge.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.9325
Total Berthing Space (feet): 625 | | Longitude (decimal): -90.34944

Waterway: **Mississippi River** Mile: 120.0 PWD: 318
Name: **Monsanto Co. Luling Plant, Dock No. 2**
Port: South Louisiana
Location: Mile 120.0 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Trackage serving plant in rear, connects with Union Pacific Railroad.
Purpose: Receipt of 50% caustic by barge.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.9325
Total Berthing Space (feet): 625 | | Longitude (decimal): -90.34944

Waterway: **Mississippi River** Mile: 120.0 PWD: 318
Name: **Monsanto Co. Luling Plant, Dock No. 2**
Port: South Louisiana
Location: Mile 120.0 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Trackage serving plant in rear, connects with Union Pacific Railroad.
Purpose: Receipt of 50% caustic by barge.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.9325
Total Berthing Space (feet): 625 | | Longitude (decimal): -90.34944
Remarks: One 8-inch caustic pipeline extends from wharf to storage tanks located at rear; one 3-inch steam line and one 2-inch compressed air line extend to wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: One 8-inch caustic pipeline extends from wharf to storage tanks located at rear; one 3-inch steam line and one 2-inch compressed air line extend to wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: One 8-inch caustic pipeline extends from wharf to storage tanks located at rear; one 3-inch steam line and one 2-inch compressed air line extend to wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 120.0 PWD: 318
Name: **Monsanto Co. Luling Plant, Dock No. 2**
Port: South Louisiana
Location: Mile 120.0 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Trackage serving plant in rear, connects with Union Pacific Railroad.
Purpose: Receipt of 50% caustic by barge.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.9325
Total Berthing Space (feet): 625 | | Longitude (decimal): -90.34944

Waterway: **Mississippi River** Mile: 120.0 PWD: 318
Name: **Monsanto Co. Luling Plant, Dock No. 2**
Port: South Louisiana
Location: Mile 120.0 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Trackage serving plant in rear, connects with Union Pacific Railroad.
Purpose: Receipt of 50% caustic by barge.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.9325
Total Berthing Space (feet): 625 | | Longitude (decimal): -90.34944

Waterway: **Mississippi River** Mile: 120.0 PWD: 318
Name: **Monsanto Co. Luling Plant, Dock No. 2**
Port: South Louisiana
Location: Mile 120.0 A.H.P., right bank, Mississippi River, Luling. Datum: LWRP
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: 12501 River Road (Highway 180) Phone: 504/785-8211
Town: Luling State: LA County: St. Charles
Railway Connection: Trackage serving plant in rear, connects with Union Pacific Railroad.
Purpose: Receipt of 50% caustic by barge.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.9325
Total Berthing Space (feet): 625 | | Longitude (decimal): -90.34944
Remarks: One 8-inch caustic pipeline extends from wharf to storage tanks located at rear; one 3-inch steam line and one 2-inch compressed air line extend to wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: One 8-inch caustic pipeline extends from wharf to storage tanks located at rear; one 3-inch steam line and one 2-inch compressed air line extend to wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Remarks: One 8-inch caustic pipeline extends from wharf to storage tanks located at rear; one 3-inch steam line and one 2-inch compressed air line extend to wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20119 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 120.2 PWD: 212
Name: **Bunge North America, Barge Mooring Wharf.**
Port: South Louisiana
Location: Mile 120.2 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: Bunge North America, Inc.
Owner: Bunge North America, Inc.
Address: 12422 River Road. Phone: 985/725-8210
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 5 | | Latitude (decimal): 29.938889
Total Berthing Space (feet): 480 | | Longitude (decimal): -90.35083

Waterway: **Mississippi River** Mile: 120.2 PWD: 212
Name: **Bunge North America, Barge Mooring Wharf.**
Port: South Louisiana
Location: Mile 120.2 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: Bunge North America, Inc.
Owner: Bunge North America, Inc.
Address: 12422 River Road. Phone: 985/725-8210
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 5 | | Latitude (decimal): 29.938889
Total Berthing Space (feet): 480 | | Longitude (decimal): -90.35083
Remarks: Wharf can moor 12 barges in 3 tiers, each 4 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Remarks: Wharf can moor 12 barges in 3 tiers, each 4 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 120.2 PWD: 212
Name: **Bunge North America, Barge Mooring Wharf.**
Port: South Louisiana
Location: Mile 120.2 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: Bunge North America, Inc.
Owner: Bunge North America, Inc.
Address: 12422 River Road. Phone: 985/725-8210
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 5 | | Latitude (decimal): 29.938889
Total Berthing Space (feet): 480 | | Longitude (decimal): -90.35083

Waterway: **Mississippi River** Mile: 120.2 PWD: 212
Name: **Bunge North America, Barge Mooring Wharf.**
Port: South Louisiana
Location: Mile 120.2 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: Bunge North America, Inc.
Owner: Bunge North America, Inc.
Address: 12422 River Road. Phone: 985/725-8210
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 5 | | Latitude (decimal): 29.938889
Total Berthing Space (feet): 480 | | Longitude (decimal): -90.35083
Remarks: Wharf can moor 12 barges in 3 tiers, each 4 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Remarks: Wharf can moor 12 barges in 3 tiers, each 4 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 120.5 PWD: 213
Name: **ADM/Growmark Destrehan Elevator Wharf.**
Port: South Louisiana
Location: Mile 120.5 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Owner: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.
Address: 12710 River Road Phone: 985/764-7586
Town: Destrehan State: LA County: St. Charles
Railway Connection: Three surface tracks with total storage capacity for 95 cars serve undertrack pit and one loading spout in car shed; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of grain.

Depth Alongside (feet):	40 - -	30	30	Latitude (decimal):	29.939444
Total Berthing Space (feet):	1,000	800	700	Longitude (decimal):	-90.35667

Remarks: Twenty-four 6-ton bridge cranes spanning lower end of barge slip remove hatch covers, hold and replace them as winch-and-cable system transfers barges to and from unloading position under marine leg on alternate sides of slip. Grain elevator at rear consisting of 170 concrete silos has capacity for 5,000,000 bushels. A fleeting area at shore moorings for 12 barges in 3 tiers, each 2 to 5 barges wide, is located at lower end of barge slip.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

---

Waterway: **Mississippi River** Mile: 120.7 PWD: 214
Name: **ARTCO Tulane Destrehan Dry Bulk Transfer and Rose Launch Service,**
Port: South Louisiana
Location: Mile 120.6 - 120.8 A.H.P., left bank, Mississippi River, Destrehan. Datum: LWRP
Operator: Tulane Fleeting, Inc., Total Stevedors, Inc., and Rose Launch Service, Inc.
Owner: Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Address: LA. State Hwy 48 (River Road) Phone: 504/466-9199
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring for floating elevator and clean-up vessels; landing for ship service launches.

Depth Alongside (feet):	8			Latitude (decimal):	29.941111
Total Berthing Space (feet):	50			Longitude (decimal):	-90.35861

Remarks: Floating elevator 'Gemini', owned by Total Transportation, Inc., and the crane barge 'Sentry', owned by Total Stevedors, Inc., moor along bank above float when not in use. Structures on float are used as shops and as an office. Fourteen barges can also moor along bank in 2 tiers, each 6 to 7 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 121.3 PWD: 215
Name: **ARTCO Tulane Fleeting, Lower Canizaro Fleet Mooring.**
Port: South Louisiana
Location: Mile 120.8 - 121.9 A.H.P., left bank, Mississippi River, below Interstate Highway 310 Bridge, Destrehan. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co., and TTI. Inc
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Address: Louisiana State Highway 48 Phone: 504/431-1488
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring vessels; mooring barges for fleeting.
Depth Alongside (feet): 45 | 42 - 45 | 20 Latitude (decimal): 29.942222
Total Berthing Space (feet): 1,000 | 1,000 | 5,280 Longitude (decimal): -90.36833

Waterway: **Mississippi River** Mile: 121.3 PWD: 215
Name: **ARTCO Tulane Fleeting, Lower Canizaro Fleet Mooring.**
Port: South Louisiana
Location: Mile 120.8 - 121.9 A.H.P., left bank, Mississippi River, below Interstate Highway 310 Bridge, Destrehan. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co., and TTI. Inc
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Address: Louisiana State Highway 48 Phone: 504/431-1488
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring vessels; mooring barges for fleeting.
Depth Alongside (feet): 45 | 42 - 45 | 20 Latitude (decimal): 29.942222
Total Berthing Space (feet): 1,000 | 1,000 | 5,280 Longitude (decimal): -90.36833

Remarks: ARTCO Tulane Fleeting, Inc.: Fleeting area has capacity for 294 barges consisting of 21 tiers, each 8 barges wide, and 14 tiers, each 9 barges wide. Fleet is operated from Kenner Bend Barge Cleaning Facility and Lower Kenner Bend Fleet Mooring (Ref. No. 324).□TTI, Inc.: Operates ship moorings.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Remarks: ARTCO Tulane Fleeting, Inc.: Fleeting area has capacity for 294 barges consisting of 21 tiers, each 8 barges wide, and 14 tiers, each 9 barges wide. Fleet is operated from Kenner Bend Barge Cleaning Facility and Lower Kenner Bend Fleet Mooring (Ref. No. 324).□TTI, Inc.: Operates ship moorings.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 121.3 PWD: 215
Name: **ARTCO Tulane Fleeting, Lower Canizaro Fleet Mooring.**
Port: South Louisiana
Location: Mile 120.8 - 121.9 A.H.P., left bank, Mississippi River, below Interstate Highway 310 Bridge, Destrehan. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co., and TTI. Inc
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Address: Louisiana State Highway 48 Phone: 504/431-1488
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring vessels; mooring barges for fleeting.
Depth Alongside (feet): 45 | 42 - 45 | 20 Latitude (decimal): 29.942222
Total Berthing Space (feet): 1,000 | 1,000 | 5,280 Longitude (decimal): -90.36833

Waterway: **Mississippi River** Mile: 121.3 PWD: 215
Name: **ARTCO Tulane Fleeting, Lower Canizaro Fleet Mooring.**
Port: South Louisiana
Location: Mile 120.8 - 121.9 A.H.P., left bank, Mississippi River, below Interstate Highway 310 Bridge, Destrehan. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co., and TTI. Inc
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Address: Louisiana State Highway 48 Phone: 504/431-1488
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring vessels; mooring barges for fleeting.
Depth Alongside (feet): 45 | 42 - 45 | 20 Latitude (decimal): 29.942222
Total Berthing Space (feet): 1,000 | 1,000 | 5,280 Longitude (decimal): -90.36833

Remarks: ARTCO Tulane Fleeting, Inc.: Fleeting area has capacity for 294 barges consisting of 21 tiers, each 8 barges wide, and 14 tiers, each 9 barges wide. Fleet is operated from Kenner Bend Barge Cleaning Facility and Lower Kenner Bend Fleet Mooring (Ref. No. 324).□TTI, Inc.: Operates ship moorings.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Remarks: ARTCO Tulane Fleeting, Inc.: Fleeting area has capacity for 294 barges consisting of 21 tiers, each 8 barges wide, and 14 tiers, each 9 barges wide. Fleet is operated from Kenner Bend Barge Cleaning Facility and Lower Kenner Bend Fleet Mooring (Ref. No. 324).□TTI, Inc.: Operates ship moorings.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 122.1 PWD: 317

Name: **Bisso Towboat Co., Luling Wharf.**

Port: South Louisiana

Location: Mile 122.1 A.H.P., right bank, Mississippi River, above Interstate Highway 310 Bridge, Luling Datum: LWRP

Operator: Bisso Towboat Co. Inc.

Owner: Bisso Towboat Co., Inc.

Address: Louisiana State Highway 18 Phone: 504/861-1411

Town: Luling State: LA County: St. Charles

Railway Connection: None.

Purpose: Mooring for company-owned vessels.

Depth Alongside (feet): 25 | | Latitude (decimal): 29.941667

Total Berthing Space (feet): 200 | | Longitude (decimal): -90.38417

Remarks: Open area on batture below wharf is occasionally used for receipt of aggregate from contractor-owned floating equipment for delivery to nearby construction yards and sites.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20122 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 122.2 PWD: 216
Name: **ARTCO Tulane Fleeting, Upper Canizaro Fleet Mooring.**
Port: South Louisiana
Location: Mile 121.9 - 122.7 A.H.P., left bank, Mississippi River, above Interstate Highway 310 Bridge, Destrehan. Datum: LWRP
Operator: □
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Address: Phone: 504/431-1488
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring vessels; mooring barges for fleeting.
Depth Alongside (feet): 40 | 12 | Latitude (decimal): 29.947778
Total Berthing Space (feet): 1,000 | 4,500 | Longitude (decimal): -90.3825

Waterway: **Mississippi River** Mile: 122.2 PWD: 216
Name: **ARTCO Tulane Fleeting, Upper Canizaro Fleet Mooring.**
Port: South Louisiana
Location: Mile 121.9 - 122.7 A.H.P., left bank, Mississippi River, above Interstate Highway 310 Bridge, Destrehan. Datum: LWRP
Operator: □
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Address: Phone: 504/431-1488
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring vessels; mooring barges for fleeting.
Depth Alongside (feet): 40 | 12 | Latitude (decimal): 29.947778
Total Berthing Space (feet): 1,000 | 4,500 | Longitude (decimal): -90.3825

Remarks: Fleeting area has capacity for 88 barges consisting of 11 tiers, each 8 barges wide. Fleet is operated from Kenner Bend Barge Cleaning Facility and Lower Kenner Bend Fleet Mooring (Ref. No. 324).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Remarks: Fleeting area has capacity for 88 barges consisting of 11 tiers, each 8 barges wide. Fleet is operated from Kenner Bend Barge Cleaning Facility and Lower Kenner Bend Fleet Mooring (Ref. No. 324).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 122.2 PWD: 216
Name: **ARTCO Tulane Fleeting, Upper Canizaro Fleet Mooring.**
Port: South Louisiana
Location: Mile 121.9 - 122.7 A.H.P., left bank, Mississippi River, above Interstate Highway 310 Bridge, Destrehan. Datum: LWRP
Operator: □
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Address: Phone: 504/431-1488
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring vessels; mooring barges for fleeting.
Depth Alongside (feet): 40 | 12 | Latitude (decimal): 29.947778
Total Berthing Space (feet): 1,000 | 4,500 | Longitude (decimal): -90.3825

Waterway: **Mississippi River** Mile: 122.2 PWD: 216
Name: **ARTCO Tulane Fleeting, Upper Canizaro Fleet Mooring.**
Port: South Louisiana
Location: Mile 121.9 - 122.7 A.H.P., left bank, Mississippi River, above Interstate Highway 310 Bridge, Destrehan. Datum: LWRP
Operator: □
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Address: Phone: 504/431-1488
Town: Destrehan State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring vessels; mooring barges for fleeting.
Depth Alongside (feet): 40 | 12 | Latitude (decimal): 29.947778
Total Berthing Space (feet): 1,000 | 4,500 | Longitude (decimal): -90.3825

Remarks: Fleeting area has capacity for 88 barges consisting of 11 tiers, each 8 barges wide. Fleet is operated from Kenner Bend Barge Cleaning Facility and Lower Kenner Bend Fleet Mooring (Ref. No. 324).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Remarks: Fleeting area has capacity for 88 barges consisting of 11 tiers, each 8 barges wide. Fleet is operated from Kenner Bend Barge Cleaning Facility and Lower Kenner Bend Fleet Mooring (Ref. No. 324).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20120 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 122.2 PWD: 316
Name: **Carline Landing.**
Port: South Louisiana
Location: Mile 122.2 A.H.P., right bank, Mississippi River, Hahnville. Datum: LWRP
Operator: Carline Marine, Inc.
Owner: -
Address: Louisiana State Highway 18 Phone: 225/265-3086
Town: Hahnville State: LA County: St. Charles
Railway Connection: None.
Purpose: Mooring company-owned vessels.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.942778
Total Berthing Space (feet): 180 + | | Longitude (decimal): -90.38639
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20122 New Orleans District

---

Waterway: **Mississippi River** Mile: 122.9 PWD: 217
Name: **Upper St. Rose Fleet Mooring.**
Port: South Louisiana
Location: Mile 122.8 - 123.6 A.H.P., left bank, Mississippi River, New Sarpy. Datum: LWRP
Operator: Not operated
Owner: Donald Hughes Estate Trust
Address: LA. State Hwy. 48 (River Road) Phone:
Town: New Sarpy State: County: St. Charles
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 1 - 25 | | Latitude (decimal): 29.954722
Total Berthing Space (feet): 4,000 | | Longitude (decimal): -90.38917
Remarks: Fleeting area has capacity for 94 barges in 8 tiers, each 8 barges wide, and 6 tiers, each 5 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20122 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 124.4 PWD: 315
Name: **T.T. Barge Mile 125 Barge Launch and Repair Wharf.**
Port: South Louisiana
Location: Mile 124.4 A.H.P., right bank, Mississippi River, Hahnville. Datum: LWRP
Operator: T.T. Barge Service Mile 125, Inc.
Owner: N/C Materials
Address: 15442 River Road (Hwy 18). Phone: 504/783-6060
Town: Hahnville State: LA County: St. Charles
Railway Connection: None.
Purpose: Hauling and launching barges; mooring barges for repair and outfitting.
Depth Alongside (feet): 20 | 10 | Latitude (decimal): 29.969444
Total Berthing Space (feet): 195 | 304 | Longitude (decimal): -90.4
Remarks: Railway extends approximately 900 feet at rear of pier. Maximum barge handled is 300 feet long by 54 feet wide. Facility can accomodate 4 barges on railway, one on Synchrolift, one moored at spar barge, one moored end-to against bank, and two at mooring piles in river. Acetylene and oxygen lines serve pier and spud barge repair sites.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20124 New Orleans District

---

Waterway: **Mississippi River** Mile: 124.5 PWD: 314
Name: **Beverly Industries, Hawnville Aggregate Yard Wharf**
Port: South Louisiana
Location: Mile 124.5 A.H.P., right bank, Mississippi River, Hahnville. Datum: LWRP
Operator: Beverly Industries, Inc.
Owner: Beverly Industries, Inc.
Address: Louisiana State Highway 18 Phone: 504/436-2924
Town: Hahnville State: LA County: St. Charles
Railway Connection: None.
Purpose: Receipt of limestone by barge.
Depth Alongside (feet): 5 - 10 | | Latitude (decimal): 29.9725
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.40083
Remarks: Open storage area at rear has capacity for 50,000 cubic yards of limestone.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20124 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Waterway: **Mississippi River** Mile: 124.8 PWD: 218
Name: **Orion Refining Corp., Norco Refinery Dock No. 5.**
Port: South Louisiana
Location: Mile 124.8 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; shipment of petroleum products and liquid hazardous gases by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.981111
Total Berthing Space (feet): 1,135 | | Longitude (decimal): -90.39417

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Four 12-, one 8-, and one 6-inch crude and product pipelines extend from wharf to steel crude oil and refinery products storage tanks described under Ref. No. 220. Wharf is served by one 6-inch LHG vapor return pipeline, one 3-inch steam pipe, one 4-inch compressed air line, one 8-inch fire waterline, one 2-inch potable waterline, and one 2-inch waste collection line to refinery located across River Road at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Waterway: **Mississippi River** Mile: 125.0 PWD: 219
Name: **Orion Refining Corp., Norco Refinery Dock No. 4.**
Port: South Louisiana
Location: Mile 125.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Trackage at refinery, approximately one mile in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil and shipment of petroleum products by vessel.
Depth Alongside (feet): 55 | | Latitude (decimal): 29.983056
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.39528

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 30-inch crude and one 10-inch cutter stock pipelines extend from wharf to storage tanks described under Dock No. 3 (Ref. No. 220). One 4-inch nitrogen line, one 12-inch fire waterline, two 2-inch potable waterlines, one 4-inch compressed air line, one 4-inch steam line, one 4-inch slop line, and one 2-inch vacuum truck connection line serve wharf. At time of survey (2001), plans called for adding an additional 12-inch loading arm and additional 12-inchand 4-inch pipelines.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Waterway: **Mississippi River** Mile: 125.2 PWD: 313

Name: **Bayou Fleet Moorings.**

Port: South Louisiana

Location: Mile 125.4 - 125.0 A.H.P., right bank, Mississippi River, Hahnville. Datum: LWRP

Operator: Bayou Fleet, Inc.

Owner: Bayou Fleet, Inc.

Address: 15730 River Road Phone: 985/783-6403

Town: Hahnville State: LA County: St. Charles

Railway Connection: None.

Purpose: Mooring barges for fleeting; occasional receipt of limestone by barge.

Depth Alongside (feet): 7 - 8 | | Latitude (decimal): 29.976389

Total Berthing Space (feet): 1,500 | | Longitude (decimal): -90.40417

Remarks: Fleeting area has capacity for up to 36 barges in 2 blocks, each 3 barges long by 6 wide. Natural bank areas downstream (Lower Sand Pit area) and upstream (formerly known as Louisiana Materials area) are occasionally used for receipt of limestone by contractor-owned equipment. Open areas at rear of each have capacity for 50,000 cubic yards of material.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Waterway: **Mississippi River** Mile: 125.3 PWD: 220
Name: **Orion Refining Corp., Norco Refinery Dock No. 3.**
Port: South Louisiana
Location: Mile 125.3 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products, primarily gasoline and light naptha, by vessel and barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.986667
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.39861

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: Dock is primarily used to handle gasoline and light naptha. One 24- and one 16-inch pipelines extend from wharf to crude oil storage tanks, total capacity 2,243,500 barrels; and four 24- and one 6-inch pipelines extend to petroleum products storage tanks, total capacity 7,051,500 barrels, all located at terminal in rear. One vapor recovery line and one 8-inch slop line serves wharf. At time of survey (2001), plans called for construction of 4 additionalcrude oil storage tanks, capacity 625,000 barrel, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Waterway: **Mississippi River** Mile: 125.4 PWD: 221
Name: **Orion Refining Corp., Norco Refinery Dock No. 2.**
Port: South Louisiana
Location: Mile 125.4 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil, petroleum products, and sulfuric acid.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.988889
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.40083

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 12-inch crude oil pipeline and two 24-, one 18-, two 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch sulfuric acid pipeline and one 6-inch flush pipeline extend to one fresh acid storage tank and one spent acid storage tank, capacity 19,000 barrels, each. Wharf is equipped with scrubber system to recover SO2 gases. One 8-inch slop line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Waterway: **Mississippi River** Mile: 125.6 PWD: 222
Name: **Orion Refining Corp., Norco Refinery Dock No. 1.**
Port: South Louisiana
Location: Mile 125.6 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Orion Refining Corp.
Owner: Orion Refining Corp.
Address: LA. State Hwy. 48 (River Road) Phone: 985/764-4585
Town: Norco State: LA County: St. Charles
Railway Connection: Eleven surface tracks at terminal in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of crude oil and petroleum products by vessel and barge; shipment of petroleum coke by barge.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.99
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.4025

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch crude oil pipeline and twenty-three 6- to 8-inch petroleum products pipelines extend from wharf to appropriate tankage described under Ref. No. 220. One 8-inch slop line serves wharf. Coke pit located at rear has a 10,000- ton storage capacity.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20125 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.7 PWD: 223
Name: **Motiva Enterprises, Norco Refining, Dock 4.**
Port: South Louisiana
Location: Mile 125.7 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.990556
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.405

Waterway: **Mississippi River** Mile: 125.7 PWD: 223
Name: **Motiva Enterprises, Norco Refining, Dock 4.**
Port: South Louisiana
Location: Mile 125.7 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.990556
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.405

Waterway: **Mississippi River** Mile: 125.7 PWD: 223
Name: **Motiva Enterprises, Norco Refining, Dock 4.**
Port: South Louisiana
Location: Mile 125.7 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.990556
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.405
Remarks: Three 8-inch and one 10-inch pipelines extend from wharf to appropriate petroleum produce tankage described under Ref. No. 224. One 8-inch fire line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Remarks: Three 8-inch and one 10-inch pipelines extend from wharf to appropriate petroleum produce tankage described under Ref. No. 224. One 8-inch fire line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Remarks: Three 8-inch and one 10-inch pipelines extend from wharf to appropriate petroleum produce tankage described under Ref. No. 224. One 8-inch fire line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.7 PWD: 223
Name: **Motiva Enterprises, Norco Refining, Dock 4.**
Port: South Louisiana
Location: Mile 125.7 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.990556
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.405

Waterway: **Mississippi River** Mile: 125.7 PWD: 223
Name: **Motiva Enterprises, Norco Refining, Dock 4.**
Port: South Louisiana
Location: Mile 125.7 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.990556
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.405

Waterway: **Mississippi River** Mile: 125.7 PWD: 223
Name: **Motiva Enterprises, Norco Refining, Dock 4.**
Port: South Louisiana
Location: Mile 125.7 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.990556
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.405
Remarks: Three 8-inch and one 10-inch pipelines extend from wharf to appropriate petroleum produce tankage described under Ref. No. 224. One 8-inch fire line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Remarks: Three 8-inch and one 10-inch pipelines extend from wharf to appropriate petroleum produce tankage described under Ref. No. 224. One 8-inch fire line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Remarks: Three 8-inch and one 10-inch pipelines extend from wharf to appropriate petroleum produce tankage described under Ref. No. 224. One 8-inch fire line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 125.7 PWD: 223
Name: **Motiva Enterprises, Norco Refining, Dock 4.**
Port: South Louisiana
Location: Mile 125.7 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.990556
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.405

Waterway: **Mississippi River** Mile: 125.7 PWD: 223
Name: **Motiva Enterprises, Norco Refining, Dock 4.**
Port: South Louisiana
Location: Mile 125.7 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.990556
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.405

Waterway: **Mississippi River** Mile: 125.7 PWD: 223
Name: **Motiva Enterprises, Norco Refining, Dock 4.**
Port: South Louisiana
Location: Mile 125.7 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 29.990556
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.405
Remarks: Three 8-inch and one 10-inch pipelines extend from wharf to appropriate petroleum produce tankage described under Ref. No. 224. One 8-inch fire line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

---

Remarks: Three 8-inch and one 10-inch pipelines extend from wharf to appropriate petroleum produce tankage described under Ref. No. 224. One 8-inch fire line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

---

Remarks: Three 8-inch and one 10-inch pipelines extend from wharf to appropriate petroleum produce tankage described under Ref. No. 224. One 8-inch fire line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 126.0 PWD: 224
Name: **Motiva Enterprises, Norco Refining, Dock 2.**
Port: South Louisiana
Location: Mile 126.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products and benzene by vessel and barge.
Depth Alongside (feet): 45 - 90 | | Latitude (decimal): 29.993056
Total Berthing Space (feet): 980 | | Longitude (decimal): -90.40861

Waterway: **Mississippi River** Mile: 126.0 PWD: 224
Name: **Motiva Enterprises, Norco Refining, Dock 2.**
Port: South Louisiana
Location: Mile 126.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products and benzene by vessel and barge.
Depth Alongside (feet): 45 - 90 | | Latitude (decimal): 29.993056
Total Berthing Space (feet): 980 | | Longitude (decimal): -90.40861

Waterway: **Mississippi River** Mile: 126.0 PWD: 224
Name: **Motiva Enterprises, Norco Refining, Dock 2.**
Port: South Louisiana
Location: Mile 126.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products and benzene by vessel and barge.
Depth Alongside (feet): 45 - 90 | | Latitude (decimal): 29.993056
Total Berthing Space (feet): 980 | | Longitude (decimal): -90.40861

Waterway: **Mississippi River** Mile: 126.0 PWD: 224
Name: **Motiva Enterprises, Norco Refining, Dock 2.**
Port: South Louisiana
Location: Mile 126.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products and benzene by vessel and barge.
Depth Alongside (feet): 45 - 90 | | Latitude (decimal): 29.993056
Total Berthing Space (feet): 980 | | Longitude (decimal): -90.40861
Remarks: Berth No. 1 (Ref. No. 225) is contiguous and connected by catwalk across dolphins. One 24- and one 12-inch pipelines extend from wharf to 9 crude oil storage tanks, total capacity 1,399,000 barrels; and three 16-, three 12-, three 10-, and one 8-inch pipelines extend from 82 petroleum products storage tanks, total capacity 7,233,000 barrels, all at refinery in rear. One 10-inch benzene pipeline extends to chemical storage tanks described under Berth No. 1.One 12-inch ballast water, one 4-inch steam, and one 3-inch compressed air and nitrogen pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Port Facilities by Waterway

Remarks: Berth No. 1 (Ref. No. 225) is contiguous and connected by catwalk across dolphins. One 24- and one 12-inch pipelines extend from wharf to 9 crude oil storage tanks, total capacity 1,399,000 barrels; and three 16-, three 12-, three 10-, and one 8-inch pipelines extend from 82 petroleum products storage tanks, total capacity 7,233,000 barrels, all at refinery in rear. One 10-inch benzene pipeline extends to chemical storage tanks described under Berth No. 1.One 12-inch ballast water, one 4-inch steam, and one 3-inch compressed air and nitrogen pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Remarks: Berth No. 1 (Ref. No. 225) is contiguous and connected by catwalk across dolphins. One 24- and one 12-inch pipelines extend from wharf to 9 crude oil storage tanks, total capacity 1,399,000 barrels; and three 16-, three 12-, three 10-, and one 8-inch pipelines extend from 82 petroleum products storage tanks, total capacity 7,233,000 barrels, all at refinery in rear. One 10-inch benzene pipeline extends to chemical storage tanks described under Berth No. 1.One 12-inch ballast water, one 4-inch steam, and one 3-inch compressed air and nitrogen pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 126.0 PWD: 224
Name: **Motiva Enterprises, Norco Refining, Dock 2.**
Port: South Louisiana
Location: Mile 126.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products and benzene by vessel and barge.
Depth Alongside (feet): 45 - 90 | | Latitude (decimal): 29.993056
Total Berthing Space (feet): 980 | | Longitude (decimal): -90.40861

Waterway: **Mississippi River** Mile: 126.0 PWD: 224
Name: **Motiva Enterprises, Norco Refining, Dock 2.**
Port: South Louisiana
Location: Mile 126.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products and benzene by vessel and barge.
Depth Alongside (feet): 45 - 90 | | Latitude (decimal): 29.993056
Total Berthing Space (feet): 980 | | Longitude (decimal): -90.40861

Waterway: **Mississippi River** Mile: 126.0 PWD: 224
Name: **Motiva Enterprises, Norco Refining, Dock 2.**
Port: South Louisiana
Location: Mile 126.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products and benzene by vessel and barge.
Depth Alongside (feet): 45 - 90 | | Latitude (decimal): 29.993056
Total Berthing Space (feet): 980 | | Longitude (decimal): -90.40861

Waterway: **Mississippi River** Mile: 126.0 PWD: 224
Name: **Motiva Enterprises, Norco Refining, Dock 2.**
Port: South Louisiana
Location: Mile 126.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products and benzene by vessel and barge.
Depth Alongside (feet): 45 - 90 | | Latitude (decimal): 29.993056
Total Berthing Space (feet): 980 | | Longitude (decimal): -90.40861
Remarks: Berth No. 1 (Ref. No. 225) is contiguous and connected by catwalk across dolphins. One 24- and one 12-inch pipelines extend from wharf to 9 crude oil storage tanks, total capacity 1,399,000 barrels; and three 16-, three 12-, three 10-, and one 8-inch pipelines extend from 82 petroleum products storage tanks, total capacity 7,233,000 barrels, all at refinery in rear. One 10-inch benzene pipeline extends to chemical storage tanks described under Berth No. 1.One 12-inch ballast water, one 4-inch steam, and one 3-inch compressed air and nitrogen pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Port Facilities by Waterway

Remarks: Berth No. 1 (Ref. No. 225) is contiguous and connected by catwalk across dolphins. One 24- and one 12-inch pipelines extend from wharf to 9 crude oil storage tanks, total capacity 1,399,000 barrels; and three 16-, three 12-, three 10-, and one 8-inch pipelines extend from 82 petroleum products storage tanks, total capacity 7,233,000 barrels, all at refinery in rear. One 10-inch benzene pipeline extends to chemical storage tanks described under Berth No. 1.One 12-inch ballast water, one 4-inch steam, and one 3-inch compressed air and nitrogen pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Remarks: Berth No. 1 (Ref. No. 225) is contiguous and connected by catwalk across dolphins. One 24- and one 12-inch pipelines extend from wharf to 9 crude oil storage tanks, total capacity 1,399,000 barrels; and three 16-, three 12-, three 10-, and one 8-inch pipelines extend from 82 petroleum products storage tanks, total capacity 7,233,000 barrels, all at refinery in rear. One 10-inch benzene pipeline extends to chemical storage tanks described under Berth No. 1.One 12-inch ballast water, one 4-inch steam, and one 3-inch compressed air and nitrogen pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 126.0 PWD: 224
Name: **Motiva Enterprises, Norco Refining, Dock 2.**
Port: South Louisiana
Location: Mile 126.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products and benzene by vessel and barge.
Depth Alongside (feet): 45 - 90 | | Latitude (decimal): 29.993056
Total Berthing Space (feet): 980 | | Longitude (decimal): -90.40861

Waterway: **Mississippi River** Mile: 126.0 PWD: 224
Name: **Motiva Enterprises, Norco Refining, Dock 2.**
Port: South Louisiana
Location: Mile 126.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products and benzene by vessel and barge.
Depth Alongside (feet): 45 - 90 | | Latitude (decimal): 29.993056
Total Berthing Space (feet): 980 | | Longitude (decimal): -90.40861

Waterway: **Mississippi River** Mile: 126.0 PWD: 224
Name: **Motiva Enterprises, Norco Refining, Dock 2.**
Port: South Louisiana
Location: Mile 126.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products and benzene by vessel and barge.
Depth Alongside (feet): 45 - 90 | | Latitude (decimal): 29.993056
Total Berthing Space (feet): 980 | | Longitude (decimal): -90.40861

Waterway: **Mississippi River** Mile: 126.0 PWD: 224
Name: **Motiva Enterprises, Norco Refining, Dock 2.**
Port: South Louisiana
Location: Mile 126.0 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products and benzene by vessel and barge.
Depth Alongside (feet): 45 - 90 | | Latitude (decimal): 29.993056
Total Berthing Space (feet): 980 | | Longitude (decimal): -90.40861
Remarks: Berth No. 1 (Ref. No. 225) is contiguous and connected by catwalk across dolphins. One 24- and one 12-inch pipelines extend from wharf to 9 crude oil storage tanks, total capacity 1,399,000 barrels; and three 16-, three 12-, three 10-, and one 8-inch pipelines extend from 82 petroleum products storage tanks, total capacity 7,233,000 barrels, all at refinery in rear. One 10-inch benzene pipeline extends to chemical storage tanks described under Berth No. 1.One 12-inch ballast water, one 4-inch steam, and one 3-inch compressed air and nitrogen pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Port Facilities by Waterway

Remarks: Berth No. 1 (Ref. No. 225) is contiguous and connected by catwalk across dolphins. One 24- and one 12-inch pipelines extend from wharf to 9 crude oil storage tanks, total capacity 1,399,000 barrels; and three 16-, three 12-, three 10-, and one 8-inch pipelines extend from 82 petroleum products storage tanks, total capacity 7,233,000 barrels, all at refinery in rear. One 10-inch benzene pipeline extends to chemical storage tanks described under Berth No. 1.One 12-inch ballast water, one 4-inch steam, and one 3-inch compressed air and nitrogen pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Remarks: Berth No. 1 (Ref. No. 225) is contiguous and connected by catwalk across dolphins. One 24- and one 12-inch pipelines extend from wharf to 9 crude oil storage tanks, total capacity 1,399,000 barrels; and three 16-, three 12-, three 10-, and one 8-inch pipelines extend from 82 petroleum products storage tanks, total capacity 7,233,000 barrels, all at refinery in rear. One 10-inch benzene pipeline extends to chemical storage tanks described under Berth No. 1.One 12-inch ballast water, one 4-inch steam, and one 3-inch compressed air and nitrogen pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 126.1 PWD: 225
Name: **Motiva Enterprises, Norco Refining, Dock 1 and 1A.**
Port: South Louisiana
Location: Mile 126.1 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil, sulfuric acid, and caustic soda; receipt and shipment of petroleum products, liquefied petroleum gas, and miscellaneous petrochemicals by vessel and barge.
Depth Alongside (feet): 45 | 25 | Latitude (decimal): 29.994167
Total Berthing Space (feet): 750 | 465 | Longitude (decimal): -90.41056

Waterway: **Mississippi River** Mile: 126.1 PWD: 225
Name: **Motiva Enterprises, Norco Refining, Dock 1 and 1A.**
Port: South Louisiana
Location: Mile 126.1 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil, sulfuric acid, and caustic soda; receipt and shipment of petroleum products, liquefied petroleum gas, and miscellaneous petrochemicals by vessel and barge.
Depth Alongside (feet): 45 | 25 | Latitude (decimal): 29.994167
Total Berthing Space (feet): 750 | 465 | Longitude (decimal): -90.41056

Waterway: **Mississippi River** Mile: 126.1 PWD: 225
Name: **Motiva Enterprises, Norco Refining, Dock 1 and 1A.**
Port: South Louisiana
Location: Mile 126.1 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil, sulfuric acid, and caustic soda; receipt and shipment of petroleum products, liquefied petroleum gas, and miscellaneous petrochemicals by vessel and barge.
Depth Alongside (feet): 45 | 25 | Latitude (decimal): 29.994167
Total Berthing Space (feet): 750 | 465 | Longitude (decimal): -90.41056

Remarks: Berth No. 2 (Ref. No. 224) is contiguous and connected by catwalk across dolphins. Two 12-inch crude and four 16-, one 14-, one 12-, two 10-, two 8-, and one 6-inch petroleum products pipelines extend from wharf to appropriate tankage described under Berth No. 2. One 12-inch liquefied petroleum gas, one 12- and one 10-inch butadiene, one 6-inch propylene, and one 3-inch vent pipelines extend to 18 storage tanks, total capacity 103,000 barrels, and one10-inch benzene, one 6-inch caustic soda, and one 6-inch sulfuric acid pipelines extend to 21 chemical storage tanks, total capacity 27,734,000 gallons, all at refinery at rear. One 12-inch ballast water, one 4-inchsteam, one 3-inch nitrogen, and one 3- and one 2-inch compressed air pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Port Facilities by Waterway

Remarks: Berth No. 2 (Ref. No. 224) is contiguous and connected by catwalk across dolphins. Two 12-inch crude and four 16-, one 14-, one 12-, two 10-, two 8-, and one 6-inch petroleum products pipelines extend from wharf to appropriate tankage described under Berth No. 2. One 12-inch liquefied petroleum gas, one 12- and one 10-inch butadiene, one 6-inch propylene, and one 3-inch vent pipelines extend to 18 storage tanks, total capacity 103,000 barrels, and one10-inch benzene, one 6-inch caustic soda, and one 6-inch sulfuric acid pipelines extend to 21 chemical storage tanks, total capacity 27,734,000 gallons, all at refinery at rear. One 12-inch ballast water, one 4-inchsteam, one 3-inch nitrogen, and one 3- and one 2-inch compressed air pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Remarks: Berth No. 2 (Ref. No. 224) is contiguous and connected by catwalk across dolphins. Two 12-inch crude and four 16-, one 14-, one 12-, two 10-, two 8-, and one 6-inch petroleum products pipelines extend from wharf to appropriate tankage described under Berth No. 2. One 12-inch liquefied petroleum gas, one 12- and one 10-inch butadiene, one 6-inch propylene, and one 3-inch vent pipelines extend to 18 storage tanks, total capacity 103,000 barrels, and one10-inch benzene, one 6-inch caustic soda, and one 6-inch sulfuric acid pipelines extend to 21 chemical storage tanks, total capacity 27,734,000 gallons, all at refinery at rear. One 12-inch ballast water, one 4-inchsteam, one 3-inch nitrogen, and one 3- and one 2-inch compressed air pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 126.1 PWD: 225
Name: **Motiva Enterprises, Norco Refining, Dock 1 and 1A.**
Port: South Louisiana
Location: Mile 126.1 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil, sulfuric acid, and caustic soda; receipt and shipment of petroleum products, liquefied petroleum gas, and miscellaneous petrochemicals by vessel and barge.
Depth Alongside (feet): 45 | 25 | Latitude (decimal): 29.994167
Total Berthing Space (feet): 750 | 465 | Longitude (decimal): -90.41056

Waterway: **Mississippi River** Mile: 126.1 PWD: 225
Name: **Motiva Enterprises, Norco Refining, Dock 1 and 1A.**
Port: South Louisiana
Location: Mile 126.1 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil, sulfuric acid, and caustic soda; receipt and shipment of petroleum products, liquefied petroleum gas, and miscellaneous petrochemicals by vessel and barge.
Depth Alongside (feet): 45 | 25 | Latitude (decimal): 29.994167
Total Berthing Space (feet): 750 | 465 | Longitude (decimal): -90.41056

Waterway: **Mississippi River** Mile: 126.1 PWD: 225
Name: **Motiva Enterprises, Norco Refining, Dock 1 and 1A.**
Port: South Louisiana
Location: Mile 126.1 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil, sulfuric acid, and caustic soda; receipt and shipment of petroleum products, liquefied petroleum gas, and miscellaneous petrochemicals by vessel and barge.
Depth Alongside (feet): 45 | 25 | Latitude (decimal): 29.994167
Total Berthing Space (feet): 750 | 465 | Longitude (decimal): -90.41056

Remarks: Berth No. 2 (Ref. No. 224) is contiguous and connected by catwalk across dolphins. Two 12-inch crude and four 16-, one 14-, one 12-, two 10-, two 8-, and one 6-inch petroleum products pipelines extend from wharf to appropriate tankage described under Berth No. 2. One 12-inch liquefied petroleum gas, one 12- and one 10-inch butadiene, one 6-inch propylene, and one 3-inch vent pipelines extend to 18 storage tanks, total capacity 103,000 barrels, and one10-inch benzene, one 6-inch caustic soda, and one 6-inch sulfuric acid pipelines extend to 21 chemical storage tanks, total capacity 27,734,000 gallons, all at refinery at rear. One 12-inch ballast water, one 4-inchsteam, one 3-inch nitrogen, and one 3- and one 2-inch compressed air pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Remarks: Berth No. 2 (Ref. No. 224) is contiguous and connected by catwalk across dolphins. Two 12-inch crude and four 16-, one 14-, one 12-, two 10-, two 8-, and one 6-inch petroleum products pipelines extend from wharf to appropriate tankage described under Berth No. 2. One 12-inch liquefied petroleum gas, one 12- and one 10-inch butadiene, one 6-inch propylene, and one 3-inch vent pipelines extend to 18 storage tanks, total capacity 103,000 barrels, and one10-inch benzene, one 6-inch caustic soda, and one 6-inch sulfuric acid pipelines extend to 21 chemical storage tanks, total capacity 27,734,000 gallons, all at refinery at rear. One 12-inch ballast water, one 4-inchsteam, one 3-inch nitrogen, and one 3- and one 2-inch compressed air pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Remarks: Berth No. 2 (Ref. No. 224) is contiguous and connected by catwalk across dolphins. Two 12-inch crude and four 16-, one 14-, one 12-, two 10-, two 8-, and one 6-inch petroleum products pipelines extend from wharf to appropriate tankage described under Berth No. 2. One 12-inch liquefied petroleum gas, one 12- and one 10-inch butadiene, one 6-inch propylene, and one 3-inch vent pipelines extend to 18 storage tanks, total capacity 103,000 barrels, and one10-inch benzene, one 6-inch caustic soda, and one 6-inch sulfuric acid pipelines extend to 21 chemical storage tanks, total capacity 27,734,000 gallons, all at refinery at rear. One 12-inch ballast water, one 4-inchsteam, one 3-inch nitrogen, and one 3- and one 2-inch compressed air pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 126.1 PWD: 225
Name: **Motiva Enterprises, Norco Refining, Dock 1 and 1A.**
Port: South Louisiana
Location: Mile 126.1 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil, sulfuric acid, and caustic soda; receipt and shipment of petroleum products, liquefied petroleum gas, and miscellaneous petrochemicals by vessel and barge.
Depth Alongside (feet): 45 | 25 | Latitude (decimal): 29.994167
Total Berthing Space (feet): 750 | 465 | Longitude (decimal): -90.41056

Waterway: **Mississippi River** Mile: 126.1 PWD: 225
Name: **Motiva Enterprises, Norco Refining, Dock 1 and 1A.**
Port: South Louisiana
Location: Mile 126.1 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil, sulfuric acid, and caustic soda; receipt and shipment of petroleum products, liquefied petroleum gas, and miscellaneous petrochemicals by vessel and barge.
Depth Alongside (feet): 45 | 25 | Latitude (decimal): 29.994167
Total Berthing Space (feet): 750 | 465 | Longitude (decimal): -90.41056

Waterway: **Mississippi River** Mile: 126.1 PWD: 225
Name: **Motiva Enterprises, Norco Refining, Dock 1 and 1A.**
Port: South Louisiana
Location: Mile 126.1 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP
Operator: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Owner: Motiva Enterprises L.L.C., a joint venture of Shell, Texaco, and Saudi America.
Address: 15536 River Road. Phone: 985/465-7301
Town: Norco State: LA County: St. Charles
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of crude oil, sulfuric acid, and caustic soda; receipt and shipment of petroleum products, liquefied petroleum gas, and miscellaneous petrochemicals by vessel and barge.
Depth Alongside (feet): 45 | 25 | Latitude (decimal): 29.994167
Total Berthing Space (feet): 750 | 465 | Longitude (decimal): -90.41056
Remarks: Berth No. 2 (Ref. No. 224) is contiguous and connected by catwalk across dolphins. Two 12-inch crude and four 16-, one 14-, one 12-, two 10-, two 8-, and one 6-inch petroleum products pipelines extend from wharf to appropriate tankage described under Berth No. 2. One 12-inch liquefied petroleum gas, one 12- and one 10-inch butadiene, one 6-inch propylene, and one 3-inch vent pipelines extend to 18 storage tanks, total capacity 103,000 barrels, and one10-inch benzene, one 6-inch caustic soda, and one 6-inch sulfuric acid pipelines extend to 21 chemical storage tanks, total capacity 27,734,000 gallons, all at refinery at rear. One 12-inch ballast water, one 4-inchsteam, one 3-inch nitrogen, and one 3- and one 2-inch compressed air pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Remarks: Berth No. 2 (Ref. No. 224) is contiguous and connected by catwalk across dolphins. Two 12-inch crude and four 16-, one 14-, one 12-, two 10-, two 8-, and one 6-inch petroleum products pipelines extend from wharf to appropriate tankage described under Berth No. 2. One 12-inch liquefied petroleum gas, one 12- and one 10-inch butadiene, one 6-inch propylene, and one 3-inch vent pipelines extend to 18 storage tanks, total capacity 103,000 barrels, and one10-inch benzene, one 6-inch caustic soda, and one 6-inch sulfuric acid pipelines extend to 21 chemical storage tanks, total capacity 27,734,000 gallons, all at refinery at rear. One 12-inch ballast water, one 4-inchsteam, one 3-inch nitrogen, and one 3- and one 2-inch compressed air pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Remarks: Berth No. 2 (Ref. No. 224) is contiguous and connected by catwalk across dolphins. Two 12-inch crude and four 16-, one 14-, one 12-, two 10-, two 8-, and one 6-inch petroleum products pipelines extend from wharf to appropriate tankage described under Berth No. 2. One 12-inch liquefied petroleum gas, one 12- and one 10-inch butadiene, one 6-inch propylene, and one 3-inch vent pipelines extend to 18 storage tanks, total capacity 103,000 barrels, and one10-inch benzene, one 6-inch caustic soda, and one 6-inch sulfuric acid pipelines extend to 21 chemical storage tanks, total capacity 27,734,000 gallons, all at refinery at rear. One 12-inch ballast water, one 4-inchsteam, one 3-inch nitrogen, and one 3- and one 2-inch compressed air pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Waterway: **Mississippi River** Mile: 126.9 PWD: 226

Name: **Shell Chemical Co., Norco Barge Dock.**

Port: South Louisiana

Location: Mile 126.9 A.H.P., left bank, Mississippi River, Norco. Datum: LWRP

Operator: Shell Chemical Co., a division of Shell Oil Co.

Owner: Shell Chemical Co., a division of Shell Oil Co.

Address: 16122 River Road Phone: 985/465-7955

Town: Norco State: LA County: St. Charles

Railway Connection: Trackage serving plant in rear connects with Canadian National/ Illinois Central Railroad.

Purpose: Receipt and shipment of miscellaneous chemicals and petrochemicals by barge. (See Remarks.)

Depth Alongside (feet): 15 | | Latitude (decimal): 29.996667

Total Berthing Space (feet): 400 | | Longitude (decimal): -90.42472

Remarks: Two 8-, five 6-, and one 4-inch pipelines, and one 3-inch vent line, extend from wharf to 14 steel storage tanks at plant in rear, total capacity 11,638,000 gallons. Products handled include caustic soda, epichlorohydrin, methyl-ethyl ketone, and butylene. Two steel pile breasting dolphins, approximately 0.5 mile below wharf at former Norco ferry landing, are used for transient mooring of towboats.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20126 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 127.0 PWD: 312

Name: **Upper St. Rose Repair Wharf and Fleet Mooring.**

Port: South Louisiana

Location: Mile 127.3-125.7 A.H.P., right bank, Mississippi River, Taft Datum: LWRP

Operator: St. Charles Cleaning and Repair, L.L.C., and Upper St. Rose Fleeting Co., Inc.

Owner: Cooper/ T.Smith Co.

Address: Louisiana State Highway 18 Phone: 985/783-6605

Town: Taft State: LA County: St. Charles

Railway Connection: None.

Purpose: Mooring barges for fleeting, repair, and cleaning; mooring floating drydock.

Depth Alongside (feet): 9 | 1 - 25 | Latitude (decimal): 29.988333

Total Berthing Space (feet): 405 | 4,600 | Longitude (decimal): -90.43056

Remarks: St. Charles Cleaning and Repair, LLC: A 1,000-ton floating drydock and up to 12 barges in 2 tiers, each 6 barges wide, are moored at repair wharf. Upper St. Rose Fleeting, Inc.: Operates fleeting area with capacity for 200 barges in 6 blocks, one above and 5 below the repair wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 127.6 PWD: 311
Name: **Union Carbide Corp., Taft Plant Dock No. 4.**
Port: South Louisiana
Location: Mile 127.6 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of chemicals and petrochemicals by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.990278
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.43694

Waterway: **Mississippi River** Mile: 127.6 PWD: 311
Name: **Union Carbide Corp., Taft Plant Dock No. 4.**
Port: South Louisiana
Location: Mile 127.6 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of chemicals and petrochemicals by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.990278
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.43694

Waterway: **Mississippi River** Mile: 127.6 PWD: 311
Name: **Union Carbide Corp., Taft Plant Dock No. 4.**
Port: South Louisiana
Location: Mile 127.6 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of chemicals and petrochemicals by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.990278
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.43694
Remarks: One 10-, thirteen 6-, and two 4-inch pipelines extend from wharf to 4 of the petrochemical storage tanks described under Ref. No. 310, total capacity 9,139,000 gallons, and to 31 additional chemical storage tanks at plant in rear, total capacity 20,897,000 gallons. Two-inch steam, compressed air, and nitrogen lines serve wharf. Kirby Fleeting, Inc. operates fleeting area between mile 127.5 to 127.3 A.H.P. with capacity for 20 barges in 4 tiers, each5 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Remarks: One 10-, thirteen 6-, and two 4-inch pipelines extend from wharf to 4 of the petrochemical storage tanks described under Ref. No. 310, total capacity 9,139,000 gallons, and to 31 additional chemical storage tanks at plant in rear, total capacity 20,897,000 gallons. Two-inch steam, compressed air, and nitrogen lines serve wharf. Kirby Fleeting, Inc. operates fleeting area between mile 127.5 to 127.3 A.H.P. with capacity for 20 barges in 4 tiers, each5 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Remarks: One 10-, thirteen 6-, and two 4-inch pipelines extend from wharf to 4 of the petrochemical storage tanks described under Ref. No. 310, total capacity 9,139,000 gallons, and to 31 additional chemical storage tanks at plant in rear, total capacity 20,897,000 gallons. Two-inch steam, compressed air, and nitrogen lines serve wharf. Kirby Fleeting, Inc. operates fleeting area between mile 127.5 to 127.3 A.H.P. with capacity for 20 barges in 4 tiers, each5 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 127.6 PWD: 311
Name: **Union Carbide Corp., Taft Plant Dock No. 4.**
Port: South Louisiana
Location: Mile 127.6 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of chemicals and petrochemicals by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.990278
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.43694

Waterway: **Mississippi River** Mile: 127.6 PWD: 311
Name: **Union Carbide Corp., Taft Plant Dock No. 4.**
Port: South Louisiana
Location: Mile 127.6 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of chemicals and petrochemicals by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.990278
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.43694

Waterway: **Mississippi River** Mile: 127.6 PWD: 311
Name: **Union Carbide Corp., Taft Plant Dock No. 4.**
Port: South Louisiana
Location: Mile 127.6 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of chemicals and petrochemicals by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.990278
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.43694
Remarks: One 10-, thirteen 6-, and two 4-inch pipelines extend from wharf to 4 of the petrochemical storage tanks described under Ref. No. 310, total capacity 9,139,000 gallons, and to 31 additional chemical storage tanks at plant in rear, total capacity 20,897,000 gallons. Two-inch steam, compressed air, and nitrogen lines serve wharf. Kirby Fleeting, Inc. operates fleeting area between mile 127.5 to 127.3 A.H.P. with capacity for 20 barges in 4 tiers, each5 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Remarks: One 10-, thirteen 6-, and two 4-inch pipelines extend from wharf to 4 of the petrochemical storage tanks described under Ref. No. 310, total capacity 9,139,000 gallons, and to 31 additional chemical storage tanks at plant in rear, total capacity 20,897,000 gallons. Two-inch steam, compressed air, and nitrogen lines serve wharf. Kirby Fleeting, Inc. operates fleeting area between mile 127.5 to 127.3 A.H.P. with capacity for 20 barges in 4 tiers, each5 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Remarks: One 10-, thirteen 6-, and two 4-inch pipelines extend from wharf to 4 of the petrochemical storage tanks described under Ref. No. 310, total capacity 9,139,000 gallons, and to 31 additional chemical storage tanks at plant in rear, total capacity 20,897,000 gallons. Two-inch steam, compressed air, and nitrogen lines serve wharf. Kirby Fleeting, Inc. operates fleeting area between mile 127.5 to 127.3 A.H.P. with capacity for 20 barges in 4 tiers, each5 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 127.6 PWD: 311
Name: **Union Carbide Corp., Taft Plant Dock No. 4.**
Port: South Louisiana
Location: Mile 127.6 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of chemicals and petrochemicals by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.990278
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.43694

Waterway: **Mississippi River** Mile: 127.6 PWD: 311
Name: **Union Carbide Corp., Taft Plant Dock No. 4.**
Port: South Louisiana
Location: Mile 127.6 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of chemicals and petrochemicals by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.990278
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.43694

Waterway: **Mississippi River** Mile: 127.6 PWD: 311
Name: **Union Carbide Corp., Taft Plant Dock No. 4.**
Port: South Louisiana
Location: Mile 127.6 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of chemicals and petrochemicals by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.990278
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.43694
Remarks: One 10-, thirteen 6-, and two 4-inch pipelines extend from wharf to 4 of the petrochemical storage tanks described under Ref. No. 310, total capacity 9,139,000 gallons, and to 31 additional chemical storage tanks at plant in rear, total capacity 20,897,000 gallons. Two-inch steam, compressed air, and nitrogen lines serve wharf. Kirby Fleeting, Inc. operates fleeting area between mile 127.5 to 127.3 A.H.P. with capacity for 20 barges in 4 tiers, each5 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Remarks: One 10-, thirteen 6-, and two 4-inch pipelines extend from wharf to 4 of the petrochemical storage tanks described under Ref. No. 310, total capacity 9,139,000 gallons, and to 31 additional chemical storage tanks at plant in rear, total capacity 20,897,000 gallons. Two-inch steam, compressed air, and nitrogen lines serve wharf. Kirby Fleeting, Inc. operates fleeting area between mile 127.5 to 127.3 A.H.P. with capacity for 20 barges in 4 tiers, each5 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Remarks: One 10-, thirteen 6-, and two 4-inch pipelines extend from wharf to 4 of the petrochemical storage tanks described under Ref. No. 310, total capacity 9,139,000 gallons, and to 31 additional chemical storage tanks at plant in rear, total capacity 20,897,000 gallons. Two-inch steam, compressed air, and nitrogen lines serve wharf. Kirby Fleeting, Inc. operates fleeting area between mile 127.5 to 127.3 A.H.P. with capacity for 20 barges in 4 tiers, each5 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 127.8 PWD: 310
Name: **Union Carbide Corp., Taft Plant Docks Nos. 2 & 3.**
Port: South Louisiana
Location: Mile 127.8 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including naptha, and petrochemicals by vessel and barge.
Depth Alongside (feet): 50 | 38 | 15 Latitude (decimal): 29.991111
Total Berthing Space (feet): 810 | 260 | 260 Longitude (decimal): -90.44

Waterway: **Mississippi River** Mile: 127.8 PWD: 310
Name: **Union Carbide Corp., Taft Plant Docks Nos. 2 & 3.**
Port: South Louisiana
Location: Mile 127.8 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including naptha, and petrochemicals by vessel and barge.
Depth Alongside (feet): 50 | 38 | 15 Latitude (decimal): 29.991111
Total Berthing Space (feet): 810 | 260 | 260 Longitude (decimal): -90.44

Waterway: **Mississippi River** Mile: 127.8 PWD: 310
Name: **Union Carbide Corp., Taft Plant Docks Nos. 2 & 3.**
Port: South Louisiana
Location: Mile 127.8 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including naptha, and petrochemicals by vessel and barge.
Depth Alongside (feet): 50 | 38 | 15 Latitude (decimal): 29.991111
Total Berthing Space (feet): 810 | 260 | 260 Longitude (decimal): -90.44
Remarks: One 14- and one 6-inch pipelines extend from wharf to 4 of the naptha storage tanks described under Ref. No. 311, total capacity 1,039,000 barrels; 3 additional petroleum products storage tanks, total capacity 122,000 barrels, and 12 petrochemical storage tanks, total capacity 16,218,000 gallons, all at plant in rear. One 2-inch, steam and one 4-inch nitrogen lines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Remarks: One 14- and one 6-inch pipelines extend from wharf to 4 of the naptha storage tanks described under Ref. No. 311, total capacity 1,039,000 barrels; 3 additional petroleum products storage tanks, total capacity 122,000 barrels, and 12 petrochemical storage tanks, total capacity 16,218,000 gallons, all at plant in rear. One 2-inch, steam and one 4-inch nitrogen lines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Remarks: One 14- and one 6-inch pipelines extend from wharf to 4 of the naptha storage tanks described under Ref. No. 311, total capacity 1,039,000 barrels; 3 additional petroleum products storage tanks, total capacity 122,000 barrels, and 12 petrochemical storage tanks, total capacity 16,218,000 gallons, all at plant in rear. One 2-inch, steam and one 4-inch nitrogen lines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 127.8 PWD: 310
Name: **Union Carbide Corp., Taft Plant Docks Nos. 2 & 3.**
Port: South Louisiana
Location: Mile 127.8 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including naptha, and petrochemicals by vessel and barge.
Depth Alongside (feet): 50 | 38 | 15 Latitude (decimal): 29.991111
Total Berthing Space (feet): 810 | 260 | 260 Longitude (decimal): -90.44

Waterway: **Mississippi River** Mile: 127.8 PWD: 310
Name: **Union Carbide Corp., Taft Plant Docks Nos. 2 & 3.**
Port: South Louisiana
Location: Mile 127.8 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including naptha, and petrochemicals by vessel and barge.
Depth Alongside (feet): 50 | 38 | 15 Latitude (decimal): 29.991111
Total Berthing Space (feet): 810 | 260 | 260 Longitude (decimal): -90.44

Waterway: **Mississippi River** Mile: 127.8 PWD: 310
Name: **Union Carbide Corp., Taft Plant Docks Nos. 2 & 3.**
Port: South Louisiana
Location: Mile 127.8 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including naptha, and petrochemicals by vessel and barge.
Depth Alongside (feet): 50 | 38 | 15 Latitude (decimal): 29.991111
Total Berthing Space (feet): 810 | 260 | 260 Longitude (decimal): -90.44
Remarks: One 14- and one 6-inch pipelines extend from wharf to 4 of the naptha storage tanks described under Ref. No. 311, total capacity 1,039,000 barrels; 3 additional petroleum products storage tanks, total capacity 122,000 barrels, and 12 petrochemical storage tanks, total capacity 16,218,000 gallons, all at plant in rear. One 2-inch, steam and one 4-inch nitrogen lines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Remarks: One 14- and one 6-inch pipelines extend from wharf to 4 of the naptha storage tanks described under Ref. No. 311, total capacity 1,039,000 barrels; 3 additional petroleum products storage tanks, total capacity 122,000 barrels, and 12 petrochemical storage tanks, total capacity 16,218,000 gallons, all at plant in rear. One 2-inch, steam and one 4-inch nitrogen lines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Remarks: One 14- and one 6-inch pipelines extend from wharf to 4 of the naptha storage tanks described under Ref. No. 311, total capacity 1,039,000 barrels; 3 additional petroleum products storage tanks, total capacity 122,000 barrels, and 12 petrochemical storage tanks, total capacity 16,218,000 gallons, all at plant in rear. One 2-inch, steam and one 4-inch nitrogen lines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 127.8 PWD: 310
Name: **Union Carbide Corp., Taft Plant Docks Nos. 2 & 3.**
Port: South Louisiana
Location: Mile 127.8 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including naptha, and petrochemicals by vessel and barge.
Depth Alongside (feet): 50 | 38 | 15 Latitude (decimal): 29.991111
Total Berthing Space (feet): 810 | 260 | 260 Longitude (decimal): -90.44

Waterway: **Mississippi River** Mile: 127.8 PWD: 310
Name: **Union Carbide Corp., Taft Plant Docks Nos. 2 & 3.**
Port: South Louisiana
Location: Mile 127.8 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including naptha, and petrochemicals by vessel and barge.
Depth Alongside (feet): 50 | 38 | 15 Latitude (decimal): 29.991111
Total Berthing Space (feet): 810 | 260 | 260 Longitude (decimal): -90.44

Waterway: **Mississippi River** Mile: 127.8 PWD: 310
Name: **Union Carbide Corp., Taft Plant Docks Nos. 2 & 3.**
Port: South Louisiana
Location: Mile 127.8 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including naptha, and petrochemicals by vessel and barge.
Depth Alongside (feet): 50 | 38 | 15 Latitude (decimal): 29.991111
Total Berthing Space (feet): 810 | 260 | 260 Longitude (decimal): -90.44
Remarks: One 14- and one 6-inch pipelines extend from wharf to 4 of the naptha storage tanks described under Ref. No. 311, total capacity 1,039,000 barrels; 3 additional petroleum products storage tanks, total capacity 122,000 barrels, and 12 petrochemical storage tanks, total capacity 16,218,000 gallons, all at plant in rear. One 2-inch, steam and one 4-inch nitrogen lines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Remarks: One 14- and one 6-inch pipelines extend from wharf to 4 of the naptha storage tanks described under Ref. No. 311, total capacity 1,039,000 barrels; 3 additional petroleum products storage tanks, total capacity 122,000 barrels, and 12 petrochemical storage tanks, total capacity 16,218,000 gallons, all at plant in rear. One 2-inch, steam and one 4-inch nitrogen lines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Remarks: One 14- and one 6-inch pipelines extend from wharf to 4 of the naptha storage tanks described under Ref. No. 311, total capacity 1,039,000 barrels; 3 additional petroleum products storage tanks, total capacity 122,000 barrels, and 12 petrochemical storage tanks, total capacity 16,218,000 gallons, all at plant in rear. One 2-inch, steam and one 4-inch nitrogen lines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 128.1 PWD: 309
Name: **Union Carbide Corp., Taft Plant Dock No. 1**
Port: South Louisiana
Location: Mile 128.1 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of liquefied petroleum gases, including butadiene, propylene, and other petroleum products, including naptha, all by barge.
Depth Alongside (feet): 30 | | 15 Latitude (decimal): 29.991667
Total Berthing Space (feet): 500 | | 280 Longitude (decimal): -90.44583

Waterway: **Mississippi River** Mile: 128.1 PWD: 309
Name: **Union Carbide Corp., Taft Plant Dock No. 1**
Port: South Louisiana
Location: Mile 128.1 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of liquefied petroleum gases, including butadiene, propylene, and other petroleum products, including naptha, all by barge.
Depth Alongside (feet): 30 | | 15 Latitude (decimal): 29.991667
Total Berthing Space (feet): 500 | | 280 Longitude (decimal): -90.44583

Waterway: **Mississippi River** Mile: 128.1 PWD: 309
Name: **Union Carbide Corp., Taft Plant Dock No. 1**
Port: South Louisiana
Location: Mile 128.1 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of liquefied petroleum gases, including butadiene, propylene, and other petroleum products, including naptha, all by barge.
Depth Alongside (feet): 30 | | 15 Latitude (decimal): 29.991667
Total Berthing Space (feet): 500 | | 280 Longitude (decimal): -90.44583
Remarks: One 12-inch pipeline extends from wharf to 4 naptha storage tanks, total capacity 1,030,000 barrels; and one 8- and one 6-inch pipelines extend to one 119,000-barrel, petroleum products storage tank. One 8-inch crude butadiene, one 6-inch propylene, and two 6- and one 4-inch vent pipelines extend to 5 storage spheres at plant in rear, total capacity 89,000 barrels. Four-inch steam and nitrogen and 2-inch compressed air lines serve wharf. Up to 8 barges arefleeted in 2 tiers above water intake above wharf, each tier 4 barges wide and moored to a buoy on a steel anchor pile. Fleeting area is leased by Kirby Logistics Marine, Inc.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Remarks: One 12-inch pipeline extends from wharf to 4 naptha storage tanks, total capacity 1,030,000 barrels; and one 8- and one 6-inch pipelines extend to one 119,000-barrel, petroleum products storage tank. One 8-inch crude butadiene, one 6-inch propylene, and two 6- and one 4-inch vent pipelines extend to 5 storage spheres at plant in rear, total capacity 89,000 barrels. Four-inch steam and nitrogen and 2-inch compressed air lines serve wharf. Up to 8 barges arefleeted in 2 tiers above water intake above wharf, each tier 4 barges wide and moored to a buoy on a steel anchor pile. Fleeting area is leased by Kirby Logistics Marine, Inc.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Remarks: One 12-inch pipeline extends from wharf to 4 naptha storage tanks, total capacity 1,030,000 barrels; and one 8- and one 6-inch pipelines extend to one 119,000-barrel, petroleum products storage tank. One 8-inch crude butadiene, one 6-inch propylene, and two 6- and one 4-inch vent pipelines extend to 5 storage spheres at plant in rear, total capacity 89,000 barrels. Four-inch steam and nitrogen and 2-inch compressed air lines serve wharf. Up to 8 barges arefleeted in 2 tiers above water intake above wharf, each tier 4 barges wide and moored to a buoy on a steel anchor pile. Fleeting area is leased by Kirby Logistics Marine, Inc.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 128.1 PWD: 309
Name: **Union Carbide Corp., Taft Plant Dock No. 1**
Port: South Louisiana
Location: Mile 128.1 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of liquefied petroleum gases, including butadiene, propylene, and other petroleum products, including naptha, all by barge.
Depth Alongside (feet): 30 | | 15 Latitude (decimal): 29.991667
Total Berthing Space (feet): 500 | | 280 Longitude (decimal): -90.44583

Waterway: **Mississippi River** Mile: 128.1 PWD: 309
Name: **Union Carbide Corp., Taft Plant Dock No. 1**
Port: South Louisiana
Location: Mile 128.1 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of liquefied petroleum gases, including butadiene, propylene, and other petroleum products, including naptha, all by barge.
Depth Alongside (feet): 30 | | 15 Latitude (decimal): 29.991667
Total Berthing Space (feet): 500 | | 280 Longitude (decimal): -90.44583

Waterway: **Mississippi River** Mile: 128.1 PWD: 309
Name: **Union Carbide Corp., Taft Plant Dock No. 1**
Port: South Louisiana
Location: Mile 128.1 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of liquefied petroleum gases, including butadiene, propylene, and other petroleum products, including naptha, all by barge.
Depth Alongside (feet): 30 | | 15 Latitude (decimal): 29.991667
Total Berthing Space (feet): 500 | | 280 Longitude (decimal): -90.44583
Remarks: One 12-inch pipeline extends from wharf to 4 naptha storage tanks, total capacity 1,030,000 barrels; and one 8- and one 6-inch pipelines extend to one 119,000-barrel, petroleum products storage tank. One 8-inch crude butadiene, one 6-inch propylene, and two 6- and one 4-inch vent pipelines extend to 5 storage spheres at plant in rear, total capacity 89,000 barrels. Four-inch steam and nitrogen and 2-inch compressed air lines serve wharf. Up to 8 barges arefleeted in 2 tiers above water intake above wharf, each tier 4 barges wide and moored to a buoy on a steel anchor pile. Fleeting area is leased by Kirby Logistics Marine, Inc.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Remarks: One 12-inch pipeline extends from wharf to 4 naptha storage tanks, total capacity 1,030,000 barrels; and one 8- and one 6-inch pipelines extend to one 119,000-barrel, petroleum products storage tank. One 8-inch crude butadiene, one 6-inch propylene, and two 6- and one 4-inch vent pipelines extend to 5 storage spheres at plant in rear, total capacity 89,000 barrels. Four-inch steam and nitrogen and 2-inch compressed air lines serve wharf. Up to 8 barges arefleeted in 2 tiers above water intake above wharf, each tier 4 barges wide and moored to a buoy on a steel anchor pile. Fleeting area is leased by Kirby Logistics Marine, Inc.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Remarks: One 12-inch pipeline extends from wharf to 4 naptha storage tanks, total capacity 1,030,000 barrels; and one 8- and one 6-inch pipelines extend to one 119,000-barrel, petroleum products storage tank. One 8-inch crude butadiene, one 6-inch propylene, and two 6- and one 4-inch vent pipelines extend to 5 storage spheres at plant in rear, total capacity 89,000 barrels. Four-inch steam and nitrogen and 2-inch compressed air lines serve wharf. Up to 8 barges arefleeted in 2 tiers above water intake above wharf, each tier 4 barges wide and moored to a buoy on a steel anchor pile. Fleeting area is leased by Kirby Logistics Marine, Inc.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 128.1 PWD: 309
Name: **Union Carbide Corp., Taft Plant Dock No. 1**
Port: South Louisiana
Location: Mile 128.1 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of liquefied petroleum gases, including butadiene, propylene, and other petroleum products, including naptha, all by barge.
Depth Alongside (feet): 30 | | 15 Latitude (decimal): 29.991667
Total Berthing Space (feet): 500 | | 280 Longitude (decimal): -90.44583

Waterway: **Mississippi River** Mile: 128.1 PWD: 309
Name: **Union Carbide Corp., Taft Plant Dock No. 1**
Port: South Louisiana
Location: Mile 128.1 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of liquefied petroleum gases, including butadiene, propylene, and other petroleum products, including naptha, all by barge.
Depth Alongside (feet): 30 | | 15 Latitude (decimal): 29.991667
Total Berthing Space (feet): 500 | | 280 Longitude (decimal): -90.44583

Waterway: **Mississippi River** Mile: 128.1 PWD: 309
Name: **Union Carbide Corp., Taft Plant Dock No. 1**
Port: South Louisiana
Location: Mile 128.1 A.H.P., right bank, Mississippi River, Taft Datum: LWRP
Operator: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Owner: Union Carbide Corp., a subsidiary of Dow Chemical Co.
Address: Louisiana State Highway 18 Phone: 985/783-4969
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage connects with Union Pacific Railroad.
Purpose: Receipt and shipment of liquefied petroleum gases, including butadiene, propylene, and other petroleum products, including naptha, all by barge.
Depth Alongside (feet): 30 | | 15 Latitude (decimal): 29.991667
Total Berthing Space (feet): 500 | | 280 Longitude (decimal): -90.44583
Remarks: One 12-inch pipeline extends from wharf to 4 naptha storage tanks, total capacity 1,030,000 barrels; and one 8- and one 6-inch pipelines extend to one 119,000-barrel, petroleum products storage tank. One 8-inch crude butadiene, one 6-inch propylene, and two 6- and one 4-inch vent pipelines extend to 5 storage spheres at plant in rear, total capacity 89,000 barrels. Four-inch steam and nitrogen and 2-inch compressed air lines serve wharf. Up to 8 barges arefleeted in 2 tiers above water intake above wharf, each tier 4 barges wide and moored to a buoy on a steel anchor pile. Fleeting area is leased by Kirby Logistics Marine, Inc.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Port Facilities by Waterway

Remarks: One 12-inch pipeline extends from wharf to 4 naptha storage tanks, total capacity 1,030,000 barrels; and one 8- and one 6-inch pipelines extend to one 119,000-barrel, petroleum products storage tank. One 8-inch crude butadiene, one 6-inch propylene, and two 6- and one 4-inch vent pipelines extend to 5 storage spheres at plant in rear, total capacity 89,000 barrels. Four-inch steam and nitrogen and 2-inch compressed air lines serve wharf. Up to 8 barges arefleeted in 2 tiers above water intake above wharf, each tier 4 barges wide and moored to a buoy on a steel anchor pile. Fleeting area is leased by Kirby Logistics Marine, Inc.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Remarks: One 12-inch pipeline extends from wharf to 4 naptha storage tanks, total capacity 1,030,000 barrels; and one 8- and one 6-inch pipelines extend to one 119,000-barrel, petroleum products storage tank. One 8-inch crude butadiene, one 6-inch propylene, and two 6- and one 4-inch vent pipelines extend to 5 storage spheres at plant in rear, total capacity 89,000 barrels. Four-inch steam and nitrogen and 2-inch compressed air lines serve wharf. Up to 8 barges arefleeted in 2 tiers above water intake above wharf, each tier 4 barges wide and moored to a buoy on a steel anchor pile. Fleeting area is leased by Kirby Logistics Marine, Inc.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20127 New Orleans District

Waterway: **Mississippi River** Mile: 128.7 PWD: 308

Name: **IMC Phosphates, Taft Plant Wharf.**

Port: South Louisiana

Location: Mile 128.7 A.H.P., right bank, Mississippi River, Taft. Datum: LWRP

Operator: Not operated.

Owner: IMC Phosphates M.P., Inc.

Address: 7760 River Road Phone: 225/562-3501

Town: Taft State: LA County: St. Charles

Railway Connection: Plant trackage in rear, connects with Union Pacific Railroad.

Purpose: Not used.

Depth Alongside (feet): 50 | | 20 Latitude (decimal): 29.993611

Total Berthing Space (feet): 700 | | 500 Longitude (decimal): -90.45722

Remarks: At time of survey (2002), wharf, which formerly was used for receipt of phosphoric and sulfuric acid and shipment of diammonium phosphate, was not is service but was being maintained on a stand-by basis. Open storage area at plant at rear has capacity for 38,000 tons of phosphate rock and 6 concrete silos have capacity for an additional 18,000 tons, all unused at time of survey. A steel frame, concrete-floored storage building at plant has capacityfor 33,000 tons of diammonium phosphate. One 8-inch, phosphoric acid pipeline extends from wharf to two storage tanks at plant in rear, total capacity 1,114,000 gallons, and one 4-inch sulfuic acid pipeline extends from wharf toone 457,000-gallon storage tank.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20128 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 128.9 PWD: 307
Name: **Occidental Chemical and Kock Industries,□Taft Plant Dock.**
Port: South Louisiana
Location: Mile 128.9 A.H.P., right bank, Mississippi River, Taft. Datum: LWRP
Operator: Occidental Chemical Corp. and Koch Industries, Inc.
Owner: Occidental Chemical Corp.
Address: Louisiana State Highway 18 Phone: 985/783-7377
Town: Taft State: LA County: St. Charles
Railway Connection: Plant trackage in rear, connects with Union Pacific Railroad.
Purpose: Receipt of ammonia by vessel and shipment by barge; and shipment of caustic soda by vessel and barge.

Depth Alongside (feet):	50	30	0 - 10	Latitude (decimal):	29.994167
Total Berthing Space (feet):	810	350	650	Longitude (decimal):	-90.45917

Remarks: Two mooring platforms are located off upper side of IMC Phosphates Co., Taft Plant Wharf (Ref. No. 308), with one connected to that wharf. Walkway along bank connects wharves' approaches. □Occidental Chemical Corp.: One 12-inch pipeline extends to wharf from 4 caustic soda storage tanks, total capacity 10,400,000 gallons.□Koch Industries, Inc.: One 20-inch pipeline extends from wharf to 2 ammonia storage tanks, total capacity 18,936,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20128 New Orleans District

---

Waterway: **Mississippi River** Mile: 129.5 PWD: 227
Name: **Entergy Louisiana, Inc., Little Gypsy Station Fuel Oil Dock.**
Port: South Louisiana
Location: Mile 129.5 A.H.P., left bank, Mississippi River, Montz. Datum: LWRP
Operator: Entergy Louisiana, Inc.
Owner: System Fuels, Inc.
Address: 17430 River Road Phone: 985/653-3853
Town: LaPlace State: LA County: St. Charles
Railway Connection: None.
Purpose: Receipt of fuel oil by barge for plant consumption.

Depth Alongside (feet):	6			Latitude (decimal):	30.001667
Total Berthing Space (feet):	670			Longitude (decimal):	-90.46611

Remarks: One 8- becoming 10-inch pipeline extends from wharf to 2 steel storage tanks at power plant in rear, total capacity 150,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20129 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 129.8 PWD: 306

Name: **Entergy Louisiana, Waterford Steam Electric Plants 1 & 2 Wharf.**

Port: South Louisiana

Location: Mile 129.8 A.H.P., right bank, Mississippi River, Waterford. Datum: LWRP

Operator: Entergy Fossil Operations, Inc.

Owner: Entergy Louisiana, Inc.

Address: 17705 River Road (Highway 18) Phone: 985/783-4007

Town: Waterford State: LA County: St. Charles

Railway Connection: Trackage serving power plant in rear, connects with Union Pacific Railroad.

Purpose: Receipt of fuel oil for plant consumption by barge.

Depth Alongside (feet): 36 | | Latitude (decimal): 30.0025

Total Berthing Space (feet): 425 | | Longitude (decimal): -90.47472

Remarks: One electric-traced, 16-inch pipeline extends from wharf to 3 steel storage tanks at 2 power plants in rear, total capacity 810,000 barrels. One 6-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20129 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 132.0 PWD: 305
Name: **CGB Marine Services Gulf, Lower West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 133.0 - 131.5 A.H.P., right bank, Mississippi River, Lucy Datum: LWRP
Operator: CGB Marine Services Gulf, a subsidiary of Continental Grain Corps.
Owner: CGB Marine Services Gulf, a subsidiary of Continental Grain Corp.
Address: - Phone: 985/652-7285 Ex
Town: Lucy State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 25 | | Latitude (decimal): 30.031111
Total Berthing Space (feet): 8,000 | | Longitude (decimal): -90.47694

Waterway: **Mississippi River** Mile: 132.0 PWD: 305
Name: **CGB Marine Services Gulf, Lower West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 133.0 - 131.5 A.H.P., right bank, Mississippi River, Lucy Datum: LWRP
Operator: CGB Marine Services Gulf, a subsidiary of Continental Grain Corps.
Owner: CGB Marine Services Gulf, a subsidiary of Continental Grain Corp.
Address: - Phone: 985/652-7285 Ex
Town: Lucy State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 25 | | Latitude (decimal): 30.031111
Total Berthing Space (feet): 8,000 | | Longitude (decimal): -90.47694

Waterway: **Mississippi River** Mile: 132.0 PWD: 305
Name: **CGB Marine Services Gulf, Lower West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 133.0 - 131.5 A.H.P., right bank, Mississippi River, Lucy Datum: LWRP
Operator: CGB Marine Services Gulf, a subsidiary of Continental Grain Corps.
Owner: CGB Marine Services Gulf, a subsidiary of Continental Grain Corp.
Address: - Phone: 985/652-7285 Ex
Town: Lucy State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 25 | | Latitude (decimal): 30.031111
Total Berthing Space (feet): 8,000 | | Longitude (decimal): -90.47694
Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleet has capacity for 315 barges in 2 blocks, one in 26 tiers, each 7 barges wide, and one in 19 tiers, each 7 barges wide..

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleet has capacity for 315 barges in 2 blocks, one in 26 tiers, each 7 barges wide, and one in 19 tiers, each 7 barges wide..

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleet has capacity for 315 barges in 2 blocks, one in 26 tiers, each 7 barges wide, and one in 19 tiers, each 7 barges wide..

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 132.0 PWD: 305
Name: **CGB Marine Services Gulf, Lower West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 133.0 - 131.5 A.H.P., right bank, Mississippi River, Lucy Datum: LWRP
Operator: CGB Marine Services Gulf, a subsidiary of Continental Grain Corps.
Owner: CGB Marine Services Gulf, a subsidiary of Continental Grain Corp.
Address: - Phone: 985/652-7285 Ex
Town: Lucy State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 25 | | Latitude (decimal): 30.031111
Total Berthing Space (feet): 8,000 | | Longitude (decimal): -90.47694

Waterway: **Mississippi River** Mile: 132.0 PWD: 305
Name: **CGB Marine Services Gulf, Lower West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 133.0 - 131.5 A.H.P., right bank, Mississippi River, Lucy Datum: LWRP
Operator: CGB Marine Services Gulf, a subsidiary of Continental Grain Corps.
Owner: CGB Marine Services Gulf, a subsidiary of Continental Grain Corp.
Address: - Phone: 985/652-7285 Ex
Town: Lucy State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 25 | | Latitude (decimal): 30.031111
Total Berthing Space (feet): 8,000 | | Longitude (decimal): -90.47694

Waterway: **Mississippi River** Mile: 132.0 PWD: 305
Name: **CGB Marine Services Gulf, Lower West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 133.0 - 131.5 A.H.P., right bank, Mississippi River, Lucy Datum: LWRP
Operator: CGB Marine Services Gulf, a subsidiary of Continental Grain Corps.
Owner: CGB Marine Services Gulf, a subsidiary of Continental Grain Corp.
Address: - Phone: 985/652-7285 Ex
Town: Lucy State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 25 | | Latitude (decimal): 30.031111
Total Berthing Space (feet): 8,000 | | Longitude (decimal): -90.47694
Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleet has capacity for 315 barges in 2 blocks, one in 26 tiers, each 7 barges wide, and one in 19 tiers, each 7 barges wide..

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleet has capacity for 315 barges in 2 blocks, one in 26 tiers, each 7 barges wide, and one in 19 tiers, each 7 barges wide..

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleet has capacity for 315 barges in 2 blocks, one in 26 tiers, each 7 barges wide, and one in 19 tiers, each 7 barges wide..

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 132.0 PWD: 305
Name: **CGB Marine Services Gulf, Lower West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 133.0 - 131.5 A.H.P., right bank, Mississippi River, Lucy Datum: LWRP
Operator: CGB Marine Services Gulf, a subsidiary of Continental Grain Corps.
Owner: CGB Marine Services Gulf, a subsidiary of Continental Grain Corp.
Address: - Phone: 985/652-7285 Ex
Town: Lucy State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 25 | | Latitude (decimal): 30.031111
Total Berthing Space (feet): 8,000 | | Longitude (decimal): -90.47694

Waterway: **Mississippi River** Mile: 132.0 PWD: 305
Name: **CGB Marine Services Gulf, Lower West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 133.0 - 131.5 A.H.P., right bank, Mississippi River, Lucy Datum: LWRP
Operator: CGB Marine Services Gulf, a subsidiary of Continental Grain Corps.
Owner: CGB Marine Services Gulf, a subsidiary of Continental Grain Corp.
Address: - Phone: 985/652-7285 Ex
Town: Lucy State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 25 | | Latitude (decimal): 30.031111
Total Berthing Space (feet): 8,000 | | Longitude (decimal): -90.47694

Waterway: **Mississippi River** Mile: 132.0 PWD: 305
Name: **CGB Marine Services Gulf, Lower West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 133.0 - 131.5 A.H.P., right bank, Mississippi River, Lucy Datum: LWRP
Operator: CGB Marine Services Gulf, a subsidiary of Continental Grain Corps.
Owner: CGB Marine Services Gulf, a subsidiary of Continental Grain Corp.
Address: - Phone: 985/652-7285 Ex
Town: Lucy State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 25 | | Latitude (decimal): 30.031111
Total Berthing Space (feet): 8,000 | | Longitude (decimal): -90.47694
Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleet has capacity for 315 barges in 2 blocks, one in 26 tiers, each 7 barges wide, and one in 19 tiers, each 7 barges wide..

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleet has capacity for 315 barges in 2 blocks, one in 26 tiers, each 7 barges wide, and one in 19 tiers, each 7 barges wide..

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleet has capacity for 315 barges in 2 blocks, one in 26 tiers, each 7 barges wide, and one in 19 tiers, each 7 barges wide..

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 132.4 PWD: 228

Name: **Bayou Steel Corp., Wharf and Landing.**

Port: South Louisiana

Location: Mile 132.4 A.H.P., left bank, Mississippi River, La Place Datum: LWRP

Operator: Bayou Steel Corp.

Owner: Bayou Steel Corp.

Address: 628 Hwy. 3217 Phone: 985/652-0371

Town: LaPlace State: LA County: St John Baptist

Railway Connection: Seven surface tracks with capacity for 75 cars serve steel mill in rear; connect with Canadian National/Illinois Central Railroad.

Purpose: Receipt of scrap metal; and occasional shipment of steel products by barge.

Depth Alongside (feet): 40 | 14 | Latitude (decimal): 30.038889

Total Berthing Space (feet): 600 | 195 | Longitude (decimal): -90.47028

Remarks: Scrap metal is transported by truck from wharf to a 2-acre, open storage area at rear, then loaded onto rail cars serving mill.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20132 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 133.0 PWD: 229
Name: **CGB Marine Services Gulf, Repair Wharves and Lower East Bank Fleet**
Port: South Louisiana
Location: Mile 132.5 - 133.1 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., and Pelican Marine Fleeting, Inc.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: 665 State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 20 | 30 | 30 Latitude (decimal): 30.047222
Total Berthing Space (feet): 670 + | 250 | 975 Longitude (decimal): -90.47417

Waterway: **Mississippi River** Mile: 133.0 PWD: 229
Name: **CGB Marine Services Gulf, Repair Wharves and Lower East Bank Fleet**
Port: South Louisiana
Location: Mile 132.5 - 133.1 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., and Pelican Marine Fleeting, Inc.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: 665 State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 20 | 30 | 30 Latitude (decimal): 30.047222
Total Berthing Space (feet): 670 + | 250 | 975 Longitude (decimal): -90.47417

Waterway: **Mississippi River** Mile: 133.0 PWD: 229
Name: **CGB Marine Services Gulf, Repair Wharves and Lower East Bank Fleet**
Port: South Louisiana
Location: Mile 132.5 - 133.1 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., and Pelican Marine Fleeting, Inc.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: 665 State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 20 | 30 | 30 Latitude (decimal): 30.047222
Total Berthing Space (feet): 670 + | 250 | 975 Longitude (decimal): -90.47417

Remarks: One 1,200-ton floating drydock, and up to 19 barges in 3 tiers, each 5 to 6 barges wide, moor at repair wharf. Up to 4 barges in 2 tiers, each 2 barges wide, moor at float above repair wharf. The Lower Fleet area, on spar barges below repair wharf, has capacity for 30 barges in 5 tiers, each 6 barges wide. The Upper Fleet area has capacity for 63 barges in 7 tiers, each 9 barges wide. Pelican Marine Fleeting operates pushboats at the fleeting area.□Consolidated Terminals and Logistics Co. (CTLC), a subsidiary of CGB, operates mooring for floating crane 'CD 673', a 120x63 barge equipped with a 60-tonpedestal crane with 100-foot boom.□□The ship anchorages provides two 1,500- and one 1,200-foot berths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Remarks: One 1,200-ton floating drydock, and up to 19 barges in 3 tiers, each 5 to 6 barges wide, moor at repair wharf. Up to 4 barges in 2 tiers, each 2 barges wide, moor at float above repair wharf. The Lower Fleet area, on spar barges below repair wharf, has capacity for 30 barges in 5 tiers, each 6 barges wide. The Upper Fleet area has capacity for 63 barges in 7 tiers, each 9 barges wide. Pelican Marine Fleeting operates pushboats at the fleeting area.□Consolidated Terminals and Logistics Co. (CTLC), a subsidiary of CGB, operates mooring for floating crane 'CD 673', a 120x63 barge equipped with a 60-tonpedestal crane with 100-foot boom.□□The ship anchorages provides two 1,500- and one 1,200-foot berths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Remarks: One 1,200-ton floating drydock, and up to 19 barges in 3 tiers, each 5 to 6 barges wide, moor at repair wharf. Up to 4 barges in 2 tiers, each 2 barges wide, moor at float above repair wharf. The Lower Fleet area, on spar barges below repair wharf, has capacity for 30 barges in 5 tiers, each 6 barges wide. The Upper Fleet area has capacity for 63 barges in 7 tiers, each 9 barges wide. Pelican Marine Fleeting operates pushboats at the fleeting area.□Consolidated Terminals and Logistics Co. (CTLC), a subsidiary of CGB, operates mooring for floating crane 'CD 673', a 120x63 barge equipped with a 60-tonpedestal crane with 100-foot boom.□□The ship anchorages provides two 1,500- and one 1,200-foot berths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 133.0 PWD: 229
Name: **CGB Marine Services Gulf, Repair Wharves and Lower East Bank Fleet**
Port: South Louisiana
Location: Mile 132.5 - 133.1 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., and Pelican Marine Fleeting, Inc.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: 665 State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 20 | 30 | 30 Latitude (decimal): 30.047222
Total Berthing Space (feet): 670 + | 250 | 975 Longitude (decimal): -90.47417

Waterway: **Mississippi River** Mile: 133.0 PWD: 229
Name: **CGB Marine Services Gulf, Repair Wharves and Lower East Bank Fleet**
Port: South Louisiana
Location: Mile 132.5 - 133.1 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., and Pelican Marine Fleeting, Inc.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: 665 State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 20 | 30 | 30 Latitude (decimal): 30.047222
Total Berthing Space (feet): 670 + | 250 | 975 Longitude (decimal): -90.47417

Waterway: **Mississippi River** Mile: 133.0 PWD: 229
Name: **CGB Marine Services Gulf, Repair Wharves and Lower East Bank Fleet**
Port: South Louisiana
Location: Mile 132.5 - 133.1 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., and Pelican Marine Fleeting, Inc.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: 665 State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 20 | 30 | 30 Latitude (decimal): 30.047222
Total Berthing Space (feet): 670 + | 250 | 975 Longitude (decimal): -90.47417

Remarks: One 1,200-ton floating drydock, and up to 19 barges in 3 tiers, each 5 to 6 barges wide, moor at repair wharf. Up to 4 barges in 2 tiers, each 2 barges wide, moor at float above repair wharf. The Lower Fleet area, on spar barges below repair wharf, has capacity for 30 barges in 5 tiers, each 6 barges wide. The Upper Fleet area has capacity for 63 barges in 7 tiers, each 9 barges wide. Pelican Marine Fleeting operates pushboats at the fleeting area.□Consolidated Terminals and Logistics Co. (CTLC), a subsidiary of CGB, operates mooring for floating crane 'CD 673', a 120x63 barge equipped with a 60-tonpedestal crane with 100-foot boom.□□The ship anchorages provides two 1,500- and one 1,200-foot berths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Remarks: One 1,200-ton floating drydock, and up to 19 barges in 3 tiers, each 5 to 6 barges wide, moor at repair wharf. Up to 4 barges in 2 tiers, each 2 barges wide, moor at float above repair wharf. The Lower Fleet area, on spar barges below repair wharf, has capacity for 30 barges in 5 tiers, each 6 barges wide. The Upper Fleet area has capacity for 63 barges in 7 tiers, each 9 barges wide. Pelican Marine Fleeting operates pushboats at the fleeting area.□Consolidated Terminals and Logistics Co. (CTLC), a subsidiary of CGB, operates mooring for floating crane 'CD 673', a 120x63 barge equipped with a 60-tonpedestal crane with 100-foot boom.□□The ship anchorages provides two 1,500- and one 1,200-foot berths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Remarks: One 1,200-ton floating drydock, and up to 19 barges in 3 tiers, each 5 to 6 barges wide, moor at repair wharf. Up to 4 barges in 2 tiers, each 2 barges wide, moor at float above repair wharf. The Lower Fleet area, on spar barges below repair wharf, has capacity for 30 barges in 5 tiers, each 6 barges wide. The Upper Fleet area has capacity for 63 barges in 7 tiers, each 9 barges wide. Pelican Marine Fleeting operates pushboats at the fleeting area.□Consolidated Terminals and Logistics Co. (CTLC), a subsidiary of CGB, operates mooring for floating crane 'CD 673', a 120x63 barge equipped with a 60-tonpedestal crane with 100-foot boom.□□The ship anchorages provides two 1,500- and one 1,200-foot berths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 133.0 PWD: 229
Name: **CGB Marine Services Gulf, Repair Wharves and Lower East Bank Fleet**
Port: South Louisiana
Location: Mile 132.5 - 133.1 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., and Pelican Marine Fleeting, Inc.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: 665 State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 20 | 30 | 30 Latitude (decimal): 30.047222
Total Berthing Space (feet): 670 + | 250 | 975 Longitude (decimal): -90.47417

Waterway: **Mississippi River** Mile: 133.0 PWD: 229
Name: **CGB Marine Services Gulf, Repair Wharves and Lower East Bank Fleet**
Port: South Louisiana
Location: Mile 132.5 - 133.1 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., and Pelican Marine Fleeting, Inc.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: 665 State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 20 | 30 | 30 Latitude (decimal): 30.047222
Total Berthing Space (feet): 670 + | 250 | 975 Longitude (decimal): -90.47417

Waterway: **Mississippi River** Mile: 133.0 PWD: 229
Name: **CGB Marine Services Gulf, Repair Wharves and Lower East Bank Fleet**
Port: South Louisiana
Location: Mile 132.5 - 133.1 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., and Pelican Marine Fleeting, Inc.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: 665 State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 20 | 30 | 30 Latitude (decimal): 30.047222
Total Berthing Space (feet): 670 + | 250 | 975 Longitude (decimal): -90.47417

Remarks: One 1,200-ton floating drydock, and up to 19 barges in 3 tiers, each 5 to 6 barges wide, moor at repair wharf. Up to 4 barges in 2 tiers, each 2 barges wide, moor at float above repair wharf. The Lower Fleet area, on spar barges below repair wharf, has capacity for 30 barges in 5 tiers, each 6 barges wide. The Upper Fleet area has capacity for 63 barges in 7 tiers, each 9 barges wide. Pelican Marine Fleeting operates pushboats at the fleeting area.□Consolidated Terminals and Logistics Co. (CTLC), a subsidiary of CGB, operates mooring for floating crane 'CD 673', a 120x63 barge equipped with a 60-tonpedestal crane with 100-foot boom.□□The ship anchorages provides two 1,500- and one 1,200-foot berths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Remarks: One 1,200-ton floating drydock, and up to 19 barges in 3 tiers, each 5 to 6 barges wide, moor at repair wharf. Up to 4 barges in 2 tiers, each 2 barges wide, moor at float above repair wharf. The Lower Fleet area, on spar barges below repair wharf, has capacity for 30 barges in 5 tiers, each 6 barges wide. The Upper Fleet area has capacity for 63 barges in 7 tiers, each 9 barges wide. Pelican Marine Fleeting operates pushboats at the fleeting area.□Consolidated Terminals and Logistics Co. (CTLC), a subsidiary of CGB, operates mooring for floating crane 'CD 673', a 120x63 barge equipped with a 60-tonpedestal crane with 100-foot boom.□□The ship anchorages provides two 1,500- and one 1,200-foot berths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Remarks: One 1,200-ton floating drydock, and up to 19 barges in 3 tiers, each 5 to 6 barges wide, moor at repair wharf. Up to 4 barges in 2 tiers, each 2 barges wide, moor at float above repair wharf. The Lower Fleet area, on spar barges below repair wharf, has capacity for 30 barges in 5 tiers, each 6 barges wide. The Upper Fleet area has capacity for 63 barges in 7 tiers, each 9 barges wide. Pelican Marine Fleeting operates pushboats at the fleeting area.□Consolidated Terminals and Logistics Co. (CTLC), a subsidiary of CGB, operates mooring for floating crane 'CD 673', a 120x63 barge equipped with a 60-tonpedestal crane with 100-foot boom.□□The ship anchorages provides two 1,500- and one 1,200-foot berths.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 133.9 PWD: 230
Name: **CGB Marine Services Gulf, Repair Wharves and Upper East Bank Fleet**
Port: South Louisiana
Location: Mile 133.8 - 134.8 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.055556
Total Berthing Space (feet): 5,250 | | Longitude (decimal): -90.48972

Waterway: **Mississippi River** Mile: 133.9 PWD: 230
Name: **CGB Marine Services Gulf, Repair Wharves and Upper East Bank Fleet**
Port: South Louisiana
Location: Mile 133.8 - 134.8 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.055556
Total Berthing Space (feet): 5,250 | | Longitude (decimal): -90.48972

Waterway: **Mississippi River** Mile: 133.9 PWD: 230
Name: **CGB Marine Services Gulf, Repair Wharves and Upper East Bank Fleet**
Port: South Louisiana
Location: Mile 133.8 - 134.8 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.055556
Total Berthing Space (feet): 5,250 | | Longitude (decimal): -90.48972

Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleeting area has capacity for 63 barges in 7 tiers, each 9 barges wide. Three ship moorings, sufficient for Panamax-class vessels, are located adjacent to fleeting area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleeting area has capacity for 63 barges in 7 tiers, each 9 barges wide. Three ship moorings, sufficient for Panamax-class vessels, are located adjacent to fleeting area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleeting area has capacity for 63 barges in 7 tiers, each 9 barges wide. Three ship moorings, sufficient for Panamax-class vessels, are located adjacent to fleeting area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 133.9 PWD: 230
Name: **CGB Marine Services Gulf, Repair Wharves and Upper East Bank Fleet**
Port: South Louisiana
Location: Mile 133.8 - 134.8 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.055556
Total Berthing Space (feet): 5,250 | | Longitude (decimal): -90.48972

Waterway: **Mississippi River** Mile: 133.9 PWD: 230
Name: **CGB Marine Services Gulf, Repair Wharves and Upper East Bank Fleet**
Port: South Louisiana
Location: Mile 133.8 - 134.8 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.055556
Total Berthing Space (feet): 5,250 | | Longitude (decimal): -90.48972

Waterway: **Mississippi River** Mile: 133.9 PWD: 230
Name: **CGB Marine Services Gulf, Repair Wharves and Upper East Bank Fleet**
Port: South Louisiana
Location: Mile 133.8 - 134.8 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.055556
Total Berthing Space (feet): 5,250 | | Longitude (decimal): -90.48972

Waterway: **Mississippi River** Mile: 133.9 PWD: 230
Name: **CGB Marine Services Gulf, Repair Wharves and Upper East Bank Fleet**
Port: South Louisiana
Location: Mile 133.8 - 134.8 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.055556
Total Berthing Space (feet): 5,250 | | Longitude (decimal): -90.48972
Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleeting area has capacity for 63 barges in 7 tiers, each 9 barges wide. Three ship moorings, sufficient for Panamax-class vessels, are located adjacent to fleeting area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleeting area has capacity for 63 barges in 7 tiers, each 9 barges wide. Three ship moorings, sufficient for Panamax-class vessels, are located adjacent to fleeting area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleeting area has capacity for 63 barges in 7 tiers, each 9 barges wide. Three ship moorings, sufficient for Panamax-class vessels, are located adjacent to fleeting area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 133.9 PWD: 230
Name: **CGB Marine Services Gulf, Repair Wharves and Upper East Bank Fleet**
Port: South Louisiana
Location: Mile 133.8 - 134.8 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.055556
Total Berthing Space (feet): 5,250 | | Longitude (decimal): -90.48972

Waterway: **Mississippi River** Mile: 133.9 PWD: 230
Name: **CGB Marine Services Gulf, Repair Wharves and Upper East Bank Fleet**
Port: South Louisiana
Location: Mile 133.8 - 134.8 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.055556
Total Berthing Space (feet): 5,250 | | Longitude (decimal): -90.48972

Waterway: **Mississippi River** Mile: 133.9 PWD: 230
Name: **CGB Marine Services Gulf, Repair Wharves and Upper East Bank Fleet**
Port: South Louisiana
Location: Mile 133.8 - 134.8 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.055556
Total Berthing Space (feet): 5,250 | | Longitude (decimal): -90.48972

Waterway: **Mississippi River** Mile: 133.9 PWD: 230
Name: **CGB Marine Services Gulf, Repair Wharves and Upper East Bank Fleet**
Port: South Louisiana
Location: Mile 133.8 - 134.8 A.H.P., left bank, Mississippi River, LaPlace Datum: LWRP
Operator: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Owner: CGB Marine Services Gulf, Inc., a subsidiary of Continental Grain Corp.
Address: State Highway 628 (River Road) Phone: 985/652-7285 X
Town: LaPlace State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.055556
Total Berthing Space (feet): 5,250 | | Longitude (decimal): -90.48972
Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleeting area has capacity for 63 barges in 7 tiers, each 9 barges wide. Three ship moorings, sufficient for Panamax-class vessels, are located adjacent to fleeting area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleeting area has capacity for 63 barges in 7 tiers, each 9 barges wide. Three ship moorings, sufficient for Panamax-class vessels, are located adjacent to fleeting area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

Port Facilities by Waterway

Remarks: Fleet is operated from repair wharf at Lower East Bank Fleet (Ref. No. 229). Fleeting area has capacity for 63 barges in 7 tiers, each 9 barges wide. Three ship moorings, sufficient for Panamax-class vessels, are located adjacent to fleeting area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20133 New Orleans District

---

Waterway: **Mississippi River** Mile: 134.0 PWD: 304

Name: **Capital Marine Supply, Lucy Fleet Mooring.**

Port: South Louisiana

Location: Mile 134.4 - 133.9 A.H.P., right bank, Mississippi River, Lucy. Datum: LWRP

Operator: Capital Marine Supply, Inc., a subsidiary of Midland Enterprises, Inc.

Owner: Capital Marine Supply, Inc., a subsidiary of Midland Enterprises, Inc.

Address: - Phone: 985/536-0236

Town: Lucy State: LA County: St.John Baptist

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 25 | | Latitude (decimal): 30.032778

Total Berthing Space (feet): 2,750 | | Longitude (decimal): -90.4925

Remarks: Fleet is operated from office barge in East Bank Fleet (Ref. No. 232). Fleeting area has capacity for 96 barges in 12 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20134 New Orleans District

---

Waterway: **Mississippi River** Mile: 135.5 PWD: 231

Name: **DuPont Dow Elastomers, Pontchartrain Works Barge Dock.**

Port: South Louisiana

Location: Mile 135.5 A.H.P., left bank, Mississippi River, Reserve. Datum: LWRP

Operator: Dupont Dow Elastomers.

Owner: E. I. du Pont de Nemours & Co.

Address: 560 Hwy. 44 (Jefferson Highway). Phone: 985/536-5512

Town: Reserve State: LA County: St John Baptist

Railway Connection: One surface track serves plant in rear; connects with Canadian National/Illinois Central Railroad.

Purpose: Receipt of 50% caustic soda by barge.

Depth Alongside (feet): 40 | 10 | 10 Latitude (decimal): 30.050833

Total Berthing Space (feet): 400 | 195 | 195 Longitude (decimal): -90.51889

Remarks: One 6-inch pipeline extends from wharf to 2 steel storage tanks for caustic soda, total capacity 454,000 gallons; one 6-inch pipeline extends to one 234,000-gallon, brine storage tank and one unused, 9,000-barrel, fuel oil tank. One 2-inch nitrogen line extends to wharf (blanked at time of survey [2002]).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20135 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 136.7 PWD: 232
Name: **Elmwood Marine Services Repair Wharf and Capital Marine Supply, Tr**
Port: South Louisiana
Location: Mile 136.3 - 137.4 A.H.P., left bank, Mississippi River, Reserve. Datum: LWRP
Operator: Capital Marine Supply, Inc., a subsidiary of Midland Enterpises, Inc.
Owner: Capital Marine Supply, Inc., a subsidiary of Midland Enterprises.
Address: Foot of LA. Hwy. 3179 Phone: 985/536-0236
Town: Reserve State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting, cleaning, and repair; mooring company-owned tank barges for repair; mooring floating drydock.
Depth Alongside (feet): 12 - 15 | 12 - 15 | 12 - 15 Latitude (decimal): 30.049444
Total Berthing Space (feet): 2,000 | 1,585 | 1,585 Longitude (decimal): -90.53667
Remarks: One 446-ton floating drydock, and up to 16 barges in 2 tiers, each 8 barges wide, moor at 6 office and shop barges forming repair and cleaning wharf, operated by Elmwood Marine Services, Inc., between Fleet Blocks Nos. 2 and 3. Repair yard performs structural repairs to Midland Enterprises, Inc. dry cargo barges and minor mechanical repairs to barges and towboats.Fleeting area has capacity for 144 barges in 3 blocks on spar barges, each consisting of 6 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20136 New Orleans District

---

Waterway: **Mississippi River** Mile: 136.8 PWD: 303
Name: **Capital Marine Supply, Upper West Bank and Goldmine Fleet Mooring.**
Port: South Louisiana
Location: Mile 137.0 - 135.5 A.H.P., right bank, Mississippi River, Tigerville. Datum: LWRP
Operator: Capital Marine Supply, Inc., a subsidiary of Midland Enterprises, Inc.
Owner: Capital Marine Supply, Inc., a subsidiary of Midland Enterprises, Inc.
Address: - Phone: 985/536-0236
Town: Edgard State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.043889
Total Berthing Space (feet): 2,600 | 1,400 | 3,000 Longitude (decimal): -90.54111
Remarks: Fleet is operated from office barge at East Bank Fleet (Ref. No. 232). Upper West Bank fleeting area has capacity for 66 barges in 11 tiers, each 6 barges wide. Goldmine Anchor Block No. 1 has capacity for 49 barges in 7 tiers, each 7 barges wide. Goldmine Anchor Blocks Nos. 2 and 3 have capacity for 84 barges in 7 tiers, each 6 barges wide, in each block. Two ship moorings for up to Panamax-size vessels are located along the fleeting area at mile 137 and atmile 135 A.H.P.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20136 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 137.3 PWD: 302
Name: **Cargo Carriers, Reserve Cleaning Wharf and Fleet Mooring, Lower Se**
Port: South Louisiana
Location: Mile 137.5-137.0 A.H.P., right bank, Mississippi River, Edgard Datum: LWRP
Operator: Cargo Carriers, Inc., a division of Cargill Marine and Terminal, Inc.
Owner: Cargo Carriers, Inc., a division of Cargill Marine and Terminal, Inc.
Address: - Phone: 985/536-7172
Town: Edgard State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for cleaning, repair, and fleeting.
Depth Alongside (feet): 9 | 9 | Latitude (decimal): 30.044733
Total Berthing Space (feet): 280 | 2,650 | Longitude (decimal): -90.54778
Remarks: Cleaning wharf has capacity for 30 barges in 5 tiers, each 6 barges wide. Fleeting area has capacity for 78 barges in 2 blocks, upper block in 8 tiers, each 6 barges wide, and lower block in 5 tiers, each 6 barges wide. Fleet is operated from office at Cargill's, Terre Haute Grain Elevator (Ref. No. 239).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20137 New Orleans District

---

Waterway: **Mississippi River** Mile: 137.4 PWD: 234
Name: **Crescent Ship Service, Reserve Landing.**
Port: South Louisiana
Location: Mile 137.4 A.H.P., left bank, Mississippi River, Reserve Datum: LWRP
Operator: Crescent Ship Service, Inc.
Owner: Port of South Louisiana
Address: Highway 44 (Jefferson Highway) Phone: 504/277-8956
Town: Reserve State: LA County: St John Baptist
Railway Connection: None.
Purpose: Landing for ship service vessels; mooring company-owned vessels; handling miscellaneous marine supplies.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.051667
Total Berthing Space (feet): 78 | | Longitude (decimal): -90.54778
Remarks: Dispatch office is located on float. Ramp consisting of gravel-surfaced fill is used by trucks during transfer of marine supplies.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20137 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 137.4 PWD: 233
Name: **Weber Marine, Reserve Landing.**
Port: South Louisiana
Location: Mile 137.4 A.H.P., left bank, Mississippi River, Reserve Datum: LWRP
Operator: Weber Marine, Inc.
Owner: Weber Marine, Inc.
Address: 1204 Highway 44, Reserve Phone: 985/536-2246
Town: Reserve State: LA County: St John Baptist
Railway Connection: None.
Purpose: Landing for ship service launches; handling miscellaneous marine supplies; occasional receipt of dry bulk materials; occasional bunkering of fuel barge; mooring floating derrick and towboats.
Depth Alongside (feet): 14 | 12 | Latitude (decimal): 30.051389
Total Berthing Space (feet): 80 | | Longitude (decimal): -90.54694
Remarks: Two diesel fuel tanks on deck of float are used for fueling ship service vessels only. Ramp at shoreline is used for loading trucks with dry bulk material and loading fuel barges from trucks. Approximately 2 acres of open storage area for marine supplies are located in rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20137 New Orleans District

---

Waterway: **Mississippi River** Mile: 137.6 PWD: 235
Name: **Reserve Ferry Landing.**
Port: South Louisiana
Location: Mile 137.6 A.H.P., left bank, Mississippi River, Reserve Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana
Address: Highway 44 (Jefferson Highway) Phone: 225/379-1533
Town: Reserve State: LA County: St John Baptist
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.052222
Total Berthing Space (feet): 145 | | Longitude (decimal): -90.55083
Remarks: Ferries operate to Edgard Landing on opposite bank (Ref. No. 301).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20138 New Orleans District

---

Waterway: **Mississippi River** Mile: 138.0 PWD: 301
Name: **Edgard Ferry Landing.**
Port: South Louisiana
Location: Mile 138.0 A.H.P., right bank, Mississippi River, Edgard. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Louisiana State Highway 18 Phone: 225/379-1533
Town: Edgard State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Reserve.
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 30.046944
Total Berthing Space (feet): 145 | | Longitude (decimal): -90.55861
Remarks: Ferries operate to Reserve Landing on opposite bank (Ref. No. 235).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20138 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 138.5 PWD: 236
Name: **Port of South Louisiana, Globalplex Intermodal Terminal, General C**
Port: South Louisiana
Location: Mile 138.5 A.H.P., left bank, Mississippi River, Reserve Datum: LWRP
Operator: Stevedor Services of America (SSA), Associated Terminals, and Intermodal Shipping Ser
Owner: Port of South Louisiana
Address: Foot of 10th Street. Phone: 985/536-8300
Town: Reserve State: LA County: St John Baptist
Railway Connection: Surface- and platform-level tracks and car marshalling yard, total trackage 12,000 feet; connect to Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt and shipment of breakbulk cargo; receipt and shipment of heavy-lift cargo.
Depth Alongside (feet): 60 | | Latitude (decimal): 30.053611
Total Berthing Space (feet): 692 | | Longitude (decimal): -90.56583

Waterway: **Mississippi River** Mile: 138.5 PWD: 236
Name: **Port of South Louisiana, Globalplex Intermodal Terminal, General C**
Port: South Louisiana
Location: Mile 138.5 A.H.P., left bank, Mississippi River, Reserve Datum: LWRP
Operator: Stevedor Services of America (SSA), Associated Terminals, and Intermodal Shipping Ser
Owner: Port of South Louisiana
Address: Foot of 10th Street. Phone: 985/536-8300
Town: Reserve State: LA County: St John Baptist
Railway Connection: Surface- and platform-level tracks and car marshalling yard, total trackage 12,000 feet; connect to Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt and shipment of breakbulk cargo; receipt and shipment of heavy-lift cargo.
Depth Alongside (feet): 60 | | Latitude (decimal): 30.053611
Total Berthing Space (feet): 692 | | Longitude (decimal): -90.56583

Remarks: Cargo handling and storage facilities are approximately 1/2 mile at rear of wharf. One enclosed, 50,000-square-foot, intermodal transfer shed and one enclosed, climate-controlled, 108,000-square-foot storage warehouse (100,000 square-foot net), both equipped with truck and rail docks; and 190,000-square-foot, open cargo laydown area (177,000 square foot paved) are available for handling cargo and containers. At time of survey (2002), plans called forconstruction of a transit shed on the wharf and construction of additional open container storage area, including hook-ups for refrigerated containers.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20138 New Orleans District

Remarks: Cargo handling and storage facilities are approximately 1/2 mile at rear of wharf. One enclosed, 50,000-square-foot, intermodal transfer shed and one enclosed, climate-controlled, 108,000-square-foot storage warehouse (100,000 square-foot net), both equipped with truck and rail docks; and 190,000-square-foot, open cargo laydown area (177,000 square foot paved) are available for handling cargo and containers. At time of survey (2002), plans called forconstruction of a transit shed on the wharf and construction of additional open container storage area, including hook-ups for refrigerated containers.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20138 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 138.5 PWD: 236
Name: **Port of South Louisiana, Globalplex Intermodal Terminal, General C**
Port: South Louisiana
Location: Mile 138.5 A.H.P., left bank, Mississippi River, Reserve Datum: LWRP
Operator: Stevedor Services of America (SSA), Associated Terminals, and Intermodal Shipping Ser
Owner: Port of South Louisiana
Address: Foot of 10th Street. Phone: 985/536-8300
Town: Reserve State: LA County: St John Baptist
Railway Connection: Surface- and platform-level tracks and car marshalling yard, total trackage 12,000 feet; connect to Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt and shipment of breakbulk cargo; receipt and shipment of heavy-lift cargo.
Depth Alongside (feet): 60 | | Latitude (decimal): 30.053611
Total Berthing Space (feet): 692 | | Longitude (decimal): -90.56583

Waterway: **Mississippi River** Mile: 138.5 PWD: 236
Name: **Port of South Louisiana, Globalplex Intermodal Terminal, General C**
Port: South Louisiana
Location: Mile 138.5 A.H.P., left bank, Mississippi River, Reserve Datum: LWRP
Operator: Stevedor Services of America (SSA), Associated Terminals, and Intermodal Shipping Ser
Owner: Port of South Louisiana
Address: Foot of 10th Street. Phone: 985/536-8300
Town: Reserve State: LA County: St John Baptist
Railway Connection: Surface- and platform-level tracks and car marshalling yard, total trackage 12,000 feet; connect to Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt and shipment of breakbulk cargo; receipt and shipment of heavy-lift cargo.
Depth Alongside (feet): 60 | | Latitude (decimal): 30.053611
Total Berthing Space (feet): 692 | | Longitude (decimal): -90.56583

Remarks: Cargo handling and storage facilities are approximately 1/2 mile at rear of wharf. One enclosed, 50,000-square-foot, intermodal transfer shed and one enclosed, climate-controlled, 108,000-square-foot storage warehouse (100,000 square-foot net), both equipped with truck and rail docks; and 190,000-square-foot, open cargo laydown area (177,000 square foot paved) are available for handling cargo and containers. At time of survey (2002), plans called forconstruction of a transit shed on the wharf and construction of additional open container storage area, including hook-ups for refrigerated containers.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20138 New Orleans District

Remarks: Cargo handling and storage facilities are approximately 1/2 mile at rear of wharf. One enclosed, 50,000-square-foot, intermodal transfer shed and one enclosed, climate-controlled, 108,000-square-foot storage warehouse (100,000 square-foot net), both equipped with truck and rail docks; and 190,000-square-foot, open cargo laydown area (177,000 square foot paved) are available for handling cargo and containers. At time of survey (2002), plans called forconstruction of a transit shed on the wharf and construction of additional open container storage area, including hook-ups for refrigerated containers.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20138 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 138.7 PWD: 300

Name: **Cargo Carriers, Reserve Fleet Mooring, Upper Section.**

Port: South Louisiana

Location: Mile 139.3-138.2 A.H.P., right bank, Mississippi River, Edgard. Datum: LWRP

Operator: Cargo Carriers, Inc., a division of Cargill Marine and Terminal, Inc.

Owner: Cargo Carriers, Inc., a division of Cargill Marine and Terminal, Inc.

Address: Louisiana State Highway 18 Phone: 985/536-7172

Town: Edgard State: LA County: St.John Baptist

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 15 | | Latitude (decimal): 30.048056

Total Berthing Space (feet): 5,800 | | Longitude (decimal): -90.56944

Remarks: Fleeting area has capacity for 152 barges, 88 in 3 blocks, two 4 barges long and one 3 barges long, and 64 in 8 tiers, each block and tier 8 barges wide. Fleet office is at Cargill's, Terre Haute Grain Elevator (Ref. No. 239).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20139 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 138.7 PWD: 237
Name: **Port of South Louisiana, Globalplex Bulk Commodities Wharves.**
Port: South Louisiana
Location: Mile 138.7 A.H.P., left bank, Mississippi River, Reserve. Datum: LWRP
Operator: Kinder Morgan Energy Partners, L.P.
Owner: Port of South Louisiana
Address: Foot of 10th Street. Phone: 985/536-8300
Town: Reserve State: LA County: St John Baptist
Railway Connection: Three surface and one 10-car capacity door-level tracks serve 2-car capacity loading shed and warehouse in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, including wood chips, bauxite, fluorspar, ferro-alloys, fertilizer, urea, potash, and barite; shipment of bagged rice (See Remarks).
Depth Alongside (feet): 45 | 40 | 40 Latitude (decimal): 30.054167
Total Berthing Space (feet): 711 | 370 | 400 Longitude (decimal): -90.56944

Waterway: **Mississippi River** Mile: 138.7 PWD: 237
Name: **Port of South Louisiana, Globalplex Bulk Commodities Wharves.**
Port: South Louisiana
Location: Mile 138.7 A.H.P., left bank, Mississippi River, Reserve. Datum: LWRP
Operator: Kinder Morgan Energy Partners, L.P.
Owner: Port of South Louisiana
Address: Foot of 10th Street. Phone: 985/536-8300
Town: Reserve State: LA County: St John Baptist
Railway Connection: Three surface and one 10-car capacity door-level tracks serve 2-car capacity loading shed and warehouse in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, including wood chips, bauxite, fluorspar, ferro-alloys, fertilizer, urea, potash, and barite; shipment of bagged rice (See Remarks).
Depth Alongside (feet): 45 | 40 | 40 Latitude (decimal): 30.054167
Total Berthing Space (feet): 711 | 370 | 400 Longitude (decimal): -90.56944

Remarks: At time of survey (2002), one of the unloaders was damaged and out of service. Plans called for immediate replacement with a similar unloader. Rear of face of outer wharf forms a slip 100 feet wide with face of inner wharf. Contractor-owned floating crane serves ship wharf and transfers bulk rice and animal feed from barge to vessel at Reserve Anchorage. One 49,500-square-foot, steel frame, metal-covered storage building with low concrete block wallsserves conveyors from outer wharf and to car-loading shed. Two concrete storage domes have capacity for 100,000 tons of cement. One enclosed and one open-sided buildings, total area 100,000 square feet, three concrete-paved openstorage areas, total area nine acres, and one 96,000-square-foot concrete warehouse for bagged products are located in rear. Up to 16 barges fleet on shore wires 2 tiers above wharves, each tier 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20138 New Orleans District

Remarks: At time of survey (2002), one of the unloaders was damaged and out of service. Plans called for immediate replacement with a similar unloader. Rear of face of outer wharf forms a slip 100 feet wide with face of inner wharf. Contractor-owned floating crane serves ship wharf and transfers bulk rice and animal feed from barge to vessel at Reserve Anchorage. One 49,500-square-foot, steel frame, metal-covered storage building with low concrete block wallsserves conveyors from outer wharf and to car-loading shed. Two concrete storage domes have capacity for 100,000 tons of cement. One enclosed and one open-sided buildings, total area 100,000 square feet, three concrete-paved openstorage areas, total area nine acres, and one 96,000-square-foot concrete warehouse for bagged products are located in rear. Up to 16 barges fleet on shore wires 2 tiers above wharves, each tier 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20138 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 138.7 PWD: 237
Name: **Port of South Louisiana, Globalplex Bulk Commodities Wharves.**
Port: South Louisiana
Location: Mile 138.7 A.H.P., left bank, Mississippi River, Reserve. Datum: LWRP
Operator: Kinder Morgan Energy Partners, L.P.
Owner: Port of South Louisiana
Address: Foot of 10th Street. Phone: 985/536-8300
Town: Reserve State: LA County: St John Baptist
Railway Connection: Three surface and one 10-car capacity door-level tracks serve 2-car capacity loading shed and warehouse in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, including wood chips, bauxite, fluorspar, ferro-alloys, fertilizer, urea, potash, and barite; shipment of bagged rice (See Remarks).
Depth Alongside (feet): 45 | 40 | 40 Latitude (decimal): 30.054167
Total Berthing Space (feet): 711 | 370 | 400 Longitude (decimal): -90.56944

Waterway: **Mississippi River** Mile: 138.7 PWD: 237
Name: **Port of South Louisiana, Globalplex Bulk Commodities Wharves.**
Port: South Louisiana
Location: Mile 138.7 A.H.P., left bank, Mississippi River, Reserve. Datum: LWRP
Operator: Kinder Morgan Energy Partners, L.P.
Owner: Port of South Louisiana
Address: Foot of 10th Street. Phone: 985/536-8300
Town: Reserve State: LA County: St John Baptist
Railway Connection: Three surface and one 10-car capacity door-level tracks serve 2-car capacity loading shed and warehouse in rear; connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, including wood chips, bauxite, fluorspar, ferro-alloys, fertilizer, urea, potash, and barite; shipment of bagged rice (See Remarks).
Depth Alongside (feet): 45 | 40 | 40 Latitude (decimal): 30.054167
Total Berthing Space (feet): 711 | 370 | 400 Longitude (decimal): -90.56944

Remarks: At time of survey (2002), one of the unloaders was damaged and out of service. Plans called for immediate replacement with a similar unloader. Rear of face of outer wharf forms a slip 100 feet wide with face of inner wharf. Contractor-owned floating crane serves ship wharf and transfers bulk rice and animal feed from barge to vessel at Reserve Anchorage. One 49,500-square-foot, steel frame, metal-covered storage building with low concrete block wallsserves conveyors from outer wharf and to car-loading shed. Two concrete storage domes have capacity for 100,000 tons of cement. One enclosed and one open-sided buildings, total area 100,000 square feet, three concrete-paved openstorage areas, total area nine acres, and one 96,000-square-foot concrete warehouse for bagged products are located in rear. Up to 16 barges fleet on shore wires 2 tiers above wharves, each tier 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20138 New Orleans District

Remarks: At time of survey (2002), one of the unloaders was damaged and out of service. Plans called for immediate replacement with a similar unloader. Rear of face of outer wharf forms a slip 100 feet wide with face of inner wharf. Contractor-owned floating crane serves ship wharf and transfers bulk rice and animal feed from barge to vessel at Reserve Anchorage. One 49,500-square-foot, steel frame, metal-covered storage building with low concrete block wallsserves conveyors from outer wharf and to car-loading shed. Two concrete storage domes have capacity for 100,000 tons of cement. One enclosed and one open-sided buildings, total area 100,000 square feet, three concrete-paved openstorage areas, total area nine acres, and one 96,000-square-foot concrete warehouse for bagged products are located in rear. Up to 16 barges fleet on shore wires 2 tiers above wharves, each tier 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20138 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 139.2 PWD: 238

Name: **ADM/Growmark, Reserve Elevator Wharf.**

Port: South Louisiana

Location: Mile 139.2 A.H.P., left bank, Mississippi River, Reserve Datum: LWRP

Operator: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.

Owner: Port of South Louisiana

Address: 2032 Hwy. 44 (Jefferson Highway) Phone: 985/536-1151

Town: Reserve State: LA County: St John Baptist

Railway Connection: Five surface tracks with storage capacity for 75 cars serve undertrack pit in car shed and connect with Canadian National/Illinois Central Railroad.

Purpose: Receipt and shipment of grain.

Depth Alongside (feet):	50 - -	15	15	Latitude (decimal):	30.044722
Total Berthing Space (feet):	1,000	800	500	Longitude (decimal):	-90.57722

Remarks: Barges enter and leave unloading position from lower end of wharf where stevedore-operated cranes remove hatch covers for storage on adjacent anchored deck barge for subsequent replacement on empty barge. Four 28-foot booms with 5-ton traveling hoists extending from rear of gallery for handling cleanout equipment and pneumatic cleanout system at rear of face also serve barges. Grain elevator at rear has capacity for 4,000,000 bushels. Barges fleet atthree steel breasting dolphins and on shore wires below wharf, providing berthing space for 26 barges in 3 tiers, each up to 6 barges wide, and in 2 tiers, each up to 4 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20139 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 139.6 PWD: 239
Name: **Cargill, Inc.- NAGOC, Reserve Elevator Wharf.**
Port: South Louisiana
Location: Mile 139.6 A.H.P., left bank, Mississippi River, Reserve Datum: LWRP
Operator: Cargill, Inc. - NAGOC.
Owner: Cargill, Inc. - NAGOC.
Address: 2154 Hwy. 44 (Jefferson Highway) Phone: 985/536-1506
Town: Reserve State: LA County: St John Baptist
Railway Connection: Eight surface tracks with total storage capacity for 135 cars serve undertrack pit in car shed and connect with Canadian National /Illinois Central Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 45 | | 12 - 18 Latitude (decimal): 30.053611
Total Berthing Space (feet): 1,450 | | 1,450 Longitude (decimal): -90.58333

Waterway: **Mississippi River** Mile: 139.6 PWD: 239
Name: **Cargill, Inc.- NAGOC, Reserve Elevator Wharf.**
Port: South Louisiana
Location: Mile 139.6 A.H.P., left bank, Mississippi River, Reserve Datum: LWRP
Operator: Cargill, Inc. - NAGOC.
Owner: Cargill, Inc. - NAGOC.
Address: 2154 Hwy. 44 (Jefferson Highway) Phone: 985/536-1506
Town: Reserve State: LA County: St John Baptist
Railway Connection: Eight surface tracks with total storage capacity for 135 cars serve undertrack pit in car shed and connect with Canadian National /Illinois Central Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 45 | | 12 - 18 Latitude (decimal): 30.053611
Total Berthing Space (feet): 1,450 | | 1,450 Longitude (decimal): -90.58333

Remarks: Twenty-six traveling bridge hoists over covered barge slip remove hatch covers at lower end and replace them at upper end of slip. Two bridge cranes handle barge cleanout equipment. Grain elevator at rear has capacity for 6,800,000 bushels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20139 New Orleans District

Remarks: Twenty-six traveling bridge hoists over covered barge slip remove hatch covers at lower end and replace them at upper end of slip. Two bridge cranes handle barge cleanout equipment. Grain elevator at rear has capacity for 6,800,000 bushels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20139 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 139.6 PWD: 239
Name: **Cargill, Inc.- NAGOC, Reserve Elevator Wharf.**
Port: South Louisiana
Location: Mile 139.6 A.H.P., left bank, Mississippi River, Reserve Datum: LWRP
Operator: Cargill, Inc. - NAGOC.
Owner: Cargill, Inc. - NAGOC.
Address: 2154 Hwy. 44 (Jefferson Highway) Phone: 985/536-1506
Town: Reserve State: LA County: St John Baptist
Railway Connection: Eight surface tracks with total storage capacity for 135 cars serve undertrack pit in car shed and connect with Canadian National /Illinois Central Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 45 | | 12 - 18 Latitude (decimal): 30.053611
Total Berthing Space (feet): 1,450 | | 1,450 Longitude (decimal): -90.58333

Waterway: **Mississippi River** Mile: 139.6 PWD: 239
Name: **Cargill, Inc.- NAGOC, Reserve Elevator Wharf.**
Port: South Louisiana
Location: Mile 139.6 A.H.P., left bank, Mississippi River, Reserve Datum: LWRP
Operator: Cargill, Inc. - NAGOC.
Owner: Cargill, Inc. - NAGOC.
Address: 2154 Hwy. 44 (Jefferson Highway) Phone: 985/536-1506
Town: Reserve State: LA County: St John Baptist
Railway Connection: Eight surface tracks with total storage capacity for 135 cars serve undertrack pit in car shed and connect with Canadian National /Illinois Central Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 45 | | 12 - 18 Latitude (decimal): 30.053611
Total Berthing Space (feet): 1,450 | | 1,450 Longitude (decimal): -90.58333

Remarks: Twenty-six traveling bridge hoists over covered barge slip remove hatch covers at lower end and replace them at upper end of slip. Two bridge cranes handle barge cleanout equipment. Grain elevator at rear has capacity for 6,800,000 bushels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20139 New Orleans District

Remarks: Twenty-six traveling bridge hoists over covered barge slip remove hatch covers at lower end and replace them at upper end of slip. Two bridge cranes handle barge cleanout equipment. Grain elevator at rear has capacity for 6,800,000 bushels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20139 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 139.8 PWD: 240
Name: **Cargill, Inc.- NAGOC, Reserve Oilseed Wharf.**
Port: South Louisiana
Location: Mile 139.8 A.H.P., left bank, Mississippi River, Reserve. Datum: LWRP
Operator: Cargill, Inc. - NAGOC.
Owner: Cargill, Inc. - NAGOC.
Address: 2262 Hwy 44 (Jefferson Highway) Phone: 985/536-1531
Town: Reserve State: LA County: St John Baptist
Railway Connection: Trackage serving two loading racks, total capacity 12 cars, connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of vegetable oils.
Depth Alongside (feet): 50 - - | | 18 Latitude (decimal): 30.0525
Total Berthing Space (feet): 650 | | 195 Longitude (decimal): -90.58833

Waterway: **Mississippi River** Mile: 139.8 PWD: 240
Name: **Cargill, Inc.- NAGOC, Reserve Oilseed Wharf.**
Port: South Louisiana
Location: Mile 139.8 A.H.P., left bank, Mississippi River, Reserve. Datum: LWRP
Operator: Cargill, Inc. - NAGOC.
Owner: Cargill, Inc. - NAGOC.
Address: 2262 Hwy 44 (Jefferson Highway) Phone: 985/536-1531
Town: Reserve State: LA County: St John Baptist
Railway Connection: Trackage serving two loading racks, total capacity 12 cars, connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of vegetable oils.
Depth Alongside (feet): 50 - - | | 18 Latitude (decimal): 30.0525
Total Berthing Space (feet): 650 | | 195 Longitude (decimal): -90.58833

Remarks: Three 6-inch loading pipelines and two 6-inch unloading pipelines extend to 16 vegetable oil storage tanks, total capacity 17 million gallons. One 4-inch steam and one 6-inch compressed air lines also serve wharf. Facility is operated as a public storage terminal for liquid commodities.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20139 New Orleans District

Remarks: Three 6-inch loading pipelines and two 6-inch unloading pipelines extend to 16 vegetable oil storage tanks, total capacity 17 million gallons. One 4-inch steam and one 6-inch compressed air lines also serve wharf. Facility is operated as a public storage terminal for liquid commodities.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20139 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 139.8 PWD: 240
Name: **Cargill, Inc.- NAGOC, Reserve Oilseed Wharf.**
Port: South Louisiana
Location: Mile 139.8 A.H.P., left bank, Mississippi River, Reserve. Datum: LWRP
Operator: Cargill, Inc. - NAGOC.
Owner: Cargill, Inc. - NAGOC.
Address: 2262 Hwy 44 (Jefferson Highway) Phone: 985/536-1531
Town: Reserve State: LA County: St John Baptist
Railway Connection: Trackage serving two loading racks, total capacity 12 cars, connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of vegetable oils.
Depth Alongside (feet): 50 - - | | 18 Latitude (decimal): 30.0525
Total Berthing Space (feet): 650 | | 195 Longitude (decimal): -90.58833

Waterway: **Mississippi River** Mile: 139.8 PWD: 240
Name: **Cargill, Inc.- NAGOC, Reserve Oilseed Wharf.**
Port: South Louisiana
Location: Mile 139.8 A.H.P., left bank, Mississippi River, Reserve. Datum: LWRP
Operator: Cargill, Inc. - NAGOC.
Owner: Cargill, Inc. - NAGOC.
Address: 2262 Hwy 44 (Jefferson Highway) Phone: 985/536-1531
Town: Reserve State: LA County: St John Baptist
Railway Connection: Trackage serving two loading racks, total capacity 12 cars, connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of vegetable oils.
Depth Alongside (feet): 50 - - | | 18 Latitude (decimal): 30.0525
Total Berthing Space (feet): 650 | | 195 Longitude (decimal): -90.58833

Remarks: Three 6-inch loading pipelines and two 6-inch unloading pipelines extend to 16 vegetable oil storage tanks, total capacity 17 million gallons. One 4-inch steam and one 6-inch compressed air lines also serve wharf. Facility is operated as a public storage terminal for liquid commodities.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20139 New Orleans District

Remarks: Three 6-inch loading pipelines and two 6-inch unloading pipelines extend to 16 vegetable oil storage tanks, total capacity 17 million gallons. One 4-inch steam and one 6-inch compressed air lines also serve wharf. Facility is operated as a public storage terminal for liquid commodities.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20139 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.0 PWD: 241
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**
Port: South Louisiana
Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Waterway: **Mississippi River** Mile: 140.0 PWD: 241
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**
Port: South Louisiana
Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Waterway: **Mississippi River** Mile: 140.0 PWD: 241
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**
Port: South Louisiana
Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.0 PWD: 241

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**

Port: South Louisiana

Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Marathon Ashland Petroleum, L.L.C.

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Hwy. 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.

Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667

Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.0 PWD: 241
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**
Port: South Louisiana
Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Waterway: **Mississippi River** Mile: 140.0 PWD: 241
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**
Port: South Louisiana
Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Waterway: **Mississippi River** Mile: 140.0 PWD: 241
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**
Port: South Louisiana
Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.0 PWD: 241

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**

Port: South Louisiana

Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Marathon Ashland Petroleum, L.L.C.

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Hwy. 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.

Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667

Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.0 PWD: 241
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**
Port: South Louisiana
Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Waterway: **Mississippi River** Mile: 140.0 PWD: 241
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**
Port: South Louisiana
Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Waterway: **Mississippi River** Mile: 140.0 PWD: 241
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**
Port: South Louisiana
Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.0 PWD: 241

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**

Port: South Louisiana

Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Marathon Ashland Petroleum, L.L.C.

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Hwy. 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.

Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667

Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.0 PWD: 241
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**
Port: South Louisiana
Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Waterway: **Mississippi River** Mile: 140.0 PWD: 241
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**
Port: South Louisiana
Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Waterway: **Mississippi River** Mile: 140.0 PWD: 241
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**
Port: South Louisiana
Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.0 PWD: 241

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 1**

Port: South Louisiana

Location: Mile 140.0 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Marathon Ashland Petroleum, L.L.C.

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Hwy. 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Receipt and shipment of crude oil, asphalt, and petroleum products; bunkering company-owned vessels.

Depth Alongside (feet): 45 | | Latitude (decimal): 30.051667

Total Berthing Space (feet): 1,100 | | Longitude (decimal): -90.59111

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch pipeline extends from wharf to 9 crude oil storage tanks, total capacity 4,500,000 barrels. One 24-inch pipeline extends to 2 asphalt storage tanks, total capacity 600,000 barrels, and one 24-inch kerosene and one 18-inch bunker fuel pipelines extend to 11 storage tanks, total capacity 4,060,000 barrels. One 20-inch pipeline extends to one 55,000-barrel ballast tank and one 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.2 PWD: 242
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**
Port: South Louisiana
Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Waterway: **Mississippi River** Mile: 140.2 PWD: 242
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**
Port: South Louisiana
Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Waterway: **Mississippi River** Mile: 140.2 PWD: 242
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**
Port: South Louisiana
Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.2 PWD: 242

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**

Port: South Louisiana

Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Marathon Ashland Petroleum, L.L.C.

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Hwy. 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.

Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278

Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.2 PWD: 242
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**
Port: South Louisiana
Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Waterway: **Mississippi River** Mile: 140.2 PWD: 242
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**
Port: South Louisiana
Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Waterway: **Mississippi River** Mile: 140.2 PWD: 242
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**
Port: South Louisiana
Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.2 PWD: 242

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**

Port: South Louisiana

Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Marathon Ashland Petroleum, L.L.C.

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Hwy. 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.

Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278

Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.2 PWD: 242
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**
Port: South Louisiana
Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Waterway: **Mississippi River** Mile: 140.2 PWD: 242
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**
Port: South Louisiana
Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Waterway: **Mississippi River** Mile: 140.2 PWD: 242
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**
Port: South Louisiana
Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.2 PWD: 242

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**

Port: South Louisiana

Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Marathon Ashland Petroleum, L.L.C.

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Hwy. 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.

Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278

Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.2 PWD: 242
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**
Port: South Louisiana
Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Waterway: **Mississippi River** Mile: 140.2 PWD: 242
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**
Port: South Louisiana
Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Waterway: **Mississippi River** Mile: 140.2 PWD: 242
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**
Port: South Louisiana
Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.2 PWD: 242

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 2**

Port: South Louisiana

Location: Mile 140.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Marathon Ashland Petroleum, L.L.C.

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Hwy. 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Receipt and shipment of crude oil, asphalt, liquefied petroleum gas, and petroleum products; bunkering company-owned vessels.

Depth Alongside (feet): 45 | | Latitude (decimal): 30.050278

Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.59417

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: One 36-inch crude oil, one 24-inch asphalt, one 24-inch kerosene, one 18-inch bunker fuel, and one 20-inch ballast pipelines extend from wharf to appropriate tankage described under Dock No. 1 (Ref. No. 241). One 12-inch pipeline extends to one 25,000-barrel, liquefied petroleum gas storage sphere. One 12-inch pipeline extends to one 500-gallon slops tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.4 PWD: 299
Name: **St. John Fleeting, West Bank Fleet.**
Port: South Louisiana
Location: Mile 141.3-139.4 A.H.P., right bank, Mississippi River, Edgard. Datum: LWRP
Operator: St. John Fleeting, L.L.C.
Owner: St. John Fleeting, L.L.C.
Address: - Phone: 985/535-2046
Town: Edgard State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 5 - 30 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 10000 | | Longitude (decimal): -90.58861

Waterway: **Mississippi River** Mile: 140.4 PWD: 299
Name: **St. John Fleeting, West Bank Fleet.**
Port: South Louisiana
Location: Mile 141.3-139.4 A.H.P., right bank, Mississippi River, Edgard. Datum: LWRP
Operator: St. John Fleeting, L.L.C.
Owner: St. John Fleeting, L.L.C.
Address: - Phone: 985/535-2046
Town: Edgard State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 5 - 30 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 10000 | | Longitude (decimal): -90.58861

Remarks: Fleet is operated from office barge at Garyville Fleet (Ref. No. 245). Fleeting area has capacity for 190 barges in 8 block: Block No. 1 with 9 barges in 3 tiers, each 6 barges wide; Block No. 2 with 20 barges in 4 tiers, each 5 barges wide; Block No. 3 with 21 barges in 3 tiers, each 7 barges wide; Block No. 4 with 28 barges in 4 tiers, each 7 barges wide; Block No. 5 with 42 barges in 6 tiers each 7 barges wide; Block 6 with 28 barges in 4 tiers, each 7 bargeswide; Blocks Nos. 7 and 8 with 21 barges in 3 tiers, 7 barges wide, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20141 New Orleans District

Remarks: Fleet is operated from office barge at Garyville Fleet (Ref. No. 245). Fleeting area has capacity for 190 barges in 8 block: Block No. 1 with 9 barges in 3 tiers, each 6 barges wide; Block No. 2 with 20 barges in 4 tiers, each 5 barges wide; Block No. 3 with 21 barges in 3 tiers, each 7 barges wide; Block No. 4 with 28 barges in 4 tiers, each 7 barges wide; Block No. 5 with 42 barges in 6 tiers each 7 barges wide; Block 6 with 28 barges in 4 tiers, each 7 bargeswide; Blocks Nos. 7 and 8 with 21 barges in 3 tiers, 7 barges wide, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20141 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.4 PWD: 299
Name: **St. John Fleeting, West Bank Fleet.**
Port: South Louisiana
Location: Mile 141.3-139.4 A.H.P., right bank, Mississippi River, Edgard. Datum: LWRP
Operator: St. John Fleeting, L.L.C.
Owner: St. John Fleeting, L.L.C.
Address: - Phone: 985/535-2046
Town: Edgard State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 5 - 30 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 10000 | | Longitude (decimal): -90.58861

Waterway: **Mississippi River** Mile: 140.4 PWD: 299
Name: **St. John Fleeting, West Bank Fleet.**
Port: South Louisiana
Location: Mile 141.3-139.4 A.H.P., right bank, Mississippi River, Edgard. Datum: LWRP
Operator: St. John Fleeting, L.L.C.
Owner: St. John Fleeting, L.L.C.
Address: - Phone: 985/535-2046
Town: Edgard State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 5 - 30 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 10000 | | Longitude (decimal): -90.58861

Remarks: Fleet is operated from office barge at Garyville Fleet (Ref. No. 245). Fleeting area has capacity for 190 barges in 8 block: Block No. 1 with 9 barges in 3 tiers, each 6 barges wide; Block No. 2 with 20 barges in 4 tiers, each 5 barges wide; Block No. 3 with 21 barges in 3 tiers, each 7 barges wide; Block No. 4 with 28 barges in 4 tiers, each 7 barges wide; Block No. 5 with 42 barges in 6 tiers each 7 barges wide; Block 6 with 28 barges in 4 tiers, each 7 bargeswide; Blocks Nos. 7 and 8 with 21 barges in 3 tiers, 7 barges wide, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20141 New Orleans District

Remarks: Fleet is operated from office barge at Garyville Fleet (Ref. No. 245). Fleeting area has capacity for 190 barges in 8 block: Block No. 1 with 9 barges in 3 tiers, each 6 barges wide; Block No. 2 with 20 barges in 4 tiers, each 5 barges wide; Block No. 3 with 21 barges in 3 tiers, each 7 barges wide; Block No. 4 with 28 barges in 4 tiers, each 7 barges wide; Block No. 5 with 42 barges in 6 tiers each 7 barges wide; Block 6 with 28 barges in 4 tiers, each 7 bargeswide; Blocks Nos. 7 and 8 with 21 barges in 3 tiers, 7 barges wide, each.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20141 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.5 PWD: 243
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**
Port: South Louisiana
Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.
Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333
Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Waterway: **Mississippi River** Mile: 140.5 PWD: 243
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**
Port: South Louisiana
Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.
Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333
Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Waterway: **Mississippi River** Mile: 140.5 PWD: 243
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**
Port: South Louisiana
Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.
Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333
Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.5 PWD: 243

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**

Port: South Louisiana

Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Marathon Ashland Petroleum, L.L.C.

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Hwy. 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.

Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333

Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.5 PWD: 243
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**
Port: South Louisiana
Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.
Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333
Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Waterway: **Mississippi River** Mile: 140.5 PWD: 243
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**
Port: South Louisiana
Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.
Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333
Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Waterway: **Mississippi River** Mile: 140.5 PWD: 243
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**
Port: South Louisiana
Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.
Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333
Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.5 PWD: 243

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**

Port: South Louisiana

Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Marathon Ashland Petroleum, L.L.C.

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Hwy. 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.

Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333

Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.5 PWD: 243
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**
Port: South Louisiana
Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.
Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333
Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Waterway: **Mississippi River** Mile: 140.5 PWD: 243
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**
Port: South Louisiana
Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.
Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333
Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Waterway: **Mississippi River** Mile: 140.5 PWD: 243
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**
Port: South Louisiana
Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.
Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333
Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.5 PWD: 243

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**

Port: South Louisiana

Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Marathon Ashland Petroleum, L.L.C.

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Hwy. 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.

Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333

Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.5 PWD: 243
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**
Port: South Louisiana
Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.
Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333
Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Waterway: **Mississippi River** Mile: 140.5 PWD: 243
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**
Port: South Louisiana
Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.
Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333
Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Waterway: **Mississippi River** Mile: 140.5 PWD: 243
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**
Port: South Louisiana
Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Marathon Ashland Petroleum, L.L.C.
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Hwy. 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.
Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333
Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.5 PWD: 243

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 3**

Port: South Louisiana

Location: Mile 140.5 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Marathon Ashland Petroleum, L.L.C.

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Hwy. 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Receipt and shipment of liquefied petroleum gas and petroleum products by barge.

Depth Alongside (feet): 35 | 30 | 20 Latitude (decimal): 30.048333

Total Berthing Space (feet): 1,200 | 300 | 700 Longitude (decimal): -90.59806

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Three 24- and one 14-inch petroleum products and one 12-inch liquefied petroleum gas pipelines extend from wharf to appropriate tankage described under Docks Nos. 1 and 2 (Ref. Nos. 241 and 242). Four-inch slop and compressed air lines also serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.6 PWD: 244
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**
Port: South Louisiana
Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Aimcor
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Highway 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Waterway: **Mississippi River** Mile: 140.6 PWD: 244
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**
Port: South Louisiana
Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Aimcor
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Highway 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Waterway: **Mississippi River** Mile: 140.6 PWD: 244
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**
Port: South Louisiana
Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Aimcor
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Highway 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.6 PWD: 244

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**

Port: South Louisiana

Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Aimcor

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Highway 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Shipment of petroleum coke.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667

Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.6 PWD: 244
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**
Port: South Louisiana
Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Aimcor
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Highway 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Waterway: **Mississippi River** Mile: 140.6 PWD: 244
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**
Port: South Louisiana
Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Aimcor
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Highway 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Waterway: **Mississippi River** Mile: 140.6 PWD: 244
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**
Port: South Louisiana
Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Aimcor
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Highway 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.6 PWD: 244

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**

Port: South Louisiana

Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Aimcor

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Highway 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Shipment of petroleum coke.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667

Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.6 PWD: 244
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**
Port: South Louisiana
Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Aimcor
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Highway 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Waterway: **Mississippi River** Mile: 140.6 PWD: 244
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**
Port: South Louisiana
Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Aimcor
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Highway 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Waterway: **Mississippi River** Mile: 140.6 PWD: 244
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**
Port: South Louisiana
Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Aimcor
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Highway 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.6 PWD: 244

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**

Port: South Louisiana

Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Aimcor

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Highway 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Shipment of petroleum coke.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667

Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.6 PWD: 244
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**
Port: South Louisiana
Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Aimcor
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Highway 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Waterway: **Mississippi River** Mile: 140.6 PWD: 244
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**
Port: South Louisiana
Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Aimcor
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Highway 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Waterway: **Mississippi River** Mile: 140.6 PWD: 244
Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**
Port: South Louisiana
Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: Aimcor
Owner: Marathon Ashland Petroleum, L.L.C.
Address: Highway 44, Garyville Phone: 985/535-7506
Town: Garyville State: LA County: St John Baptist
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 140.6 PWD: 244

Name: **Marathon Ashland Petroleum, Louisiana Refining Division Dock No. 4**

Port: South Louisiana

Location: Mile 140.6 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP

Operator: Aimcor

Owner: Marathon Ashland Petroleum, L.L.C.

Address: Highway 44, Garyville Phone: 985/535-7506

Town: Garyville State: LA County: St John Baptist

Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Shipment of petroleum coke.

Depth Alongside (feet): 35 | | Latitude (decimal): 30.046667

Total Berthing Space (feet): 640 | | Longitude (decimal): -90.60278

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Remarks: Truss has steel-mesh walkway and roadway at lower level and conveyor belt on top. Barges are winched along face of floats during loading operation. Plans called for establishment of a barge fleeting area at Mile 154 to accomodate up to 392 barges in 49 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20140 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 141.7 PWD: 245
Name: **St. John Fleeting, Repair Wharves and Garyville Fleet.**
Port: South Louisiana
Location: Mile 140.9 - 142.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: St. John Fleeting, L.L.C.
Owner: St. John Fleeting, L.L.C..
Address: Hwy. 44, Garyville Phone: 985/535-2046
Town: Garyville State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring grain barges for fleeting, cleaning and repair; mooring floating drydock.
Depth Alongside (feet): 5 | 5 | Latitude (decimal): 30.037222
Total Berthing Space (feet): 200 | 360 | 780 Longitude (decimal): -90.61472

Waterway: **Mississippi River** Mile: 141.7 PWD: 245
Name: **St. John Fleeting, Repair Wharves and Garyville Fleet.**
Port: South Louisiana
Location: Mile 140.9 - 142.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: St. John Fleeting, L.L.C.
Owner: St. John Fleeting, L.L.C..
Address: Hwy. 44, Garyville Phone: 985/535-2046
Town: Garyville State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring grain barges for fleeting, cleaning and repair; mooring floating drydock.
Depth Alongside (feet): 5 | 5 | Latitude (decimal): 30.037222
Total Berthing Space (feet): 200 | 360 | 780 Longitude (decimal): -90.61472

Remarks: One 268-long-ton floating drydock and up to 20 barges in 3 tiers moor at repair wharves. Fleeting area has capacity for 180 barges in three blocks: 60 in Block 1E in 15 tiers, each 4 barges wide; 75 in Block 2E in 15 tiers, each 5 barges wide; and 45 in Block 3E in 15 tiers, each 3 barges wide.□□River Marine Management, Inc.: Moors three pushboats alongside when not inservice.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20141 New Orleans District

Remarks: One 268-long-ton floating drydock and up to 20 barges in 3 tiers moor at repair wharves. Fleeting area has capacity for 180 barges in three blocks: 60 in Block 1E in 15 tiers, each 4 barges wide; 75 in Block 2E in 15 tiers, each 5 barges wide; and 45 in Block 3E in 15 tiers, each 3 barges wide.□□River Marine Management, Inc.: Moors three pushboats alongside when not inservice.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20141 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 141.7 PWD: 245
Name: **St. John Fleeting, Repair Wharves and Garyville Fleet.**
Port: South Louisiana
Location: Mile 140.9 - 142.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: St. John Fleeting, L.L.C.
Owner: St. John Fleeting, L.L.C..
Address: Hwy. 44, Garyville Phone: 985/535-2046
Town: Garyville State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring grain barges for fleeting, cleaning and repair; mooring floating drydock.
Depth Alongside (feet): 5 | 5 | Latitude (decimal): 30.037222
Total Berthing Space (feet): 200 | 360 | 780 Longitude (decimal): -90.61472

Waterway: **Mississippi River** Mile: 141.7 PWD: 245
Name: **St. John Fleeting, Repair Wharves and Garyville Fleet.**
Port: South Louisiana
Location: Mile 140.9 - 142.2 A.H.P., left bank, Mississippi River, Garyville. Datum: LWRP
Operator: St. John Fleeting, L.L.C.
Owner: St. John Fleeting, L.L.C..
Address: Hwy. 44, Garyville Phone: 985/535-2046
Town: Garyville State: LA County: St John Baptist
Railway Connection: None.
Purpose: Mooring grain barges for fleeting, cleaning and repair; mooring floating drydock.
Depth Alongside (feet): 5 | 5 | Latitude (decimal): 30.037222
Total Berthing Space (feet): 200 | 360 | 780 Longitude (decimal): -90.61472

Remarks: One 268-long-ton floating drydock and up to 20 barges in 3 tiers moor at repair wharves. Fleeting area has capacity for 180 barges in three blocks: 60 in Block 1E in 15 tiers, each 4 barges wide; 75 in Block 2E in 15 tiers, each 5 barges wide; and 45 in Block 3E in 15 tiers, each 3 barges wide.□□River Marine Management, Inc.: Moors three pushboats alongside when not inservice.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20141 New Orleans District

Remarks: One 268-long-ton floating drydock and up to 20 barges in 3 tiers moor at repair wharves. Fleeting area has capacity for 180 barges in three blocks: 60 in Block 1E in 15 tiers, each 4 barges wide; 75 in Block 2E in 15 tiers, each 5 barges wide; and 45 in Block 3E in 15 tiers, each 3 barges wide.□□River Marine Management, Inc.: Moors three pushboats alongside when not inservice.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20141 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 144.2 PWD: 298
Name: **Cargo Carriers, Terra Haute Landing and Upper Terre Haute Fleet Mo**
Port: South Louisiana
Location: Mile 144.6-143.1 A.H.P., right bank, Mississippi River, Willow Grove. Datum: LWRP
Operator: Cargo Carriers, Inc., a division of Cargill Marine and Terminal, Inc.
Owner: Cargo Carriers, Inc., a division of Cargill Marine and Terminal, Inc.
Address: Louisiana State Highway 18 Phone: 985/536-7172
Town: Willow Grove State: LA County: St.John Baptist
Railway Connection: None.
Purpose: Mooring company-owned vessels; mooring barges for fleeting.
Depth Alongside (feet): 5 - 10 | 5 - 10 | Latitude (decimal): 30.044722
Total Berthing Space (feet): 200 | 7,900 | Longitude (decimal): -90.64639
Remarks: Landing barge has shop and storage building on deck. Fleeting area has capacity for 192 barges in 4 blocks, each 6 barges long by 8 barges wide. Fleet is operated from office at Cargill, Terre Haute Grain Elevator (Ref. No. 239).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20144 New Orleans District

---

Waterway: **Mississippi River** Mile: 144.5 PWD: 246
Name: **Petroleum Fuel & Terminal Co., Mt. Airy Terminal Wharf**
Port: South Louisiana
Location: Mile 144.5 A.H.P., left bank, Mississippi River, Mt. Airy Datum: LWRP
Operator: Petroleum Fuel & Terminal Co., subsidiary of Apex Oil Co..
Owner: Petroleum Fuel & Terminal Co., subsidiary of Apex Oil Co..
Address: 4084 Hwy. 44, Mt. Airy Phone: 985/535-6256
Town: Mt. Airy State: LA County: St John Baptist
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products by barge and vessel.
Depth Alongside (feet): 50 | 8 | 8 - 40 Latitude (decimal): 30.052778
Total Berthing Space (feet): 900 | 200 | 275 Longitude (decimal): -90.64944
Remarks: Idle barges moor at rear of face of loading platforms and at face and rear of 2 lower mooring dolphins. Two 12-, one 10-, and two 8-inch pipelines extend from wharf to 28 storage tanks at terminal in rear, total capacity 1,784,000 barrels. One 8-inch ballast water pipeline extends from wharf to one 2,100,000-gallon storage tank.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20144 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 144.9 PWD: 247

Name: **Kinder Morgan Bulk Terminals, Gramercy Bulk Terminal Wharf.**

Port: South Louisiana

Location: Mile 144.9 A.H.P., left bank, Mississippi River, Mt. Airy Datum: LWRP

Operator: Kinder Morgan Enegy Partners, L.P.

Owner: Kaiser Aluminum and Chemical Corp.

Address: 4306 Hwy. 44, Mt. Airy Phone: 985/535-2165

Town: Mt. Airy State: LA County: St John Baptist

Railway Connection: Three surface tracks, total capacity 28 cars, serve receiving pit; connect with Canadian National, Illinois Central Railroad.

Purpose: Shipment of calcined alumina by barge.

Depth Alongside (feet): 14 | | Latitude (decimal): 30.053333

Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.65611

Remarks: Wharf can handle 8 barges arranged in 4 tiers, each 2 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20144 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 145.1 PWD: 248
Name: **Kaiser Aluminum Corp., Gramercy Plant Chemical Dock**
Port: South Louisiana
Location: Mile 145.1 A.H.P., left bank, Mississippi River, Mt. Airy Datum: LWRP
Operator: Kaiser Aluminum Corp., Gramercy Business Unit.
Owner: Kaiser Aluminum Corp., Gramercy Business Unit.
Address: Hwy. 44, Mt. Airy Phone: 225/869-2506
Town: Mt. Airy State: LA County: St John Baptist
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of sulfuric acid by barge.
Depth Alongside (feet): 13 | | Latitude (decimal): 30.053333
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.65889

Waterway: **Mississippi River** Mile: 145.1 PWD: 248
Name: **Kaiser Aluminum Corp., Gramercy Plant Chemical Dock**
Port: South Louisiana
Location: Mile 145.1 A.H.P., left bank, Mississippi River, Mt. Airy Datum: LWRP
Operator: Kaiser Aluminum Corp., Gramercy Business Unit.
Owner: Kaiser Aluminum Corp., Gramercy Business Unit.
Address: Hwy. 44, Mt. Airy Phone: 225/869-2506
Town: Mt. Airy State: LA County: St John Baptist
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of sulfuric acid by barge.
Depth Alongside (feet): 13 | | Latitude (decimal): 30.053333
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.65889

Remarks: One 4- becoming 6-inch, sulfuric acid pipeline extends from wharf to one 395,000-gallon, steel storage tank. One 6-inch compressed air line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20145 New Orleans District

Remarks: One 4- becoming 6-inch, sulfuric acid pipeline extends from wharf to one 395,000-gallon, steel storage tank. One 6-inch compressed air line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20145 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 145.1 PWD: 248
Name: **Kaiser Aluminum Corp., Gramercy Plant Chemical Dock**
Port: South Louisiana
Location: Mile 145.1 A.H.P., left bank, Mississippi River, Mt. Airy Datum: LWRP
Operator: Kaiser Aluminum Corp., Gramercy Business Unit.
Owner: Kaiser Aluminum Corp., Gramercy Business Unit.
Address: Hwy. 44, Mt. Airy Phone: 225/869-2506
Town: Mt. Airy State: LA County: St John Baptist
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of sulfuric acid by barge.
Depth Alongside (feet): 13 | | Latitude (decimal): 30.053333
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.65889

Waterway: **Mississippi River** Mile: 145.1 PWD: 248
Name: **Kaiser Aluminum Corp., Gramercy Plant Chemical Dock**
Port: South Louisiana
Location: Mile 145.1 A.H.P., left bank, Mississippi River, Mt. Airy Datum: LWRP
Operator: Kaiser Aluminum Corp., Gramercy Business Unit.
Owner: Kaiser Aluminum Corp., Gramercy Business Unit.
Address: Hwy. 44, Mt. Airy Phone: 225/869-2506
Town: Mt. Airy State: LA County: St John Baptist
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of sulfuric acid by barge.
Depth Alongside (feet): 13 | | Latitude (decimal): 30.053333
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.65889

Remarks: One 4- becoming 6-inch, sulfuric acid pipeline extends from wharf to one 395,000-gallon, steel storage tank. One 6-inch compressed air line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20145 New Orleans District

Remarks: One 4- becoming 6-inch, sulfuric acid pipeline extends from wharf to one 395,000-gallon, steel storage tank. One 6-inch compressed air line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20145 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 145.4 PWD: 249
Name: **Kaiser Aluminum Corp., Gramercy Plant Bauxite Dock.**
Port: South Louisiana
Location: Mile 145.4 A.H.P., left bank, Mississippi River, Gramercy Datum: LWRP
Operator: Kaiser Aluminum Corp., Gramercy Business Unit.
Owner: Kaiser Aluminum Corp., Gramercy Business Unit.
Address: Hwy. 44, Gramercy Phone: 225/869-2506
Town: Gramercy State: LA County: St. James
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of bauxite by vessel: shipment of liquid caustic soda by vessel and barge.
Depth Alongside (feet): 40 | | 25 Latitude (decimal): 30.051944
Total Berthing Space (feet): 760 | | 200 Longitude (decimal): -90.66389

Waterway: **Mississippi River** Mile: 145.4 PWD: 249
Name: **Kaiser Aluminum Corp., Gramercy Plant Bauxite Dock.**
Port: South Louisiana
Location: Mile 145.4 A.H.P., left bank, Mississippi River, Gramercy Datum: LWRP
Operator: Kaiser Aluminum Corp., Gramercy Business Unit.
Owner: Kaiser Aluminum Corp., Gramercy Business Unit.
Address: Hwy. 44, Gramercy Phone: 225/869-2506
Town: Gramercy State: LA County: St. James
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of bauxite by vessel: shipment of liquid caustic soda by vessel and barge.
Depth Alongside (feet): 40 | | 25 Latitude (decimal): 30.051944
Total Berthing Space (feet): 760 | | 200 Longitude (decimal): -90.66389

Remarks: Metal-covered, concrete-floored storage building at plant in rear has capacity for 250,000 tons of bauxite. Two 36-inch, electric belt conveyors in floor extend to plant. One 10-inch and one 8-inch connection becoming one 8-inch pipeline extends from wharf to two caustic soda storage tanks, total capacity 5,985,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20145 New Orleans District

Remarks: Metal-covered, concrete-floored storage building at plant in rear has capacity for 250,000 tons of bauxite. Two 36-inch, electric belt conveyors in floor extend to plant. One 10-inch and one 8-inch connection becoming one 8-inch pipeline extends from wharf to two caustic soda storage tanks, total capacity 5,985,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20145 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 145.4 PWD: 249
Name: **Kaiser Aluminum Corp., Gramercy Plant Bauxite Dock.**
Port: South Louisiana
Location: Mile 145.4 A.H.P., left bank, Mississippi River, Gramercy Datum: LWRP
Operator: Kaiser Aluminum Corp., Gramercy Business Unit.
Owner: Kaiser Aluminum Corp., Gramercy Business Unit.
Address: Hwy. 44, Gramercy Phone: 225/869-2506
Town: Gramercy State: LA County: St. James
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of bauxite by vessel: shipment of liquid caustic soda by vessel and barge.
Depth Alongside (feet): 40 | | 25 Latitude (decimal): 30.051944
Total Berthing Space (feet): 760 | | 200 Longitude (decimal): -90.66389

Waterway: **Mississippi River** Mile: 145.4 PWD: 249
Name: **Kaiser Aluminum Corp., Gramercy Plant Bauxite Dock.**
Port: South Louisiana
Location: Mile 145.4 A.H.P., left bank, Mississippi River, Gramercy Datum: LWRP
Operator: Kaiser Aluminum Corp., Gramercy Business Unit.
Owner: Kaiser Aluminum Corp., Gramercy Business Unit.
Address: Hwy. 44, Gramercy Phone: 225/869-2506
Town: Gramercy State: LA County: St. James
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of bauxite by vessel: shipment of liquid caustic soda by vessel and barge.
Depth Alongside (feet): 40 | | 25 Latitude (decimal): 30.051944
Total Berthing Space (feet): 760 | | 200 Longitude (decimal): -90.66389

Remarks: Metal-covered, concrete-floored storage building at plant in rear has capacity for 250,000 tons of bauxite. Two 36-inch, electric belt conveyors in floor extend to plant. One 10-inch and one 8-inch connection becoming one 8-inch pipeline extends from wharf to two caustic soda storage tanks, total capacity 5,985,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20145 New Orleans District

Remarks: Metal-covered, concrete-floored storage building at plant in rear has capacity for 250,000 tons of bauxite. Two 36-inch, electric belt conveyors in floor extend to plant. One 10-inch and one 8-inch connection becoming one 8-inch pipeline extends from wharf to two caustic soda storage tanks, total capacity 5,985,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20145 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 145.7 PWD: 250

Name: **CII-Carbon, Gramercy Plant Coke Dock.**

Port: South Louisiana

Location: Mile 145.7 A.H.P., left bank, Mississippi River, Gramercy Datum: LWRP

Operator: Johnston's of Gramercy.

Owner: CII-Carbon, L.L.C., a division of Calciner Industries, Inc.

Address: Hwy. 44, Gramercy Phone: 504/278-1085 E

Town: Gramercy State: LA County: St. James

Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.

Purpose: Receipt of petroleum coke by barge; shipment of calcined coke by vessel.

Depth Alongside (feet): 42 | | Latitude (decimal): 30.050833

Total Berthing Space (feet): 1,165 | | Longitude (decimal): -90.66778

Remarks: Open storage area at plant in rear has capacity for 150,000 tons of raw coke; one metal-covered storage building with concrete walls and one concrete storage dome has total capacity for 60,000 tons of calcined coke. Three 6- to 8-cubic- yard, diesel, front-end loaders are used for reclaiming coke from storage buildings.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20146 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 145.9 PWD: 251
Name: **Imperial Sugar, Refined Sugar Dock.**
Port: South Louisiana
Location: Mile 145.9 A.H.P., left bank, Mississippi River, Gramercy Datum: LWRP
Operator: Not operated
Owner: Imperial Sugar Co.
Address: 1230 South Fifth Avenue Phone: 504/869-5521
Town: Gramercy State: LA County: St. James
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.047222
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.67556

Waterway: **Mississippi River** Mile: 145.9 PWD: 251
Name: **Imperial Sugar, Refined Sugar Dock.**
Port: South Louisiana
Location: Mile 145.9 A.H.P., left bank, Mississippi River, Gramercy Datum: LWRP
Operator: Not operated
Owner: Imperial Sugar Co.
Address: 1230 South Fifth Avenue Phone: 504/869-5521
Town: Gramercy State: LA County: St. James
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.047222
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.67556
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20146 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20146 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 145.9 PWD: 251
Name: **Imperial Sugar, Refined Sugar Dock.**
Port: South Louisiana
Location: Mile 145.9 A.H.P., left bank, Mississippi River, Gramercy Datum: LWRP
Operator: Not operated
Owner: Imperial Sugar Co.
Address: 1230 South Fifth Avenue Phone: 504/869-5521
Town: Gramercy State: LA County: St. James
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.047222
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.67556

Waterway: **Mississippi River** Mile: 145.9 PWD: 251
Name: **Imperial Sugar, Refined Sugar Dock.**
Port: South Louisiana
Location: Mile 145.9 A.H.P., left bank, Mississippi River, Gramercy Datum: LWRP
Operator: Not operated
Owner: Imperial Sugar Co.
Address: 1230 South Fifth Avenue Phone: 504/869-5521
Town: Gramercy State: LA County: St. James
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.047222
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.67556
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20146 New Orleans District

Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20146 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 146.1 PWD: 252
Name: **Imperial Sugar, Molasses Dock.**
Port: South Louisiana
Location: Mile 146.1 A.H.P., left bank, Mississippi River, Gramercy. Datum: LWRP
Operator: Imperial Sugar Co.
Owner: Imperial Sugar Co.
Address: 1230 South Fifth Avenue Phone: 504/869-5521
Town: Gramercy State: LA County: St. James
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of molasses by vessel and barge; occasional shipment of molasses by barge.
Depth Alongside (feet): 45 | | 35 Latitude (decimal): 30.045833
Total Berthing Space (feet): 800 | | 300 Longitude (decimal): -90.67778

Waterway: **Mississippi River** Mile: 146.1 PWD: 252
Name: **Imperial Sugar, Molasses Dock.**
Port: South Louisiana
Location: Mile 146.1 A.H.P., left bank, Mississippi River, Gramercy. Datum: LWRP
Operator: Imperial Sugar Co.
Owner: Imperial Sugar Co.
Address: 1230 South Fifth Avenue Phone: 504/869-5521
Town: Gramercy State: LA County: St. James
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of molasses by vessel and barge; occasional shipment of molasses by barge.
Depth Alongside (feet): 45 | | 35 Latitude (decimal): 30.045833
Total Berthing Space (feet): 800 | | 300 Longitude (decimal): -90.67778

Remarks: One 10-inch pipeline extends to wharf from three steel storage tanks in plant, total capacity 2.5 million gallons. Plant water intake is located at wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20146 New Orleans District

Remarks: One 10-inch pipeline extends to wharf from three steel storage tanks in plant, total capacity 2.5 million gallons. Plant water intake is located at wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20146 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 146.1 PWD: 252
Name: **Imperial Sugar, Molasses Dock.**
Port: South Louisiana
Location: Mile 146.1 A.H.P., left bank, Mississippi River, Gramercy. Datum: LWRP
Operator: Imperial Sugar Co.
Owner: Imperial Sugar Co.
Address: 1230 South Fifth Avenue Phone: 504/869-5521
Town: Gramercy State: LA County: St. James
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of molasses by vessel and barge; occasional shipment of molasses by barge.
Depth Alongside (feet): 45 | | 35 Latitude (decimal): 30.045833
Total Berthing Space (feet): 800 | | 300 Longitude (decimal): -90.67778

Waterway: **Mississippi River** Mile: 146.1 PWD: 252
Name: **Imperial Sugar, Molasses Dock.**
Port: South Louisiana
Location: Mile 146.1 A.H.P., left bank, Mississippi River, Gramercy. Datum: LWRP
Operator: Imperial Sugar Co.
Owner: Imperial Sugar Co.
Address: 1230 South Fifth Avenue Phone: 504/869-5521
Town: Gramercy State: LA County: St. James
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Lines.
Purpose: Receipt of molasses by vessel and barge; occasional shipment of molasses by barge.
Depth Alongside (feet): 45 | | 35 Latitude (decimal): 30.045833
Total Berthing Space (feet): 800 | | 300 Longitude (decimal): -90.67778
Remarks: One 10-inch pipeline extends to wharf from three steel storage tanks in plant, total capacity 2.5 million gallons. Plant water intake is located at wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20146 New Orleans District

Remarks: One 10-inch pipeline extends to wharf from three steel storage tanks in plant, total capacity 2.5 million gallons. Plant water intake is located at wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20146 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 146.2 PWD: 297
Name: **Bell Chasse Marine Transportation, Grandview Launch.**
Port: South Louisiana
Location: Mile 146.2 A.H.P., right bank, Mississippi River, Vacherie Datum: LWRP
Operator: Belle Chasse Marine Transportation, Inc.
Owner: Belle Chasse Marine Transportation, Inc.
Address: Louisiana State Highway 18 Phone: 504/837-3125
Town: Vacherie State: LA County: St. James
Railway Connection: None.
Purpose: Landing for water taxis and passengers; handling supplies; fueling company-owned equipment.
Depth Alongside (feet): 16 | 16 | Latitude (decimal): 30.038611
Total Berthing Space (feet): 140 | 30 + | Longitude (decimal): -90.67806
Remarks: Diesel fuel tank at bulkhead for fueling company-owned vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20146 New Orleans District

---

Waterway: **Mississippi River** Mile: 147.4 PWD: 253
Name: **River Parishes Co., Mooring.**
Port: South Louisiana
Location: Mile 147.4 A.H.P., left bank, Mississippi River, Lutcher. Datum: LWRP
Operator: River Parishes Co., Inc.
Owner: River Parishes Co., Inc.
Address: 2095 Highway 44, Lutcher Phone: 225/869-3133
Town: Lutcher State: LA County: St. James
Railway Connection: None.
Purpose: Mooring for company-owned tugs, crew boats, and water barge.
Depth Alongside (feet): 15 | 30 | Latitude (decimal): 30.035556
Total Berthing Space (feet): 36 | 195 | Longitude (decimal): -90.69528
Remarks: Dispatch office is located at 802 Railroad Avenue, approximately 1/2 mile inland. Port Ship Services, Inc. moors crewboats and supply vessels serving ships at anchor at lower end of crane barge.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20147 New Orleans District

---

Waterway: **Mississippi River** Mile: 148.2 PWD: 254
Name: **Crescent Ship Service, Grandview Anchorage Landing.**
Port: South Louisiana
Location: Mile 148.2 A.H.P., left bank, Mississippi River, Paulina. Datum: LWRP
Operator: Crescent Ship Service, Inc.
Owner: R. E. Roussel Contractors, Inc.
Address: 2389 Highway 44, Paulina Phone: 504/277-8956
Town: Paulina State: LA County: St. James
Railway Connection: None.
Purpose: Landing for ship service launches; mooring small vessels; handling miscellaneous marine supplies.
Depth Alongside (feet): 6 | | Latitude (decimal): 30.03
Total Berthing Space (feet): 127 | | Longitude (decimal): -90.70444
Remarks: Operator fuels own vessels from a 5,000-gallon, diesel fuel storage tank on wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20148 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 148.2 PWD: 255
Name: **Roussel Landing.**
Port: South Louisiana
Location: Mile 148.2 A.H.P., left bank, Mississippi River, Paulina. Datum: LWRP
Operator: Not operated.
Owner: R. E. Roussel Contractors, Inc.
Address: 3131 Highway 44, Paulina Phone: ----------
Town: Paulina State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 0 - 6 | | Latitude (decimal): 30.029167
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.705
Remarks: Approximately one acre of open storage area is located on batture.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20148 New Orleans District

---

Waterway: **Mississippi River** Mile: 150.1 PWD: 256
Name: **John W. Stone Oil Distributor, Paulina Wharf.**
Port: South Louisiana
Location: Mile 150.1 A.H.P., left bank, Mississippi River, Paulina. Datum: LWRP
Operator: John W. Stone Oil Distributor, Inc.
Owner: John W. Stone Oil Distributor, Inc.
Address: 3131 Highway 44, Paulina Phone: 504/366-3401
Town: Paulina State: LA County: St. James
Railway Connection: None.
Purpose: Fueling towboats; loading barges for fueling and supplying towboats in midstream; mooring company-owned midstream fueling barges.
Depth Alongside (feet): 40 | | 30 Latitude (decimal): 30.016667
Total Berthing Space (feet): 375 | | 200 Longitude (decimal): -90.73056
Remarks: All fueling and loading operations are performed via tank truck. One 8-, one 6-, and three 4-inch pipelines, all unused, extend to wharf from opposite side of River Road. Midstream fueling barges 'S-20' and 'S-21' operate from wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20150 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 150.5 PWD: 257
Name: **Peavey Co., St. Elmo Terminal Grain Elevator Wharf.**
Port: South Louisiana
Location: Mile 150.5 A.H.P., left bank, Mississippi River, Paulina Datum: LWRP
Operator: Peavey Co., a subsidiary of ConAgra Foods, Inc.
Owner: Port of South Louisiana.
Address: 3338 Highway 44, Paulina. Phone: 225/869-4405 E
Town: Paulina State: LA County: St. James
Railway Connection: Seven surface tracks with storage capacity for 120 cars serve undertrack pit in car shed and connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of grain.

Depth Alongside (feet):	45	|	|	20	Latitude (decimal): 30.016944
Total Berthing Space (feet):	900	|	|	900	Longitude (decimal): -90.73528

Remarks: One 6-ton, traveling bridge hoist over lower end of barge slip removes hatch covers, placing them on a trailing deck barge; a similar hoist over upper end of barge slip replaces hatch covers on empty barges. One mast-and-boom derrick with 6-ton, electric traveling hoist for handling cleanout equipment and pneumatic cleanout system at rear of face also serve barges. Grain elevator at rear has capacity for 2,000,000 bushels. One 195- by 35-foot steel bargeanchored to shore 500 feet above wharf serves as temporary fleet mooring for 6 empty barges. Up to 12 loaded barges moor at 2 steel breasting dolphins 500 feet below wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20150 New Orleans District

---

Waterway: **Mississippi River** Mile: 151.0 PWD: 258
Name: **ARTCO Tulane Fleeting, Paulina Fleet Mooring.**
Port: South Louisiana
Location: Mile 150.8 - 151.5 A.H.P., left bank, Mississippi River, Paulina. Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Address: Highway 44 (Jefferson Highway) Phone: 504/431-1488
Town: Paulina State: LA County: St. James
Railway Connection: None.
Purpose: Mooring barges for fleeting.

Depth Alongside (feet):	5 - 12	|	5 - 12	|	Latitude (decimal): 30.018056
Total Berthing Space (feet):	860	|	1,750	|	Longitude (decimal): -90.74639

Remarks: Fleeting area has capacity for 50 to 60 barges in 10 tiers, each 5 or 6 barges wide. Fleet is operated from Tulane/Kenner Bend Fleet Landing (Ref. No. 321).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20151 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 152.1 PWD: 296
Name: **Lousiana Dock Co., Armant Repair Wharf and Fleet Mooring.**
Port: South Louisiana
Location: Mile 152.1 - 150.3 A.H.P., right bank, Mississippi River, Vacherie Datum: LWRP
Operator: Louisiana Dock Co., L.L.C.
Owner: Louisiana Dock Co, L.L.C.
Address: 3232 State Highway 18 Phone: 225/265-8191
Town: Vacherie State: LA County: St. James
Railway Connection: None.
Purpose: Mooring company-owned towboats; mooring barges for fleeting, repair, and cleaning; mooring floating drydocks.
Depth Alongside (feet): 8 - 20 | 8 - 20 | 8 - 20 Latitude (decimal): 30.011111
Total Berthing Space (feet): 6,400 | 1,200 | 1,200 Longitude (decimal): -90.74528
Remarks: Fleet office is on upper barge Two 1,500-long-ton floating drydocks and up to 64 barges in 8 tiers, each 8 barges wide, moor at repair and cleaning area along upper portion of wharf. Fleeting area has capacity for 250 barges in 22 tiers at lower portion of wharf, and in blocks of 6 tiers, each 7 or 8 barges wide, at upper and at lower mooring.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20152 New Orleans District

---

Waterway: **Mississippi River** Mile: 152.7 PWD: 295
Name: **ARTCO Tulane Fleeting, Oak Alley Fleet Mooring.**
Port: South Louisiana
Location: Mile 152.9 - 152.1 A.H.P., right bank, Mississippi River, Vacherie Datum: LWRP
Operator: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: ARTCO Tulane Fleeting, Inc., a subsidiary of Archer Daniels Midland Co.
Address: Louisiana State Highway 18 Phone: 504/431-1488
Town: Vacherie State: LA County: St. James
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 - 30 | | Latitude (decimal): 30.01
Total Berthing Space (feet): 3,540 | | Longitude (decimal): -90.77167
Remarks: Fleeting area has capacity for 150 barges in 16 tiers, consisting of 14 tiers 10 barges wide, one tier 9 barges wide, and one tier of one barge. Fleet is operated from Tulane Kenner Bend Fleet Landing, Ref. No. 324.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20152 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 157.7 PWD: 294
Name: **South Louisiana Sugars Cooperative Dock.**
Port: South Louisiana
Location: Mile 157.7 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: South Louisiana Sugars Cooperative, Inc.
Owner: South Louisiana Sugars Cooperative, Inc.
Address: Louisiana State Highway 18 Phone: 225/265-4056 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Shipment of raw sugar and black strap molasses by barge.
Depth Alongside (feet): 12 - 25 | | Latitude (decimal): 29.997778
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.83528
Remarks: One 12-inch pipeline extends to wharf from 2 steel molasses storage tanks, total capacity 90,000 gallons. A raw sugar factory is located approximately one mile in rear of levee.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20157 New Orleans District

---

Waterway: **Mississippi River** Mile: 157.9 PWD: 259
Name: **Cargill 'K-2' Convent Grain Transfer Mooring.**
Port: South Louisiana
Location: Mile 157.9 A.H.P., left bank, Mississippi River, Convent. Datum: LWRP
Operator: Cargill, Inc., K-2 Rig
Owner: Cargill, Inc.
Address: Highway 44 (Jefferson Highway) Phone: 225/562-7313 Ex
Town: Paulina State: LA County: St. James
Railway Connection: None.
Purpose: Transfer of grain and grain by-products between vessel and barge; mooring floating elevator offshore.
Depth Alongside (feet): 55 | 55 | Latitude (decimal): 30.002222
Total Berthing Space (feet): 1,000 | 330 | Longitude (decimal): -90.83028
Remarks: Floating elevator travels alongside vessel 1,200 feet between mooring buoys. Four storage tanks on elevator have total capacity for 1,500 tons. Two 12-ton electric cranes with 50-foot booms at rear of face handle barge covers to and from platform over marine leg.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20158 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 158.0 PWD: 293
Name: **Equilon Pipeline, St. James Sugarland Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 158.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: United States Government, Department of Energy.
Address: Foot of Hymel Street, extended. Phone: 504/265-3073
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil by vessel.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.003333
Total Berthing Space (feet): 940 | | Longitude (decimal): -90.83556

Waterway: **Mississippi River** Mile: 158.0 PWD: 293
Name: **Equilon Pipeline, St. James Sugarland Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 158.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: United States Government, Department of Energy.
Address: Foot of Hymel Street, extended. Phone: 504/265-3073
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil by vessel.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.003333
Total Berthing Space (feet): 940 | | Longitude (decimal): -90.83556

Remarks: One 42-inch pipeline extends from wharf to storage facilities described under Ref. No. 292.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20158 New Orleans District

Remarks: One 42-inch pipeline extends from wharf to storage facilities described under Ref. No. 292.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20158 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 158.0 PWD: 293
Name: **Equilon Pipeline, St. James Sugarland Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 158.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: United States Government, Department of Energy.
Address: Foot of Hymel Street, extended. Phone: 504/265-3073
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil by vessel.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.003333
Total Berthing Space (feet): 940 | | Longitude (decimal): -90.83556

Waterway: **Mississippi River** Mile: 158.0 PWD: 293
Name: **Equilon Pipeline, St. James Sugarland Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 158.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: United States Government, Department of Energy.
Address: Foot of Hymel Street, extended. Phone: 504/265-3073
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil by vessel.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.003333
Total Berthing Space (feet): 940 | | Longitude (decimal): -90.83556
Remarks: One 42-inch pipeline extends from wharf to storage facilities described under Ref. No. 292.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20158 New Orleans District

Remarks: One 42-inch pipeline extends from wharf to storage facilities described under Ref. No. 292.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20158 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 158.4 PWD: 292
Name: **Equilon Pipeline, St. James Sugarland Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.4 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: United States Government, Department of Energy.
Address: Foot of DOE Road, extended. Phone: 504/265-3073
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil by vessel.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.008333
Total Berthing Space (feet): 940 | | Longitude (decimal): -90.83611

Waterway: **Mississippi River** Mile: 158.4 PWD: 292
Name: **Equilon Pipeline, St. James Sugarland Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.4 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: United States Government, Department of Energy.
Address: Foot of DOE Road, extended. Phone: 504/265-3073
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil by vessel.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.008333
Total Berthing Space (feet): 940 | | Longitude (decimal): -90.83611

Remarks: One 24-inch water intake and one 55- by 45-foot concrete pile, concrete-decked pump platform located at rear of upper breasting platform. One 42-inch pipeline extends from wharf to 6 steel storage tanks at terminal in rear, total capacity 2,000,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20158 New Orleans District

Remarks: One 24-inch water intake and one 55- by 45-foot concrete pile, concrete-decked pump platform located at rear of upper breasting platform. One 42-inch pipeline extends from wharf to 6 steel storage tanks at terminal in rear, total capacity 2,000,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20158 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 158.4 PWD: 292
Name: **Equilon Pipeline, St. James Sugarland Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.4 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: United States Government, Department of Energy.
Address: Foot of DOE Road, extended. Phone: 504/265-3073
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil by vessel.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.008333
Total Berthing Space (feet): 940 | | Longitude (decimal): -90.83611

Waterway: **Mississippi River** Mile: 158.4 PWD: 292
Name: **Equilon Pipeline, St. James Sugarland Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.4 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: United States Government, Department of Energy.
Address: Foot of DOE Road, extended. Phone: 504/265-3073
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil by vessel.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.008333
Total Berthing Space (feet): 940 | | Longitude (decimal): -90.83611

Remarks: One 24-inch water intake and one 55- by 45-foot concrete pile, concrete-decked pump platform located at rear of upper breasting platform. One 42-inch pipeline extends from wharf to 6 steel storage tanks at terminal in rear, total capacity 2,000,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20158 New Orleans District

Remarks: One 24-inch water intake and one 55- by 45-foot concrete pile, concrete-decked pump platform located at rear of upper breasting platform. One 42-inch pipeline extends from wharf to 6 steel storage tanks at terminal in rear, total capacity 2,000,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20158 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 158.6 PWD: 261
Name: **Delta Bulk Terminal Grain Transfer Mooring.**
Port: South Louisiana
Location: Mile 158.6 A.H.P., left bank, Mississippi River, Convent. Datum: LWRP
Operator: Stevedor Services of America.
Owner: Stevedor Services of America
Address: 6626 Highway 44 (Jefferson Highway) Phone: 225/562-7617
Town: Convent State: LA County: St. James
Railway Connection: None.
Purpose: Transfer of grain and grain by-products between vessel and barge; mooring floating elevator offshore.
Depth Alongside (feet): 43 | 30 | Latitude (decimal): 30.015
Total Berthing Space (feet): 1,000 | 523 | Longitude (decimal): -90.83028
Remarks: At time of survey, floating elevator was not in operation. Barge covers are handled by one 60-ton, diesel crawler crane with 80-foot boom on 195- by 35-foot spud barge at rear of floating elevator, providing 200 feet of additional mooring.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20158 New Orleans District

---

Waterway: **Mississippi River** Mile: 158.6 PWD: 260
Name: **Elmwood Marine Services, Convent Repair Wharf and Fleet Moorings.**
Port: South Louisiana
Location: Mile 157.3 - 159.0 A.H.P., left bank, Mississippi River, Convent. Datum: LWRP
Operator: Elmwood Marine Services, Inc.
Owner: AEP-Elmwood, L.L.C.
Address: 6614 Highway 44, Convent Phone: 225/562-3507
Town: Convent State: LA County: St. James
Railway Connection: None.
Purpose: Landing for towboats; mooring barges for fleeting, cleaning, and repair; mooring floating drydock, landing for ship service launches.
Depth Alongside (feet): 10 | 10 - 42 | 10 - 42 Latitude (decimal): 30.015
Total Berthing Space (feet): 365 | 6,500 | 850 Longitude (decimal): -90.82917
Remarks: Repair wharf is at Mile 158.6 A.H.P. A 1,000-ton floating drydock moors at face of wharf, up to 2 barges for repair moor at rear of wharf, and up to 12 barges moor for cleaning and repair on upper side of wharf in 2 tiers, each 6 barges wide.□□Weber Marine, Inc., Convent Landing, is located above cleaning tiers andoperates crewboats to the K-2 floating elevator and to the adjacent ship anchorage.□Upper fleeting area is located above landing to Mile 159.0 A.H.P., capacity 32 barges in 4 tiers, each 8 barges wide. Lower fleeting area is located below wharf to Mile 157.3 A.H.P., capacity 200 barges in 25 tiers, each 8 bargeswide. Office building is located on platform at rear of wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20158 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375
Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No.

4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375
Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No.

Port Facilities by Waterway

4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375
Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No.

4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375

Waterway: **Mississippi River** Mile: 158.8 PWD: 291
Name: **Capline Terminal Dock No. 1.**
Port: South Louisiana
Location: Mile 158.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.014167
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.8375
Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No.

Port Facilities by Waterway

4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 12 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 4,680,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806
Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No.

Port Facilities by Waterway

4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806
Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No.

4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806
Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No.

Port Facilities by Waterway

4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806

Waterway: **Mississippi River** Mile: 159.0 PWD: 290
Name: **Capline Terminal Dock No. 2.**
Port: South Louisiana
Location: Mile 159.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Equilon Pipeline Co., L.L.C.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel
Depth Alongside (feet): 42 | | Latitude (decimal): 30.017222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.83806
Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No.

Port Facilities by Waterway

4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 36-inch pipeline extends from wharf to 16 of the 20 steel storage tanks described under Dock No. 4 (Ref. No. 288), total capacity 5,640,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861
Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks

described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861
Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks

described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861
Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks

described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861

Waterway: **Mississippi River** Mile: 159.3 PWD: 289
Name: **Capline Terminal Dock No. 3.**
Port: South Louisiana
Location: Mile 159.3 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 504/588-7903
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.021389
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83861
Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks

described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Barges berth 2-abreast as necessary. Two 16-inch pipelines extend from wharf to storage tanks described under Ref. No. 288.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917
Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total

capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917
Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total

capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917
Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total

capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917

Waterway: **Mississippi River** Mile: 159.5 PWD: 288
Name: **Capline Terminal Dock No. 4.**
Port: South Louisiana
Location: Mile 159.5 A.H.P., right bank, Mississippi River, St. James. Datum: LWRP
Operator: Not operated.
Owner: Capline Pipe Line System.
Address: Louisiana State Highway 18 Phone: 225/265-1117
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.024444
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.83917
Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total

capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 24- and two 16-inch pipelines extend from wharf to 20 steel storage tanks at terminal in rear, total capacity 6,630,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.7 PWD: 287
Name: **Koch Pipeline, St. James Terminal No. 1 Dock.**
Port: South Louisiana
Location: Mile 159.7 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, # 6 fuel oil, and liquid fertilizer by barge.
Depth Alongside (feet): 32 | | Latitude (decimal): 30.027222
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83972

Waterway: **Mississippi River** Mile: 159.7 PWD: 287
Name: **Koch Pipeline, St. James Terminal No. 1 Dock.**
Port: South Louisiana
Location: Mile 159.7 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, # 6 fuel oil, and liquid fertilizer by barge.
Depth Alongside (feet): 32 | | Latitude (decimal): 30.027222
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83972

Waterway: **Mississippi River** Mile: 159.7 PWD: 287
Name: **Koch Pipeline, St. James Terminal No. 1 Dock.**
Port: South Louisiana
Location: Mile 159.7 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, # 6 fuel oil, and liquid fertilizer by barge.
Depth Alongside (feet): 32 | | Latitude (decimal): 30.027222
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83972
Remarks: One 20/16-, one 20/12-, one 16/12- and one 12-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

---

Remarks: One 20/16-, one 20/12-, one 16/12- and one 12-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

---

Remarks: One 20/16-, one 20/12-, one 16/12- and one 12-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.7 PWD: 287
Name: **Koch Pipeline, St. James Terminal No. 1 Dock.**
Port: South Louisiana
Location: Mile 159.7 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, # 6 fuel oil, and liquid fertilizer by barge.
Depth Alongside (feet): 32 | | Latitude (decimal): 30.027222
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83972

Waterway: **Mississippi River** Mile: 159.7 PWD: 287
Name: **Koch Pipeline, St. James Terminal No. 1 Dock.**
Port: South Louisiana
Location: Mile 159.7 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, # 6 fuel oil, and liquid fertilizer by barge.
Depth Alongside (feet): 32 | | Latitude (decimal): 30.027222
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83972

Waterway: **Mississippi River** Mile: 159.7 PWD: 287
Name: **Koch Pipeline, St. James Terminal No. 1 Dock.**
Port: South Louisiana
Location: Mile 159.7 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, # 6 fuel oil, and liquid fertilizer by barge.
Depth Alongside (feet): 32 | | Latitude (decimal): 30.027222
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83972
Remarks: One 20/16-, one 20/12-, one 16/12- and one 12-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 20/16-, one 20/12-, one 16/12- and one 12-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 20/16-, one 20/12-, one 16/12- and one 12-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.7 PWD: 287
Name: **Koch Pipeline, St. James Terminal No. 1 Dock.**
Port: South Louisiana
Location: Mile 159.7 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, # 6 fuel oil, and liquid fertilizer by barge.
Depth Alongside (feet): 32 | | Latitude (decimal): 30.027222
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83972

Waterway: **Mississippi River** Mile: 159.7 PWD: 287
Name: **Koch Pipeline, St. James Terminal No. 1 Dock.**
Port: South Louisiana
Location: Mile 159.7 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, # 6 fuel oil, and liquid fertilizer by barge.
Depth Alongside (feet): 32 | | Latitude (decimal): 30.027222
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83972

Waterway: **Mississippi River** Mile: 159.7 PWD: 287
Name: **Koch Pipeline, St. James Terminal No. 1 Dock.**
Port: South Louisiana
Location: Mile 159.7 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, # 6 fuel oil, and liquid fertilizer by barge.
Depth Alongside (feet): 32 | | Latitude (decimal): 30.027222
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.83972
Remarks: One 20/16-, one 20/12-, one 16/12- and one 12-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 20/16-, one 20/12-, one 16/12- and one 12-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 20/16-, one 20/12-, one 16/12- and one 12-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.8 PWD: 286
Name: **Koch Pipeline, St. James Terminal No. 2 Dock.**
Port: South Louisiana
Location: Mile 159.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, #6 fuel oil, and liquid fertilizer by vessel and barge.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.84028

Waterway: **Mississippi River** Mile: 159.8 PWD: 286
Name: **Koch Pipeline, St. James Terminal No. 2 Dock.**
Port: South Louisiana
Location: Mile 159.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, #6 fuel oil, and liquid fertilizer by vessel and barge.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.84028

Waterway: **Mississippi River** Mile: 159.8 PWD: 286
Name: **Koch Pipeline, St. James Terminal No. 2 Dock.**
Port: South Louisiana
Location: Mile 159.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, #6 fuel oil, and liquid fertilizer by vessel and barge.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.84028
Remarks: One 30-, one 20/24-, one 20-, and one 8/10-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 30-, one 20/24-, one 20-, and one 8/10-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 30-, one 20/24-, one 20-, and one 8/10-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.8 PWD: 286
Name: **Koch Pipeline, St. James Terminal No. 2 Dock.**
Port: South Louisiana
Location: Mile 159.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, #6 fuel oil, and liquid fertilizer by vessel and barge.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.84028

Waterway: **Mississippi River** Mile: 159.8 PWD: 286
Name: **Koch Pipeline, St. James Terminal No. 2 Dock.**
Port: South Louisiana
Location: Mile 159.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, #6 fuel oil, and liquid fertilizer by vessel and barge.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.84028

Waterway: **Mississippi River** Mile: 159.8 PWD: 286
Name: **Koch Pipeline, St. James Terminal No. 2 Dock.**
Port: South Louisiana
Location: Mile 159.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, #6 fuel oil, and liquid fertilizer by vessel and barge.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.84028
Remarks: One 30-, one 20/24-, one 20-, and one 8/10-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 30-, one 20/24-, one 20-, and one 8/10-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 30-, one 20/24-, one 20-, and one 8/10-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 159.8 PWD: 286
Name: **Koch Pipeline, St. James Terminal No. 2 Dock.**
Port: South Louisiana
Location: Mile 159.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, #6 fuel oil, and liquid fertilizer by vessel and barge.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.84028

Waterway: **Mississippi River** Mile: 159.8 PWD: 286
Name: **Koch Pipeline, St. James Terminal No. 2 Dock.**
Port: South Louisiana
Location: Mile 159.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, #6 fuel oil, and liquid fertilizer by vessel and barge.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.84028

Waterway: **Mississippi River** Mile: 159.8 PWD: 286
Name: **Koch Pipeline, St. James Terminal No. 2 Dock.**
Port: South Louisiana
Location: Mile 159.8 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of crude oil, #6 fuel oil, and liquid fertilizer by vessel and barge.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.028889
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.84028
Remarks: One 30-, one 20/24-, one 20-, and one 8/10-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 30-, one 20/24-, one 20-, and one 8/10-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: One 30-, one 20/24-, one 20-, and one 8/10-inch pipelines extend from wharf to crude oil storage tanks described under Ref. No. 285 and to liquid bulk commodity storage tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 160.0 PWD: 285
Name: **Koch Pipeline, St. James Terminal No. 5 Dock.**
Port: South Louisiana
Location: Mile 160.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.031389
Total Berthing Space (feet): 950 | | Longitude (decimal): -90.84111

Waterway: **Mississippi River** Mile: 160.0 PWD: 285
Name: **Koch Pipeline, St. James Terminal No. 5 Dock.**
Port: South Louisiana
Location: Mile 160.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.031389
Total Berthing Space (feet): 950 | | Longitude (decimal): -90.84111

Waterway: **Mississippi River** Mile: 160.0 PWD: 285
Name: **Koch Pipeline, St. James Terminal No. 5 Dock.**
Port: South Louisiana
Location: Mile 160.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.031389
Total Berthing Space (feet): 950 | | Longitude (decimal): -90.84111

Remarks: Wharf is in line and contiguous with Dock No. 2 (Ref. No. 286) providing 1,800 feet of continuous berthing space. One 40-inch pipeline extends from wharf to 12 steel crude oil storage tanks at terminal at rear, total capacity 2,485,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Wharf is in line and contiguous with Dock No. 2 (Ref. No. 286) providing 1,800 feet of continuous berthing space. One 40-inch pipeline extends from wharf to 12 steel crude oil storage tanks at terminal at rear, total capacity 2,485,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Dock No. 2 (Ref. No. 286) providing 1,800 feet of continuous berthing space. One 40-inch pipeline extends from wharf to 12 steel crude oil storage tanks at terminal at rear, total capacity 2,485,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 160.0 PWD: 285
Name: **Koch Pipeline, St. James Terminal No. 5 Dock.**
Port: South Louisiana
Location: Mile 160.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.031389
Total Berthing Space (feet): 950 | | Longitude (decimal): -90.84111

Waterway: **Mississippi River** Mile: 160.0 PWD: 285
Name: **Koch Pipeline, St. James Terminal No. 5 Dock.**
Port: South Louisiana
Location: Mile 160.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.031389
Total Berthing Space (feet): 950 | | Longitude (decimal): -90.84111

Waterway: **Mississippi River** Mile: 160.0 PWD: 285
Name: **Koch Pipeline, St. James Terminal No. 5 Dock.**
Port: South Louisiana
Location: Mile 160.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.031389
Total Berthing Space (feet): 950 | | Longitude (decimal): -90.84111

Remarks: Wharf is in line and contiguous with Dock No. 2 (Ref. No. 286) providing 1,800 feet of continuous berthing space. One 40-inch pipeline extends from wharf to 12 steel crude oil storage tanks at terminal at rear, total capacity 2,485,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Wharf is in line and contiguous with Dock No. 2 (Ref. No. 286) providing 1,800 feet of continuous berthing space. One 40-inch pipeline extends from wharf to 12 steel crude oil storage tanks at terminal at rear, total capacity 2,485,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Dock No. 2 (Ref. No. 286) providing 1,800 feet of continuous berthing space. One 40-inch pipeline extends from wharf to 12 steel crude oil storage tanks at terminal at rear, total capacity 2,485,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 160.0 PWD: 285
Name: **Koch Pipeline, St. James Terminal No. 5 Dock.**
Port: South Louisiana
Location: Mile 160.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.031389
Total Berthing Space (feet): 950 | | Longitude (decimal): -90.84111

Waterway: **Mississippi River** Mile: 160.0 PWD: 285
Name: **Koch Pipeline, St. James Terminal No. 5 Dock.**
Port: South Louisiana
Location: Mile 160.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.031389
Total Berthing Space (feet): 950 | | Longitude (decimal): -90.84111

Waterway: **Mississippi River** Mile: 160.0 PWD: 285
Name: **Koch Pipeline, St. James Terminal No. 5 Dock.**
Port: South Louisiana
Location: Mile 160.0 A.H.P., right bank, Mississippi River, St. James Datum: LWRP
Operator: Koch Pipeline Operating, L.P., a subsidiary of Koch Supply and Trading, L.P.
Owner: Koch Supply and Trading, L.P.
Address: Louisiana State Highway 18 Phone: 225/265-2112 Ex
Town: St. James State: LA County: St. James
Railway Connection: None.
Purpose: Receipt of crude oil by vessel.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.031389
Total Berthing Space (feet): 950 | | Longitude (decimal): -90.84111

Remarks: Wharf is in line and contiguous with Dock No. 2 (Ref. No. 286) providing 1,800 feet of continuous berthing space. One 40-inch pipeline extends from wharf to 12 steel crude oil storage tanks at terminal at rear, total capacity 2,485,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Remarks: Wharf is in line and contiguous with Dock No. 2 (Ref. No. 286) providing 1,800 feet of continuous berthing space. One 40-inch pipeline extends from wharf to 12 steel crude oil storage tanks at terminal at rear, total capacity 2,485,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Dock No. 2 (Ref. No. 286) providing 1,800 feet of continuous berthing space. One 40-inch pipeline extends from wharf to 12 steel crude oil storage tanks at terminal at rear, total capacity 2,485,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20159 New Orleans District

---

Waterway: **Mississippi River** Mile: 160.4 PWD: 262

Name: **IMC Phosphates, Uncle Sam Plant Dock.**

Port: South Louisiana

Location: Mile 160.4 A.H.P., left bank, Mississippi River, Convent. Datum: LWRP

Operator: IMC Phosphates MP, Inc., a division of IMC Global, Inc., and Canal Barge Co., Inc.

Owner: IMC Global, Inc.

Address: 7250 Highway 44 (Jefferson Highway) Phone: 225/562-2727

Town: Convent State: LA County: St. James

Railway Connection: Three surface tracks serving plant in rear, connect with Canadian National/Illinois Central Railroad.

Purpose: Receipt of phosphate rock; receipt and shipment of liquid sulphur and sulfuric acid; shipment of phosphoric acid; and occasional handling of marine supplies. (See Remarks)

Depth Alongside (feet):	40	30	20	Latitude (decimal):	30.038611
Total Berthing Space (feet):	625	360	360	Longitude (decimal):	-90.835

Remarks: Canal Barge Co., Inc. occasionally moors company-owned vessels at wharf for maintenance and handling of supplies. Two open storage areas at plant in rear are served by a traveling, dual-arm stacker and a bucket-wheel reclaimer, each area having capacity for 85,000 tons of live storage, and a third area has capacity for 500,000 tons of dead storage. Phosphate rock is reclaimed via bucket wheel, or rented diesel crawler cranes with buckets, to a 24-inch beltconveyor extending to plant, rate 230 tons per hour. Four 8-inch pipelines connect with the following plant tankage of noted total capacities: one to 2 sulfur tanks, 2,236,000 gallons; one to 8 phosphoric acid tanks, 4,512,000gallons; and two to 3 sulfuric acid tanks, 6,560,000 gallons. One steel spar barge approximately 0.4 mile below wharf is used for fleeting up to 10 barges in 2 tiers, each 5 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20160 New Orleans District

---

Waterway: **Mississippi River** Mile: 160.7 PWD: 284

Name: **Ergon-St. James, Crude Oil Terminal Wharf**

Port: South Louisiana

Location: Mile 160.7 A.H.P., right bank, Mississippi River, St. James Datum: LWRP

Operator: Ergon-St. James, Inc.

Owner: Ergon-St. James, Inc.

Address: Foot of Ergon Road, extended. Phone: 225/265-4146

Town: Hymel State: LA County: St. James

Railway Connection: None.

Purpose: Shipment and receipt of crude oil by vessel and barge.

Depth Alongside (feet):	35		18	Latitude (decimal):	30.042222
Total Berthing Space (feet):	950		485	Longitude (decimal):	-90.84194

Remarks: One 30- and three 20-inch pipelines, connected to four 12-inch pipelines extending from barge wharf, extend from ship wharf to 7 steel storage tanks in terminal in rear, total capacity 1,500,000 barrels. One 6-inch steam line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20160 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 160.9 PWD: 263
Name: **IC Railmarine Terminal Wharf.**
Port: South Louisiana
Location: Mile 160.9 AHP, left bank, Mississippi River, Convent. Datum: LWRP
Operator: IC Railmarine, a subsidiary of Canadian National/Illinois Central Railroad.
Owner: Canadian National/Illinois Central Railroad.
Address: 7790 Hwy. 44. Phone: 225/562-5213
Town: Convent State: LA County: St. James
Railway Connection: Surface tracks serve rail car loading spout, unloading pit, and storage area located across road in rear, connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of miscellaneous dry bulk commodities by vessel and barge.
Depth Alongside (feet): 50 | 45 | 17 - 18 Latitude (decimal): 30.044444
Total Berthing Space (feet): 1,100 | | 610 Longitude (decimal): -90.83722
Remarks: Ship loaders have sufficient outboard reach to serve Cape-class vessels. Open storage area at rear, equipped with two parallel, travelling stackers/ reclaimers is served by traveling hoppers and two belt-conveyor systems to and from rail car station and wharf, total storage capacity 1,000,000 tons of coal and coke and 500,000 tons of iron ore.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20161 New Orleans District

---

Waterway: **Mississippi River** Mile: 161.5 PWD: 264
Name: **Occidental Chemical Corp., Convent Plant Wharf**
Port: South Louisiana
Location: Mile 161.5 A.H.P., left bank, Mississippi River, Convent. Datum:
Operator: Occidental Chemical Corp.
Owner: Occidental Chemical Corp.
Address: 7377 Highway 3214. Phone:
Town: Convent State: LA County: St. James
Railway Connection: One surface track serving plant in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of caustic soda and ethylene dichloride by vessel and barge.
Depth Alongside (feet): | | Latitude (decimal): 30.063056
Total Berthing Space (feet): | | Longitude (decimal): -90.83944
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20161 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 162.7 PWD: 283
Name: **CGB Marine Services Gulf, Upper West Bank Fleet Mooring.**
Port: South Louisiana
Location: Mile 163.3 - 161.3 A.H.P., right bank, Mississippi River, Welcome. Datum: LWRP
Operator: CGB Marine Services Gulf, a subsidiary of Continental Grain Corp.
Owner: CGB Marine Services Gulf, a subsidiary of Continental Grain Corp.
Address: State Highway 18 (River Road). Phone: 985/657285 Ex2
Town: Welcome State: LA County: St. James
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.057778
Total Berthing Space (feet): 5,200 | | Longitude (decimal): -90.85306
Remarks: Fleet has capacity for 315 barges arranged 45 tiers, each 7 barges wide. Pelican Marine Fleeting, Inc. operates pushboats at this facility.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20163 New Orleans District

---

Waterway: **Mississippi River** Mile: 163.8 PWD: 265
Name: **Zen-Noh Grain Corp. Wharf.**
Port: South Louisiana
Location: Mile 163.8 A.H.P., left bank, Mississippi River, Convent Datum: LWRP
Operator: Zen-Noh Grain Corp.
Owner: Zen-Noh Grain Corp.
Address: 8886 Highway 44 (Jefferson Highway) Phone: 225/562-3571
Town: Convent State: LA County: St. James
Railway Connection: Two surface tracks with storage capacity for 277 cars serve undertrack pit in car shed and connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 50 | 35 | Latitude (decimal): 30.064722
Total Berthing Space (feet): 1,200 | 1,480 | Longitude (decimal): -90.87444
Remarks: Twenty-four 6-ton bridge cranes spanning barge slip remove hatch covers, hold and replace them as winch-and-cable system transfers barges to and from unloading position under marine leg on alternate sides of slip. One 10-ton bridge crane over slip handles cleanout equipment. Grain elevator at rear, consisting of 72 concrete silos has capacity for 3,870,000 bushels. A fleeting area for 17 barges at 10 steel breasting dolphins is located at upper end ofbarge slip.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20163 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 164.5 PWD: 266
Name: **Martin-Marietta Aggregates, Convent Yard Landing.**
Port: South Louisiana
Location: Mile 164.5 A.H.P., left bank, Mississippi River, Central. Datum: LWRP
Operator: Not operated.
Owner: Martin-Marietta Aggregates, Inc.
Address: Highway 44 (Jefferson Highway) Phone: 225/562-7465
Town: Convent State: LA County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 3 - 20 | | Latitude (decimal): 30.064444
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.88722
Remarks: Barges being unloaded breast against crane barge. Fifteen acres of open storage area at rear have capacity for approximately 100,000 tons of material.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20164 New Orleans District

---

Waterway: **Mississippi River** Mile: 165.3 PWD: 267
Name: **CGB Marine Services at 164, Repair Wharf and Convent Fleet Mooring**
Port: South Louisiana
Location: Mile 162.8-163.5, 164.0-164.4, and 164.5-165.4 A.H.P., left bank, Mississippi River, Convent. Datum: LWRP
Operator: CGB Marine Services at 164, Inc., a subsidiary of Continental Grain Corps.
Owner: GW Contractors, Inc., and Entergy Louisiana.
Address: Highway 44 (Jefferson Highway) Phone: 985/652-7285 Ex
Town: Convent State: LA County: St. James
Railway Connection: None.
Purpose: Mooring barges for repair, cleaning and fleeting; mooring floating drydock; mooring company-owned towboats.
Depth Alongside (feet): 9 | 30 | 20 - 30 Latitude (decimal): 30.071667
Total Berthing Space (feet): 800 | 4,000 | 5,000 Longitude (decimal): -90.89583
Remarks: One 1,400-long-ton floating drydock and up to 28 barges in 4 tiers, each 7 barges wide moor at repair wharf, near upper end of upper fleeting area. Repair plant performs work primarily on barges. Fleet has capacity for 337 barges in 3 positions of approximately 112 barges each. Fleeting area above and below Zen-Noh Grain Corp. Wharf (Ref. No. 265) consists of three blocks, each 7 tiers long and 8 barges wide, and one block of 8 tiers, 8 barges wide, for atotal capacity of 281 barges. Pelican Marine Fleeting Co. operates pushboats at this facility.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20164 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 165.5 PWD: 268
Name: **Weber Marine, Burnside Lower Fleet Moorings**
Port: South Louisiana
Location: Mile 165.5 and 166.0 A.H.P., left bank, Mississippi River, White Hall. Datum: LWRP
Operator: Weber Marine, Inc. and St. James Stevedoring Co., Inc.
Owner: Weber Marine, Inc.
Address: Highway 44 (Jefferson Highway) Phone: 225/562-3547
Town: White Hall State: LA County: St. James
Railway Connection: Two surface tracks with capacity for 4 cars serve warehouse in rear, connect with Canadian National/Illinois Central Railroad.
Purpose: Mooring barges for fleeting; mooring floating cranes. (See Remarks).
Depth Alongside (feet): 6 - 12 | 12 | 12 Latitude (decimal): 30.072778
Total Berthing Space (feet): 330 | 150, | 250 Longitude (decimal): -90.8975
Remarks: St. James Stevedoring Co., Inc. operates 4 floating cranes described under the Sunshine Bridge dry bulk transfer mooring (Ref. No. 273), and moors idle cranes at breasting piles below upper fleeting area. Each of the two fleeting areas has capacity for 5 to 6 barges abreast.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20166 New Orleans District

---

Waterway: **Mississippi River** Mile: 165.6 PWD: 269
Name: **Bisso Towboat Co., Burnside Mooring.**
Port: South Louisiana
Location: Mile 165.6, left bank, Mississippi River, White Hall. Datum: LWRP
Operator: Bisso Towboat Co. Inc.
Owner: Bisso Towboat Co., Inc.
Address: Highway 44 (Jefferson Highway) Phone: 504/861-1411
Town: White Hall State: LA County: St. James
Railway Connection: None.
Purpose: Mooring water barge; mooring pushboats.
Depth Alongside (feet): 6 - 12 | | Latitude (decimal): 30.078056
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.90139
Remarks: At time of survey (2002), water barge 'B-11' was moored to upper dolphins.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20165 New Orleans District

---

Waterway: **Mississippi River** Mile: 165.7 PWD: 270
Name: **Belle Chasse Marine Transportation, Burnside Anchorage Launch.**
Port: South Louisiana
Location: Mile 167.6 A.H.P., left bank, Mississippi River, White Hall. Datum: LWRP
Operator: Belle Chasse Marine Transportation, Inc.
Owner: Gerald L. Worsham.
Address: Highway 44 (Jefferson Highway) Phone: 504/388-9174
Town: White Hall State: LA County: St. James
Railway Connection: None.
Purpose: Landing for ship service launches; mooring company-owned towboats, and transient tugboats.
Depth Alongside (feet): 31 | | Latitude (decimal): 30.079167
Total Berthing Space (feet): 220 | | Longitude (decimal): -90.9025
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20165 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 166.0 PWD: 282
Name: **Pure Resources, LaPice Oil Transfer Facility Wharf**
Port: South Louisiana
Location: Mile 166.0 A.H.P., right bank, Mississippi River, Lauderdale. Datum: LWRP
Operator: Not operated.
Owner: Pure Resources, Inc.
Address: 12143 LaPice Road Phone:
Town: Lauderdale State: County: St. James
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 30.076944
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.90889
Remarks: One 8-inch pipeline extends to wharf from 2 steel storage tanks on LaPice Road in rear, total capacity 33,000 barrels, not in use at time of survey (2002).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20166 New Orleans District

---

Waterway: **Mississippi River** Mile: 166.2 PWD: 271
Name: **Crescent Ship Service, Burnside Anchorage Landing.**
Port: South Louisiana
Location: Mile 166.2 A.H.P., left bank, Mississippi River, Union. Datum: LWRP
Operator: Crescent Ship Service, Inc.
Owner: Warren Porta Estate.
Address: 9969 Highway 44 (Jefferson Highway) Phone: 504/277-8956
Town: Union State: LA County: St. James
Railway Connection: None.
Purpose: Landing for ship service launches; mooring small vessels; handling marine supplies.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 30.080278
Total Berthing Space (feet): 80 | | Longitude (decimal): -90.90417
Remarks: Operator fuels own vessels from one 5,000-gallon, diesel fuel storage tank on float.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20166 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 166.6 PWD: 281

Name: **Chevron Phillips Chemical Co., St, James Plant Wharf.**

Port: South Louisiana

Location: Mile 166.6 A.H.P., right bank, Mississippi River, Lauderdale. Datum: LWRP

Operator: Chevron Phillips Chemical Co., L.P.

Owner: Chevron Phillips Chemical Co., L.P.

Address: 9901 Highway 18 (River Road). Phone: 225/476-5581

Town: Lauderdale State: LA County: St. James

Railway Connection: One surface track serving plant in rear, connects with Union Pacific Railroad.

Purpose: Receipt of benzene, crude ethylbenzine, and ethyl benzene; shipment of styrene monomer, ethylbenzine, and toluene, all by barge; mooring barges for fleeting.

Depth Alongside (feet):	14	|	| 14	Latitude (decimal):	30.084722
Total Berthing Space (feet):	845	|	| 1,430	Longitude (decimal):	-90.91194

Remarks: Upper side of wharf is contiguous with lower side of IMC Phosphates, Faustina Plant Barge Dock (Ref. No. 280) providing a total of 1,635 feet of in line and contiguous berthing space. One 8-inch pipeline extends from wharf to 3 styrene monomer storage tanks, total capacity 8,490,251 gallons; one 8-inch pipeline extends to wharf from 2 benzene storage tanks, total capacity 8,589,100 gallons, to one 432,853-gallon toluene storage tank, and to one 4,262,350 ethylbenzene storage tank; and one 8-inch pipeline extend to wharf from a 3,514,384-gallon crude ethylbenzene storage tank. Construction dock 340 feet below wharf is comprised of 60-foot-long, steel sheet pile bulkhead with solid fill frontedby 2 steel caisson breasting dolphins, with 30-foot-wide gravel approach ramp over levee. Fleeting area, divided equally between Chevron Phillips Chemical Co. and IMC Phosphates, and operated by Petroleum Service Corp., has capacityfor 20 barges in 4 tiers, each 5 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20166 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 166.7 PWD: 280
Name: **IMC Phosphates, Faustina Plant Barge Wharf.**
Port: South Louisiana
Location: Mile 166.7 A.H.P., right bank, Mississippi River, Lauderdale. Datum: LWRP
Operator: IMC Phosphates MP, Inc.
Owner: IMC Phosphates MP, Inc.
Address: 9959 Highway 18 (River Road). Phone: 225/474-6195
Town: Lauderdale State: LA County: St. James
Railway Connection: Four surface tracks serving plant in rear, connect with Union Pacific Railroad.
Purpose: Receipt of phosphoric acid; shipment of diammonium- and mono-ammonium-phosphates, all by barge.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 30.087222
Total Berthing Space (feet): 790 | | Longitude (decimal): -90.91278

Waterway: **Mississippi River** Mile: 166.7 PWD: 280
Name: **IMC Phosphates, Faustina Plant Barge Wharf.**
Port: South Louisiana
Location: Mile 166.7 A.H.P., right bank, Mississippi River, Lauderdale. Datum: LWRP
Operator: IMC Phosphates MP, Inc.
Owner: IMC Phosphates MP, Inc.
Address: 9959 Highway 18 (River Road). Phone: 225/474-6195
Town: Lauderdale State: LA County: St. James
Railway Connection: Four surface tracks serving plant in rear, connect with Union Pacific Railroad.
Purpose: Receipt of phosphoric acid; shipment of diammonium- and mono-ammonium-phosphates, all by barge.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 30.087222
Total Berthing Space (feet): 790 | | Longitude (decimal): -90.91278

Remarks: Lower side of wharf is contiguous with upper side of Chevron Phillips Chemical Co., St. James Plant Wharf (Ref. No. 281) providing a total of 1,635 feet of in-line and contiguous berthing space. One 20,000-ton-capacity timber and one 10,000-ton steel phosphates storage building serve conveyor system to barge loader. One 8-inch pipeline extends from wharf to 4 phosphoric acid storage tanks, total capacity 1,269,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20166 New Orleans District

Remarks: Lower side of wharf is contiguous with upper side of Chevron Phillips Chemical Co., St. James Plant Wharf (Ref. No. 281) providing a total of 1,635 feet of in-line and contiguous berthing space. One 20,000-ton-capacity timber and one 10,000-ton steel phosphates storage building serve conveyor system to barge loader. One 8-inch pipeline extends from wharf to 4 phosphoric acid storage tanks, total capacity 1,269,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20166 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 166.7 PWD: 280
Name: **IMC Phosphates, Faustina Plant Barge Wharf.**
Port: South Louisiana
Location: Mile 166.7 A.H.P., right bank, Mississippi River, Lauderdale. Datum: LWRP
Operator: IMC Phosphates MP, Inc.
Owner: IMC Phosphates MP, Inc.
Address: 9959 Highway 18 (River Road). Phone: 225/474-6195
Town: Lauderdale State: LA County: St. James
Railway Connection: Four surface tracks serving plant in rear, connect with Union Pacific Railroad.
Purpose: Receipt of phosphoric acid; shipment of diammonium- and mono-ammonium-phosphates, all by barge.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 30.087222
Total Berthing Space (feet): 790 | | Longitude (decimal): -90.91278

Waterway: **Mississippi River** Mile: 166.7 PWD: 280
Name: **IMC Phosphates, Faustina Plant Barge Wharf.**
Port: South Louisiana
Location: Mile 166.7 A.H.P., right bank, Mississippi River, Lauderdale. Datum: LWRP
Operator: IMC Phosphates MP, Inc.
Owner: IMC Phosphates MP, Inc.
Address: 9959 Highway 18 (River Road). Phone: 225/474-6195
Town: Lauderdale State: LA County: St. James
Railway Connection: Four surface tracks serving plant in rear, connect with Union Pacific Railroad.
Purpose: Receipt of phosphoric acid; shipment of diammonium- and mono-ammonium-phosphates, all by barge.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 30.087222
Total Berthing Space (feet): 790 | | Longitude (decimal): -90.91278

Remarks: Lower side of wharf is contiguous with upper side of Chevron Phillips Chemical Co., St. James Plant Wharf (Ref. No. 281) providing a total of 1,635 feet of in-line and contiguous berthing space. One 20,000-ton-capacity timber and one 10,000-ton steel phosphates storage building serve conveyor system to barge loader. One 8-inch pipeline extends from wharf to 4 phosphoric acid storage tanks, total capacity 1,269,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20166 New Orleans District

Remarks: Lower side of wharf is contiguous with upper side of Chevron Phillips Chemical Co., St. James Plant Wharf (Ref. No. 281) providing a total of 1,635 feet of in-line and contiguous berthing space. One 20,000-ton-capacity timber and one 10,000-ton steel phosphates storage building serve conveyor system to barge loader. One 8-inch pipeline extends from wharf to 4 phosphoric acid storage tanks, total capacity 1,269,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20166 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 166.7 PWD: 272
Name: **Weber Marine Burnside Wharf and Upper Fleet Moorings**
Port: South Louisiana
Location: Mile 166.2-167.1 A.H.P., left bank, Mississippi River, Union Datum: LWRP
Operator: Weber Marine, Inc.
Owner: Weber Marine, Inc.
Address: Highway 44 (Jefferson Highway) Phone: 225/562-3547
Town: Union State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous dry bulk materials by barge; Landing for ship service launches; handling marine supplies; mooring floating derricks; mooring barges for fleeting.
Depth Alongside (feet): 14 | 14 | 14 Latitude (decimal): 30.087778
Total Berthing Space (feet): 600 | 2,000 | 2,000 Longitude (decimal): -90.90639

Waterway: **Mississippi River** Mile: 166.7 PWD: 272
Name: **Weber Marine Burnside Wharf and Upper Fleet Moorings**
Port: South Louisiana
Location: Mile 166.2-167.1 A.H.P., left bank, Mississippi River, Union Datum: LWRP
Operator: Weber Marine, Inc.
Owner: Weber Marine, Inc.
Address: Highway 44 (Jefferson Highway) Phone: 225/562-3547
Town: Union State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous dry bulk materials by barge; Landing for ship service launches; handling marine supplies; mooring floating derricks; mooring barges for fleeting.
Depth Alongside (feet): 14 | 14 | 14 Latitude (decimal): 30.087778
Total Berthing Space (feet): 600 | 2,000 | 2,000 Longitude (decimal): -90.90639

Remarks: Wharf is located in center of fleet. Dry bulk materials are loaded by crane from truck pad atop ramp in bank. Approximately 2 acres of open storage area are located at rear. Company-owned, 25,000-square-foot public warehouse for marine supplies is located at rear of Burnside Lower Fleet (Ref. No. 268). Operator fuels own vessels from one 500-gallon, diesel fuel storage tank on wharf. Fleet has capacity for 40 barges in 6 to 7 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20167 New Orleans District

Remarks: Wharf is located in center of fleet. Dry bulk materials are loaded by crane from truck pad atop ramp in bank. Approximately 2 acres of open storage area are located at rear. Company-owned, 25,000-square-foot public warehouse for marine supplies is located at rear of Burnside Lower Fleet (Ref. No. 268). Operator fuels own vessels from one 500-gallon, diesel fuel storage tank on wharf. Fleet has capacity for 40 barges in 6 to 7 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20167 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 166.7 PWD: 272
Name: **Weber Marine Burnside Wharf and Upper Fleet Moorings**
Port: South Louisiana
Location: Mile 166.2-167.1 A.H.P., left bank, Mississippi River, Union Datum: LWRP
Operator: Weber Marine, Inc.
Owner: Weber Marine, Inc.
Address: Highway 44 (Jefferson Highway) Phone: 225/562-3547
Town: Union State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous dry bulk materials by barge; Landing for ship service launches; handling marine supplies; mooring floating derricks; mooring barges for fleeting.
Depth Alongside (feet): 14 | 14 | 14 Latitude (decimal): 30.087778
Total Berthing Space (feet): 600 | 2,000 | 2,000 Longitude (decimal): -90.90639

Waterway: **Mississippi River** Mile: 166.7 PWD: 272
Name: **Weber Marine Burnside Wharf and Upper Fleet Moorings**
Port: South Louisiana
Location: Mile 166.2-167.1 A.H.P., left bank, Mississippi River, Union Datum: LWRP
Operator: Weber Marine, Inc.
Owner: Weber Marine, Inc.
Address: Highway 44 (Jefferson Highway) Phone: 225/562-3547
Town: Union State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous dry bulk materials by barge; Landing for ship service launches; handling marine supplies; mooring floating derricks; mooring barges for fleeting.
Depth Alongside (feet): 14 | 14 | 14 Latitude (decimal): 30.087778
Total Berthing Space (feet): 600 | 2,000 | 2,000 Longitude (decimal): -90.90639

Remarks: Wharf is located in center of fleet. Dry bulk materials are loaded by crane from truck pad atop ramp in bank. Approximately 2 acres of open storage area are located at rear. Company-owned, 25,000-square-foot public warehouse for marine supplies is located at rear of Burnside Lower Fleet (Ref. No. 268). Operator fuels own vessels from one 500-gallon, diesel fuel storage tank on wharf. Fleet has capacity for 40 barges in 6 to 7 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20167 New Orleans District

Remarks: Wharf is located in center of fleet. Dry bulk materials are loaded by crane from truck pad atop ramp in bank. Approximately 2 acres of open storage area are located at rear. Company-owned, 25,000-square-foot public warehouse for marine supplies is located at rear of Burnside Lower Fleet (Ref. No. 268). Operator fuels own vessels from one 500-gallon, diesel fuel storage tank on wharf. Fleet has capacity for 40 barges in 6 to 7 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20167 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 166.9 PWD: 279
Name: **IMC Phosphates, Faustina Plant Ship Wharf.**
Port: South Louisiana
Location: Mile 166.9 A.H.P., right bank, Mississippi River, Lauderdale. Datum: LWRP
Operator: IMC Phosphates MP, Inc.
Owner: IMC Phosphates MP, Inc.
Address: 9959 Highway 18 (River Road). Phone: 225/474-6195
Town: Lauderdale State: LA County: St. James
Railway Connection: Four surface tracks serving plant in rear, connect with Union Pacific Railroad.
Purpose: Receipt and shipment of liquid sulphur; receipt of phosphate rock and anhydrous ammonia; shipment of diammonium- and mono-sodium phosphates, sulfuric acid, and anhydrous ammonia by vessel and barge.
Depth Alongside (feet): 40 | 20 | Latitude (decimal): 30.089722
Total Berthing Space (feet): 800 | 440 | Longitude (decimal): -90.91333

Waterway: **Mississippi River** Mile: 166.9 PWD: 279
Name: **IMC Phosphates, Faustina Plant Ship Wharf.**
Port: South Louisiana
Location: Mile 166.9 A.H.P., right bank, Mississippi River, Lauderdale. Datum: LWRP
Operator: IMC Phosphates MP, Inc.
Owner: IMC Phosphates MP, Inc.
Address: 9959 Highway 18 (River Road). Phone: 225/474-6195
Town: Lauderdale State: LA County: St. James
Railway Connection: Four surface tracks serving plant in rear, connect with Union Pacific Railroad.
Purpose: Receipt and shipment of liquid sulphur; receipt of phosphate rock and anhydrous ammonia; shipment of diammonium- and mono-sodium phosphates, sulfuric acid, and anhydrous ammonia by vessel and barge.
Depth Alongside (feet): 40 | 20 | Latitude (decimal): 30.089722
Total Berthing Space (feet): 800 | 440 | Longitude (decimal): -90.91333

Remarks: Open storage area for phosphate rock is served by a stacker and a bucket-wheel reclaimer and has capacity for 200,000 tons, half of which is considered dead storage. One 60,000-ton-capacity, timber phosphates storage building and the 2 storage buildings described under Ref. No. 280 serve shiploader. Two 8-inch, swivel-jointed loading arms on wharf are served by one 10-inch pipeline extending to 2 steel, liquid sulfur and sulfuric acid storage tanks, totalcapacity 3,105,000 gallons, by one 12-inch pipeline extending to one 8,775,000-gallon ammonia storage tank, and by one 8-inch lime sludge pipeline. One diesel-hydraulic, mobile crane is used for handling ammonia hose.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20166 New Orleans District

Remarks: Open storage area for phosphate rock is served by a stacker and a bucket-wheel reclaimer and has capacity for 200,000 tons, half of which is considered dead storage. One 60,000-ton-capacity, timber phosphates storage building and the 2 storage buildings described under Ref. No. 280 serve shiploader. Two 8-inch, swivel-jointed loading arms on wharf are served by one 10-inch pipeline extending to 2 steel, liquid sulfur and sulfuric acid storage tanks, totalcapacity 3,105,000 gallons, by one 12-inch pipeline extending to one 8,775,000-gallon ammonia storage tank, and by one 8-inch lime sludge pipeline. One diesel-hydraulic, mobile crane is used for handling ammonia hose.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20166 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 166.9 PWD: 279
Name: **IMC Phosphates, Faustina Plant Ship Wharf.**
Port: South Louisiana
Location: Mile 166.9 A.H.P., right bank, Mississippi River, Lauderdale. Datum: LWRP
Operator: IMC Phosphates MP, Inc.
Owner: IMC Phosphates MP, Inc.
Address: 9959 Highway 18 (River Road). Phone: 225/474-6195
Town: Lauderdale State: LA County: St. James
Railway Connection: Four surface tracks serving plant in rear, connect with Union Pacific Railroad.
Purpose: Receipt and shipment of liquid sulphur; receipt of phosphate rock and anhydrous ammonia; shipment of diammonium- and mono-sodium phosphates, sulfuric acid, and anhydrous ammonia by vessel and barge.
Depth Alongside (feet): 40 | 20 | Latitude (decimal): 30.089722
Total Berthing Space (feet): 800 | 440 | Longitude (decimal): -90.91333

Waterway: **Mississippi River** Mile: 166.9 PWD: 279
Name: **IMC Phosphates, Faustina Plant Ship Wharf.**
Port: South Louisiana
Location: Mile 166.9 A.H.P., right bank, Mississippi River, Lauderdale. Datum: LWRP
Operator: IMC Phosphates MP, Inc.
Owner: IMC Phosphates MP, Inc.
Address: 9959 Highway 18 (River Road). Phone: 225/474-6195
Town: Lauderdale State: LA County: St. James
Railway Connection: Four surface tracks serving plant in rear, connect with Union Pacific Railroad.
Purpose: Receipt and shipment of liquid sulphur; receipt of phosphate rock and anhydrous ammonia; shipment of diammonium- and mono-sodium phosphates, sulfuric acid, and anhydrous ammonia by vessel and barge.
Depth Alongside (feet): 40 | 20 | Latitude (decimal): 30.089722
Total Berthing Space (feet): 800 | 440 | Longitude (decimal): -90.91333

Remarks: Open storage area for phosphate rock is served by a stacker and a bucket-wheel reclaimer and has capacity for 200,000 tons, half of which is considered dead storage. One 60,000-ton-capacity, timber phosphates storage building and the 2 storage buildings described under Ref. No. 280 serve shiploader. Two 8-inch, swivel-jointed loading arms on wharf are served by one 10-inch pipeline extending to 2 steel, liquid sulfur and sulfuric acid storage tanks, totalcapacity 3,105,000 gallons, by one 12-inch pipeline extending to one 8,775,000-gallon ammonia storage tank, and by one 8-inch lime sludge pipeline. One diesel-hydraulic, mobile crane is used for handling ammonia hose.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20166 New Orleans District

Remarks: Open storage area for phosphate rock is served by a stacker and a bucket-wheel reclaimer and has capacity for 200,000 tons, half of which is considered dead storage. One 60,000-ton-capacity, timber phosphates storage building and the 2 storage buildings described under Ref. No. 280 serve shiploader. Two 8-inch, swivel-jointed loading arms on wharf are served by one 10-inch pipeline extending to 2 steel, liquid sulfur and sulfuric acid storage tanks, totalcapacity 3,105,000 gallons, by one 12-inch pipeline extending to one 8,775,000-gallon ammonia storage tank, and by one 8-inch lime sludge pipeline. One diesel-hydraulic, mobile crane is used for handling ammonia hose.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20166 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 167.3 PWD: 273
Name: **Weber Marine, Sunshine Bridge Dry Bulk Transfer and Fleet Moorings**
Port: South Louisiana
Location: Mile 167.3 A.H.P., left bank, Mississippi River, below Sunshine Bridge, Union. Datum: LWRP
Operator: St. James Stevedoring Co., Inc., and Weber Marine, Inc.
Owner: Donald J. Stein, Harry F. Stein, Roland P. Stein, and Roy J. Stein.
Address: Highway 44 (Jefferson Highway) Phone: 225/562-3547
Town: Union State: LA County: St. James
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk materials, including ores, coal, coke, and fertilizer, between vessel and barge; mooring barges for fleeting.
Depth Alongside (feet): 50 | 20 | Latitude (decimal): 30.095833
Total Berthing Space (feet): 865 | 1,500 | Longitude (decimal): -90.90889

Waterway: **Mississippi River** Mile: 167.3 PWD: 273
Name: **Weber Marine, Sunshine Bridge Dry Bulk Transfer and Fleet Moorings**
Port: South Louisiana
Location: Mile 167.3 A.H.P., left bank, Mississippi River, below Sunshine Bridge, Union. Datum: LWRP
Operator: St. James Stevedoring Co., Inc., and Weber Marine, Inc.
Owner: Donald J. Stein, Harry F. Stein, Roland P. Stein, and Roy J. Stein.
Address: Highway 44 (Jefferson Highway) Phone: 225/562-3547
Town: Union State: LA County: St. James
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk materials, including ores, coal, coke, and fertilizer, between vessel and barge; mooring barges for fleeting.
Depth Alongside (feet): 50 | 20 | Latitude (decimal): 30.095833
Total Berthing Space (feet): 865 | 1,500 | Longitude (decimal): -90.90889
Remarks: Floating cranes moor alongside each side of vessel, with cargo barges outside floating cranes. Fleeting area, operated by Weber Marine, Inc., extends from Mile 167.4 to 167.7 A.H.P., and has capacity for 30 barges in 5 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20167 New Orleans District

Remarks: Floating cranes moor alongside each side of vessel, with cargo barges outside floating cranes. Fleeting area, operated by Weber Marine, Inc., extends from Mile 167.4 to 167.7 A.H.P., and has capacity for 30 barges in 5 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20167 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 167.3 PWD: 273
Name: **Weber Marine, Sunshine Bridge Dry Bulk Transfer and Fleet Moorings**
Port: South Louisiana
Location: Mile 167.3 A.H.P., left bank, Mississippi River, below Sunshine Bridge, Union. Datum: LWRP
Operator: St. James Stevedoring Co., Inc., and Weber Marine, Inc.
Owner: Donald J. Stein, Harry F. Stein, Roland P. Stein, and Roy J. Stein.
Address: Highway 44 (Jefferson Highway) Phone: 225/562-3547
Town: Union State: LA County: St. James
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk materials, including ores, coal, coke, and fertilizer, between vessel and barge; mooring barges for fleeting.
Depth Alongside (feet): 50 | 20 | Latitude (decimal): 30.095833
Total Berthing Space (feet): 865 | 1,500 | Longitude (decimal): -90.90889

Waterway: **Mississippi River** Mile: 167.3 PWD: 273
Name: **Weber Marine, Sunshine Bridge Dry Bulk Transfer and Fleet Moorings**
Port: South Louisiana
Location: Mile 167.3 A.H.P., left bank, Mississippi River, below Sunshine Bridge, Union. Datum: LWRP
Operator: St. James Stevedoring Co., Inc., and Weber Marine, Inc.
Owner: Donald J. Stein, Harry F. Stein, Roland P. Stein, and Roy J. Stein.
Address: Highway 44 (Jefferson Highway) Phone: 225/562-3547
Town: Union State: LA County: St. James
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk materials, including ores, coal, coke, and fertilizer, between vessel and barge; mooring barges for fleeting.
Depth Alongside (feet): 50 | 20 | Latitude (decimal): 30.095833
Total Berthing Space (feet): 865 | 1,500 | Longitude (decimal): -90.90889
Remarks: Floating cranes moor alongside each side of vessel, with cargo barges outside floating cranes. Fleeting area, operated by Weber Marine, Inc., extends from Mile 167.4 to 167.7 A.H.P., and has capacity for 30 barges in 5 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20167 New Orleans District

Remarks: Floating cranes moor alongside each side of vessel, with cargo barges outside floating cranes. Fleeting area, operated by Weber Marine, Inc., extends from Mile 167.4 to 167.7 A.H.P., and has capacity for 30 barges in 5 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20167 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 167.5 PWD: 278
Name: **River Repair, Landing and Point Houmas Fleet Moorings.**
Port: South Louisiana
Location: Mile 168.5 - 167.7 and 167.6 - 167.5 A.H.P., right bank, Mississippi River, above Sunshine Bridge, Leman Datum: LWRP
Operator: River Repair, Inc.
Owner: River Repair, Inc.
Address: Highway 18 (River Road). Phone: 225/473-8322
Town: Lemanville State: LA County: St. James
Railway Connection: None.
Purpose: Mooring barges for repair, cleaning, and fleeting; mooring towboats for repair; mooring floating drydocks and company-owned equipment.

Depth Alongside (feet):	10	10 - 20	Latitude (decimal):	30.098611
Total Berthing Space (feet):	250	4,200	Longitude (decimal):	-90.91583

Remarks: One 1,786- and one 402-ton floating drydocks are moored at landing in rear of and below Eagle Asphalt Wharf (Ref. No. 277). Utilities on wharf are available at landing. Fleeting area, located above wharf, has capacity for 60 barges in 12 tiers, each 5 barges wide.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20168 New Orleans District

---

Waterway: **Mississippi River** Mile: 167.6 PWD: 277
Name: **Eagle Asphalt Products Wharf.**
Port: South Louisiana
Location: Mile 167.6 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Sunshine Bridge, Lemanvil Datum: LWRP
Operator: Eagle Asphalt Products, Inc. and White's Transport, Inc. (See Remarks).
Owner: Eagle Asphalt Products., Inc.
Address: Highway 18 (River Road). Phone: 225/473-1390
Town: Lemanville State: LA County: St. James
Railway Connection: None.
Purpose: Receipt and shipment of asphalt; shipment of molasses.

Depth Alongside (feet):	18		Latitude (decimal):	30.099722
Total Berthing Space (feet):	335		Longitude (decimal):	-90.91611

Remarks: Wharf is served by one 12-inch pipeline extending to 5 steel, asphalt storage tanks at terminal in rear, total capacity 290,000 barrels; and by one 12-inch pipeline extending to 2 steel, molasses storage tanks at terminal in rear, total capacity 660,000 gallons, operated by Whites Transport, Inc. One 4-inch compressed air line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20168 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 167.8 PWD: 274

Name: **Lafarge North America, Union Terminal Wharf.**

Port: South Louisiana

Location: Mile 167.8 A.H.P., left bank, Mississippi River, approximately 1,900 feet above Sunshine Bridge, Union. Datum: LWRP

Operator: Lafarge North America.

Owner: Lafarge North America

Address: 1065 Highway 44, Convent Phone: 225/562-7471

Town: Union State: LA County: St. James

Railway Connection: None.

Purpose: Receipt of bulk cement.

Depth Alongside (feet): 30 | | Latitude (decimal): 30.103611

Total Berthing Space (feet): 700 | | Longitude (decimal): -90.90972

Remarks: Cement is received by self-unloading barges. Two 14-inch pneumatic pipelines, each with two 14-inch connections, extend to 7 steel and 4 concrete storage silos at terminal in rear, total capacity 76,000 tons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20167 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 168.2 PWD: 275
Name: **Motiva Enterprises, Convent Refinery, Dock No. 1.**
Port: South Louisiana
Location: Mile 168.2 A.H.P., left bank, Mississippi River, Union. Datum: LWRP
Operator: Motiva Enterprises, L.L.C.
Owner: Shell Oil Co. and SRI
Address: Highway 44 (Jefferson Highway) Phone: 225/562-7681 Ex
Town: Union State: LA County: St. James
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 40 - 50 | | Latitude (decimal): 30.108889
Total Berthing Space (feet): 820 | | Longitude (decimal): -90.91111

Waterway: **Mississippi River** Mile: 168.2 PWD: 275
Name: **Motiva Enterprises, Convent Refinery, Dock No. 1.**
Port: South Louisiana
Location: Mile 168.2 A.H.P., left bank, Mississippi River, Union. Datum: LWRP
Operator: Motiva Enterprises, L.L.C.
Owner: Shell Oil Co. and SRI
Address: Highway 44 (Jefferson Highway) Phone: 225/562-7681 Ex
Town: Union State: LA County: St. James
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 40 - 50 | | Latitude (decimal): 30.108889
Total Berthing Space (feet): 820 | | Longitude (decimal): -90.91111

Remarks: One 30-inch, crude oil pipeline extends from wharf to 8 steel storage tanks, total capacity 2,754,000 barrels; one 20-, three 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to 19 storage tanks, total capacity 2,037,900 barrels; and one 8-inch liquefied petroleum gas and one 4-inch vent pipelines, unused at time of survey, extend to 10 steel storage spheres and tanks, total capacity 51,000 barrels, all at refinery in rear.Wharf is equipped with a vapor recovery system.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20168 New Orleans District

Remarks: One 30-inch, crude oil pipeline extends from wharf to 8 steel storage tanks, total capacity 2,754,000 barrels; one 20-, three 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to 19 storage tanks, total capacity 2,037,900 barrels; and one 8-inch liquefied petroleum gas and one 4-inch vent pipelines, unused at time of survey, extend to 10 steel storage spheres and tanks, total capacity 51,000 barrels, all at refinery in rear.Wharf is equipped with a vapor recovery system.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20168 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 168.2 PWD: 275
Name: **Motiva Enterprises, Convent Refinery, Dock No. 1.**
Port: South Louisiana
Location: Mile 168.2 A.H.P., left bank, Mississippi River, Union. Datum: LWRP
Operator: Motiva Enterprises, L.L.C.
Owner: Shell Oil Co. and SRI
Address: Highway 44 (Jefferson Highway) Phone: 225/562-7681 Ex
Town: Union State: LA County: St. James
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 40 - 50 | | Latitude (decimal): 30.108889
Total Berthing Space (feet): 820 | | Longitude (decimal): -90.91111

Waterway: **Mississippi River** Mile: 168.2 PWD: 275
Name: **Motiva Enterprises, Convent Refinery, Dock No. 1.**
Port: South Louisiana
Location: Mile 168.2 A.H.P., left bank, Mississippi River, Union. Datum: LWRP
Operator: Motiva Enterprises, L.L.C.
Owner: Shell Oil Co. and SRI
Address: Highway 44 (Jefferson Highway) Phone: 225/562-7681 Ex
Town: Union State: LA County: St. James
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products; bunkering company-owned vessels.
Depth Alongside (feet): 40 - 50 | | Latitude (decimal): 30.108889
Total Berthing Space (feet): 820 | | Longitude (decimal): -90.91111

Remarks: One 30-inch, crude oil pipeline extends from wharf to 8 steel storage tanks, total capacity 2,754,000 barrels; one 20-, three 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to 19 storage tanks, total capacity 2,037,900 barrels; and one 8-inch liquefied petroleum gas and one 4-inch vent pipelines, unused at time of survey, extend to 10 steel storage spheres and tanks, total capacity 51,000 barrels, all at refinery in rear.Wharf is equipped with a vapor recovery system.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20168 New Orleans District

Remarks: One 30-inch, crude oil pipeline extends from wharf to 8 steel storage tanks, total capacity 2,754,000 barrels; one 20-, three 16-, one 12-, and one 8-inch petroleum products pipelines extend from wharf to 19 storage tanks, total capacity 2,037,900 barrels; and one 8-inch liquefied petroleum gas and one 4-inch vent pipelines, unused at time of survey, extend to 10 steel storage spheres and tanks, total capacity 51,000 barrels, all at refinery in rear.Wharf is equipped with a vapor recovery system.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20168 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 168.4 PWD: 276
Name: **Motiva Enterprises, Convent Refinery, Dock No. 2.**
Port: South Louisiana
Location: Mile 168.4 A.H.P., left bank, Mississippi River, Union. Datum: LWRP
Operator: Motiva Enterprises, L.L.C.
Owner: Shell Oil Co. and SRI
Address: Highway 44 (Jefferson Highway) Phone: 225/562-7681 Ex
Town: Union State: LA County: St. James
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt of crude oil; shipment of fuel oil; bunkering company-owned vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.111389
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.91222

Waterway: **Mississippi River** Mile: 168.4 PWD: 276
Name: **Motiva Enterprises, Convent Refinery, Dock No. 2.**
Port: South Louisiana
Location: Mile 168.4 A.H.P., left bank, Mississippi River, Union. Datum: LWRP
Operator: Motiva Enterprises, L.L.C.
Owner: Shell Oil Co. and SRI
Address: Highway 44 (Jefferson Highway) Phone: 225/562-7681 Ex
Town: Union State: LA County: St. James
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt of crude oil; shipment of fuel oil; bunkering company-owned vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.111389
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.91222

Remarks: One 30-inch crude oil and one 20- and one 16-inch petroleum products pipelines extend from wharf to tankage described under Ref. No. 273. Wharf is equipped with a vapor recovery system.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20168 New Orleans District

Remarks: One 30-inch crude oil and one 20- and one 16-inch petroleum products pipelines extend from wharf to tankage described under Ref. No. 273. Wharf is equipped with a vapor recovery system.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20168 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 168.4 PWD: 276
Name: **Motiva Enterprises, Convent Refinery, Dock No. 2.**
Port: South Louisiana
Location: Mile 168.4 A.H.P., left bank, Mississippi River, Union. Datum: LWRP
Operator: Motiva Enterprises, L.L.C.
Owner: Shell Oil Co. and SRI
Address: Highway 44 (Jefferson Highway) Phone: 225/562-7681 Ex
Town: Union State: LA County: St. James
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt of crude oil; shipment of fuel oil; bunkering company-owned vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.111389
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.91222

Waterway: **Mississippi River** Mile: 168.4 PWD: 276
Name: **Motiva Enterprises, Convent Refinery, Dock No. 2.**
Port: South Louisiana
Location: Mile 168.4 A.H.P., left bank, Mississippi River, Union. Datum: LWRP
Operator: Motiva Enterprises, L.L.C.
Owner: Shell Oil Co. and SRI
Address: Highway 44 (Jefferson Highway) Phone: 225/562-7681 Ex
Town: Union State: LA County: St. James
Railway Connection: One surface track serves refinery in rear; connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt of crude oil; shipment of fuel oil; bunkering company-owned vessels.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.111389
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.91222

Remarks: One 30-inch crude oil and one 20- and one 16-inch petroleum products pipelines extend from wharf to tankage described under Ref. No. 273. Wharf is equipped with a vapor recovery system.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20168 New Orleans District

Remarks: One 30-inch crude oil and one 20- and one 16-inch petroleum products pipelines extend from wharf to tankage described under Ref. No. 273. Wharf is equipped with a vapor recovery system.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20168 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 169.3 PWD: 001

Name: **E.I. du Pont de Nemours & Co., Burnside Plant Wharf.**

Port: Baton Rouge

Location: Mile 169.3 A.H.P., left bank, Mississippi River, approximately 1.8 miles above Sunshine Bridge, Burnside Datum: LWRP

Operator: E.I. du Pont de Nemours & Co., Inc.

Owner: E.I. du Pont de Nemours & Co., Inc.

Address: 3460 River Road (State Highway 44). Phone: 225-473-8618

Town: Burnside State: LA County: Ascension

Railway Connection: Two surface tracks serve two tank carloading racks at plant in rear; connects with Canadian National/Illinois Central Railroad.

Purpose: Receipt of spent sulfuric acid; shipment of sulfuric acid by barge.

Depth Alongside (feet): 39 | | Latitude (decimal): 30.123889

Total Berthing Space (feet): 195 | | Longitude (decimal): -90.91556

Remarks: One 12-inch sulfuric acid pipeline extends from upper dolphin to 5 steel storage tanks, total capacity 22,600 tons; and one 10-inch spent sulfuric acid pipeline extends from upper dolphin to 2 steel storage tanks, total capacity 12,000 tons; all tanks are located at plant on opposite side of River Road. A rectangular-shaped, steel sheet pile, work platform is located adjacent to upper dolphin.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 169.5 PWD: 002
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Dry Bulk Transfer**
Port: Baton Rouge
Location: Mile 169.5 A.H.P., left bank, Mississippi River, approximately 2.0 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including ores and feed pellets, between vessel and barges; mooring barges.
Depth Alongside (feet): 50 - 60 | 12 | Latitude (decimal): 30.127778
Total Berthing Space (feet): 900, | 780 | Longitude (decimal): -90.91722

Waterway: **Mississippi River** Mile: 169.5 PWD: 002
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Dry Bulk Transfer**
Port: Baton Rouge
Location: Mile 169.5 A.H.P., left bank, Mississippi River, approximately 2.0 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including ores and feed pellets, between vessel and barges; mooring barges.
Depth Alongside (feet): 50 - 60 | 12 | Latitude (decimal): 30.127778
Total Berthing Space (feet): 900, | 780 | Longitude (decimal): -90.91722

Waterway: **Mississippi River** Mile: 169.5 PWD: 002
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Dry Bulk Transfer**
Port: Baton Rouge
Location: Mile 169.5 A.H.P., left bank, Mississippi River, approximately 2.0 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including ores and feed pellets, between vessel and barges; mooring barges.
Depth Alongside (feet): 50 - 60 | 12 | Latitude (decimal): 30.127778
Total Berthing Space (feet): 900, | 780 | Longitude (decimal): -90.91722
Remarks: The floating crane 'Sara B' described above is based at the Burnside Terminal. Dolphins are used for mooring working fleet serving dry bulk transfer mooring and rear of face of Burnside Terminal Ship Wharf, Ref. No. 3.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Remarks: The floating crane 'Sara B' described above is based at the Burnside Terminal. Dolphins are used for mooring working fleet serving dry bulk transfer mooring and rear of face of Burnside Terminal Ship Wharf, Ref. No. 3.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Remarks: The floating crane 'Sara B' described above is based at the Burnside Terminal. Dolphins are used for mooring working fleet serving dry bulk transfer mooring and rear of face of Burnside Terminal Ship Wharf, Ref. No. 3.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 169.5 PWD: 002
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Dry Bulk Transfer**
Port: Baton Rouge
Location: Mile 169.5 A.H.P., left bank, Mississippi River, approximately 2.0 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including ores and feed pellets, between vessel and barges; mooring barges.
Depth Alongside (feet): 50 - 60 | 12 | Latitude (decimal): 30.127778
Total Berthing Space (feet): 900, | 780 | Longitude (decimal): -90.91722

Waterway: **Mississippi River** Mile: 169.5 PWD: 002
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Dry Bulk Transfer**
Port: Baton Rouge
Location: Mile 169.5 A.H.P., left bank, Mississippi River, approximately 2.0 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including ores and feed pellets, between vessel and barges; mooring barges.
Depth Alongside (feet): 50 - 60 | 12 | Latitude (decimal): 30.127778
Total Berthing Space (feet): 900, | 780 | Longitude (decimal): -90.91722

Waterway: **Mississippi River** Mile: 169.5 PWD: 002
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Dry Bulk Transfer**
Port: Baton Rouge
Location: Mile 169.5 A.H.P., left bank, Mississippi River, approximately 2.0 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including ores and feed pellets, between vessel and barges; mooring barges.
Depth Alongside (feet): 50 - 60 | 12 | Latitude (decimal): 30.127778
Total Berthing Space (feet): 900, | 780 | Longitude (decimal): -90.91722
Remarks: The floating crane 'Sara B' described above is based at the Burnside Terminal. Dolphins are used for mooring working fleet serving dry bulk transfer mooring and rear of face of Burnside Terminal Ship Wharf, Ref. No. 3.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Remarks: The floating crane 'Sara B' described above is based at the Burnside Terminal. Dolphins are used for mooring working fleet serving dry bulk transfer mooring and rear of face of Burnside Terminal Ship Wharf, Ref. No. 3.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Remarks: The floating crane 'Sara B' described above is based at the Burnside Terminal. Dolphins are used for mooring working fleet serving dry bulk transfer mooring and rear of face of Burnside Terminal Ship Wharf, Ref. No. 3.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 169.5 PWD: 002
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Dry Bulk Transfer**
Port: Baton Rouge
Location: Mile 169.5 A.H.P., left bank, Mississippi River, approximately 2.0 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including ores and feed pellets, between vessel and barges; mooring barges.
Depth Alongside (feet): 50 - 60 | 12 | Latitude (decimal): 30.127778
Total Berthing Space (feet): 900, | 780 | Longitude (decimal): -90.91722

Waterway: **Mississippi River** Mile: 169.5 PWD: 002
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Dry Bulk Transfer**
Port: Baton Rouge
Location: Mile 169.5 A.H.P., left bank, Mississippi River, approximately 2.0 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including ores and feed pellets, between vessel and barges; mooring barges.
Depth Alongside (feet): 50 - 60 | 12 | Latitude (decimal): 30.127778
Total Berthing Space (feet): 900, | 780 | Longitude (decimal): -90.91722

Waterway: **Mississippi River** Mile: 169.5 PWD: 002
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Dry Bulk Transfer**
Port: Baton Rouge
Location: Mile 169.5 A.H.P., left bank, Mississippi River, approximately 2.0 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including ores and feed pellets, between vessel and barges; mooring barges.
Depth Alongside (feet): 50 - 60 | 12 | Latitude (decimal): 30.127778
Total Berthing Space (feet): 900, | 780 | Longitude (decimal): -90.91722
Remarks: The floating crane 'Sara B' described above is based at the Burnside Terminal. Dolphins are used for mooring working fleet serving dry bulk transfer mooring and rear of face of Burnside Terminal Ship Wharf, Ref. No. 3.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Remarks: The floating crane 'Sara B' described above is based at the Burnside Terminal. Dolphins are used for mooring working fleet serving dry bulk transfer mooring and rear of face of Burnside Terminal Ship Wharf, Ref. No. 3.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Remarks: The floating crane 'Sara B' described above is based at the Burnside Terminal. Dolphins are used for mooring working fleet serving dry bulk transfer mooring and rear of face of Burnside Terminal Ship Wharf, Ref. No. 3.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 169.7 PWD: 003
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Ship Wharf.**
Port: Baton Rouge
Location: Mile 169.7 A.H.P., left bank, Mississippi River, approximately 2.2 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Three surface tracks at plant in rear, capacity 120 cars; connect with Canadian National/Illinois Central Railroad. Rail carloading capacity 600 tons per hour or 250 cars per day.
Purpose: Receipt and shipment of bauxite and other dry bulk materials by vessel and barge. (See Remarks.)
Depth Alongside (feet): 40 | 15 - 20 | Latitude (decimal): 30.131389
Total Berthing Space (feet): 1,000 | 695 | Longitude (decimal): -90.92028

Waterway: **Mississippi River** Mile: 169.7 PWD: 003
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Ship Wharf.**
Port: Baton Rouge
Location: Mile 169.7 A.H.P., left bank, Mississippi River, approximately 2.2 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Three surface tracks at plant in rear, capacity 120 cars; connect with Canadian National/Illinois Central Railroad. Rail carloading capacity 600 tons per hour or 250 cars per day.
Purpose: Receipt and shipment of bauxite and other dry bulk materials by vessel and barge. (See Remarks.)
Depth Alongside (feet): 40 | 15 - 20 | Latitude (decimal): 30.131389
Total Berthing Space (feet): 1,000 | 695 | Longitude (decimal): -90.92028

Waterway: **Mississippi River** Mile: 169.7 PWD: 003
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Ship Wharf.**
Port: Baton Rouge
Location: Mile 169.7 A.H.P., left bank, Mississippi River, approximately 2.2 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Three surface tracks at plant in rear, capacity 120 cars; connect with Canadian National/Illinois Central Railroad. Rail carloading capacity 600 tons per hour or 250 cars per day.
Purpose: Receipt and shipment of bauxite and other dry bulk materials by vessel and barge. (See Remarks.)
Depth Alongside (feet): 40 | 15 - 20 | Latitude (decimal): 30.131389
Total Berthing Space (feet): 1,000 | 695 | Longitude (decimal): -90.92028
Remarks: Other materials handled at wharf include alumina, raw sugar, coal, phosphate, urea, iron ore, manganese and chrome ores, zinc, fluorspar, cement, barites, salt, and coke. Unloading towers serve a 54-inch, electric, low-level, belt-conveyor system, and vessel/barge loader is served by a 48-inch, electric, elevated belt-conveyor system. Both conveyors extend along wharf to transfer station at upper end, thence, via covered elevated structure over levee andRiver Road to a 200,000-ton capacity, bauxite storage shed and a 225,000-ton capacity, concrete-surfaced open storage area served by one traveling, electric stacker-reclaimer and one traveling, electric stacker; stacking capacity2,000 tons per

hour each, reclaim capacity 1,500 tons per hour, at alumina plant of Ormet Primary Alumina Corp. at rear. Work platform on lower side of approach has 135 feet of breasting space with dolphin.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Remarks: Other materials handled at wharf include alumina, raw sugar, coal, phosphate, urea, iron ore, manganese and chrome ores, zinc, fluorspar, cement, barites, salt, and coke. Unloading towers serve a 54-inch, electric, low-level, belt-conveyor system, and vessel/barge loader is served by a 48-inch, electric, elevated belt-conveyor system. Both conveyors extend along wharf to transfer station at upper end, thence, via covered elevated structure over levee andRiver Road to a 200,000-ton capacity, bauxite storage shed and a 225,000-ton capacity, concrete-surfaced open storage area served by one traveling, electric stacker-reclaimer and one traveling, electric stacker; stacking capacity2,000 tons per hour each, reclaim capacity 1,500 tons per hour, at alumina plant of Ormet Primary Alumina Corp. at rear. Work platform on lower side of approach has 135 feet of breasting space with dolphin.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Remarks: Other materials handled at wharf include alumina, raw sugar, coal, phosphate, urea, iron ore, manganese and chrome ores, zinc, fluorspar, cement, barites, salt, and coke. Unloading towers serve a 54-inch, electric, low-level, belt-conveyor system, and vessel/barge loader is served by a 48-inch, electric, elevated belt-conveyor system. Both conveyors extend along wharf to transfer station at upper end, thence, via covered elevated structure over levee andRiver Road to a 200,000-ton capacity, bauxite storage shed and a 225,000-ton capacity, concrete-surfaced open storage area served by one traveling, electric stacker-reclaimer and one traveling, electric stacker; stacking capacity2,000 tons per hour each, reclaim capacity 1,500 tons per hour, at alumina plant of Ormet Primary Alumina Corp. at rear. Work platform on lower side of approach has 135 feet of breasting space with dolphin.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 169.7 PWD: 003
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Ship Wharf.**
Port: Baton Rouge
Location: Mile 169.7 A.H.P., left bank, Mississippi River, approximately 2.2 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Three surface tracks at plant in rear, capacity 120 cars; connect with Canadian National/Illinois Central Railroad. Rail carloading capacity 600 tons per hour or 250 cars per day.
Purpose: Receipt and shipment of bauxite and other dry bulk materials by vessel and barge. (See Remarks.)
Depth Alongside (feet): 40 | 15 - 20 | Latitude (decimal): 30.131389
Total Berthing Space (feet): 1,000 | 695 | Longitude (decimal): -90.92028

Waterway: **Mississippi River** Mile: 169.7 PWD: 003
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Ship Wharf.**
Port: Baton Rouge
Location: Mile 169.7 A.H.P., left bank, Mississippi River, approximately 2.2 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Three surface tracks at plant in rear, capacity 120 cars; connect with Canadian National/Illinois Central Railroad. Rail carloading capacity 600 tons per hour or 250 cars per day.
Purpose: Receipt and shipment of bauxite and other dry bulk materials by vessel and barge. (See Remarks.)
Depth Alongside (feet): 40 | 15 - 20 | Latitude (decimal): 30.131389
Total Berthing Space (feet): 1,000 | 695 | Longitude (decimal): -90.92028

Waterway: **Mississippi River** Mile: 169.7 PWD: 003
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Ship Wharf.**
Port: Baton Rouge
Location: Mile 169.7 A.H.P., left bank, Mississippi River, approximately 2.2 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Three surface tracks at plant in rear, capacity 120 cars; connect with Canadian National/Illinois Central Railroad. Rail carloading capacity 600 tons per hour or 250 cars per day.
Purpose: Receipt and shipment of bauxite and other dry bulk materials by vessel and barge. (See Remarks.)
Depth Alongside (feet): 40 | 15 - 20 | Latitude (decimal): 30.131389
Total Berthing Space (feet): 1,000 | 695 | Longitude (decimal): -90.92028
Remarks: Other materials handled at wharf include alumina, raw sugar, coal, phosphate, urea, iron ore, manganese and chrome ores, zinc, fluorspar, cement, barites, salt, and coke. Unloading towers serve a 54-inch, electric, low-level, belt-conveyor system, and vessel/barge loader is served by a 48-inch, electric, elevated belt-conveyor system. Both conveyors extend along wharf to transfer station at upper end, thence, via covered elevated structure over levee andRiver Road to a 200,000-ton capacity, bauxite storage shed and a 225,000-ton capacity, concrete-surfaced open storage area served by one traveling, electric stacker-reclaimer and one traveling, electric stacker; stacking capacity2,000 tons per

hour each, reclaim capacity 1,500 tons per hour, at alumina plant of Ormet Primary Alumina Corp. at rear. Work platform on lower side of approach has 135 feet of breasting space with dolphin.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Remarks: Other materials handled at wharf include alumina, raw sugar, coal, phosphate, urea, iron ore, manganese and chrome ores, zinc, fluorspar, cement, barites, salt, and coke. Unloading towers serve a 54-inch, electric, low-level, belt-conveyor system, and vessel/barge loader is served by a 48-inch, electric, elevated belt-conveyor system. Both conveyors extend along wharf to transfer station at upper end, thence, via covered elevated structure over levee andRiver Road to a 200,000-ton capacity, bauxite storage shed and a 225,000-ton capacity, concrete-surfaced open storage area served by one traveling, electric stacker-reclaimer and one traveling, electric stacker; stacking capacity2,000 tons per hour each, reclaim capacity 1,500 tons per hour, at alumina plant of Ormet Primary Alumina Corp. at rear. Work platform on lower side of approach has 135 feet of breasting space with dolphin.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Remarks: Other materials handled at wharf include alumina, raw sugar, coal, phosphate, urea, iron ore, manganese and chrome ores, zinc, fluorspar, cement, barites, salt, and coke. Unloading towers serve a 54-inch, electric, low-level, belt-conveyor system, and vessel/barge loader is served by a 48-inch, electric, elevated belt-conveyor system. Both conveyors extend along wharf to transfer station at upper end, thence, via covered elevated structure over levee andRiver Road to a 200,000-ton capacity, bauxite storage shed and a 225,000-ton capacity, concrete-surfaced open storage area served by one traveling, electric stacker-reclaimer and one traveling, electric stacker; stacking capacity2,000 tons per hour each, reclaim capacity 1,500 tons per hour, at alumina plant of Ormet Primary Alumina Corp. at rear. Work platform on lower side of approach has 135 feet of breasting space with dolphin.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 169.7 PWD: 003
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Ship Wharf.**
Port: Baton Rouge
Location: Mile 169.7 A.H.P., left bank, Mississippi River, approximately 2.2 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Three surface tracks at plant in rear, capacity 120 cars; connect with Canadian National/Illinois Central Railroad. Rail carloading capacity 600 tons per hour or 250 cars per day.
Purpose: Receipt and shipment of bauxite and other dry bulk materials by vessel and barge. (See Remarks.)
Depth Alongside (feet): 40 | 15 - 20 | Latitude (decimal): 30.131389
Total Berthing Space (feet): 1,000 | 695 | Longitude (decimal): -90.92028

Waterway: **Mississippi River** Mile: 169.7 PWD: 003
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Ship Wharf.**
Port: Baton Rouge
Location: Mile 169.7 A.H.P., left bank, Mississippi River, approximately 2.2 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Three surface tracks at plant in rear, capacity 120 cars; connect with Canadian National/Illinois Central Railroad. Rail carloading capacity 600 tons per hour or 250 cars per day.
Purpose: Receipt and shipment of bauxite and other dry bulk materials by vessel and barge. (See Remarks.)
Depth Alongside (feet): 40 | 15 - 20 | Latitude (decimal): 30.131389
Total Berthing Space (feet): 1,000 | 695 | Longitude (decimal): -90.92028

Waterway: **Mississippi River** Mile: 169.7 PWD: 003
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Ship Wharf.**
Port: Baton Rouge
Location: Mile 169.7 A.H.P., left bank, Mississippi River, approximately 2.2 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Three surface tracks at plant in rear, capacity 120 cars; connect with Canadian National/Illinois Central Railroad. Rail carloading capacity 600 tons per hour or 250 cars per day.
Purpose: Receipt and shipment of bauxite and other dry bulk materials by vessel and barge. (See Remarks.)
Depth Alongside (feet): 40 | 15 - 20 | Latitude (decimal): 30.131389
Total Berthing Space (feet): 1,000 | 695 | Longitude (decimal): -90.92028
Remarks: Other materials handled at wharf include alumina, raw sugar, coal, phosphate, urea, iron ore, manganese and chrome ores, zinc, fluorspar, cement, barites, salt, and coke. Unloading towers serve a 54-inch, electric, low-level, belt-conveyor system, and vessel/barge loader is served by a 48-inch, electric, elevated belt-conveyor system. Both conveyors extend along wharf to transfer station at upper end, thence, via covered elevated structure over levee andRiver Road to a 200,000-ton capacity, bauxite storage shed and a 225,000-ton capacity, concrete-surfaced open storage area served by one traveling, electric stacker-reclaimer and one traveling, electric stacker; stacking capacity2,000 tons per

hour each, reclaim capacity 1,500 tons per hour, at alumina plant of Ormet Primary Alumina Corp. at rear. Work platform on lower side of approach has 135 feet of breasting space with dolphin.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Remarks: Other materials handled at wharf include alumina, raw sugar, coal, phosphate, urea, iron ore, manganese and chrome ores, zinc, fluorspar, cement, barites, salt, and coke. Unloading towers serve a 54-inch, electric, low-level, belt-conveyor system, and vessel/barge loader is served by a 48-inch, electric, elevated belt-conveyor system. Both conveyors extend along wharf to transfer station at upper end, thence, via covered elevated structure over levee andRiver Road to a 200,000-ton capacity, bauxite storage shed and a 225,000-ton capacity, concrete-surfaced open storage area served by one traveling, electric stacker-reclaimer and one traveling, electric stacker; stacking capacity2,000 tons per hour each, reclaim capacity 1,500 tons per hour, at alumina plant of Ormet Primary Alumina Corp. at rear. Work platform on lower side of approach has 135 feet of breasting space with dolphin.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Remarks: Other materials handled at wharf include alumina, raw sugar, coal, phosphate, urea, iron ore, manganese and chrome ores, zinc, fluorspar, cement, barites, salt, and coke. Unloading towers serve a 54-inch, electric, low-level, belt-conveyor system, and vessel/barge loader is served by a 48-inch, electric, elevated belt-conveyor system. Both conveyors extend along wharf to transfer station at upper end, thence, via covered elevated structure over levee andRiver Road to a 200,000-ton capacity, bauxite storage shed and a 225,000-ton capacity, concrete-surfaced open storage area served by one traveling, electric stacker-reclaimer and one traveling, electric stacker; stacking capacity2,000 tons per hour each, reclaim capacity 1,500 tons per hour, at alumina plant of Ormet Primary Alumina Corp. at rear. Work platform on lower side of approach has 135 feet of breasting space with dolphin.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 169.8 PWD: 004
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Barge Dock and Fle**
Port: Baton Rouge
Location: Mile 169.8 A.H.P., left bank, Mississippi River, approximately 2.3 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Plant trackage is described under Ref. No. 3.
Purpose: Shipment of alumina by barge, receipt of liquid caustic soda, mooring barges for fleeting, and mooring midstream transfer equipment.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 30.132778
Total Berthing Space (feet): 2,700 | | 8,500 Longitude (decimal): -90.92111

Waterway: **Mississippi River** Mile: 169.8 PWD: 004
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Barge Dock and Fle**
Port: Baton Rouge
Location: Mile 169.8 A.H.P., left bank, Mississippi River, approximately 2.3 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Plant trackage is described under Ref. No. 3.
Purpose: Shipment of alumina by barge, receipt of liquid caustic soda, mooring barges for fleeting, and mooring midstream transfer equipment.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 30.132778
Total Berthing Space (feet): 2,700 | | 8,500 Longitude (decimal): -90.92111

Waterway: **Mississippi River** Mile: 169.8 PWD: 004
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Barge Dock and Fle**
Port: Baton Rouge
Location: Mile 169.8 A.H.P., left bank, Mississippi River, approximately 2.3 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Plant trackage is described under Ref. No. 3.
Purpose: Shipment of alumina by barge, receipt of liquid caustic soda, mooring barges for fleeting, and mooring midstream transfer equipment.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 30.132778
Total Berthing Space (feet): 2,700 | | 8,500 Longitude (decimal): -90.92111
Remarks: Midstream transfer loading equipment operated at Burnside Terminal Dry Bulk Transfer Mooring, Ref. No. 2, moors at lower side of wharf when not in use. One 14-inch pipeline extends from wharf to 2 steel liquid caustic soda storage tanks at rear, total capacity 2,256,000 gallons. Burnside Terminal Left Bank Fleet extends along breasting dolphins above wharf between Mile 169.9 and Mile 170.4, total capacity 52 barges in 13 tiers, each 4 barges wide. BurnsideTerminal Right Bank Fleet extends along natural bank with shore moorings opposite wharf, from Mile 168.5 to Mile 170.1 A.H.P., total capacity 150 barges in 25 tiers, each 6 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Remarks: Midstream transfer loading equipment operated at Burnside Terminal Dry Bulk Transfer Mooring, Ref. No. 2, moors at lower side of wharf when not in use. One 14-inch pipeline extends from wharf to 2 steel liquid caustic soda storage tanks at rear, total capacity 2,256,000 gallons. Burnside Terminal Left Bank Fleet extends along breasting dolphins above wharf between Mile 169.9 and Mile 170.4, total capacity 52 barges in 13 tiers, each 4 barges wide. BurnsideTerminal Right Bank Fleet extends along natural bank with shore moorings opposite wharf, from Mile 168.5 to Mile 170.1 A.H.P., total capacity 150 barges in 25 tiers, each 6 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Remarks: Midstream transfer loading equipment operated at Burnside Terminal Dry Bulk Transfer Mooring, Ref. No. 2, moors at lower side of wharf when not in use. One 14-inch pipeline extends from wharf to 2 steel liquid caustic soda storage tanks at rear, total capacity 2,256,000 gallons. Burnside Terminal Left Bank Fleet extends along breasting dolphins above wharf between Mile 169.9 and Mile 170.4, total capacity 52 barges in 13 tiers, each 4 barges wide. BurnsideTerminal Right Bank Fleet extends along natural bank with shore moorings opposite wharf, from Mile 168.5 to Mile 170.1 A.H.P., total capacity 150 barges in 25 tiers, each 6 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 169.8 PWD: 004
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Barge Dock and Fle**
Port: Baton Rouge
Location: Mile 169.8 A.H.P., left bank, Mississippi River, approximately 2.3 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Plant trackage is described under Ref. No. 3.
Purpose: Shipment of alumina by barge, receipt of liquid caustic soda, mooring barges for fleeting, and mooring midstream transfer equipment.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 30.132778
Total Berthing Space (feet): 2,700 | | 8,500 Longitude (decimal): -90.92111

Waterway: **Mississippi River** Mile: 169.8 PWD: 004
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Barge Dock and Fle**
Port: Baton Rouge
Location: Mile 169.8 A.H.P., left bank, Mississippi River, approximately 2.3 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Plant trackage is described under Ref. No. 3.
Purpose: Shipment of alumina by barge, receipt of liquid caustic soda, mooring barges for fleeting, and mooring midstream transfer equipment.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 30.132778
Total Berthing Space (feet): 2,700 | | 8,500 Longitude (decimal): -90.92111

Waterway: **Mississippi River** Mile: 169.8 PWD: 004
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Barge Dock and Fle**
Port: Baton Rouge
Location: Mile 169.8 A.H.P., left bank, Mississippi River, approximately 2.3 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Plant trackage is described under Ref. No. 3.
Purpose: Shipment of alumina by barge, receipt of liquid caustic soda, mooring barges for fleeting, and mooring midstream transfer equipment.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 30.132778
Total Berthing Space (feet): 2,700 | | 8,500 Longitude (decimal): -90.92111
Remarks: Midstream transfer loading equipment operated at Burnside Terminal Dry Bulk Transfer Mooring, Ref. No. 2, moors at lower side of wharf when not in use. One 14-inch pipeline extends from wharf to 2 steel liquid caustic soda storage tanks at rear, total capacity 2,256,000 gallons. Burnside Terminal Left Bank Fleet extends along breasting dolphins above wharf between Mile 169.9 and Mile 170.4, total capacity 52 barges in 13 tiers, each 4 barges wide. BurnsideTerminal Right Bank Fleet extends along natural bank with shore moorings opposite wharf, from Mile 168.5 to Mile 170.1 A.H.P., total capacity 150 barges in 25 tiers, each 6 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Remarks: Midstream transfer loading equipment operated at Burnside Terminal Dry Bulk Transfer Mooring, Ref. No. 2, moors at lower side of wharf when not in use. One 14-inch pipeline extends from wharf to 2 steel liquid caustic soda storage tanks at rear, total capacity 2,256,000 gallons. Burnside Terminal Left Bank Fleet extends along breasting dolphins above wharf between Mile 169.9 and Mile 170.4, total capacity 52 barges in 13 tiers, each 4 barges wide. BurnsideTerminal Right Bank Fleet extends along natural bank with shore moorings opposite wharf, from Mile 168.5 to Mile 170.1 A.H.P., total capacity 150 barges in 25 tiers, each 6 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Remarks: Midstream transfer loading equipment operated at Burnside Terminal Dry Bulk Transfer Mooring, Ref. No. 2, moors at lower side of wharf when not in use. One 14-inch pipeline extends from wharf to 2 steel liquid caustic soda storage tanks at rear, total capacity 2,256,000 gallons. Burnside Terminal Left Bank Fleet extends along breasting dolphins above wharf between Mile 169.9 and Mile 170.4, total capacity 52 barges in 13 tiers, each 4 barges wide. BurnsideTerminal Right Bank Fleet extends along natural bank with shore moorings opposite wharf, from Mile 168.5 to Mile 170.1 A.H.P., total capacity 150 barges in 25 tiers, each 6 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 169.8 PWD: 004
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Barge Dock and Fle**
Port: Baton Rouge
Location: Mile 169.8 A.H.P., left bank, Mississippi River, approximately 2.3 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Plant trackage is described under Ref. No. 3.
Purpose: Shipment of alumina by barge, receipt of liquid caustic soda, mooring barges for fleeting, and mooring midstream transfer equipment.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 30.132778
Total Berthing Space (feet): 2,700 | | 8,500 Longitude (decimal): -90.92111

Waterway: **Mississippi River** Mile: 169.8 PWD: 004
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Barge Dock and Fle**
Port: Baton Rouge
Location: Mile 169.8 A.H.P., left bank, Mississippi River, approximately 2.3 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Plant trackage is described under Ref. No. 3.
Purpose: Shipment of alumina by barge, receipt of liquid caustic soda, mooring barges for fleeting, and mooring midstream transfer equipment.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 30.132778
Total Berthing Space (feet): 2,700 | | 8,500 Longitude (decimal): -90.92111

Waterway: **Mississippi River** Mile: 169.8 PWD: 004
Name: **Ormet Primary Alumina Corp., Burnside Terminal, Barge Dock and Fle**
Port: Baton Rouge
Location: Mile 169.8 A.H.P., left bank, Mississippi River, approximately 2.3 miles above Sunshine Bridge, Burnside Datum: LWRP
Operator: ORMET Primary Alumina Corp., Burnside Bulk Marine Terminal Division.
Owner: ORMET Primary Alumina Corp.
Address: River Road (State Highway 44). Phone: 225-474-3758
Town: Burnside State: LA County: Ascension
Railway Connection: Plant trackage is described under Ref. No. 3.
Purpose: Shipment of alumina by barge, receipt of liquid caustic soda, mooring barges for fleeting, and mooring midstream transfer equipment.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 30.132778
Total Berthing Space (feet): 2,700 | | 8,500 Longitude (decimal): -90.92111
Remarks: Midstream transfer loading equipment operated at Burnside Terminal Dry Bulk Transfer Mooring, Ref. No. 2, moors at lower side of wharf when not in use. One 14-inch pipeline extends from wharf to 2 steel liquid caustic soda storage tanks at rear, total capacity 2,256,000 gallons. Burnside Terminal Left Bank Fleet extends along breasting dolphins above wharf between Mile 169.9 and Mile 170.4, total capacity 52 barges in 13 tiers, each 4 barges wide. BurnsideTerminal Right Bank Fleet extends along natural bank with shore moorings opposite wharf, from Mile 168.5 to Mile 170.1 A.H.P., total capacity 150 barges in 25 tiers, each 6 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Port Facilities by Waterway

Remarks: Midstream transfer loading equipment operated at Burnside Terminal Dry Bulk Transfer Mooring, Ref. No. 2, moors at lower side of wharf when not in use. One 14-inch pipeline extends from wharf to 2 steel liquid caustic soda storage tanks at rear, total capacity 2,256,000 gallons. Burnside Terminal Left Bank Fleet extends along breasting dolphins above wharf between Mile 169.9 and Mile 170.4, total capacity 52 barges in 13 tiers, each 4 barges wide. BurnsideTerminal Right Bank Fleet extends along natural bank with shore moorings opposite wharf, from Mile 168.5 to Mile 170.1 A.H.P., total capacity 150 barges in 25 tiers, each 6 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Remarks: Midstream transfer loading equipment operated at Burnside Terminal Dry Bulk Transfer Mooring, Ref. No. 2, moors at lower side of wharf when not in use. One 14-inch pipeline extends from wharf to 2 steel liquid caustic soda storage tanks at rear, total capacity 2,256,000 gallons. Burnside Terminal Left Bank Fleet extends along breasting dolphins above wharf between Mile 169.9 and Mile 170.4, total capacity 52 barges in 13 tiers, each 4 barges wide. BurnsideTerminal Right Bank Fleet extends along natural bank with shore moorings opposite wharf, from Mile 168.5 to Mile 170.1 A.H.P., total capacity 150 barges in 25 tiers, each 6 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20169 New Orleans District

Waterway: **Mississippi River** Mile: 170.9 PWD: 005

Name: **River Cement Sales Co., Burnside Terminal Wharf.**

Port: Baton Rouge

Location: Mile 170.9 A.H.P., left bank, Mississippi River, Burnside. Datum: LWRP

Operator: River Cement Sales Co.

Owner: River Cement Sales Co.

Address: 39862 River Road (State Highway 942). Phone: 225-473-6748

Town: Burnside State: LA County: Ascension

Railway Connection: None.

Purpose: Receipt of bulk cement by barge.

Depth Alongside (feet): 25 | | Latitude (decimal): 30.138889

Total Berthing Space (feet): 656 | | Longitude (decimal): -90.93944

Remarks: Power is available for pneumatic unloading equipment on specially equipped cargo barges. Three concrete, cement storage silos at rear have a total capacity for 10,000 tons. Wharf barge is served by two 6-inch compressed air lines supplying pneumatic equipment. Shed on wharf barge is used for storage.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20170 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 171.8 PWD: 006
Name: **GETCO Mile 171 and Mile 172 Dry Bulk Transfer Moorings.**
Port: Baton Rouge
Location: Mile 171.5 and 172.0 A.H.P., left bank, Mississippi River, Hillaryville. Datum: LWRP
Operator: Gulf Elevator and Transfer, Inc., and Darrow Fleeting & Switching, Inc. subsidiaries
Owner: Cooper/T. Smith Stevedoring
Address: River Road (State Highway 942). Phone: 225-473-4288
Town: Hillaryville State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including coke, meal, grain, and fertilizers, between vessel and barge; landing for ship service launches and towboats; mooring barges for fleeting.
Depth Alongside (feet): 40 | 75 | 6 Latitude (decimal): 30.126944
Total Berthing Space (feet): 1,300 | 1,300 | 100 Longitude (decimal): -90.95139
Remarks: Floating transfer equipment is moored alongside both sides of vessel, with cargo barges outside equipment barge. Floating cranes also used at L & L Fleeting, Mile 175, Mile 179, and Mile 180 Dry Bulk Transfer Moorings (Ref. Nos. 8 and 9). Darrow Fleeting & Switching, Inc., operates their Mile 172 Fleet from Mile 171.3 to Mile 172.2, total capacity 100 barges in 2 blocks of 40 barges each and in 6 tiers, each 3 to 8 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20171 New Orleans District

---

Waterway: **Mississippi River** Mile: 173.4 PWD: 107
Name: **Triad Nitrogen Wharf**
Port: Baton Rouge
Location: Mile 173.4 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: Triad Nitrogen, LLC
Owner: Triad Nitrogen, LLC
Address: 39041 State Highway 18 West. Phone: 225-474-4650
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia; shipment of dry bulk urea.
Depth Alongside (feet): 40 - 50 | | Latitude (decimal): 30.103611
Total Berthing Space (feet): 1050 | | Longitude (decimal): -90.95583
Remarks: Three concrete silos at rear have total capacity for 40,000 tons of bulk urea. One 10-inch pipeline extends to wharf from two steel, ammonia storage tanks at plant in rear, total capacity 60,000 tons..

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 173.6 PWD: 106
Name: **CF Industries, Donaldsonville Ship Wharf.**
Port: Baton Rouge
Location: Mile 173.6 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia; shipment of urea ammonium nitrate and dry bulk urea.
Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 30.103056
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.95944

Waterway: **Mississippi River** Mile: 173.6 PWD: 106
Name: **CF Industries, Donaldsonville Ship Wharf.**
Port: Baton Rouge
Location: Mile 173.6 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia; shipment of urea ammonium nitrate and dry bulk urea.
Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 30.103056
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.95944

Waterway: **Mississippi River** Mile: 173.6 PWD: 106
Name: **CF Industries, Donaldsonville Ship Wharf.**
Port: Baton Rouge
Location: Mile 173.6 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia; shipment of urea ammonium nitrate and dry bulk urea.
Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 30.103056
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.95944
Remarks: Approaches to wharf extend an additional 140 feet from top of levee and over State Highway 18 to plant at rear. Two bulk urea storage buildings at rear have total capacity of 80,000 tons. Upper platform is used as plant pump station; center platform for shipment of bulk urea; and lower platform for handling urea ammonium nitrate and ammonia. One 12-inch urea ammonium nitrate, and one 14-inch ammonia, pipelines extend to lower platform from storage tanksdescribed under Barge Wharf (Ref. No. 105). One 3-inch cool-down and one 10-inch vapor line extend to wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Remarks: Approaches to wharf extend an additional 140 feet from top of levee and over State Highway 18 to plant at rear. Two bulk urea storage buildings at rear have total capacity of 80,000 tons. Upper platform is used as plant pump station; center platform for shipment of bulk urea; and lower platform for handling urea ammonium nitrate and ammonia. One 12-inch urea ammonium nitrate, and one 14-inch ammonia, pipelines extend to lower platform from storage tanksdescribed under Barge Wharf (Ref. No. 105). One 3-inch cool-down and one 10-inch vapor line extend to wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Remarks: Approaches to wharf extend an additional 140 feet from top of levee and over State Highway 18 to plant at rear. Two bulk urea storage buildings at rear have total capacity of 80,000 tons. Upper platform is used as plant pump station; center platform for shipment of bulk urea; and lower platform for handling urea ammonium nitrate and ammonia. One 12-inch urea ammonium nitrate, and one 14-inch ammonia, pipelines extend to lower platform from storage tanksdescribed under Barge Wharf (Ref. No. 105). One 3-inch cool-down and one 10-inch vapor line extend to wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 173.6 PWD: 106
Name: **CF Industries, Donaldsonville Ship Wharf.**
Port: Baton Rouge
Location: Mile 173.6 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia; shipment of urea ammonium nitrate and dry bulk urea.
Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 30.103056
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.95944

Waterway: **Mississippi River** Mile: 173.6 PWD: 106
Name: **CF Industries, Donaldsonville Ship Wharf.**
Port: Baton Rouge
Location: Mile 173.6 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia; shipment of urea ammonium nitrate and dry bulk urea.
Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 30.103056
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.95944

Waterway: **Mississippi River** Mile: 173.6 PWD: 106
Name: **CF Industries, Donaldsonville Ship Wharf.**
Port: Baton Rouge
Location: Mile 173.6 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia; shipment of urea ammonium nitrate and dry bulk urea.
Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 30.103056
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.95944
Remarks: Approaches to wharf extend an additional 140 feet from top of levee and over State Highway 18 to plant at rear. Two bulk urea storage buildings at rear have total capacity of 80,000 tons. Upper platform is used as plant pump station; center platform for shipment of bulk urea; and lower platform for handling urea ammonium nitrate and ammonia. One 12-inch urea ammonium nitrate, and one 14-inch ammonia, pipelines extend to lower platform from storage tanksdescribed under Barge Wharf (Ref. No. 105). One 3-inch cool-down and one 10-inch vapor line extend to wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Remarks: Approaches to wharf extend an additional 140 feet from top of levee and over State Highway 18 to plant at rear. Two bulk urea storage buildings at rear have total capacity of 80,000 tons. Upper platform is used as plant pump station; center platform for shipment of bulk urea; and lower platform for handling urea ammonium nitrate and ammonia. One 12-inch urea ammonium nitrate, and one 14-inch ammonia, pipelines extend to lower platform from storage tanksdescribed under Barge Wharf (Ref. No. 105). One 3-inch cool-down and one 10-inch vapor line extend to wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Remarks: Approaches to wharf extend an additional 140 feet from top of levee and over State Highway 18 to plant at rear. Two bulk urea storage buildings at rear have total capacity of 80,000 tons. Upper platform is used as plant pump station; center platform for shipment of bulk urea; and lower platform for handling urea ammonium nitrate and ammonia. One 12-inch urea ammonium nitrate, and one 14-inch ammonia, pipelines extend to lower platform from storage tanksdescribed under Barge Wharf (Ref. No. 105). One 3-inch cool-down and one 10-inch vapor line extend to wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 173.6 PWD: 106
Name: **CF Industries, Donaldsonville Ship Wharf.**
Port: Baton Rouge
Location: Mile 173.6 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia; shipment of urea ammonium nitrate and dry bulk urea.
Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 30.103056
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.95944

Waterway: **Mississippi River** Mile: 173.6 PWD: 106
Name: **CF Industries, Donaldsonville Ship Wharf.**
Port: Baton Rouge
Location: Mile 173.6 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia; shipment of urea ammonium nitrate and dry bulk urea.
Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 30.103056
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.95944

Waterway: **Mississippi River** Mile: 173.6 PWD: 106
Name: **CF Industries, Donaldsonville Ship Wharf.**
Port: Baton Rouge
Location: Mile 173.6 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia; shipment of urea ammonium nitrate and dry bulk urea.
Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 30.103056
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.95944
Remarks: Approaches to wharf extend an additional 140 feet from top of levee and over State Highway 18 to plant at rear. Two bulk urea storage buildings at rear have total capacity of 80,000 tons. Upper platform is used as plant pump station; center platform for shipment of bulk urea; and lower platform for handling urea ammonium nitrate and ammonia. One 12-inch urea ammonium nitrate, and one 14-inch ammonia, pipelines extend to lower platform from storage tanksdescribed under Barge Wharf (Ref. No. 105). One 3-inch cool-down and one 10-inch vapor line extend to wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Remarks: Approaches to wharf extend an additional 140 feet from top of levee and over State Highway 18 to plant at rear. Two bulk urea storage buildings at rear have total capacity of 80,000 tons. Upper platform is used as plant pump station; center platform for shipment of bulk urea; and lower platform for handling urea ammonium nitrate and ammonia. One 12-inch urea ammonium nitrate, and one 14-inch ammonia, pipelines extend to lower platform from storage tanksdescribed under Barge Wharf (Ref. No. 105). One 3-inch cool-down and one 10-inch vapor line extend to wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Remarks: Approaches to wharf extend an additional 140 feet from top of levee and over State Highway 18 to plant at rear. Two bulk urea storage buildings at rear have total capacity of 80,000 tons. Upper platform is used as plant pump station; center platform for shipment of bulk urea; and lower platform for handling urea ammonium nitrate and ammonia. One 12-inch urea ammonium nitrate, and one 14-inch ammonia, pipelines extend to lower platform from storage tanksdescribed under Barge Wharf (Ref. No. 105). One 3-inch cool-down and one 10-inch vapor line extend to wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 173.7 PWD: 105
Name: **CF Industries, Donaldsonville Barge Wharf.**
Port: Baton Rouge
Location: Mile 173.7 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia and urea ammonium nitrate by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 860 | | Longitude (decimal): -90.96111

Waterway: **Mississippi River** Mile: 173.7 PWD: 105
Name: **CF Industries, Donaldsonville Barge Wharf.**
Port: Baton Rouge
Location: Mile 173.7 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia and urea ammonium nitrate by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 860 | | Longitude (decimal): -90.96111

Waterway: **Mississippi River** Mile: 173.7 PWD: 105
Name: **CF Industries, Donaldsonville Barge Wharf.**
Port: Baton Rouge
Location: Mile 173.7 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia and urea ammonium nitrate by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 860 | | Longitude (decimal): -90.96111

Remarks: One 14- becoming 10-inch urea ammonium nitrate pipeline extends to wharf from 6 steel storage tanks, total capacity 80,000 tons; and one 12- becoming 8-inch ammonia pipeline with 3-inch vapor line extends to wharf from 3 steel storage tanks, total capacity 70,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Remarks: One 14- becoming 10-inch urea ammonium nitrate pipeline extends to wharf from 6 steel storage tanks, total capacity 80,000 tons; and one 12- becoming 8-inch ammonia pipeline with 3-inch vapor line extends to wharf from 3 steel storage tanks, total capacity 70,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Remarks: One 14- becoming 10-inch urea ammonium nitrate pipeline extends to wharf from 6 steel storage tanks, total capacity 80,000 tons; and one 12- becoming 8-inch ammonia pipeline with 3-inch vapor line extends to wharf from 3 steel storage tanks, total capacity 70,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 173.7 PWD: 105
Name: **CF Industries, Donaldsonville Barge Wharf.**
Port: Baton Rouge
Location: Mile 173.7 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia and urea ammonium nitrate by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 860 | | Longitude (decimal): -90.96111

Waterway: **Mississippi River** Mile: 173.7 PWD: 105
Name: **CF Industries, Donaldsonville Barge Wharf.**
Port: Baton Rouge
Location: Mile 173.7 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia and urea ammonium nitrate by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 860 | | Longitude (decimal): -90.96111

Waterway: **Mississippi River** Mile: 173.7 PWD: 105
Name: **CF Industries, Donaldsonville Barge Wharf.**
Port: Baton Rouge
Location: Mile 173.7 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia and urea ammonium nitrate by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 860 | | Longitude (decimal): -90.96111

Remarks: One 14- becoming 10-inch urea ammonium nitrate pipeline extends to wharf from 6 steel storage tanks, total capacity 80,000 tons; and one 12- becoming 8-inch ammonia pipeline with 3-inch vapor line extends to wharf from 3 steel storage tanks, total capacity 70,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Remarks: One 14- becoming 10-inch urea ammonium nitrate pipeline extends to wharf from 6 steel storage tanks, total capacity 80,000 tons; and one 12- becoming 8-inch ammonia pipeline with 3-inch vapor line extends to wharf from 3 steel storage tanks, total capacity 70,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Remarks: One 14- becoming 10-inch urea ammonium nitrate pipeline extends to wharf from 6 steel storage tanks, total capacity 80,000 tons; and one 12- becoming 8-inch ammonia pipeline with 3-inch vapor line extends to wharf from 3 steel storage tanks, total capacity 70,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 173.7 PWD: 105
Name: **CF Industries, Donaldsonville Barge Wharf.**
Port: Baton Rouge
Location: Mile 173.7 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia and urea ammonium nitrate by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 860 | | Longitude (decimal): -90.96111

Waterway: **Mississippi River** Mile: 173.7 PWD: 105
Name: **CF Industries, Donaldsonville Barge Wharf.**
Port: Baton Rouge
Location: Mile 173.7 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia and urea ammonium nitrate by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 860 | | Longitude (decimal): -90.96111

Waterway: **Mississippi River** Mile: 173.7 PWD: 105
Name: **CF Industries, Donaldsonville Barge Wharf.**
Port: Baton Rouge
Location: Mile 173.7 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of ammonia and urea ammonium nitrate by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 860 | | Longitude (decimal): -90.96111

Remarks: One 14- becoming 10-inch urea ammonium nitrate pipeline extends to wharf from 6 steel storage tanks, total capacity 80,000 tons; and one 12- becoming 8-inch ammonia pipeline with 3-inch vapor line extends to wharf from 3 steel storage tanks, total capacity 70,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Remarks: One 14- becoming 10-inch urea ammonium nitrate pipeline extends to wharf from 6 steel storage tanks, total capacity 80,000 tons; and one 12- becoming 8-inch ammonia pipeline with 3-inch vapor line extends to wharf from 3 steel storage tanks, total capacity 70,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Remarks: One 14- becoming 10-inch urea ammonium nitrate pipeline extends to wharf from 6 steel storage tanks, total capacity 80,000 tons; and one 12- becoming 8-inch ammonia pipeline with 3-inch vapor line extends to wharf from 3 steel storage tanks, total capacity 70,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 173.7 PWD: 104
Name: **CF Industries, Donaldsonville Urea Barge Dock**
Port: Baton Rouge
Location: Mile 173.8 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Shipment of dry bulk urea by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.96278

Waterway: **Mississippi River** Mile: 173.7 PWD: 104
Name: **CF Industries, Donaldsonville Urea Barge Dock**
Port: Baton Rouge
Location: Mile 173.8 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Shipment of dry bulk urea by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.96278

Waterway: **Mississippi River** Mile: 173.7 PWD: 104
Name: **CF Industries, Donaldsonville Urea Barge Dock**
Port: Baton Rouge
Location: Mile 173.8 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Shipment of dry bulk urea by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.96278

Remarks: Breasting platforms are in line with breasting dolphins for Barge Wharf (Ref. No. 105), that can provide additional breasting distance. Bulk urea storage buildings are described under Ship Wharf (Ref. No. 106).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Remarks: Breasting platforms are in line with breasting dolphins for Barge Wharf (Ref. No. 105), that can provide additional breasting distance. Bulk urea storage buildings are described under Ship Wharf (Ref. No. 106).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Remarks: Breasting platforms are in line with breasting dolphins for Barge Wharf (Ref. No. 105), that can provide additional breasting distance. Bulk urea storage buildings are described under Ship Wharf (Ref. No. 106).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 173.7 PWD: 104
Name: **CF Industries, Donaldsonville Urea Barge Dock**
Port: Baton Rouge
Location: Mile 173.8 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Shipment of dry bulk urea by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.96278

Waterway: **Mississippi River** Mile: 173.7 PWD: 104
Name: **CF Industries, Donaldsonville Urea Barge Dock**
Port: Baton Rouge
Location: Mile 173.8 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Shipment of dry bulk urea by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.96278

Waterway: **Mississippi River** Mile: 173.7 PWD: 104
Name: **CF Industries, Donaldsonville Urea Barge Dock**
Port: Baton Rouge
Location: Mile 173.8 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Shipment of dry bulk urea by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.96278

Remarks: Breasting platforms are in line with breasting dolphins for Barge Wharf (Ref. No. 105), that can provide additional breasting distance. Bulk urea storage buildings are described under Ship Wharf (Ref. No. 106).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Remarks: Breasting platforms are in line with breasting dolphins for Barge Wharf (Ref. No. 105), that can provide additional breasting distance. Bulk urea storage buildings are described under Ship Wharf (Ref. No. 106).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Remarks: Breasting platforms are in line with breasting dolphins for Barge Wharf (Ref. No. 105), that can provide additional breasting distance. Bulk urea storage buildings are described under Ship Wharf (Ref. No. 106).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 173.7 PWD: 104
Name: **CF Industries, Donaldsonville Urea Barge Dock**
Port: Baton Rouge
Location: Mile 173.8 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Shipment of dry bulk urea by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.96278

Waterway: **Mississippi River** Mile: 173.7 PWD: 104
Name: **CF Industries, Donaldsonville Urea Barge Dock**
Port: Baton Rouge
Location: Mile 173.8 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Shipment of dry bulk urea by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.96278

Waterway: **Mississippi River** Mile: 173.7 PWD: 104
Name: **CF Industries, Donaldsonville Urea Barge Dock**
Port: Baton Rouge
Location: Mile 173.8 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: State Highway 3089 Phone: 225-473-0361
Town: Donaldsonville State: LA County: Ascension
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Shipment of dry bulk urea by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.103056
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.96278

Remarks: Breasting platforms are in line with breasting dolphins for Barge Wharf (Ref. No. 105), that can provide additional breasting distance. Bulk urea storage buildings are described under Ship Wharf (Ref. No. 106).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Remarks: Breasting platforms are in line with breasting dolphins for Barge Wharf (Ref. No. 105), that can provide additional breasting distance. Bulk urea storage buildings are described under Ship Wharf (Ref. No. 106).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Port Facilities by Waterway

Remarks: Breasting platforms are in line with breasting dolphins for Barge Wharf (Ref. No. 105), that can provide additional breasting distance. Bulk urea storage buildings are described under Ship Wharf (Ref. No. 106).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20173 New Orleans District

Waterway: **Mississippi River** Mile: 174.0 PWD: 103
Name: **Donaldsonville Fleet & Barge Service, Buoy Tiers Fleet**
Port: Baton Rouge
Location: Mile 174.5 to 174.0 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: Donaldsonville Fleet & Barge Service, Inc., division of McKinney Fleet & Barge Servic
Owner: Various owners.
Address: 511 Mississippi Street Phone: 225-473-7691
Town: Donaldsonville State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 30.103889
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -90.96972

Waterway: **Mississippi River** Mile: 174.0 PWD: 103
Name: **Donaldsonville Fleet & Barge Service, Buoy Tiers Fleet**
Port: Baton Rouge
Location: Mile 174.5 to 174.0 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: Donaldsonville Fleet & Barge Service, Inc., division of McKinney Fleet & Barge Servic
Owner: Various owners.
Address: 511 Mississippi Street Phone: 225-473-7691
Town: Donaldsonville State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 30.103889
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -90.96972
Remarks: Fleet extends between Mile 174.5 and Mile 174.0 and has capacity for 70 barges in 2 blocks. At time of survey (2002), operator leased fleet from Darrow Fleeting & Switching, Inc., subsidiary of Cooper/T. Smith Stevedoring, which called it the Mile 174 Fleet.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Remarks: Fleet extends between Mile 174.5 and Mile 174.0 and has capacity for 70 barges in 2 blocks. At time of survey (2002), operator leased fleet from Darrow Fleeting & Switching, Inc., subsidiary of Cooper/T. Smith Stevedoring, which called it the Mile 174 Fleet.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 174.0 PWD: 103
Name: **Donaldsonville Fleet & Barge Service, Buoy Tiers Fleet**
Port: Baton Rouge
Location: Mile 174.5 to 174.0 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: Donaldsonville Fleet & Barge Service, Inc., division of McKinney Fleet & Barge Servic
Owner: Various owners.
Address: 511 Mississippi Street Phone: 225-473-7691
Town: Donaldsonville State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 30.103889
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -90.96972

Waterway: **Mississippi River** Mile: 174.0 PWD: 103
Name: **Donaldsonville Fleet & Barge Service, Buoy Tiers Fleet**
Port: Baton Rouge
Location: Mile 174.5 to 174.0 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: Donaldsonville Fleet & Barge Service, Inc., division of McKinney Fleet & Barge Servic
Owner: Various owners.
Address: 511 Mississippi Street Phone: 225-473-7691
Town: Donaldsonville State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 30.103889
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -90.96972

Remarks: Fleet extends between Mile 174.5 and Mile 174.0 and has capacity for 70 barges in 2 blocks. At time of survey (2002), operator leased fleet from Darrow Fleeting & Switching, Inc., subsidiary of Cooper/T. Smith Stevedoring, which called it the Mile 174 Fleet.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Remarks: Fleet extends between Mile 174.5 and Mile 174.0 and has capacity for 70 barges in 2 blocks. At time of survey (2002), operator leased fleet from Darrow Fleeting & Switching, Inc., subsidiary of Cooper/T. Smith Stevedoring, which called it the Mile 174 Fleet.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 175.1 PWD: 102
Name: **Donaldsonville Fleet & Barge Service, Wharf and Main Fleet**
Port: Baton Rouge
Location: Mile 175.1 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: Donaldsonville Fleet & Barge Service, Inc., division of McKinney Fleet & Barge Servic
Owner: Louisiana Dock Co., subsidiary of American Commercial Barge Line Company.
Address: 511 Mississippi Street Phone: 225-473-7691
Town: Donaldsonville State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring barges for cleaning, repair, and fleeting; mooring company-owned towboats.
Depth Alongside (feet): 9 - 20 | | Latitude (decimal): 30.1075
Total Berthing Space (feet): 3,700 | | Longitude (decimal): -90.98333

Waterway: **Mississippi River** Mile: 175.1 PWD: 102
Name: **Donaldsonville Fleet & Barge Service, Wharf and Main Fleet**
Port: Baton Rouge
Location: Mile 175.1 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: Donaldsonville Fleet & Barge Service, Inc., division of McKinney Fleet & Barge Servic
Owner: Louisiana Dock Co., subsidiary of American Commercial Barge Line Company.
Address: 511 Mississippi Street Phone: 225-473-7691
Town: Donaldsonville State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring barges for cleaning, repair, and fleeting; mooring company-owned towboats.
Depth Alongside (feet): 9 - 20 | | Latitude (decimal): 30.1075
Total Berthing Space (feet): 3,700 | | Longitude (decimal): -90.98333

Remarks: Upper 2 wharf barges serve as cleaning plant and third barge has office and shop on deck. Other 14 barges are spar barges for fleet with capacity for 90 barges, extending between mile 175.1 and 174.4. Wharf serves as landing for McKinney Fleet & Barge Service towboats.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Remarks: Upper 2 wharf barges serve as cleaning plant and third barge has office and shop on deck. Other 14 barges are spar barges for fleet with capacity for 90 barges, extending between mile 175.1 and 174.4. Wharf serves as landing for McKinney Fleet & Barge Service towboats.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 175.1 PWD: 102
Name: **Donaldsonville Fleet & Barge Service, Wharf and Main Fleet**
Port: Baton Rouge
Location: Mile 175.1 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: Donaldsonville Fleet & Barge Service, Inc., division of McKinney Fleet & Barge Servic
Owner: Louisiana Dock Co., subsidiary of American Commercial Barge Line Company.
Address: 511 Mississippi Street Phone: 225-473-7691
Town: Donaldsonville State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring barges for cleaning, repair, and fleeting; mooring company-owned towboats.
Depth Alongside (feet): 9 - 20 | | Latitude (decimal): 30.1075
Total Berthing Space (feet): 3,700 | | Longitude (decimal): -90.98333

Waterway: **Mississippi River** Mile: 175.1 PWD: 102
Name: **Donaldsonville Fleet & Barge Service, Wharf and Main Fleet**
Port: Baton Rouge
Location: Mile 175.1 A.H.P., right bank, Mississippi River, Donaldsonville. Datum: LWRP
Operator: Donaldsonville Fleet & Barge Service, Inc., division of McKinney Fleet & Barge Servic
Owner: Louisiana Dock Co., subsidiary of American Commercial Barge Line Company.
Address: 511 Mississippi Street Phone: 225-473-7691
Town: Donaldsonville State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring barges for cleaning, repair, and fleeting; mooring company-owned towboats.
Depth Alongside (feet): 9 - 20 | | Latitude (decimal): 30.1075
Total Berthing Space (feet): 3,700 | | Longitude (decimal): -90.98333

Remarks: Upper 2 wharf barges serve as cleaning plant and third barge has office and shop on deck. Other 14 barges are spar barges for fleet with capacity for 90 barges, extending between mile 175.1 and 174.4. Wharf serves as landing for McKinney Fleet & Barge Service towboats.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Remarks: Upper 2 wharf barges serve as cleaning plant and third barge has office and shop on deck. Other 14 barges are spar barges for fleet with capacity for 90 barges, extending between mile 175.1 and 174.4. Wharf serves as landing for McKinney Fleet & Barge Service towboats.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 175.2 PWD: 007
Name: **L & L Cleaning and Repair Wharf and Mooring.**
Port: Baton Rouge
Location: Mile 175.2 A.H.P., left bank, Mississippi River, Darrow. Datum: LWRP
Operator: L & L Cleaning and Repair, Inc., subsidiary of Cooper/T. Smith Stevedoring.
Owner: Cooper/T. Smith Stevedoring
Address: State Highways 75 and 22. Phone: 225-473-4288
Town: Darrow State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring dry cargo barges for cleaning and repair.
Depth Alongside (feet): 30 | 30 | 30 Latitude (decimal): 30.116111
Total Berthing Space (feet): 400, | - | - Longitude (decimal): -90.98194

Waterway: **Mississippi River** Mile: 175.2 PWD: 007
Name: **L & L Cleaning and Repair Wharf and Mooring.**
Port: Baton Rouge
Location: Mile 175.2 A.H.P., left bank, Mississippi River, Darrow. Datum: LWRP
Operator: L & L Cleaning and Repair, Inc., subsidiary of Cooper/T. Smith Stevedoring.
Owner: Cooper/T. Smith Stevedoring
Address: State Highways 75 and 22. Phone: 225-473-4288
Town: Darrow State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring dry cargo barges for cleaning and repair.
Depth Alongside (feet): 30 | 30 | 30 Latitude (decimal): 30.116111
Total Berthing Space (feet): 400, | - | - Longitude (decimal): -90.98194
Remarks: L & L Cleaning and Repair, Inc.: Moors up to 16 barges at wharf for cleaning and topside repairs.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Remarks: L & L Cleaning and Repair, Inc.: Moors up to 16 barges at wharf for cleaning and topside repairs.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 175.2 PWD: 007
Name: **L & L Cleaning and Repair Wharf and Mooring.**
Port: Baton Rouge
Location: Mile 175.2 A.H.P., left bank, Mississippi River, Darrow. Datum: LWRP
Operator: L & L Cleaning and Repair, Inc., subsidiary of Cooper/T. Smith Stevedoring.
Owner: Cooper/T. Smith Stevedoring
Address: State Highways 75 and 22. Phone: 225-473-4288
Town: Darrow State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring dry cargo barges for cleaning and repair.
Depth Alongside (feet): 30 | 30 | 30 Latitude (decimal): 30.116111
Total Berthing Space (feet): 400, | - | - Longitude (decimal): -90.98194

Waterway: **Mississippi River** Mile: 175.2 PWD: 007
Name: **L & L Cleaning and Repair Wharf and Mooring.**
Port: Baton Rouge
Location: Mile 175.2 A.H.P., left bank, Mississippi River, Darrow. Datum: LWRP
Operator: L & L Cleaning and Repair, Inc., subsidiary of Cooper/T. Smith Stevedoring.
Owner: Cooper/T. Smith Stevedoring
Address: State Highways 75 and 22. Phone: 225-473-4288
Town: Darrow State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring dry cargo barges for cleaning and repair.
Depth Alongside (feet): 30 | 30 | 30 Latitude (decimal): 30.116111
Total Berthing Space (feet): 400, | - | - Longitude (decimal): -90.98194

Remarks: L & L Cleaning and Repair, Inc.: Moors up to 16 barges at wharf for cleaning and topside repairs.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Remarks: L & L Cleaning and Repair, Inc.: Moors up to 16 barges at wharf for cleaning and topside repairs.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 175.3 PWD: 008
Name: **L & L Fleeting, Mile 175 Dry Bulk Transfer Mooring.**
Port: Baton Rouge
Location: Mile 175.3 A.H.P., left bank, Mississippi River, Darrow. Datum: LWRP
Operator: L & L Fleeting, Inc., and Darrow Fleeting & Switching, Inc., subsidiaries of Cooper/T
Owner: Cooper/T. Smith Stevedoring.
Address: State Highways 75 and 22. Phone: 225-473-4288
Town: Darrow State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including ores, meal, grain, fertilizers, and sugar between vessel and barge; landing for ship service launches and towboats; mooring barges for fleeting.
Depth Alongside (feet): 42 | 6 | 6 Latitude (decimal): 30.117222
Total Berthing Space (feet): 1,300 | 100 | 100 Longitude (decimal): -90.98611

Waterway: **Mississippi River** Mile: 175.3 PWD: 008
Name: **L & L Fleeting, Mile 175 Dry Bulk Transfer Mooring.**
Port: Baton Rouge
Location: Mile 175.3 A.H.P., left bank, Mississippi River, Darrow. Datum: LWRP
Operator: L & L Fleeting, Inc., and Darrow Fleeting & Switching, Inc., subsidiaries of Cooper/T
Owner: Cooper/T. Smith Stevedoring.
Address: State Highways 75 and 22. Phone: 225-473-4288
Town: Darrow State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including ores, meal, grain, fertilizers, and sugar between vessel and barge; landing for ship service launches and towboats; mooring barges for fleeting.
Depth Alongside (feet): 42 | 6 | 6 Latitude (decimal): 30.117222
Total Berthing Space (feet): 1,300 | 100 | 100 Longitude (decimal): -90.98611

Remarks: Floating transfer equipment is moored alongside both sides of vessel, with cargo barges outside equipment barge. Darrow Fleeting & Switching, Inc., operates their Mile 175 Fleet from Mile 175.3 to Mile 177.2; total capacity 300 barges in 6 blocks of 40 barges each and in 26 tiers, each 3 to 8 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Remarks: Floating transfer equipment is moored alongside both sides of vessel, with cargo barges outside equipment barge. Darrow Fleeting & Switching, Inc., operates their Mile 175 Fleet from Mile 175.3 to Mile 177.2; total capacity 300 barges in 6 blocks of 40 barges each and in 26 tiers, each 3 to 8 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 175.3 PWD: 008
Name: **L & L Fleeting, Mile 175 Dry Bulk Transfer Mooring.**
Port: Baton Rouge
Location: Mile 175.3 A.H.P., left bank, Mississippi River, Darrow. Datum: LWRP
Operator: L & L Fleeting, Inc., and Darrow Fleeting & Switching, Inc., subsidiaries of Cooper/T
Owner: Cooper/T. Smith Stevedoring.
Address: State Highways 75 and 22. Phone: 225-473-4288
Town: Darrow State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including ores, meal, grain, fertilizers, and sugar between vessel and barge; landing for ship service launches and towboats; mooring barges for fleeting.
Depth Alongside (feet): 42 | 6 | 6 Latitude (decimal): 30.117222
Total Berthing Space (feet): 1,300 | 100 | 100 Longitude (decimal): -90.98611

Waterway: **Mississippi River** Mile: 175.3 PWD: 008
Name: **L & L Fleeting, Mile 175 Dry Bulk Transfer Mooring.**
Port: Baton Rouge
Location: Mile 175.3 A.H.P., left bank, Mississippi River, Darrow. Datum: LWRP
Operator: L & L Fleeting, Inc., and Darrow Fleeting & Switching, Inc., subsidiaries of Cooper/T
Owner: Cooper/T. Smith Stevedoring.
Address: State Highways 75 and 22. Phone: 225-473-4288
Town: Darrow State: LA County: Ascension
Railway Connection: None.
Purpose: Transfer of miscellaneous dry bulk commodities, including ores, meal, grain, fertilizers, and sugar between vessel and barge; landing for ship service launches and towboats; mooring barges for fleeting.
Depth Alongside (feet): 42 | 6 | 6 Latitude (decimal): 30.117222
Total Berthing Space (feet): 1,300 | 100 | 100 Longitude (decimal): -90.98611

Remarks: Floating transfer equipment is moored alongside both sides of vessel, with cargo barges outside equipment barge. Darrow Fleeting & Switching, Inc., operates their Mile 175 Fleet from Mile 175.3 to Mile 177.2; total capacity 300 barges in 6 blocks of 40 barges each and in 26 tiers, each 3 to 8 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Remarks: Floating transfer equipment is moored alongside both sides of vessel, with cargo barges outside equipment barge. Darrow Fleeting & Switching, Inc., operates their Mile 175 Fleet from Mile 175.3 to Mile 177.2; total capacity 300 barges in 6 blocks of 40 barges each and in 26 tiers, each 3 to 8 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20175 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 180.0 PWD: 009

Name: **L & L Fleeting, Mile 179 and Mile 180 Dry Bulk Transfer Moorings.**

Port: Baton Rouge

Location: Mile 180.0 A.H.P., left bank, Mississippi River, Darrow. Datum: LWRP

Operator: L & L Fleeting, Inc., and Darrow Fleeting & Switching, Inc., subsidiaries of Cooper/T

Owner: Cooper/T. Smith Stevedoring

Address: River Road (State Highway 75). Phone: 225-473-4288

Town: Darrow State: LA County: Ascension

Railway Connection: None.

Purpose: Transfer of miscellaneous dry bulk commodities, including ores, coal, scrap, meal, grain, and fertilizer, between vessel and barge; landing for ship service launches and towboats; mooring barges for fleeting.

Depth Alongside (feet): 80 | 80 | 6 Latitude (decimal): 30.133889

Total Berthing Space (feet): 1,300 | 1,300 | 100 Longitude (decimal): -91.00583

Remarks: Floating transfer equipment is moored alongside both sides of vessel, with cargo barges outside equipment barge. When a vessel is not at a mooring, equipment is moored in fleet at rear. Floating equipment also used at GETCO Mile 171 and Mile 172 Dry Bulk Transfer Moorings (Ref. No. 6) and L & L Fleeting, Mile 175 Dry Bulk Transfer Mooring (Ref. No. 8). Darrow Fleeting & Switching, Inc., operates their Mile 180 East Bank Fleet from Mile 178.8 toMile 179.8, total capacity 128 barges in 2 blocks of 40 barges each and in 6 tiers, each 3 to 8 barges wide; and their Mile 180 West Bank Fleet, total capacity 48 barges in 6 tiers, each 3 to 8 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20180 New Orleans District

---

Waterway: **Mississippi River** Mile: 181.4 PWD: 010

Name: **Koch Gathering Systems, Darrow Oil Field Wharf.**

Port: Baton Rouge

Location: Mile 181.4 A.H.P., left bank, Mississippi River, Darrow. Datum: LWRP

Operator: Koch Gathering Systems, Inc., Subsidiary of Koch Industries, Inc.

Owner: Koch Industries, Inc.

Address: River Road (State Highway 75). Phone: 225-265-2112

Town: Darrow State: LA County: Ascension

Railway Connection: None.

Purpose: Shipment of crude oil by barge.

Depth Alongside (feet): 12 | | Latitude (decimal): 30.154444

Total Berthing Space (feet): 311 | | Longitude (decimal): -90.99556

Remarks: One 6-inch pipeline extends to wharf from 2 steel, crude oil storage tanks in rear; total capacity 110,000 barrels.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20181 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 182.8 PWD: 011
Name: **Carline's Geismar Fleet, Landing Wharf and Fleet.**
Port: Baton Rouge
Location: Mile 182.8 A.H.P., left bank, Mississippi River, Belle Helene Plantation. Datum: LWRP
Operator: Carline's Geismar Fleet, Inc., and Carline Tank Service, Inc.
Owner: Fred Parks.
Address: 7268 River Road (State Highway 75). Phone: 225-473-4310
Town: Geismar State: LA County: Ascension
Railway Connection: None.
Purpose: Landing for towboats; mooring barges for topside repairs and fleeting.
Depth Alongside (feet): 5 - 8 | 5 | Latitude (decimal): 30.170833
Total Berthing Space (feet): 390 | 200 | 4,000 Longitude (decimal): -91.00139
Remarks: Carline's Geismar Fleet, Inc. operates fleet from Mile 182.1 to Mile 182.8; total capacity 120 barges in 2 blocks of 25 barges each, and in 14 tiers, each 5 barges wide. Office is located in grounded towboat at rear. Carlines's 204 Fleet on west bank, Ref. No. 96, is operated from this base.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20183 New Orleans District

---

Waterway: **Mississippi River** Mile: 182.9 PWD: 012
Name: **Kinder Morgan, Belle Helene Landing.**
Port: Baton Rouge
Location: Mile 182.9 A.H.P., left bank, Mississippi River, Belle Helene Plantation. Datum: LWRP
Operator: Not operated.
Owner: Kinder Morgan Bulk Terminals, Inc.
Address: River Road (State Highway 75). Phone: 800-535-8170
Town: Geismar State: LA County: Ascension
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.173889
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.00333
Remarks: One 300- by 5-ft steel structure, formerly used as approach to a wharf barge, extends from bank below landing. Belt conveyor system on structure formerly served floating barge-loading equipment used for shipment of dry bulk materials. Landing formerly was used for receipt of limestone.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20181 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 183.1 PWD: 101
Name: **T. T. Barge Cleaning Mile 183, Inc..**
Port: Baton Rouge
Location: Mile 183.1 A.H.P., right bank, Mississippi River, Modeste. Datum: LWRP
Operator: T. T. Barge Cleaning Mile 183, Inc.
Owner: Anthony A. Julien, III and Leonard J. Julien, Jr.
Address: 7324 State Highway 405. Phone: 800-969-8860
Town: Modeste State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring tank barges for cleaning, gas-freeing, and repair.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 30.173333
Total Berthing Space (feet): 400 | 615 | Longitude (decimal): -91.01472
Remarks: Up to 8 barges moor at upper wharf for minor topside repairs, in 2 tiers, each 4 barges wide. Up to 6 barges moor at lower 2 wharf barges for gas-freeing and cleaning. Steam plant, office and 2,400-square foot storage area for waste are located on bank at rear. One vapor recovery pipeline extends from the cleaning wharf to one steel tank at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20183 New Orleans District

---

Waterway: **Mississippi River** Mile: 183.2 PWD: 013
Name: **Shell Chemical,L.P., Geismar Plant Wharf.**
Port: Baton Rouge
Location: Mile 183.2 A.H.P., left bank, Mississippi River, Geismar. Datum: LWRP
Operator: Shell Chemical L.P.
Owner: Shell Chemical L.P., Subsidiary of Shell Oil Co.
Address: 7594 River Road (State Highway 75). Phone: 225-201-6368
Town: Geismar State: LA County: Ascension
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Shipment and occasional receipt of petrochemicals.
Depth Alongside (feet): 38 | 34 | Latitude (decimal): 30.177778
Total Berthing Space (feet): 940 | 450 | Longitude (decimal): -91.00778
Remarks: Plant water intake pump platform located adjacent to upper side of approach. One 10- and nine 8-inch petrochemical pipelines extend to the wharf. One additional pipeline of size yet to be determined is planned for 2001. Pipelines are connected to 44 steel storage tanks in plant at rear, total capacity 56,305,000 gallons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20183 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 183.9 PWD: 014
Name: **BASF Corp. Geismar Wharf.**
Port: Baton Rouge
Location: Mile 183.9 A.H.P., left bank, Mississippi River, Geismar. Datum: LWRP
Operator: BASF Corp., Chemicals Division; Vulcan Materials Co.; and Borden Chemical, Inc.
Owner: BASF Corp.
Address: 8404 River Road (State Highway 75). Phone: 225-673-6000
Town: Geismar State: LA County: Ascension
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Shipment of chemicals and petrochemicals.
Depth Alongside (feet): 50 | 50 | Latitude (decimal): 30.185556
Total Berthing Space (feet): 800 | | 300 Longitude (decimal): -91.01333
Remarks: BASF: Pipelines extend to wharf from storage tanks at rear. Vulcan Materials Co: Five 8-inch pipelines extend to wharf from 5 steel, petrochemical storage tanks, total capacity 4,998,000 gallons; and one 8-inch pipeline extends from one 2,000,000-gallon, caustic soda storage tank. Borden Chemical, Inc.: One 10-inch pipeline extends to wharf from methanol storage tanks described under Ref. No. 16. One 8-inch steam and one 4-inch condensate pipelines also servewharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20183 New Orleans District

---

Waterway: **Mississippi River** Mile: 184.7 PWD: 015
Name: **OSCA Calcium Chloride Plant Wharf**
Port: Baton Rouge
Location: Mile 184.7 A.H.P., left bank, Mississippi River, Geismar. Datum: LWRP
Operator: OSCA, Inc.
Owner: OSCA, Inc.
Address: 9208 River Road (State Highway 75). Phone: 225-673-4355
Town: Geismar State: LA County: Ascension
Railway Connection: None.
Purpose: Shipment of calcium chloride by barge.
Depth Alongside (feet): 20 - 30 | | Latitude (decimal): 30.195556
Total Berthing Space (feet): 160 | | Longitude (decimal): -91.01972
Remarks: Highway access is via driveways across levee to BASF Corp. and Borden Chemical, Geismar Wharves (Ref. Nos. 14 and 16, respectively) One 6-inch pipeline extends to wharf from two steel storage tanks at rear, total capacity 546,000 gallons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20184 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 185.0 PWD: 016
Name: **Borden Chemical, Geismar Industrial Complex Wharf.**
Port: Baton Rouge
Location: Mile 185.0 A.H.P., left bank, Mississippi River, Geismar. Datum: LWRP
Operator: Borden Chemical, Inc.
Owner: Borden Chemical, Inc.
Address: 9288 River Road (State Highway 75). Phone: 225-677-8595
Town: Geismar State: LA County: Ascension
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt of ethylene dichloride and methanol by barge; occasional shipment of methanol by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.199167
Total Berthing Space (feet): 350 | | Longitude (decimal): -91.02333
Remarks: One 8-inch pipeline extends to wharf from 7 steel methanol storage tanks at rear, total capacity 13,000,000 gallons; and one 6-inch pipeline extends from wharf to one 400,000-gallon, steel ethylene dichloride tank at rear. total capacity 13,000,000 gallons; and one 6-inch pipeline extends from wharf to one 400,000-gallon, steel ethylene dichloride tank at rear. One 4-inch vapor return pipeline also serves wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20185 New Orleans District

---

Waterway: **Mississippi River** Mile: 185.5 PWD: 017
Name: **Barber Brothers, Waterloo Facility Dock.**
Port: Baton Rouge
Location: Mile 185.5 A.H.P., left bank, Mississippi River, Geismar. Datum: LWRP
Operator: Barber Brothers Construction Co., LLC.
Owner: Barber Brothers Construction Co., LLC.
Address: River Road (State Highway 75) Phone: 504-885-6298
Town: Geismar State: LA County: Ascension
Railway Connection: None.
Purpose: Receipt of construction aggregates by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.205556
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.02944
Remarks: Approximately 2 acres of open storage area at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20185 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 186.0 PWD: 018
Name: **ElPaso Field Services, Riverside Plant Wharf.**
Port: Baton Rouge
Location: Mile 186.0 A.H.P., left bank, Mississippi River, Geismar. Datum: LWRP
Operator: ElPaso Field Services
Owner: ElPaso/Enterprise, Inc.
Address: 10280 River Road (State Highway 75). Phone: 225-673-6137
Town: Geismar State: LA County: Ascension
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Shipment of petroleum products, including propane and natural gasoline, by barge.
Depth Alongside (feet): 80 | | Latitude (decimal): 30.21
Total Berthing Space (feet): 225 | | Longitude (decimal): -91.03778
Remarks: Pipelines extend to wharf via lower adjustable approach from flexible connections on lower elevated platform. ElPaso Field Services: One 10-inch pipeline extends from 2 steel, natural gasoline storage tanks at plant on opposite side of River Road, total capacity 57,400 barrels; one 10-inch pipeline extends from 13 steel, propane storage tanks at plant, total capacity 15,000 barrels; one 10-inch isobutane pipeline extends to wharf from 6 storagetanks, total capacity 25,000 barrels; and one 10-inch pipeline extends approximately 17 miles to plant from salt storage domes located near Napoleonville, LA, total capacity approximately 1,000,000 barrels. One 8-inchvapor recovery pipeline extends to dock. Shell Oil Co.: One 12-inch, natural gasoline and one 10-inch propane pipelines connect with ElPaso Field Services lines to wharf and extend from 2 natural gasoline storage tanks located atTebone Plant, total capacity 40,000 barrels, and from 8 steel, propane storage tanks, total capacity 28,100 barrels.barrels.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20186 New Orleans District

---

Waterway: **Mississippi River** Mile: 186.6 PWD: 019
Name: **Volks Constructors, Geismar Landing.**
Port: Baton Rouge
Location: Mile 186.6 A.H.P., left bank, Mississippi River, Geismar. Datum: LWRP
Operator: Volks Constructors, Inc.
Owner: Allied Signal, Inc.
Address: River Road (State Highway 75). Phone: 225-673-3236
Town: Geismar State: LA County: Ascension
Railway Connection: None.
Purpose: Handling construction materials; mooring company-owned equipment.
Depth Alongside (feet): 30 - 60 | | Latitude (decimal): 30.214167
Total Berthing Space (feet): 1000 | | Longitude (decimal): -91.04611
Remarks: Landing is not available during high water. At time of survey (2001) an elevated truck ramp from top of levee was being constructed at upper end of yard for use during high water periods. Approximately 4 acres of open storage area at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20183 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 187.0 PWD: 020
Name: **General Electric Co., Geismar Wharf.**
Port: Baton Rouge
Location: Mile 187.0 A.H.P., left bank, Mississippi River, Geismar. Datum: LWRP
Operator: Williams and PCS Nitrogen.
Owner: General Electric Co.
Address: River Road (State Highway 75). Phone: 225-642-2729
Town: Geismar State: LA County: Ascension
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt of phosphate, ammonia, sulfuric acid, and liquid sulphur; shipment of liquid fertilizer, ammonia, sulfuric acid, butadiene and debutanized aromatic concentrate.
Depth Alongside (feet): 50 | 6 | Latitude (decimal): 30.215278
Total Berthing Space (feet): 1,475 | 700 | Longitude (decimal): -91.05583
Remarks: Row of 3 timber breasting dolphins above wharf provides 110 feet of breasting space for idle barges. Following pipelines extend from barge, across wharf, to steel storage tanks located at PCS Nitrogen plant on opposite side of River Road: One 10-inch liquid sulphur pipeline with 2-inch steam line to one 16,800-ton capacity tank; two 6- and one 8-inch liquid fertilizer pipelines to 7 tanks, total capacity 47,250 tons; one 6- and one 10-inch liquid ammoniapipelines to 2 storage tanks, total capacity 37,000 tons; and one 6-inch sulfuric acid pipeline to 4 tanks, total capacity 16,000 tons. Following pipelines extend to wharf from storage tanks located at Williams plant at samelocation: One 10-inch butadiene pipeline from 3 spheres, total capacity 630,000 gallons, and one 10-inch debutanized aromatic concentrate pipeline from one 747,000-gallon tank. One 8-inch fuel oil pipeline extending from unloadingarm was blanked.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20187 New Orleans District

---

Waterway: **Mississippi River** Mile: 187.0 PWD: 100
Name: **Western Towing 186 Fleet**
Port: Baton Rouge
Location: Mile 187.3 to 186.3 A.H.P., right bank, Mississippi River, Hohen Solms. Datum: LWRP
Operator: Western Towing Company, subsidiary of Kirby
Owner: Various owners.
Address: Phone: 225-757-1347
Town: Hohen Solms State: LA County: Ascension
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.209444
Total Berthing Space (feet): 5,280 | | Longitude (decimal): -91.05417
Remarks: Fleet is operated from office at wharf at company's 225 Fleet (Ref. No. 34). Fleet extends from Mile 187.3 to Mile 186.3, with capacity for approximately 100 barges in 13 tiers, each 8 barges wide, and for 40 additional barges in an area permitted but not used in 2002.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20186 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 187.9 PWD: 021

Name: **ATOFINA Cos-Mar Plant Wharf.**

Port: Baton Rouge

Location: Mile 187.9 A.H.P., left bank, Mississippi River, Carville. Datum: LWRP

Operator: ATOFINA Petrochemicals

Owner: Cos-Mar, Co.

Address: River Road (State Highway 75). Phone: 225-642-5454

Town: Carville State: LA County: Iberville

Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.

Purpose: Receipt and shipment of petrochemicals.

Depth Alongside (feet): 30 - 45 | 20 | Latitude (decimal): 30.216389

Total Berthing Space (feet): 802 | 400 | Longitude (decimal): -91.07028

Remarks: Two steel truss walkway and pipeline approaches extend from elevated platforms at rear to a 794-, + 114-, + 185- by 14-foot elevated, steel pipeline rack extending to top of levee, and over River Road to plant. Two 8-inch pipelines extend from wharf to 8 steel styrene storage tanks at plant in rear, total capa 30,000 tons; two 8-inch pipelines extend to 3 benzene tanks, total capacity 25,000 tons; one 8-inch ethyl benzene pipeline extends to 2 tanks, totalcapacity 12,000 tons, and one 8-inch toluene pipeline extends to 2 tanks, total capacity 6,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20187 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 191.0 PWD: 022
Name: **Carville-White Castle Ferry Landing.**
Port: Baton Rouge
Location: Mile 191.0 A.H.P., left bank, Mississippi River, Carville. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: River Road (State Highway 141). Phone: 225-379-1502
Town: Carville State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to White Castle.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.198333
Total Berthing Space (feet): 100 | | Longitude (decimal): -91.11972

Waterway: **Mississippi River** Mile: 191.0 PWD: 022
Name: **Carville-White Castle Ferry Landing.**
Port: Baton Rouge
Location: Mile 191.0 A.H.P., left bank, Mississippi River, Carville. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: River Road (State Highway 141). Phone: 225-379-1502
Town: Carville State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to White Castle.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.198333
Total Berthing Space (feet): 100 | | Longitude (decimal): -91.11972
Remarks: Ferry operates to landing on opposite side of river, Ref. No. 98.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20193 New Orleans District

Remarks: Ferry operates to landing on opposite side of river, Ref. No. 98.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20193 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 191.0 PWD: 022
Name: **Carville-White Castle Ferry Landing.**
Port: Baton Rouge
Location: Mile 191.0 A.H.P., left bank, Mississippi River, Carville. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: River Road (State Highway 141). Phone: 225-379-1502
Town: Carville State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to White Castle.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.198333
Total Berthing Space (feet): 100 | | Longitude (decimal): -91.11972

Waterway: **Mississippi River** Mile: 191.0 PWD: 022
Name: **Carville-White Castle Ferry Landing.**
Port: Baton Rouge
Location: Mile 191.0 A.H.P., left bank, Mississippi River, Carville. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: River Road (State Highway 141). Phone: 225-379-1502
Town: Carville State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to White Castle.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.198333
Total Berthing Space (feet): 100 | | Longitude (decimal): -91.11972
Remarks: Ferry operates to landing on opposite side of river, Ref. No. 98.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20193 New Orleans District

Remarks: Ferry operates to landing on opposite side of river, Ref. No. 98.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20193 New Orleans District

Waterway: **Mississippi River** Mile: 191.4 PWD: 099
Name: **S. J. (Blue) Guercio, III, Contracting & Excavating Landing.**
Port: Baton Rouge
Location: Mile 191.4 A.H.P., right bank, Mississippi River, White Castle. Datum: LWRP
Operator: S. J. (Blue) Guercio, III, Contracting & Excavating, Inc.
Owner: Ross Campesi.
Address: Phone: 225-545-2500
Town: White Castle State: LA County: Iberville
Railway Connection: None.
Purpose: Receipt of shell, gravel, and limestone by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.189444
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.11833
Remarks: Barges being unloaded breast against crane barge. Limestone Yard No. 2, located at rear, has capacity for 10,000 tons of stone. Limestone Yard No. 1, located on opposite side of levee and State Highway 405, has capacity for 10,000 tons of stone.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20193 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 191.5 PWD: 098
Name: **White Castle-Carville Ferry Landing.**
Port: Baton Rouge
Location: Mile 191.5 A.H.P., right bank, Mississippi River, White Castle. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 225-379-1502
Town: White Castle State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Carville.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.187778
Total Berthing Space (feet): 100 | | Longitude (decimal): -91.12111

Waterway: **Mississippi River** Mile: 191.5 PWD: 098
Name: **White Castle-Carville Ferry Landing.**
Port: Baton Rouge
Location: Mile 191.5 A.H.P., right bank, Mississippi River, White Castle. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 225-379-1502
Town: White Castle State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Carville.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.187778
Total Berthing Space (feet): 100 | | Longitude (decimal): -91.12111
Remarks: Ferry operates to landing on opposite side of river, Ref. No. 22.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20193 New Orleans District

Remarks: Ferry operates to landing on opposite side of river, Ref. No. 22.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20193 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 191.5 PWD: 098
Name: **White Castle-Carville Ferry Landing.**
Port: Baton Rouge
Location: Mile 191.5 A.H.P., right bank, Mississippi River, White Castle. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 225-379-1502
Town: White Castle State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Carville.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.187778
Total Berthing Space (feet): 100 | | Longitude (decimal): -91.12111

Waterway: **Mississippi River** Mile: 191.5 PWD: 098
Name: **White Castle-Carville Ferry Landing.**
Port: Baton Rouge
Location: Mile 191.5 A.H.P., right bank, Mississippi River, White Castle. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 225-379-1502
Town: White Castle State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Carville.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.187778
Total Berthing Space (feet): 100 | | Longitude (decimal): -91.12111
Remarks: Ferry operates to landing on opposite side of river, Ref. No. 22.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20193 New Orleans District

Remarks: Ferry operates to landing on opposite side of river, Ref. No. 22.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20193 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 198.2 PWD: 023
Name: **ICOM, Terminal Wharf.**
Port: Baton Rouge
Location: Mile 198.2 A.H.P., left bank, Mississippi River, St. Gabriel. Datum: LWRP
Operator: IC OmniModal Terminal Co., subsidiary of Canadian National/Illinois Central Railroad
Owner: IC OmniModal Terminal Co., subsidiary of Canadian National/Illinois Central Railroad
Address: 4735 Point Clair Rd. Phone: 225-642-5516
Town: St. Gabriel State: LA County: Iberville
Railway Connection: None. (See Remarks)
Purpose: Receipt and shipment of benzene, liquid fertilizer and petrochemical.
Depth Alongside (feet): 35 | | Latitude (decimal): 30.228611
Total Berthing Space (feet): 650 | | Longitude (decimal): -91.1325
Remarks: Plans call for construction of one surface track to terminal in 2003, connecting with Canadian National/Illinois Central Railroad. One 8-inch benzene pipeline extends to wharf from 5 steel storage tanks, total capacity 5,880,000 gallons. One 8-inch trichloroethylene pipeline extends to wharf from one 420,000-gallon, steel storage tank. One 8-inch liquid fertilizer pipeline extends to wharf from 6 steel storage tanks, total capacity 6,006,000 gallons.In 2002, one pipeline extended from fertilizer storage tanks approximately 2 miles to loading rack served by Canadian National/Illinois Central Railroad.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20198 New Orleans District

---

Waterway: **Mississippi River** Mile: 199.9 PWD: 024
Name: **Pioneer Americas, St. Gabriel Wharf.**
Port: Baton Rouge
Location: Mile 199.9 A.H.P., left bank, Mississippi River, St. Gabriel. Datum: LWRP
Operator: Pioneer Americas, Inc.
Owner: Pioneer Americas, Inc.
Address: River Road (State Highway 75). Phone: 225-642-1855
Town: St. Gabriel State: LA County: Iberville
Railway Connection: Plant trackage in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt of bulk salt; shipment of liquid caustic soda.
Depth Alongside (feet): 55 - 90 | 15 - 45 | Latitude (decimal): 30.244722
Total Berthing Space (feet): 595 | 210 | Longitude (decimal): -91.10861
Remarks: Storage building at rear has capacity for 66,000 tons of salt. One 10-inch steam-traced pipeline extends to wharf from 4 steel, liquid caustic soda storag tanks; total capacity 4,000,000 gallons. One 2-inch steam line serves wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20200 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 2.4 PWD: 4
Name: **Shell Pipeline Co., Pilottown Wharf.**
Port: Below New Orleans
Location: Mile 2.4 AHP, left bank, Mississippi River, Pilottown. Datum: MLG
Operator: Shell Pipeline Co., L.P.
Owner: U.S. Government.
Address: Pilottown Phone: 504/728-8354
Town: Pilottown State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of crude oil by barge and occasionally by vessel; landing for crew boat; receipt of supplies and equipment.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.185
Total Berthing Space (feet): 868 | | Longitude (decimal): -89.26139
Remarks: One 24-inch pipeline extends from two 12-inch ship connections on wharf to 4 steel storage tanks, capacity 224,000 barrels each. One of the tanks was not in operation at time of survey (2002).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20002 New Orleans District

---

Waterway: **Mississippi River** Mile: 20.8 PWD: 50
Name: **Marine Spill Response Corp., Mooring Wharf.**
Port: Below New Orleans
Location: Mile 20.8 AHP, right bank, Mississippi River, Buras Datum: MLG
Operator: Marine Spill Response Corp.
Owner: Plaquemines Parish Commission Council.
Address: 100 Herbert Harvey Lane. Phone: 985/657-9135
Town: Buras State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.354444
Total Berthing Space (feet): 180 | 50 | Longitude (decimal): -89.46056
Remarks: Company-owned, oil-spill response vessel 'Louisiana Responder' is based at this facility. Spill response barge is moored end-to along lower side of wharf. Approximately 2 acres of open and covered storage area are located at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20020 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 200.6 PWD: 025
Name: **Plains Marketing Wharf.**
Port: Baton Rouge
Location: Mile 200.6 A.H.P., left bank, Mississippi River, St. Gabriel. Datum: LWRP
Operator: Plains Marketing.
Owner: Plains Marketing.
Address: 3575 River Road (State Highway 75). Phone: 225-642-8776
Town: St. Gabriel State: LA County: Iberville
Railway Connection: None.
Purpose: Shipment of crude oil by barge.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.255278
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.10667
Remarks: One 12- becoming 8-inch pipeline extends to wharf from 3 steel storage tanks at rear, total capacity 100,000 barrels.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20200 New Orleans District

---

Waterway: **Mississippi River** Mile: 201.6 PWD: 026
Name: **Entergy Gulf States Utilities Co., Willow Glen Power Plant Wharf.**
Port: Baton Rouge
Location: Mile 201.6 A.H.P., left bank, Mississippi River, St. Gabriel. Datum: LWRP
Operator: Entergy Gulf States Utilities Co.
Owner: Entergy Gulf States Utilities Co.
Address: River Road (State Highway 75). Phone: 225-642-8747
Town: St. Gabriel State: LA County: Iberville
Railway Connection: One surface track serving plant at rear connects with Canadian National/Illinois Central Railroad.
Purpose: Receipt of diesel fuel for plant consumption.
Depth Alongside (feet): 39 | | Latitude (decimal): 30.269167
Total Berthing Space (feet): 1,035 | | Longitude (decimal): -91.11833
Remarks: One 8- and one 6-inch, steam-traced, diesel fuel pipelines extend from wharf to 11 steel storage tanks at rear, total capacity 2,415,000 barrels. One 4-inch steam line also serves wharf and barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20201 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 202.0 PWD: 097
Name: **McKinney Fleet & Barge Service, Mile 202 Fleet**
Port: Baton Rouge
Location: Mile 201.8 to 202.6 A.H.P., right bank, Mississippi River, Soulouque. Datum: LWRP
Operator: McKinney Fleet & Barge Service, Inc.
Owner: McKinney Fleet & Barge Service, Inc.
Address: Phone: 225-388-9846
Town: Soulouque State: LA County: Iberville
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.265
Total Berthing Space (feet): 4,000 | | Longitude (decimal): -91.12722
Remarks: Fleet is operated from office at wharf in Baton Rouge (Ref. No. 36). In 2002, operator planned to install an anchored buoy. Fleet has capacity for 160 barges in 20 tiers, each 8 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20202 New Orleans District

---

Waterway: **Mississippi River** Mile: 203.0 PWD: 096
Name: **Carline Plaquemine 204 Fleet.**
Port: Baton Rouge
Location: Mile 202.8 to 203.1 A.H.P., right bank, Mississippi River, Soulouque. Datum: LWRP
Operator: Carline's Geismar Fleet, Inc.
Owner: Vic Calarusa.
Address: Phone: 225-473-4310
Town: Soulouque State: LA County: Iberville
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 - 30 | | Latitude (decimal): 30.272778
Total Berthing Space (feet): 1,400 | | Longitude (decimal): -91.1425
Remarks: Fleet is operated from Carline's Geismar Fleet Landing, Ref. No. 11. Fleet has capacity for 56 barges in 7 tiers on shore moorings, each 8 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20204 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 203.8 PWD: 027
Name: **LBC PetroUnited Terminals, Sunshine Terminal Wharf.**
Port: Baton Rouge
Location: Mile 203.8 A.H.P., left bank, Mississippi River, Sunshine. Datum: LWRP
Operator: LBC PetroUnited Terminals, L.P.
Owner: LBC PetroUnited Terminals, L.P.
Address: 1725 River Road (State Highway 75). Phone: 225-642-8335 ex
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Receipt and shipment of chemicals, petroleum products, and petrochemicals; occasional receipt of crude oil.

Depth Alongside (feet):	42	|	| 20	Latitude (decimal):	30.282778
Total Berthing Space (feet):	940	|	| 350	Longitude (decimal):	-91.155

Remarks: One 24-inch pipeline with three 12-inch hose connections, two 12-, and nine 8-inch pipelines extend from wharf to 34 steel storage tanks at rear, total capacity 1,978,000 barrels. One 8-inch steam line serves wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20203 New Orleans District

---

Waterway: **Mississippi River** Mile: 204.8 PWD: 095
Name: **Ashland Chemical Co., Plaquemine Plant Wharf.**
Port: Baton Rouge
Location: Mile 204.8 A.H.P., right bank, Mississippi River, approximately 3.0 miles below Plaquemine. Datum: LWRP
Operator: Not operated.
Owner: Ashland Chemical Co.
Address: 26270 State Highway 405 South Phone: 225-687-6311
Town: Plaquemine State: LA County: Iberville
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Not Used.

Depth Alongside (feet):	60	| 40	|	Latitude (decimal):	30.276389
Total Berthing Space (feet):	900	| 485	|	Longitude (decimal):	-91.17056

Remarks: Barges formerly berthed along rear of lower portion of wharf and lower breasting dolphins. One 12-inch methanol pipeline extends from wharf to 2 steel storage tanks in rear, total capacity 15,000,000 gallons, not in operation at time of survey (2001).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20204 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 205.5 PWD: 094
Name: **Georgia Gulf Chemicals & Vinyls, Plaquemine Ship Wharf.**
Port: Baton Rouge
Location: Mile 205.5 A.H.P., right bank, Mississippi River, approximately 2.3 miles below Plaquemine. Datum: LWRP
Operator: Georgia Gulf Chemicals & Vinyls, LLC, Plaquemine Chemical Division.
Owner: Georgia Gulf Chemicals & Vinyls, LLC, Plaquemine Chemical Division.
Address: 26100 State Highway 405 South Phone: 225-685-2601
Town: Plaquemine State: LA County: Iberville
Railway Connection: Trackage serving plant at rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petrochemicals; shipment of caustic soda.
Depth Alongside (feet): 42 | 35 | Latitude (decimal): 30.275556
Total Berthing Space (feet): 720 | 450 | Longitude (decimal): -91.18083

Waterway: **Mississippi River** Mile: 205.5 PWD: 094
Name: **Georgia Gulf Chemicals & Vinyls, Plaquemine Ship Wharf.**
Port: Baton Rouge
Location: Mile 205.5 A.H.P., right bank, Mississippi River, approximately 2.3 miles below Plaquemine. Datum: LWRP
Operator: Georgia Gulf Chemicals & Vinyls, LLC, Plaquemine Chemical Division.
Owner: Georgia Gulf Chemicals & Vinyls, LLC, Plaquemine Chemical Division.
Address: 26100 State Highway 405 South Phone: 225-685-2601
Town: Plaquemine State: LA County: Iberville
Railway Connection: Trackage serving plant at rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petrochemicals; shipment of caustic soda.
Depth Alongside (feet): 42 | 35 | Latitude (decimal): 30.275556
Total Berthing Space (feet): 720 | 450 | Longitude (decimal): -91.18083

Remarks: One 14- becoming 8-inch caustic soda; one 12- and one 8-inch methanol; one 8-in becoming 6-in vinyl chloride; one 6-inch becoming 4-inch vinyl chloride vapor; one 8-inch ethylene dichloride; one 6-inch ethylene dichloride vent; one 6-inch acetone; one 10-inch acetone vapor recovery; one 6-inch phenol; and one 8- and one 6-inch isopropyl and benzene pipelines extend to wharf from 14 steel storage tanks at plant in rear, total capacity 43,650,000 gallons. One 3-inchnitrogen line also serves wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20205 New Orleans District

Remarks: One 14- becoming 8-inch caustic soda; one 12- and one 8-inch methanol; one 8-in becoming 6-in vinyl chloride; one 6-inch becoming 4-inch vinyl chloride vapor; one 8-inch ethylene dichloride; one 6-inch ethylene dichloride vent; one 6-inch acetone; one 10-inch acetone vapor recovery; one 6-inch phenol; and one 8- and one 6-inch isopropyl and benzene pipelines extend to wharf from 14 steel storage tanks at plant in rear, total capacity 43,650,000 gallons. One 3-inchnitrogen line also serves wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20205 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 205.5 PWD: 094
Name: **Georgia Gulf Chemicals & Vinyls, Plaquemine Ship Wharf.**
Port: Baton Rouge
Location: Mile 205.5 A.H.P., right bank, Mississippi River, approximately 2.3 miles below Plaquemine. Datum: LWRP
Operator: Georgia Gulf Chemicals & Vinyls, LLC, Plaquemine Chemical Division.
Owner: Georgia Gulf Chemicals & Vinyls, LLC, Plaquemine Chemical Division.
Address: 26100 State Highway 405 South Phone: 225-685-2601
Town: Plaquemine State: LA County: Iberville
Railway Connection: Trackage serving plant at rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petrochemicals; shipment of caustic soda.
Depth Alongside (feet): 42 | 35 | Latitude (decimal): 30.275556
Total Berthing Space (feet): 720 | 450 | Longitude (decimal): -91.18083

Waterway: **Mississippi River** Mile: 205.5 PWD: 094
Name: **Georgia Gulf Chemicals & Vinyls, Plaquemine Ship Wharf.**
Port: Baton Rouge
Location: Mile 205.5 A.H.P., right bank, Mississippi River, approximately 2.3 miles below Plaquemine. Datum: LWRP
Operator: Georgia Gulf Chemicals & Vinyls, LLC, Plaquemine Chemical Division.
Owner: Georgia Gulf Chemicals & Vinyls, LLC, Plaquemine Chemical Division.
Address: 26100 State Highway 405 South Phone: 225-685-2601
Town: Plaquemine State: LA County: Iberville
Railway Connection: Trackage serving plant at rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petrochemicals; shipment of caustic soda.
Depth Alongside (feet): 42 | 35 | Latitude (decimal): 30.275556
Total Berthing Space (feet): 720 | 450 | Longitude (decimal): -91.18083

Remarks: One 14- becoming 8-inch caustic soda; one 12- and one 8-inch methanol; one 8-in becoming 6-in vinyl chloride; one 6-inch becoming 4-inch vinyl chloride vapor; one 8-inch ethylene dichloride; one 6-inch ethylene dichloride vent; one 6-inch acetone; one 10-inch acetone vapor recovery; one 6-inch phenol; and one 8- and one 6-inch isopropyl and benzene pipelines extend to wharf from 14 steel storage tanks at plant in rear, total capacity 43,650,000 gallons. One 3-inchnitrogen line also serves wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20205 New Orleans District

Remarks: One 14- becoming 8-inch caustic soda; one 12- and one 8-inch methanol; one 8-in becoming 6-in vinyl chloride; one 6-inch becoming 4-inch vinyl chloride vapor; one 8-inch ethylene dichloride; one 6-inch ethylene dichloride vent; one 6-inch acetone; one 10-inch acetone vapor recovery; one 6-inch phenol; and one 8- and one 6-inch isopropyl and benzene pipelines extend to wharf from 14 steel storage tanks at plant in rear, total capacity 43,650,000 gallons. One 3-inchnitrogen line also serves wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20205 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 205.6 PWD: 093
Name: **Georgia Gulf Chemicals & Vinyls, Plaquemine Barge Wharf.**
Port: Baton Rouge
Location: Mile 205.6 A.H.P., right bank, Mississippi River, approximately 2.2 miles below Plaquemine. Datum: LWRP
Operator: Not operated.
Owner: Georgia Gulf Chemicals & Vinyls, LLC, Plaquemine Chemical Division.
Address: 26100 State Highway 405 South Phone: 225-685-2601
Town: Plaquemine State: LA County: Iberville
Railway Connection: Trackage serving plant at rear connects with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 30.275556
Total Berthing Space (feet): 410 | 300 | Longitude (decimal): -91.18306

Waterway: **Mississippi River** Mile: 205.6 PWD: 093
Name: **Georgia Gulf Chemicals & Vinyls, Plaquemine Barge Wharf.**
Port: Baton Rouge
Location: Mile 205.6 A.H.P., right bank, Mississippi River, approximately 2.2 miles below Plaquemine. Datum: LWRP
Operator: Not operated.
Owner: Georgia Gulf Chemicals & Vinyls, LLC, Plaquemine Chemical Division.
Address: 26100 State Highway 405 South Phone: 225-685-2601
Town: Plaquemine State: LA County: Iberville
Railway Connection: Trackage serving plant at rear connects with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 30.275556
Total Berthing Space (feet): 410 | 300 | Longitude (decimal): -91.18306
Remarks: One 6-inch pipeline and one 3-inch vapor line extend from wharf to 2 spherical vinyl chloride storage tanks, total capacity 2,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20205 New Orleans District

Remarks: One 6-inch pipeline and one 3-inch vapor line extend from wharf to 2 spherical vinyl chloride storage tanks, total capacity 2,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20205 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 205.6 PWD: 093
Name: **Georgia Gulf Chemicals & Vinyls, Plaquemine Barge Wharf.**
Port: Baton Rouge
Location: Mile 205.6 A.H.P., right bank, Mississippi River, approximately 2.2 miles below Plaquemine. Datum: LWRP
Operator: Not operated.
Owner: Georgia Gulf Chemicals & Vinyls, LLC, Plaquemine Chemical Division.
Address: 26100 State Highway 405 South Phone: 225-685-2601
Town: Plaquemine State: LA County: Iberville
Railway Connection: Trackage serving plant at rear connects with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 30.275556
Total Berthing Space (feet): 410 | 300 | Longitude (decimal): -91.18306

Waterway: **Mississippi River** Mile: 205.6 PWD: 093
Name: **Georgia Gulf Chemicals & Vinyls, Plaquemine Barge Wharf.**
Port: Baton Rouge
Location: Mile 205.6 A.H.P., right bank, Mississippi River, approximately 2.2 miles below Plaquemine. Datum: LWRP
Operator: Not operated.
Owner: Georgia Gulf Chemicals & Vinyls, LLC, Plaquemine Chemical Division.
Address: 26100 State Highway 405 South Phone: 225-685-2601
Town: Plaquemine State: LA County: Iberville
Railway Connection: Trackage serving plant at rear connects with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 30.275556
Total Berthing Space (feet): 410 | 300 | Longitude (decimal): -91.18306
Remarks: One 6-inch pipeline and one 3-inch vapor line extend from wharf to 2 spherical vinyl chloride storage tanks, total capacity 2,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20205 New Orleans District

Remarks: One 6-inch pipeline and one 3-inch vapor line extend from wharf to 2 spherical vinyl chloride storage tanks, total capacity 2,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20205 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 207.0 PWD: 028
Name: **Plaquemine Towing Corp. Mooring and Banta Mile 207 Fleet**
Port: Baton Rouge
Location: Mile 207.0 A.H.P., left bank, Mississippi River, Plaquemine Point, Iberville Parish. Datum: LWRP
Operator: Banta Fleet Corp.
Owner: Plaquemine Towing Corp.
Address: River Road (State Highway 75). Phone: 225-642-5376
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Mooring company-owned towboats and mooring barges for fleeting.
Depth Alongside (feet): 8 - 14 | 8 | Latitude (decimal): 30.283889
Total Berthing Space (feet): 100 | | 1,050 Longitude (decimal): -91.20528
Remarks: Banta Fleet Corp. operates their Mile 207.0 fleet between mile 206.9 and 207.1 in 2 blocks of 24 barges each, each block 3 long and 8 wide, total capacity 48 barges.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20207 New Orleans District

---

Waterway: **Mississippi River** Mile: 207.3 PWD: 029
Name: **Plaquemine Point-Plaquemine Ferry Landing.**
Port: Baton Rouge
Location: Mile 207.3 A.H.P., left bank, Mississippi River, Plaquemine Point, Iberville Parish. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: River Road (State Highway 75). Phone: 225-379-1502
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Plaquemine.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.285833
Total Berthing Space (feet): 165 | | Longitude (decimal): -91.21

Waterway: **Mississippi River** Mile: 207.3 PWD: 029
Name: **Plaquemine Point-Plaquemine Ferry Landing.**
Port: Baton Rouge
Location: Mile 207.3 A.H.P., left bank, Mississippi River, Plaquemine Point, Iberville Parish. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: River Road (State Highway 75). Phone: 225-379-1502
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Plaquemine.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.285833
Total Berthing Space (feet): 165 | | Longitude (decimal): -91.21
Remarks: Ferry operates to landing on opposite side of river, Ref. No. 92.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20207 New Orleans District

---

Remarks: Ferry operates to landing on opposite side of river, Ref. No. 92.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20207 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 207.3 PWD: 029
Name: **Plaquemine Point-Plaquemine Ferry Landing.**
Port: Baton Rouge
Location: Mile 207.3 A.H.P., left bank, Mississippi River, Plaquemine Point, Iberville Parish. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: River Road (State Highway 75). Phone: 225-379-1502
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Plaquemine.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.285833
Total Berthing Space (feet): 165 | | Longitude (decimal): -91.21

Waterway: **Mississippi River** Mile: 207.3 PWD: 029
Name: **Plaquemine Point-Plaquemine Ferry Landing.**
Port: Baton Rouge
Location: Mile 207.3 A.H.P., left bank, Mississippi River, Plaquemine Point, Iberville Parish. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: River Road (State Highway 75). Phone: 225-379-1502
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Plaquemine.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.285833
Total Berthing Space (feet): 165 | | Longitude (decimal): -91.21
Remarks: Ferry operates to landing on opposite side of river, Ref. No. 92.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20207 New Orleans District

Remarks: Ferry operates to landing on opposite side of river, Ref. No. 92.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20207 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 208.0 PWD: 092
Name: **Plaquemine-Plaquemine Point Ferry Landing.**
Port: Baton Rouge
Location: Mile 208.0 A.H.P., right bank, Mississippi River, Plaquemine. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 225-379-1502
Town: Plaquemine State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Plaquemine Point.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.283333
Total Berthing Space (feet): 160 | | Longitude (decimal): -91.22333

Waterway: **Mississippi River** Mile: 208.0 PWD: 092
Name: **Plaquemine-Plaquemine Point Ferry Landing.**
Port: Baton Rouge
Location: Mile 208.0 A.H.P., right bank, Mississippi River, Plaquemine. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 225-379-1502
Town: Plaquemine State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Plaquemine Point.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.283333
Total Berthing Space (feet): 160 | | Longitude (decimal): -91.22333
Remarks: Ferry operates to landing on opposite side of river, Ref. No. 29.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20207 New Orleans District

Remarks: Ferry operates to landing on opposite side of river, Ref. No. 29.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20207 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 208.0 PWD: 092
Name: **Plaquemine-Plaquemine Point Ferry Landing.**
Port: Baton Rouge
Location: Mile 208.0 A.H.P., right bank, Mississippi River, Plaquemine. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 225-379-1502
Town: Plaquemine State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Plaquemine Point.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.283333
Total Berthing Space (feet): 160 | | Longitude (decimal): -91.22333

Waterway: **Mississippi River** Mile: 208.0 PWD: 092
Name: **Plaquemine-Plaquemine Point Ferry Landing.**
Port: Baton Rouge
Location: Mile 208.0 A.H.P., right bank, Mississippi River, Plaquemine. Datum: LWRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana.
Address: Phone: 225-379-1502
Town: Plaquemine State: LA County: Iberville
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Plaquemine Point.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.283333
Total Berthing Space (feet): 160 | | Longitude (decimal): -91.22333
Remarks: Ferry operates to landing on opposite side of river, Ref. No. 29.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20207 New Orleans District

Remarks: Ferry operates to landing on opposite side of river, Ref. No. 29.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20207 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 208.4 PWD: 030
Name: **Plaquemine Point Shipyard, Repair Wharf, and Banta Mile 208 Fleet**
Port: Baton Rouge
Location: Mile 208.4 A.H.P., left bank, Mississippi River, Plaquemine Point, Iberville Parish. Datum: LWRP
Operator: Plaquemine Point Shipyard, Division of Plaquemine Towing Corp., and Banta Fleet Corp.
Owner: Plaquemine Towing Corp.
Address: River Road (State Highway 991). Phone: 225-642-5376
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.291667
Total Berthing Space (feet): 200 | 125 | 170 Longitude (decimal): -91.22417

Waterway: **Mississippi River** Mile: 208.4 PWD: 030
Name: **Plaquemine Point Shipyard, Repair Wharf, and Banta Mile 208 Fleet**
Port: Baton Rouge
Location: Mile 208.4 A.H.P., left bank, Mississippi River, Plaquemine Point, Iberville Parish. Datum: LWRP
Operator: Plaquemine Point Shipyard, Division of Plaquemine Towing Corp., and Banta Fleet Corp.
Owner: Plaquemine Towing Corp.
Address: River Road (State Highway 991). Phone: 225-642-5376
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.291667
Total Berthing Space (feet): 200 | 125 | 170 Longitude (decimal): -91.22417

Remarks: One 1,000-long ton floating drydock is moored to shop barge and lower side of outer portion of approach barge. Banta Fleet Corp. operates their Mile 208 fleet between mile 207.9 and mile 208.5 with capacity for 40 barges in 5 tiers, each 8 barges wide. Repairs are performed at wharf, in fleet, and in Banta Fleet Corp. Mile 207 and Dow Chemical Fleets, Ref. Nos. 28 and 33, respectively.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20208 New Orleans District

Remarks: One 1,000-long ton floating drydock is moored to shop barge and lower side of outer portion of approach barge. Banta Fleet Corp. operates their Mile 208 fleet between mile 207.9 and mile 208.5 with capacity for 40 barges in 5 tiers, each 8 barges wide. Repairs are performed at wharf, in fleet, and in Banta Fleet Corp. Mile 207 and Dow Chemical Fleets, Ref. Nos. 28 and 33, respectively.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20208 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 208.4 PWD: 030
Name: **Plaquemine Point Shipyard, Repair Wharf, and Banta Mile 208 Fleet**
Port: Baton Rouge
Location: Mile 208.4 A.H.P., left bank, Mississippi River, Plaquemine Point, Iberville Parish. Datum: LWRP
Operator: Plaquemine Point Shipyard, Division of Plaquemine Towing Corp., and Banta Fleet Corp.
Owner: Plaquemine Towing Corp.
Address: River Road (State Highway 991). Phone: 225-642-5376
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.291667
Total Berthing Space (feet): 200 | 125 | 170 Longitude (decimal): -91.22417

Waterway: **Mississippi River** Mile: 208.4 PWD: 030
Name: **Plaquemine Point Shipyard, Repair Wharf, and Banta Mile 208 Fleet**
Port: Baton Rouge
Location: Mile 208.4 A.H.P., left bank, Mississippi River, Plaquemine Point, Iberville Parish. Datum: LWRP
Operator: Plaquemine Point Shipyard, Division of Plaquemine Towing Corp., and Banta Fleet Corp.
Owner: Plaquemine Towing Corp.
Address: River Road (State Highway 991). Phone: 225-642-5376
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.291667
Total Berthing Space (feet): 200 | 125 | 170 Longitude (decimal): -91.22417

Remarks: One 1,000-long ton floating drydock is moored to shop barge and lower side of outer portion of approach barge. Banta Fleet Corp. operates their Mile 208 fleet between mile 207.9 and mile 208.5 with capacity for 40 barges in 5 tiers, each 8 barges wide. Repairs are performed at wharf, in fleet, and in Banta Fleet Corp. Mile 207 and Dow Chemical Fleets, Ref. Nos. 28 and 33, respectively.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20208 New Orleans District

Remarks: One 1,000-long ton floating drydock is moored to shop barge and lower side of outer portion of approach barge. Banta Fleet Corp. operates their Mile 208 fleet between mile 207.9 and mile 208.5 with capacity for 40 barges in 5 tiers, each 8 barges wide. Repairs are performed at wharf, in fleet, and in Banta Fleet Corp. Mile 207 and Dow Chemical Fleets, Ref. Nos. 28 and 33, respectively.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20208 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 208.5 PWD: 031
Name: **Plaquemine Point Shipyard, Cleaning Wharf.**
Port: Baton Rouge
Location: Mile 208.5 A.H.P., left bank, Mississippi River, Plaquemine Point, Iberville Parish. Datum: LWRP
Operator: Plaquemine Point Shipyard, Division of Plaquemine Towing Corp., and Banta Fleet Corp.
Owner: Plaquemine Towing Corp.
Address: River Road (State Highway 991). Phone: 225-642-5376
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Mooring tank barges for gas-freeing and cleaning. Mooring barges for fleeting.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.293333
Total Berthing Space (feet): 452 | 195 | 195 Longitude (decimal): -91.22694

Waterway: **Mississippi River** Mile: 208.5 PWD: 031
Name: **Plaquemine Point Shipyard, Cleaning Wharf.**
Port: Baton Rouge
Location: Mile 208.5 A.H.P., left bank, Mississippi River, Plaquemine Point, Iberville Parish. Datum: LWRP
Operator: Plaquemine Point Shipyard, Division of Plaquemine Towing Corp., and Banta Fleet Corp.
Owner: Plaquemine Towing Corp.
Address: River Road (State Highway 991). Phone: 225-642-5376
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Mooring tank barges for gas-freeing and cleaning. Mooring barges for fleeting.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.293333
Total Berthing Space (feet): 452 | 195 | 195 Longitude (decimal): -91.22694

Remarks: Wharf shares riverfront with Banta Fleet Corp., Mile 208 fleet described under Repair Wharf, Ref. No. 30.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20208 New Orleans District

Remarks: Wharf shares riverfront with Banta Fleet Corp., Mile 208 fleet described under Repair Wharf, Ref. No. 30.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20208 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 208.5 PWD: 031
Name: **Plaquemine Point Shipyard, Cleaning Wharf.**
Port: Baton Rouge
Location: Mile 208.5 A.H.P., left bank, Mississippi River, Plaquemine Point, Iberville Parish. Datum: LWRP
Operator: Plaquemine Point Shipyard, Division of Plaquemine Towing Corp., and Banta Fleet Corp.
Owner: Plaquemine Towing Corp.
Address: River Road (State Highway 991). Phone: 225-642-5376
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Mooring tank barges for gas-freeing and cleaning. Mooring barges for fleeting.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.293333
Total Berthing Space (feet): 452 | 195 | 195 Longitude (decimal): -91.22694

Waterway: **Mississippi River** Mile: 208.5 PWD: 031
Name: **Plaquemine Point Shipyard, Cleaning Wharf.**
Port: Baton Rouge
Location: Mile 208.5 A.H.P., left bank, Mississippi River, Plaquemine Point, Iberville Parish. Datum: LWRP
Operator: Plaquemine Point Shipyard, Division of Plaquemine Towing Corp., and Banta Fleet Corp.
Owner: Plaquemine Towing Corp.
Address: River Road (State Highway 991). Phone: 225-642-5376
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Mooring tank barges for gas-freeing and cleaning. Mooring barges for fleeting.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.293333
Total Berthing Space (feet): 452 | 195 | 195 Longitude (decimal): -91.22694

Remarks: Wharf shares riverfront with Banta Fleet Corp., Mile 208 fleet described under Repair Wharf, Ref. No. 30.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20208 New Orleans District

Remarks: Wharf shares riverfront with Banta Fleet Corp., Mile 208 fleet described under Repair Wharf, Ref. No. 30.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20208 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 209.9 PWD: 091
Name: **Dow Chemical U.S.A., Plaquemine Dock No. 1, Chemical Wharf.**
Port: Baton Rouge
Location: Mile 209.9 A.H.P., right bank, Mississippi River, Plaquemine. Datum: LWRP
Operator: Dow Chemical U.S.A., Louisiana Division.
Owner: Dow Chemical U.S.A.
Address: State Highway 1 Phone: 225-335-4534
Town: Plaquemine State: LA County: Iberville
Railway Connection: Trackage serving chemical plant in rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of miscellaneous chemicals, including caustic soda.
Depth Alongside (feet): 35 - 40 | 35 | Latitude (decimal): 30.311944
Total Berthing Space (feet): 898 | 300 | Longitude (decimal): -91.22611
Remarks: A 65- by 20-foot barge-loading platform is located on lower side of approach. Barges moor 2 abreast against work barge with bow to loading platform. Additional barge berth at rear of lower breasting platform. One 14-inch caustic soda pipeline, fifteen 6-inch chemical pipelines, and two 4-inch vent lines extend to wharf from 15 steel storage tanks, total capacity 146,000 tons.One 4-inch slop line extends from wharf to truckloading station at rear.One 3-inch nitrogen, one 3-inch compressed air, and 1- and 2-inch steam lines serve wharf. One 6-inch hose and one 10-inch pipeline extend from wharf to a marine vapor recovery system in plant at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20210 New Orleans District

---

Waterway: **Mississippi River** Mile: 210.0 PWD: 032
Name: **Western Towing 210 Fleet ('The Chute')**
Port: Baton Rouge
Location: Mile 210.0 A.H.P., left bank, Mississippi River, island bank of channel between island and Plaquemine Po Datum: LWRP
Operator: Western Towing Company, subsidiary of Kirby
Owner: Western Towing Company, subsidiary of Kirby
Address: Phone: 225-757-1347
Town: Sunshine State: LA County: Iberville
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.308333
Total Berthing Space (feet): 3,600 | | Longitude (decimal): -91.21667
Remarks: Fleet is operated from office at wharf at company's 225 Fleet (Ref. No. 34). Fleet extends along south bank of island at mile 210.0, total capacity 66 barges.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20210 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 210.4 PWD: 033

Name: **Banta Fleet Corp., Dow Chemical 'The Chute' Fleet**

Port: Baton Rouge

Location: Mile 210.4 to 211.0 A.H.P., left bank, Mississippi River, river bank of channel between island and Plaqu Datum: LWRP

Operator: Banta Fleet Corp.

Owner: Plaquemine Towing Corp.

Address: Phone: 225-642-5376

Town: Sunshine State: LA County: Iberville

Railway Connection: None.

Purpose: Mooring barges awaiting loading and unloading at Dow Chemical U.S.A., Plaquemine Docks (Ref. Nos. 90 and 91).

Depth Alongside (feet): 14 | | Latitude (decimal): 30.307222

Total Berthing Space (feet): 3,000 | | Longitude (decimal): -91.21083

Remarks: 'The Chute' fleet serves Dow Chemical U.S.A., Plaquemine wharves on opposite bank. Fleet extends along river bank between mile 210.4 and 211.0, total capacity 48 barges in 2 blocks, each 3-long and 8-wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20210 New Orleans District

---

Waterway: **Mississippi River** Mile: 221.8 PWD: 090

Name: **Dow Chemical U.S.A., Plaquemine Dock No. 2, Hydrocarbon Wharf.**

Port: Baton Rouge

Location: Mile 221.8 A.H.P., right bank, Mississippi River, West Baton Rouge Parish. Datum: LWRP

Operator: Dow Chemical U.S.A., Louisiana Division.

Owner: Dow Chemical U.S.A.

Address: Phone: 225-335-4534

Town: Eliza State: LA County: W. Baton Rouge

Railway Connection: None.

Purpose: Receipt of liquefied petroleum gas, naphtha, and toluene; shipment of fuel oil, vinyl chloride monomer, benzene, and other petrochemicals and chemicals.

Depth Alongside (feet): 35 | 25 - 30 | 14 Latitude (decimal): 30.341667

Total Berthing Space (feet): 998 | 998 | 560 Longitude (decimal): -91.24

Remarks: Rear of wharf face and West Wing form slip approximately 130 feet wide. Four pipelines connect wharf with steel storage tanks at rear: one 24-inch fuel oil line to one 130,000-barrel tank; one 24-inch naphtha line to 2 tanks, total capacity 450,000 barrels; and one 12-inch toluene and one 8-inch benzene lines, each to 2 tanks, total capacity each product 420,000 gallons. Five pipelines connect wharf with tanks at plant in rear, total capacity approximately54,000 tons: one 16-inch liquefied petroleum gas, one 12-inch vinyl chloride monomer with 6-inch vent line, one 8-inch butadiene, one 8-inch multipurpose and one 6-inch propylene. One 3-inch slop line extends from wharf totruckloading station at rear. Two 4-inch nitrogen and one 3-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20221 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 224.3 PWD: 034
Name: **Western Towing 225 Fleet, Landing Wharf and East and West Bank Fle**
Port: Baton Rouge
Location: Mile 224.3 A.H.P., left bank, Mississippi River, Baton Rouge Datum: LWRP
Operator: Western Towing Company, subsidiary of Kirby
Owner: Western Towing Company, subsidiary of Kirby
Address: 7150 S. River Road Phone: 225-757-1347
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Landing for towboats; mooring barges for fleeting.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 30.375278
Total Berthing Space (feet): 400 | 2,000 | 6,000 Longitude (decimal): -91.22722
Remarks: Western Towing Company operates their 225 Fleet on both sides of the river. The east bank fleet extends from Mile 224.3 to Mile 224.7, A.H.P., on shore moorings, total capacity approximately 47 barges, in tiers of varying widths. The west bank fleet extends from Mile 223.9 to Mile 225.1, A.H.P., on shore moorings, total capacity approximately 216 barges, in tiers 8 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20224 New Orleans District

---

Waterway: **Mississippi River** Mile: 225.5 PWD: 035
Name: **John W. Stone Oil Distributors, Baton Rouge Wharf.**
Port: Baton Rouge
Location: Mile 225.5 A.H.P., left bank, Mississippi River, Baton Rouge. Datum: LWRP
Operator: John W. Stone Oil Distributors, L.L.C.
Owner: John W. Stone, Jr.
Address: 6012 S. River Road (State Hwy 327). Phone: 225-819-1743
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Mooring company-owned midstream fueling barges.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.388056
Total Berthing Space (feet): 1,660 | | Longitude (decimal): -91.21583
Remarks: Company operates three midstream fueling barges, 'S-12,' 'S-24,' and 'S-3,' from the wharf. Approximately 2 1/2 acres of open storage area located at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20224 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 226.0 PWD: 089

Name: **Cargo Carriers, Port Allen Wharf and Fleet.**

Port: Baton Rouge

Location: Mile 228.0 A.H.P., right bank, Mississippi River, approx. 0.3 mile below entrance to Port Allen Lock-Int Datum: LWRP

Operator: Cargo Carriers, Inc., a Division of Cargill Marine & Terminal, Inc.

Owner: Ralston D. Phillips and others.

Address: 3701 South River Road. Phone: 225-749-3171

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: None.

Purpose: Mooring towboats and barges for cleaning, repair and fleeting.

Depth Alongside (feet): 12 | 12 | 7 Latitude (decimal): 30.422222

Total Berthing Space (feet): 285 | 200 | 200 Longitude (decimal): -91.20361

Remarks: Structure on upper 155-foot shop barge is used as warehouse and fabricating shop; structure on lower end of 130-ft barge is used for storing fleeting supplies. Crane on barge cleans out dry cargo barges along natural bank above wharf. Fleet is located on both banks. West bank fleet extends from below wharf to approximately Mile 226.5 on right bank, capacity 271 barges in 4 mooring buoy tiers, each 8 barges long and 8 wide, and 3 tiers on shoremoorings, each 5 barges wide. East bank fleet extends from Mile 227.5 to Mile 227.7 on left bank, capacity 72 barges in 3 tiers on mooring dolphins, each 3 barges long and 8 wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Waterway: **Mississippi River** Mile: 228.0 PWD: 036

Name: **Elmwood Marine and McKinney Fleet & Barge Service, Wharf and Baton**

Port: Baton Rouge

Location: Mile 228.0 A.H.P., left bank, Mississippi River, approximately 1.0 mile below Interstate Highway 10 Brid Datum: LWRP

Operator: Elmwood Marine, Inc., and McKinney Fleet & Barge Service, Inc.

Owner: McKinney Fleet & Barge Service, Inc.

Address: 2500 River Road. Phone: 225-562-3507

Town: Baton Rouge State: LA County: E. Baton Rouge

Railway Connection: None.

Purpose: Elmwood Marine, Inc.: Mooring floating drydock, and mooring barges for repair, cleaning and fleeting. McKinney Fleet & Barge Service, Inc.: mooring company-owned towboats.

Depth Alongside (feet): 8 - 10 | 8 | Latitude (decimal): 30.423056

Total Berthing Space (feet): 390 | 200 | 1,580 Longitude (decimal): -91.19556

Remarks: Elmwood Marine moors company-owned, 1000-long ton floating drydock 'D/D Alfred Smith' at the wharf, operates the floating crane and other repair and cleaning facilities, and operates three fleets: the lower barge fleet below wharf, between Mile 227.7 and Mile 227.9 A.H.P., on 4 spar barges, total capacity 30 barges, moored 6 wide; the middle fleet above wharf, between mile 228.1 and mile 228.4 A.H.P., on 4 spar barges, total capacity 30 barges, moored 6 wide;and the upper fleet between mile 228.6 and mile 228.8 A.H.P., on 5 spar barges, total capacity 30 barges, moored 6 wide. Wharf serves as landing for McKinney Fleet & Barge Service towboats.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 228.5 PWD: 037
Name: **Economy Boat Store Wharf.**
Port: Baton Rouge
Location: Mile 228.5 A.H.P., left bank, Mississippi River, opposite entrance to Port Allen Lock, Baton Rouge. Datum: LWRP
Operator: Economy Boat Store
Owner: Mers, Inc.
Address: 1926 River Road. Phone: 225-343-9706
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Mooring company-owned midstream fueling barges.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.428889
Total Berthing Space (feet): 620 | | Longitude (decimal): -91.19444
Remarks: Economy Boat Store operates 4 midstream fueling barges, 'Z-65,' 'Collins 7,' 'MF-17,' and 'MF-452,' from the wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Waterway: **Mississippi River** Mile: 228.9 PWD: 038
Name: **Associated Terminals, Baton Rouge Dry Bulk Transfer Mooring.**
Port: Baton Rouge
Location: Mile 228.9 A.H.P., left bank, Mississippi River, approximately 0.4 mile below Interstate Highway 10 Brid Datum: LWRP
Operator: Associated Terminals, LLC.
Owner: Greater Baton Rouge Port Commission.
Address: River Road. Phone: 985-536-4520
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Direct transfer of miscellaneous dry bulk commodities, including coal, coke, coal tar, and phosphates, between vessel and barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.433333
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.19583
Remarks: Associated Terminals operates their floating transfer equipment on the Mississippi River between Baton Rouge and New Orleans, Louisiana.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 228.9 PWD: 075
Name: **Cargill, Greater Baton Rouge Port Commission Grain Wharf.**
Port: Baton Rouge
Location: Mile 228.9 A.H.P., right bank, Mississippi River, approx. 0.4 mile above entrance to Port Allen Lock-Int Datum: LWRP
Operator: Cargill, Inc.
Owner: Greater Baton Rouge Port Commission.
Address: 520 Grain Road. Phone: 225-383-5221
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks serving undertrack pit at elevator join additional terminal trackage and storage yard, total capacity 100 cars; connect with Union Pacific Railroad.
Purpose: Receipt of grain by barge; shipment of grain.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 30.433333
Total Berthing Space (feet): 600 | 600 | Longitude (decimal): -91.20056
Remarks: Barge covers are handled by a stiff-leg derrick mounted on a deck barge. Grain elevator, in rear of wharf, has storage capacity for 7,500,000 bushels. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of elevator. Flour mill operated by Cargill, Inc. is located at rear of warehouses.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Waterway: **Mississippi River** Mile: 229.0 PWD: 039
Name: **Baton Rouge City Wharf.**
Port: Baton Rouge
Location: Mile 229.1 A.H.P., left bank, Mississippi River, approximately 800 feet below Interstate Highway 10 Brid Datum: LWRP
Operator: Not operated.
Owner: City of Baton Rouge, LA.
Address: River Road. Phone:
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | 0 - 25 | Latitude (decimal): 30.439444
Total Berthing Space (feet): 600 | | Longitude (decimal): -91.19278
Remarks: -

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.1 PWD: 074
Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**
Port: Baton Rouge
Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.
Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944
Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Waterway: **Mississippi River** Mile: 229.1 PWD: 074
Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**
Port: Baton Rouge
Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.
Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944
Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Waterway: **Mississippi River** Mile: 229.1 PWD: 074
Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**
Port: Baton Rouge
Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.
Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944
Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.1 PWD: 074

Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**

Port: Baton Rouge

Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP

Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.

Owner: Greater Baton Rouge Port Commission.

Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.

Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944

Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.1 PWD: 074
Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**
Port: Baton Rouge
Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.
Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944
Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Waterway: **Mississippi River** Mile: 229.1 PWD: 074
Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**
Port: Baton Rouge
Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.
Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944
Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Waterway: **Mississippi River** Mile: 229.1 PWD: 074
Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**
Port: Baton Rouge
Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.
Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944
Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.1 PWD: 074

Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**

Port: Baton Rouge

Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP

Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.

Owner: Greater Baton Rouge Port Commission.

Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.

Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944

Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.1 PWD: 074
Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**
Port: Baton Rouge
Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.
Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944
Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Waterway: **Mississippi River** Mile: 229.1 PWD: 074
Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**
Port: Baton Rouge
Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.
Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944
Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Waterway: **Mississippi River** Mile: 229.1 PWD: 074
Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**
Port: Baton Rouge
Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.
Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944
Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.1 PWD: 074

Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**

Port: Baton Rouge

Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP

Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.

Owner: Greater Baton Rouge Port Commission.

Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.

Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944

Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.1 PWD: 074
Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**
Port: Baton Rouge
Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.
Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944
Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Waterway: **Mississippi River** Mile: 229.1 PWD: 074
Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**
Port: Baton Rouge
Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.
Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944
Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Waterway: **Mississippi River** Mile: 229.1 PWD: 074
Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**
Port: Baton Rouge
Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.
Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944
Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.1 PWD: 074

Name: **Greater Baton Rouge Port Commission, Dock No. 1 Wharf**

Port: Baton Rouge

Location: Mile 229.1 A.H.P., right bank, Mississippi River, below Interstate Highway 10 Bridge, Port Allen. Datum: LWRP

Operator: Greater Baton Rouge Port Commission and Westway Trading Corp.

Owner: Greater Baton Rouge Port Commission.

Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Two surface tracks on apron, total length 2,250 feet, and 2 platform-level tracks along rear of transit shed, total length 1,650 feet; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk cargo; receipt and shipment of molasses, and of chemicals by barge.

Depth Alongside (feet): 50 | 40 | Latitude (decimal): 30.436944

Total Berthing Space (feet): 1,408 | 400 | Longitude (decimal): -91.20028

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Ref. Nos. 71, 72 and 73. Berthing space for barges is provided at rear of 400-foot extension of apron from lower side of wharf. Three truckloading doors are located at Transit Shed No. 1, and two at Transit Shed No. 3. Westway Trading Corp.: One 8-inch pipeline extends from wharf to 13 steel, molasses storage tanks at rear, total capacity 14,000,000 gallons. One 10-inch pipeline extends from barge berth to 6 steel, chemical storagetanks, total capacity 2,800,000 gallons. All tanks are operated by Westway Terminal Co., Inc. Warehouses operated by Ramsay Scarlett & Co., Inc. (S.W. Ref. No. 5) are located at rear of nearby Grain Elevator (Ref. No. 75).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.3 PWD: 040

Name: **Argosy Casino Wharf**

Port: Baton Rouge

Location: Mile 229.3 A.H.P., left bank, Mississippi River, approximately 0.1 mile above Interstate Highway 10 Brid Datum: LWRP

Operator: Argosy Gaming, Inc.

Owner: Argosy Gaming, Inc.

Address: 103 France Street. Phone: 225-212-1881

Town: Baton Rouge State: LA County: E. Baton Rouge

Railway Connection: None.

Purpose: Mooring gaming vessel 'Argosy III' for boarding passengers.

Depth Alongside (feet): 9 | | Latitude (decimal): 30.4425

Total Berthing Space (feet): 275 | | Longitude (decimal): -91.1925

Remarks: -

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.3 PWD: 073
Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**
Port: Baton Rouge
Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444
Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.3 PWD: 073
Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**
Port: Baton Rouge
Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444
Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.3 PWD: 073
Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**
Port: Baton Rouge
Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444
Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.3 PWD: 073

Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**

Port: Baton Rouge

Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP

Operator: Greater Baton Rouge Port Commission.

Owner: Greater Baton Rouge Port Commission.

Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.

Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444

Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.3 PWD: 073
Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**
Port: Baton Rouge
Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444
Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.3 PWD: 073
Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**
Port: Baton Rouge
Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444
Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.3 PWD: 073
Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**
Port: Baton Rouge
Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444
Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.3 PWD: 073

Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**

Port: Baton Rouge

Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP

Operator: Greater Baton Rouge Port Commission.

Owner: Greater Baton Rouge Port Commission.

Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.

Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444

Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.3 PWD: 073
Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**
Port: Baton Rouge
Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444
Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.3 PWD: 073
Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**
Port: Baton Rouge
Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444
Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.3 PWD: 073
Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**
Port: Baton Rouge
Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444
Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.3 PWD: 073

Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**

Port: Baton Rouge

Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP

Operator: Greater Baton Rouge Port Commission.

Owner: Greater Baton Rouge Port Commission.

Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.

Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444

Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.3 PWD: 073
Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**
Port: Baton Rouge
Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444
Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.3 PWD: 073
Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**
Port: Baton Rouge
Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444
Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.3 PWD: 073
Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**
Port: Baton Rouge
Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444
Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.3 PWD: 073

Name: **Greater Baton Rouge Port Commission, Dock Connection Wharf.**

Port: Baton Rouge

Location: Mile 229.3 A.H.P., right bank, Mississippi River, above Interstate Highway 10 Bridge, Port Allen. Datum: LWRP

Operator: Greater Baton Rouge Port Commission.

Owner: Greater Baton Rouge Port Commission.

Address: 2425 Ernest Wilson Drive. Phone: 225-342-1667

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Two surface tracks on wharf, total length 1,540 feet, join tracks on adjacent wharves and at rear; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.

Depth Alongside (feet): 50 | | Latitude (decimal): 30.439444

Total Berthing Space (feet): 770 | | Longitude (decimal): -91.2

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf extends under Interstate Highway 10 Bridge to connect Docks Nos. 2 and 1 (Ref. Nos. 72 and 74, respectively.) Wharf was constructed subsequent to survey and is described as planned.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.4 PWD: 072
Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**
Port: Baton Rouge
Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425
Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.4 PWD: 072
Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**
Port: Baton Rouge
Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425
Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.4 PWD: 072
Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**
Port: Baton Rouge
Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425
Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.4 PWD: 072

Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**

Port: Baton Rouge

Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP

Operator: Greater Baton Rouge Port Commission.

Owner: Greater Baton Rouge Port Commission.

Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.

Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425

Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.4 PWD: 072
Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**
Port: Baton Rouge
Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425
Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.4 PWD: 072
Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**
Port: Baton Rouge
Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425
Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.4 PWD: 072
Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**
Port: Baton Rouge
Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425
Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.4 PWD: 072

Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**

Port: Baton Rouge

Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP

Operator: Greater Baton Rouge Port Commission.

Owner: Greater Baton Rouge Port Commission.

Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.

Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425

Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.4 PWD: 072
Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**
Port: Baton Rouge
Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425
Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.4 PWD: 072
Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**
Port: Baton Rouge
Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425
Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.4 PWD: 072
Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**
Port: Baton Rouge
Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425
Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.4 PWD: 072

Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**

Port: Baton Rouge

Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP

Operator: Greater Baton Rouge Port Commission.

Owner: Greater Baton Rouge Port Commission.

Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.

Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425

Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.4 PWD: 072
Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**
Port: Baton Rouge
Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425
Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.4 PWD: 072
Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**
Port: Baton Rouge
Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425
Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.4 PWD: 072
Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**
Port: Baton Rouge
Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP
Operator: Greater Baton Rouge Port Commission.
Owner: Greater Baton Rouge Port Commission.
Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425
Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.4 PWD: 072

Name: **Greater Baton Rouge Port Commission, Dock No. 2 Wharf.**

Port: Baton Rouge

Location: Mile 229.4 A.H.P., right bank, Mississippi River, approximately 800 feet above Interstate Highway 10 Bri Datum: LWRP

Operator: Greater Baton Rouge Port Commission.

Owner: Greater Baton Rouge Port Commission.

Address: 2425 Ernest Wilson Drive. Phone: 225-342-1660

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Two surface tracks on apron, total length 1,500 feet, and 2 platform-level tracks along rear of transit sheds, total length 1,270 feet; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt and shipment of dry bulk materials.

Depth Alongside (feet): 50 | | Latitude (decimal): 30.4425

Total Berthing Space (feet): 831 | | Longitude (decimal): -91.2

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Wharf is contiguous with Petroleum Terminal, Dock Connection and Dock No. 1 Wharves (Ref. Nos. 71, 73 and 74.) Six truckloading doors are located at Transit Shed No. 2. Transit Shed No. 4 is part of Foreign Trade Zone and, in 2002, was operated by Ace Storage, Inc. (S.W. Ref. No. 2), which also operated 3 portable truckloading ramps. Approximately 58 acres of open storage area, including 12acres in Foreign Trade Zone, located at rear of Ref. Nos. 72 to 74.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.5 PWD: 041

Name: **Baton Rouge City Excursion Wharf**

Port: Baton Rouge

Location: Mile 229.5 A.H.P., left bank, Mississippi River, approximately 0.3 mile above Interstate Highway 10 Brid Datum: LWRP

Operator: City of Baton Rouge

Owner: City of Baton Rouge

Address: France Street Phone: 225-389-3000

Town: Baton Rouge State: LA County: E. Baton Rouge

Railway Connection: None.

Purpose: Mooring cruise vessels for landing passengers.

Depth Alongside (feet): 30 | | Latitude (decimal): 30.445278

Total Berthing Space (feet): 300 | | Longitude (decimal): -91.19167

Remarks: Mississippi River cruise boats use wharf for passenger embarkation and disembarkation.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.5 PWD: 071
Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**
Port: Baton Rouge
Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP
Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.
Owner: Greater Baton Rouge Port Commission.
Address: 995 Ernest Wilson Drive. Phone: 225-383-9211
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.
Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444
Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.5 PWD: 071
Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**
Port: Baton Rouge
Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP
Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.
Owner: Greater Baton Rouge Port Commission.
Address: 995 Ernest Wilson Drive. Phone: 225-383-9211
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.
Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444
Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.5 PWD: 071
Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**
Port: Baton Rouge
Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP
Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.
Owner: Greater Baton Rouge Port Commission.
Address: 995 Ernest Wilson Drive. Phone: 225-383-9211
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.
Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444
Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.5 PWD: 071

Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**

Port: Baton Rouge

Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP

Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.

Owner: Greater Baton Rouge Port Commission.

Address: 995 Ernest Wilson Drive. Phone: 225-383-9211

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.

Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.

Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444

Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.5 PWD: 071
Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**
Port: Baton Rouge
Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP
Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.
Owner: Greater Baton Rouge Port Commission.
Address: 995 Ernest Wilson Drive. Phone: 225-383-9211
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.
Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444
Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.5 PWD: 071
Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**
Port: Baton Rouge
Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP
Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.
Owner: Greater Baton Rouge Port Commission.
Address: 995 Ernest Wilson Drive. Phone: 225-383-9211
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.
Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444
Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.5 PWD: 071
Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**
Port: Baton Rouge
Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP
Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.
Owner: Greater Baton Rouge Port Commission.
Address: 995 Ernest Wilson Drive. Phone: 225-383-9211
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.
Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444
Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.5 PWD: 071

Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**

Port: Baton Rouge

Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP

Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.

Owner: Greater Baton Rouge Port Commission.

Address: 995 Ernest Wilson Drive. Phone: 225-383-9211

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.

Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.

Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444

Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.5 PWD: 071
Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**
Port: Baton Rouge
Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP
Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.
Owner: Greater Baton Rouge Port Commission.
Address: 995 Ernest Wilson Drive. Phone: 225-383-9211
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.
Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444
Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.5 PWD: 071
Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**
Port: Baton Rouge
Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP
Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.
Owner: Greater Baton Rouge Port Commission.
Address: 995 Ernest Wilson Drive. Phone: 225-383-9211
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.
Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444
Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.5 PWD: 071
Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**
Port: Baton Rouge
Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP
Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.
Owner: Greater Baton Rouge Port Commission.
Address: 995 Ernest Wilson Drive. Phone: 225-383-9211
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.
Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444
Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.5 PWD: 071

Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**

Port: Baton Rouge

Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP

Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.

Owner: Greater Baton Rouge Port Commission.

Address: 995 Ernest Wilson Drive. Phone: 225-383-9211

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.

Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.

Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444

Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.5 PWD: 071
Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**
Port: Baton Rouge
Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP
Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.
Owner: Greater Baton Rouge Port Commission.
Address: 995 Ernest Wilson Drive. Phone: 225-383-9211
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.
Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444
Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.5 PWD: 071
Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**
Port: Baton Rouge
Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP
Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.
Owner: Greater Baton Rouge Port Commission.
Address: 995 Ernest Wilson Drive. Phone: 225-383-9211
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.
Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444
Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 229.5 PWD: 071
Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**
Port: Baton Rouge
Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP
Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.
Owner: Greater Baton Rouge Port Commission.
Address: 995 Ernest Wilson Drive. Phone: 225-383-9211
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.
Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444
Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 229.5 PWD: 071

Name: **Greater Baton Rouge Port Commission, Petroleum Terminal Wharf.**

Port: Baton Rouge

Location: Mile 229.5 A.H.P., right bank, Mississippi River, approximately 0.2 mile above Interstate Highway 10 Bri Datum: LWRP

Operator: Petroleum Fuel and Terminal Co., Division of Apex Oil Co.

Owner: Greater Baton Rouge Port Commission.

Address: 995 Ernest Wilson Drive. Phone: 225-383-9211

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: Tracks serving adjacent wharf (Ref. No. 72), connect with Union Pacific Railroad.

Purpose: Receipt and shipment of petroleum products, including asphalt; occasional bunkering of vessels.

Depth Alongside (feet): 45 | 45 | Latitude (decimal): 30.444444

Total Berthing Space (feet): 700 | 550 | Longitude (decimal): -91.2

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Remarks: Approach bridge extends to lower breasting platform from upper side of Greater Baton Rouge Port Commission Dock No. 2 (Ref. No. 72), which is in line and contiguous. Berthing space includes a portion of Dock No. 2. One 24-, one 14-, and two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 1,215,000 barrels. One 8-inch heated, insulated asphalt pipeline extends from wharf to one 55,000 barrel storage tank at rear. One4-inch steam line serves wharf barge.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 230.0 PWD: 042
Name: **Capital Fleet Landing, and Fleets Nos. 2, 3, 4 and 5**
Port: Baton Rouge
Location: Mile 230.0 A.H.P., left bank, Mississippi River, approximately 0.7 mile above Interstate Highway 10 Brid Datum: LWRP
Operator: Capital Fleet, Inc. and Acadian Marine.
Owner: William Grantham
Address: 555 North River Road Phone: 225-343-2226
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Landing for tugboats, towboats, launches, and, occasionally, for cruise vessel passengers; mooring company-owned midstream fueling barges and towboats; mooring barges for fleeting.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 30.451944
Total Berthing Space (feet): 625 | 200 | 1,000 Longitude (decimal): -91.19139
Remarks: Occasionally Delta Queen Steamboat Co. lands passengers from cruise vessels at wharf. Custom Fuel Services, Inc. operates two midstream fueling barges from fleet, and Acadian Marine operates company-owned towboats from wharf. Capital Fleet's Fleet No. 2 extends along natural bank with shore moorings above wharf, from Mile 230.0 to 230.4 A.H.P.; total capacity 40 barges, moored 8 wide. Fleet No. 3 is between mooring buoys offshore of wharf and Fleet No. 2;capacity 80 barges, moored 8 wide. Two fleets extend along west bank: Fleet No. 5 on shore moorings, from Mile 230.1 to 230.8 A.H.P.; total capacity 90 barges, moored 6 wide; and Fleet No. 4 moored to buoys on anchor piles, fromMile 230.8 to 231.6 A.H.P.; total capacity 96 barges in 4 blocks, each including 24 barges.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Waterway: **Mississippi River** Mile: 230.1 PWD: 070
Name: **West Baton Rouge Tourist Commission, Court Street Landing.**
Port: Baton Rouge
Location: Mile 230.1 A.H.P., right bank, Mississippi River, approximately 0.8 mile above Interstate Highway 10 Bri Datum: LWRP
Operator: West Baton Rouge Tourist Commission
Owner: West Baton Rouge Tourist Commission
Address: Foot of Court Street. Phone: 225-344-2920
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring barge. (See Remarks)
Depth Alongside (feet): | | Latitude (decimal): 30.452778
Total Berthing Space (feet): 280 | | Longitude (decimal): -91.20083
Remarks: At time of survey (2002) Anderson-Tully Timber Co. moored a log-handling barge at landing. Barge, equipped with excavators and access ramp from shore, formerly was used as wharf for shipment of logs by barge. Owner of landing planned to construct a levee-top park, blocking access to river from foot of Court Street, and restrict mooring at site in future.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 230.5 PWD: 043
Name: **Baton Rouge Harbor Service Wharf.**
Port: Baton Rouge
Location: Mile 230.5 A.H.P., left bank, Mississippi River, approximately 1.2 miles above Interstate Highway 10 Bri Datum: LWRP
Operator: Baton Rouge Harbor Service, Inc.
Owner: Capital Lakes Property
Address: 1727 North River Road. Phone: 225-383-4691
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Mooring company-owned towboats.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.458333
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.19194
Remarks: Structure on wharf barge used for office and storage.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Waterway: **Mississippi River** Mile: 230.7 PWD: 044
Name: **Casino Rouge Wharf.**
Port: Baton Rouge
Location: Mile 230.7 A.H.P., left bank, Mississippi River, approximately 1.4 miles above Interstate Highway 10 Bri Datum: LWRP
Operator: Casino Rouge Wharf
Owner: Casino Rouge Wharf
Address: 1717 North River Road. Phone: 225-709-8789
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Mooring gaming vessel 'Casino Rouge' for boarding passengers.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.459722
Total Berthing Space (feet): 250 | | Longitude (decimal): -91.19194
Remarks: Two deflector barges are moored to a set of four steel breasting dolphins approximately 200 feet upstream for collision avoidance. Water and power are provided for gaming vessel when moored at wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 230.9 PWD: 045
Name: **Luhr Brothers, Baton Rouge Landing.**
Port: Baton Rouge
Location: Mile 230.9 A.H.P., left bank, Mississippi River, approximately 1.6 miles above Interstate Highway 10 Bri Datum: LWRP
Operator: Luhr Brothers, Inc., d.b.a. Construction Aggregate Supply.
Owner: Luhr Brothers, Inc.
Address: 1757 North River Road. Phone: 225-383-1680
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Receipt of limestone by barge; mooring company-owned barges.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 30.462778
Total Berthing Space (feet): 750 | 800 | Longitude (decimal): -91.19222
Remarks: Barges being unloaded breast against crane barge. Truck-loading ramps on bank are at different elevations for use in high or low water. Approximately 15 acres of open storage area located in rear. Empty barges moor along bank below ramps, from Mile 230.6 to Mile 230.8, capacity 16 barges in 4 tiers, each 4 barges wide. Loaded barges awaiting unloading moor in block on mooring buoy located off landing, between Mile 230.8 and Mile 231.0, capacity 16 barges.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Waterway: **Mississippi River** Mile: 231.0 PWD: 046
Name: **Martin Marietta, Baton Rouge Yard Landing**
Port: Baton Rouge
Location: Mile 231.0 A.H.P., left bank, Mississippi River, approximately 1.7 miles above Interstate Highway 10 Bri Datum: LWRP
Operator: Martin Marietta, Inc.
Owner: Martin Marietta, Inc.
Address: 1787 North River Road Phone: 225-344-2474
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Receipt of limestone by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.465
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.19194
Remarks: Approximately 8 acres of open storage area at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 231.3 PWD: 047
Name: **Western Towing 231 Fleet**
Port: Baton Rouge
Location: Mile 231.2 to 231.4 A.H.P., left bank, Mississippi River, approx 2.0 miles above Interstate Highway 10 B Datum: LWRP
Operator: Western Towing Company, subsidiary of Kirby
Owner: ExxonMobil Refining & Supply Co.
Address: North River Road. Phone: 225-757-1347
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for fleeting, and barges awaiting loading and unloading at ExxonMobil Refining & Supply Co., Baton Rouge Marine Terminal Wharf (Ref. No. 49).
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 30.4675
Total Berthing Space (feet): 1,000 | 1,000 | Longitude (decimal): -91.19278
Remarks: Part of fleet is used to moor barges for ExxonMobil Refining & Supply Co., Baton Rouge Marine Terminal. The fleet extends along spar barges on shore moorings from Mile 231.2 to Mile 231.4 A.H.P.; total capacity 25 barges in 5 tiers, each 5 barges wide. Western Towing Co. planned to install, in 2002, a barge moored to an offshore anchor pile at approximately mile 231.3, and moor a block of 25 fleeted barges to it. Fleet is operated from office at wharf atcompany's 225 Fleet (Ref. No. 34).

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Waterway: **Mississippi River** Mile: 231.5 PWD: 048
Name: **SeaRiver Maritime Wharf**
Port: Baton Rouge
Location: Mile 231.5 A.H.P., left bank, Mississippi River, approximately 2.4 miles below Baton Rouge Railroad and Datum: LWRP
Operator: SeaRiver Maritime, Inc.
Owner: ExxonMobil Refining & Supply Co.
Address: 4045 Scenic Highway. Phone: 225-977-4860
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Mooring company-owned towboats and fireboat; mooring barges awaiting loading at ExxonMobil Refining & Supply Co., Baton Rouge Marine Terminal Wharf (Ref. No. 49).
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 30.476111
Total Berthing Space (feet): 297 | | 1,200 Longitude (decimal): -91.19361
Remarks: Structure on wharf barge used for office and storage. Plant fireboat 'S/R Bayou State' moors at wharf. Dolphins above wharf used to moor empty barges for ExxonMobil Refining & Supply Co., Baton Rouge Marine Terminal, fleet capacity 20 barges in 4 tiers, each 5 barges wide.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 231.7 PWD: 069
Name: **Placid Refining LLC, Barge Wharf.**
Port: Baton Rouge
Location: Mile 231.7 A.H.P., right bank, Mississippi River, approximately 2.2 miles below Baton Rouge Railroad and Datum: LWRP
Operator: Placid Refining LLC.
Owner: Placid Refining LLC.
Address: 1940 State Highway 1 North. Phone: 225-346-7423
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products and petrochemicals.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.474722
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 231.7 PWD: 069
Name: **Placid Refining LLC, Barge Wharf.**
Port: Baton Rouge
Location: Mile 231.7 A.H.P., right bank, Mississippi River, approximately 2.2 miles below Baton Rouge Railroad and Datum: LWRP
Operator: Placid Refining LLC.
Owner: Placid Refining LLC.
Address: 1940 State Highway 1 North. Phone: 225-346-7423
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products and petrochemicals.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.474722
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.2

Remarks: Wharf barge is moored to Tanker Wharf's lower mooring dolphin (Ref. No. 68) with connecting walkway providing access between wharves. One 16- and one 12-inch steam-traced, and three 10-, and one 6-inch pipelines extend from wharf, over levee and North River Road, to steel storage tanks described under Ref. No. 68.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: Wharf barge is moored to Tanker Wharf's lower mooring dolphin (Ref. No. 68) with connecting walkway providing access between wharves. One 16- and one 12-inch steam-traced, and three 10-, and one 6-inch pipelines extend from wharf, over levee and North River Road, to steel storage tanks described under Ref. No. 68.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 231.7 PWD: 069
Name: **Placid Refining LLC, Barge Wharf.**
Port: Baton Rouge
Location: Mile 231.7 A.H.P., right bank, Mississippi River, approximately 2.2 miles below Baton Rouge Railroad and Datum: LWRP
Operator: Placid Refining LLC.
Owner: Placid Refining LLC.
Address: 1940 State Highway 1 North. Phone: 225-346-7423
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products and petrochemicals.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.474722
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 231.7 PWD: 069
Name: **Placid Refining LLC, Barge Wharf.**
Port: Baton Rouge
Location: Mile 231.7 A.H.P., right bank, Mississippi River, approximately 2.2 miles below Baton Rouge Railroad and Datum: LWRP
Operator: Placid Refining LLC.
Owner: Placid Refining LLC.
Address: 1940 State Highway 1 North. Phone: 225-346-7423
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products and petrochemicals.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.474722
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.2

Remarks: Wharf barge is moored to Tanker Wharf's lower mooring dolphin (Ref. No. 68) with connecting walkway providing access between wharves. One 16- and one 12-inch steam-traced, and three 10-, and one 6-inch pipelines extend from wharf, over levee and North River Road, to steel storage tanks described under Ref. No. 68.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: Wharf barge is moored to Tanker Wharf's lower mooring dolphin (Ref. No. 68) with connecting walkway providing access between wharves. One 16- and one 12-inch steam-traced, and three 10-, and one 6-inch pipelines extend from wharf, over levee and North River Road, to steel storage tanks described under Ref. No. 68.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 231.8 PWD: 068
Name: **Placid Refining LLC, Tanker Wharf.**
Port: Baton Rouge
Location: Mile 231.8 A.H.P., right bank, Mississippi River, approximately 2.1 miles below Baton Rouge Railroad and Datum: LWRP
Operator: Placid Refining LLC.
Owner: Placid Refining LLC.
Address: 1940 State Highway 1 North. Phone: 225-346-7423
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products and petrochemicals; receipt of crude oil.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.476389
Total Berthing Space (feet): 820 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 231.8 PWD: 068
Name: **Placid Refining LLC, Tanker Wharf.**
Port: Baton Rouge
Location: Mile 231.8 A.H.P., right bank, Mississippi River, approximately 2.1 miles below Baton Rouge Railroad and Datum: LWRP
Operator: Placid Refining LLC.
Owner: Placid Refining LLC.
Address: 1940 State Highway 1 North. Phone: 225-346-7423
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products and petrochemicals; receipt of crude oil.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.476389
Total Berthing Space (feet): 820 | | Longitude (decimal): -91.2

Remarks: Barge Wharf (Ref. No. 69) is adjacent to lower mooring dolphin and accessible by connecting walkway. Two 12-inch crude oil and six 6- and one 4-inch petroleum product and petrochemical pipelines extend from wharf to 25 steel storage tanks located at refinery on opposite side of North River Road, total capacity approximately 1,900,000 barrels. One 4-inch steam and one 2-inch condensate lines serve wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: Barge Wharf (Ref. No. 69) is adjacent to lower mooring dolphin and accessible by connecting walkway. Two 12-inch crude oil and six 6- and one 4-inch petroleum product and petrochemical pipelines extend from wharf to 25 steel storage tanks located at refinery on opposite side of North River Road, total capacity approximately 1,900,000 barrels. One 4-inch steam and one 2-inch condensate lines serve wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 231.8 PWD: 068
Name: **Placid Refining LLC, Tanker Wharf.**
Port: Baton Rouge
Location: Mile 231.8 A.H.P., right bank, Mississippi River, approximately 2.1 miles below Baton Rouge Railroad and Datum: LWRP
Operator: Placid Refining LLC.
Owner: Placid Refining LLC.
Address: 1940 State Highway 1 North. Phone: 225-346-7423
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products and petrochemicals; receipt of crude oil.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.476389
Total Berthing Space (feet): 820 | | Longitude (decimal): -91.2

Waterway: **Mississippi River** Mile: 231.8 PWD: 068
Name: **Placid Refining LLC, Tanker Wharf.**
Port: Baton Rouge
Location: Mile 231.8 A.H.P., right bank, Mississippi River, approximately 2.1 miles below Baton Rouge Railroad and Datum: LWRP
Operator: Placid Refining LLC.
Owner: Placid Refining LLC.
Address: 1940 State Highway 1 North. Phone: 225-346-7423
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products and petrochemicals; receipt of crude oil.
Depth Alongside (feet): 50 | | Latitude (decimal): 30.476389
Total Berthing Space (feet): 820 | | Longitude (decimal): -91.2

Remarks: Barge Wharf (Ref. No. 69) is adjacent to lower mooring dolphin and accessible by connecting walkway. Two 12-inch crude oil and six 6- and one 4-inch petroleum product and petrochemical pipelines extend from wharf to 25 steel storage tanks located at refinery on opposite side of North River Road, total capacity approximately 1,900,000 barrels. One 4-inch steam and one 2-inch condensate lines serve wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: Barge Wharf (Ref. No. 69) is adjacent to lower mooring dolphin and accessible by connecting walkway. Two 12-inch crude oil and six 6- and one 4-inch petroleum product and petrochemical pipelines extend from wharf to 25 steel storage tanks located at refinery on opposite side of North River Road, total capacity approximately 1,900,000 barrels. One 4-inch steam and one 2-inch condensate lines serve wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 232.2 PWD: 049

Name: **ExxonMobil Refining & Supply Co., Baton Rouge Marine Terminal Whar**

Port: Baton Rouge

Location: Mile 232.2 A.H.P., left bank, Mississippi River, approximately 1.7 miles below Baton Rouge Railroad and Datum: LWRP

Operator: ExxonMobil Refining & Supply Co.

Owner: ExxonMobil Refining & Supply Co.

Address: 4045 Scenic Highway. Phone: 225-977-4860

Town: Baton Rouge State: LA County: E. Baton Rouge

Railway Connection: Plant trackage serving refinery in rear connects with Canadian National/Illinois Central Railroad and Kansas City Southern Railway.

Purpose: Receipt and shipment of petroleum products and petrochemicals; loading barges for fueling towboats in midstream.

Depth Alongside (feet): 60 - 70 | 15 | Latitude (decimal): 30.481667

Total Berthing Space (feet): 3,050 | 1,250 | Longitude (decimal): -91.19417

Remarks: Berth No. 5 is at upper end of wharf. ExxonMobil Refining & Supply Co.: Two 24-, nine 16-, eight 12-, fifteen 10-, fourteen 8-, sixteen 6-, two 4-, and two 3-in pipelines extend from wharf to 660 steel storage tanks at oil refinery in rear; total capacity 13,581,500 barrels. Three 24- and four 12-inch pipelines extend across river to 28 steel storage tanks at Anchorage Tank Farm; total capacity 1,569,000 barrels. ExxonMobil Chemical Co.: Use of several of above-described pipelines to wharf from 30 steel, petrochemical storage tanks; total capacity 31,836,000 gallons. Wharf is also equipped with one 16-inch ballast line, one 8-inch steam line, three compressed air lines, one 12- and two8-inch, high-pressure river water lines, and one 8- to 12-inch slop line extending to treatment and separation facilities at refinery.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Waterway: **Mississippi River** Mile: 232.2 PWD: 067

Name: **Intercontinental Terminals Co., Anchorage Chemical Terminal Wharf.**

Port: Baton Rouge

Location: Mile 232.2 A.H.P., right bank, Mississippi River, approximately 1.7 miles below Baton Rouge Railroad and Datum: LWRP

Operator: Intercontinental Terminals Co.

Owner: Exxon Mobil Corp.

Address: 2449 N. River Road (State Route 986) Phone: 225-389-0170

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: One 60-car capacity surface track serving terminal in rear connects with Union Pacific Railroad.

Purpose: Receipt and shipment of butadiene.

Depth Alongside (feet): 40 | | Latitude (decimal): 30.481667

Total Berthing Space (feet): 520 | | Longitude (decimal): -91.19944

Remarks: One 8-inch liquid and one 4-inch vapor pipelines extend from wharf to 3 steel butadiene storage tanks on opposite side of North River Road; total capacity 5,880,000 gallons. One 2-inch nitrogen line serves wharf. Tanks are connected with ExxonMobil Refining & Supply Co., Baton Rouge Marine Terminal (Ref. No. 49) by pipeline across river. ExxonMobil Terminal fireboat protects wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 233.0 PWD: 050

Name: **Kinder Morgan Bulk Terminals, Baton Rouge Coke Terminal Wharf.**

Port: Baton Rouge

Location: Mile 233.0 A.H.P., left bank, Mississippi River, approximately 0.9 mile below Baton Rouge Railroad and H Datum: LWRP

Operator: Kinder Morgan Bulk Terminals, Inc.

Owner: ExxonMobil Refining & Supply Co.

Address: Foot of Gulf States Utilities Road. Phone: 225-977-4860

Town: Baton Rouge State: LA County: E. Baton Rouge

Railway Connection: One surface track serving under track pit joins with two other surface tracks in rear, total storage capacity 60 cars; connects with Canadian National/Illinois Central Railroad.

Purpose: Shipment of green petroleum coke by barge.

Depth Alongside (feet): 15 - 45 | 15 | Latitude (decimal): 30.494444

Total Berthing Space (feet): 645 | 200 | Longitude (decimal): -91.19333

Remarks: Coke is received by rail at covered receiving pit serving one 48-inch belt-conveyor which serves two 36-inch systems, one extending to wharf and one to stacker in 60,000-ton capacity, open storage yard at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 233.6 PWD: 051
Name: **Formosa Plastics Corp., Baton Rouge Plant Wharf.**
Port: Baton Rouge
Location: Mile 233.6 A.H.P., left bank, Mississippi River, approximately 0.3 mile below Baton Rouge Railroad and H Datum: LWRP
Operator: Formosa Plastics Corp., USA
Owner: Formosa Plastics Corp., USA
Address: Gulf States Utilities Road. Phone: 225-356-8622
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: Eleven surface tracks serving plant in rear connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of ethylene dichloride.
Depth Alongside (feet): 40 - 60 | | Latitude (decimal): 30.501111
Total Berthing Space (feet): 763 | | Longitude (decimal): -91.19444

Waterway: **Mississippi River** Mile: 233.6 PWD: 051
Name: **Formosa Plastics Corp., Baton Rouge Plant Wharf.**
Port: Baton Rouge
Location: Mile 233.6 A.H.P., left bank, Mississippi River, approximately 0.3 mile below Baton Rouge Railroad and H Datum: LWRP
Operator: Formosa Plastics Corp., USA
Owner: Formosa Plastics Corp., USA
Address: Gulf States Utilities Road. Phone: 225-356-8622
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: Eleven surface tracks serving plant in rear connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of ethylene dichloride.
Depth Alongside (feet): 40 - 60 | | Latitude (decimal): 30.501111
Total Berthing Space (feet): 763 | | Longitude (decimal): -91.19444

Remarks: A 50- by 43-foot water pump platform extends from upper side of approach. One 14-inch pipeline extends from wharf to 2 steel ethylene dichloride storage tanks at plant in rear; total capacity 20,000 tons, and two 12-inch, electric- -traced pipelines extend to 4 steel liquid caustic soda storage tanks; total capacity 40,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: A 50- by 43-foot water pump platform extends from upper side of approach. One 14-inch pipeline extends from wharf to 2 steel ethylene dichloride storage tanks at plant in rear; total capacity 20,000 tons, and two 12-inch, electric- -traced pipelines extend to 4 steel liquid caustic soda storage tanks; total capacity 40,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 233.6 PWD: 051
Name: **Formosa Plastics Corp., Baton Rouge Plant Wharf.**
Port: Baton Rouge
Location: Mile 233.6 A.H.P., left bank, Mississippi River, approximately 0.3 mile below Baton Rouge Railroad and H Datum: LWRP
Operator: Formosa Plastics Corp., USA
Owner: Formosa Plastics Corp., USA
Address: Gulf States Utilities Road. Phone: 225-356-8622
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: Eleven surface tracks serving plant in rear connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of ethylene dichloride.
Depth Alongside (feet): 40 - 60 | | Latitude (decimal): 30.501111
Total Berthing Space (feet): 763 | | Longitude (decimal): -91.19444

Waterway: **Mississippi River** Mile: 233.6 PWD: 051
Name: **Formosa Plastics Corp., Baton Rouge Plant Wharf.**
Port: Baton Rouge
Location: Mile 233.6 A.H.P., left bank, Mississippi River, approximately 0.3 mile below Baton Rouge Railroad and H Datum: LWRP
Operator: Formosa Plastics Corp., USA
Owner: Formosa Plastics Corp., USA
Address: Gulf States Utilities Road. Phone: 225-356-8622
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: Eleven surface tracks serving plant in rear connect with Canadian National/Illinois Central Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of ethylene dichloride.
Depth Alongside (feet): 40 - 60 | | Latitude (decimal): 30.501111
Total Berthing Space (feet): 763 | | Longitude (decimal): -91.19444

Remarks: A 50- by 43-foot water pump platform extends from upper side of approach. One 14-inch pipeline extends from wharf to 2 steel ethylene dichloride storage tanks at plant in rear; total capacity 20,000 tons, and two 12-inch, electric- -traced pipelines extend to 4 steel liquid caustic soda storage tanks; total capacity 40,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: A 50- by 43-foot water pump platform extends from upper side of approach. One 14-inch pipeline extends from wharf to 2 steel ethylene dichloride storage tanks at plant in rear; total capacity 20,000 tons, and two 12-inch, electric- -traced pipelines extend to 4 steel liquid caustic soda storage tanks; total capacity 40,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 233.8 PWD: 052
Name: **Formosa Plastics Corp., Baton Rouge North Wharf.**
Port: Baton Rouge
Location: Mile 233.8 A.H.P., left bank, Mississippi River, approximately 400 feet below Baton Rouge Railroad and H Datum: LWRP
Operator: Not operated.
Owner: Formosa Plastics Corp., USA
Address: Airline Highway at Mississippi River. Phone: 225-356-8622
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Not used.
Depth Alongside (feet): 40 | 15 | Latitude (decimal): 30.504722
Total Berthing Space (feet): 829 | 195 | Longitude (decimal): -91.195

Waterway: **Mississippi River** Mile: 233.8 PWD: 052
Name: **Formosa Plastics Corp., Baton Rouge North Wharf.**
Port: Baton Rouge
Location: Mile 233.8 A.H.P., left bank, Mississippi River, approximately 400 feet below Baton Rouge Railroad and H Datum: LWRP
Operator: Not operated.
Owner: Formosa Plastics Corp., USA
Address: Airline Highway at Mississippi River. Phone: 225-356-8622
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Not used.
Depth Alongside (feet): 40 | 15 | Latitude (decimal): 30.504722
Total Berthing Space (feet): 829 | 195 | Longitude (decimal): -91.195
Remarks: -

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: -

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 233.8 PWD: 052
Name: **Formosa Plastics Corp., Baton Rouge North Wharf.**
Port: Baton Rouge
Location: Mile 233.8 A.H.P., left bank, Mississippi River, approximately 400 feet below Baton Rouge Railroad and H Datum: LWRP
Operator: Not operated.
Owner: Formosa Plastics Corp., USA
Address: Airline Highway at Mississippi River. Phone: 225-356-8622
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Not used.
Depth Alongside (feet): 40 | 15 | Latitude (decimal): 30.504722
Total Berthing Space (feet): 829 | 195 | Longitude (decimal): -91.195

Waterway: **Mississippi River** Mile: 233.8 PWD: 052
Name: **Formosa Plastics Corp., Baton Rouge North Wharf.**
Port: Baton Rouge
Location: Mile 233.8 A.H.P., left bank, Mississippi River, approximately 400 feet below Baton Rouge Railroad and H Datum: LWRP
Operator: Not operated.
Owner: Formosa Plastics Corp., USA
Address: Airline Highway at Mississippi River. Phone: 225-356-8622
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: Trackage serving plant in rear connects with Canadian National/Illinois Central Railroad.
Purpose: Not used.
Depth Alongside (feet): 40 | 15 | Latitude (decimal): 30.504722
Total Berthing Space (feet): 829 | 195 | Longitude (decimal): -91.195
Remarks: -

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: -

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 234.0 PWD: 053
Name: **Holnam, Baton Rouge Wharf**
Port: Baton Rouge
Location: Mile 234.0 A.H.P., left bank, Mississippi River, approximately 600 ft above Baton Rouge Railroad and Hig Datum: LWRP
Operator: Holnam, Inc.
Owner: Holnam, Inc.
Address: 1255 Airline Highway Phone: 225-355-8871
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Receipt of cement and blast furnace slag by barge.
Depth Alongside (feet): 30 - 40 | | Latitude (decimal): 30.509167
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.19472
Remarks: One 12-in pneumatic pipeline extends from wharf barge to 23 storage silos in rear, total capacity 33,300 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Waterway: **Mississippi River** Mile: 234.0 PWD: 054
Name: **Kinder Morgan Bulk Terminals, Baton Rouge Liquid Terminal Wharf.**
Port: Baton Rouge
Location: Mile 234.0 A.H.P., left bank, Mississippi River, approximately 800 feet above Baton Rouge Railroad and H Datum: LWRP
Operator: Kinder Morgan Bulk Terminals, Inc.
Owner: Kinder Morgan Bulk Terminals, Inc.
Address: Airline Highway. Phone: 800-535-8170
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: Trackage at rear connects with Kansas City Southern Railway and Canadian National/Illinois Central Railroad.
Purpose: Shipment of liquid calcium chloride by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.509722
Total Berthing Space (feet): 260 | - | Longitude (decimal): -91.19472
Remarks: One 6-inch calcium chloride pipeline extends to wharf from one 10,500,000-gallon, storage tank at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 234.3 PWD: 066
Name: **Bear Industries Landings**
Port: Baton Rouge
Location: Mile 234.3 to 234.9 A.H.P., right bank, Miss. River, approximately 0.4 mile above Baton Rouge Railroad a Datum: LWRP
Operator: Bear Industries, Inc.
Owner: Moore House Investments, LLC.
Address: 4323 N. River Road (State Route 986) Phone: 225-383-0843
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Receipt of limestone by barge.
Depth Alongside (feet): 1 - 2 | 0 | 0 Latitude (decimal): 30.5125
Total Berthing Space (feet): 200 | 200 | 200 Longitude (decimal): -91.2025
Remarks: Lower landing ramps are used only in high water, when Port Allen gauge is above 17 feet, LWRP, otherwise, upper landing ramp is used. Limestone is transferred by truck to approximately 5 acres of open storage in yard at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Waterway: **Mississippi River** Mile: 234.3 PWD: 055
Name: **Rhodia, Baton Rouge Wharf.**
Port: Baton Rouge
Location: Mile 234.3 A.H.P., left bank, Mississippi River, approximately 0.4 mile above Baton Rouge Railroad and H Datum: LWRP
Operator: Rhodia, Inc.
Owner: Rhodia, Inc..
Address: 1275 Airline Highway. Phone: 225-359-3467
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: Trackage serving plant in rear connects with Kansas City Southern Railway and Canadian National/Illinois Central Railroad.
Purpose: Receipt of spent sulfuric acid and shipment of sulfuric acid by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.512778
Total Berthing Space (feet): 450 | | Longitude (decimal): -91.19528
Remarks: One 6- becoming 8-inch pipeline extends from lower platform to 6 spent sulfuric acid storage tanks at plant in rear, total capacity 11,900 tons; one 6-inch pipeline extends to lower platform from 8 sulfuric acid storage tanks, total capacity 27,000 tons.center platform to 2 steel fuel oil storage tanks, total capacity 49,900 barrels. One 2-inch steam line serves wharf.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 235.4 PWD: 057
Name: **Deltech Corp., Baton Rouge Works Wharf.**
Port: Baton Rouge
Location: East side of Baton Rouge Harbor (Devil's Swamp) Barge Channel, approximately 1.8 miles above entrance, B Datum: LWRP
Operator: Deltech Corp.
Owner: Deltech Corp.
Address: 11911 Scenic Highway. Phone: 225-358-3185
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: Trackage serving plant in rear connects with Kansas City Southern Railway and Canadian National/Illinois Central Railroad.
Purpose: Receipt of styrene monomer and toluene; shipment of paramethyl styrene; and occasional receipt of benzene and shipment of styrene monomer by barge.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 30.550278
Total Berthing Space (feet): 250 | 350 | Longitude (decimal): -91.21222
Remarks: One 10-inch, refrigerated, styrene pipeline extends from north platform to one 2,840,000-gallon storage tank at plant in rear. One 6-in paramethyl styrene pipeline and one 6-in processed styrene pipeline extend to the south platform from four steel storage tanks, total capacity 3,508,000 gallons. One 8-in toluene and benzene pipeline extends from the south platform to one steel storage tank, total capacity 1,680,000 gallons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Waterway: **Mississippi River** Mile: 235.4 PWD: 058
Name: **Dravo Lime Co., Pelican State Lime Facility Wharf.**
Port: Baton Rouge
Location: East side of Baton Rouge Harbor (Devil's Swamp) Barge Channel, approximately 1.9 miles above entrance, B Datum: LWRP
Operator: Dravo Lime Co.
Owner: Dravo Lime Co.
Address: 12797 Scenic Highway. Phone: 225-774-4201
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: One surface track serving plant in rear connects with Kansas City Southern Railway and Canadian National/Illinois Central Railroad.
Purpose: Receipt of lime by barge.
Depth Alongside (feet): 17 | | Latitude (decimal): 30.551667
Total Berthing Space (feet): 250 | | Longitude (decimal): -91.21333
Remarks: Four steel storage bins with truckloading spouts at plant in rear have total capacity for 4,000 tons.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 235.4 PWD: 056
Name: **Ergon Baton Rouge, Baton Rouge Wharf.**
Port: Baton Rouge
Location: East side of Baton Rouge Harbor (Devil's Swamp) Barge Channel, approximately 1.5 miles above entrance, B Datum: LWRP
Operator: Ergon Baton Rouge, Inc.
Owner: Ergon Baton Rouge, Inc.
Address: 390 Thomas Road West Phone: 225-775-0526
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Shipment of benzene by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.5475
Total Berthing Space (feet): 230 | | Longitude (decimal): -91.20944
Remarks: Three steel pile guard dolphins are located at rear of line of face. One 12- becoming 8-inch, electric-traced pipeline extends to wharf from two steel benzene storage tanks, total capacity 5,670,000 gallons. One 8-inch vapor line extends to flare tower at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Waterway: **Mississippi River** Mile: 235.4 PWD: 059
Name: **Greater Baton Rouge Port Commission, Baton Rouge Harbor, Reynolds**
Port: Baton Rouge
Location: Head of Baton Rouge Harbor (Devil's Swamp) Barge Channel, approximately 2.5 miles above entrance, Baton Datum: LWRP
Operator: Kinder Morgan Bulk Terminals, Inc.
Owner: Greater Baton Rouge Port Commission.
Address: 1055 Barge Canal Road. Phone: 225-774-8151
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Receipt of petroleum coke and shipment of calcined coke by barge.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 30.556389
Total Berthing Space (feet): | 399 | 490 Longitude (decimal): -91.21806
Remarks: Truck-receiving hopper is covered by shed on platform. Agway Systems, Inc. operates two storage warehouses (S.W. Ref. No. 3) located adjacent to approach.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 235.8 PWD: 065
Name: **TT Barge Services Lower Wharf**
Port: Baton Rouge
Location: Mile 235.8 A.H.P., right bank, Mississippi River, approximately 0.6 mile above entrance to Baton Rouge H Datum: LWRP
Operator: TT Barge Services, Mile 237, Inc.
Owner: American Commercial Barge Lines, Inc.
Address: 5130 North River Road. Phone: 225-343-0204
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for gas-freeing, cleaning and repair.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.5175
Total Berthing Space (feet): 1,080 | 200 | Longitude (decimal): -91.21667

Waterway: **Mississippi River** Mile: 235.8 PWD: 065
Name: **TT Barge Services Lower Wharf**
Port: Baton Rouge
Location: Mile 235.8 A.H.P., right bank, Mississippi River, approximately 0.6 mile above entrance to Baton Rouge H Datum: LWRP
Operator: TT Barge Services, Mile 237, Inc.
Owner: American Commercial Barge Lines, Inc.
Address: 5130 North River Road. Phone: 225-343-0204
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for gas-freeing, cleaning and repair.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.5175
Total Berthing Space (feet): 1,080 | 200 | Longitude (decimal): -91.21667

Remarks: The Louisiana Dock Co. west bank lower fleet extends across face of wharf. Operations office for operator's Upper and Lower Wharves (Ref. Nos. 63 and 65, respectively) and for Louisiana Dock Co. East and West Bank Fleets (Ref. Nos. 60 and 64, respectively) is located in building over levee, on opposite side of State Highway 986.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20237 New Orleans District

Remarks: The Louisiana Dock Co. west bank lower fleet extends across face of wharf. Operations office for operator's Upper and Lower Wharves (Ref. Nos. 63 and 65, respectively) and for Louisiana Dock Co. East and West Bank Fleets (Ref. Nos. 60 and 64, respectively) is located in building over levee, on opposite side of State Highway 986.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20237 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 235.8 PWD: 065
Name: **TT Barge Services Lower Wharf**
Port: Baton Rouge
Location: Mile 235.8 A.H.P., right bank, Mississippi River, approximately 0.6 mile above entrance to Baton Rouge H Datum: LWRP
Operator: TT Barge Services, Mile 237, Inc.
Owner: American Commercial Barge Lines, Inc.
Address: 5130 North River Road. Phone: 225-343-0204
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for gas-freeing, cleaning and repair.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.5175
Total Berthing Space (feet): 1,080 | 200 | Longitude (decimal): -91.21667

Waterway: **Mississippi River** Mile: 235.8 PWD: 065
Name: **TT Barge Services Lower Wharf**
Port: Baton Rouge
Location: Mile 235.8 A.H.P., right bank, Mississippi River, approximately 0.6 mile above entrance to Baton Rouge H Datum: LWRP
Operator: TT Barge Services, Mile 237, Inc.
Owner: American Commercial Barge Lines, Inc.
Address: 5130 North River Road. Phone: 225-343-0204
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for gas-freeing, cleaning and repair.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.5175
Total Berthing Space (feet): 1,080 | 200 | Longitude (decimal): -91.21667

Remarks: The Louisiana Dock Co. west bank lower fleet extends across face of wharf. Operations office for operator's Upper and Lower Wharves (Ref. Nos. 63 and 65, respectively) and for Louisiana Dock Co. East and West Bank Fleets (Ref. Nos. 60 and 64, respectively) is located in building over levee, on opposite side of State Highway 986.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20237 New Orleans District

Remarks: The Louisiana Dock Co. west bank lower fleet extends across face of wharf. Operations office for operator's Upper and Lower Wharves (Ref. Nos. 63 and 65, respectively) and for Louisiana Dock Co. East and West Bank Fleets (Ref. Nos. 60 and 64, respectively) is located in building over levee, on opposite side of State Highway 986.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20237 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 236.0 PWD: 064
Name: **Louisiana Dock Co. West Bank Fleet**
Port: Baton Rouge
Location: Mile 235.7 to Mile 237.5 A.H.P., right bank, Miss. River, approx. 0.8 mile above entrance to Baton Rouge Datum: LWRP
Operator: Louisiana Dock Co., a subsidiary of American Commercial Barge Lines, Inc
Owner: American Commercial Barge Lines, Inc
Address: North River Road (State Route 986) Phone: 504-733-7870
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 30.516389
Total Berthing Space (feet): 4,200 | 2,400 | Longitude (decimal): -91.21889

Waterway: **Mississippi River** Mile: 236.0 PWD: 064
Name: **Louisiana Dock Co. West Bank Fleet**
Port: Baton Rouge
Location: Mile 235.7 to Mile 237.5 A.H.P., right bank, Miss. River, approx. 0.8 mile above entrance to Baton Rouge Datum: LWRP
Operator: Louisiana Dock Co., a subsidiary of American Commercial Barge Lines, Inc
Owner: American Commercial Barge Lines, Inc
Address: North River Road (State Route 986) Phone: 504-733-7870
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 30.516389
Total Berthing Space (feet): 4,200 | 2,400 | Longitude (decimal): -91.21889

Remarks: West bank upper fleet moors between miles 237.5 and 236.5 A.H.P. on spar barges above TT Barge Services Upper Wharf (Ref. No. 63), in 21 tiers, each 6 barges wide, total capacity 126 barges. West bank lower fleet moors between miles 236.3 and 235.7 on spar barges above and coinciding with TT Barge Services Lower Wharf (Ref. No. 65), in 12 tiers, each 6 barges wide, total capacity 72 barges.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: West bank upper fleet moors between miles 237.5 and 236.5 A.H.P. on spar barges above TT Barge Services Upper Wharf (Ref. No. 63), in 21 tiers, each 6 barges wide, total capacity 126 barges. West bank lower fleet moors between miles 236.3 and 235.7 on spar barges above and coinciding with TT Barge Services Lower Wharf (Ref. No. 65), in 12 tiers, each 6 barges wide, total capacity 72 barges.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 236.0 PWD: 064
Name: **Louisiana Dock Co. West Bank Fleet**
Port: Baton Rouge
Location: Mile 235.7 to Mile 237.5 A.H.P., right bank, Miss. River, approx. 0.8 mile above entrance to Baton Rouge Datum: LWRP
Operator: Louisiana Dock Co., a subsidiary of American Commercial Barge Lines, Inc
Owner: American Commercial Barge Lines, Inc
Address: North River Road (State Route 986) Phone: 504-733-7870
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 30.516389
Total Berthing Space (feet): 4,200 | 2,400 | Longitude (decimal): -91.21889

Waterway: **Mississippi River** Mile: 236.0 PWD: 064
Name: **Louisiana Dock Co. West Bank Fleet**
Port: Baton Rouge
Location: Mile 235.7 to Mile 237.5 A.H.P., right bank, Miss. River, approx. 0.8 mile above entrance to Baton Rouge Datum: LWRP
Operator: Louisiana Dock Co., a subsidiary of American Commercial Barge Lines, Inc
Owner: American Commercial Barge Lines, Inc
Address: North River Road (State Route 986) Phone: 504-733-7870
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 30.516389
Total Berthing Space (feet): 4,200 | 2,400 | Longitude (decimal): -91.21889

Remarks: West bank upper fleet moors between miles 237.5 and 236.5 A.H.P. on spar barges above TT Barge Services Upper Wharf (Ref. No. 63), in 21 tiers, each 6 barges wide, total capacity 126 barges. West bank lower fleet moors between miles 236.3 and 235.7 on spar barges above and coinciding with TT Barge Services Lower Wharf (Ref. No. 65), in 12 tiers, each 6 barges wide, total capacity 72 barges.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: West bank upper fleet moors between miles 237.5 and 236.5 A.H.P. on spar barges above TT Barge Services Upper Wharf (Ref. No. 63), in 21 tiers, each 6 barges wide, total capacity 126 barges. West bank lower fleet moors between miles 236.3 and 235.7 on spar barges above and coinciding with TT Barge Services Lower Wharf (Ref. No. 65), in 12 tiers, each 6 barges wide, total capacity 72 barges.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 236.5 PWD: 063
Name: **TT Barge Services Upper Wharf**
Port: Baton Rouge
Location: Mile 236.5 A.H.P., right bank, Mississippi River, approximately 1.2 miles above entrance to Baton Rouge Datum: LWRP
Operator: TT Barge Services, Mile 237, Inc.
Owner: American Commercial Barge Lines, Inc.
Address: 5780 N. River Rd, foot of Riverview D Phone: 225-343-0204
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for cleaning and repair, mooring floating drydocks.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 30.511944
Total Berthing Space (feet): 1,479 | 200 | 200 Longitude (decimal): -91.22944

Waterway: **Mississippi River** Mile: 236.5 PWD: 063
Name: **TT Barge Services Upper Wharf**
Port: Baton Rouge
Location: Mile 236.5 A.H.P., right bank, Mississippi River, approximately 1.2 miles above entrance to Baton Rouge Datum: LWRP
Operator: TT Barge Services, Mile 237, Inc.
Owner: American Commercial Barge Lines, Inc.
Address: 5780 N. River Rd, foot of Riverview D Phone: 225-343-0204
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for cleaning and repair, mooring floating drydocks.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 30.511944
Total Berthing Space (feet): 1,479 | 200 | 200 Longitude (decimal): -91.22944

Remarks: Upper portion of wharf used for topside mechanical maintenance of tank barges. Both faces of lower portion used for washing hopper barges and for general repairs, and, at lower end of wharf, for mooring one 1,750- and one 800-long ton floating drydocks.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20237 New Orleans District

Remarks: Upper portion of wharf used for topside mechanical maintenance of tank barges. Both faces of lower portion used for washing hopper barges and for general repairs, and, at lower end of wharf, for mooring one 1,750- and one 800-long ton floating drydocks.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20237 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 236.5 PWD: 063
Name: **TT Barge Services Upper Wharf**
Port: Baton Rouge
Location: Mile 236.5 A.H.P., right bank, Mississippi River, approximately 1.2 miles above entrance to Baton Rouge Datum: LWRP
Operator: TT Barge Services, Mile 237, Inc.
Owner: American Commercial Barge Lines, Inc.
Address: 5780 N. River Rd, foot of Riverview D Phone: 225-343-0204
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for cleaning and repair, mooring floating drydocks.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 30.511944
Total Berthing Space (feet): 1,479 | 200 | 200 Longitude (decimal): -91.22944

Waterway: **Mississippi River** Mile: 236.5 PWD: 063
Name: **TT Barge Services Upper Wharf**
Port: Baton Rouge
Location: Mile 236.5 A.H.P., right bank, Mississippi River, approximately 1.2 miles above entrance to Baton Rouge Datum: LWRP
Operator: TT Barge Services, Mile 237, Inc.
Owner: American Commercial Barge Lines, Inc.
Address: 5780 N. River Rd, foot of Riverview D Phone: 225-343-0204
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for cleaning and repair, mooring floating drydocks.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 30.511944
Total Berthing Space (feet): 1,479 | 200 | 200 Longitude (decimal): -91.22944

Remarks: Upper portion of wharf used for topside mechanical maintenance of tank barges. Both faces of lower portion used for washing hopper barges and for general repairs, and, at lower end of wharf, for mooring one 1,750- and one 800-long ton floating drydocks.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20237 New Orleans District

Remarks: Upper portion of wharf used for topside mechanical maintenance of tank barges. Both faces of lower portion used for washing hopper barges and for general repairs, and, at lower end of wharf, for mooring one 1,750- and one 800-long ton floating drydocks.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20237 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 237.0 PWD: 060
Name: **Louisiana Dock Co. East Bank Fleet**
Port: Baton Rouge
Location: Mile 235.7 to Mile 238.0 A.H.P., left bank, Mississippi River, approx. 1.7 miles above entrance to Baton Datum: LWRP
Operator: Louisiana Dock Co., subsidiary of American Commercial Barge Lines, Inc.
Owner: American Commercial Barge Lines, Inc.
Address: Phone: 504-733-7870
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.518333
Total Berthing Space (feet): 12200 | | Longitude (decimal): -91.23167

Waterway: **Mississippi River** Mile: 237.0 PWD: 060
Name: **Louisiana Dock Co. East Bank Fleet**
Port: Baton Rouge
Location: Mile 235.7 to Mile 238.0 A.H.P., left bank, Mississippi River, approx. 1.7 miles above entrance to Baton Datum: LWRP
Operator: Louisiana Dock Co., subsidiary of American Commercial Barge Lines, Inc.
Owner: American Commercial Barge Lines, Inc.
Address: Phone: 504-733-7870
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.518333
Total Berthing Space (feet): 12200 | | Longitude (decimal): -91.23167

Remarks: The Louisiana Dock Co. East Bank Fleet has capacity for 144 barges in 24 tiers, each 6 barges wide. Fleet is operated in conjunction with West Bank Fleet and TT Barge Services Wharves (Ref. Nos. 63, 64 and 65.)

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: The Louisiana Dock Co. East Bank Fleet has capacity for 144 barges in 24 tiers, each 6 barges wide. Fleet is operated in conjunction with West Bank Fleet and TT Barge Services Wharves (Ref. Nos. 63, 64 and 65.)

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 237.0 PWD: 060
Name: **Louisiana Dock Co. East Bank Fleet**
Port: Baton Rouge
Location: Mile 235.7 to Mile 238.0 A.H.P., left bank, Mississippi River, approx. 1.7 miles above entrance to Baton Datum: LWRP
Operator: Louisiana Dock Co., subsidiary of American Commercial Barge Lines, Inc.
Owner: American Commercial Barge Lines, Inc.
Address: Phone: 504-733-7870
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.518333
Total Berthing Space (feet): 12200 | | Longitude (decimal): -91.23167

Waterway: **Mississippi River** Mile: 237.0 PWD: 060
Name: **Louisiana Dock Co. East Bank Fleet**
Port: Baton Rouge
Location: Mile 235.7 to Mile 238.0 A.H.P., left bank, Mississippi River, approx. 1.7 miles above entrance to Baton Datum: LWRP
Operator: Louisiana Dock Co., subsidiary of American Commercial Barge Lines, Inc.
Owner: American Commercial Barge Lines, Inc.
Address: Phone: 504-733-7870
Town: Baton Rouge State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.518333
Total Berthing Space (feet): 12200 | | Longitude (decimal): -91.23167

Remarks: The Louisiana Dock Co. East Bank Fleet has capacity for 144 barges in 24 tiers, each 6 barges wide. Fleet is operated in conjunction with West Bank Fleet and TT Barge Services Wharves (Ref. Nos. 63, 64 and 65.)

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Remarks: The Louisiana Dock Co. East Bank Fleet has capacity for 144 barges in 24 tiers, each 6 barges wide. Fleet is operated in conjunction with West Bank Fleet and TT Barge Services Wharves (Ref. Nos. 63, 64 and 65.)

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20228 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 24.5 PWD: 49
Name: **Motto's Basin.**
Port: Below New Orleans
Location: Mile 24.5 AHP, right bank, Mississippi River, Buras. Datum: MLG
Operator: Bud's Boat Rental, Inc.
Owner: Our Lady of Good Harbor Roman Catholic Church, Bernitha Avist, and others.
Address: Parish Highway 11. Phone: 985/534-2225
Town: Buras State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring miscellaneous commercial and recreation small craft.
Depth Alongside (feet): 2 - 6 | 2 - 6 | Latitude (decimal): 29.355556
Total Berthing Space (feet): 250+ | 11 | Longitude (decimal): -89.52167
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20025 New Orleans District

---

Waterway: **Mississippi River** Mile: 24.7 PWD: 48
Name: **Chevron Pipe Line Co., Buras Boat Landing.**
Port: Below New Orleans
Location: Mile 24.7 AHP, right bank, Mississippi River, Buras. Datum: MLG
Operator: Not operated.
Owner: Chevron Pipe Line Co.
Address: Parish Highway 11. Phone: 985/534-6872
Town: Buras State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 29.3575
Total Berthing Space (feet): 8 | | Longitude (decimal): -89.5225
Remarks: One 45- by 21-foot, and three 40- by 3-, 6-, and 5-foot piers, and 3 timber pile and stringer extensions provide 8 berths, not in use at time of survey (2002).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20025 New Orleans District

---

Waterway: **Mississippi River** Mile: 246.4 PWD: 061
Name: **Profit Island Transfer Terminal Landing.**
Port: Baton Rouge
Location: Mile 246.4 A.H.P., left bank, Mississippi River, left bank of Profit Island Chute approx 0.9 mile above Datum: LWRP
Operator: Not operated
Owner: W. W. Munson Estate
Address: Brooklawn Drive. Phone: 225-774-8151
Town: Baker State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): | | 10 Latitude (decimal): 30.583889
Total Berthing Space (feet): 300 | 300 | 640 Longitude (decimal): -91.26778
Remarks: At time of survey (2001), owners planned to reopen terminal for handling dry bulk materials.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20247 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 253.6 PWD: 062
Name: **Amoco Pipeline Co., Port Hudson Wharf.**
Port: Baton Rouge
Location: Mile 253.6 A.H.P., left bank, Mississippi River, approximately 1.2 miles above upper entrance to Profit Datum: LWRP
Operator: Amoco Pipeline Co.
Owner: Amoco Pipeline Co.
Address: Mount Pleasant Road. Phone: 225-654-3894
Town: Port Hudson State: LA County: E. Baton Rouge
Railway Connection: None.
Purpose: Shipment of crude oil by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.625
Total Berthing Space (feet): 250 | | Longitude (decimal): -91.29111
Remarks: One 16-inch pipeline extends to wharf from one 206,000-barrel, storage tank at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20253 New Orleans District

---

Waterway: **Mississippi River** Mile: 26.7 PWD: 5
Name: **Chevron Pipe Line Co., Empire Tanker Wharf**
Port: Below New Orleans
Location: Mile 26.7 AHP, left bank, Mississippi River, Empire Datum: MLG
Operator: Shell Pipe Line Co.
Owner: Shell Pipe Line Co.
Address: - Phone: 985/534-6750
Town: Empire State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of crude oil by vessel.
Depth Alongside (feet): 53 | | Latitude (decimal): 29.371111
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -89.55306

Waterway: **Mississippi River** Mile: 26.7 PWD: 5
Name: **Chevron Pipe Line Co., Empire Tanker Wharf**
Port: Below New Orleans
Location: Mile 26.7 AHP, left bank, Mississippi River, Empire Datum: MLG
Operator: Shell Pipe Line Co.
Owner: Shell Pipe Line Co.
Address: - Phone: 985/534-6750
Town: Empire State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of crude oil by vessel.
Depth Alongside (feet): 53 | | Latitude (decimal): 29.371111
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -89.55306
Remarks: Pipelines from wharf extend to temporary holding tanks for trans-shipment of crude oil to refineries by pipeline.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20027 New Orleans District

---

Remarks: Pipelines from wharf extend to temporary holding tanks for trans-shipment of crude oil to refineries by pipeline.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20027 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 26.7 PWD: 5
Name: **Chevron Pipe Line Co., Empire Tanker Wharf**
Port: Below New Orleans
Location: Mile 26.7 AHP, left bank, Mississippi River, Empire Datum: MLG
Operator: Shell Pipe Line Co.
Owner: Shell Pipe Line Co.
Address: - Phone: 985/534-6750
Town: Empire State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of crude oil by vessel.
Depth Alongside (feet): 53 | | Latitude (decimal): 29.371111
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -89.55306

Waterway: **Mississippi River** Mile: 26.7 PWD: 5
Name: **Chevron Pipe Line Co., Empire Tanker Wharf**
Port: Below New Orleans
Location: Mile 26.7 AHP, left bank, Mississippi River, Empire Datum: MLG
Operator: Shell Pipe Line Co.
Owner: Shell Pipe Line Co.
Address: - Phone: 985/534-6750
Town: Empire State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of crude oil by vessel.
Depth Alongside (feet): 53 | | Latitude (decimal): 29.371111
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -89.55306

Remarks: Pipelines from wharf extend to temporary holding tanks for trans-shipment of crude oil to refineries by pipeline.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20027 New Orleans District

Remarks: Pipelines from wharf extend to temporary holding tanks for trans-shipment of crude oil to refineries by pipeline.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20027 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 263 PWD: 107
Name: **Cajun Electric Power Cooperative, Big Cajun No. 2 Power Plant Whar**
Port: New Roads
Location: Right bank, Mississippi River, Mile 262.7 A.H.P., New Roads. Datum: LWRP
Operator: Cajun Electric Power Cooperative, Inc.
Owner: Cajun Electric Power Cooperative, Inc.
Address: State Highway 981. Phone: 504/638-3773 ex
Town: New Roads State: LA County: Pointe Coupee
Railway Connection: One surface track serving plant in rear connects with Kansas City Southern Railroad.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.730278
Total Berthing Space (feet): 2435 | | Longitude (decimal): -91.35861
Remarks: Barges are positioned at unloader by a shuttle barge controlled by cables and winches attached to breasting dolphins. A 140- by 70-foot platform at outer end of approach, also serves as work area for servicing u plant water intake built into substructure. Open storage area at plant in rear has capacity for 2,000,000 tons of coal, which is reclaimed via ground-level hoppers served by an underground 72-inch electric belt-convehas capacity for storing 25 loaded- and 25 empty barges.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 20262 New Orleans District

---

Waterway: **Mississippi River** Mile: 263 PWD: 1
Name: **Gulf States Utilities Company, River Bend Station, Barge Slip.**
Port: St.Francisville
Location: Mile 262.4 A.H.P., left bank, Mississippi River, St. Francisville, approximately 3.5 miles below St. Fra Datum: LWRP
Operator: Not operated.
Owner: Gulf States Utilities Company.
Address: State Highway 965. Phone: 504/381-4692
Town: St.Francisville State: LA County: West Feliciana
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): - 12 | | Latitude (decimal): 30.728056
Total Berthing Space (feet): 645 | | Longitude (decimal): -91.3375
Remarks: Slip formerly was used for handling heavy construction materials and equipment when plant was under construction. A barge-grounding platform of crushed stone was constructed as required, corresponding to river stable platform for transfer operations.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 20262 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 265 PWD: 2
Name: **U.S. Army Corps of Engineers, St. Francisville Casting Field Landi**
Port: St.Francisville
Location: Mile 265.3 A.H.P., left bank, Mississippi River, St. Francisville, approximately 0.5 miles below St. Fra Datum: LWRP
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: State Highway 10. Phone: ----------
Town: St.Francisville State: LA County: West Feliciana
Railway Connection: None.
Purpose: Loading precast, concrete, articulated mattress blocks; mooring government-owned floating equipment.
Depth Alongside (feet): | | Latitude (decimal): 30.763611
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.37667
Remarks: Sections of articulated concrete mattresses are cast in field at rear, loaded onto trucks, transported to bank and loaded by crane onto barges. Facility is operated on an as required basis.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 20265 New Orleans District

---

Waterway: **Mississippi River** Mile: 266 PWD: 3
Name: **St. Francisville Ferry Landings.**
Port: St.Francisville
Location: Mile 266.0 A.H.P., left and right banks, Mississippi River, St. Francisville, below mouth of Bayou Sara. Datum: LWRP
Operator: Department of Transportation and Development, State of Louisiana.
Owner: Department of Transportation and Development, State of Louisiana.
Address: State Highway 10 at Mississippi River Phone: ----------
Town: St.Francisville State: LA County: West Feliciana
Railway Connection: None.
Purpose: Landings for passenger and vehicular ferry.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.7625
Total Berthing Space (feet): 40 | | Longitude (decimal): -91.38583
Remarks: Ferry provides service between St. Francisville and Pointe Coupee Parish on State Highway 10.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 20266 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 27.5 PWD: 47
Name: **Chevron Pipe Line Co., Empire Terminal, Sunrise Landing.**
Port: Below New Orleans
Location: Mile 27.5 AHP, right bank, Mississippi River, Buras. Datum: MLG
Operator: Chevron Pipe Line Co.
Owner: Chevron Pipe Line Co.
Address: Parish Highway 11. Phone: 985/534-6872
Town: Buras State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for crewboat; handling supplies.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.370556
Total Berthing Space (feet): 33 | | Longitude (decimal): -89.56889

Waterway: **Mississippi River** Mile: 27.5 PWD: 47
Name: **Chevron Pipe Line Co., Empire Terminal, Sunrise Landing.**
Port: Below New Orleans
Location: Mile 27.5 AHP, right bank, Mississippi River, Buras. Datum: MLG
Operator: Chevron Pipe Line Co.
Owner: Chevron Pipe Line Co.
Address: Parish Highway 11. Phone: 985/534-6872
Town: Buras State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for crewboat; handling supplies.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.370556
Total Berthing Space (feet): 33 | | Longitude (decimal): -89.56889

Remarks: Crewboats transfer personnel and supplies to and from Chevron Pipe Line Co., Empire Barge Wharf on left bank (Ref. No. 5).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20027 New Orleans District

Remarks: Crewboats transfer personnel and supplies to and from Chevron Pipe Line Co., Empire Barge Wharf on left bank (Ref. No. 5).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20027 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 27.5 PWD: 47
Name: **Chevron Pipe Line Co., Empire Terminal, Sunrise Landing.**
Port: Below New Orleans
Location: Mile 27.5 AHP, right bank, Mississippi River, Buras. Datum: MLG
Operator: Chevron Pipe Line Co.
Owner: Chevron Pipe Line Co.
Address: Parish Highway 11. Phone: 985/534-6872
Town: Buras State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for crewboat; handling supplies.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.370556
Total Berthing Space (feet): 33 | | Longitude (decimal): -89.56889

Waterway: **Mississippi River** Mile: 27.5 PWD: 47
Name: **Chevron Pipe Line Co., Empire Terminal, Sunrise Landing.**
Port: Below New Orleans
Location: Mile 27.5 AHP, right bank, Mississippi River, Buras. Datum: MLG
Operator: Chevron Pipe Line Co.
Owner: Chevron Pipe Line Co.
Address: Parish Highway 11. Phone: 985/534-6872
Town: Buras State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for crewboat; handling supplies.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.370556
Total Berthing Space (feet): 33 | | Longitude (decimal): -89.56889

Remarks: Crewboats transfer personnel and supplies to and from Chevron Pipe Line Co., Empire Barge Wharf on left bank (Ref. No. 5).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20027 New Orleans District

Remarks: Crewboats transfer personnel and supplies to and from Chevron Pipe Line Co., Empire Barge Wharf on left bank (Ref. No. 5).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20027 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 301 PWD: 4

Name: **Angola Ferry Landings.**

Port: Angola

Location: Mile 300.5 A.H.P, left bank, Mississippi River, Angola; right bank, approximately, 1.0 mile below Red Ri Datum: LWRP

Operator: Department of Transportation and Development, State of Louisiana.

Owner: Department of Transportation and Development, State of Louisiana.

Address: State Highway 3190. Phone: ----------

Town: Angola State: LA County: West Feliciana

Railway Connection: None.

Purpose: Landings for passenger and vehicular ferry.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 30.943611

Total Berthing Space (feet): 60 | | Longitude (decimal): -91.64667

Remarks: Ferry provides service between State Highway 418 on right bank and Angola Landing on left bank. Used primarily for accommodation of workmen and handlingsupplies for Louisiana State Penitentiary at Angola.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 20300 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 35.2 PWD: 6
Name: **Bass Enterprises Production Co., Cox Bay Field Loading Dock.**
Port: Below New Orleans
Location: Mile 35.2 AHP, left bank, Mississippi River, Cox Bay. Datum: MLG
Operator: Bass Enterprises Production Co., Inc.
Owner: State of Louisiana.
Address: Ostrica Phone: 985/525-9982
Town: Pnt. a la Hache State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of crude oil by barge.
Depth Alongside (feet): 16 | | 6 Latitude (decimal): 29.460278
Total Berthing Space (feet): 460 | | 40 Longitude (decimal): -89.62417

Waterway: **Mississippi River** Mile: 35.2 PWD: 6
Name: **Bass Enterprises Production Co., Cox Bay Field Loading Dock.**
Port: Below New Orleans
Location: Mile 35.2 AHP, left bank, Mississippi River, Cox Bay. Datum: MLG
Operator: Bass Enterprises Production Co., Inc.
Owner: State of Louisiana.
Address: Ostrica Phone: 985/525-9982
Town: Pnt. a la Hache State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of crude oil by barge.
Depth Alongside (feet): 16 | | 6 Latitude (decimal): 29.460278
Total Berthing Space (feet): 460 | | 40 Longitude (decimal): -89.62417

Remarks: Berthing space is available for 2 crewboats mooring stern-to on lower side of boat landing. One 16-inch pipeline extends to wharf from 2 storage tanks at rear, total capacity 160,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20035 New Orleans District

Remarks: Berthing space is available for 2 crewboats mooring stern-to on lower side of boat landing. One 16-inch pipeline extends to wharf from 2 storage tanks at rear, total capacity 160,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20035 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 35.2 PWD: 6
Name: **Bass Enterprises Production Co., Cox Bay Field Loading Dock.**
Port: Below New Orleans
Location: Mile 35.2 AHP, left bank, Mississippi River, Cox Bay. Datum: MLG
Operator: Bass Enterprises Production Co., Inc.
Owner: State of Louisiana.
Address: Ostrica Phone: 985/525-9982
Town: Pnt. a la Hache State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of crude oil by barge.
Depth Alongside (feet): 16 | | 6 Latitude (decimal): 29.460278
Total Berthing Space (feet): 460 | | 40 Longitude (decimal): -89.62417

Waterway: **Mississippi River** Mile: 35.2 PWD: 6
Name: **Bass Enterprises Production Co., Cox Bay Field Loading Dock.**
Port: Below New Orleans
Location: Mile 35.2 AHP, left bank, Mississippi River, Cox Bay. Datum: MLG
Operator: Bass Enterprises Production Co., Inc.
Owner: State of Louisiana.
Address: Ostrica Phone: 985/525-9982
Town: Pnt. a la Hache State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of crude oil by barge.
Depth Alongside (feet): 16 | | 6 Latitude (decimal): 29.460278
Total Berthing Space (feet): 460 | | 40 Longitude (decimal): -89.62417

Remarks: Berthing space is available for 2 crewboats mooring stern-to on lower side of boat landing. One 16-inch pipeline extends to wharf from 2 storage tanks at rear, total capacity 160,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20035 New Orleans District

Remarks: Berthing space is available for 2 crewboats mooring stern-to on lower side of boat landing. One 16-inch pipeline extends to wharf from 2 storage tanks at rear, total capacity 160,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20035 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 35.6 PWD: 46
Name: **Bass Enterprises Production Co., Cox Bay Field, West Bank Crew Boa**
Port: Below New Orleans
Location: Mile 35.6 AHP, right bank, Mississippi River, Buras. Datum: MLG
Operator: Bass Enterprises Production Co., Inc.
Owner: Bass Enterprises Production Co., Inc.
Address: Parish Highway 11. Phone: 985/525-9982
Town: Buras State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for crewboat.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.454167
Total Berthing Space (feet): 50 | | Longitude (decimal): -89.63278

Waterway: **Mississippi River** Mile: 35.6 PWD: 46
Name: **Bass Enterprises Production Co., Cox Bay Field, West Bank Crew Boa**
Port: Below New Orleans
Location: Mile 35.6 AHP, right bank, Mississippi River, Buras. Datum: MLG
Operator: Bass Enterprises Production Co., Inc.
Owner: Bass Enterprises Production Co., Inc.
Address: Parish Highway 11. Phone: 985/525-9982
Town: Buras State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for crewboat.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.454167
Total Berthing Space (feet): 50 | | Longitude (decimal): -89.63278

Remarks: Crewboats transfer personnel and light supplies to and from Bass Enterprises Production Co., Cox Bay Dock (Ref. No. 6).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20035 New Orleans District

Remarks: Crewboats transfer personnel and light supplies to and from Bass Enterprises Production Co., Cox Bay Dock (Ref. No. 6).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20035 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 35.6 PWD: 46
Name: **Bass Enterprises Production Co., Cox Bay Field, West Bank Crew Boa**
Port: Below New Orleans
Location: Mile 35.6 AHP, right bank, Mississippi River, Buras. Datum: MLG
Operator: Bass Enterprises Production Co., Inc.
Owner: Bass Enterprises Production Co., Inc.
Address: Parish Highway 11. Phone: 985/525-9982
Town: Buras State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for crewboat.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.454167
Total Berthing Space (feet): 50 | | Longitude (decimal): -89.63278

Waterway: **Mississippi River** Mile: 35.6 PWD: 46
Name: **Bass Enterprises Production Co., Cox Bay Field, West Bank Crew Boa**
Port: Below New Orleans
Location: Mile 35.6 AHP, right bank, Mississippi River, Buras. Datum: MLG
Operator: Bass Enterprises Production Co., Inc.
Owner: Bass Enterprises Production Co., Inc.
Address: Parish Highway 11. Phone: 985/525-9982
Town: Buras State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for crewboat.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.454167
Total Berthing Space (feet): 50 | | Longitude (decimal): -89.63278

Remarks: Crewboats transfer personnel and light supplies to and from Bass Enterprises Production Co., Cox Bay Dock (Ref. No. 6).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20035 New Orleans District

Remarks: Crewboats transfer personnel and light supplies to and from Bass Enterprises Production Co., Cox Bay Dock (Ref. No. 6).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20035 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 362 PWD: 106
Name: **Bunge Corp., Vidalia Dock.**
Port: Vidalia
Location: Right bank, Mississippi River, Mile 361.8 A.H.P., approximately 1.3 miles below Natchez-Vidalia (U.S Hig Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Deer Park Road. Phone: 318/336-5253
Town: Vidalia State: LA County: Concordia
Railway Connection: None.
Purpose: Shipment of grain; receipt of liquid fertilizer.
Depth Alongside (feet): 20 | 35 | Latitude (decimal): 31.549722
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -91.43944
Remarks: Grain elevator in rear consisting of 12 concrete silos with 16 interstices, and 2 steel tanks has total capacity for 2,000,000 bushels. One 8-inch pipeline extends from berth to one 1,020,000-gallon steel storag

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21360 New Orleans District

---

Waterway: **Mississippi River** Mile: 363 PWD: 105
Name: **U.S. Army Corps of Engineers, Vidalia Casting Field Landing.**
Port: Vidalia
Location: Right bank, Mississippi River, Mile 363.1 A.H.P., beneath Natchez -Vidalia (U.S Highways 65 and 84) Brid Datum: LWRP
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: Levee Street. Phone: 318/336-7393
Town: Vidalia State: LA County: Concordia
Railway Connection: None.
Purpose: Handling precast concrete articulated mattress blocks; mooring government-owned floating equiupment.
Depth Alongside (feet): - 15 | | Latitude (decimal): 31.561111
Total Berthing Space (feet): 4600 | | Longitude (decimal): -91.42278
Remarks: Bulldozer constructs causeways for truck access to deck barges for loading mattress blocks as required.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21360 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 38.8 PWD: 44
Name: **Freeport-McMoRan Sulphur Company, Main Pass Dock.**
Port: Below New Orleans
Location: Mile 38.8 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.473056
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.685
Remarks: One 16-inch, liquid sulfur pipeline extends to wharf from storage tanks described under Ref. No. 42. One 6-inch, diesel fuel line extends to wharf from one 12,000-barrel storage tank at rear. One 12-inch, fresh water line extends to wharf from storage lagoon at rear. One 6-inch steam, and one 4-inch compressed air pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 00039 New Orleans District

---

Waterway: **Mississippi River** Mile: 382 PWD: 103
Name: **Goldman Grain Co. Dock.**
Port: Waterproof
Location: Right bank, Mississippi River, Mile 381.8 A.H.P., Waterproof. Datum: LWRP
Operator: Goldman Grain Co., Inc.
Owner: Goldman Grain Co., Inc.
Address: State Highway 568. Phone: 318/749-3320
Town: Waterproof State: LA County: Tensas
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 8 | | Latitude (decimal): 31.830556
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.35833
Remarks: Grain elevator in rear consisting of 16 concrete silos with 14 interstices, has total capacity for 940,000 bushels.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21381 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 39.0 PWD: 43
Name: **Freeport-McMoRan Sulphur Company, Liquid Loading Dock.**
Port: Below New Orleans
Location: Mile 39.0 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.475
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68667

Waterway: **Mississippi River** Mile: 39.0 PWD: 43
Name: **Freeport-McMoRan Sulphur Company, Liquid Loading Dock.**
Port: Below New Orleans
Location: Mile 39.0 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.475
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68667

Waterway: **Mississippi River** Mile: 39.0 PWD: 43
Name: **Freeport-McMoRan Sulphur Company, Liquid Loading Dock.**
Port: Below New Orleans
Location: Mile 39.0 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.475
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68667
Remarks: Wharf is in line and contiguous with Bulk Loading Dock (Ref. No. 42) on upper side; and connected via walkway to Main Pass Dock (Ref. No. 44) on lower side. Two 8-inch, liquid sulfur pipelines extend to wharf from storage tanks described under Ref. No. 42. One 6-inch steam, and one 4-inch compressed air pipelines serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Remarks: Wharf is in line and contiguous with Bulk Loading Dock (Ref. No. 42) on upper side; and connected via walkway to Main Pass Dock (Ref. No. 44) on lower side. Two 8-inch, liquid sulfur pipelines extend to wharf from storage tanks described under Ref. No. 42. One 6-inch steam, and one 4-inch compressed air pipelines serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Bulk Loading Dock (Ref. No. 42) on upper side; and connected via walkway to Main Pass Dock (Ref. No. 44) on lower side. Two 8-inch, liquid sulfur pipelines extend to wharf from storage tanks described under Ref. No. 42. One 6-inch steam, and one 4-inch compressed air pipelines serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 39.0 PWD: 43
Name: **Freeport-McMoRan Sulphur Company, Liquid Loading Dock.**
Port: Below New Orleans
Location: Mile 39.0 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.475
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68667

Waterway: **Mississippi River** Mile: 39.0 PWD: 43
Name: **Freeport-McMoRan Sulphur Company, Liquid Loading Dock.**
Port: Below New Orleans
Location: Mile 39.0 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.475
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68667

Waterway: **Mississippi River** Mile: 39.0 PWD: 43
Name: **Freeport-McMoRan Sulphur Company, Liquid Loading Dock.**
Port: Below New Orleans
Location: Mile 39.0 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.475
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68667
Remarks: Wharf is in line and contiguous with Bulk Loading Dock (Ref. No. 42) on upper side; and connected via walkway to Main Pass Dock (Ref. No. 44) on lower side. Two 8-inch, liquid sulfur pipelines extend to wharf from storage tanks described under Ref. No. 42. One 6-inch steam, and one 4-inch compressed air pipelines serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Remarks: Wharf is in line and contiguous with Bulk Loading Dock (Ref. No. 42) on upper side; and connected via walkway to Main Pass Dock (Ref. No. 44) on lower side. Two 8-inch, liquid sulfur pipelines extend to wharf from storage tanks described under Ref. No. 42. One 6-inch steam, and one 4-inch compressed air pipelines serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Bulk Loading Dock (Ref. No. 42) on upper side; and connected via walkway to Main Pass Dock (Ref. No. 44) on lower side. Two 8-inch, liquid sulfur pipelines extend to wharf from storage tanks described under Ref. No. 42. One 6-inch steam, and one 4-inch compressed air pipelines serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 39.0 PWD: 43
Name: **Freeport-McMoRan Sulphur Company, Liquid Loading Dock.**
Port: Below New Orleans
Location: Mile 39.0 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.475
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68667

Waterway: **Mississippi River** Mile: 39.0 PWD: 43
Name: **Freeport-McMoRan Sulphur Company, Liquid Loading Dock.**
Port: Below New Orleans
Location: Mile 39.0 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.475
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68667

Waterway: **Mississippi River** Mile: 39.0 PWD: 43
Name: **Freeport-McMoRan Sulphur Company, Liquid Loading Dock.**
Port: Below New Orleans
Location: Mile 39.0 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Not operated.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.475
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68667
Remarks: Wharf is in line and contiguous with Bulk Loading Dock (Ref. No. 42) on upper side; and connected via walkway to Main Pass Dock (Ref. No. 44) on lower side. Two 8-inch, liquid sulfur pipelines extend to wharf from storage tanks described under Ref. No. 42. One 6-inch steam, and one 4-inch compressed air pipelines serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Remarks: Wharf is in line and contiguous with Bulk Loading Dock (Ref. No. 42) on upper side; and connected via walkway to Main Pass Dock (Ref. No. 44) on lower side. Two 8-inch, liquid sulfur pipelines extend to wharf from storage tanks described under Ref. No. 42. One 6-inch steam, and one 4-inch compressed air pipelines serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Bulk Loading Dock (Ref. No. 42) on upper side; and connected via walkway to Main Pass Dock (Ref. No. 44) on lower side. Two 8-inch, liquid sulfur pipelines extend to wharf from storage tanks described under Ref. No. 42. One 6-inch steam, and one 4-inch compressed air pipelines serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 39.1 PWD: 42
Name: **Freeport-McMoRan Sulphur Company, Bulk Loading Dock.**
Port: Below New Orleans
Location: Mile 39.1 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Freeport-McMoRan Sulphur Company.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.476111
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68889

Waterway: **Mississippi River** Mile: 39.1 PWD: 42
Name: **Freeport-McMoRan Sulphur Company, Bulk Loading Dock.**
Port: Below New Orleans
Location: Mile 39.1 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Freeport-McMoRan Sulphur Company.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.476111
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68889

Waterway: **Mississippi River** Mile: 39.1 PWD: 42
Name: **Freeport-McMoRan Sulphur Company, Bulk Loading Dock.**
Port: Below New Orleans
Location: Mile 39.1 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Freeport-McMoRan Sulphur Company.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.476111
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68889
Remarks: Wharf is in line and contiguous with Liquid Loading Dock (Ref. No. 43) on lower side. Catwalk extends from upper side to a mooring dolphin at rear. Two 8-inch, liquid sulfur pipelines extend from wharf to 17 steel storage tanks located at rear, total capacity 110,000 tons. Vat storage area has capacity for approximately 1,000,000 tons of dry sulfur.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Remarks: Wharf is in line and contiguous with Liquid Loading Dock (Ref. No. 43) on lower side. Catwalk extends from upper side to a mooring dolphin at rear. Two 8-inch, liquid sulfur pipelines extend from wharf to 17 steel storage tanks located at rear, total capacity 110,000 tons. Vat storage area has capacity for approximately 1,000,000 tons of dry sulfur.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Liquid Loading Dock (Ref. No. 43) on lower side. Catwalk extends from upper side to a mooring dolphin at rear. Two 8-inch, liquid sulfur pipelines extend from wharf to 17 steel storage tanks located at rear, total capacity 110,000 tons. Vat storage area has capacity for approximately 1,000,000 tons of dry sulfur.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 39.1 PWD: 42
Name: **Freeport-McMoRan Sulphur Company, Bulk Loading Dock.**
Port: Below New Orleans
Location: Mile 39.1 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Freeport-McMoRan Sulphur Company.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.476111
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68889

Waterway: **Mississippi River** Mile: 39.1 PWD: 42
Name: **Freeport-McMoRan Sulphur Company, Bulk Loading Dock.**
Port: Below New Orleans
Location: Mile 39.1 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Freeport-McMoRan Sulphur Company.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.476111
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68889

Waterway: **Mississippi River** Mile: 39.1 PWD: 42
Name: **Freeport-McMoRan Sulphur Company, Bulk Loading Dock.**
Port: Below New Orleans
Location: Mile 39.1 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Freeport-McMoRan Sulphur Company.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.476111
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68889
Remarks: Wharf is in line and contiguous with Liquid Loading Dock (Ref. No. 43) on lower side. Catwalk extends from upper side to a mooring dolphin at rear. Two 8-inch, liquid sulfur pipelines extend from wharf to 17 steel storage tanks located at rear, total capacity 110,000 tons. Vat storage area has capacity for approximately 1,000,000 tons of dry sulfur.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Remarks: Wharf is in line and contiguous with Liquid Loading Dock (Ref. No. 43) on lower side. Catwalk extends from upper side to a mooring dolphin at rear. Two 8-inch, liquid sulfur pipelines extend from wharf to 17 steel storage tanks located at rear, total capacity 110,000 tons. Vat storage area has capacity for approximately 1,000,000 tons of dry sulfur.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Liquid Loading Dock (Ref. No. 43) on lower side. Catwalk extends from upper side to a mooring dolphin at rear. Two 8-inch, liquid sulfur pipelines extend from wharf to 17 steel storage tanks located at rear, total capacity 110,000 tons. Vat storage area has capacity for approximately 1,000,000 tons of dry sulfur.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 39.1 PWD: 42
Name: **Freeport-McMoRan Sulphur Company, Bulk Loading Dock.**
Port: Below New Orleans
Location: Mile 39.1 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Freeport-McMoRan Sulphur Company.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.476111
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68889

Waterway: **Mississippi River** Mile: 39.1 PWD: 42
Name: **Freeport-McMoRan Sulphur Company, Bulk Loading Dock.**
Port: Below New Orleans
Location: Mile 39.1 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Freeport-McMoRan Sulphur Company.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.476111
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68889

Waterway: **Mississippi River** Mile: 39.1 PWD: 42
Name: **Freeport-McMoRan Sulphur Company, Bulk Loading Dock.**
Port: Below New Orleans
Location: Mile 39.1 AHP, right bank, Mississippi River, Port Sulphur. Datum: MLG
Operator: Freeport-McMoRan Sulphur Company.
Owner: Freeport-McMoRan Sulphur Company.
Address: State Highway 23. Phone: 985/582-5385
Town: Port Sulphur State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.476111
Total Berthing Space (feet): 1,258 | | Longitude (decimal): -89.68889
Remarks: Wharf is in line and contiguous with Liquid Loading Dock (Ref. No. 43) on lower side. Catwalk extends from upper side to a mooring dolphin at rear. Two 8-inch, liquid sulfur pipelines extend from wharf to 17 steel storage tanks located at rear, total capacity 110,000 tons. Vat storage area has capacity for approximately 1,000,000 tons of dry sulfur.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Remarks: Wharf is in line and contiguous with Liquid Loading Dock (Ref. No. 43) on lower side. Catwalk extends from upper side to a mooring dolphin at rear. Two 8-inch, liquid sulfur pipelines extend from wharf to 17 steel storage tanks located at rear, total capacity 110,000 tons. Vat storage area has capacity for approximately 1,000,000 tons of dry sulfur.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

Port Facilities by Waterway

Remarks: Wharf is in line and contiguous with Liquid Loading Dock (Ref. No. 43) on lower side. Catwalk extends from upper side to a mooring dolphin at rear. Two 8-inch, liquid sulfur pipelines extend from wharf to 17 steel storage tanks located at rear, total capacity 110,000 tons. Vat storage area has capacity for approximately 1,000,000 tons of dry sulfur.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20039 New Orleans District

---

Waterway: **Mississippi River** Mile: 396 PWD: 102

Name: **Bunge Corp., St. Joseph Elevator Dock.**

Port: St. Joseph

Location: Right bank, Mississippi River, Mile 396.4 A.H.P., St. Joseph. Datum: LWRP

Operator: Bunge Corp.

Owner: Bunge Corp.

Address: State Highway 3078. Phone: 318/766-3204

Town: St. Joseph State: LA County: Tensas

Railway Connection: None.

Purpose: Shipment of grain.

Depth Alongside (feet): 12 | | Latitude (decimal): 31.923056

Total Berthing Space (feet): 300 | | Longitude (decimal): -91.19556

Remarks: Grain elevator in rear consisting of 40 concrete silos with 16 interstices and 6 steel tanks, has total capacity for 3,600,000 bushels.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21396 New Orleans District

---

Waterway: **Mississippi River** Mile: 442 PWD: 100

Name: **Farmers Grain Terminal, Tallulah Elevator Wharf.**

Port: Tallulah

Location: Right bank, Mississippi River, Mile 442.0 A.H.P., Tallulah. Datum: LWRP

Operator: Farmers River Terminal, Inc.

Owner: Farmers Grain Terminal, Inc.

Address: U.S. Highway 80. Phone: 318/574-0564

Town: Tallulah State: LA County: Madison

Railway Connection: None.

Purpose: Shipment of grain.

Depth Alongside (feet): 40 | | Latitude (decimal): 32.347778

Total Berthing Space (feet): 250 | | Longitude (decimal): -90.98

Remarks: Grain elevator at rear consists of 10 steel storage tanks, total capacity 1,208,000 bushels.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21442 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 457 PWD: 98
Name: **Bunge Corp., Tallulah Grain Elevator Dock.**
Port: Tallulah
Location: Right bank, Mississippi River, Mile 457.3 A.H.P., Tallulah. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Port Road. Phone: 318/574-2441
Town: Tallulah State: LA County: Madison
Railway Connection: None.
Purpose: Receipt and shipment of grain; receipt of liquid fertilizer.
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 32.538889
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.12167
Remarks: One 12-inch pipeline extends from lower platform to 2 steel liquid fertilizer storage tanks at rear, total capacity 4,800,000 gallons. Grain elevator at rear consists of 16 concrete silos with 13 interstices, an has capacity for 3,100,000 bushels.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21457 New Orleans District

---

Waterway: **Mississippi River** Mile: 457 PWD: 99
Name: **Madison Parish Port Commission Wharf.**
Port: Tallulah
Location: Right bank, Mississippi River, Mile 457.2 A.H.P., Tallulah. Datum: LWRP
Operator: Madison Parish Port Commission.
Owner: Madison Parish Port Commission.
Address: Port Road. Phone: 318/574-2181
Town: Tallulah State: LA County: Madison
Railway Connection: One surface track extending to face of wharf, joins additional tracks serving transit sheds and open storage area in rear; connects with Union Pacific Railroad.
Purpose: Receipt and shipment of general cargo, machinery, heavy-lift items, and dry bulk commodities; mooring barges for fleeting (See Remarks).
Depth Alongside (feet): 9 | | Latitude (decimal): 32.536944
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.12222
Remarks: Four acres of paved- and 11 acres of unpaved open storage area are located at rear. Terral Barge Line, Inc. maintains their 'Tallulah Fleet' with capacity for approximately 30 barges moored up to 2-abreast at sh below wharf.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21457 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 468 PWD: 97
Name: **Monticello Gin & Elevator Co. Dock.**
Port: Transylvania
Location: Right bank, Mississippi River, Mile 468.2 A.H.P., Transylvania. Datum: LWRP
Operator: Monticello Gin and Elevator Co.
Owner: Monticello Gin and Elevator Co.
Address: Goodrich Landing Road. Phone: 318/552-6315
Town: Transylvania State: LA County: East Carroll
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 15 | | Latitude (decimal): 32.638056
Total Berthing Space (feet): 530 | | Longitude (decimal): -91.16389
Remarks: At time of survey grain elevator at rear, consisting of 3 steel storage tanks, total capacity 200,000 bushels, was not in use. One 6-inch pipeline extends from center dolphin along approach to one 5,000-ton liqu tank at rear served by one truck-loading station.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21468 New Orleans District

---

Waterway: **Mississippi River** Mile: 469 PWD: 96
Name: **Bunge Corporation, Goodrich Landing Elevator Dock.**
Port: Transylvania
Location: Right bank, Mississippi River, Mile 468.6 A.H.P., Transylvania. Datum: LWRP
Operator: Bunge Corporation.
Owner: Bunge Corporation.
Address: Goodrich Landing Road. Phone: 318/552-8823
Town: Transylvania State: LA County: East Carroll
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 32.641389
Total Berthing Space (feet): 530 | | Longitude (decimal): -91.16472
Remarks: Grain elevator at rear consisting of 2 concrete silos and one steel tank has total capacity for 1,846,000 bushels.

Port Series: 72 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21468 New Orleans District

---

Waterway: **Mississippi River** Mile: 48.6 PWD: 7
Name: **Pointe a la Hache Ferry Landing.**
Port: Below New Orleans
Location: Mile 48.6 AHP, left bank, Mississippi River, Pointe a la Hache. Datum: MLG
Operator: Plaquemines Parish Commission Council.
Owner: Plaquemines Parish Commission Council.
Address: Pointe a la Hache. Phone: 504/392-6690 Ex
Town: Pnt. a la Hache State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to West Pointe a la Hache.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.575278
Total Berthing Space (feet): 190 | | Longitude (decimal): -89.79361
Remarks: Ferries operate to landing on opposite bank of river (Ref. No. 41).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20048 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 48.6 PWD: 41
Name: **West Pointe a la Hache Ferry Landing.**
Port: Below New Orleans
Location: Mile 48.6 AHP, right bank, Mississippi River, West Pointe a la Hache Datum: MLG
Operator: Plaquemines Parish Commission Council.
Owner: Plaquemines Parish Commission Council.
Address: - Phone: 504/392-6690 Ex
Town: W Pnt a la Hache State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Pointe a la Hache.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.569722
Total Berthing Space (feet): 100 | | Longitude (decimal): -89.79694
Remarks: Ferries operate to landing on opposite bank of river (Ref. No. 7).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20048 New Orleans District

---

Waterway: **Mississippi River** Mile: 49.2 PWD: 8
Name: **Bass Enterprises Production Co., Pointe a la Hache Wharf.**
Port: Below New Orleans
Location: Mile 49.2 AHP, left bank, Mississippi River, Pointe a la Hache. Datum: MLG
Operator: Bass Enterprises Production Co., Inc.
Owner: Bass Enterprises Production Co., Inc.
Address: Parish Highway 15. Phone: 985/525-9982
Town: Pnt. a la Hache State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of crude oil.
Depth Alongside (feet): 30 - - | | Latitude (decimal): 29.579444
Total Berthing Space (feet): 280 | | Longitude (decimal): -89.80083
Remarks: One 8-inch pipeline extends to wharf from 3 steel storage tanks located across Parish Highway 15 at rear, total capacity 30,000 barrels. Pump is located on wharf for supplying cooling water to crude collection station at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20049 New Orleans District

---

Waterway: **Mississippi River** Mile: 49.2 PWD: 40
Name: **ECOTT, West Pointe a la Hache Wharf.**
Port: Below New Orleans
Location: Mile 49.2 AHP, right bank, Mississippi River, West Pointe a la Hache Wharf. Datum: MLG
Operator: ECOTT Energy Operating Limited Partnership.
Owner: ECOTT Energy Operating Limited Partnership.
Address: State Highway 23. Phone:
Town: W Pnt a la Hache State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt and shipment of crude oil by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.573889
Total Berthing Space (feet): 254 | | Longitude (decimal): -89.80444
Remarks: At time of survey (2002), the downstream dolphin was in disrepair. One 10-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 35,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20049 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 51.8 PWD: 9
Name: **Chevron Pipe Line Co., Pointe a la Hache Wharf.**
Port: Below New Orleans
Location: Mile 51.8 AHP, left bank, Mississippi River, Pointe a la Hache. Datum: MLG
Operator: Not operated.
Owner: Chevron Pipe Line Co.
Address: Parish Highway 15. Phone: 985/534-6872
Town: Pnt. a la Hache State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.601639
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.83475
Remarks: One 8-inch pipeline on wharf, blanked at time of survey (2002). Former storage tanks have been removed.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20051 New Orleans District

---

Waterway: **Mississippi River** Mile: 52.1 PWD: 39
Name: **Belle Chasse Marine Transportation, Davant Landing.**
Port: Below New Orleans
Location: Mile 52.1 AHP, right bank, Mississippi River, Point Celeste. Datum: MLG
Operator: Belle Chasse Marine Transportation, Inc.
Owner: Belle Chasse Marine Transportation, Inc.
Address: State Route 23 Phone: 504/837-3125
Town: Point Celeste State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for water taxis, passengers, and supplies; fueling company-owned equipment.
Depth Alongside (feet): 6 - 8 | | Latitude (decimal): 29.595833
Total Berthing Space (feet): 120 | | Longitude (decimal): -89.84667
Remarks: One 150-gallon diesel fuel tank is located on float for fueling own equipment.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20052 New Orleans District

---

Waterway: **Mississippi River** Mile: 52.5 PWD: 38
Name: **Port Ship Service, Davant Landing.**
Port: Below New Orleans
Location: Mile 52.5 AHP, right bank, Mississippi River, Point Celeste. Datum: MLG
Operator: Port Ship Services, Inc.
Owner: Port Ship Services. Inc.
Address: 20917 State Route 23 Phone: 504/279-0486
Town: Point Celeste State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for water taxis, passengers, and supplies; fueling company-owned equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.598333
Total Berthing Space (feet): 100 | | Longitude (decimal): -89.85194
Remarks: One 1 1/4-inch fuel line extends to one 2,000-gallon diesel fuel tank located at rear for fueling own equipment.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20052 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 53.9 PWD: 37
Name: **Crescent Ship Service, Davant Landing.**
Port: Below New Orleans
Location: Mile 53.9 AHP, right bank, Mississippi River, Point Celeste. Datum: MLG
Operator: Crescent Ship Service of Davant, Inc.
Owner: Crescent Ship Service of Davant, Inc.
Address: State Route 23 Phone: 504/277-8956
Town: Point Celeste State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for water taxis, passengers, and supplies; fueling company-owned equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.600833
Total Berthing Space (feet): 110 | | Longitude (decimal): -89.85833
Remarks: Steel fuel drums on float are used for fueling own equipment.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20053 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 012
Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Waterway: **Mississippi River** Mile: 55.2 PWD: 012
Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Waterway: **Mississippi River** Mile: 55.2 PWD: 012
Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 012

Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**

Port: Below New Orleans

Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.

Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389

Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 012
Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Waterway: **Mississippi River** Mile: 55.2 PWD: 012
Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Waterway: **Mississippi River** Mile: 55.2 PWD: 012
Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 012

Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**

Port: Below New Orleans

Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.

Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389

Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 012
Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Waterway: **Mississippi River** Mile: 55.2 PWD: 012
Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Waterway: **Mississippi River** Mile: 55.2 PWD: 012
Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 012

Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**

Port: Below New Orleans

Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.

Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389

Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 012
Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Waterway: **Mississippi River** Mile: 55.2 PWD: 012
Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Waterway: **Mississippi River** Mile: 55.2 PWD: 012
Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 012

Name: **TECO Bulk Terminal, Barge Unloading Station No. 1.**

Port: Below New Orleans

Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.

Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 29.616389

Total Berthing Space (feet): 1,200 | | Longitude (decimal): -89.88917

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in three passes, heading downstream under unloader. Four 1,000-horsepower tugboats handle barges to and from loading/unloading facilities. Additional barge mooring area is available along left bank at 19 mooring dolphins located above terminal, capacity 160 light barges, and at shore moorings below terminal, capacity 242 loaded barges. In-stream mooringbuoys for one ocean vessel are above terminal.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 010
Name: **TECO Bulk Terminal, Berth No. 2.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.
Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278
Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Waterway: **Mississippi River** Mile: 55.2 PWD: 010
Name: **TECO Bulk Terminal, Berth No. 2.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.
Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278
Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Waterway: **Mississippi River** Mile: 55.2 PWD: 010
Name: **TECO Bulk Terminal, Berth No. 2.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.
Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278
Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 010

Name: **TECO Bulk Terminal, Berth No. 2.**

Port: Below New Orleans

Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.

Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278

Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Port Facilities by Waterway

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 010
Name: **TECO Bulk Terminal, Berth No. 2.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.
Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278
Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Waterway: **Mississippi River** Mile: 55.2 PWD: 010
Name: **TECO Bulk Terminal, Berth No. 2.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.
Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278
Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Waterway: **Mississippi River** Mile: 55.2 PWD: 010
Name: **TECO Bulk Terminal, Berth No. 2.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.
Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278
Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 010

Name: **TECO Bulk Terminal, Berth No. 2.**

Port: Below New Orleans

Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.

Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278

Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Port Facilities by Waterway

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 010
Name: **TECO Bulk Terminal, Berth No. 2.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.
Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278
Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Waterway: **Mississippi River** Mile: 55.2 PWD: 010
Name: **TECO Bulk Terminal, Berth No. 2.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.
Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278
Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Waterway: **Mississippi River** Mile: 55.2 PWD: 010
Name: **TECO Bulk Terminal, Berth No. 2.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.
Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278
Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 010

Name: **TECO Bulk Terminal, Berth No. 2.**

Port: Below New Orleans

Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.

Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278

Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Port Facilities by Waterway

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 010
Name: **TECO Bulk Terminal, Berth No. 2.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.
Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278
Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Waterway: **Mississippi River** Mile: 55.2 PWD: 010
Name: **TECO Bulk Terminal, Berth No. 2.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.
Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278
Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Waterway: **Mississippi River** Mile: 55.2 PWD: 010
Name: **TECO Bulk Terminal, Berth No. 2.**
Port: Below New Orleans
Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.
Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278
Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.2 PWD: 010

Name: **TECO Bulk Terminal, Berth No. 2.**

Port: Below New Orleans

Location: Mile 55.2 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, pig iron, hyperketite iron, and limestone by vessel.

Depth Alongside (feet): 50 | | 30 - 40 Latitude (decimal): 29.615278

Total Berthing Space (feet): 1,164 | | 1,182 Longitude (decimal): -89.88972

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Port Facilities by Waterway

Remarks: Each face of wharf is in line with respective face of Berth No. 1 (Ref. No. 11) providing approximately 3,100 feet of continuous berthing space along each face. Steel catwalk connecting dolphins and platforms continues to connect dolphins and lower side of Berth No. 1 (Ref. No. 11). One 300-ton-capacity surge bin with barge-loading spout is located on steel breasting platform on each side of wharf. Approach also serves lower side of Barge Unloading BerthNo. 2 (Ref. No. 13) and upper side of Barge Unloading Berth No. 1 (Ref. No. 12). Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Facility also provides for direct transfer of dry bulk commodities betweenocean and river vessels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 013
Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Waterway: **Mississippi River** Mile: 55.4 PWD: 013
Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Waterway: **Mississippi River** Mile: 55.4 PWD: 013
Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 013

Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**

Port: Below New Orleans

Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.

Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056

Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 013
Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Waterway: **Mississippi River** Mile: 55.4 PWD: 013
Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Waterway: **Mississippi River** Mile: 55.4 PWD: 013
Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 013

Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**

Port: Below New Orleans

Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.

Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056

Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 013
Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Waterway: **Mississippi River** Mile: 55.4 PWD: 013
Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Waterway: **Mississippi River** Mile: 55.4 PWD: 013
Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 013

Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**

Port: Below New Orleans

Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.

Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056

Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 013
Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Waterway: **Mississippi River** Mile: 55.4 PWD: 013
Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Waterway: **Mississippi River** Mile: 55.4 PWD: 013
Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056
Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 013

Name: **TECO Bulk Terminal, Barge Unloading Station No. 2.**

Port: Below New Orleans

Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by barge.

Depth Alongside (feet): 12 | | Latitude (decimal): 29.618056

Total Berthing Space (feet): 1,250 | | Longitude (decimal): -89.89167

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear is described under Berth No. 1 (Ref. No. 11). Barges are generally unloaded in two passes, heading downstream under unloader. (See Remarks, Ref. No. 12).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 011
Name: **TECO Bulk Terminal, Berth No. 1.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.
Depth Alongside (feet): 55 - 70 | | 30 - 60 Latitude (decimal): 29.616667
Total Berthing Space (feet): 1,851 | | 1,851 Longitude (decimal): -89.89222

Waterway: **Mississippi River** Mile: 55.4 PWD: 011
Name: **TECO Bulk Terminal, Berth No. 1.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.
Depth Alongside (feet): 55 - 70 | | 30 - 60 Latitude (decimal): 29.616667
Total Berthing Space (feet): 1,851 | | 1,851 Longitude (decimal): -89.89222

Waterway: **Mississippi River** Mile: 55.4 PWD: 011
Name: **TECO Bulk Terminal, Berth No. 1.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.
Depth Alongside (feet): 55 - 70 | | 30 - 60 Latitude (decimal): 29.616667
Total Berthing Space (feet): 1,851 | | 1,851 Longitude (decimal): -89.89222

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 011

Name: **TECO Bulk Terminal, Berth No. 1.**

Port: Below New Orleans

Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.

Depth Alongside (feet): 55 - 70 | | 30 - 60 Latitude (decimal): 29.616667

Total Berthing Space (feet): 1,851 | | 1,851 Longitude (decimal): -89.89222

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Port Facilities by Waterway

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 011
Name: **TECO Bulk Terminal, Berth No. 1.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.
Depth Alongside (feet): 55 - 70 | | 30 - 60 Latitude (decimal): 29.616667
Total Berthing Space (feet): 1,851 | | 1,851 Longitude (decimal): -89.89222

Waterway: **Mississippi River** Mile: 55.4 PWD: 011
Name: **TECO Bulk Terminal, Berth No. 1.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.
Depth Alongside (feet): 55 - 70 | | 30 - 60 Latitude (decimal): 29.616667
Total Berthing Space (feet): 1,851 | | 1,851 Longitude (decimal): -89.89222

Waterway: **Mississippi River** Mile: 55.4 PWD: 011
Name: **TECO Bulk Terminal, Berth No. 1.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.
Depth Alongside (feet): 55 - 70 | | 30 - 60 Latitude (decimal): 29.616667
Total Berthing Space (feet): 1,851 | | 1,851 Longitude (decimal): -89.89222

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 011

Name: **TECO Bulk Terminal, Berth No. 1.**

Port: Below New Orleans

Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.

Depth Alongside (feet):	55 - 70	30 - 60	Latitude (decimal):	29.616667
Total Berthing Space (feet):	1,851	1,851	Longitude (decimal):	-89.89222

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Port Facilities by Waterway

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 011
Name: **TECO Bulk Terminal, Berth No. 1.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.

Depth Alongside (feet):	55 - 70	30 - 60	Latitude (decimal):	29.616667
Total Berthing Space (feet):	1,851	1,851	Longitude (decimal):	-89.89222

Waterway: **Mississippi River** Mile: 55.4 PWD: 011
Name: **TECO Bulk Terminal, Berth No. 1.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.

Depth Alongside (feet):	55 - 70	30 - 60	Latitude (decimal):	29.616667
Total Berthing Space (feet):	1,851	1,851	Longitude (decimal):	-89.89222

Waterway: **Mississippi River** Mile: 55.4 PWD: 011
Name: **TECO Bulk Terminal, Berth No. 1.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.

Depth Alongside (feet):	55 - 70	30 - 60	Latitude (decimal):	29.616667
Total Berthing Space (feet):	1,851	1,851	Longitude (decimal):	-89.89222

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 011

Name: **TECO Bulk Terminal, Berth No. 1.**

Port: Below New Orleans

Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.

Depth Alongside (feet):	55 - 70	30 - 60	Latitude (decimal):	29.616667
Total Berthing Space (feet):	1,851	1,851	Longitude (decimal):	-89.89222

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Port Facilities by Waterway

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 011
Name: **TECO Bulk Terminal, Berth No. 1.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.
Depth Alongside (feet): 55 - 70 | | 30 - 60 Latitude (decimal): 29.616667
Total Berthing Space (feet): 1,851 | | 1,851 Longitude (decimal): -89.89222

Waterway: **Mississippi River** Mile: 55.4 PWD: 011
Name: **TECO Bulk Terminal, Berth No. 1.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.
Depth Alongside (feet): 55 - 70 | | 30 - 60 Latitude (decimal): 29.616667
Total Berthing Space (feet): 1,851 | | 1,851 Longitude (decimal): -89.89222

Waterway: **Mississippi River** Mile: 55.4 PWD: 011
Name: **TECO Bulk Terminal, Berth No. 1.**
Port: Below New Orleans
Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG
Operator: TECO Bulk Terminal, a TECO Energy Co.
Owner: TECO Bulk Terminal, a TECO Energy Co.
Address: 14537 Hwy. 15, Davant Phone: 985/333-7219
Town: Davant State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.
Depth Alongside (feet): 55 - 70 | | 30 - 60 Latitude (decimal): 29.616667
Total Berthing Space (feet): 1,851 | | 1,851 Longitude (decimal): -89.89222

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 55.4 PWD: 011

Name: **TECO Bulk Terminal, Berth No. 1.**

Port: Below New Orleans

Location: Mile 55.4 AHP, left bank, Mississippi River, Davant. Datum: MLG

Operator: TECO Bulk Terminal, a TECO Energy Co.

Owner: TECO Bulk Terminal, a TECO Energy Co.

Address: 14537 Hwy. 15, Davant Phone: 985/333-7219

Town: Davant State: LA County: Plaquemines

Railway Connection: None.

Purpose: Shipment of miscellaneous dry bulk commodities including coal, iron ore, fertilizer, scrap steel, and limestone by vessel.

Depth Alongside (feet):	55 - 70	30 - 60	Latitude (decimal):	29.616667
Total Berthing Space (feet):	1,851	1,851	Longitude (decimal):	-89.89222

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

---

Port Facilities by Waterway

Remarks: Open storage area at rear of lower approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with an 85-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 4,200 tons per hour, reclaiming rate 3,000 tons per hour.□Open storage area at rear of upper approach has capacity for 2,200,000 tons of dry bulk commodities and is served by an electric stacker/reclaimer with a185-foot stacking boom, bucket-wheel reclaimer, and a 72-inch belt conveyor, stacking rate 5,500 tons per hour, reclaiming rate 6,000 tons per hour.□Lower open storage area also serves Berth No. 2 (Ref. No. 10) and BargeUnloading Stations No. 1 and 2 (Ref. No. 12 and 13). Six bulldozers are available for use in either area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20055 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 56.6 PWD: 36
Name: **International Marine Terminals Shiploader Wharf.**
Port: Below New Orleans
Location: Mile 56.6 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 985/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities; mooring barges at rear of face.
Depth Alongside (feet): 46 | 40 | Latitude (decimal): 29.621667
Total Berthing Space (feet): 1,044 | 1,044 | Longitude (decimal): -89.915

Waterway: **Mississippi River** Mile: 56.6 PWD: 36
Name: **International Marine Terminals Shiploader Wharf.**
Port: Below New Orleans
Location: Mile 56.6 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 985/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities; mooring barges at rear of face.
Depth Alongside (feet): 46 | 40 | Latitude (decimal): 29.621667
Total Berthing Space (feet): 1,044 | 1,044 | Longitude (decimal): -89.915

Waterway: **Mississippi River** Mile: 56.6 PWD: 36
Name: **International Marine Terminals Shiploader Wharf.**
Port: Below New Orleans
Location: Mile 56.6 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 985/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities; mooring barges at rear of face.
Depth Alongside (feet): 46 | 40 | Latitude (decimal): 29.621667
Total Berthing Space (feet): 1,044 | 1,044 | Longitude (decimal): -89.915
Remarks: Open storage area is described under Bulk Commodities Dock (Ref. No. 35). Barges waiting to be unloaded at Bulk Commodities Dock, as well as empty barges awaiting transport to fleeting area are moored at rear of face and at 2 anchor buoys located 1,000 feet downstream. Elmwood Myrtle Grove Cleaning and Repair operates a barge cleaning and repair service at 3 permanently-moored barges at approx. River Mile 56.1, right bank, below the IMT docks. A 2,600-ton drydockis moored near the shoreline at the rear of the Bulk Aggregate wharf. At time of survey (2002), plans called for construction of a service road over the levee to the repair facility.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Remarks: Open storage area is described under Bulk Commodities Dock (Ref. No. 35). Barges waiting to be unloaded at Bulk Commodities Dock, as well as empty barges awaiting transport to fleeting area are moored at rear of face and at 2 anchor buoys located 1,000 feet downstream. Elmwood Myrtle Grove Cleaning and Repair operates a barge cleaning and repair service at 3 permanently-moored barges at approx. River Mile 56.1, right bank, below the IMT docks. A 2,600-ton drydockis moored near the shoreline at the rear of the Bulk Aggregate wharf. At time of survey (2002), plans called for construction of a service road over the levee to the repair facility.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Remarks: Open storage area is described under Bulk Commodities Dock (Ref. No. 35). Barges waiting to be unloaded at Bulk Commodities Dock, as well as empty barges awaiting transport to fleeting area are moored at rear of face and at 2 anchor buoys located 1,000 feet downstream. Elmwood Myrtle Grove Cleaning and Repair operates a barge cleaning and repair service at 3 permanently-moored barges at approx. River Mile 56.1, right bank, below the IMT docks. A 2,600-ton drydockis moored near the shoreline at the rear of the Bulk Aggregate wharf. At time of survey (2002), plans called for construction of a service road over the levee to the repair facility.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 56.6 PWD: 36
Name: **International Marine Terminals Shiploader Wharf.**
Port: Below New Orleans
Location: Mile 56.6 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 985/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities; mooring barges at rear of face.
Depth Alongside (feet): 46 | 40 | Latitude (decimal): 29.621667
Total Berthing Space (feet): 1,044 | 1,044 | Longitude (decimal): -89.915

Waterway: **Mississippi River** Mile: 56.6 PWD: 36
Name: **International Marine Terminals Shiploader Wharf.**
Port: Below New Orleans
Location: Mile 56.6 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 985/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities; mooring barges at rear of face.
Depth Alongside (feet): 46 | 40 | Latitude (decimal): 29.621667
Total Berthing Space (feet): 1,044 | 1,044 | Longitude (decimal): -89.915

Waterway: **Mississippi River** Mile: 56.6 PWD: 36
Name: **International Marine Terminals Shiploader Wharf.**
Port: Below New Orleans
Location: Mile 56.6 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 985/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities; mooring barges at rear of face.
Depth Alongside (feet): 46 | 40 | Latitude (decimal): 29.621667
Total Berthing Space (feet): 1,044 | 1,044 | Longitude (decimal): -89.915
Remarks: Open storage area is described under Bulk Commodities Dock (Ref. No. 35). Barges waiting to be unloaded at Bulk Commodities Dock, as well as empty barges awaiting transport to fleeting area are moored at rear of face and at 2 anchor buoys located 1,000 feet downstream. Elmwood Myrtle Grove Cleaning and Repair operates a barge cleaning and repair service at 3 permanently-moored barges at approx. River Mile 56.1, right bank, below the IMT docks. A 2,600-ton drydockis moored near the shoreline at the rear of the Bulk Aggregate wharf. At time of survey (2002), plans called for construction of a service road over the levee to the repair facility.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Remarks: Open storage area is described under Bulk Commodities Dock (Ref. No. 35). Barges waiting to be unloaded at Bulk Commodities Dock, as well as empty barges awaiting transport to fleeting area are moored at rear of face and at 2 anchor buoys located 1,000 feet downstream. Elmwood Myrtle Grove Cleaning and Repair operates a barge cleaning and repair service at 3 permanently-moored barges at approx. River Mile 56.1, right bank, below the IMT docks. A 2,600-ton drydockis moored near the shoreline at the rear of the Bulk Aggregate wharf. At time of survey (2002), plans called for construction of a service road over the levee to the repair facility.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Remarks: Open storage area is described under Bulk Commodities Dock (Ref. No. 35). Barges waiting to be unloaded at Bulk Commodities Dock, as well as empty barges awaiting transport to fleeting area are moored at rear of face and at 2 anchor buoys located 1,000 feet downstream. Elmwood Myrtle Grove Cleaning and Repair operates a barge cleaning and repair service at 3 permanently-moored barges at approx. River Mile 56.1, right bank, below the IMT docks. A 2,600-ton drydockis moored near the shoreline at the rear of the Bulk Aggregate wharf. At time of survey (2002), plans called for construction of a service road over the levee to the repair facility.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 56.6 PWD: 36
Name: **International Marine Terminals Shiploader Wharf.**
Port: Below New Orleans
Location: Mile 56.6 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 985/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities; mooring barges at rear of face.
Depth Alongside (feet): 46 | 40 | Latitude (decimal): 29.621667
Total Berthing Space (feet): 1,044 | 1,044 | Longitude (decimal): -89.915

Waterway: **Mississippi River** Mile: 56.6 PWD: 36
Name: **International Marine Terminals Shiploader Wharf.**
Port: Below New Orleans
Location: Mile 56.6 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 985/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities; mooring barges at rear of face.
Depth Alongside (feet): 46 | 40 | Latitude (decimal): 29.621667
Total Berthing Space (feet): 1,044 | 1,044 | Longitude (decimal): -89.915

Waterway: **Mississippi River** Mile: 56.6 PWD: 36
Name: **International Marine Terminals Shiploader Wharf.**
Port: Below New Orleans
Location: Mile 56.6 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 985/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities; mooring barges at rear of face.
Depth Alongside (feet): 46 | 40 | Latitude (decimal): 29.621667
Total Berthing Space (feet): 1,044 | 1,044 | Longitude (decimal): -89.915
Remarks: Open storage area is described under Bulk Commodities Dock (Ref. No. 35). Barges waiting to be unloaded at Bulk Commodities Dock, as well as empty barges awaiting transport to fleeting area are moored at rear of face and at 2 anchor buoys located 1,000 feet downstream. Elmwood Myrtle Grove Cleaning and Repair operates a barge cleaning and repair service at 3 permanently-moored barges at approx. River Mile 56.1, right bank, below the IMT docks. A 2,600-ton drydockis moored near the shoreline at the rear of the Bulk Aggregate wharf. At time of survey (2002), plans called for construction of a service road over the levee to the repair facility.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Remarks: Open storage area is described under Bulk Commodities Dock (Ref. No. 35). Barges waiting to be unloaded at Bulk Commodities Dock, as well as empty barges awaiting transport to fleeting area are moored at rear of face and at 2 anchor buoys located 1,000 feet downstream. Elmwood Myrtle Grove Cleaning and Repair operates a barge cleaning and repair service at 3 permanently-moored barges at approx. River Mile 56.1, right bank, below the IMT docks. A 2,600-ton drydockis moored near the shoreline at the rear of the Bulk Aggregate wharf. At time of survey (2002), plans called for construction of a service road over the levee to the repair facility.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Remarks: Open storage area is described under Bulk Commodities Dock (Ref. No. 35). Barges waiting to be unloaded at Bulk Commodities Dock, as well as empty barges awaiting transport to fleeting area are moored at rear of face and at 2 anchor buoys located 1,000 feet downstream. Elmwood Myrtle Grove Cleaning and Repair operates a barge cleaning and repair service at 3 permanently-moored barges at approx. River Mile 56.1, right bank, below the IMT docks. A 2,600-ton drydockis moored near the shoreline at the rear of the Bulk Aggregate wharf. At time of survey (2002), plans called for construction of a service road over the levee to the repair facility.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 56.8 PWD: 35
Name: **International Marine Terminals Bulk Commodities Wharf.**
Port: Below New Orleans
Location: Mile 56.8 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk commodities by barge; shipment of miscellaneous bulk commodities by vessel and barge.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 29.623056
Total Berthing Space (feet): 1,271 | 671 | Longitude (decimal): -89.91694

Waterway: **Mississippi River** Mile: 56.8 PWD: 35
Name: **International Marine Terminals Bulk Commodities Wharf.**
Port: Below New Orleans
Location: Mile 56.8 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk commodities by barge; shipment of miscellaneous bulk commodities by vessel and barge.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 29.623056
Total Berthing Space (feet): 1,271 | 671 | Longitude (decimal): -89.91694

Waterway: **Mississippi River** Mile: 56.8 PWD: 35
Name: **International Marine Terminals Bulk Commodities Wharf.**
Port: Below New Orleans
Location: Mile 56.8 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk commodities by barge; shipment of miscellaneous bulk commodities by vessel and barge.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 29.623056
Total Berthing Space (feet): 1,271 | 671 | Longitude (decimal): -89.91694
Remarks: Face of platform is in line with face of Crane Dock (Ref. No. 34), providing 1,271 feet of continuous berthing space, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Shuttle barge operates with loaded barges attached to each end. After a barge has passed through the slipway and been unloaded, it is replaced with a loaded barge transferred from the barge moorings described under Ref. Nos. 34 and 36by a harbor tug. After the second barge is unloaded, the direction of travel is reversed, and the operation is repeated. Open storage area located at rear has capacity for 750,000 tons of bulk aggregate and is served by two 72-inch,reversible, electric belt conveyors, each in turn served by one traveling bucket-wheel stacker/reclaimer, operating rate 4,600 tons per hour, each. In addition, 4 bulldozers and 3 front-end loaders serve open storage area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Remarks: Face of platform is in line with face of Crane Dock (Ref. No. 34), providing 1,271 feet of continuous berthing space, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Shuttle barge operates with loaded barges attached to each end. After a barge has passed through the slipway and been unloaded, it is replaced with a loaded barge transferred from the barge moorings described under Ref. Nos. 34 and 36by a harbor tug. After the second barge is unloaded, the direction of travel is reversed, and the operation is repeated. Open storage area located at rear has capacity for 750,000 tons of bulk aggregate and is served by two 72-inch,reversible, electric belt conveyors, each in turn served by one traveling bucket-wheel stacker/reclaimer, operating rate 4,600 tons per hour, each. In addition, 4 bulldozers and 3 front-end loaders serve open storage area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Remarks: Face of platform is in line with face of Crane Dock (Ref. No. 34), providing 1,271 feet of continuous berthing space, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Shuttle barge operates with loaded barges attached to each end. After a barge has passed through the slipway and been unloaded, it is replaced with a loaded barge transferred from the barge moorings described under Ref. Nos. 34 and 36by a harbor tug. After the second barge is unloaded, the direction of travel is reversed, and the operation is repeated. Open storage area located at rear has capacity for 750,000 tons of bulk aggregate and is served by two 72-inch,reversible, electric belt conveyors, each in turn served by one traveling bucket-wheel stacker/reclaimer, operating rate 4,600 tons per hour, each. In addition, 4 bulldozers and 3 front-end loaders serve open storage area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 56.8 PWD: 35
Name: **International Marine Terminals Bulk Commodities Wharf.**
Port: Below New Orleans
Location: Mile 56.8 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk commodities by barge; shipment of miscellaneous bulk commodities by vessel and barge.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 29.623056
Total Berthing Space (feet): 1,271 | 671 | Longitude (decimal): -89.91694

Waterway: **Mississippi River** Mile: 56.8 PWD: 35
Name: **International Marine Terminals Bulk Commodities Wharf.**
Port: Below New Orleans
Location: Mile 56.8 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk commodities by barge; shipment of miscellaneous bulk commodities by vessel and barge.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 29.623056
Total Berthing Space (feet): 1,271 | 671 | Longitude (decimal): -89.91694

Waterway: **Mississippi River** Mile: 56.8 PWD: 35
Name: **International Marine Terminals Bulk Commodities Wharf.**
Port: Below New Orleans
Location: Mile 56.8 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk commodities by barge; shipment of miscellaneous bulk commodities by vessel and barge.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 29.623056
Total Berthing Space (feet): 1,271 | 671 | Longitude (decimal): -89.91694
Remarks: Face of platform is in line with face of Crane Dock (Ref. No. 34), providing 1,271 feet of continuous berthing space, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Shuttle barge operates with loaded barges attached to each end. After a barge has passed through the slipway and been unloaded, it is replaced with a loaded barge transferred from the barge moorings described under Ref. Nos. 34 and 36by a harbor tug. After the second barge is unloaded, the direction of travel is reversed, and the operation is repeated. Open storage area located at rear has capacity for 750,000 tons of bulk aggregate and is served by two 72-inch,reversible, electric belt conveyors, each in turn served by one traveling bucket-wheel stacker/reclaimer, operating rate 4,600 tons per hour, each. In addition, 4 bulldozers and 3 front-end loaders serve open storage area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Remarks: Face of platform is in line with face of Crane Dock (Ref. No. 34), providing 1,271 feet of continuous berthing space, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Shuttle barge operates with loaded barges attached to each end. After a barge has passed through the slipway and been unloaded, it is replaced with a loaded barge transferred from the barge moorings described under Ref. Nos. 34 and 36by a harbor tug. After the second barge is unloaded, the direction of travel is reversed, and the operation is repeated. Open storage area located at rear has capacity for 750,000 tons of bulk aggregate and is served by two 72-inch,reversible, electric belt conveyors, each in turn served by one traveling bucket-wheel stacker/reclaimer, operating rate 4,600 tons per hour, each. In addition, 4 bulldozers and 3 front-end loaders serve open storage area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Remarks: Face of platform is in line with face of Crane Dock (Ref. No. 34), providing 1,271 feet of continuous berthing space, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Shuttle barge operates with loaded barges attached to each end. After a barge has passed through the slipway and been unloaded, it is replaced with a loaded barge transferred from the barge moorings described under Ref. Nos. 34 and 36by a harbor tug. After the second barge is unloaded, the direction of travel is reversed, and the operation is repeated. Open storage area located at rear has capacity for 750,000 tons of bulk aggregate and is served by two 72-inch,reversible, electric belt conveyors, each in turn served by one traveling bucket-wheel stacker/reclaimer, operating rate 4,600 tons per hour, each. In addition, 4 bulldozers and 3 front-end loaders serve open storage area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 56.8 PWD: 35
Name: **International Marine Terminals Bulk Commodities Wharf.**
Port: Below New Orleans
Location: Mile 56.8 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk commodities by barge; shipment of miscellaneous bulk commodities by vessel and barge.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 29.623056
Total Berthing Space (feet): 1,271 | 671 | Longitude (decimal): -89.91694

Waterway: **Mississippi River** Mile: 56.8 PWD: 35
Name: **International Marine Terminals Bulk Commodities Wharf.**
Port: Below New Orleans
Location: Mile 56.8 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk commodities by barge; shipment of miscellaneous bulk commodities by vessel and barge.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 29.623056
Total Berthing Space (feet): 1,271 | 671 | Longitude (decimal): -89.91694

Waterway: **Mississippi River** Mile: 56.8 PWD: 35
Name: **International Marine Terminals Bulk Commodities Wharf.**
Port: Below New Orleans
Location: Mile 56.8 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk commodities by barge; shipment of miscellaneous bulk commodities by vessel and barge.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 29.623056
Total Berthing Space (feet): 1,271 | 671 | Longitude (decimal): -89.91694
Remarks: Face of platform is in line with face of Crane Dock (Ref. No. 34), providing 1,271 feet of continuous berthing space, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Shuttle barge operates with loaded barges attached to each end. After a barge has passed through the slipway and been unloaded, it is replaced with a loaded barge transferred from the barge moorings described under Ref. Nos. 34 and 36by a harbor tug. After the second barge is unloaded, the direction of travel is reversed, and the operation is repeated. Open storage area located at rear has capacity for 750,000 tons of bulk aggregate and is served by two 72-inch,reversible, electric belt conveyors, each in turn served by one traveling bucket-wheel stacker/reclaimer, operating rate 4,600 tons per hour, each. In addition, 4 bulldozers and 3 front-end loaders serve open storage area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Remarks: Face of platform is in line with face of Crane Dock (Ref. No. 34), providing 1,271 feet of continuous berthing space, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Shuttle barge operates with loaded barges attached to each end. After a barge has passed through the slipway and been unloaded, it is replaced with a loaded barge transferred from the barge moorings described under Ref. Nos. 34 and 36by a harbor tug. After the second barge is unloaded, the direction of travel is reversed, and the operation is repeated. Open storage area located at rear has capacity for 750,000 tons of bulk aggregate and is served by two 72-inch,reversible, electric belt conveyors, each in turn served by one traveling bucket-wheel stacker/reclaimer, operating rate 4,600 tons per hour, each. In addition, 4 bulldozers and 3 front-end loaders serve open storage area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Remarks: Face of platform is in line with face of Crane Dock (Ref. No. 34), providing 1,271 feet of continuous berthing space, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Shuttle barge operates with loaded barges attached to each end. After a barge has passed through the slipway and been unloaded, it is replaced with a loaded barge transferred from the barge moorings described under Ref. Nos. 34 and 36by a harbor tug. After the second barge is unloaded, the direction of travel is reversed, and the operation is repeated. Open storage area located at rear has capacity for 750,000 tons of bulk aggregate and is served by two 72-inch,reversible, electric belt conveyors, each in turn served by one traveling bucket-wheel stacker/reclaimer, operating rate 4,600 tons per hour, each. In addition, 4 bulldozers and 3 front-end loaders serve open storage area.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 57.0 PWD: 34
Name: **International Marine Terminals Crane Wharf.**
Port: Below New Orleans
Location: Mile 57.0 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Direct transfer of miscellaneous dry bulk commodities, including coal, iron ore, reduced iron ore, and barite ore, between ocean and river craft.
Depth Alongside (feet): 46 | 46 | Latitude (decimal): 29.623889
Total Berthing Space (feet): 1,271 | 600 | Longitude (decimal): -89.91861

Waterway: **Mississippi River** Mile: 57.0 PWD: 34
Name: **International Marine Terminals Crane Wharf.**
Port: Below New Orleans
Location: Mile 57.0 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Direct transfer of miscellaneous dry bulk commodities, including coal, iron ore, reduced iron ore, and barite ore, between ocean and river craft.
Depth Alongside (feet): 46 | 46 | Latitude (decimal): 29.623889
Total Berthing Space (feet): 1,271 | 600 | Longitude (decimal): -89.91861

Waterway: **Mississippi River** Mile: 57.0 PWD: 34
Name: **International Marine Terminals Crane Wharf.**
Port: Below New Orleans
Location: Mile 57.0 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Direct transfer of miscellaneous dry bulk commodities, including coal, iron ore, reduced iron ore, and barite ore, between ocean and river craft.
Depth Alongside (feet): 46 | 46 | Latitude (decimal): 29.623889
Total Berthing Space (feet): 1,271 | 600 | Longitude (decimal): -89.91861
Remarks: Each face of platform is in line with the respective face of Bulk Aggregate Dock (Ref. No. 35), providing 1,271 feet of continuous berthing space along face, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Berthing space for 104 barges is available at 14 concrete and steel breasting dolphins located 1,000 feet above wharf. Additional berthing space for grain barges calling at Ref. No. 33 is availableat mooring dolphins located an additional 750 feet upstream.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Remarks: Each face of platform is in line with the respective face of Bulk Aggregate Dock (Ref. No. 35), providing 1,271 feet of continuous berthing space along face, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Berthing space for 104 barges is available at 14 concrete and steel breasting dolphins located 1,000 feet above wharf. Additional berthing space for grain barges calling at Ref. No. 33 is availableat mooring dolphins located an additional 750 feet upstream.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Remarks: Each face of platform is in line with the respective face of Bulk Aggregate Dock (Ref. No. 35), providing 1,271 feet of continuous berthing space along face, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Berthing space for 104 barges is available at 14 concrete and steel breasting dolphins located 1,000 feet above wharf. Additional berthing space for grain barges calling at Ref. No. 33 is availableat mooring dolphins located an additional 750 feet upstream.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 57.0 PWD: 34
Name: **International Marine Terminals Crane Wharf.**
Port: Below New Orleans
Location: Mile 57.0 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Direct transfer of miscellaneous dry bulk commodities, including coal, iron ore, reduced iron ore, and barite ore, between ocean and river craft.
Depth Alongside (feet): 46 | 46 | Latitude (decimal): 29.623889
Total Berthing Space (feet): 1,271 | 600 | Longitude (decimal): -89.91861

Waterway: **Mississippi River** Mile: 57.0 PWD: 34
Name: **International Marine Terminals Crane Wharf.**
Port: Below New Orleans
Location: Mile 57.0 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Direct transfer of miscellaneous dry bulk commodities, including coal, iron ore, reduced iron ore, and barite ore, between ocean and river craft.
Depth Alongside (feet): 46 | 46 | Latitude (decimal): 29.623889
Total Berthing Space (feet): 1,271 | 600 | Longitude (decimal): -89.91861

Waterway: **Mississippi River** Mile: 57.0 PWD: 34
Name: **International Marine Terminals Crane Wharf.**
Port: Below New Orleans
Location: Mile 57.0 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Direct transfer of miscellaneous dry bulk commodities, including coal, iron ore, reduced iron ore, and barite ore, between ocean and river craft.
Depth Alongside (feet): 46 | 46 | Latitude (decimal): 29.623889
Total Berthing Space (feet): 1,271 | 600 | Longitude (decimal): -89.91861
Remarks: Each face of platform is in line with the respective face of Bulk Aggregate Dock (Ref. No. 35), providing 1,271 feet of continuous berthing space along face, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Berthing space for 104 barges is available at 14 concrete and steel breasting dolphins located 1,000 feet above wharf. Additional berthing space for grain barges calling at Ref. No. 33 is availableat mooring dolphins located an additional 750 feet upstream.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Remarks: Each face of platform is in line with the respective face of Bulk Aggregate Dock (Ref. No. 35), providing 1,271 feet of continuous berthing space along face, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Berthing space for 104 barges is available at 14 concrete and steel breasting dolphins located 1,000 feet above wharf. Additional berthing space for grain barges calling at Ref. No. 33 is availableat mooring dolphins located an additional 750 feet upstream.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Remarks: Each face of platform is in line with the respective face of Bulk Aggregate Dock (Ref. No. 35), providing 1,271 feet of continuous berthing space along face, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Berthing space for 104 barges is available at 14 concrete and steel breasting dolphins located 1,000 feet above wharf. Additional berthing space for grain barges calling at Ref. No. 33 is availableat mooring dolphins located an additional 750 feet upstream.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 57.0 PWD: 34
Name: **International Marine Terminals Crane Wharf.**
Port: Below New Orleans
Location: Mile 57.0 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Direct transfer of miscellaneous dry bulk commodities, including coal, iron ore, reduced iron ore, and barite ore, between ocean and river craft.
Depth Alongside (feet): 46 | 46 | Latitude (decimal): 29.623889
Total Berthing Space (feet): 1,271 | 600 | Longitude (decimal): -89.91861

Waterway: **Mississippi River** Mile: 57.0 PWD: 34
Name: **International Marine Terminals Crane Wharf.**
Port: Below New Orleans
Location: Mile 57.0 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Direct transfer of miscellaneous dry bulk commodities, including coal, iron ore, reduced iron ore, and barite ore, between ocean and river craft.
Depth Alongside (feet): 46 | 46 | Latitude (decimal): 29.623889
Total Berthing Space (feet): 1,271 | 600 | Longitude (decimal): -89.91861

Waterway: **Mississippi River** Mile: 57.0 PWD: 34
Name: **International Marine Terminals Crane Wharf.**
Port: Below New Orleans
Location: Mile 57.0 AHP, right bank, Mississippi River, near Myrtle Grove. Datum: MLG
Operator: International Marine Terminals.
Owner: International Marine Terminals.
Address: 18559 State Highway 23. Phone: 504/656-8041
Town: Myrtle Grove State: LA County: Plaquemines
Railway Connection: None.
Purpose: Direct transfer of miscellaneous dry bulk commodities, including coal, iron ore, reduced iron ore, and barite ore, between ocean and river craft.
Depth Alongside (feet): 46 | 46 | Latitude (decimal): 29.623889
Total Berthing Space (feet): 1,271 | 600 | Longitude (decimal): -89.91861
Remarks: Each face of platform is in line with the respective face of Bulk Aggregate Dock (Ref. No. 35), providing 1,271 feet of continuous berthing space along face, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Berthing space for 104 barges is available at 14 concrete and steel breasting dolphins located 1,000 feet above wharf. Additional berthing space for grain barges calling at Ref. No. 33 is availableat mooring dolphins located an additional 750 feet upstream.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Port Facilities by Waterway

Remarks: Each face of platform is in line with the respective face of Bulk Aggregate Dock (Ref. No. 35), providing 1,271 feet of continuous berthing space along face, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Berthing space for 104 barges is available at 14 concrete and steel breasting dolphins located 1,000 feet above wharf. Additional berthing space for grain barges calling at Ref. No. 33 is availableat mooring dolphins located an additional 750 feet upstream.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Remarks: Each face of platform is in line with the respective face of Bulk Aggregate Dock (Ref. No. 35), providing 1,271 feet of continuous berthing space along face, however, special arrangements are required for vessels exceeding 800-foot in length or 105-foot beam. Berthing space for 104 barges is available at 14 concrete and steel breasting dolphins located 1,000 feet above wharf. Additional berthing space for grain barges calling at Ref. No. 33 is availableat mooring dolphins located an additional 750 feet upstream.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20057 New Orleans District

Waterway: **Mississippi River** Mile: 61.8 PWD: 033

Name: **Cenex Harvest States Cooperatives, Myrtle Grove Terminal Wharf.**

Port: Below New Orleans

Location: Mile 61.8 AHP, right bank, Mississippi River, Myrtle Grove. Datum: MLG

Operator: Cenex Harvest States Cooperatives.

Owner: Cenex Harvest States Cooperatives.

Address: State Highway 23. Phone: 985/656-2212 x

Town: Myrtle Grove State: LA County: Plaquemines

Railway Connection: Trackage at rear serving car dumper and receiving pit join 4-track, 100-car capacity storage yard; connect with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Receipt of grain by barge; shipment of grain by vessel and barge.

Depth Alongside (feet): 40 | 20 | Latitude (decimal): 29.674167

Total Berthing Space (feet): 790 | 1,020 | Longitude (decimal): -89.96417

Remarks: Grain elevator in rear with 96 concrete silos with 80 interstitial compartments has capacity for 6,500,000 bushels. Berthing space for 69 loaded barges is available at 13 anchor buoys located below wharf, and berthing space for 17 empty barges is available at 4 steel sheet pile, cellular breasting dolphins located above wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20061 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.0 PWD: 032
Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**
Port: Below New Orleans
Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Mooring barges and tugboats.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.68
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Waterway: **Mississippi River** Mile: 62.0 PWD: 032
Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**
Port: Below New Orleans
Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Mooring barges and tugboats.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.68
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Waterway: **Mississippi River** Mile: 62.0 PWD: 032
Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**
Port: Below New Orleans
Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Mooring barges and tugboats.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.68
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.0 PWD: 032

Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**

Port: Below New Orleans

Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Mooring barges and tugboats.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.68

Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.0 PWD: 032
Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**
Port: Below New Orleans
Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Mooring barges and tugboats.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.68
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Waterway: **Mississippi River** Mile: 62.0 PWD: 032
Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**
Port: Below New Orleans
Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Mooring barges and tugboats.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.68
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Waterway: **Mississippi River** Mile: 62.0 PWD: 032
Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**
Port: Below New Orleans
Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Mooring barges and tugboats.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.68
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.0 PWD: 032

Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**

Port: Below New Orleans

Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Mooring barges and tugboats.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.68

Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.0 PWD: 032
Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**
Port: Below New Orleans
Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Mooring barges and tugboats.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.68
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Waterway: **Mississippi River** Mile: 62.0 PWD: 032
Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**
Port: Below New Orleans
Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Mooring barges and tugboats.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.68
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Waterway: **Mississippi River** Mile: 62.0 PWD: 032
Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**
Port: Below New Orleans
Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Mooring barges and tugboats.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.68
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.0 PWD: 032

Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**

Port: Below New Orleans

Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Mooring barges and tugboats.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.68

Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.0 PWD: 032
Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**
Port: Below New Orleans
Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Mooring barges and tugboats.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.68
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Waterway: **Mississippi River** Mile: 62.0 PWD: 032
Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**
Port: Below New Orleans
Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Mooring barges and tugboats.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.68
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Waterway: **Mississippi River** Mile: 62.0 PWD: 032
Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**
Port: Below New Orleans
Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Mooring barges and tugboats.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.68
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.0 PWD: 032

Name: **Phillips 66 Co., Alliance Refinery Fleeting Wharf.**

Port: Below New Orleans

Location: Mile 62.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Mooring barges and tugboats.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.68

Total Berthing Space (feet): 200 | | Longitude (decimal): -89.96694

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Four steel breasting dolphins fronting riverbank on upper side provide an additional 650 feet of berthing space for barges.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.5 PWD: 031
Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**
Port: Below New Orleans
Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889
Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Waterway: **Mississippi River** Mile: 62.5 PWD: 031
Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**
Port: Below New Orleans
Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889
Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Waterway: **Mississippi River** Mile: 62.5 PWD: 031
Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**
Port: Below New Orleans
Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889
Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.5 PWD: 031

Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**

Port: Below New Orleans

Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Shipment of petroleum coke by barge.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889

Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.5 PWD: 031
Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**
Port: Below New Orleans
Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889
Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Waterway: **Mississippi River** Mile: 62.5 PWD: 031
Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**
Port: Below New Orleans
Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889
Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Waterway: **Mississippi River** Mile: 62.5 PWD: 031
Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**
Port: Below New Orleans
Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889
Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.5 PWD: 031

Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**

Port: Below New Orleans

Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Shipment of petroleum coke by barge.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889

Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.5 PWD: 031
Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**
Port: Below New Orleans
Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889
Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Waterway: **Mississippi River** Mile: 62.5 PWD: 031
Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**
Port: Below New Orleans
Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889
Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Waterway: **Mississippi River** Mile: 62.5 PWD: 031
Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**
Port: Below New Orleans
Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889
Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.5 PWD: 031

Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**

Port: Below New Orleans

Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Shipment of petroleum coke by barge.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889

Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.5 PWD: 031
Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**
Port: Below New Orleans
Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889
Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Waterway: **Mississippi River** Mile: 62.5 PWD: 031
Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**
Port: Below New Orleans
Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889
Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Waterway: **Mississippi River** Mile: 62.5 PWD: 031
Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**
Port: Below New Orleans
Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Shipment of petroleum coke by barge.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889
Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 62.5 PWD: 031

Name: **Phillips 66 Co., Alliance Refinery Coke Wharf**

Port: Below New Orleans

Location: Mile 62.5 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Shipment of petroleum coke by barge.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.683889

Total Berthing Space (feet): 740 | | Longitude (decimal): -89.96972

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Pumps located on wharf supply refinery process water; discharge pipeline for treated wastewater is located on lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.0 PWD: 030
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**
Port: Below New Orleans
Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556
Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Waterway: **Mississippi River** Mile: 63.0 PWD: 030
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**
Port: Below New Orleans
Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556
Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Waterway: **Mississippi River** Mile: 63.0 PWD: 030
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**
Port: Below New Orleans
Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556
Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.0 PWD: 030

Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**

Port: Below New Orleans

Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.

Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556

Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.0 PWD: 030
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**
Port: Below New Orleans
Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556
Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Waterway: **Mississippi River** Mile: 63.0 PWD: 030
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**
Port: Below New Orleans
Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556
Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Waterway: **Mississippi River** Mile: 63.0 PWD: 030
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**
Port: Below New Orleans
Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556
Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.0 PWD: 030

Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**

Port: Below New Orleans

Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.

Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556

Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.0 PWD: 030
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**
Port: Below New Orleans
Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556
Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Waterway: **Mississippi River** Mile: 63.0 PWD: 030
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**
Port: Below New Orleans
Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556
Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Waterway: **Mississippi River** Mile: 63.0 PWD: 030
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**
Port: Below New Orleans
Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556
Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.0 PWD: 030

Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**

Port: Below New Orleans

Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.

Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556

Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.0 PWD: 030
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**
Port: Below New Orleans
Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556
Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Waterway: **Mississippi River** Mile: 63.0 PWD: 030
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**
Port: Below New Orleans
Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556
Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Waterway: **Mississippi River** Mile: 63.0 PWD: 030
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**
Port: Below New Orleans
Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556
Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.0 PWD: 030

Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 1.**

Port: Below New Orleans

Location: Mile 63.0 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Receipt of crude oil, receipt and shipment of petroleum products, butane and liquefied propane gas.

Depth Alongside (feet): 60 | | Latitude (decimal): 29.690556

Total Berthing Space (feet): 1,320 | | Longitude (decimal): -89.97444

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: One 18-, five 16-, and two 10-inch pipelines extend from wharf to 46 steel storage tanks at refinery in rear, total capacity 5,014,000 barrels; one 10-inch, liquefied petroleum gas pipeline extends to 4 storage tanks, total capacity 90,000 barrels; one 6-inch propylene pipeline extends to one propylene sphere, capacity 40,000 barrels; and one 12-inch butane pipeline extends to 6 butane storage tanks, total capacity 300,000 barrels.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.2 PWD: 029
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**
Port: Below New Orleans
Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.
Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889
Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Waterway: **Mississippi River** Mile: 63.2 PWD: 029
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**
Port: Below New Orleans
Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.
Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889
Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Waterway: **Mississippi River** Mile: 63.2 PWD: 029
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**
Port: Below New Orleans
Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.
Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889
Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.2 PWD: 029

Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**

Port: Below New Orleans

Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.

Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889

Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.2 PWD: 029
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**
Port: Below New Orleans
Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.
Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889
Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Waterway: **Mississippi River** Mile: 63.2 PWD: 029
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**
Port: Below New Orleans
Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.
Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889
Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Waterway: **Mississippi River** Mile: 63.2 PWD: 029
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**
Port: Below New Orleans
Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.
Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889
Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.2 PWD: 029

Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**

Port: Below New Orleans

Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.

Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889

Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.2 PWD: 029
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**
Port: Below New Orleans
Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.
Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889
Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Waterway: **Mississippi River** Mile: 63.2 PWD: 029
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**
Port: Below New Orleans
Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.
Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889
Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Waterway: **Mississippi River** Mile: 63.2 PWD: 029
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**
Port: Below New Orleans
Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.
Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889
Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.2 PWD: 029

Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**

Port: Below New Orleans

Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.

Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889

Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.2 PWD: 029
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**
Port: Below New Orleans
Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.
Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889
Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Waterway: **Mississippi River** Mile: 63.2 PWD: 029
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**
Port: Below New Orleans
Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.
Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889
Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Waterway: **Mississippi River** Mile: 63.2 PWD: 029
Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**
Port: Below New Orleans
Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG
Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.
Address: State Highway 23. Phone: 504/656-3229
Town: Alliance State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.
Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889
Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 63.2 PWD: 029

Name: **Phillips 66 Co., Alliance Refinery Tanker Dock No. 2.**

Port: Below New Orleans

Location: Mile 63.2 AHP, right bank, Mississippi River, Alliance. Datum: MLG

Operator: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Owner: Phillips 66 Co., a division of Phillips Petroleum Co., Inc.

Address: State Highway 23. Phone: 504/656-3229

Town: Alliance State: LA County: Plaquemines

Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.

Purpose: Receipt of intermediate feed crude oil; shipment of petroleum products.

Depth Alongside (feet): 70 | 40 | 40 Latitude (decimal): 29.693889

Total Berthing Space (feet): 982w/ | | 670 Longitude (decimal): -89.97639

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Remarks: Berth is designed to accomodate up to 130,000-DWT tanker. Steel superstructure on wharf supports hose handling mechanisms, pipeline galleries, manifolds, control valves, and firefighting apparatus. Three 18-, four 16-, one 14-, and two 12-inch pipelines extend from wharf to storage tanks described under Ref. No. 30. Approach provides access for 65-ton mobile crane for work on wharf as required.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20063 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: -7.5 PWD: 002
Name: **Energy Partners, Southwest Pass Wharf.**
Port: Below New Orleans
Location: Mile 7.5 BHP, left bank, Mississippi River, Southwest Pass. Datum: MLG
Operator: Not operated.
Owner: Shell Oil Co.
Address: Southwest Pass. Phone: 504/799-1959
Town: Southwest Pass State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 22 | | Latitude (decimal): 29.055833
Total Berthing Space (feet): 1,800 | | Longitude (decimal): -89.30944
Remarks: Wharf formerly was used for receipt of crude oil by barge. One 14-inch pipeline with 8-inch hose connection on wharf (blanked at time of survey, [2002]) extends to 10 steel storage tanks at rear. Facility is supplied via crewboat landing located in Joseph Bayou at rear of terminal. Facility is equipped with workboats and an oil-spill containment boom, sweeps, and sea curtains.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20411 New Orleans District

---

Waterway: **Mississippi River** Mile: 72.3 PWD: 028
Name: **Chevron Oronite, Oak Point Plant Wharf.**
Port: Below New Orleans
Location: Mile 72.3 AHP, right bank, Mississippi River, Belle Chasse. Datum: MLG
Operator: Chevron Oronite L.L.C., a subsidiary of ChevronTexaco, Inc.
Owner: Hero Lands Co., Inc.
Address: 10285 Highway 23 South. Phone: 504/391-6516
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: Trackage serving refinery at rear connects with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Receipt of miscellaneous chemicals by vessel; shipment of miscellaneous chemicals by barge.
Depth Alongside (feet): 44 | | Latitude (decimal): 29.808889
Total Berthing Space (feet): 675 | | Longitude (decimal): -90.00722
Remarks: One 8- and five 6-inch pipelines extend to wharf from 15 steel storage tanks at plant in rear, total capacity 7,291,400 gallons. One 6-inch vapor line extends from wharf to vapor recovery system.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20072 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 72.8 PWD: 027
Name: **Port Ship Service, Belle Chasse Landing.**
Port: Below New Orleans
Location: Mile 72.8 AHP, right bank, Mississippi River, Belle Chasse. Datum: MLG
Operator: Port Ship Service, Inc.
Owner: Hero Lands Co., Inc.
Address: 2900 Belle Chasse Highway South. Phone: 504/392-8396
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for water taxis and passengers; fueling company-owned floating equipment.
Depth Alongside (feet): 28 | | Latitude (decimal): 29.816806
Total Berthing Space (feet): 70 | | Longitude (decimal): -90.00561
Remarks: Vessels moor alongside and at lower end of float. One 2,000-gallon, diesel fuel tank located at rear of dispatch office is used for fueling own equipment.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20072 New Orleans District

---

Waterway: **Mississippi River** Mile: 73.0 PWD: 026
Name: **Loumiet and Assoc., Dock.**
Port: Below New Orleans
Location: Mile 73.0 AHP, right bank, Mississippi River, Belle Chasse. Datum: MLG
Operator: Various lessees.
Owner: Loumiet and Assoc.
Address: 2810 Belle Chasse Highway South. Phone: 504/365-0201
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk materials.
Depth Alongside (feet): 7 | | Latitude (decimal): 29.817944
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.00603
Remarks: Open storage area at rear has capacity for approximately 4,000 tons of material.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20073 New Orleans District

---

Waterway: **Mississippi River** Mile: 73.1 PWD: 025
Name: **Maritime Oil Recovery Inc., Belle Chasse Dock.**
Port: Below New Orleans
Location: Mile 73.1 AHP, right bank, Mississippi River, Belle Chasse. Datum: MLG
Operator: Maritime Oil Recovery, Inc.
Owner: Hero Lands Co., Inc.
Address: Foot of Concord Road. Phone: 504/361-8991
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt and shipment of waste oil.
Depth Alongside (feet): 7 | | Latitude (decimal): 29.818972
Total Berthing Space (feet): 440 | | Longitude (decimal): -90.00558
Remarks: One 4-inch pipeline extends from wharf to a truck-loading station at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20073 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 73.6 PWD: 024
Name: **Belle Chasse Marine Transportation Belle Chasse Landing.**
Port: Below New Orleans
Location: Mile 73.6 AHP, right bank, Mississippi River, Belle Chasse. Datum: MLG
Operator: Belle Chasse Marine Transportation, Inc.
Owner: Hero Lands Co., Inc.
Address: Belle Chasse Highway South. Phone: 504/837-3125
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for water taxis and passengers; fueling company-owned floating equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.826389
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.00278
Remarks: Facility contains a marine repair shop, travel lift, and slipway for hauling-out and repairing company-owned equipment only. Travel lift has a 26-ton, maximum hoist capacity for vessels with 20-foot maximum beam. A 20,000- gallon, diesel fuel tank on float is used for fueling company-owned equipment.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20073 New Orleans District

---

Waterway: **Mississippi River** Mile: 75.6 PWD: 023
Name: **Alpine Mud Products Wharf.**
Port: Below New Orleans
Location: Mile 75.6 AHP, right bank, Mississippi River, Belle Chasse. Datum: MLG
Operator: Alpine Mud Products, Inc.
Owner: Alpine Mud Products, Inc.
Address: 210 Belle Chasse Highway South. Phone: 504/394-5870
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: Surface tracks at rear connect with Lower Coast Railroad and Union Pacific Railroad.
Purpose: Mooring for transient vessels.
Depth Alongside (feet): 25 | | Latitude (decimal): 29.851389
Total Berthing Space (feet): 280 | | Longitude (decimal): -89.98306
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20075 New Orleans District

---

Waterway: **Mississippi River** Mile: 75.7 PWD: 014
Name: **Scarsdale Ferry Landing.**
Port: Below New Orleans
Location: Mile 75.7 AHP, left bank, Mississippi River, Scarsdale. Datum: MLG
Operator: Plaquemines Parish Commission Council.
Owner: Plaquemines Parish Commission Council.
Address: State Highway 39. Phone: 504/392-6690 Ex
Town: Scarsdale State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Belle Chasse.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.847778
Total Berthing Space (feet): 190 | | Longitude (decimal): -89.97806
Remarks: Ferries operate to Belle Chasse Ferry Landing on opposite bank of river (Ref. No. 20).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20075 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 75.8 PWD: 022
Name: **Plaquemines Port Authority Dock.**
Port: Below New Orleans
Location: Mile 75.8 AHP, right bank, Mississippi River, Belle Chasse. Datum: MLG
Operator: Plaquemines Port, Harbor, and Terminal District.
Owner: Plaquemines Port, Harbor, and Terminal District.
Address: Foot of Cuevas Street. Phone: 504/682-0081 x2
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring rescue vessels.
Depth Alongside (feet): 22 | | Latitude (decimal): 29.853889
Total Berthing Space (feet): 110 | | Longitude (decimal): -89.98194
Remarks: One 1-inch fueling pipeline extends to wharf from one 2,130-gallon, diesel fuel storage tank located in rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20075 New Orleans District

---

Waterway: **Mississippi River** Mile: 75.9 PWD: 021
Name: **Plaquemines Parish Ferry Repair Dock.**
Port: Below New Orleans
Location: Mile 75.9 AHP, right bank, Mississippi River, Belle Chasse. Datum: MLG
Operator: Plaquemines Parish Commission Council.
Owner: Plaquemines Parish Commission Council.
Address: Foot of Cuevas Street. Phone: 504/392-6690 Ex
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring and repairing ferries.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.854444
Total Berthing Space (feet): 135 | | Longitude (decimal): -89.98167
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20075 New Orleans District

---

Waterway: **Mississippi River** Mile: 76.0 PWD: 020
Name: **Belle Chasse Ferry Landing.**
Port: Below New Orleans
Location: Mile 76.0 AHP, right bank, Mississippi River, Belle Chasse. Datum: MLG
Operator: Plaquemines Parish Commission Council.
Owner: Plaquemines Parish Commission Council.
Address: - Phone: 504/392-6690 Ex
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Scarsdale.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.855
Total Berthing Space (feet): 190 | | Longitude (decimal): -89.98111
Remarks: Ferries operate to Scarsdale Ferry Landing on opposite bank of river (Ref. No. 14).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20076 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 76.4 PWD: 015
Name: **AMAX Metals Recovery, Lower Wharf.**
Port: Below New Orleans
Location: Mile 76.4 AHP, left bank, Mississippi River, Port Nickel. Datum: MLG
Operator: Not operated.
Owner: AMAX Metals Recovery, Inc., a subsidiary of Phelps Dodge Industries Co.
Address: 3607 English Turn Road Phone: 504/682-7895
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Tracks serving plant at rear connect with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.859722
Total Berthing Space (feet): 800 | | Longitude (decimal): -89.97278

Waterway: **Mississippi River** Mile: 76.4 PWD: 015
Name: **AMAX Metals Recovery, Lower Wharf.**
Port: Below New Orleans
Location: Mile 76.4 AHP, left bank, Mississippi River, Port Nickel. Datum: MLG
Operator: Not operated.
Owner: AMAX Metals Recovery, Inc., a subsidiary of Phelps Dodge Industries Co.
Address: 3607 English Turn Road Phone: 504/682-7895
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Tracks serving plant at rear connect with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.859722
Total Berthing Space (feet): 800 | | Longitude (decimal): -89.97278

Remarks: Wharf formerly was used for receipt of refinery by-products and shipment of bulk nickel-cobalt concentrate and vanadium aluminum trihydrate (refined ores). Two bulk storage warehouses at plant in rear have storage capacity for 2500 tons of nickel-cobalt concentrate and 4500 tons of spent petroleum catalyst, respectively.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20076 New Orleans District

Remarks: Wharf formerly was used for receipt of refinery by-products and shipment of bulk nickel-cobalt concentrate and vanadium aluminum trihydrate (refined ores). Two bulk storage warehouses at plant in rear have storage capacity for 2500 tons of nickel-cobalt concentrate and 4500 tons of spent petroleum catalyst, respectively.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20076 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 76.4 PWD: 015
Name: **AMAX Metals Recovery, Lower Wharf.**
Port: Below New Orleans
Location: Mile 76.4 AHP, left bank, Mississippi River, Port Nickel. Datum: MLG
Operator: Not operated.
Owner: AMAX Metals Recovery, Inc., a subsidiary of Phelps Dodge Industries Co.
Address: 3607 English Turn Road Phone: 504/682-7895
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Tracks serving plant at rear connect with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.859722
Total Berthing Space (feet): 800 | | Longitude (decimal): -89.97278

Waterway: **Mississippi River** Mile: 76.4 PWD: 015
Name: **AMAX Metals Recovery, Lower Wharf.**
Port: Below New Orleans
Location: Mile 76.4 AHP, left bank, Mississippi River, Port Nickel. Datum: MLG
Operator: Not operated.
Owner: AMAX Metals Recovery, Inc., a subsidiary of Phelps Dodge Industries Co.
Address: 3607 English Turn Road Phone: 504/682-7895
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Tracks serving plant at rear connect with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.859722
Total Berthing Space (feet): 800 | | Longitude (decimal): -89.97278

Remarks: Wharf formerly was used for receipt of refinery by-products and shipment of bulk nickel-cobalt concentrate and vanadium aluminum trihydrate (refined ores). Two bulk storage warehouses at plant in rear have storage capacity for 2500 tons of nickel-cobalt concentrate and 4500 tons of spent petroleum catalyst, respectively.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20076 New Orleans District

Remarks: Wharf formerly was used for receipt of refinery by-products and shipment of bulk nickel-cobalt concentrate and vanadium aluminum trihydrate (refined ores). Two bulk storage warehouses at plant in rear have storage capacity for 2500 tons of nickel-cobalt concentrate and 4500 tons of spent petroleum catalyst, respectively.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20076 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 76.6 PWD: 016
Name: **AMAX Metals Recovery, Upper Wharf.**
Port: Below New Orleans
Location: Mile 76.6 AHP, left bank, Mississippi River, Port Nickel. Datum: MLG
Operator: Not operated.
Owner: AMAX Metals Recovery, Inc., a subsidiary of Phelps Dodge Industries Co.
Address: 3607 English Turn Road Phone: 504/682-7895
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Tracks serving plant at rear connect with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.861667
Total Berthing Space (feet): 440- | | Longitude (decimal): -89.97222

Waterway: **Mississippi River** Mile: 76.6 PWD: 016
Name: **AMAX Metals Recovery, Upper Wharf.**
Port: Below New Orleans
Location: Mile 76.6 AHP, left bank, Mississippi River, Port Nickel. Datum: MLG
Operator: Not operated.
Owner: AMAX Metals Recovery, Inc., a subsidiary of Phelps Dodge Industries Co.
Address: 3607 English Turn Road Phone: 504/682-7895
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Tracks serving plant at rear connect with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.861667
Total Berthing Space (feet): 440- | | Longitude (decimal): -89.97222

Remarks: Wharf formerly was used to receive 50% caustic soda and sulfuric acid. One 8-/10-inch pipeline extends from wharf to one 630,000-gallon, caustic soda storage tank at plant in rear; and one 4-/6-inch pipeline extends to 2 sulfuric acid storage tanks, total capacity 270,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20076 New Orleans District

Remarks: Wharf formerly was used to receive 50% caustic soda and sulfuric acid. One 8-/10-inch pipeline extends from wharf to one 630,000-gallon, caustic soda storage tank at plant in rear; and one 4-/6-inch pipeline extends to 2 sulfuric acid storage tanks, total capacity 270,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20076 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 76.6 PWD: 016
Name: **AMAX Metals Recovery, Upper Wharf.**
Port: Below New Orleans
Location: Mile 76.6 AHP, left bank, Mississippi River, Port Nickel. Datum: MLG
Operator: Not operated.
Owner: AMAX Metals Recovery, Inc., a subsidiary of Phelps Dodge Industries Co.
Address: 3607 English Turn Road Phone: 504/682-7895
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Tracks serving plant at rear connect with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.861667
Total Berthing Space (feet): 440- | | Longitude (decimal): -89.97222

Waterway: **Mississippi River** Mile: 76.6 PWD: 016
Name: **AMAX Metals Recovery, Upper Wharf.**
Port: Below New Orleans
Location: Mile 76.6 AHP, left bank, Mississippi River, Port Nickel. Datum: MLG
Operator: Not operated.
Owner: AMAX Metals Recovery, Inc., a subsidiary of Phelps Dodge Industries Co.
Address: 3607 English Turn Road Phone: 504/682-7895
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Tracks serving plant at rear connect with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.861667
Total Berthing Space (feet): 440- | | Longitude (decimal): -89.97222

Remarks: Wharf formerly was used to receive 50% caustic soda and sulfuric acid. One 8-/10-inch pipeline extends from wharf to one 630,000-gallon, caustic soda storage tank at plant in rear; and one 4-/6-inch pipeline extends to 2 sulfuric acid storage tanks, total capacity 270,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20076 New Orleans District

Remarks: Wharf formerly was used to receive 50% caustic soda and sulfuric acid. One 8-/10-inch pipeline extends from wharf to one 630,000-gallon, caustic soda storage tank at plant in rear; and one 4-/6-inch pipeline extends to 2 sulfuric acid storage tanks, total capacity 270,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20076 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 79.5 PWD: 017
Name: **Stolthaven New Orleans LLC, Berth No. 3.**
Port: Below New Orleans
Location: Mile 79.5 AHP, left bank, Mississippi River, Braithwaite Datum: MLG
Operator: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Owner: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Address: 2444 English Turn Road Phone: 504/682-9734
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Plant trackage, including 100-car marshalling yard, at rear connects with Norfolk Southern Railway.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities by vessel and barge.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.870556
Total Berthing Space (feet): 754 | | Longitude (decimal): -89.94389

Waterway: **Mississippi River** Mile: 79.5 PWD: 017
Name: **Stolthaven New Orleans LLC, Berth No. 3.**
Port: Below New Orleans
Location: Mile 79.5 AHP, left bank, Mississippi River, Braithwaite Datum: MLG
Operator: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Owner: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Address: 2444 English Turn Road Phone: 504/682-9734
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Plant trackage, including 100-car marshalling yard, at rear connects with Norfolk Southern Railway.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities by vessel and barge.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.870556
Total Berthing Space (feet): 754 | | Longitude (decimal): -89.94389

Remarks: Wharf is designed to accomodate up to a 6,000-DWT tanker. Four 12-, three 10-, and eleven 8-inch-diameter pipelines extend from wharf to 38 steel storage tanks, total capacity 849,000 barrels. At time of survey (2002), plans called for construction of additional storage tanks. Spill response vessel and containment boom is available on site. Facility is operated for public storage of liquid bulk commodities.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20079 New Orleans District

Remarks: Wharf is designed to accomodate up to a 6,000-DWT tanker. Four 12-, three 10-, and eleven 8-inch-diameter pipelines extend from wharf to 38 steel storage tanks, total capacity 849,000 barrels. At time of survey (2002), plans called for construction of additional storage tanks. Spill response vessel and containment boom is available on site. Facility is operated for public storage of liquid bulk commodities.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20079 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 79.5 PWD: 017
Name: **Stolthaven New Orleans LLC, Berth No. 3.**
Port: Below New Orleans
Location: Mile 79.5 AHP, left bank, Mississippi River, Braithwaite Datum: MLG
Operator: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Owner: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Address: 2444 English Turn Road Phone: 504/682-9734
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Plant trackage, including 100-car marshalling yard, at rear connects with Norfolk Southern Railway.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities by vessel and barge.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.870556
Total Berthing Space (feet): 754 | | Longitude (decimal): -89.94389

Waterway: **Mississippi River** Mile: 79.5 PWD: 017
Name: **Stolthaven New Orleans LLC, Berth No. 3.**
Port: Below New Orleans
Location: Mile 79.5 AHP, left bank, Mississippi River, Braithwaite Datum: MLG
Operator: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Owner: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Address: 2444 English Turn Road Phone: 504/682-9734
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Plant trackage, including 100-car marshalling yard, at rear connects with Norfolk Southern Railway.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities by vessel and barge.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.870556
Total Berthing Space (feet): 754 | | Longitude (decimal): -89.94389

Remarks: Wharf is designed to accomodate up to a 6,000-DWT tanker. Four 12-, three 10-, and eleven 8-inch-diameter pipelines extend from wharf to 38 steel storage tanks, total capacity 849,000 barrels. At time of survey (2002), plans called for construction of additional storage tanks. Spill response vessel and containment boom is available on site. Facility is operated for public storage of liquid bulk commodities.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20079 New Orleans District

Remarks: Wharf is designed to accomodate up to a 6,000-DWT tanker. Four 12-, three 10-, and eleven 8-inch-diameter pipelines extend from wharf to 38 steel storage tanks, total capacity 849,000 barrels. At time of survey (2002), plans called for construction of additional storage tanks. Spill response vessel and containment boom is available on site. Facility is operated for public storage of liquid bulk commodities.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20079 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 79.7 PWD: 018
Name: **Stolthaven New Orleans LLC, Berth No. 4.**
Port: Below New Orleans
Location: Mile 79.7 AHP, left bank, Mississippi River, Braithwaite Datum: MLG
Operator: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Owner: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Address: 2444 English Turn Road Phone: 504/682-9734
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Plant trackage, including 100-car marshalling yard, at rear connects with Norfolk Southern Railway.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities by vessel and barge.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.869722
Total Berthing Space (feet): 460 | | Longitude (decimal): -89.94194

Waterway: **Mississippi River** Mile: 79.7 PWD: 018
Name: **Stolthaven New Orleans LLC, Berth No. 4.**
Port: Below New Orleans
Location: Mile 79.7 AHP, left bank, Mississippi River, Braithwaite Datum: MLG
Operator: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Owner: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Address: 2444 English Turn Road Phone: 504/682-9734
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Plant trackage, including 100-car marshalling yard, at rear connects with Norfolk Southern Railway.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities by vessel and barge.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.869722
Total Berthing Space (feet): 460 | | Longitude (decimal): -89.94194

Remarks: Wharf is designed to accomodate up to 30,000-barrel barge. Two 12-, two 10-, four 8-, and two 4-inch-diameter pipelines extend from wharf to steel storage tanks described under Ref. No. 17. At time of survey (2002), plans called for construction of additional wharves. Facility is operated for public storage of liquid bulk commodities.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20079 New Orleans District

Remarks: Wharf is designed to accomodate up to 30,000-barrel barge. Two 12-, two 10-, four 8-, and two 4-inch-diameter pipelines extend from wharf to steel storage tanks described under Ref. No. 17. At time of survey (2002), plans called for construction of additional wharves. Facility is operated for public storage of liquid bulk commodities.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20079 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 79.7 PWD: 018
Name: **Stolthaven New Orleans LLC, Berth No. 4.**
Port: Below New Orleans
Location: Mile 79.7 AHP, left bank, Mississippi River, Braithwaite Datum: MLG
Operator: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Owner: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Address: 2444 English Turn Road Phone: 504/682-9734
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Plant trackage, including 100-car marshalling yard, at rear connects with Norfolk Southern Railway.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities by vessel and barge.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.869722
Total Berthing Space (feet): 460 | | Longitude (decimal): -89.94194

Waterway: **Mississippi River** Mile: 79.7 PWD: 018
Name: **Stolthaven New Orleans LLC, Berth No. 4.**
Port: Below New Orleans
Location: Mile 79.7 AHP, left bank, Mississippi River, Braithwaite Datum: MLG
Operator: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Owner: Stolthaven New Orleans LLC, a subsidiary of Stolt-Nielsen Transportation Group, Inc.
Address: 2444 English Turn Road Phone: 504/682-9734
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: Plant trackage, including 100-car marshalling yard, at rear connects with Norfolk Southern Railway.
Purpose: Receipt and shipment of miscellaneous bulk liquid commodities by vessel and barge.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.869722
Total Berthing Space (feet): 460 | | Longitude (decimal): -89.94194

Remarks: Wharf is designed to accomodate up to 30,000-barrel barge. Two 12-, two 10-, four 8-, and two 4-inch-diameter pipelines extend from wharf to steel storage tanks described under Ref. No. 17. At time of survey (2002), plans called for construction of additional wharves. Facility is operated for public storage of liquid bulk commodities.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20079 New Orleans District

Remarks: Wharf is designed to accomodate up to 30,000-barrel barge. Two 12-, two 10-, four 8-, and two 4-inch-diameter pipelines extend from wharf to steel storage tanks described under Ref. No. 17. At time of survey (2002), plans called for construction of additional wharves. Facility is operated for public storage of liquid bulk commodities.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20079 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: -8.9 PWD: 001
Name: **Pogo Producing Co., E-3 Boat Landing.**
Port: Below New Orleans
Location: Mile 8.9 BHP, left bank, Mississippi River, Southwest Pass. Datum: MLG
Operator: Pogo Producing Co.
Owner: State of Louisiana.
Address: Southwest Pass. Phone: 985/534-7737 or
Town: Southwest Pass State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for crewboat; receipt of supplies, including diesel fuel, lubricating oil, and water for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.0375
Total Berthing Space (feet): 60 | | Longitude (decimal): -89.32222

Waterway: **Mississippi River** Mile: -8.9 PWD: 001
Name: **Pogo Producing Co., E-3 Boat Landing.**
Port: Below New Orleans
Location: Mile 8.9 BHP, left bank, Mississippi River, Southwest Pass. Datum: MLG
Operator: Pogo Producing Co.
Owner: State of Louisiana.
Address: Southwest Pass. Phone: 985/534-7737 or
Town: Southwest Pass State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for crewboat; receipt of supplies, including diesel fuel, lubricating oil, and water for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.0375
Total Berthing Space (feet): 60 | | Longitude (decimal): -89.32222

Remarks: One 2-inch water, one 2-inch diesel fuel, and one 2-inch lubricating oil pipelines each extend to a separate steel storage tank located at plant in rear. An alternative landing of similar construction is also available at the rear waterside of the plant. The Mississippi River landing is occasionally used by Chevron Pipe Line Co. for the delivering of supplies and for crew exchange.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20411 New Orleans District

Remarks: One 2-inch water, one 2-inch diesel fuel, and one 2-inch lubricating oil pipelines each extend to a separate steel storage tank located at plant in rear. An alternative landing of similar construction is also available at the rear waterside of the plant. The Mississippi River landing is occasionally used by Chevron Pipe Line Co. for the delivering of supplies and for crew exchange.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20411 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: -8.9 PWD: 001
Name: **Pogo Producing Co., E-3 Boat Landing.**
Port: Below New Orleans
Location: Mile 8.9 BHP, left bank, Mississippi River, Southwest Pass. Datum: MLG
Operator: Pogo Producing Co.
Owner: State of Louisiana.
Address: Southwest Pass. Phone: 985/534-7737 or
Town: Southwest Pass State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for crewboat; receipt of supplies, including diesel fuel, lubricating oil, and water for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.0375
Total Berthing Space (feet): 60 | | Longitude (decimal): -89.32222

Waterway: **Mississippi River** Mile: -8.9 PWD: 001
Name: **Pogo Producing Co., E-3 Boat Landing.**
Port: Below New Orleans
Location: Mile 8.9 BHP, left bank, Mississippi River, Southwest Pass. Datum: MLG
Operator: Pogo Producing Co.
Owner: State of Louisiana.
Address: Southwest Pass. Phone: 985/534-7737 or
Town: Southwest Pass State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for crewboat; receipt of supplies, including diesel fuel, lubricating oil, and water for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.0375
Total Berthing Space (feet): 60 | | Longitude (decimal): -89.32222

Remarks: One 2-inch water, one 2-inch diesel fuel, and one 2-inch lubricating oil pipelines each extend to a separate steel storage tank located at plant in rear. An alternative landing of similar construction is also available at the rear waterside of the plant. The Mississippi River landing is occasionally used by Chevron Pipe Line Co. for the delivering of supplies and for crew exchange.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20411 New Orleans District

Remarks: One 2-inch water, one 2-inch diesel fuel, and one 2-inch lubricating oil pipelines each extend to a separate steel storage tank located at plant in rear. An alternative landing of similar construction is also available at the rear waterside of the plant. The Mississippi River landing is occasionally used by Chevron Pipe Line Co. for the delivering of supplies and for crew exchange.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20411 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 80.7 PWD: 019
Name: **Semco Fabricators, Braithwaite Slip.**
Port: Below New Orleans
Location: Mile 80.7 AHP, left bank, Mississippi River, Braithwaite. Datum: MLG
Operator: Not operated.
Owner: Semco Fabricators, Inc.
Address: State Highway 39. Phone: 985/689-2054
Town: Braithwaite State: LA County: Plaquemines
Railway Connection: One surface track serving plant at rear connects with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.864111
Total Berthing Space (feet): 4 | | Longitude (decimal): -89.92731
Remarks: Basin formerly was used for mooring barges and small vessels for conversion, outfitting, and repair.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20080 New Orleans District

---

Waterway: **Mississippi River** Mile: 81.5 PWD: 1
Name: **Elevating Boats, Inc., Slip.**
Port: New Orleans
Location: Mile 81.5 A.H.P., left bank, Mississippi River, Braithwaite Datum: MLG
Operator: Elevating Boats, Inc.
Owner: Lynn B. Dean.
Address: 900 St. Bernard Parkway Phone: 504 682-5245
Town: Braithwaite State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Mooring offshore oil well service vessels for outfitting and repair. (See Remarks.)
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.865556
Total Berthing Space (feet): 80 | 100 | 80 Longitude (decimal): -89.90861
Remarks: Repair work is limited to distinctive company-built vessels. Boat-building plant at rear is located along 400- by 75-foot slip off Caernarvon Canal.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20081 New Orleans District

---

Waterway: **Mississippi River** Mile: 82.5 PWD: 2
Name: **Port Ship Services, Inc., Poydras Landing.**
Port: New Orleans
Location: Mile 82.5 A.H.P., left bank, Mississippi River, Poydras. Datum: MLG
Operator: Port Ship Service, Inc.
Owner: Port Ship Service, Inc.
Address: Port Service Road #4 Phone: 504 682-0078
Town: Poydras State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Landing for ship service boats serving anchorages.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.877222
Total Berthing Space (feet): 110 | | Longitude (decimal): -89.89917
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20082 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 83.5 PWD: 3
Name: **Violet Dock Port, Inc., Berthing Facility**
Port: New Orleans
Location: Mile 83.5 A.H.P., left bank, Mississippi River, Violet. Datum: MLG
Operator: Violet Dock Port, Inc.
Owner: Violet Dock Port, Inc.
Address: St. Bernard Highway. Phone: 504 682-8528
Town: Violet State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Mooring miscellaneous vessels for maintenance and storage.
Depth Alongside (feet): 50 | | Latitude (decimal): 29.889444
Total Berthing Space (feet): 5,000 | | Longitude (decimal): -89.90056
Remarks: Dolphins form 5 berths for large vessels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20083 New Orleans District

---

Waterway: **Mississippi River** Mile: 83.6 PWD: 315
Name: **Belle Chasse Marine Transportation, Inc., 9-Mile Anchorage West Ba**
Port: New Orleans
Location: Mile 83.6 A.H.P., right bank, Mississippi River, Belle Chasse Datum:
Operator: Belle Chasse Marine Transportation, Inc.
Owner: Belle Chasse Marine Transportation, Inc.
Address: 3900 River Road Phone: 504-682-5822
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for ship service boats serving nearby anchorage.
Depth Alongside (feet): - | | Latitude (decimal): 29.891667
Total Berthing Space (feet): 4 | | Longitude (decimal): -89.91
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20083 New Orleans District

---

Waterway: **Mississippi River** Mile: 83.9 PWD: 4
Name: **Bell Chasse Marine Transportation, Inc., Violet Landing**
Port: New Orleans
Location: Mile 83.9 A.H.P., left bank, Mississippi River, Violet. Datum: MLG
Operator: Belle Chasse Marine Transportation, Inc.
Owner: State of Louisiana.
Address: St. Bernard Highway. Phone: 504 682-5822
Town: Violet State: LA County: St. Bernard Par
Railway Connection: None.
Purpose: Landing for ship service boats, crews, passengers, and supplies serving anchorages.
Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 29.898056
Total Berthing Space (feet): 120 | | Longitude (decimal): -89.90278
Remarks: Boats moored at landing provide service to 9-Mile and 12-Mile Anchorages.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20083 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 84.1 PWD: 314
Name: **Port Ship Services, Inc., 9-Mile Anchorage West Bank Landing**
Port: New Orleans
Location: Mile 84.1 A.H.P., right bank, Mississippi River, Belle Chasse. Datum:
Operator: Port Ship Services, Inc.
Owner: Port Ship Services, Inc.
Address: River Road Phone: 504-682-0066
Town: Belle Chasse State: LA County: Plaquemines
Railway Connection: None.
Purpose: Landing for ship service boats serving nearby anchorage.
Depth Alongside (feet): - | | Latitude (decimal): 29.897778
Total Berthing Space (feet): 15 | | Longitude (decimal): -89.9125
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20084 New Orleans District

---

Waterway: **Mississippi River** Mile: 88.7 PWD: 279
Name: **Lower Algiers West Bank Ferry Landing.**
Port: New Orleans
Location: Mile 88.7 A.H.P., right bank, Mississippi River, foot of Winston Street extended, Algiers. Datum: MLG
Operator: Crescent City Connection.
Owner: Crescent City Connection.
Address: Foot of Patterson Road Phone: 504-376-8161
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to foot of Paris Road, Chalmette.
Depth Alongside (feet): 40 - - | 20 | 15 Latitude (decimal): 29.922222
Total Berthing Space (feet): 180 | 120 | 120 Longitude (decimal): -89.97444
Remarks: One 4-inch pipeline extends to ferry landing float from tank truck connection. Ferries operate to Chalmette Ferry landing on opposite river bank (PWD Ref. No. 9).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located

Port Facilities by Waterway

at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located

Port Facilities by Waterway

at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333
Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located

at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located

Port Facilities by Waterway

at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333
Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located

at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333
Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located

at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333
Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located

at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333

Waterway: **Mississippi River** Mile: 88.8 PWD: 11
Name: **Chalmette Refining, LLC #1 Dock.**
Port: New Orleans
Location: Mile 88.8 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Owner: Chalmette Refining, LLC, a subsidiary of ExxonMobil Corp.
Address: 500 West St. Bernard Hwy. Phone: 504 281-6215
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Plant trackage serves refinery in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.97333
Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located

at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 14-, five 10-, one 8-, and one 6-inch pipelines extend to wharf from 30 steel storage tanks located at refinery in rear,total capacity 1,937,000 barrels. One 3-inch steam and one compressed air pipeline serves wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi river** Mile: 89.2 PWD: 15
Name: **CII Carbon, LLC, Chalmette Coke Dock.**
Port: New Orleans
Location: Mile 89.2 A.H.P., left bank, Mississippi River, Chalmette. Datum: MLG
Operator: CCI Carbon, LLC, a division of Calciner Industries, Inc.
Owner: CCI Carbon, LLC, a division of Calciner Industries, Inc.
Address: Foot of Coke Plant Road. Phone: 504 278-1085 X
Town: Chalmette State: LA County: St. Bernard Par
Railway Connection: Two surface tracks located at rear; bottom dump station has capacity to unload cars at rate of 200 tons per hour, rail storage yard has 20-30 car capacity, connects to Norfolk Southern Railway Co.
Purpose: Receipt of green coke by barge; shipment of calcined coke by barge and vessel.
Depth Alongside (feet): 55 | 40 | Latitude (decimal): 29.930556
Total Berthing Space (feet): 830 | 300 | Longitude (decimal): -89.98056
Remarks: Five steel calcined coke storage tanks located at plant in rear have total storage capacity of 43,000 tons. One green coke storage shed has capacity of 25,000 tons. Plant also receives coke by rail and truck from other coke processing facilities for marine transportation.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 90.0 PWD: 278
Name: **Belle Chasse Marine Transportation, Inc., Algiers West Bank Landin**
Port: New Orleans
Location: Mile 90.0 A.H.P., right bank, Mississippi River, foot of Eaton Street extended, Algiers. Datum: MLG
Operator: Belle Chasse Marine Transportation, Inc.
Owner: Belle Chasse Marine Transportation, Inc.
Address: Patterson Road Phone: 504-837-3125
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Landing for ship service boats, crews, passengers and supplies to and from anchored vessels.
Depth Alongside (feet): 20 - - | 9 | Latitude (decimal): 29.9325
Total Berthing Space (feet): 24 | | Longitude (decimal): -89.995
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 90.1 PWD: 277
Name: **Port Ship Service, Inc., Algiers West Bank Landing.**
Port: New Orleans
Location: Mile 90.1 A.H.P., right bank, Mississippi River, foot of Ramsey Drive extended, Algiers. Datum: MLG
Operator: Port Ship Service, Inc.
Owner: Port Ship Service, Inc.
Address: Patterson Road Phone: 504-279-0486
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Landing for ship service boats, crews, passengers and supplies to and from anchored vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.9325
Total Berthing Space (feet): 16 | | Longitude (decimal): -89.99694
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 91.0 PWD: 276
Name: **Harbor Towing & Fleeting, Inc., Star Fleet Mooring.**
Port: New Orleans
Location: Mile 91.0 A.H.P., right bank, Mississippi River, between foot of Richland Road and Nie Parkway, Algiers. Datum: MLG
Operator: Harbor Towing & Fleeting, Inc.
Owner: Harbor Towing & Fleeting, Inc.
Address: 4500 Patterson Road. Phone: 504-949-4836
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring company-owned, floating equipment; mooring barges for fleeting.
Depth Alongside (feet): 22 - - | | Latitude (decimal): 29.939167
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -90.00778
Remarks: Wharf boat serves as office for fleeting operations. Fleeting area has capacity for 27 barges consisting of 9 tiers, each 3 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 91.4 PWD: 275
Name: **Elmwood Marine Services, Inc., Algiers Repair and Fleeting Wharf.**
Port: New Orleans
Location: Mile 91.4 A.H.P, right bank, Mississippi River, between foot of Richland Road and Collins Avenue extende Datum: MLG
Operator: Elmwood Marine Services, Inc., a division of Memco.
Owner: Elmwood Marine Services, Inc., a division of Memco.
Address: 3800 Patterson Road Phone: 504-394-6230
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring barges for repairs; mooring barges for fleeting.
Depth Alongside (feet): 20 | - | Latitude (decimal): 29.943611
Total Berthing Space (feet): 700 | - | Longitude (decimal): -90.01417

Waterway: **Mississippi River** Mile: 91.4 PWD: 275
Name: **Elmwood Marine Services, Inc., Algiers Repair and Fleeting Wharf.**
Port: New Orleans
Location: Mile 91.4 A.H.P, right bank, Mississippi River, between foot of Richland Road and Collins Avenue extende Datum: MLG
Operator: Elmwood Marine Services, Inc., a division of Memco.
Owner: Elmwood Marine Services, Inc., a division of Memco.
Address: 3800 Patterson Road Phone: 504-394-6230
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring barges for repairs; mooring barges for fleeting.
Depth Alongside (feet): 20 | - | Latitude (decimal): 29.943611
Total Berthing Space (feet): 700 | - | Longitude (decimal): -90.01417

Remarks: Facility performs service operations for small vessels and barges. Compressed air available at wharf. Fleeting area above wharf is anchored by six permanently moored barges, with capacity for 54 barges in 6 tiers, each 9 barges wide. Fleeting area below wharf has capacity for 36 barges consisting of 6 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Facility performs service operations for small vessels and barges. Compressed air available at wharf. Fleeting area above wharf is anchored by six permanently moored barges, with capacity for 54 barges in 6 tiers, each 9 barges wide. Fleeting area below wharf has capacity for 36 barges consisting of 6 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 91.4 PWD: 275
Name: **Elmwood Marine Services, Inc., Algiers Repair and Fleeting Wharf.**
Port: New Orleans
Location: Mile 91.4 A.H.P, right bank, Mississippi River, between foot of Richland Road and Collins Avenue extende Datum: MLG
Operator: Elmwood Marine Services, Inc., a division of Memco.
Owner: Elmwood Marine Services, Inc., a division of Memco.
Address: 3800 Patterson Road Phone: 504-394-6230
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring barges for repairs; mooring barges for fleeting.
Depth Alongside (feet): 20 | - | Latitude (decimal): 29.943611
Total Berthing Space (feet): 700 | - | Longitude (decimal): -90.01417

Waterway: **Mississippi River** Mile: 91.4 PWD: 275
Name: **Elmwood Marine Services, Inc., Algiers Repair and Fleeting Wharf.**
Port: New Orleans
Location: Mile 91.4 A.H.P, right bank, Mississippi River, between foot of Richland Road and Collins Avenue extende Datum: MLG
Operator: Elmwood Marine Services, Inc., a division of Memco.
Owner: Elmwood Marine Services, Inc., a division of Memco.
Address: 3800 Patterson Road Phone: 504-394-6230
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring barges for repairs; mooring barges for fleeting.
Depth Alongside (feet): 20 | - | Latitude (decimal): 29.943611
Total Berthing Space (feet): 700 | - | Longitude (decimal): -90.01417

Remarks: Facility performs service operations for small vessels and barges. Compressed air available at wharf. Fleeting area above wharf is anchored by six permanently moored barges, with capacity for 54 barges in 6 tiers, each 9 barges wide. Fleeting area below wharf has capacity for 36 barges consisting of 6 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Facility performs service operations for small vessels and barges. Compressed air available at wharf. Fleeting area above wharf is anchored by six permanently moored barges, with capacity for 54 barges in 6 tiers, each 9 barges wide. Fleeting area below wharf has capacity for 36 barges consisting of 6 tiers, each 6 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 91.8 PWD: 274
Name: **Elmwood Marine Services, Inc., Lower Navy Wharf Dock.**
Port: New Orleans
Location: Mile 91.8 A.H.P, right bank, Mississippi River, between foot of Flanders Street and Richland Road extend Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3700 Patterson Road Phone: 504-528-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | 20 | - Latitude (decimal): 29.944722
Total Berthing Space (feet): 1,500 | - | - Longitude (decimal): -90.0175

Waterway: **Mississippi River** Mile: 91.8 PWD: 274
Name: **Elmwood Marine Services, Inc., Lower Navy Wharf Dock.**
Port: New Orleans
Location: Mile 91.8 A.H.P, right bank, Mississippi River, between foot of Flanders Street and Richland Road extend Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3700 Patterson Road Phone: 504-528-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | 20 | - Latitude (decimal): 29.944722
Total Berthing Space (feet): 1,500 | - | - Longitude (decimal): -90.0175
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 91.8 PWD: 274
Name: **Elmwood Marine Services, Inc., Lower Navy Wharf Dock.**
Port: New Orleans
Location: Mile 91.8 A.H.P, right bank, Mississippi River, between foot of Flanders Street and Richland Road extend Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3700 Patterson Road Phone: 504-528-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | 20 | - Latitude (decimal): 29.944722
Total Berthing Space (feet): 1,500 | - | - Longitude (decimal): -90.0175

Waterway: **Mississippi River** Mile: 91.8 PWD: 274
Name: **Elmwood Marine Services, Inc., Lower Navy Wharf Dock.**
Port: New Orleans
Location: Mile 91.8 A.H.P, right bank, Mississippi River, between foot of Flanders Street and Richland Road extend Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3700 Patterson Road Phone: 504-528-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | 20 | - Latitude (decimal): 29.944722
Total Berthing Space (feet): 1,500 | - | - Longitude (decimal): -90.0175
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 92.2 PWD: 273
Name: **Litton/Avondale Industries, Inc., Algiers Facility, Hines Lane Wha**
Port: New Orleans
Location: Mile 92.2 A.H.P., right bank, Mississippi River, approximately 0.1 mile below entrance to Inner Harbor N Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3101 Patterson Road Phone: 504-436-5165
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Not operated.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 29.947778
Total Berthing Space (feet): 1,930 | 42 | Longitude (decimal): -90.02278

Waterway: **Mississippi River** Mile: 92.2 PWD: 273
Name: **Litton/Avondale Industries, Inc., Algiers Facility, Hines Lane Wha**
Port: New Orleans
Location: Mile 92.2 A.H.P., right bank, Mississippi River, approximately 0.1 mile below entrance to Inner Harbor N Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3101 Patterson Road Phone: 504-436-5165
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Not operated.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 29.947778
Total Berthing Space (feet): 1,930 | 42 | Longitude (decimal): -90.02278

Remarks: Wharf is contiguous with Ref. No. 272 and is equipped with lines for supplying natural gas, oxygen, and compressed air; has electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Wharf is contiguous with Ref. No. 272 and is equipped with lines for supplying natural gas, oxygen, and compressed air; has electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 92.2 PWD: 273
Name: **Litton/Avondale Industries, Inc., Algiers Facility, Hines Lane Wha**
Port: New Orleans
Location: Mile 92.2 A.H.P., right bank, Mississippi River, approximately 0.1 mile below entrance to Inner Harbor N Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3101 Patterson Road Phone: 504-436-5165
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Not operated.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 29.947778
Total Berthing Space (feet): 1,930 | 42 | Longitude (decimal): -90.02278

Waterway: **Mississippi River** Mile: 92.2 PWD: 273
Name: **Litton/Avondale Industries, Inc., Algiers Facility, Hines Lane Wha**
Port: New Orleans
Location: Mile 92.2 A.H.P., right bank, Mississippi River, approximately 0.1 mile below entrance to Inner Harbor N Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3101 Patterson Road Phone: 504-436-5165
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Not operated.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 29.947778
Total Berthing Space (feet): 1,930 | 42 | Longitude (decimal): -90.02278

Remarks: Wharf is contiguous with Ref. No. 272 and is equipped with lines for supplying natural gas, oxygen, and compressed air; has electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Wharf is contiguous with Ref. No. 272 and is equipped with lines for supplying natural gas, oxygen, and compressed air; has electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 92.3 PWD: 272
Name: **Litton/Avondale Industries, Inc., Algiers Facility, Merrill Avenue**
Port: New Orleans
Location: Mile 92.3 A.H.P., right bank, Mississippi River, above foot of Merrill Avenue extended, Algiers. Datum: -
Operator: Buck Kreihs.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3101 Patterson Road Phone: 504-436-5165
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 50 | | - - - Latitude (decimal): 29.95
Total Berthing Space (feet): 1,490 | - | - Longitude (decimal): -90.02778

Waterway: **Mississippi River** Mile: 92.3 PWD: 272
Name: **Litton/Avondale Industries, Inc., Algiers Facility, Merrill Avenue**
Port: New Orleans
Location: Mile 92.3 A.H.P., right bank, Mississippi River, above foot of Merrill Avenue extended, Algiers. Datum: -
Operator: Buck Kreihs.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3101 Patterson Road Phone: 504-436-5165
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 50 | | - - - Latitude (decimal): 29.95
Total Berthing Space (feet): 1,490 | - | - Longitude (decimal): -90.02778

Remarks: Wharf is equipped with lines for supplying natural gas, oxygen, and compressed air; and has electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Wharf is equipped with lines for supplying natural gas, oxygen, and compressed air; and has electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 92.3 PWD: 272
Name: **Litton/Avondale Industries, Inc., Algiers Facility, Merrill Avenue**
Port: New Orleans
Location: Mile 92.3 A.H.P., right bank, Mississippi River, above foot of Merrill Avenue extended, Algiers. Datum: -
Operator: Buck Kreihs.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3101 Patterson Road Phone: 504-436-5165
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 50 | | - - - Latitude (decimal): 29.95
Total Berthing Space (feet): 1,490 | - | - Longitude (decimal): -90.02778

Waterway: **Mississippi River** Mile: 92.3 PWD: 272
Name: **Litton/Avondale Industries, Inc., Algiers Facility, Merrill Avenue**
Port: New Orleans
Location: Mile 92.3 A.H.P., right bank, Mississippi River, above foot of Merrill Avenue extended, Algiers. Datum: -
Operator: Buck Kreihs.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 3101 Patterson Road Phone: 504-436-5165
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 50 | | - - - Latitude (decimal): 29.95
Total Berthing Space (feet): 1,490 | - | - Longitude (decimal): -90.02778

Remarks: Wharf is equipped with lines for supplying natural gas, oxygen, and compressed air; and has electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Wharf is equipped with lines for supplying natural gas, oxygen, and compressed air; and has electrical connections for welding equipment.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 93.0 PWD: 86

Name: **Poland Avenue Wharf Berths Nos. 4 and 5.**

Port: New Orleans

Location: Mile 93.0 A.H.P., left bank, Mississippi River, below foot of Mazant Street, New Orleans. Datum: MLG

Operator: Board of Commissioners of the Port of New Orleans.

Owner: United States Government.

Address: North Peters St. Phone: 504-524-3297

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron, total length 1,000 feet; two car door level tracks at rear of transit shed, total length 1,000 feet.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | | Latitude (decimal): 29.958889

Total Berthing Space (feet): 932 | | Longitude (decimal): -90.03556

Remarks: Port of New Orleans leases only Berth Nos. 4 and 5, along with portion of transit shed at rear, from the United States Government. Face of wharf is in line and contiguous with PWD Ref. No. 87, providing 1,513 feet of continuous berthing space. Trucks have access to interior of transit shed. Approximately 96,000 square feet of concrete-surfaced pen storage area located at upstream side of wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 93.2 PWD: 87

Name: **Pauline Street Wharf.**

Port: New Orleans

Location: Mile 93.2 A.H.P., left bank, Mississippi River, between foot of Bartholomew and Pauline Streets, New Orl Datum: MLG

Operator: Board of Commissioners of the Port of New Orleans.

Owner: Board of Commissioners of the Port of New Orleans.

Address: North Peters St. Phone: 504-524-3297

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: two platform-level tracks at rear of center section of transit shed, and one car-floor level track along rear of upper section of transit shed.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | | Latitude (decimal): 29.96

Total Berthing Space (feet): 581 | | Longitude (decimal): -90.03778

Remarks: Face of wharf is in line and contiguous with Ref. No. 86., providing 1,513 feet of continuous berth space. Transit shed was in disrepair and not in use at time of survey (2001).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 93.4 PWD: 271
Name: **Crescent Towing Co., Inc., Algiers Mooring.**
Port: New Orleans
Location: Mile 93.4 A.H.P., right bank of Mississippi River, at foot of Atlantic Avenue extended, Algiers. Datum: MLG
Operator: Crescent Towing Co., Inc.
Owner: Crescent Towing Co., Inc.
Address: 1240 Patterson Street Phone: 504-367-2556
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 30 - - | 26 | - - Latitude (decimal): 29.955556
Total Berthing Space (feet): 590 | | Longitude (decimal): -90.04167
Remarks: Office, chandlery, and supply storage bins located on lower wharf boat. Plimsoll Marine fleet dispatch office located on upper wharf boat. Company-owned harbor tugs and water barge based here.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 93.6 PWD: 88
Name: **Piety Street Wharf.**
Port: New Orleans
Location: Mile 93.6 A.H.P., left bank, Mississippi River, between foot of Piety and Louisa Streets, New Orleans. Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: North Peters St. Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: one depressed track along roadway at rear of transit shed.
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.960556
Total Berthing Space (feet): 523 | | Longitude (decimal): -90.04389
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 93.7 PWD: 89
Name: **Louisa Street Wharf.**
Port: New Orleans
Location: Mile 93.7 A.H.P., left bank, Mississippi River, between foot of Louisa and Clouet Streets, New Orleans. Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: North Peters St. Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: one depressed track along paved roadway at rear of transit shed.
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.960556
Total Berthing Space (feet): 521 | | Longitude (decimal): -90.045

Waterway: **Mississippi River** Mile: 93.7 PWD: 89
Name: **Louisa Street Wharf.**
Port: New Orleans
Location: Mile 93.7 A.H.P., left bank, Mississippi River, between foot of Louisa and Clouet Streets, New Orleans. Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: North Peters St. Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: one depressed track along paved roadway at rear of transit shed.
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.960556
Total Berthing Space (feet): 521 | | Longitude (decimal): -90.045

Remarks: At time of survey (2001), access to wharf was blocked by fence and transit shed was not is use.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: At time of survey (2001), access to wharf was blocked by fence and transit shed was not is use.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 93.7 PWD: 89
Name: **Louisa Street Wharf.**
Port: New Orleans
Location: Mile 93.7 A.H.P., left bank, Mississippi River, between foot of Louisa and Clouet Streets, New Orleans. Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: North Peters St. Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: one depressed track along paved roadway at rear of transit shed.
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.960556
Total Berthing Space (feet): 521 | | Longitude (decimal): -90.045

Waterway: **Mississippi River** Mile: 93.7 PWD: 89
Name: **Louisa Street Wharf.**
Port: New Orleans
Location: Mile 93.7 A.H.P., left bank, Mississippi River, between foot of Louisa and Clouet Streets, New Orleans. Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: North Peters St. Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: one depressed track along paved roadway at rear of transit shed.
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.960556
Total Berthing Space (feet): 521 | | Longitude (decimal): -90.045

Remarks: At time of survey (2001), access to wharf was blocked by fence and transit shed was not is use.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: At time of survey (2001), access to wharf was blocked by fence and transit shed was not is use.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 93.8 PWD: 270

Name: **LASH Marine Services, Inc., LASH Repair Wharf and Plimsoll Marine,**

Port: New Orleans

Location: Mile 93.8 A.H.P., right bank of Mississippi River, at foot of Elmira Avenue extended, Algiers. Datum: MLG

Operator: LASH Marine Services, Inc. and Plimsoll Marine, Inc.

Owner: Board of Commissioners of the Port of New Orleans and CTS Corp.

Address: 900 Patterson Road Phone: 504-362-2080

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: None.

Purpose: Mooring and repair of company-owned LASH barges; fleeting LASH barges.

Depth Alongside (feet): 8 | | Latitude (decimal): 29.955833

Total Berthing Space (feet): 340 | - | - Longitude (decimal): -90.04694

Remarks: LASH Marine, Inc.: Mooring space at repair wharf divided into 8 wet docks; LASH barges awaiting repair moor end-to. Two company-owned floating derricks with 20-ton electric/ hydraulic pedestal cranes with telescoping booms, based at wharf. Compressed air, welding gas and acetylene available at wet docks.□□Plimsoll Marine Inc.: Fleeting area above repair wharf has capacity for 288LASH barges consisting of 32 tiers, each 9 barges wide. Fleeting area below wharf has capacity for 192 LASH barges consisting of 24 tiers, each 8 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 93.8 PWD: 90
Name: **Louisa Street Open Wharf.**
Port: New Orleans
Location: Mile 93.8 A.H.P., left bank, Mississippi River, between foot of Clouet and Montegut Streets, New Orleans Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: North Peters St. Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: one depressed track along rear of wharf.
Purpose: Not used.
Depth Alongside (feet): 34 | | Latitude (decimal): 29.961389
Total Berthing Space (feet): 540 | | Longitude (decimal): -90.04722

Waterway: **Mississippi River** Mile: 93.8 PWD: 90
Name: **Louisa Street Open Wharf.**
Port: New Orleans
Location: Mile 93.8 A.H.P., left bank, Mississippi River, between foot of Clouet and Montegut Streets, New Orleans Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: North Peters St. Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: one depressed track along rear of wharf.
Purpose: Not used.
Depth Alongside (feet): 34 | | Latitude (decimal): 29.961389
Total Berthing Space (feet): 540 | | Longitude (decimal): -90.04722

Remarks: At time of survey (2001), access to wharf and open storage area was blocked by fence.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: At time of survey (2001), access to wharf and open storage area was blocked by fence.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 93.8 PWD: 90
Name: **Louisa Street Open Wharf.**
Port: New Orleans
Location: Mile 93.8 A.H.P., left bank, Mississippi River, between foot of Clouet and Montegut Streets, New Orleans Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: North Peters St. Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: one depressed track along rear of wharf.
Purpose: Not used.
Depth Alongside (feet): 34 | | Latitude (decimal): 29.961389
Total Berthing Space (feet): 540 | | Longitude (decimal): -90.04722

Waterway: **Mississippi River** Mile: 93.8 PWD: 90
Name: **Louisa Street Open Wharf.**
Port: New Orleans
Location: Mile 93.8 A.H.P., left bank, Mississippi River, between foot of Clouet and Montegut Streets, New Orleans Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: North Peters St. Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: one depressed track along rear of wharf.
Purpose: Not used.
Depth Alongside (feet): 34 | | Latitude (decimal): 29.961389
Total Berthing Space (feet): 540 | | Longitude (decimal): -90.04722
Remarks: At time of survey (2001), access to wharf and open storage area was blocked by fence.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: At time of survey (2001), access to wharf and open storage area was blocked by fence.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 93.9 PWD: 91
Name: **Press Street Wharf.**
Port: New Orleans
Location: Mile 93.9 A.H.P., left bank, Mississippi River, between foot of Montegut and Port Streets, New Orleans. Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: North Peters St. Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: one platform-level track along paved roadway at rear of transit shed.
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.961389
Total Berthing Space (feet): 957 | | Longitude (decimal): -90.05
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 94.1 PWD: 92
Name: **Mandeville Street Wharf.**
Port: New Orleans
Location: Mile 94.1 A.H.P., left bank, Mississippi River, between foot of Port and Marigny Streets, New Orleans. Datum: MLG
Operator: Board of Commissioners of the Port of New Orleans.
Owner: Board of Commissioners of the Port of New Orleans.
Address: North Peters St. Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: one platform-level track along paved roadway at rear of transit shed.
Purpose: Occasional mooring of LASH barges.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.961111
Total Berthing Space (feet): 1,121 | | Longitude (decimal): -90.05278
Remarks: At time of survey (2001), access to wharf was blocked by fence and transit shed was not is use.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 94.2 PWD: 93
Name: **Esplanade Avenue Wharf.**
Port: New Orleans
Location: Mile 94.2 A.H.P., left bank, Mississippi River, between foot of Mandeville Street and Esplanade Avenue, Datum: MLG
Operator: Board of Commissioners of the Port of New Orleans.
Owner: Board of Commissioners of the Port of New Orleans.
Address: North Peters St. Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two platform-level tracks along paved roadway at rear of transit shed.
Purpose: Shed is used for warehousing.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.960556
Total Berthing Space (feet): 584 | | Longitude (decimal): -90.05556
Remarks: Paved roadway along rear of transit shed is a continuation of roadway along rear of transit sheds on adjacent wharves (PWD Ref. Nos. 92 and 94).

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 94.4 PWD: 94
Name: **Governor Nicholls Street Wharf.**
Port: New Orleans
Location: Mile 94.4 A.H.P., left bank, Mississippi River, between foot of Esplanade Avenue and St. Philip Street, Datum: MLG
Operator: Board of Commissioners of the Port of New Orleans.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Ursalines Ave., extended Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two platform-level tracks along paved roadway at rear of transit shed, total length of tracks 1,950 feet.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.959167
Total Berthing Space (feet): 1,210 | | Longitude (decimal): -90.05778
Remarks: Paved roadway along rear of transit shed is a continuation of roadway along rear of transit shed on adjacent wharf (Ref. No. 93). At time of survey (2001), lower portion of wharf was occupied by moored LASH barges. Approximately 37,700 square feet of open, paved storage area is available at upper end of wharf. Trucks have access to wharf apron, interior of transit shed, and one 20- and one 10-truck capacity truckloading platforms.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 94.6 PWD: 95
Name: **Toulouse Street Wharf.**
Port: New Orleans
Location: Mile 94.6 A.H.P., left bank, Mississippi River, between foot of St. Peter and St. Louis Streets, extende Datum: MLG
Operator: New Orleans Steamboat Co.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Toulouse St., extended Phone: 504 586-8777
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Boarding and discharging passengers for excursion vessels 'Natchez' (See Remarks).
Depth Alongside (feet): 25 | | Latitude (decimal): 29.954722
Total Berthing Space (feet): 280 | | Longitude (decimal): -90.06222
Remarks: Sheltered passenger area and ticket office are located at rear.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 94.7 PWD: 96
Name: **Bienville St. (Aquarium Landing) Wharf.**
Port: New Orleans
Location: Mile 94.7 A.H.P, left bank, Mississippi River, at foot of Iberville Street extended, New Orleans. Datum: MLG
Operator: New Orleans Steamboat Co.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Iberville St. extended. Phone: 504 586-8777
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Boarding and discharge of passengers for excursion vessels 'John James Audubon' and 'Cajun Queen'; mooring 'John James Audubon'.
Depth Alongside (feet): 30 - 35 | | Latitude (decimal): 29.950833
Total Berthing Space (feet): 580 | | Longitude (decimal): -90.06278
Remarks: Excursion vessels operate from upper portion of wharf. New Orleans Aquarium of the Americas located at rear of riverfront promenade.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 94.7 PWD: 97
Name: **Canal Street Ferry Landing.**
Port: New Orleans
Location: Mile 94.7 A.H.P., left bank, Mississippi River, at foot of Canal Street, New Orleans. Datum: MLG
Operator: Crescent City Connection.
Owner: Crescent City Connection.
Address: Foot of Canal Street. Phone: 504-376-8114
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to Algiers.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.949722
Total Berthing Space (feet): 140 | | Longitude (decimal): -90.06222
Remarks: Ferries operate to landing on opposite side of river (PWD Ref. No. 269) □□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 94.7 PWD: 269
Name: **Canal Street Ferry, Algiers Landing.**
Port: New Orleans
Location: Mile 94.7 A.H.P., right bank, Mississippi River, between foot of Delaronde and Morgan Streets extended, Datum: MLG
Operator: Crescent City Connection.
Owner: Crescent City Connection.
Address: Foot of Morgan St. Phone: 504-376-8161
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferry to foot of Canal Street.
Depth Alongside (feet): 30 - - | - - - | - - - Latitude (decimal): 29.952778
Total Berthing Space (feet): 186 | - | - Longitude (decimal): -90.05556
Remarks: Ferries operate to Canal Street landing on opposite bank of river (Ref. No. 97). Idle ferry boats are moored at 2 steel breasting dolphins located on lower side.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 94.8 PWD: 268
Name: **Bollinger Algiers LLC., Powder Street Wharf.**
Port: New Orleans
Location: Mile 94.8 A.H.P., right bank Mississippi River, below intersection of Powder Street and Pelican Avenue, Datum: MLG
Operator: Bollinger Algiers, LLC.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 434 Powder Street Phone: 504-362-7960
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring floating drydocks.
Depth Alongside (feet): 30 - 60 | 30 - 60 | 30 - 60 Latitude (decimal): 29.950833
Total Berthing Space (feet): 200 | 465 | Longitude (decimal): -90.05556
Remarks: Work barge (220 by 40 feet) and one 3,000-ton floating drydock (256 by 56 feet) are moored at face of wharf; and one 1,800-ton drydock is moored along outer side of work barge. Vessels are moored alongside this equipment and at rear of platform dolphin, (maximum 75-foot beam) while awaiting repair. Marine repair plant shops and offices are located on wharf and machine and propeller shops on opposite side of Powder Street in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 94.9 PWD: 98
Name: **Canal Street Excursion Vessel Wharf.**
Port: New Orleans
Location: Mile 94.9 A.H.P., left bank, Mississippi River, at foot of Canal Street, New Orleans. Datum: MLG
Operator: New Orleans Paddlewheels, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Canal Street. Phone: 504 587-1628
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring excursion vessel 'Cajun Queen'.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.948889
Total Berthing Space (feet): 365 | | Longitude (decimal): -90.06222
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 95.1 PWD: 267
Name: **Capital Marine Supply, Inc., Algiers Fleet Mooring.**
Port: New Orleans
Location: Mile 95.1 A.H.P., right bank, Mississippi River, between foot of Socrates Street and Pelican Avenue, Alg Datum: MLG
Operator: Capital Marine Supply, Inc., a division of Capital Marine Midland Enterprises.
Owner: Capital Marine Supply, Inc., a division of Capital Marine Midland Enterprises.
Address: Foot of Eliza Street Phone: 504-536-0235
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring barges for fleeting; repairing company-owned barges.
Depth Alongside (feet): 6 - 21 | - - - | Latitude (decimal): 29.949167
Total Berthing Space (feet): 710+ | +523- | Longitude (decimal): -90.05556
Remarks: Fleeting area has capacity for 112 barges consisting of 16 tiers each, 7 barges wide. Offices for fleeting operations located in rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 95.1 PWD: 99
Name: **International Rivercenter Excursion Vessel Landing.**
Port: New Orleans
Location: Mile 95.1 A.H.P., left bank, Mississippi River, between foot of Poydras and Lafayette Streets, New Orlea Datum: MLG
Operator: New Orleans Paddlewheels, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Poydras Street, extended Phone: 504 587-1628
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Boarding and discharge of passengers for excursion paddlewheeler 'Creole Queen'.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.946944
Total Berthing Space (feet): 840 | | Longitude (decimal): -90.06167
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 95.3 PWD: 100
Name: **Julia Street Cruise Ship Terminal Wharf.**
Port: New Orleans
Location: Mile 95.3 A.H.P., left bank, Mississippi River, between foot of Notre Dame and Calliope Streets, New Orl Datum: MLG
Operator: Board of Commissioners of the Port of New Orleans.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Julia Street, extended Phone: 504-528-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Boarding and discharge of cruise ship passengers; mooring transient cruise ships.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.942222
Total Berthing Space (feet): 1,189 | | Longitude (decimal): -90.06111
Remarks: Wharf is in-line with PWD Ref. Nos. 101 and 102, providing over 3,000 feet of continuous berthing space. Passenger terminal (above) and storage sheds (below) in terminal building located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 95.6 PWD: 101
Name: **Erato Street Wharf.**
Port: New Orleans
Location: Mile 95.6 A.H.P., left bank, Mississippi River, approximately 750 feet below Crescent City Connection Br Datum: MLG
Operator: Board of Commissioners of the Port of New Orleans.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Erato St., extended Phone: 504-528-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Occasional mooring of cruise ships and other vessels.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.938611
Total Berthing Space (feet): 1,067 | | Longitude (decimal): -90.06083
Remarks: Face of wharf is contiguous with Ref. Nos. 100 and 102, providing over 3,000 feet of continuous berthing space.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 95.7 PWD: 102
Name: **Thalia Street Wharf.**
Port: New Orleans
Location: Mile 95.7 A.H.P., left bank, Mississippi River, below Crescent City Connection Bridges, New Orleans. Datum: MLG
Operator: Board of Commissioners of the Port of New Orleans.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Thalia St. extended Phone: 504-528-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Occasional mooring of transient vessels.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.936944
Total Berthing Space (feet): 860 | | Longitude (decimal): -90.06083
Remarks: Face of wharf is contiguous with Ref. Nos. 101 and 102. Administrative offices of the Port of New Orleans are in building located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 95.8 PWD: 266
Name: **Perry Street Wharf.**
Port: New Orleans
Location: Mile 95.8 A.H.P., right bank, Mississippi River, approximately 1,200 feet above Greater New Orleans Brid Datum: MLG
Operator: Boland Marine Services and Delta Queen Steamboat Co.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Weidman St. Phone: 504-581-5800
Town: Gretna State: LA County: Jefferson
Railway Connection: Two surface tracks on apron, total length 2,000 feet, join 2 platform -level tracks along 30-foot-wide paved roadway at rear of transit shed, not in use at time of survey (2001).
Purpose: Mooring company-owned vessels for repair and maintenance.
Depth Alongside (feet): 50 - - | - - | - - Latitude (decimal): 29.933889
Total Berthing Space (feet): 1,100 | - | Longitude (decimal): -90.05528
Remarks: Trucks have access to wharf apron, interior of transit shed, and to a 13-truck-capacity, recessed loading area at upper end of transit shed. At time of survey (2001), transit shed used for warehousing only; all freight moves by truck.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 95.9 PWD: 103

Name: **Robin Street Wharf.**

Port: New Orleans

Location: Mile 95.9 A.H.P., left bank, Mississippi River, approximately 1,000 feet above Crescent City Connection Datum: MLG

Operator: Delta Queen Steamboat Co.

Owner: Board of Commissioners of the Port of New Orleans.

Address: 1380 Port of New Orleans Place. Phone: 504 599-5524

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: part one and part two platform-level tracks along paved roadway at rear of shed, total length of tracks 1,340 feet.

Purpose: Passenger landing for 'Delta Queen', 'American Queen', and 'Mississippi Queen' excursion vessels.

Depth Alongside (feet): 35 | | Latitude (decimal): 29.934444

Total Berthing Space (feet): 1,216 | | Longitude (decimal): -90.06111

Remarks: Former transit shed is now used for offices and as a parking lot for steam boat passengers.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722

Waterway: **Mississippi River** Mile: 96.1 PWD: 265
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 6 and 7.**
Port: New Orleans
Location: Mile 96.1 A.H.P., right bank, Mississippi River, approximately 0.5 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to nearby wharves.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.928333
Total Berthing Space (feet): | | Longitude (decimal): -90.05722
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks:

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks:

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks:

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833
Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833
Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833
Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833
Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833
Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833

Waterway: **Mississippi River** Mile: 96.2 PWD: 264
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 4.**
Port: New Orleans
Location: Mile 96.2 A.H.P., right bank, Mississippi River, approximately 0.6 mile above Greater New Orleans Bridge Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 202 Anson Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; mooring company-owned floating equipment.
Depth Alongside (feet): 45 | | Latitude (decimal): 29.926944
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.05833
Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 8- and three 4-inch pipelines extend from wharf to tankage described under P.W. D. Ref. No. 262.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Waterway: **Mississippi River** Mile: 96.2 PWD: 104

Name: **Orange Street Wharf.**

Port: New Orleans

Location: Mile 96.2 A.H.P,left bank, Mississippi River,approximately 2,200 feet above Crescent City Connection Bri Datum: MLG

Operator: Not operated. (See Remarks.)

Owner: Board of Commissioners of the Port of New Orleans.

Address: Foot of Orange St., extended Phone: 504-524-3297

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: two platform-level tracks along roadway at rear of transit shed, total length 1,980 feet.

Purpose: Not used.

Depth Alongside (feet): 30 | | Latitude (decimal): 29.931389

Total Berthing Space (feet): 1,125 | | Longitude (decimal): -90.06194

Remarks: Paved roadway along rear of transit shed is a continuation of roadway along the rear of transit sheds on adjacent wharves (PWD Ref. Nos. 105 and 106). Face of wharf is contiguous with PWD Ref. Nos. 105 and 106. E.C. Collins operates warehouse at rear of wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.3 PWD: 105

Name: **Market Street Wharf.**

Port: New Orleans

Location: Mile 96.3 A.H.P., left bank, Mississippi River, between foot of Richard and St. James Streets, New Orlea Datum: MLG

Operator: Not operated. (See Remarks, Ref. No. 104.)

Owner: Board of Commissioners of the Port of New Orleans.

Address: Foot of Market St., extended Phone: 504-524-3297

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: one 960-foot, platform-level track along concrete roadway at rear of transit shed.

Purpose: Not used.

Depth Alongside (feet): 30 | | Latitude (decimal): 29.928889

Total Berthing Space (feet): 441 | | Longitude (decimal): -90.06306

Remarks: Paved roadway along rear of transit shed is a continuation of roadway along the rear of transit sheds on adjacent wharves (PWD Ref. Nos. 104 and 106). Face of wharf is contiguous with PWD Ref. Nos. 104 and 106.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972
Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972
Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972
Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972
Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972
Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972

Waterway: **Mississippi River** Mile: 96.45 PWD: 263
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 3.**
Port: New Orleans
Location: Mile 96.45 A.H.P., right bank, Mississippi River, approximately one mile above Greater New Orleans Bridg Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges; mooring company-owned floating equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.925
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.05972
Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 8- and three 6-inch pipelines extend from wharf to tankage described under Ref. No. 262. Two 3-inch steam lines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083
Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083
Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083
Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083
Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc.,□Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083
Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083

Waterway: **Mississippi River** Mile: 96.55 PWD: 262
Name: **John W. Stone Oil Distributor, Inc., Gretna Dock No. 1 and 2 Fuel**
Port: New Orleans
Location: Mile 96.55 A.H.P., right bank, Mississippi River, approximately 1.1 miles above Greater New Orleans Brid Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels; supplying packaged and bulk lubricating oil and bunkering barges.
Depth Alongside (feet): 10 - 20 | | Latitude (decimal): 29.923889
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.06083
Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 10-, two 8-, two 6-, and ten 2 1/2-inch pipelines extend from wharf to 33 steel storage tanks in rear, total capacity 260,000 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Waterway: **Mississippi River** Mile: 96.6 PWD: 106

Name: **Celeste Street Wharf.**

Port: New Orleans

Location: Mile 96.6 A.H.P., left bank, Mississippi River, between foot of St. James and St. Mary Streets, New Orle Datum: MLG

Operator: Not operated. (See Remarks, Ref. No. 104.)

Owner: Board of Commissioners of the Port of New Orleans.

Address: Foot of Celeste St., extended Phone: 504-524-3297

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: one 960-foot, platform-level track along concrete roadway at rear of transit shed.

Purpose: Not used.

Depth Alongside (feet): 35 | | Latitude (decimal): 29.926111

Total Berthing Space (feet): 720 | | Longitude (decimal): -90.06556

Remarks: At time of survey (2001), wharf was in disrepair. Paved roadway along rear of transit shed is a continuation of roadway along the rear of transit sheds on adjacent wharves, Ref. Nos. 104 and 105. Face of wharf is in line and contiguous with Ref. Nos. 104 and 105.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194
Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194
Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194
Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194
Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194
Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194

Waterway: **Mississippi River** Mile: 96.7 PWD: 261
Name: **John W. Stone Oil Distributor, LLC,□Gretna Dock No. 5 (SP Dock).**
Port: New Orleans
Location: Mile 96.7 A.H.P., right bank, Mississippi River, between foot of Fried and Richard Streets extended, Gre Datum: MLG
Operator: John W. Stone Oil Distributor, LLC. and CHR Hansen Ingredient Technology Co.
Owner: John W. Stone Oil Distributor, LLC.
Address: 87 First Street Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt of molassas by self-unloading vessels; shipment of molassas by barge; receipt of petroleum products by ship and barge.
Depth Alongside (feet): 28 - 29 | - | Latitude (decimal): 29.923056
Total Berthing Space (feet): 590 | - | Longitude (decimal): -90.06194
Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: John W. Stone: One 12-inch and one 8-inch petroleum product pipelines extend to storage tanks described at P.W.D. Ref. No. 262.□ CHR Hansen Ingrediant Technology Co: One 10-inch pipeline extends from wharf to 5 molasses storage tanks, total capacity 1,600,000 gallons. One 2-inch steam pipeline on wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks:

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks:

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Remarks:

Port Series: 20	Year of Last Survey: 2001	Corps of Engnrs Waterway Code: 20095	New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Remarks:

Port Series: 20 | Year of Last Survey: 2001 | Corps of Engnrs Waterway Code: 20095 | New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361

Waterway: **Mississippi River** Mile: 96.8 PWD: 260
Name: **John W. Stone Oil Distributor, LLC, Gretna Dock No. 8 Mooring Whar**
Port: New Orleans
Location: Mile 96.8 A.H.P., right bank, Mississippi River, at foot of Amelia Street extended, Gretna. Datum: MLG
Operator: John W. Stone Oil Distributor, LLC.
Owner: John W. Stone Oil Distributor, LLC.
Address: First and Amelia Street. Phone: 504-366-3401
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels in transit to and from nearby John W. Stone docks.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.920833
Total Berthing Space (feet): 180 | | Longitude (decimal): -90.06361
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Waterway: **Mississippi River** Mile: 97.1 PWD: 259

Name: **Jackson Avenue Ferry, Gretna Landing.**

Port: New Orleans

Location: Mile 97.1 A.H.P., right bank, Mississippi River, at foot of Huey P. Long Avenue, Gretna. Datum: MLG

Operator: Crescent City Connection.

Owner: Crescent City Connection.

Address: Foot of First St. Phone: 504-376-8161

Town: Gretna State: LA County: Jefferson

Railway Connection: None.

Purpose: Landing for passenger and vehicular ferry to Jackson Avenue.

Depth Alongside (feet): 25 | | Latitude (decimal): 29.918611

Total Berthing Space (feet): 175 | | Longitude (decimal): -90.06694

Remarks: Three steel breasting dolphins with walkway approach located approximately 250 feet upstream, used for mooring idle ferries. Ferries operate to Jackson Avenue Ferry landing on opposite bank of river (PWD Ref. No. 107)

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Waterway: **Mississippi River** Mile: 97.1 PWD: 107

Name: **Jackson Avenue-Gretna Ferry Landing.**

Port: New Orleans

Location: Mile 97.1 A.H.P., left bank, Mississippi River, foot of Jackson Avenue, New Orleans. Datum: MLG

Operator: Crescent City Connection.

Owner: Crescent City Connection.

Address: Foot of Jackson Ave. Phone: 504-376-8114

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: None.

Purpose: Landing for passenger and vehicular ferry to Huey P. Long Avenue, Gretna.

Depth Alongside (feet): 60 | | Latitude (decimal): 29.9225

Total Berthing Space (feet): 130 | | Longitude (decimal): -90.07083

Remarks: Jackson Avenue is 90 feet wide at railroad crossing in rear. Ferries operate to landing (PWD Ref. No. 259) on opposite bank of river.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 97.3 PWD: 108

Name: **First Street Wharf.**

Port: New Orleans

Location: Mile 97.3 A.H.P., left bank, Mississippi River, between foot of Jackson Avenue and First Street extended Datum: MLG

Operator: Empire Stevedoring (LA), Inc.

Owner: Board of Commissioners of the Port of New Orleans.

Address: Foot of First St., extended Phone: 504 896-9162

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: one 990-foot surface track on apron; and one 960-foot, platform-level track along concrete roadway at rear of transit shed.

Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | | Latitude (decimal): 29.921944

Total Berthing Space (feet): 1,275 | | Longitude (decimal): -90.07222

Remarks: Trucks have access to interior of transit shed, wharf apron, and to a recessed truck-loading area inside rear section of transit shed, capacity 15 trucks. Approximately 2.3 acres of open, paved storage area at lower end of wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 97.3 PWD: 258
Name: **International Matex Tank Terminals, Ltd., Gretna Lower Dock.**
Port: New Orleans
Location: Mile 97.3 A.H.P., right bank, Mississippi River, above foot of Manhattan Boulevard extended, Gretna. Datum: MLG
Operator: International Matex Tank Terminals, Ltd.
Owner: International Matex Tank Terminals, Ltd.
Address: 1125 4th Street. Phone: 504-436-4466
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; bunkering vessels; loading midstream fueling barges.
Depth Alongside (feet): 45 - 55 | - - - | 25 - 35 Latitude (decimal): 29.916667
Total Berthing Space (feet): 900 | - | 460 Longitude (decimal): -90.07111

Waterway: **Mississippi River** Mile: 97.3 PWD: 258
Name: **International Matex Tank Terminals, Ltd., Gretna Lower Dock.**
Port: New Orleans
Location: Mile 97.3 A.H.P., right bank, Mississippi River, above foot of Manhattan Boulevard extended, Gretna. Datum: MLG
Operator: International Matex Tank Terminals, Ltd.
Owner: International Matex Tank Terminals, Ltd.
Address: 1125 4th Street. Phone: 504-436-4466
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; bunkering vessels; loading midstream fueling barges.
Depth Alongside (feet): 45 - 55 | - - - | 25 - 35 Latitude (decimal): 29.916667
Total Berthing Space (feet): 900 | - | 460 Longitude (decimal): -90.07111

Remarks: Steel pipe camel with rubber tire fender system at face and timber fender system at rear of face. Two 16- and one 14-inch pipelines becoming one 12-inch pipeline, which with five 10-inch and one 6-inch pipelines extend from wharf to 46 steel storage tanks at terminal in rear, total capacity 1,900,000 barrels. One 4-inch steam and one 2-inch compressed air utility pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Steel pipe camel with rubber tire fender system at face and timber fender system at rear of face. Two 16- and one 14-inch pipelines becoming one 12-inch pipeline, which with five 10-inch and one 6-inch pipelines extend from wharf to 46 steel storage tanks at terminal in rear, total capacity 1,900,000 barrels. One 4-inch steam and one 2-inch compressed air utility pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 97.3 PWD: 258
Name: **International Matex Tank Terminals, Ltd., Gretna Lower Dock.**
Port: New Orleans
Location: Mile 97.3 A.H.P., right bank, Mississippi River, above foot of Manhattan Boulevard extended, Gretna. Datum: MLG
Operator: International Matex Tank Terminals, Ltd.
Owner: International Matex Tank Terminals, Ltd.
Address: 1125 4th Street. Phone: 504-436-4466
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; bunkering vessels; loading midstream fueling barges.
Depth Alongside (feet): 45 - 55 | - - - | 25 - 35 Latitude (decimal): 29.916667
Total Berthing Space (feet): 900 | - | 460 Longitude (decimal): -90.07111

Waterway: **Mississippi River** Mile: 97.3 PWD: 258
Name: **International Matex Tank Terminals, Ltd., Gretna Lower Dock.**
Port: New Orleans
Location: Mile 97.3 A.H.P., right bank, Mississippi River, above foot of Manhattan Boulevard extended, Gretna. Datum: MLG
Operator: International Matex Tank Terminals, Ltd.
Owner: International Matex Tank Terminals, Ltd.
Address: 1125 4th Street. Phone: 504-436-4466
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; bunkering vessels; loading midstream fueling barges.
Depth Alongside (feet): 45 - 55 | - - - | 25 - 35 Latitude (decimal): 29.916667
Total Berthing Space (feet): 900 | - | 460 Longitude (decimal): -90.07111

Remarks: Steel pipe camel with rubber tire fender system at face and timber fender system at rear of face. Two 16- and one 14-inch pipelines becoming one 12-inch pipeline, which with five 10-inch and one 6-inch pipelines extend from wharf to 46 steel storage tanks at terminal in rear, total capacity 1,900,000 barrels. One 4-inch steam and one 2-inch compressed air utility pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Steel pipe camel with rubber tire fender system at face and timber fender system at rear of face. Two 16- and one 14-inch pipelines becoming one 12-inch pipeline, which with five 10-inch and one 6-inch pipelines extend from wharf to 46 steel storage tanks at terminal in rear, total capacity 1,900,000 barrels. One 4-inch steam and one 2-inch compressed air utility pipelines serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 97.4 PWD: 257
Name: **International-Matex Tank Terminals, Ltd., Gretna Dock #6.**
Port: New Orleans
Location: Mile 97.4 A.H.P., right bank, Mississippi River, above foot of Manhattan Boulevard extended, Gretna. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 1125 4th Street. Phone: 504-436-4466
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; mooring barges.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.915833
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.07222

Waterway: **Mississippi River** Mile: 97.4 PWD: 257
Name: **International-Matex Tank Terminals, Ltd., Gretna Dock #6.**
Port: New Orleans
Location: Mile 97.4 A.H.P., right bank, Mississippi River, above foot of Manhattan Boulevard extended, Gretna. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 1125 4th Street. Phone: 504-436-4466
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; mooring barges.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.915833
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.07222

Remarks: Two 10-, one 8- and one 6-inch pipelines extend from wharf to storage tanks described under Ref. No. 282.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 10-, one 8- and one 6-inch pipelines extend from wharf to storage tanks described under Ref. No. 282.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 97.4 PWD: 257
Name: **International-Matex Tank Terminals, Ltd., Gretna Dock #6.**
Port: New Orleans
Location: Mile 97.4 A.H.P., right bank, Mississippi River, above foot of Manhattan Boulevard extended, Gretna. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 1125 4th Street. Phone: 504-436-4466
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; mooring barges.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.915833
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.07222

Waterway: **Mississippi River** Mile: 97.4 PWD: 257
Name: **International-Matex Tank Terminals, Ltd., Gretna Dock #6.**
Port: New Orleans
Location: Mile 97.4 A.H.P., right bank, Mississippi River, above foot of Manhattan Boulevard extended, Gretna. Datum: MLG
Operator: International-Matex Tank Terminals, Ltd.
Owner: International-Matex Tank Terminals, Ltd.
Address: 1125 4th Street. Phone: 504-436-4466
Town: Gretna State: LA County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; mooring barges.
Depth Alongside (feet): 30 | | Latitude (decimal): 29.915833
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.07222

Remarks: Two 10-, one 8- and one 6-inch pipelines extend from wharf to storage tanks described under Ref. No. 282.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 10-, one 8- and one 6-inch pipelines extend from wharf to storage tanks described under Ref. No. 282.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 97.5 PWD: 109
Name: **Harbor Police (Third Street) Wharf.**
Port: New Orleans
Location: Mile 97.5 A.H.P., left bank, Mississippi River, between foot of First and Third Streets extended, New Or Datum: MLG
Operator: State of Louisiana Harbor Police.
Owner: Board of Commissioners of the Port of New Orleans.
Address: 1 Third Street Wharf. Phone: 504 897-6844
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Mooring harbor police and fire vessels.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 29.920556
Total Berthing Space (feet): - | | Longitude (decimal): -90.07528
Remarks: Two-story, 10,000-square foot office building and a parking lot, used by Harbor Police, is located behind upper end of wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Waterway: **Mississippi River** Mile: 97.6 PWD: 110
Name: **Washington Avenue Wharf.**
Port: New Orleans
Location: Mile 97.6 A.H.P., left bank, Mississippi River, between foot of Third and Sixth Streets extended, New Or Datum: MLG
Operator: Not operated.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Washington Ave., extended Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.919444
Total Berthing Space (feet): 871 | | Longitude (decimal): -90.07778
Remarks: At time of survey (2001), transit shed on wharf had been destroyed by fire and deck of wharf had been severely damaged.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 97.8 PWD: 111
Name: **Seventh Street Wharf.**
Port: New Orleans
Location: Mile 97.8 A.H.P., left bank, Mississipi River, between foot of Washington Avenue and Ninth Street extend Datum: MLG
Operator: Coastal Cargo Company, Inc., a division of The Jackson Kearney Group.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Seventh St., extended Phone: 504 587-1211
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: one 672-foot surface track on apron; one platform-level track along 15-foot-wide platform along rear of transit shed, and open platform on lower side.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.918611
Total Berthing Space (feet): 1,196 | | Longitude (decimal): -90.08056
Remarks: Face of wharf is contiguous with Ref. No. 112. Approximately 3.5-acre open storage area on lower side of transit shed. Wharf is designed for future depth alongside of 40 feet.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 97.9 PWD: 256
Name: **Crompton Corp., Harvey Dock.**
Port: New Orleans
Location: Mile 97.9 A.H.P., right bank, Mississippi River, approximately 0.5 mile below entrance to Harvey Canal, Datum: MLG
Operator: Crompton Corp.
Owner: Estate of Margaret Whiteman.
Address: 1805 4th Street Phone: 504-374-9605
Town: Gretna State: LA County: Jefferson
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad.
Purpose: Receipt of neutral mineral oil by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.914444
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.07611
Remarks: Three 6-inch pipelines extend from wharf to 10 steel storage tanks located at oil-processing plant in rear, total capacity 114,300 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.1 PWD: 112

Name: **Harmony Street Wharf.**

Port: New Orleans

Location: Mile 98.1 A.H.P., left bank, Mississipi River, between foot of Eighth Street and Louisiana Avenue extend Datum: MLG

Operator: Coastal Cargo Company, Inc., a division of The Jackson Kearney Group.

Owner: Board of Commissioners of the Port of New Orleans.

Address: Foot of Harmony St., extended Phone: 504 587-1211

Town: New Orleans State: LA County: Orleans Parish

Railway Connection: New Orleans Public Belt Railroad: one 1,084-foot surface track on apron; and one platform-level track along 15-foot-wide platform along rear of transit sheds, and open platform on lower side.

Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | | Latitude (decimal): 29.917778

Total Berthing Space (feet): 1,231 | | Longitude (decimal): -90.08333

Remarks: Face of wharf is contiguous with Ref. No. 111. Trucks have access to transit shed, apron and open area on lower side. Approximately 2.6-acre open storage area on lower side of transit shed, and 1.3 surfaced open storage area at rear. Four platform truck-loading stations at rear of transit shed on upper side; and 8 at loading dock. Wharf is designed for future depth alongside of 40 feet.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.3 PWD: 113
Name: **Louisiana Avenue, Wharves G, F, and E.**
Port: New Orleans
Location: Mile 98.3 A.H.P., left bank, Mississippi River, between foot of Louisiana Avenue and Amelia Street exten Datum: MLG
Operator: Coastal Cargo Company, Inc., a division of The Jackson Kearney Group.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Louisiana St., extended Phone: 504 587-1211
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along rear of transit shed (one under cover).
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.916111
Total Berthing Space (feet): 1,590 | | Longitude (decimal): -90.08833

Waterway: **Mississippi River** Mile: 98.3 PWD: 113
Name: **Louisiana Avenue, Wharves G, F, and E.**
Port: New Orleans
Location: Mile 98.3 A.H.P., left bank, Mississippi River, between foot of Louisiana Avenue and Amelia Street exten Datum: MLG
Operator: Coastal Cargo Company, Inc., a division of The Jackson Kearney Group.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Louisiana St., extended Phone: 504 587-1211
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along rear of transit shed (one under cover).
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.916111
Total Berthing Space (feet): 1,590 | | Longitude (decimal): -90.08833

Remarks: Approximately 36-acre open storage area and container marshalling yard located above wharf and at rear of shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Approximately 36-acre open storage area and container marshalling yard located above wharf and at rear of shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.3 PWD: 113
Name: **Louisiana Avenue, Wharves G, F, and E.**
Port: New Orleans
Location: Mile 98.3 A.H.P., left bank, Mississippi River, between foot of Louisiana Avenue and Amelia Street exten Datum: MLG
Operator: Coastal Cargo Company, Inc., a division of The Jackson Kearney Group.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Louisiana St., extended Phone: 504 587-1211
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along rear of transit shed (one under cover).
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.916111
Total Berthing Space (feet): 1,590 | | Longitude (decimal): -90.08833

Waterway: **Mississippi River** Mile: 98.3 PWD: 113
Name: **Louisiana Avenue, Wharves G, F, and E.**
Port: New Orleans
Location: Mile 98.3 A.H.P., left bank, Mississippi River, between foot of Louisiana Avenue and Amelia Street exten Datum: MLG
Operator: Coastal Cargo Company, Inc., a division of The Jackson Kearney Group.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Louisiana St., extended Phone: 504 587-1211
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two platform-level tracks along rear of transit shed (one under cover).
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.916111
Total Berthing Space (feet): 1,590 | | Longitude (decimal): -90.08833

Remarks: Approximately 36-acre open storage area and container marshalling yard located above wharf and at rear of shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Approximately 36-acre open storage area and container marshalling yard located above wharf and at rear of shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.4 PWD: 184
Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 3.**
Port: New Orleans
Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111
Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Waterway: **Mississippi River** Mile: 98.4 PWD: 184
Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 3.**
Port: New Orleans
Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111
Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Waterway: **Mississippi River** Mile: 98.4 PWD: 184
Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 3.**
Port: New Orleans
Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111
Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.4 PWD: 184

Name: **Delta Terminal Services, Inc, Harvey Wharf No. 3.**

Port: New Orleans

Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111

Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.4 PWD: 184
Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 3.**
Port: New Orleans
Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111
Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Waterway: **Mississippi River** Mile: 98.4 PWD: 184
Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 3.**
Port: New Orleans
Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111
Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Waterway: **Mississippi River** Mile: 98.4 PWD: 184
Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 3.**
Port: New Orleans
Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111
Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.4 PWD: 184

Name: **Delta Terminal Services, Inc, Harvey Wharf No. 3.**

Port: New Orleans

Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111

Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.4 PWD: 184
Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 3.**
Port: New Orleans
Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111
Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Waterway: **Mississippi River** Mile: 98.4 PWD: 184
Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 3.**
Port: New Orleans
Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111
Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Waterway: **Mississippi River** Mile: 98.4 PWD: 184
Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 3.**
Port: New Orleans
Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111
Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.4 PWD: 184

Name: **Delta Terminal Services, Inc, Harvey Wharf No. 3.**

Port: New Orleans

Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111

Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.4 PWD: 184

Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 3.**

Port: New Orleans

Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111

Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Waterway: **Mississippi River** Mile: 98.4 PWD: 184

Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 3.**

Port: New Orleans

Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111

Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Waterway: **Mississippi River** Mile: 98.4 PWD: 184

Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 3.**

Port: New Orleans

Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111

Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.4 PWD: 184

Name: **Delta Terminal Services, Inc, Harvey Wharf No. 3.**

Port: New Orleans

Location: Mile 98.4 A.H.P., right bank, Mississippi River, approximately 800 feet above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 38 | 38 | 38 Latitude (decimal): 29.911111

Total Berthing Space (feet): 240 | 195 | 240 Longitude (decimal): -90.0875

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Two 12-, one 10-, and four 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 181 and 182. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam and one 2-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.5 PWD: 183
Name: **Delta Terminal Services, Inc, Harvey Wharf No. 2.**
Port: New Orleans
Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Waterway: **Mississippi River** Mile: 98.5 PWD: 183
Name: **Delta Terminal Services, Inc, Harvey Wharf No. 2.**
Port: New Orleans
Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Waterway: **Mississippi River** Mile: 98.5 PWD: 183
Name: **Delta Terminal Services, Inc, Harvey Wharf No. 2.**
Port: New Orleans
Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.5 PWD: 183

Name: **Delta Terminal Services, Inc, Harvey Wharf No. 2.**

Port: New Orleans

Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833

Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.5 PWD: 183
Name: **Delta Terminal Services, Inc, Harvey Wharf No. 2.**
Port: New Orleans
Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Waterway: **Mississippi River** Mile: 98.5 PWD: 183
Name: **Delta Terminal Services, Inc, Harvey Wharf No. 2.**
Port: New Orleans
Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Waterway: **Mississippi River** Mile: 98.5 PWD: 183
Name: **Delta Terminal Services, Inc, Harvey Wharf No. 2.**
Port: New Orleans
Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.5 PWD: 183

Name: **Delta Terminal Services, Inc, Harvey Wharf No. 2.**

Port: New Orleans

Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833

Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.5 PWD: 183
Name: **Delta Terminal Services, Inc, Harvey Wharf No. 2.**
Port: New Orleans
Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Waterway: **Mississippi River** Mile: 98.5 PWD: 183
Name: **Delta Terminal Services, Inc, Harvey Wharf No. 2.**
Port: New Orleans
Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Waterway: **Mississippi River** Mile: 98.5 PWD: 183
Name: **Delta Terminal Services, Inc, Harvey Wharf No. 2.**
Port: New Orleans
Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.5 PWD: 183

Name: **Delta Terminal Services, Inc, Harvey Wharf No. 2.**

Port: New Orleans

Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833

Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.5 PWD: 183
Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 2.**
Port: New Orleans
Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Waterway: **Mississippi River** Mile: 98.5 PWD: 183
Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 2.**
Port: New Orleans
Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Waterway: **Mississippi River** Mile: 98.5 PWD: 183
Name: **Delta Terminal Services, Inc,□Harvey Wharf No. 2.**
Port: New Orleans
Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.5 PWD: 183

Name: **Delta Terminal Services, Inc, Harvey Wharf No. 2.**

Port: New Orleans

Location: Mile 98.5 A.H.P., right bank, Mississippi River, approximately 0.4 mile above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 38 | | Latitude (decimal): 29.910833

Total Berthing Space (feet): 700 | | Longitude (decimal): -90.08889

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapped Wharf No. 1 (Ref. No. 182). One 16-, one 12-, three 10-, eighteen 8-, ten 6-, and three 4-inch pipelines extend from wharf to tankage described under Wharves No. 1 and 4 (PWD Ref. No. 181 and 182). Facility is operated for public storage of bulk liquids. Wharf is served by 4-inch steam and compressed air lines and 2-inch nitrogen lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.6 PWD: 182
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**
Port: New Orleans
Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91
Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Waterway: **Mississippi River** Mile: 98.6 PWD: 182
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**
Port: New Orleans
Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91
Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Waterway: **Mississippi River** Mile: 98.6 PWD: 182
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**
Port: New Orleans
Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91
Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.6 PWD: 182

Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**

Port: New Orleans

Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91

Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.6 PWD: 182
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**
Port: New Orleans
Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91
Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Waterway: **Mississippi River** Mile: 98.6 PWD: 182
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**
Port: New Orleans
Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91
Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Waterway: **Mississippi River** Mile: 98.6 PWD: 182
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**
Port: New Orleans
Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91
Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.6 PWD: 182

Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**

Port: New Orleans

Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91

Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.6 PWD: 182
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**
Port: New Orleans
Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91
Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Waterway: **Mississippi River** Mile: 98.6 PWD: 182
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**
Port: New Orleans
Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91
Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Waterway: **Mississippi River** Mile: 98.6 PWD: 182
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**
Port: New Orleans
Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91
Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.6 PWD: 182

Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**

Port: New Orleans

Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91

Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.6 PWD: 182
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**
Port: New Orleans
Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91
Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Waterway: **Mississippi River** Mile: 98.6 PWD: 182
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**
Port: New Orleans
Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91
Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Waterway: **Mississippi River** Mile: 98.6 PWD: 182
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**
Port: New Orleans
Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91
Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.6 PWD: 182

Name: **Delta Terminal Services, Inc., Harvey Wharf No. 1.**

Port: New Orleans

Location: Mile 98.6 A.H.P., right bank, Mississippi River, approximately 0.5 mile above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 32 | 10 - 30 | 10 - 30 Latitude (decimal): 29.91

Total Berthing Space (feet): 700 | (See | Longitude (decimal): -90.09083

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: Up to 900 feet of berthing space can be provided by overlapping Wharf No. 2 (PWD Ref. No. 183). Seven 10-, three 8-, and three 6-inch pipelines extend from wharf to 94 steel storage tanks at terminal in rear, total capacity 1,500,000 barrels. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam- and one 6-inch compressed air lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.6 PWD: 114
Name: **Louisiana Avenue, Wharves D, C, B and A.**
Port: New Orleans
Location: Mile 98.6 A.H.P., left bank, Mississippi River, between foot of Amelia and Marengo Streets extended, New Datum: MLG
Operator: Coastal Cargo Company, Inc., a division of The Jackson Kearney Group.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Amelia St., extended Phone: 504 587-1211
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Pubic Belt Railroad: Two platform-level tracks along 11-foot wide, covered platform along rear of remains of transit shed, total length 3,750 feet.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.914444
Total Berthing Space (feet): 1,876 | | Longitude (decimal): -90.09306

Waterway: **Mississippi River** Mile: 98.6 PWD: 114
Name: **Louisiana Avenue, Wharves D, C, B and A.**
Port: New Orleans
Location: Mile 98.6 A.H.P., left bank, Mississippi River, between foot of Amelia and Marengo Streets extended, New Datum: MLG
Operator: Coastal Cargo Company, Inc., a division of The Jackson Kearney Group.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Amelia St., extended Phone: 504 587-1211
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Pubic Belt Railroad: Two platform-level tracks along 11-foot wide, covered platform along rear of remains of transit shed, total length 3,750 feet.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.914444
Total Berthing Space (feet): 1,876 | | Longitude (decimal): -90.09306

Remarks: Fleeting area has capacity for approximately 50 barges consisting of 5 tiers, each 10 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Fleeting area has capacity for approximately 50 barges consisting of 5 tiers, each 10 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.6 PWD: 114
Name: **Louisiana Avenue, Wharves D, C, B and A.**
Port: New Orleans
Location: Mile 98.6 A.H.P., left bank, Mississippi River, between foot of Amelia and Marengo Streets extended, New Datum: MLG
Operator: Coastal Cargo Company, Inc., a division of The Jackson Kearney Group.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Amelia St., extended Phone: 504 587-1211
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Pubic Belt Railroad: Two platform-level tracks along 11-foot wide, covered platform along rear of remains of transit shed, total length 3,750 feet.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.914444
Total Berthing Space (feet): 1,876 | | Longitude (decimal): -90.09306

Waterway: **Mississippi River** Mile: 98.6 PWD: 114
Name: **Louisiana Avenue, Wharves D, C, B and A.**
Port: New Orleans
Location: Mile 98.6 A.H.P., left bank, Mississippi River, between foot of Amelia and Marengo Streets extended, New Datum: MLG
Operator: Coastal Cargo Company, Inc., a division of The Jackson Kearney Group.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Amelia St., extended Phone: 504 587-1211
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Pubic Belt Railroad: Two platform-level tracks along 11-foot wide, covered platform along rear of remains of transit shed, total length 3,750 feet.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.914444
Total Berthing Space (feet): 1,876 | | Longitude (decimal): -90.09306

Remarks: Fleeting area has capacity for approximately 50 barges consisting of 5 tiers, each 10 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Fleeting area has capacity for approximately 50 barges consisting of 5 tiers, each 10 barges wide.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.9 PWD: 181
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**
Port: New Orleans
Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611
Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Waterway: **Mississippi River** Mile: 98.9 PWD: 181
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**
Port: New Orleans
Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611
Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Waterway: **Mississippi River** Mile: 98.9 PWD: 181
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**
Port: New Orleans
Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611
Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.9 PWD: 181

Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**

Port: New Orleans

Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611

Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.9 PWD: 181
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**
Port: New Orleans
Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611
Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Waterway: **Mississippi River** Mile: 98.9 PWD: 181
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**
Port: New Orleans
Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611
Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Waterway: **Mississippi River** Mile: 98.9 PWD: 181
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**
Port: New Orleans
Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611
Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.9 PWD: 181

Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**

Port: New Orleans

Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611

Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.9 PWD: 181
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**
Port: New Orleans
Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611
Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Waterway: **Mississippi River** Mile: 98.9 PWD: 181
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**
Port: New Orleans
Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611
Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Waterway: **Mississippi River** Mile: 98.9 PWD: 181
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**
Port: New Orleans
Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611
Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.9 PWD: 181

Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**

Port: New Orleans

Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611

Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.9 PWD: 181
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**
Port: New Orleans
Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611
Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Waterway: **Mississippi River** Mile: 98.9 PWD: 181
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**
Port: New Orleans
Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611
Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Waterway: **Mississippi River** Mile: 98.9 PWD: 181
Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**
Port: New Orleans
Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG
Operator: Delta Terminal Services, Inc.
Owner: Delta Terminal Services, Inc.
Address: 3540 River Road Phone: 504/371-3240
Town: Harvey State: LA County: Jefferson
Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.
Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.
Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611
Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 98.9 PWD: 181

Name: **Delta Terminal Services, Inc., Harvey Wharf No. 4.**

Port: New Orleans

Location: Mile 98.9 A.H.P., right bank, Mississippi River, approximately 0.8 mile above entrance to Harvey Canal, Datum: MLG

Operator: Delta Terminal Services, Inc.

Owner: Delta Terminal Services, Inc.

Address: 3540 River Road Phone: 504/371-3240

Town: Harvey State: LA County: Jefferson

Railway Connection: Fourteen surface tracks serve 300-car capacity tank car loading racks in rear; connect with Union Pacific Railroad and Norfolk Southern Railway Co.

Purpose: Receipt and shipment of petroleum products, chemicals and miscellaneous bulk liquids by vessel and barge.

Depth Alongside (feet): 60 | | Latitude (decimal): 29.908611

Total Berthing Space (feet): 326 | | Longitude (decimal): -90.09389

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Remarks: One 10-, one 8-, and one 4-inch pipelines extend from wharf to 175 steel storage tanks at terminal in rear, total capacity 2,764,400 barrels. At time of survey (2001), plans called for acquisition of additional land and construction of additional storage tanks. Facility is operated for public storage of bulk liquids. Wharf is served by one 6-inch steam, one 3-inch compressed air, one 3-inch nitrogen, and one 4-inch drainage lines.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.1 PWD: 115
Name: **Milan Street Wharf.**
Port: New Orleans
Location: Mile 99.1 A.H.P., left bank, Mississippi River, between foot of Marengo Street and Napoleon Avenue exten Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Milan St., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: One surface track on apron and two platform-level tracks along platform at rear of transit shed.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.913611
Total Berthing Space (feet): 1,271 | | Longitude (decimal): -90.09806
Remarks: Outer portion of wharf is in line and contiguous with Ref. No. 116 and 117, providing 2,147 feet of continuous berthing space.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Waterway: **Mississippi River** Mile: 99.3 PWD: 180
Name: **Marlex Terminals, Harvey Mooring Pier**
Port: New Orleans
Location: Mile 99.3 A.H.P., right bank, Mississippi River, approximately 1.4 miles above entrance to Harvey Canal, Datum: MLG
Operator: Diversified Group, Inc.
Owner: Diversified Group, Inc.
Address: 4500 River Road Phone: 504/733-2800
Town: New Orleans State: LA County: Jefferson
Railway Connection: None
Purpose: Mooring Sealift Command and other large commercial vessels.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.908333
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.09528
Remarks: At time of survey (2001), plans called for lengthening the upstream face of the wharf 100 feet to accommodate larger vessels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.4 PWD: 179

Name: **Fuel and Marine Marketing, LLC, Marrero Terminal Wharf.**

Port: New Orleans

Location: Mile 99.4 A.H.P., right bank, Mississippi River, approximately 1.3 miles above entrance to Harvey Canal, Datum: MLG

Operator: Fuel and Marine Marketing, LLC, a joint venture between Texaco, U.S.A. and Chevron Oi

Owner: Fuel and Marine Marketing, LLC, a joint venture between Texaco, U.S.A. and Chevron Oil Co.

Address: 5000 River Road. Phone: 504 825-0981

Town: Marrero State: LA County: Jefferson

Railway Connection: One surface track serving terminal in rear; connects with Union Pacific Railroad.

Purpose: Receipt and shipment of petroleum products by barge; loading midstream fueling barges and bunkering barges.

Depth Alongside (feet): 34 | | Latitude (decimal): 29.906389

Total Berthing Space (feet): 746 | | Longitude (decimal): -90.1025

Remarks: One 12-, two 10-,and six 6-inch pipelines extend from wharf to 19 steel storage tanks in rear, total capacity 642,200 barrels.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.4 PWD: 116
Name: **Napoleon Avenue Open Wharf.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, above foot of Napoleon Avenue extended, New Orleans. Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks parallel to face are continuation of tracks on apron of Ref. No. 117.
Purpose: Receipt and shipment of conventional and containerized general cargo and heavy lift items in foreign and domestic trade.
Depth Alongside (feet): 35 | - | Latitude (decimal): 29.9125
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.10083

Waterway: **Mississippi River** Mile: 99.4 PWD: 116
Name: **Napoleon Avenue Open Wharf.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, above foot of Napoleon Avenue extended, New Orleans. Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks parallel to face are continuation of tracks on apron of Ref. No. 117.
Purpose: Receipt and shipment of conventional and containerized general cargo and heavy lift items in foreign and domestic trade.
Depth Alongside (feet): 35 | - | Latitude (decimal): 29.9125
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.10083

Waterway: **Mississippi River** Mile: 99.4 PWD: 116
Name: **Napoleon Avenue Open Wharf.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, above foot of Napoleon Avenue extended, New Orleans. Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks parallel to face are continuation of tracks on apron of Ref. No. 117.
Purpose: Receipt and shipment of conventional and containerized general cargo and heavy lift items in foreign and domestic trade.
Depth Alongside (feet): 35 | - | Latitude (decimal): 29.9125
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.10083

Waterway: **Mississippi River** Mile: 99.4 PWD: 116
Name: **Napoleon Avenue Open Wharf.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, above foot of Napoleon Avenue extended, New Orleans. Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks parallel to face are continuation of tracks on apron of Ref. No. 117.
Purpose: Receipt and shipment of conventional and containerized general cargo and heavy lift items in foreign and domestic trade.
Depth Alongside (feet): 35 | - | Latitude (decimal): 29.9125
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.10083
Remarks: Face of wharf is in line and contiguous with portion of PWD Ref. No. 115 and with 117. Approximately 3.5 acres of open storage area are located at rear of wharf. Trucks have access to wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is in line and contiguous with portion of PWD Ref. No. 115 and with 117. Approximately 3.5 acres of open storage area are located at rear of wharf. Trucks have access to wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is in line and contiguous with portion of PWD Ref. No. 115 and with 117. Approximately 3.5 acres of open storage area are located at rear of wharf. Trucks have access to wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.4 PWD: 116
Name: **Napoleon Avenue Open Wharf.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, above foot of Napoleon Avenue extended, New Orleans. Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks parallel to face are continuation of tracks on apron of Ref. No. 117.
Purpose: Receipt and shipment of conventional and containerized general cargo and heavy lift items in foreign and domestic trade.
Depth Alongside (feet): 35 | - | Latitude (decimal): 29.9125
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.10083

Waterway: **Mississippi River** Mile: 99.4 PWD: 116
Name: **Napoleon Avenue Open Wharf.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, above foot of Napoleon Avenue extended, New Orleans. Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks parallel to face are continuation of tracks on apron of Ref. No. 117.
Purpose: Receipt and shipment of conventional and containerized general cargo and heavy lift items in foreign and domestic trade.
Depth Alongside (feet): 35 | - | Latitude (decimal): 29.9125
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.10083

Waterway: **Mississippi River** Mile: 99.4 PWD: 116
Name: **Napoleon Avenue Open Wharf.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, above foot of Napoleon Avenue extended, New Orleans. Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks parallel to face are continuation of tracks on apron of Ref. No. 117.
Purpose: Receipt and shipment of conventional and containerized general cargo and heavy lift items in foreign and domestic trade.
Depth Alongside (feet): 35 | - | Latitude (decimal): 29.9125
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.10083

Remarks: Face of wharf is in line and contiguous with portion of PWD Ref. No. 115 and with 117. Approximately 3.5 acres of open storage area are located at rear of wharf. Trucks have access to wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is in line and contiguous with portion of PWD Ref. No. 115 and with 117. Approximately 3.5 acres of open storage area are located at rear of wharf. Trucks have access to wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is in line and contiguous with portion of PWD Ref. No. 115 and with 117. Approximately 3.5 acres of open storage area are located at rear of wharf. Trucks have access to wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.4 PWD: 116
Name: **Napoleon Avenue Open Wharf.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, above foot of Napoleon Avenue extended, New Orleans. Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks parallel to face are continuation of tracks on apron of Ref. No. 117.
Purpose: Receipt and shipment of conventional and containerized general cargo and heavy lift items in foreign and domestic trade.
Depth Alongside (feet): 35 | - | Latitude (decimal): 29.9125
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.10083

Waterway: **Mississippi River** Mile: 99.4 PWD: 116
Name: **Napoleon Avenue Open Wharf.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, above foot of Napoleon Avenue extended, New Orleans. Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks parallel to face are continuation of tracks on apron of Ref. No. 117.
Purpose: Receipt and shipment of conventional and containerized general cargo and heavy lift items in foreign and domestic trade.
Depth Alongside (feet): 35 | - | Latitude (decimal): 29.9125
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.10083

Waterway: **Mississippi River** Mile: 99.4 PWD: 116
Name: **Napoleon Avenue Open Wharf.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, above foot of Napoleon Avenue extended, New Orleans. Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks parallel to face are continuation of tracks on apron of Ref. No. 117.
Purpose: Receipt and shipment of conventional and containerized general cargo and heavy lift items in foreign and domestic trade.
Depth Alongside (feet): 35 | - | Latitude (decimal): 29.9125
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.10083

Waterway: **Mississippi River** Mile: 99.4 PWD: 116
Name: **Napoleon Avenue Open Wharf.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, above foot of Napoleon Avenue extended, New Orleans. Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks parallel to face are continuation of tracks on apron of Ref. No. 117.
Purpose: Receipt and shipment of conventional and containerized general cargo and heavy lift items in foreign and domestic trade.
Depth Alongside (feet): 35 | - | Latitude (decimal): 29.9125
Total Berthing Space (feet): 375 | | Longitude (decimal): -90.10083
Remarks: Face of wharf is in line and contiguous with portion of PWD Ref. No. 115 and with 117. Approximately 3.5 acres of open storage area are located at rear of wharf. Trucks have access to wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is in line and contiguous with portion of PWD Ref. No. 115 and with 117. Approximately 3.5 acres of open storage area are located at rear of wharf. Trucks have access to wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is in line and contiguous with portion of PWD Ref. No. 115 and with 117. Approximately 3.5 acres of open storage area are located at rear of wharf. Trucks have access to wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.4 PWD: 117
Name: **Napoleon Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, approximately 500 feet above foot of Napoleon Avenue ext Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks on apron; two depressed tracks along roadway at rear of transit shed.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.10306

Waterway: **Mississippi River** Mile: 99.4 PWD: 117
Name: **Napoleon Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, approximately 500 feet above foot of Napoleon Avenue ext Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks on apron; two depressed tracks along roadway at rear of transit shed.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.10306

Waterway: **Mississippi River** Mile: 99.4 PWD: 117
Name: **Napoleon Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, approximately 500 feet above foot of Napoleon Avenue ext Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks on apron; two depressed tracks along roadway at rear of transit shed.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.10306

Remarks: Face of wharf is in line and contiguous with portion of Ref. No. 115 and with Ref. No. 116, providing 2,147 feet of continuous berthing space. Trucks have access to interior of transit shed and wharf apron Wharehouse building, vacuum fumigation plant, lumber drying kiln, open storage area and other facilities of Foreign-Trade Zone No. 2 are located in rear of transit shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is in line and contiguous with portion of Ref. No. 115 and with Ref. No. 116, providing 2,147 feet of continuous berthing space. Trucks have access to interior of transit shed and wharf apron Wharehouse building, vacuum fumigation plant, lumber drying kiln, open storage area and other facilities of Foreign-Trade Zone No. 2 are located in rear of transit shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is in line and contiguous with portion of Ref. No. 115 and with Ref. No. 116, providing 2,147 feet of continuous berthing space. Trucks have access to interior of transit shed and wharf apron Wharehouse building, vacuum fumigation plant, lumber drying kiln, open storage area and other facilities of Foreign-Trade Zone No. 2 are located in rear of transit shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.4 PWD: 117
Name: **Napoleon Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, approximately 500 feet above foot of Napoleon Avenue ext Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks on apron; two depressed tracks along roadway at rear of transit shed.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.10306

Waterway: **Mississippi River** Mile: 99.4 PWD: 117
Name: **Napoleon Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, approximately 500 feet above foot of Napoleon Avenue ext Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks on apron; two depressed tracks along roadway at rear of transit shed.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.10306

Waterway: **Mississippi River** Mile: 99.4 PWD: 117
Name: **Napoleon Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, approximately 500 feet above foot of Napoleon Avenue ext Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks on apron; two depressed tracks along roadway at rear of transit shed.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.10306

Remarks: Face of wharf is in line and contiguous with portion of Ref. No. 115 and with Ref. No. 116, providing 2,147 feet of continuous berthing space. Trucks have access to interior of transit shed and wharf apron Wharehouse building, vacuum fumigation plant, lumber drying kiln, open storage area and other facilities of Foreign-Trade Zone No. 2 are located in rear of transit shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is in line and contiguous with portion of Ref. No. 115 and with Ref. No. 116, providing 2,147 feet of continuous berthing space. Trucks have access to interior of transit shed and wharf apron Wharehouse building, vacuum fumigation plant, lumber drying kiln, open storage area and other facilities of Foreign-Trade Zone No. 2 are located in rear of transit shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is in line and contiguous with portion of Ref. No. 115 and with Ref. No. 116, providing 2,147 feet of continuous berthing space. Trucks have access to interior of transit shed and wharf apron Wharehouse building, vacuum fumigation plant, lumber drying kiln, open storage area and other facilities of Foreign-Trade Zone No. 2 are located in rear of transit shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.4 PWD: 117
Name: **Napoleon Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, approximately 500 feet above foot of Napoleon Avenue ext Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks on apron; two depressed tracks along roadway at rear of transit shed.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.10306

Waterway: **Mississippi River** Mile: 99.4 PWD: 117
Name: **Napoleon Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, approximately 500 feet above foot of Napoleon Avenue ext Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks on apron; two depressed tracks along roadway at rear of transit shed.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.10306

Waterway: **Mississippi River** Mile: 99.4 PWD: 117
Name: **Napoleon Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.4 A.H.P., left bank, Mississippi River, approximately 500 feet above foot of Napoleon Avenue ext Datum: MLG
Operator: Stevedoring Services of America.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Napoleon Ave., extended Phone: 504 269-2323
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: Two surface tracks on apron; two depressed tracks along roadway at rear of transit shed.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.912222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -90.10306

Remarks: Face of wharf is in line and contiguous with portion of Ref. No. 115 and with Ref. No. 116, providing 2,147 feet of continuous berthing space. Trucks have access to interior of transit shed and wharf apron Wharehouse building, vacuum fumigation plant, lumber drying kiln, open storage area and other facilities of Foreign-Trade Zone No. 2 are located in rear of transit shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is in line and contiguous with portion of Ref. No. 115 and with Ref. No. 116, providing 2,147 feet of continuous berthing space. Trucks have access to interior of transit shed and wharf apron Wharehouse building, vacuum fumigation plant, lumber drying kiln, open storage area and other facilities of Foreign-Trade Zone No. 2 are located in rear of transit shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is in line and contiguous with portion of Ref. No. 115 and with Ref. No. 116, providing 2,147 feet of continuous berthing space. Trucks have access to interior of transit shed and wharf apron Wharehouse building, vacuum fumigation plant, lumber drying kiln, open storage area and other facilities of Foreign-Trade Zone No. 2 are located in rear of transit shed.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.5 PWD: 118
Name: **Napoleon Avenue Container Terminal Wharf*.**
Port: New Orleans
Location: Mile 99.5 A.H.P., left bank, Mississippi River, approximately 0.2 miles above foot of Napoleon Avenue ex Datum: MLG
Operator: Not operated.*
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Cadiz St., extended Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad*
Purpose: Not used.*
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911944
Total Berthing Space (feet): 1,739 | | Longitude (decimal): -90.10583

Waterway: **Mississippi River** Mile: 99.5 PWD: 118
Name: **Napoleon Avenue Container Terminal Wharf*.**
Port: New Orleans
Location: Mile 99.5 A.H.P., left bank, Mississippi River, approximately 0.2 miles above foot of Napoleon Avenue ex Datum: MLG
Operator: Not operated.*
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Cadiz St., extended Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad*
Purpose: Not used.*
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911944
Total Berthing Space (feet): 1,739 | | Longitude (decimal): -90.10583

Waterway: **Mississippi River** Mile: 99.5 PWD: 118
Name: **Napoleon Avenue Container Terminal Wharf*.**
Port: New Orleans
Location: Mile 99.5 A.H.P., left bank, Mississippi River, approximately 0.2 miles above foot of Napoleon Avenue ex Datum: MLG
Operator: Not operated.*
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Cadiz St., extended Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad*
Purpose: Not used.*
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911944
Total Berthing Space (feet): 1,739 | | Longitude (decimal): -90.10583

Remarks: * At time of survey, new wharf was under construction. Plans call for completion of construction in the 1st half of 2002. When operational, the facility will be part of the Mississippi River Terminal Complex featuring 2.01 miles of continuous berthing for up to 15 vessels, 5 gantry cranes, 60 acres of container marshalling area, and a newly-designed intermodal transportation network.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: * At time of survey, new wharf was under construction. Plans call for completion of construction in the 1st half of 2002. When operational, the facility will be part of the Mississippi River Terminal Complex featuring 2.01 miles of continuous berthing for up to 15 vessels, 5 gantry cranes, 60 acres of container marshalling area, and a newly-designed intermodal transportation network.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: * At time of survey, new wharf was under construction. Plans call for completion of construction in the 1st half of 2002. When operational, the facility will be part of the Mississippi River Terminal Complex featuring 2.01 miles of continuous berthing for up to 15 vessels, 5 gantry cranes, 60 acres of container marshalling area, and a newly-designed intermodal transportation network.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.5 PWD: 118
Name: **Napoleon Avenue Container Terminal Wharf*.**
Port: New Orleans
Location: Mile 99.5 A.H.P., left bank, Mississippi River, approximately 0.2 miles above foot of Napoleon Avenue ex Datum: MLG
Operator: Not operated.*
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Cadiz St., extended Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad*
Purpose: Not used.*
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911944
Total Berthing Space (feet): 1,739 | | Longitude (decimal): -90.10583

Waterway: **Mississippi River** Mile: 99.5 PWD: 118
Name: **Napoleon Avenue Container Terminal Wharf*.**
Port: New Orleans
Location: Mile 99.5 A.H.P., left bank, Mississippi River, approximately 0.2 miles above foot of Napoleon Avenue ex Datum: MLG
Operator: Not operated.*
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Cadiz St., extended Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad*
Purpose: Not used.*
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911944
Total Berthing Space (feet): 1,739 | | Longitude (decimal): -90.10583

Waterway: **Mississippi River** Mile: 99.5 PWD: 118
Name: **Napoleon Avenue Container Terminal Wharf*.**
Port: New Orleans
Location: Mile 99.5 A.H.P., left bank, Mississippi River, approximately 0.2 miles above foot of Napoleon Avenue ex Datum: MLG
Operator: Not operated.*
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Cadiz St., extended Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad*
Purpose: Not used.*
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911944
Total Berthing Space (feet): 1,739 | | Longitude (decimal): -90.10583

Remarks: * At time of survey, new wharf was under construction. Plans call for completion of construction in the 1st half of 2002. When operational, the facility will be part of the Mississippi River Terminal Complex featuring 2.01 miles of continuous berthing for up to 15 vessels, 5 gantry cranes, 60 acres of container marshalling area, and a newly-designed intermodal transportation network.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: * At time of survey, new wharf was under construction. Plans call for completion of construction in the 1st half of 2002. When operational, the facility will be part of the Mississippi River Terminal Complex featuring 2.01 miles of continuous berthing for up to 15 vessels, 5 gantry cranes, 60 acres of container marshalling area, and a newly-designed intermodal transportation network.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: * At time of survey, new wharf was under construction. Plans call for completion of construction in the 1st half of 2002. When operational, the facility will be part of the Mississippi River Terminal Complex featuring 2.01 miles of continuous berthing for up to 15 vessels, 5 gantry cranes, 60 acres of container marshalling area, and a newly-designed intermodal transportation network.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.5 PWD: 118
Name: **Napoleon Avenue Container Terminal Wharf*.**
Port: New Orleans
Location: Mile 99.5 A.H.P., left bank, Mississippi River, approximately 0.2 miles above foot of Napoleon Avenue ex Datum: MLG
Operator: Not operated.*
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Cadiz St., extended Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad*
Purpose: Not used.*
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911944
Total Berthing Space (feet): 1,739 | | Longitude (decimal): -90.10583

Waterway: **Mississippi River** Mile: 99.5 PWD: 118
Name: **Napoleon Avenue Container Terminal Wharf*.**
Port: New Orleans
Location: Mile 99.5 A.H.P., left bank, Mississippi River, approximately 0.2 miles above foot of Napoleon Avenue ex Datum: MLG
Operator: Not operated.*
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Cadiz St., extended Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad*
Purpose: Not used.*
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911944
Total Berthing Space (feet): 1,739 | | Longitude (decimal): -90.10583

Waterway: **Mississippi River** Mile: 99.5 PWD: 118
Name: **Napoleon Avenue Container Terminal Wharf*.**
Port: New Orleans
Location: Mile 99.5 A.H.P., left bank, Mississippi River, approximately 0.2 miles above foot of Napoleon Avenue ex Datum: MLG
Operator: Not operated.*
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Cadiz St., extended Phone: 504-524-3297
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad*
Purpose: Not used.*
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911944
Total Berthing Space (feet): 1,739 | | Longitude (decimal): -90.10583

Remarks: * At time of survey, new wharf was under construction. Plans call for completion of construction in the 1st half of 2002. When operational, the facility will be part of the Mississippi River Terminal Complex featuring 2.01 miles of continuous berthing for up to 15 vessels, 5 gantry cranes, 60 acres of container marshalling area, and a newly-designed intermodal transportation network.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: * At time of survey, new wharf was under construction. Plans call for completion of construction in the 1st half of 2002. When operational, the facility will be part of the Mississippi River Terminal Complex featuring 2.01 miles of continuous berthing for up to 15 vessels, 5 gantry cranes, 60 acres of container marshalling area, and a newly-designed intermodal transportation network.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: * At time of survey, new wharf was under construction. Plans call for completion of construction in the 1st half of 2002. When operational, the facility will be part of the Mississippi River Terminal Complex featuring 2.01 miles of continuous berthing for up to 15 vessels, 5 gantry cranes, 60 acres of container marshalling area, and a newly-designed intermodal transportation network.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.5 PWD: 178
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 1.**
Port: New Orleans
Location: Mile 99.5 A.H.P., right bank, Mississippi River, approximately 1.4 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by vessel and barge; bunkering vessels; supplying bunkering barges.
Depth Alongside (feet): 48 | | Latitude (decimal): 29.905833
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.105

Waterway: **Mississippi River** Mile: 99.5 PWD: 178
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 1.**
Port: New Orleans
Location: Mile 99.5 A.H.P., right bank, Mississippi River, approximately 1.4 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by vessel and barge; bunkering vessels; supplying bunkering barges.
Depth Alongside (feet): 48 | | Latitude (decimal): 29.905833
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.105

Waterway: **Mississippi River** Mile: 99.5 PWD: 178
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 1.**
Port: New Orleans
Location: Mile 99.5 A.H.P., right bank, Mississippi River, approximately 1.4 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by vessel and barge; bunkering vessels; supplying bunkering barges.
Depth Alongside (feet): 48 | | Latitude (decimal): 29.905833
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.105

Waterway: **Mississippi River** Mile: 99.5 PWD: 178
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 1.**
Port: New Orleans
Location: Mile 99.5 A.H.P., right bank, Mississippi River, approximately 1.4 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by vessel and barge; bunkering vessels; supplying bunkering barges.
Depth Alongside (feet): 48 | | Latitude (decimal): 29.905833
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.105
Remarks: One 18- crude oil-,and one 14-, two 10-, sixteen 8-, and four 6-inch petroleum product pipelines extend from wharf to the appropriate tankage described under Dock No. 2 (Ref No. 177). One 3-inch water-, one 2-inch slop- and one 2-inch compressed air utility pipelines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 18- crude oil-,and one 14-, two 10-, sixteen 8-, and four 6-inch petroleum product pipelines extend from wharf to the appropriate tankage described under Dock No. 2 (Ref No. 177). One 3-inch water-, one 2-inch slop- and one 2-inch compressed air utility pipelines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 18- crude oil-,and one 14-, two 10-, sixteen 8-, and four 6-inch petroleum product pipelines extend from wharf to the appropriate tankage described under Dock No. 2 (Ref No. 177). One 3-inch water-, one 2-inch slop- and one 2-inch compressed air utility pipelines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.5 PWD: 178
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 1.**
Port: New Orleans
Location: Mile 99.5 A.H.P., right bank, Mississippi River, approximately 1.4 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by vessel and barge; bunkering vessels; supplying bunkering barges.
Depth Alongside (feet): 48 | | Latitude (decimal): 29.905833
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.105

Waterway: **Mississippi River** Mile: 99.5 PWD: 178
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 1.**
Port: New Orleans
Location: Mile 99.5 A.H.P., right bank, Mississippi River, approximately 1.4 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by vessel and barge; bunkering vessels; supplying bunkering barges.
Depth Alongside (feet): 48 | | Latitude (decimal): 29.905833
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.105

Waterway: **Mississippi River** Mile: 99.5 PWD: 178
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 1.**
Port: New Orleans
Location: Mile 99.5 A.H.P., right bank, Mississippi River, approximately 1.4 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by vessel and barge; bunkering vessels; supplying bunkering barges.
Depth Alongside (feet): 48 | | Latitude (decimal): 29.905833
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.105

Waterway: **Mississippi River** Mile: 99.5 PWD: 178
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 1.**
Port: New Orleans
Location: Mile 99.5 A.H.P., right bank, Mississippi River, approximately 1.4 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by vessel and barge; bunkering vessels; supplying bunkering barges.
Depth Alongside (feet): 48 | | Latitude (decimal): 29.905833
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.105
Remarks: One 18- crude oil-,and one 14-, two 10-, sixteen 8-, and four 6-inch petroleum product pipelines extend from wharf to the appropriate tankage described under Dock No. 2 (Ref No. 177). One 3-inch water-, one 2-inch slop- and one 2-inch compressed air utility pipelines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 18- crude oil-,and one 14-, two 10-, sixteen 8-, and four 6-inch petroleum product pipelines extend from wharf to the appropriate tankage described under Dock No. 2 (Ref No. 177). One 3-inch water-, one 2-inch slop- and one 2-inch compressed air utility pipelines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 18- crude oil-,and one 14-, two 10-, sixteen 8-, and four 6-inch petroleum product pipelines extend from wharf to the appropriate tankage described under Dock No. 2 (Ref No. 177). One 3-inch water-, one 2-inch slop- and one 2-inch compressed air utility pipelines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.5 PWD: 178
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 1.**
Port: New Orleans
Location: Mile 99.5 A.H.P., right bank, Mississippi River, approximately 1.4 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by vessel and barge; bunkering vessels; supplying bunkering barges.
Depth Alongside (feet): 48 | | Latitude (decimal): 29.905833
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.105

Waterway: **Mississippi River** Mile: 99.5 PWD: 178
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 1.**
Port: New Orleans
Location: Mile 99.5 A.H.P., right bank, Mississippi River, approximately 1.4 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by vessel and barge; bunkering vessels; supplying bunkering barges.
Depth Alongside (feet): 48 | | Latitude (decimal): 29.905833
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.105

Waterway: **Mississippi River** Mile: 99.5 PWD: 178
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 1.**
Port: New Orleans
Location: Mile 99.5 A.H.P., right bank, Mississippi River, approximately 1.4 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by vessel and barge; bunkering vessels; supplying bunkering barges.
Depth Alongside (feet): 48 | | Latitude (decimal): 29.905833
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.105
Remarks: One 18- crude oil-,and one 14-, two 10-, sixteen 8-, and four 6-inch petroleum product pipelines extend from wharf to the appropriate tankage described under Dock No. 2 (Ref No. 177). One 3-inch water-, one 2-inch slop- and one 2-inch compressed air utility pipelines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 18- crude oil-,and one 14-, two 10-, sixteen 8-, and four 6-inch petroleum product pipelines extend from wharf to the appropriate tankage described under Dock No. 2 (Ref No. 177). One 3-inch water-, one 2-inch slop- and one 2-inch compressed air utility pipelines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 18- crude oil-,and one 14-, two 10-, sixteen 8-, and four 6-inch petroleum product pipelines extend from wharf to the appropriate tankage described under Dock No. 2 (Ref No. 177). One 3-inch water-, one 2-inch slop- and one 2-inch compressed air utility pipelines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.6 PWD: 177
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 2.**
Port: New Orleans
Location: Mile 99.6 A.H.P., right bank, Mississippi River, approximately 1.5 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905278
Total Berthing Space (feet): 255 | | Longitude (decimal): -90.10694

Waterway: **Mississippi River** Mile: 99.6 PWD: 177
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 2.**
Port: New Orleans
Location: Mile 99.6 A.H.P., right bank, Mississippi River, approximately 1.5 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905278
Total Berthing Space (feet): 255 | | Longitude (decimal): -90.10694

Waterway: **Mississippi River** Mile: 99.6 PWD: 177
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 2.**
Port: New Orleans
Location: Mile 99.6 A.H.P., right bank, Mississippi River, approximately 1.5 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905278
Total Berthing Space (feet): 255 | | Longitude (decimal): -90.10694
Remarks: Two 18-inch pipelines extend from wharf to 3 steel crude oil storage tanks, total capacity 376,000 barrels; six 8-inch pipelines, (one steam-traced), extend to 75 petroleum product storage tanks, total capacity 2,116,000 barrels, located at terminal in rear. Storage tanks are also connected to Docks Nos. 1 and 3, (PWD Ref. Nos. 178 and 176). One 8-inch steam-, one 8-inch water-, and one 4-inch compressed air utility lines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Two 18-inch pipelines extend from wharf to 3 steel crude oil storage tanks, total capacity 376,000 barrels; six 8-inch pipelines, (one steam-traced), extend to 75 petroleum product storage tanks, total capacity 2,116,000 barrels, located at terminal in rear. Storage tanks are also connected to Docks Nos. 1 and 3, (PWD Ref. Nos. 178 and 176). One 8-inch steam-, one 8-inch water-, and one 4-inch compressed air utility lines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 18-inch pipelines extend from wharf to 3 steel crude oil storage tanks, total capacity 376,000 barrels; six 8-inch pipelines, (one steam-traced), extend to 75 petroleum product storage tanks, total capacity 2,116,000 barrels, located at terminal in rear. Storage tanks are also connected to Docks Nos. 1 and 3, (PWD Ref. Nos. 178 and 176). One 8-inch steam-, one 8-inch water-, and one 4-inch compressed air utility lines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.6 PWD: 177
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 2.**
Port: New Orleans
Location: Mile 99.6 A.H.P., right bank, Mississippi River, approximately 1.5 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905278
Total Berthing Space (feet): 255 | | Longitude (decimal): -90.10694

Waterway: **Mississippi River** Mile: 99.6 PWD: 177
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 2.**
Port: New Orleans
Location: Mile 99.6 A.H.P., right bank, Mississippi River, approximately 1.5 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905278
Total Berthing Space (feet): 255 | | Longitude (decimal): -90.10694

Waterway: **Mississippi River** Mile: 99.6 PWD: 177
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 2.**
Port: New Orleans
Location: Mile 99.6 A.H.P., right bank, Mississippi River, approximately 1.5 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905278
Total Berthing Space (feet): 255 | | Longitude (decimal): -90.10694
Remarks: Two 18-inch pipelines extend from wharf to 3 steel crude oil storage tanks, total capacity 376,000 barrels; six 8-inch pipelines, (one steam-traced), extend to 75 petroleum product storage tanks, total capacity 2,116,000 barrels, located at terminal in rear. Storage tanks are also connected to Docks Nos. 1 and 3, (PWD Ref. Nos. 178 and 176). One 8-inch steam-, one 8-inch water-, and one 4-inch compressed air utility lines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Two 18-inch pipelines extend from wharf to 3 steel crude oil storage tanks, total capacity 376,000 barrels; six 8-inch pipelines, (one steam-traced), extend to 75 petroleum product storage tanks, total capacity 2,116,000 barrels, located at terminal in rear. Storage tanks are also connected to Docks Nos. 1 and 3, (PWD Ref. Nos. 178 and 176). One 8-inch steam-, one 8-inch water-, and one 4-inch compressed air utility lines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 18-inch pipelines extend from wharf to 3 steel crude oil storage tanks, total capacity 376,000 barrels; six 8-inch pipelines, (one steam-traced), extend to 75 petroleum product storage tanks, total capacity 2,116,000 barrels, located at terminal in rear. Storage tanks are also connected to Docks Nos. 1 and 3, (PWD Ref. Nos. 178 and 176). One 8-inch steam-, one 8-inch water-, and one 4-inch compressed air utility lines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.6 PWD: 177
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 2.**
Port: New Orleans
Location: Mile 99.6 A.H.P., right bank, Mississippi River, approximately 1.5 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905278
Total Berthing Space (feet): 255 | | Longitude (decimal): -90.10694

Waterway: **Mississippi River** Mile: 99.6 PWD: 177
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 2.**
Port: New Orleans
Location: Mile 99.6 A.H.P., right bank, Mississippi River, approximately 1.5 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905278
Total Berthing Space (feet): 255 | | Longitude (decimal): -90.10694

Waterway: **Mississippi River** Mile: 99.6 PWD: 177
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 2.**
Port: New Orleans
Location: Mile 99.6 A.H.P., right bank, Mississippi River, approximately 1.5 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, LLC.
Owner: Williams Energy Partners, LLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905278
Total Berthing Space (feet): 255 | | Longitude (decimal): -90.10694
Remarks: Two 18-inch pipelines extend from wharf to 3 steel crude oil storage tanks, total capacity 376,000 barrels; six 8-inch pipelines, (one steam-traced), extend to 75 petroleum product storage tanks, total capacity 2,116,000 barrels, located at terminal in rear. Storage tanks are also connected to Docks Nos. 1 and 3, (PWD Ref. Nos. 178 and 176). One 8-inch steam-, one 8-inch water-, and one 4-inch compressed air utility lines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Two 18-inch pipelines extend from wharf to 3 steel crude oil storage tanks, total capacity 376,000 barrels; six 8-inch pipelines, (one steam-traced), extend to 75 petroleum product storage tanks, total capacity 2,116,000 barrels, located at terminal in rear. Storage tanks are also connected to Docks Nos. 1 and 3, (PWD Ref. Nos. 178 and 176). One 8-inch steam-, one 8-inch water-, and one 4-inch compressed air utility lines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Two 18-inch pipelines extend from wharf to 3 steel crude oil storage tanks, total capacity 376,000 barrels; six 8-inch pipelines, (one steam-traced), extend to 75 petroleum product storage tanks, total capacity 2,116,000 barrels, located at terminal in rear. Storage tanks are also connected to Docks Nos. 1 and 3, (PWD Ref. Nos. 178 and 176). One 8-inch steam-, one 8-inch water-, and one 4-inch compressed air utility lines also serve wharf.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.8 PWD: 119
Name: **Nashville Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.8 A.H.P., left bank, Mississippi River, approximately 0.5 mile above foot of Napoleon Avenue ext Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt of steel products.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,658 | | Longitude (decimal): -90.1125

Waterway: **Mississippi River** Mile: 99.8 PWD: 119
Name: **Nashville Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.8 A.H.P., left bank, Mississippi River, approximately 0.5 mile above foot of Napoleon Avenue ext Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt of steel products.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,658 | | Longitude (decimal): -90.1125

Waterway: **Mississippi River** Mile: 99.8 PWD: 119
Name: **Nashville Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.8 A.H.P., left bank, Mississippi River, approximately 0.5 mile above foot of Napoleon Avenue ext Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt of steel products.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,658 | | Longitude (decimal): -90.1125

Waterway: **Mississippi River** Mile: 99.8 PWD: 119
Name: **Nashville Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.8 A.H.P., left bank, Mississippi River, approximately 0.5 mile above foot of Napoleon Avenue ext Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt of steel products.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,658 | | Longitude (decimal): -90.1125
Remarks: Face of wharf is contiguous with PWD Ref. Nos. 120, 121 and 122, providing 7,044 feet of continuous berthing space. Approximately 61 acres of open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is contiguous with PWD Ref. Nos. 120, 121 and 122, providing 7,044 feet of continuous berthing space. Approximately 61 acres of open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is contiguous with PWD Ref. Nos. 120, 121 and 122, providing 7,044 feet of continuous berthing space. Approximately 61 acres of open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.8 PWD: 119
Name: **Nashville Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.8 A.H.P., left bank, Mississippi River, approximately 0.5 mile above foot of Napoleon Avenue ext Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt of steel products.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,658 | | Longitude (decimal): -90.1125

Waterway: **Mississippi River** Mile: 99.8 PWD: 119
Name: **Nashville Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.8 A.H.P., left bank, Mississippi River, approximately 0.5 mile above foot of Napoleon Avenue ext Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt of steel products.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,658 | | Longitude (decimal): -90.1125

Waterway: **Mississippi River** Mile: 99.8 PWD: 119
Name: **Nashville Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.8 A.H.P., left bank, Mississippi River, approximately 0.5 mile above foot of Napoleon Avenue ext Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt of steel products.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,658 | | Longitude (decimal): -90.1125

Waterway: **Mississippi River** Mile: 99.8 PWD: 119
Name: **Nashville Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.8 A.H.P., left bank, Mississippi River, approximately 0.5 mile above foot of Napoleon Avenue ext Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt of steel products.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,658 | | Longitude (decimal): -90.1125
Remarks: Face of wharf is contiguous with PWD Ref. Nos. 120, 121 and 122, providing 7,044 feet of continuous berthing space. Approximately 61 acres of open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is contiguous with PWD Ref. Nos. 120, 121 and 122, providing 7,044 feet of continuous berthing space. Approximately 61 acres of open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is contiguous with PWD Ref. Nos. 120, 121 and 122, providing 7,044 feet of continuous berthing space. Approximately 61 acres of open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.8 PWD: 119
Name: **Nashville Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.8 A.H.P., left bank, Mississippi River, approximately 0.5 mile above foot of Napoleon Avenue ext Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt of steel products.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,658 | | Longitude (decimal): -90.1125

Waterway: **Mississippi River** Mile: 99.8 PWD: 119
Name: **Nashville Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.8 A.H.P., left bank, Mississippi River, approximately 0.5 mile above foot of Napoleon Avenue ext Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt of steel products.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,658 | | Longitude (decimal): -90.1125

Waterway: **Mississippi River** Mile: 99.8 PWD: 119
Name: **Nashville Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.8 A.H.P., left bank, Mississippi River, approximately 0.5 mile above foot of Napoleon Avenue ext Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt of steel products.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,658 | | Longitude (decimal): -90.1125

Waterway: **Mississippi River** Mile: 99.8 PWD: 119
Name: **Nashville Avenue Wharf C.**
Port: New Orleans
Location: Mile 99.8 A.H.P., left bank, Mississippi River, approximately 0.5 mile above foot of Napoleon Avenue ext Datum: MLG
Operator: P&O Ports Louisiana, Inc.
Owner: Board of Commissioners of the Port of New Orleans.
Address: Foot of Nashville Ave., extended Phone: 504 894-6511
Town: New Orleans State: LA County: Orleans Parish
Railway Connection: New Orleans Public Belt Railroad: two surface tracks on apron and one recessed platform-level track along rear apron.
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade; receipt of steel products.
Depth Alongside (feet): 35 | | Latitude (decimal): 29.911667
Total Berthing Space (feet): 1,658 | | Longitude (decimal): -90.1125
Remarks: Face of wharf is contiguous with PWD Ref. Nos. 120, 121 and 122, providing 7,044 feet of continuous berthing space. Approximately 61 acres of open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is contiguous with PWD Ref. Nos. 120, 121 and 122, providing 7,044 feet of continuous berthing space. Approximately 61 acres of open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: Face of wharf is contiguous with PWD Ref. Nos. 120, 121 and 122, providing 7,044 feet of continuous berthing space. Approximately 61 acres of open storage area located at rear.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.8 PWD: 176
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 3.**
Port: New Orleans
Location: Mile 99.8 A.H.P., right bank, Mississippi River, approximately 1.7 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, MLC.
Owner: Williams Energy Partners, MLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products by barge; supplying bunkering barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905
Total Berthing Space (feet): 380 | | Longitude (decimal): -90.11

Waterway: **Mississippi River** Mile: 99.8 PWD: 176
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 3.**
Port: New Orleans
Location: Mile 99.8 A.H.P., right bank, Mississippi River, approximately 1.7 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, MLC.
Owner: Williams Energy Partners, MLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products by barge; supplying bunkering barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905
Total Berthing Space (feet): 380 | | Longitude (decimal): -90.11

Waterway: **Mississippi River** Mile: 99.8 PWD: 176
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 3.**
Port: New Orleans
Location: Mile 99.8 A.H.P., right bank, Mississippi River, approximately 1.7 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, MLC.
Owner: Williams Energy Partners, MLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products by barge; supplying bunkering barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905
Total Berthing Space (feet): 380 | | Longitude (decimal): -90.11

Waterway: **Mississippi River** Mile: 99.8 PWD: 176
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 3.**
Port: New Orleans
Location: Mile 99.8 A.H.P., right bank, Mississippi River, approximately 1.7 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, MLC.
Owner: Williams Energy Partners, MLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products by barge; supplying bunkering barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905
Total Berthing Space (feet): 380 | | Longitude (decimal): -90.11
Remarks: One 20- and six 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 177.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 20- and six 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 177.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 20- and six 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 177.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.8 PWD: 176
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 3.**
Port: New Orleans
Location: Mile 99.8 A.H.P., right bank, Mississippi River, approximately 1.7 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, MLC.
Owner: Williams Energy Partners, MLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products by barge; supplying bunkering barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905
Total Berthing Space (feet): 380 | | Longitude (decimal): -90.11

Waterway: **Mississippi River** Mile: 99.8 PWD: 176
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 3.**
Port: New Orleans
Location: Mile 99.8 A.H.P., right bank, Mississippi River, approximately 1.7 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, MLC.
Owner: Williams Energy Partners, MLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products by barge; supplying bunkering barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905
Total Berthing Space (feet): 380 | | Longitude (decimal): -90.11

Waterway: **Mississippi River** Mile: 99.8 PWD: 176
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 3.**
Port: New Orleans
Location: Mile 99.8 A.H.P., right bank, Mississippi River, approximately 1.7 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, MLC.
Owner: Williams Energy Partners, MLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products by barge; supplying bunkering barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905
Total Berthing Space (feet): 380 | | Longitude (decimal): -90.11
Remarks: One 20- and six 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 177.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 20- and six 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 177.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 20- and six 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 177.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 99.8 PWD: 176
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 3.**
Port: New Orleans
Location: Mile 99.8 A.H.P., right bank, Mississippi River, approximately 1.7 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, MLC.
Owner: Williams Energy Partners, MLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products by barge; supplying bunkering barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905
Total Berthing Space (feet): 380 | | Longitude (decimal): -90.11

Waterway: **Mississippi River** Mile: 99.8 PWD: 176
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 3.**
Port: New Orleans
Location: Mile 99.8 A.H.P., right bank, Mississippi River, approximately 1.7 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, MLC.
Owner: Williams Energy Partners, MLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products by barge; supplying bunkering barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905
Total Berthing Space (feet): 380 | | Longitude (decimal): -90.11

Waterway: **Mississippi River** Mile: 99.8 PWD: 176
Name: **Williams Energy Partners, MLC, Marrero Terminal Dock No. 3.**
Port: New Orleans
Location: Mile 99.8 A.H.P., right bank, Mississippi River, approximately 1.7 miles above entrance to Harvey Canal, Datum: MLG
Operator: Williams Energy Partners, MLC.
Owner: Williams Energy Partners, MLC.
Address: 200 Douglas Lane. Phone: 504 371-3901
Town: Marrero State: LA County: Jefferson
Railway Connection: Trackage with capacity for 27 cars in rear, connects with Union Pacific Railroad.
Purpose: Receipt and shipment of petroleum products by barge; supplying bunkering barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.905
Total Berthing Space (feet): 380 | | Longitude (decimal): -90.11
Remarks: One 20- and six 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 177.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Remarks: One 20- and six 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 177.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Port Facilities by Waterway

Remarks: One 20- and six 8-inch pipelines extend from wharf to storage tanks described under PWD Ref. No. 177.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20095 New Orleans District

Waterway: **Mississippi River.** Mile: 108.0 PWD: 136
Name: **Louisiana Dock Co., Inc., Mile 108 Fleet Mooring.**
Port: New Orleans
Location: Mile 107.6 - 108.2 A.H.P., left bank, Mississippi River, lower side of Twelve Mile Point, Harahan. Datum: MLG
Operator: Louisiana Dock Co., Inc.
Owner: Wood Children, LLC.
Address: Foot of Edwards Ave, extended Phone: 504 733-7870
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928611
Total Berthing Space (feet): 3,000 | | Longitude (decimal): -90.19528

Waterway: **Mississippi River.** Mile: 108.0 PWD: 136
Name: **Louisiana Dock Co., Inc., Mile 108 Fleet Mooring.**
Port: New Orleans
Location: Mile 107.6 - 108.2 A.H.P., left bank, Mississippi River, lower side of Twelve Mile Point, Harahan. Datum: MLG
Operator: Louisiana Dock Co., Inc.
Owner: Wood Children, LLC.
Address: Foot of Edwards Ave, extended Phone: 504 733-7870
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928611
Total Berthing Space (feet): 3,000 | | Longitude (decimal): -90.19528
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20107 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20107 New Orleans District

Port Facilities by Waterway

Waterway: **Mississippi River.** Mile: 108.0 PWD: 136
Name: **Louisiana Dock Co., Inc., Mile 108 Fleet Mooring.**
Port: New Orleans
Location: Mile 107.6 - 108.2 A.H.P., left bank, Mississippi River, lower side of Twelve Mile Point, Harahan. Datum: MLG
Operator: Louisiana Dock Co., Inc.
Owner: Wood Children, LLC.
Address: Foot of Edwards Ave, extended Phone: 504 733-7870
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928611
Total Berthing Space (feet): 3,000 | | Longitude (decimal): -90.19528

Waterway: **Mississippi River.** Mile: 108.0 PWD: 136
Name: **Louisiana Dock Co., Inc., Mile 108 Fleet Mooring.**
Port: New Orleans
Location: Mile 107.6 - 108.2 A.H.P., left bank, Mississippi River, lower side of Twelve Mile Point, Harahan. Datum: MLG
Operator: Louisiana Dock Co., Inc.
Owner: Wood Children, LLC.
Address: Foot of Edwards Ave, extended Phone: 504 733-7870
Town: Harahan State: LA County: Jefferson Par.
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.928611
Total Berthing Space (feet): 3,000 | | Longitude (decimal): -90.19528
Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20107 New Orleans District

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20107 New Orleans District

Port Facilities by Waterway

Waterway: **North Pass** Mile: PWD: 36

Name: **Port Manchac Terminal Wharves.**

Port: New Orleans

Location: Left bank, North Pass, approximately 1,700 feet below Interstate 55 Highway Bridge, Port Manchac, Tangip Datum: MLG

Operator: Ramsey, Scarlett and Co. Inc.

Owner: South Tangipahoa Parish Port Commission.

Address: Interstate Hwy 55. Phone: 504-386-9309

Town: Manchac State: LA County: Tangipahoa

Railway Connection: One ground-level track serves bulk commodity storage area and one platform-level track serves transit shed No. 2; marshalling area has capacity for 30 cars; connect with Canadian National Railway.

Purpose: Receipt and shipment of general cargo, including steel, plywood, lumber, agricultural products, fertilizers; offshore oil well drilling equipment and supplies.of aluminum (See Remarks.)

Depth Alongside (feet): 12 | 15 | 12 Latitude (decimal): 30.312222

Total Berthing Space (feet): 160 | 160 | 100 Longitude (decimal): -90.40417

Remarks: Wharf No. 2 (Petro Wharf) and Transit Shed No.1 not in use at time of survey (2001). Plans call for demolition of Transit Shed No. 1 and construction of new wharf and 20,000 square foot shed at site. Transit Shed No. 2, at rear of Wharves 3 and 4, is operated as a breakbulk and container freight station for warehousing and cargo; a platform level track extends along rear of shed, and a shipside loading platform will accommodate 25 container trucks.□Port Manchac has 40 acres of surfaced and unsurface open storage area located at rear. Facility has unlimited fleeting area on opposite side of North Passfor LASH and\or standard barges. The channel through North Pass to Lake Pontchartrain has a controlling depth of 12 feet, MLG.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20511 New Orleans District

---

Waterway: **Old River** Mile: 4.5 PWD: 1

Name: **Pointe Coupee Parish Port Dock.**

Port: Missouri/Arkansas R.

Location: South bank, Lower Old River, mile 4.6; approximately 3 miles west of Old River Lock. Datum: CRP

Operator: ADM/Growmark Inc. and Terral RiverService Inc.

Owner: Pointe Coupee Parish Port.

Address: 19255 Port Road Phone: 225/492-2192

Town: Lettsworth State: LA County: Pointe Coupee

Railway Connection: None.

Purpose: Receipt of aggregate, receipt and shipment of general cargo and miscellaneous dry bulk materials; receipt of liquid fertilizer; shipment of grain and cottonseed.

Depth Alongside (feet): 12 | | Latitude (decimal): 31.002778

Total Berthing Space (feet): 200 | | Longitude (decimal): -91.71444

Remarks: Open storage area in the rear has capacity for approximately 12,000 tons of aggregate. Grain elevator at rear, consisting of 4 concrete silos, with 3 interstices, has total capacity for 250,000 bushels. Ouachita Fertilizer Co., Inc.: One 8-inch pipeline extends from pier to three steel storage tanks at terminal in rear, total capacity 2,565,000 gallons.

Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20799 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Waterway: **Old River, Calcasieu River** Mile: PWD: 111
Name: **PPG 'A' Dock.**
Port: Lake Charles
Location: Old River Channel of Calcasieu River, opposite west side of Coon Island, 0.8 mile above junction with Ca Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of ethylene. Shipment of vinyl chloride and ethylene dichloride.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.28139

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 8-inch, refrigerated, vinyl chloride pipeline extends to wharf from two steel storage tanks at rear, total capacity 15,200 tons; one 8-inch ethylene dichloride pipeline extends to wharf from three storage tanks, total capacity 26,800 tons. One 8-in ethylene pipeline extends from wharf to a vaporizer in a process unit at the refinery. One 8-inch vent line for vinyl chloride with 4-inch hose connection, one 8-in flare line for ethylene and one 8-in vent linefor ethylene dichloride extend from the wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Waterway: **Old River, Calcasieu River** Mile: PWD: 110
Name: **PPG 'B' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, approximately 600 feet below slip opposite north end of Coon I Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid chlorine by barge.
Depth Alongside (feet): 32 | 5 - 32 | 5 - 32 Latitude (decimal): 30.222778
Total Berthing Space (feet): | 240 | 200 Longitude (decimal): -93.27917

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Two 3-inch pipelines extend from pier to 4 steel storage tanks at plant in rear, total capacity 1,260 tons. In addition, one 3-inch steam, one 2-inch compressed air, two 3-inch blowdown lines and one 3-inch vacuum line serve pier.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Waterway: **Old River, Calcasieu River** Mile: PWD: 109
Name: **PPG 'C' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, below slip opposite north end of Coon Island, Westlake. Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of liquid caustic soda; shipment of organic solvents.
Depth Alongside (feet): 40 | | 18 Latitude (decimal): 30.223333
Total Berthing Space (feet): 680 | | 200 Longitude (decimal): -93.27833

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Barge berth at rear of platforms was not in use at time of survey (2000). One 10- and one 8-inch pipelines extend to the wharf from the caustic soda storage tanks described under Dock 'D' (Ref. No. 108). Six 6-inch organic solvent pipelines extend to wharf from 9 storage tanks, total capacity 21,990 tons. One 4-inch steam, one 2-inch compressed air, and one 1-inch nitrogen lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Waterway: **Old River, Calcasieu River** Mile: PWD: 108
Name: **PPG 'D' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of outer portion of slip opposite north end of Datum: MLG
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Shipment of liquid caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.230278
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.27722

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space. Two 8-inch caustic soda pipelines with a common 8-inch hose connection on wharf extend to wharf from 12 steel storage tanks at rear, total capacity approximately 169,400 tons. In addition, one 2-inch steam and one 2-inch compressed air lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Port Facilities by Waterway

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Waterway: **Old River, Calcasieu River** Mile: PWD: 107
Name: **PPG 'E' Dock.**
Port: Lake Charles
Location: Old River Channel of the Calcasieu River, southwest side of inner portion of slip opposite north end of Datum: MLG
Operator: Not operated.
Owner: PPG Industries, Inc.
Address: 1300 PPG Drive Phone: 337-708-4585
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.225
Total Berthing Space (feet): 365 | | Longitude (decimal): -93.27861

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: *'E' and 'D' Docks (Ref. Nos. 107 and 108) have 12 timber breasting dolphins in line with faces, providing a total of 660 feet of continuous breasting distance and approximately 775 feet of berthing space along the southwest side of the slip. The slip is approximately 330 feet wide with a row of 10 timber breast- ing dolphins across the inner end, used for mooring idle barges.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Waterway: **Old Town Bay, Calcasieu River** Mile: PWD: 093

Name: **Central Crude Wharf.**

Port: Lake Charles

Location: Left bank, Old Town Bay, approximately 0.6 mile above conjunction with Calcasieu River, Lake Charles. Datum: MLG

Operator: Central Crude, Inc.

Owner: Central Crude, Inc.

Address: 4187 State Route 3059. Phone: 337-436-1000

Town: Lake Charles State: LA County: Calcasieu

Railway Connection: None.

Purpose: Shipment of crude oil by barge.

Depth Alongside (feet): 14 | | Latitude (decimal): 30.288889

Total Berthing Space (feet): 300 | | Longitude (decimal): -93.13889

Remarks: Two 8-inch pipelines extend from wharf to 6 steel storage tanks at rear, total capacity 200,000 barrels. Loading rate of 4,600 barrels per hour.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Waterway: **Pass Tante Phine** Mile: PWD: 126

Name: **Dynegy Midstream Services, Venice Refinery LPG and Mooring Wharves**

Port: Below New Orleans

Location: Right bank, Pass Tante Phine, approximately 1 mile below intersection with Tidewater Access Canal. Datum: MLG

Operator: Dynegy Midstream Services, L.P.

Owner: Venice Energy Services, Co. (VESCO), L.L.C.

Address: 1565 Tidewater Road Phone: 985/534-4050

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt and shipment of liquefied petroleum gas; shipment of natural gasoline by barge.

Depth Alongside (feet): 8 | 8 | 7 Latitude (decimal): 29.224722

Total Berthing Space (feet): 880 | 65 | 750 Longitude (decimal): -89.39083

Remarks: Four 8-inch pipelines, with three 6-inch pipeline connections each, on Docks Nos. 1 and 2, extend to wharf from 12 steel, LP-gas storage tanks, total capacity 8,570 barrels, and 8 salt-dome storage caverns.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Port Allen Alternate Rte., IWW** Mile: 55.3 PWD: 082
Name: **Trinity Marine Products, Plant No. 48, Port Allen Wharf and Moorin**
Port: Baton Rouge
Location: Mile 55.3, east bank, Morgan City-Port Allen Alternate Route, IWW, south side of slip, 0.4 mile south of Datum: MLG
Operator: Trinity Marine Products, Inc.
Owner: Trinity Industries, Inc.
Address: 7555 Choctaw Road Phone: 225-749-3181
Town: Brusly State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Receipt of steel plates and fiberglass barge covers; mooring barges for outfitting and storage.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.388611
Total Berthing Space (feet): 670 | | 600 Longitude (decimal): -91.32167
Remarks: One 650- by 160-foot, one 350- by 84-foot, and one 600- by 70-foot steel frame, metal-covered, fabrication buildings are located on the yard. Side-launching ways are located on bank of Intracoastal Waterway south of buildings. Mooring for barges awaiting delivery is located along natural bank between launchways and mouth of slip.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20806 New Orleans District

---

Waterway: **Port Allen Alternate Rte., IWW** Mile: 61.2 PWD: 083
Name: **A & Z Marine Shipyard Wharf**
Port: Baton Rouge
Location: Mile 61.2, south bank, Morgan City-Port Allen Alt. Rte., IWW, south side of turning basin at inner end o Datum: MLG
Operator: A & Z Marine
Owner: Sun Plus, Inc.
Address: 2425 Sun Plus Way Phone: 225-336-9933
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 30.431111
Total Berthing Space (feet): 300 | 195 | 195 Longitude (decimal): -91.24056
Remarks: The 350-foot wide turning basin is at the east end of a 4,500- by 150- to 250-foot slip. At time of survey (2001) owner planned to construct a 500-ton marine railway on a 60-ft ramp at the facility to be used for new vessel construction. Shipyard is located at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20806 New Orleans District

---

Port Facilities by Waterway

Waterway: **Port Allen Alternate Rte., IWW** Mile: 61.2 PWD: 086

Name: **Associated Barge Terminal of Baton Rouge Wharf**

Port: Baton Rouge

Location: Mile 61.2, south bank, Morgan City-Port Allen Alt. Rte., IWW, north side of Sun Plus Slip, 900 feet west Datum: MLG

Operator: Associated Barge Terminal of Baton Rouge

Owner: Greater Baton Rouge Port Commission.

Address: 2707 North Line Road Phone: 985-536-4520

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: None.

Purpose: Receipt and shipment of conventional general cargo and miscellaneous dry bulk commodities; occasional receipt of roll-off project cargo and of wastewater; all by barge.

Depth Alongside (feet): 10 | | Latitude (decimal): 30.433056

Total Berthing Space (feet): 400 | | Longitude (decimal): -91.24333

Remarks: North Line Road address is for transit shed, which was operated by Ace Storage, Inc. (S.W. Ref. No. 2) in 2002. Transit shed has two truckloading doors. Wastewater is transferred directly from barges to trucks. Approximately 2 acres of limestone-paved open storage area are located at rear of wharf. Twenty acres of unpaved open storage area at Port Commission's Inland Rivers Marine Terminal are located at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20806 New Orleans District

---

Waterway: **Port Allen Alternate Rte., IWW** Mile: 61.2 PWD: 087

Name: **Louisiana Department of Transportation, Sun Plus Slip Marine Repai**

Port: Baton Rouge

Location: Mile 61.2, south bank, Morgan City-Port Allen Alt. Rte., IWW, north side of Sun Plus Slip, approx 0.3 mi Datum: MLG

Operator: State of Louisiana, Department of Transportation and Development.

Owner: State of Louisiana, Department of Transportation and Development.

Address: Foot of North Line Road Phone: 225-379-1553

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: None.

Purpose: Mooring government-owned vessels for repair and maintenance. See Remarks.

Depth Alongside (feet): 10 | | Latitude (decimal): 30.434167

Total Berthing Space (feet): 500 | | Longitude (decimal): -91.24778

Remarks: Facility was not in use at time of survey (2001), but plans called for construction of the described bulkhead and of a marine railway, and for installation of the described equipment for performing repairs. Approximately 3.5 acres of open storage area is located at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20806 New Orleans District

---

Port Facilities by Waterway

Waterway: **Port Allen Alternate Rte., IWW** Mile: 61.2 PWD: 085
Name: **South Louisiana Cement Terminal, Baton Rouge Wharf.**
Port: Baton Rouge
Location: Mile 61.2, south bank, Morgan City-Port Allen Alt. Rte., IWW, north side of Sun Plus Slip, west of turni Datum: MLG
Operator: South Louisiana Cement Inc.
Owner: Greater Baton Rouge Port Commission.
Address: 2280 Parish Lane Phone: 225-749-8719
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Receipt of bulk cement by barge.
Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 30.4325
Total Berthing Space (feet): 200 | 200 | 200 Longitude (decimal): -91.2425
Remarks: Natural bank to east and west of wharf barge provides additional berthing space for up to 10 cement barges. One storage silo with truckloading spout at rear has capacity for 3,000 tons of cement.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20806 New Orleans District

---

Waterway: **Port Allen Alternate Rte., IWW** Mile: 61.2 PWD: 084
Name: **Thomas Pipe Yard Landing**
Port: Baton Rouge
Location: Mile 61.2, south bank, Morgan City-Port Allen Alt. Rte., IWW, north side of turning basin at inner end o Datum: MLG
Operator: Edgen Corp.
Owner: Thomas Pipe, LLC.
Address: 2421 North Line Road Phone: 225-756-7207
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None. (See Remarks)
Purpose: Receipt of steel pipe by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.431944
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.23972
Remarks: At time of survey (2001), plans called for construction of wharf of steel sheet pile bulkhead with limestone-covered, solid fill, and of railroad connection to Union Pacific Railroad. Approximately 55 acres of open storage area for pipe located at rear, part served by one 20-ton, electric overhead bridge crane, with another 45 acres of unused open storage area adjacent.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20806 New Orleans District

---

Port Facilities by Waterway

Waterway: **Port Allen Alternate Rte., IWW** Mile: 61.7 PWD: 081
Name: **International Painting Corp., West Port Landing**
Port: Baton Rouge
Location: Mile 61.7, north bank, Morgan City-Port Allen Alternate Route, IWW, approx. 2.3 miles west of Union Paci Datum: MLG
Operator: International Painting Corp., subsidiary of Turner Industries.
Owner: Turner Industries
Address: Foot of State Highway 415. Phone: 225-343-4005
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Receipt of steel pipe; mooring barges for painting and interior re-coating.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.44
Total Berthing Space (feet): 800 | | Longitude (decimal): -91.245
Remarks: Ten acres of open storage area is located at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20806 New Orleans District

---

Waterway: **Port Allen Alternate Rte., IWW** Mile: 62.6 PWD: 080
Name: **Castrol, Baton Rouge Plant Wharf.**
Port: Baton Rouge
Location: Mile 62.6, north bank, Morgan City-Port Allen Alternate Route, IWW, approx. 1.4 miles west of Union Paci Datum: MLG
Operator: Castrol, Inc.
Owner: Castrol, Inc.
Address: 1981 South Westport Drive. Phone: 225-382-8547
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: Two surface tracks with 7 unloading/loading stations in plant at rear connect with Union Pacific Railroad.
Purpose: Receipt of lubricating oil by barge.
Depth Alongside (feet): 11 - 13 | | Latitude (decimal): 30.442222
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.2275
Remarks: One 6-inch pipeline extends from wharf to 9 steel storage tanks at rear, total capacity 42,857 barrels. Lubricating oil blending and packaging plant located at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20806 New Orleans District

---

Port Facilities by Waterway

Waterway: **Port Allen Alternate Rte., IWW** Mile: 62.9 PWD: 079
Name: **Chemical Lime Co., Port Allen Terminal Wharf.**
Port: Baton Rouge
Location: Mile 62.9, north bank, Morgan City-Port Allen Alternate Route, IWW, approx. 1.1 miles west of Union Paci Datum: MLG
Operator: Chemical Lime Co.
Owner: Chemical Lime Co.
Address: 1785 South Westport Drive. Phone: 225-387-3051
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: One 5-car capacity platform-level track serving terminal at rear connects with Union Pacific Railroad.
Purpose: Receipt of lime by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.44
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.22444
Remarks: Two steel, quicklime storage silos with truck-loading spouts at terminal, have total capacity for 1,000 tons, and one 10-inch, pneumatic pipeline extends from wharf to one 250-ton, steel, hydrated lime storage silo with truckloading spout.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20806 New Orleans District

---

Waterway: **Port Allen Alternate Rte., IWW** Mile: 63.7 PWD: 078
Name: **Southern Scrap Xpress Recycling, Port Allen Wharf.**
Port: Baton Rouge
Location: Mile 63.7, north bank, Morgan City-Port Allen Alternate Route, IWW, approx. 0.3 mile west of Union Pacif Datum: MLG
Operator: Southern Scrap Xpress Recycling
Owner: SSX, L.C.
Address: 1251 and 1367 Mahaffey Road Phone: 225-387-0498
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: One surface track at rear connects with Union Pacific Railroad.
Purpose: Receipt and shipment of scrap metal.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 30.434722
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.21528
Remarks: Five acres of open storage area at rear with capacity for 8,000 tons of scrap metal. Three 15-ton electric pedestal cranes with magnets, two with 60-ft boom and one with 80-ft boom, one 2 1/2-cubic yard, diesel front-end loader, and one 3/4-cubic yard, LP-gas front-end loader serve shredder and yard at rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20806 New Orleans District

---

Port Facilities by Waterway

Waterway: **Port Allen Alternate Rte., IWW** Mile: 63.8 PWD: 077

Name: **Ramsay Scarlett and Co., Port Allen Barge Dock.**

Port: Baton Rouge

Location: Mile 63.8, north bank, Morgan City-Port Allen Alternate Route, IWW, approx. 0.2 mile west of Union Pacif Datum: MLG

Operator: Ramsey Scarlett and Co., Inc.

Owner: Ramsey Scarlett and Co., Inc.

Address: Mahaffey Road Phone: 225-387-0753

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: One surface track extending through transit shed at rear connects with Union Pacific Railroad.

Purpose: Receipt and shipment of conventional general cargo and miscellaneous dry bulk commodities by barge, including lightweight aggregate.

Depth Alongside (feet): 12 | | Latitude (decimal): 30.434444

Total Berthing Space (feet): 400 | | Longitude (decimal): -91.21389

Remarks: Transit shed used primarily for storage of dry bulk materials requiring cover. Company operates warehouses (S.W. Ref. No. 5) at 525 Elevator Road, in nearby Greater Baton Rouge Port Commission terminal area. A 4-acre open storage area at rear of dock and an additional 4 acres at warehouse have capacity for approximately 8,000 tons of dry bulk material.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20806 New Orleans District

---

Waterway: **Port Allen Alternate Rte., IWW** Mile: 63.9 PWD: 076

Name: **International Painting Corp. Wharf.**

Port: Baton Rouge

Location: Mile 63.9, north bank, Morgan City-Port Allen Alternate Route, IWW, approx. 640 feet west of Union Pacif Datum: MLG

Operator: Not operated.

Owner: Turner Industries

Address: 2180 State Highway 1 Phone: 225-343-4005

Town: Port Allen State: LA County: W. Baton Rouge

Railway Connection: One surface track serving plant at rear connects with Union Pacific Railroad.

Purpose: Not used.

Depth Alongside (feet): 10 | | Latitude (decimal): 30.434167

Total Berthing Space (feet): 250 | | Longitude (decimal): -91.21306

Remarks: Wharf was in poor condition at time of survey (2001). Pipe coating plant and approximately 10 acres of open storage area located in rear.

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20806 New Orleans District

---

Port Facilities by Waterway

Waterway: **Port Allen Alternate Rte., IWW** Mile: 63.9 PWD: 088
Name: **Port Allen Lock Boatyard Wharf.**
Port: Baton Rouge
Location: Mile 63.9, south bank, Morgan City-Port Allen Alternate Route, IWW, approx. 250 feet west of Union Pacif Datum: MLG
Operator: Corps of Engineers.
Owner: U.S. Government.
Address: 2101 Ernest Wilson Drive Phone: 225-343-3752
Town: Port Allen State: LA County: W. Baton Rouge
Railway Connection: None.
Purpose: Mooring government-owned floating equipment.
Depth Alongside (feet): 6 | | Latitude (decimal): 30.4325
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.21222
Remarks:

Port Series: 21 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20806 New Orleans District

---

Waterway: **Port Bienville Industrial Can.** Mile: PWD: 171
Name: **Contract Stevedores Port Bienville Wharf.**
Port: Port Bienville
Location: Left bank, West Branch, Port Bienville Industrial Canal, approximately 0.5 mile above Pearl River Entran Datum: MLW
Operator: Contract Stevedores Inc.
Owner: Hancock County Port and Harbor Commission.
Address: Phone: 601/533-5541
Town: Pearlington State: MS County: Hancock
Railway Connection: One platform-level track along rear of transit shed; connects with Port Bienville Railroad.
Purpose: Receipt and shipment of conventional general cargo by vessel.
Depth Alongside (feet): 8 - 12 | | Latitude (decimal): 30.218333
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.57972
Remarks: Additional berthing space is available in slip on lower side of wharf. Trucks have access to interior of transit shed. One 37,000-square-foot, steel frame, metal-covered warehouse is located behind transit shed. Approximately 1 acre of open storage area is available in rear.

Port Series: 19 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15641 New Orleans District

---

Port Facilities by Waterway

Waterway: **Port Bienville Industrial Can.** Mile: PWD: 170
Name: **General Electric Plastics, Bay St. Louis Plant Wharf.**
Port: Port Bienville
Location: South fork, West Branch, Port Bienville Industrial Canal, approximately 0.5 mile above Pearl River Entra Datum: MLW
Operator: General Electric Plastics.
Owner: General Electric Plastics.
Address: Phone: 601/466-3010
Town: Pearlington State: MS County: Hancock
Railway Connection: Three surface tracks serve plant in rear; connect with Port Bienville Railroad.
Purpose: Receipt of liquid chemicals by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.214722
Total Berthing Space (feet): 300 | | Longitude (decimal): -89.58
Remarks: Three 10-inch pipelines extend from wharf to 3 steel storage tanks at chemical plant in rear, total capacity 3,000,000 gallons.

Port Series: 19 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15641 New Orleans District

---

Waterway: **Port Bienville Industrial Can.** Mile: PWD: 175
Name: **Gulf Coast Fabrication, Port Bienville Wharf.**
Port: Port Bienville
Location: Left bank, Northwest Branch, Port Bienville Industrial Canal, approximately 3 miles above Pearl River En Datum: MLW
Operator: Gulf Coast Fabrication Inc.
Owner: Halter Marine Group Inc.
Address: Phone: 601-533-7733
Town: Pearlington State: MS County: Hancock
Railway Connection: None.
Purpose: Occasional receipt of steel by barge; occasional shipment of fabricated parts by barge; mooring vessels for outfitting and repair.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.248056
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -89.55778
Remarks: Shipbuilding and launching way is located on upper side of wharf. One 485- by 150-foot, graving dock is located in slip above shipbuilding and launching way. Company is primarily engaged in new construction.

Port Series: 19 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15641 New Orleans District

Port Facilities by Waterway

Waterway: **Port Bienville Industrial Can.** Mile: PWD: 173
Name: **Gulf Concrete Co., Port Bienville Wharf.**
Port: Port Bienville
Location: Left bank, Northwest Branch, Port Bienville Industrial Canal, approximately 2.4 miles above Pearl River Datum: MLW
Operator: Gulf Concrete Co.
Owner: Gulf Concrete Co.
Address: Phone: 601-868-4853
Town: Pearlington State: MS County: Hancock
Railway Connection: None.
Purpose: Receipt of crushed limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.240833
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.56556
Remarks: Approximately 1 acre of open storage area with capacity for approximately 5,000 tons of limestone is located at rear.

Port Series: 19 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15641 New Orleans District

---

Waterway: **Port Bienville Industrial Can.** Mile: PWD: 177
Name: **Hancock County Port and Harbor Commission Wharf.**
Port: Port Bienville
Location: Head of Northwest Branch, Port Bienville Industrial Canal, approximately 3.5 miles above Pearl River Ent Datum: MLW
Operator: Hancock County Port and Harbor Commission.
Owner: Hancock County Port and Harbor Commission.
Address: Phone: 601-533-7788
Town: Pearlington State: MS County: Hancock
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk commodities; handling heavy-lift items.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.249444
Total Berthing Space (feet): 250 | | Longitude (decimal): -89.55167
Remarks: Approximately 5 acres of open storage area are available at rear.

Port Series: 19 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15641 New Orleans District

Port Facilities by Waterway

Waterway: **Port Bienville Industrial Can.** Mile: PWD: 174
Name: **Kimberly-Clark, Port Bienville Wharf.**
Port: Port Bienville
Location: Left bank, Northwest Branch, Port Bienville Industrial Canal, approximately 2.5 miles above Pearl River Datum: MLW
Operator: Kimberly-Clark Corp.
Owner: Kimberly-Clark Corp.
Address: Phone: 601-533-7645
Town: Pearlington State: MS County: Hancock
Railway Connection: None.
Purpose: Shipment of logs by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.241944
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.56444
Remarks: Approximately 18 acres of open storage area with capacity for approximately 45,000 tons of logs are located at rear.

Port Series: 19 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15641 New Orleans District

---

Waterway: **Port Bienville Industrial Can.** Mile: PWD: 172
Name: **Manufab, Port Bienville Wharf.**
Port: Port Bienville
Location: Left bank, Northwest Branch, Port Bienville Industrial Canal, approximately 2.1 miles above Pearl River Datum: MLW
Operator: Manufab Inc.
Owner: Manufab Inc.
Address: 3310 Port and Harbor Road. Phone: 601-533-9975
Town: Pearlington State: MS County: Hancock
Railway Connection: None.
Purpose: Shipment of fabricated steel products by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.239444
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.56861
Remarks: Steel fabrication plant is located on Port and Harbor Road at rear.

Port Series: 19 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15641 New Orleans District

---

Port Facilities by Waterway

Waterway: **Port Bienville Industrial Can.** Mile: PWD: 178
Name: **Professional Construction Services, Port Bienville Wharf.**
Port: Port Bienville
Location: Right bank, Northwest Branch, Port Bienville Industrial Canal, approximately 3.4 miles above Pearl River Datum: MLW
Operator: Professional Construction Services Inc.
Owner: Professional Construction Services Inc.
Address: 13260 Road C. Phone: 601-533-7170
Town: Pearlington State: MS County: Hancock
Railway Connection: None.
Purpose: Receipt of coal by barge; shipment of fabricated steel products.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.249722
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.5525
Remarks: Coal is unloaded directly into trucks.□□

Port Series: 19 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15641 New Orleans District

---

Waterway: **Port Bienville Industrial Can.** Mile: PWD: 176
Name: **Ryan Walsh Stevedoring, Port Bienville Wharf.**
Port: Port Bienville
Location: Left bank, Northwest Branch, Port Bienville Industrial Canal, approximately 3.4 miles above Pearl River Datum: MLW
Operator: Ryan Walsh Stevedoring
Owner: Ryan Walsh Stevedoring.
Address: Phone: 601-863-3922
Town: Pearlington State: MS County: Hancock
Railway Connection: None.
Purpose: Receipt of coal and miscellaneous dry bulk commodities.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.248889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.5525
Remarks: An additional 200 feet of berthing space is available on upper side. Dry bulk materials are loaded directly into trucks from receiving hopper.□

Port Series: 19 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15641 New Orleans District

---

Port Facilities by Waterway

Waterway: **Slidell Slip, Bayou Bonfouca** Mile: PWD: 32
Name: **Land and Marine Fabricators, Slidell Shipyard Wharf.**
Port: New Orleans
Location: Upper half of west bank of Slidell Slip, right bank of Bayou Bonfouca, approx. 400 feet above State High Datum: MLG
Operator: Land and Marine Fabricators, Inc.
Owner: Mitchell & Assoc., Inc, and Land & Marine Fabricators, Inc., a joint venture.
Address: 36191 Sloat Road. Phone: 504 645-0770
Town: Slidell State: LA County: St. Tammany Pa
Railway Connection: None.
Purpose: Mooring vessels and barges for outfitting and repair, launching new barges.
Depth Alongside (feet): 8 | | Latitude (decimal): 30.273611
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.79222
Remarks: Shipyard is equipped with tilt-up framework used with crane lift to launch newly-constructed vessels. Open area at rear is used for fabrication, outfitting, and repair.

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20504 New Orleans District

---

Waterway: **Slidell Slip, Bayou Bonfouca** Mile: PWD: 33
Name: **Ozone Aggregates, Inc., Slidell Wharf.**
Port: New Orleans
Location: Lower half of west bank of Slidell Slip, approximately 400 feet above State Route 433 Bridge, Slidell. Datum: MLG
Operator: Ozone Aggregates, Inc.
Owner: Ozone Aggregates, Inc.
Address: Bayou Liberty Rd and East St. Phone: 504 643-4543
Town: Slidell State: LA County: St.Tammany Pari
Railway Connection: None.
Purpose: Receipt of aggregates by self-unloading barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.272222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -89.79333
Remarks: Open storage area located in rear has capacity for 25,000 tons of aggregates.□□

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20504 New Orleans District

Port Facilities by Waterway

Waterway: **Southwest Pass** Mile: -18.1 PWD: 129

Name: **Associated Branch Pilots, Southwest Pass Station Wharf.**

Port: Below New Orleans

Location: Right bank, Southwest Pass, Mississippi River, Mile 18.1 B.H.P. Datum: MLG

Operator: Associated Branch Pilots.

Owner: U.S. Government.

Address: Southwest Pass Phone: 504/831-6615

Town: Southwest Pass State: LA County: Plaquemines

Railway Connection: None.

Purpose: Mooring pilot boats; receipt of supplies for station consumption, including diesel fuel.

Depth Alongside (feet): 12 | | Latitude (decimal): 28.931111

Total Berthing Space (feet): 65 | | Longitude (decimal): -89.41389

Remarks: Quarters platform is approximately 132 by 40 + 36 feet, with additional fuel storage and generator platforms. Station is self-sufficient with diesel generators, sewage treatment facilities, water collection, and storage system. Pilot boat is moored at rear of lower side.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20401 New Orleans District

Port Facilities by Waterway

Waterway: **Southwest Pass** Mile: -9.0 PWD: 128
Name: **Pogo Producing Co., W-2 Boat Landing.**
Port: Below New Orleans
Location: Right bank, Southwest Pass, Mississippi River, Mile 9.0 B.H.P. Datum: MLG
Operator: Not operated
Owner: State of Louisiana.
Address: Southwest Pass Phone: 985/534-7737 or
Town: Southwest Pass State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.039167
Total Berthing Space (feet): | | Longitude (decimal): -89.32611

Waterway: **Southwest Pass** Mile: -9.0 PWD: 128
Name: **Pogo Producing Co., W-2 Boat Landing.**
Port: Below New Orleans
Location: Right bank, Southwest Pass, Mississippi River, Mile 9.0 B.H.P. Datum: MLG
Operator: Not operated
Owner: State of Louisiana.
Address: Southwest Pass Phone: 985/534-7737 or
Town: Southwest Pass State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.039167
Total Berthing Space (feet): | | Longitude (decimal): -89.32611

Remarks: Facility formerly was used to receive fuel oil, lubricating oil, and water for plant consumption. At time of survey (2002), the outer half of the approach was missing and the 2-inch fuel oil, lubricating oil, and water pipelines were blanked. There were no plans to restore the function or for use of the landing.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20411 New Orleans District

Remarks: Facility formerly was used to receive fuel oil, lubricating oil, and water for plant consumption. At time of survey (2002), the outer half of the approach was missing and the 2-inch fuel oil, lubricating oil, and water pipelines were blanked. There were no plans to restore the function or for use of the landing.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20411 New Orleans District

Port Facilities by Waterway

Waterway: **Southwest Pass** Mile: -9.0 PWD: 128
Name: **Pogo Producing Co., W-2 Boat Landing.**
Port: Below New Orleans
Location: Right bank, Southwest Pass, Mississippi River, Mile 9.0 B.H.P. Datum: MLG
Operator: Not operated
Owner: State of Louisiana.
Address: Southwest Pass Phone: 985/534-7737 or
Town: Southwest Pass State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.039167
Total Berthing Space (feet): | | Longitude (decimal): -89.32611

Waterway: **Southwest Pass** Mile: -9.0 PWD: 128
Name: **Pogo Producing Co., W-2 Boat Landing.**
Port: Below New Orleans
Location: Right bank, Southwest Pass, Mississippi River, Mile 9.0 B.H.P. Datum: MLG
Operator: Not operated
Owner: State of Louisiana.
Address: Southwest Pass Phone: 985/534-7737 or
Town: Southwest Pass State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.039167
Total Berthing Space (feet): | | Longitude (decimal): -89.32611

Remarks: Facility formerly was used to receive fuel oil, lubricating oil, and water for plant consumption. At time of survey (2002), the outer half of the approach was missing and the 2-inch fuel oil, lubricating oil, and water pipelines were blanked. There were no plans to restore the function or for use of the landing.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20411 New Orleans District

Remarks: Facility formerly was used to receive fuel oil, lubricating oil, and water for plant consumption. At time of survey (2002), the outer half of the approach was missing and the 2-inch fuel oil, lubricating oil, and water pipelines were blanked. There were no plans to restore the function or for use of the landing.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20411 New Orleans District

Port Facilities by Waterway

Waterway: **Tchefuncta River** Mile: PWD: 35

Name: **Trinity Industries Marine Group, Madisonville Docking Slips.**

Port: New Orleans

Location: Right bank, Tchefuncta River, approx. 1 KM. north of Madisonville, St. Tammany Parish. Datum: MLG

Operator: Trinity Marine Group, a subsidiary of Trinity Industries.

Owner: Trinity Industries Marine Group

Address: State Highway 21 Phone: 504 792-5451 x

Town: Madisonville State: LA County: St.Tammany Pari

Railway Connection: None.

Purpose: Mooring tank barges for hydro testing at main slip; receipt of plate steel by barge at west slip.

Depth Alongside (feet): 15 | 9 | Latitude (decimal): 30.414722

Total Berthing Space (feet): 125 | 60 | Longitude (decimal): -90.15583

Remarks:

Port Series: 20 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20506 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 103
Name: **Conoco Westlake Products Terminal, Dock No. 1.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 1.0 mile a Datum: MLG
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.231944
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.25889

Waterway: **The Loop, Calcasieu River** Mile: PWD: 103
Name: **Conoco Westlake Products Terminal, Dock No. 1.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 1.0 mile a Datum: MLG
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.231944
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.25889

Waterway: **The Loop, Calcasieu River** Mile: PWD: 103
Name: **Conoco Westlake Products Terminal, Dock No. 1.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 1.0 mile a Datum: MLG
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.231944
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.25889
Remarks: One 24-inch crude oil pipeline and one 16-inch, steam-traced, and three 12-, four 10-, two 8-, and one 4-inch petroleum product pipelines connect wharf to respective Conoco Refinery storage tanks described under Dock No. 3 (Ref. No. 101). Two 12-inch, steam-traced, pipelines extend from the fuel oil storage tank at the terminal described under Dock No. 2 (Ref. No. 102), and the refinery petroleum products storage tanks. One 12-inch ballast pipeline, outof service at time of survey, extends from 16-inch pipeline on wharf to one 55,000-barrel, steel storage tank at terminal. One 2-inch carbon dioxide and one 2-inch steam lines serve wharf. One 12-inch pipeline extends from wharf toflare tower at the terminal.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 24-inch crude oil pipeline and one 16-inch, steam-traced, and three 12-, four 10-, two 8-, and one 4-inch petroleum product pipelines connect wharf to respective Conoco Refinery storage tanks described under Dock No. 3 (Ref. No. 101). Two 12-inch, steam-traced, pipelines extend from the fuel oil storage tank at the terminal described under Dock No. 2 (Ref. No. 102), and the refinery petroleum products storage tanks. One 12-inch ballast pipeline, outof service at time of survey, extends from 16-inch pipeline on wharf to one 55,000-barrel, steel storage tank at terminal. One 2-inch carbon dioxide and one 2-inch steam lines serve wharf. One 12-inch pipeline extends from wharf toflare tower at the terminal.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 24-inch crude oil pipeline and one 16-inch, steam-traced, and three 12-, four 10-, two 8-, and one 4-inch petroleum product pipelines connect wharf to respective Conoco Refinery storage tanks described under Dock No. 3 (Ref. No. 101). Two 12-inch, steam-traced, pipelines extend from the fuel oil storage tank at the terminal described under Dock No. 2 (Ref. No. 102), and the refinery petroleum products storage tanks. One 12-inch ballast pipeline, outof service at time of survey, extends from 16-inch pipeline on wharf to one 55,000-barrel, steel storage tank at terminal. One 2-inch carbon dioxide and one 2-inch steam lines serve wharf. One 12-inch pipeline extends from wharf toflare tower at the terminal.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 103
Name: **Conoco Westlake Products Terminal, Dock No. 1.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 1.0 mile a Datum: MLG
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.231944
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.25889

Waterway: **The Loop, Calcasieu River** Mile: PWD: 103
Name: **Conoco Westlake Products Terminal, Dock No. 1.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 1.0 mile a Datum: MLG
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.231944
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.25889

Waterway: **The Loop, Calcasieu River** Mile: PWD: 103
Name: **Conoco Westlake Products Terminal, Dock No. 1.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 1.0 mile a Datum: MLG
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.231944
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.25889

Remarks: One 24-inch crude oil pipeline and one 16-inch, steam-traced, and three 12-, four 10-, two 8-, and one 4-inch petroleum product pipelines connect wharf to respective Conoco Refinery storage tanks described under Dock No. 3 (Ref. No. 101). Two 12-inch, steam-traced, pipelines extend from the fuel oil storage tank at the terminal described under Dock No. 2 (Ref. No. 102), and the refinery petroleum products storage tanks. One 12-inch ballast pipeline, outof service at time of survey, extends from 16-inch pipeline on wharf to one 55,000-barrel, steel storage tank at terminal. One 2-inch carbon dioxide and one 2-inch steam lines serve wharf. One 12-inch pipeline extends from wharf toflare tower at the terminal.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 24-inch crude oil pipeline and one 16-inch, steam-traced, and three 12-, four 10-, two 8-, and one 4-inch petroleum product pipelines connect wharf to respective Conoco Refinery storage tanks described under Dock No. 3 (Ref. No. 101). Two 12-inch, steam-traced, pipelines extend from the fuel oil storage tank at the terminal described under Dock No. 2 (Ref. No. 102), and the refinery petroleum products storage tanks. One 12-inch ballast pipeline, outof service at time of survey, extends from 16-inch pipeline on wharf to one 55,000-barrel, steel storage tank at terminal. One 2-inch carbon dioxide and one 2-inch steam lines serve wharf. One 12-inch pipeline extends from wharf toflare tower at the terminal.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 24-inch crude oil pipeline and one 16-inch, steam-traced, and three 12-, four 10-, two 8-, and one 4-inch petroleum product pipelines connect wharf to respective Conoco Refinery storage tanks described under Dock No. 3 (Ref. No. 101). Two 12-inch, steam-traced, pipelines extend from the fuel oil storage tank at the terminal described under Dock No. 2 (Ref. No. 102), and the refinery petroleum products storage tanks. One 12-inch ballast pipeline, outof service at time of survey, extends from 16-inch pipeline on wharf to one 55,000-barrel, steel storage tank at terminal. One 2-inch carbon dioxide and one 2-inch steam lines serve wharf. One 12-inch pipeline extends from wharf toflare tower at the terminal.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 103
Name: **Conoco Westlake Products Terminal, Dock No. 1.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 1.0 mile a Datum: MLG
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.231944
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.25889

Waterway: **The Loop, Calcasieu River** Mile: PWD: 103
Name: **Conoco Westlake Products Terminal, Dock No. 1.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 1.0 mile a Datum: MLG
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.231944
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.25889

Waterway: **The Loop, Calcasieu River** Mile: PWD: 103
Name: **Conoco Westlake Products Terminal, Dock No. 1.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 1.0 mile a Datum: MLG
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.231944
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.25889
Remarks: One 24-inch crude oil pipeline and one 16-inch, steam-traced, and three 12-, four 10-, two 8-, and one 4-inch petroleum product pipelines connect wharf to respective Conoco Refinery storage tanks described under Dock No. 3 (Ref. No. 101). Two 12-inch, steam-traced, pipelines extend from the fuel oil storage tank at the terminal described under Dock No. 2 (Ref. No. 102), and the refinery petroleum products storage tanks. One 12-inch ballast pipeline, outof service at time of survey, extends from 16-inch pipeline on wharf to one 55,000-barrel, steel storage tank at terminal. One 2-inch carbon dioxide and one 2-inch steam lines serve wharf. One 12-inch pipeline extends from wharf toflare tower at the terminal.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 24-inch crude oil pipeline and one 16-inch, steam-traced, and three 12-, four 10-, two 8-, and one 4-inch petroleum product pipelines connect wharf to respective Conoco Refinery storage tanks described under Dock No. 3 (Ref. No. 101). Two 12-inch, steam-traced, pipelines extend from the fuel oil storage tank at the terminal described under Dock No. 2 (Ref. No. 102), and the refinery petroleum products storage tanks. One 12-inch ballast pipeline, outof service at time of survey, extends from 16-inch pipeline on wharf to one 55,000-barrel, steel storage tank at terminal. One 2-inch carbon dioxide and one 2-inch steam lines serve wharf. One 12-inch pipeline extends from wharf toflare tower at the terminal.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 24-inch crude oil pipeline and one 16-inch, steam-traced, and three 12-, four 10-, two 8-, and one 4-inch petroleum product pipelines connect wharf to respective Conoco Refinery storage tanks described under Dock No. 3 (Ref. No. 101). Two 12-inch, steam-traced, pipelines extend from the fuel oil storage tank at the terminal described under Dock No. 2 (Ref. No. 102), and the refinery petroleum products storage tanks. One 12-inch ballast pipeline, outof service at time of survey, extends from 16-inch pipeline on wharf to one 55,000-barrel, steel storage tank at terminal. One 2-inch carbon dioxide and one 2-inch steam lines serve wharf. One 12-inch pipeline extends from wharf toflare tower at the terminal.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 102
Name: **Conoco Westlake Products Terminal, Dock No. 2.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.9 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of crude oil and petroleum products by barge; receipt of methanol by barge; loading bunkering barges for bunkering company-owned vessels; fueling company-owned towboats.
Depth Alongside (feet): 14 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.255

Waterway: **The Loop, Calcasieu River** Mile: PWD: 102
Name: **Conoco Westlake Products Terminal, Dock No. 2.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.9 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of crude oil and petroleum products by barge; receipt of methanol by barge; loading bunkering barges for bunkering company-owned vessels; fueling company-owned towboats.
Depth Alongside (feet): 14 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.255

Waterway: **The Loop, Calcasieu River** Mile: PWD: 102
Name: **Conoco Westlake Products Terminal, Dock No. 2.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.9 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of crude oil and petroleum products by barge; receipt of methanol by barge; loading bunkering barges for bunkering company-owned vessels; fueling company-owned towboats.
Depth Alongside (feet): 14 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.255

Remarks: Two 12-inch crude oil pipelines, and one 12- and four 10-inch petroleum product pipelines, connect wharf to respective Conoco refinery tanks described for Dock No. 3. One 4-inch, metered diesel fuel pipeline with 4- and 2-inch hose connections extends from one of the 10-inch lines. Four 10-inch lube oil pipelines connect to storage tanks described under Dock #3 (Ref. No. 101). One 12-, and one 10-inch, steam-traced, fuel oil pipelines extend to wharf from25,000-barrel storage tank at terminal and the refinery petroleum product storage tanks. Two 8-inch petroleum slurry pipelines extend to wharf from 2 storage tanks at refinery, total capacity 160,000 barrels. One 12-inch, steam-and electric-traced, heavy vacuum residuals pipeline extends from 10,000-barrel tank at terminal. One 8-inch methanol pipeline extends from wharf to 630,000-gallon tank at the terminal. One 2-inch carbon dioxide and one 2-inchsteam lines serve wharf.

Port Facilities by Waterway

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 12-inch crude oil pipelines, and one 12- and four 10-inch petroleum product pipelines, connect wharf to respective Conoco refinery tanks described for Dock No. 3. One 4-inch, metered diesel fuel pipeline with 4- and 2-inch hose connections extends from one of the 10-inch lines. Four 10-inch lube oil pipelines connect to storage tanks described under Dock #3 (Ref. No. 101). One 12-, and one 10-inch, steam-traced, fuel oil pipelines extend to wharf from25,000-barrel storage tank at terminal and the refinery petroleum product storage tanks. Two 8-inch petroleum slurry pipelines extend to wharf from 2 storage tanks at refinery, total capacity 160,000 barrels. One 12-inch, steam-and electric-traced, heavy vacuum residuals pipeline extends from 10,000-barrel tank at terminal. One 8-inch methanol pipeline extends from wharf to 630,000-gallon tank at the terminal. One 2-inch carbon dioxide and one 2-inchsteam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 12-inch crude oil pipelines, and one 12- and four 10-inch petroleum product pipelines, connect wharf to respective Conoco refinery tanks described for Dock No. 3. One 4-inch, metered diesel fuel pipeline with 4- and 2-inch hose connections extends from one of the 10-inch lines. Four 10-inch lube oil pipelines connect to storage tanks described under Dock #3 (Ref. No. 101). One 12-, and one 10-inch, steam-traced, fuel oil pipelines extend to wharf from25,000-barrel storage tank at terminal and the refinery petroleum product storage tanks. Two 8-inch petroleum slurry pipelines extend to wharf from 2 storage tanks at refinery, total capacity 160,000 barrels. One 12-inch, steam-and electric-traced, heavy vacuum residuals pipeline extends from 10,000-barrel tank at terminal. One 8-inch methanol pipeline extends from wharf to 630,000-gallon tank at the terminal. One 2-inch carbon dioxide and one 2-inchsteam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 102
Name: **Conoco Westlake Products Terminal, Dock No. 2.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.9 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of crude oil and petroleum products by barge; receipt of methanol by barge; loading bunkering barges for bunkering company-owned vessels; fueling company-owned towboats.
Depth Alongside (feet): 14 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.255

Waterway: **The Loop, Calcasieu River** Mile: PWD: 102
Name: **Conoco Westlake Products Terminal, Dock No. 2.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.9 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of crude oil and petroleum products by barge; receipt of methanol by barge; loading bunkering barges for bunkering company-owned vessels; fueling company-owned towboats.
Depth Alongside (feet): 14 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.255

Waterway: **The Loop, Calcasieu River** Mile: PWD: 102
Name: **Conoco Westlake Products Terminal, Dock No. 2.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.9 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of crude oil and petroleum products by barge; receipt of methanol by barge; loading bunkering barges for bunkering company-owned vessels; fueling company-owned towboats.
Depth Alongside (feet): 14 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.255

Remarks: Two 12-inch crude oil pipelines, and one 12- and four 10-inch petroleum product pipelines, connect wharf to respective Conoco refinery tanks described for Dock No. 3. One 4-inch, metered diesel fuel pipeline with 4- and 2-inch hose connections extends from one of the 10-inch lines. Four 10-inch lube oil pipelines connect to storage tanks described under Dock #3 (Ref. No. 101). One 12-, and one 10-inch, steam-traced, fuel oil pipelines extend to wharf from25,000-barrel storage tank at terminal and the refinery petroleum product storage tanks. Two 8-inch petroleum slurry pipelines extend to wharf from 2 storage tanks at refinery, total capacity 160,000 barrels. One 12-inch, steam-and electric-traced, heavy vacuum residuals pipeline extends from 10,000-barrel tank at terminal. One 8-inch methanol pipeline extends from wharf to 630,000-gallon tank at the terminal. One 2-inch carbon dioxide and one 2-inchsteam lines serve wharf.

Port Facilities by Waterway

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 12-inch crude oil pipelines, and one 12- and four 10-inch petroleum product pipelines, connect wharf to respective Conoco refinery tanks described for Dock No. 3. One 4-inch, metered diesel fuel pipeline with 4- and 2-inch hose connections extends from one of the 10-inch lines. Four 10-inch lube oil pipelines connect to storage tanks described under Dock #3 (Ref. No. 101). One 12-, and one 10-inch, steam-traced, fuel oil pipelines extend to wharf from25,000-barrel storage tank at terminal and the refinery petroleum product storage tanks. Two 8-inch petroleum slurry pipelines extend to wharf from 2 storage tanks at refinery, total capacity 160,000 barrels. One 12-inch, steam-and electric-traced, heavy vacuum residuals pipeline extends from 10,000-barrel tank at terminal. One 8-inch methanol pipeline extends from wharf to 630,000-gallon tank at the terminal. One 2-inch carbon dioxide and one 2-inchsteam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 12-inch crude oil pipelines, and one 12- and four 10-inch petroleum product pipelines, connect wharf to respective Conoco refinery tanks described for Dock No. 3. One 4-inch, metered diesel fuel pipeline with 4- and 2-inch hose connections extends from one of the 10-inch lines. Four 10-inch lube oil pipelines connect to storage tanks described under Dock #3 (Ref. No. 101). One 12-, and one 10-inch, steam-traced, fuel oil pipelines extend to wharf from25,000-barrel storage tank at terminal and the refinery petroleum product storage tanks. Two 8-inch petroleum slurry pipelines extend to wharf from 2 storage tanks at refinery, total capacity 160,000 barrels. One 12-inch, steam-and electric-traced, heavy vacuum residuals pipeline extends from 10,000-barrel tank at terminal. One 8-inch methanol pipeline extends from wharf to 630,000-gallon tank at the terminal. One 2-inch carbon dioxide and one 2-inchsteam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 102
Name: **Conoco Westlake Products Terminal, Dock No. 2.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.9 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of crude oil and petroleum products by barge; receipt of methanol by barge; loading bunkering barges for bunkering company-owned vessels; fueling company-owned towboats.
Depth Alongside (feet): 14 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.255

Waterway: **The Loop, Calcasieu River** Mile: PWD: 102
Name: **Conoco Westlake Products Terminal, Dock No. 2.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.9 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of crude oil and petroleum products by barge; receipt of methanol by barge; loading bunkering barges for bunkering company-owned vessels; fueling company-owned towboats.
Depth Alongside (feet): 14 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.255

Waterway: **The Loop, Calcasieu River** Mile: PWD: 102
Name: **Conoco Westlake Products Terminal, Dock No. 2.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.9 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt and shipment of crude oil and petroleum products by barge; receipt of methanol by barge; loading bunkering barges for bunkering company-owned vessels; fueling company-owned towboats.
Depth Alongside (feet): 14 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 695 | | Longitude (decimal): -93.255

Remarks: Two 12-inch crude oil pipelines, and one 12- and four 10-inch petroleum product pipelines, connect wharf to respective Conoco refinery tanks described for Dock No. 3. One 4-inch, metered diesel fuel pipeline with 4- and 2-inch hose connections extends from one of the 10-inch lines. Four 10-inch lube oil pipelines connect to storage tanks described under Dock #3 (Ref. No. 101). One 12-, and one 10-inch, steam-traced, fuel oil pipelines extend to wharf from25,000-barrel storage tank at terminal and the refinery petroleum product storage tanks. Two 8-inch petroleum slurry pipelines extend to wharf from 2 storage tanks at refinery, total capacity 160,000 barrels. One 12-inch, steam-and electric-traced, heavy vacuum residuals pipeline extends from 10,000-barrel tank at terminal. One 8-inch methanol pipeline extends from wharf to 630,000-gallon tank at the terminal. One 2-inch carbon dioxide and one 2-inchsteam lines serve wharf.

Port Facilities by Waterway

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 12-inch crude oil pipelines, and one 12- and four 10-inch petroleum product pipelines, connect wharf to respective Conoco refinery tanks described for Dock No. 3. One 4-inch, metered diesel fuel pipeline with 4- and 2-inch hose connections extends from one of the 10-inch lines. Four 10-inch lube oil pipelines connect to storage tanks described under Dock #3 (Ref. No. 101). One 12-, and one 10-inch, steam-traced, fuel oil pipelines extend to wharf from25,000-barrel storage tank at terminal and the refinery petroleum product storage tanks. Two 8-inch petroleum slurry pipelines extend to wharf from 2 storage tanks at refinery, total capacity 160,000 barrels. One 12-inch, steam-and electric-traced, heavy vacuum residuals pipeline extends from 10,000-barrel tank at terminal. One 8-inch methanol pipeline extends from wharf to 630,000-gallon tank at the terminal. One 2-inch carbon dioxide and one 2-inchsteam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Two 12-inch crude oil pipelines, and one 12- and four 10-inch petroleum product pipelines, connect wharf to respective Conoco refinery tanks described for Dock No. 3. One 4-inch, metered diesel fuel pipeline with 4- and 2-inch hose connections extends from one of the 10-inch lines. Four 10-inch lube oil pipelines connect to storage tanks described under Dock #3 (Ref. No. 101). One 12-, and one 10-inch, steam-traced, fuel oil pipelines extend to wharf from25,000-barrel storage tank at terminal and the refinery petroleum product storage tanks. Two 8-inch petroleum slurry pipelines extend to wharf from 2 storage tanks at refinery, total capacity 160,000 barrels. One 12-inch, steam-and electric-traced, heavy vacuum residuals pipeline extends from 10,000-barrel tank at terminal. One 8-inch methanol pipeline extends from wharf to 630,000-gallon tank at the terminal. One 2-inch carbon dioxide and one 2-inchsteam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 101
Name: **Conoco Westlake Products Terminal, Dock No. 3.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.7 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petrochemicals and petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.229722
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.25361

Waterway: **The Loop, Calcasieu River** Mile: PWD: 101
Name: **Conoco Westlake Products Terminal, Dock No. 3.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.7 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petrochemicals and petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.229722
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.25361

Waterway: **The Loop, Calcasieu River** Mile: PWD: 101
Name: **Conoco Westlake Products Terminal, Dock No. 3.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.7 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petrochemicals and petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.229722
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.25361
Remarks: Wharf was under construction at time of survey (2000) and is described as planned. Two 12-inch crude oil pipelines extend from wharf to 7 steel storage tanks at Conoco Oil Refinery on opposite side of Interstate Highway 10, total capacity 1,674,000 barrels. One 16-inch fuel oil and four 12-, three 10-, three 8- and one 4-inch petroleum product pipelines extend to wharf from 39 steel storage tanks at refinery, total capacity 3,347,200 barrels. Four10-inch lube oil pipelines connect to 12 storage tanks, total capacity 1,300,000 barrels. The following petrochemicals are handled by the terminal for Vista Chemical Co.'s Lake Charles LAB and Chemical plants: One 10-inchalkylate pipeline extends to the wharf from one 1,008,000-gallon storage tank at terminal; one 6- and one 4-inch alcohol pipelines extend from 2 storage tanks at terminal, total capacity 2,730,000 gallons. One 2-inch carbon dioxideand one 2-inch steam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Wharf was under construction at time of survey (2000) and is described as planned. Two 12-inch crude oil pipelines extend from wharf to 7 steel storage tanks at Conoco Oil Refinery on opposite side of Interstate Highway 10, total capacity 1,674,000 barrels. One 16-inch fuel oil and four 12-, three 10-, three 8- and one 4-inch petroleum product pipelines extend to wharf from 39 steel storage tanks at refinery, total capacity 3,347,200 barrels. Four10-inch lube oil pipelines connect to 12 storage tanks, total capacity 1,300,000 barrels. The following petrochemicals are handled by the terminal for Vista Chemical Co.'s Lake Charles LAB and Chemical plants: One 10-inchalkylate pipeline extends to the wharf from one 1,008,000-gallon storage tank at terminal; one 6- and one 4-inch alcohol pipelines extend from 2 storage tanks at terminal, total capacity 2,730,000 gallons. One 2-inch carbon dioxideand one 2-inch steam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was under construction at time of survey (2000) and is described as planned. Two 12-inch crude oil pipelines extend from wharf to 7 steel storage tanks at Conoco Oil Refinery on opposite side of Interstate Highway 10, total capacity 1,674,000 barrels. One 16-inch fuel oil and four 12-, three 10-, three 8- and one 4-inch petroleum product pipelines extend to wharf from 39 steel storage tanks at refinery, total capacity 3,347,200 barrels. Four10-inch lube oil pipelines connect to 12 storage tanks, total capacity 1,300,000 barrels. The following petrochemicals are handled by the terminal for Vista Chemical Co.'s Lake Charles LAB and Chemical plants: One 10-inchalkylate pipeline extends to the wharf from one 1,008,000-gallon storage tank at terminal; one 6- and one 4-inch alcohol pipelines extend from 2 storage tanks at terminal, total capacity 2,730,000 gallons. One 2-inch carbon dioxideand one 2-inch steam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 101
Name: **Conoco Westlake Products Terminal, Dock No. 3.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.7 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petrochemicals and petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.229722
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.25361

Waterway: **The Loop, Calcasieu River** Mile: PWD: 101
Name: **Conoco Westlake Products Terminal, Dock No. 3.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.7 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petrochemicals and petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.229722
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.25361

Waterway: **The Loop, Calcasieu River** Mile: PWD: 101
Name: **Conoco Westlake Products Terminal, Dock No. 3.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.7 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petrochemicals and petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.229722
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.25361
Remarks: Wharf was under construction at time of survey (2000) and is described as planned. Two 12-inch crude oil pipelines extend from wharf to 7 steel storage tanks at Conoco Oil Refinery on opposite side of Interstate Highway 10, total capacity 1,674,000 barrels. One 16-inch fuel oil and four 12-, three 10-, three 8- and one 4-inch petroleum product pipelines extend to wharf from 39 steel storage tanks at refinery, total capacity 3,347,200 barrels. Four10-inch lube oil pipelines connect to 12 storage tanks, total capacity 1,300,000 barrels. The following petrochemicals are handled by the terminal for Vista Chemical Co.'s Lake Charles LAB and Chemical plants: One 10-inchalkylate pipeline extends to the wharf from one 1,008,000-gallon storage tank at terminal; one 6- and one 4-inch alcohol pipelines extend from 2 storage tanks at terminal, total capacity 2,730,000 gallons. One 2-inch carbon dioxideand one 2-inch steam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Wharf was under construction at time of survey (2000) and is described as planned. Two 12-inch crude oil pipelines extend from wharf to 7 steel storage tanks at Conoco Oil Refinery on opposite side of Interstate Highway 10, total capacity 1,674,000 barrels. One 16-inch fuel oil and four 12-, three 10-, three 8- and one 4-inch petroleum product pipelines extend to wharf from 39 steel storage tanks at refinery, total capacity 3,347,200 barrels. Four10-inch lube oil pipelines connect to 12 storage tanks, total capacity 1,300,000 barrels. The following petrochemicals are handled by the terminal for Vista Chemical Co.'s Lake Charles LAB and Chemical plants: One 10-inchalkylate pipeline extends to the wharf from one 1,008,000-gallon storage tank at terminal; one 6- and one 4-inch alcohol pipelines extend from 2 storage tanks at terminal, total capacity 2,730,000 gallons. One 2-inch carbon dioxideand one 2-inch steam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was under construction at time of survey (2000) and is described as planned. Two 12-inch crude oil pipelines extend from wharf to 7 steel storage tanks at Conoco Oil Refinery on opposite side of Interstate Highway 10, total capacity 1,674,000 barrels. One 16-inch fuel oil and four 12-, three 10-, three 8- and one 4-inch petroleum product pipelines extend to wharf from 39 steel storage tanks at refinery, total capacity 3,347,200 barrels. Four10-inch lube oil pipelines connect to 12 storage tanks, total capacity 1,300,000 barrels. The following petrochemicals are handled by the terminal for Vista Chemical Co.'s Lake Charles LAB and Chemical plants: One 10-inchalkylate pipeline extends to the wharf from one 1,008,000-gallon storage tank at terminal; one 6- and one 4-inch alcohol pipelines extend from 2 storage tanks at terminal, total capacity 2,730,000 gallons. One 2-inch carbon dioxideand one 2-inch steam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 101
Name: **Conoco Westlake Products Terminal, Dock No. 3.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.7 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petrochemicals and petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.229722
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.25361

Waterway: **The Loop, Calcasieu River** Mile: PWD: 101
Name: **Conoco Westlake Products Terminal, Dock No. 3.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.7 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petrochemicals and petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.229722
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.25361

Waterway: **The Loop, Calcasieu River** Mile: PWD: 101
Name: **Conoco Westlake Products Terminal, Dock No. 3.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, opposite north side of Clooney Island, approximately 0.7 mile a Datum: MLW
Operator: Conoco, Inc.
Owner: Conoco, Inc.
Address: Phone: 337-491-5613
Town: Westlake State: LA County: Calcasieu
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petrochemicals and petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.229722
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.25361
Remarks: Wharf was under construction at time of survey (2000) and is described as planned. Two 12-inch crude oil pipelines extend from wharf to 7 steel storage tanks at Conoco Oil Refinery on opposite side of Interstate Highway 10, total capacity 1,674,000 barrels. One 16-inch fuel oil and four 12-, three 10-, three 8- and one 4-inch petroleum product pipelines extend to wharf from 39 steel storage tanks at refinery, total capacity 3,347,200 barrels. Four10-inch lube oil pipelines connect to 12 storage tanks, total capacity 1,300,000 barrels. The following petrochemicals are handled by the terminal for Vista Chemical Co.'s Lake Charles LAB and Chemical plants: One 10-inchalkylate pipeline extends to the wharf from one 1,008,000-gallon storage tank at terminal; one 6- and one 4-inch alcohol pipelines extend from 2 storage tanks at terminal, total capacity 2,730,000 gallons. One 2-inch carbon dioxideand one 2-inch steam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: Wharf was under construction at time of survey (2000) and is described as planned. Two 12-inch crude oil pipelines extend from wharf to 7 steel storage tanks at Conoco Oil Refinery on opposite side of Interstate Highway 10, total capacity 1,674,000 barrels. One 16-inch fuel oil and four 12-, three 10-, three 8- and one 4-inch petroleum product pipelines extend to wharf from 39 steel storage tanks at refinery, total capacity 3,347,200 barrels. Four10-inch lube oil pipelines connect to 12 storage tanks, total capacity 1,300,000 barrels. The following petrochemicals are handled by the terminal for Vista Chemical Co.'s Lake Charles LAB and Chemical plants: One 10-inchalkylate pipeline extends to the wharf from one 1,008,000-gallon storage tank at terminal; one 6- and one 4-inch alcohol pipelines extend from 2 storage tanks at terminal, total capacity 2,730,000 gallons. One 2-inch carbon dioxideand one 2-inch steam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: Wharf was under construction at time of survey (2000) and is described as planned. Two 12-inch crude oil pipelines extend from wharf to 7 steel storage tanks at Conoco Oil Refinery on opposite side of Interstate Highway 10, total capacity 1,674,000 barrels. One 16-inch fuel oil and four 12-, three 10-, three 8- and one 4-inch petroleum product pipelines extend to wharf from 39 steel storage tanks at refinery, total capacity 3,347,200 barrels. Four10-inch lube oil pipelines connect to 12 storage tanks, total capacity 1,300,000 barrels. The following petrochemicals are handled by the terminal for Vista Chemical Co.'s Lake Charles LAB and Chemical plants: One 10-inchalkylate pipeline extends to the wharf from one 1,008,000-gallon storage tank at terminal; one 6- and one 4-inch alcohol pipelines extend from 2 storage tanks at terminal, total capacity 2,730,000 gallons. One 2-inch carbon dioxideand one 2-inch steam lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 105
Name: **Lyondell Chemical Co., AP&L Dock.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 1,200 Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: One 370-foot surface track on wharf and one serving undertrack pit in rear; connect with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 30.231111
Total Berthing Space (feet): 604 | | Longitude (decimal): -93.26222

Waterway: **The Loop, Calcasieu River** Mile: PWD: 105
Name: **Lyondell Chemical Co., AP&L Dock.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 1,200 Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: One 370-foot surface track on wharf and one serving undertrack pit in rear; connect with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 30.231111
Total Berthing Space (feet): 604 | | Longitude (decimal): -93.26222

Waterway: **The Loop, Calcasieu River** Mile: PWD: 105
Name: **Lyondell Chemical Co., AP&L Dock.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 1,200 Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: One 370-foot surface track on wharf and one serving undertrack pit in rear; connect with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 30.231111
Total Berthing Space (feet): 604 | | Longitude (decimal): -93.26222
Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 105
Name: **Lyondell Chemical Co., AP&L Dock.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 1,200 Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: One 370-foot surface track on wharf and one serving undertrack pit in rear; connect with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 30.231111
Total Berthing Space (feet): 604 | | Longitude (decimal): -93.26222

Waterway: **The Loop, Calcasieu River** Mile: PWD: 105
Name: **Lyondell Chemical Co., AP&L Dock.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 1,200 Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: One 370-foot surface track on wharf and one serving undertrack pit in rear; connect with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 30.231111
Total Berthing Space (feet): 604 | | Longitude (decimal): -93.26222

Waterway: **The Loop, Calcasieu River** Mile: PWD: 105
Name: **Lyondell Chemical Co., AP&L Dock.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 1,200 Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: One 370-foot surface track on wharf and one serving undertrack pit in rear; connect with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 30.231111
Total Berthing Space (feet): 604 | | Longitude (decimal): -93.26222
Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 105
Name: **Lyondell Chemical Co., AP&L Dock.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 1,200 Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: One 370-foot surface track on wharf and one serving undertrack pit in rear; connect with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 30.231111
Total Berthing Space (feet): 604 | | Longitude (decimal): -93.26222

Waterway: **The Loop, Calcasieu River** Mile: PWD: 105
Name: **Lyondell Chemical Co., AP&L Dock.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 1,200 Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: One 370-foot surface track on wharf and one serving undertrack pit in rear; connect with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 30.231111
Total Berthing Space (feet): 604 | | Longitude (decimal): -93.26222

Waterway: **The Loop, Calcasieu River** Mile: PWD: 105
Name: **Lyondell Chemical Co., AP&L Dock.**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 1,200 Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: One 370-foot surface track on wharf and one serving undertrack pit in rear; connect with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 30.231111
Total Berthing Space (feet): 604 | | Longitude (decimal): -93.26222
Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 104
Name: **Lyondell Chemical Co., Arch Chemicals Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 400 f Datum: MLG
Operator: Arch Chemicals, Inc.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of liquid caustic soda and receipt and shipment of calcium chloride, both by barge and, occasionally, by vessel.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.231389
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.2625

Waterway: **The Loop, Calcasieu River** Mile: PWD: 104
Name: **Lyondell Chemical Co., Arch Chemicals Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 400 f Datum: MLG
Operator: Arch Chemicals, Inc.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of liquid caustic soda and receipt and shipment of calcium chloride, both by barge and, occasionally, by vessel.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.231389
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.2625

Waterway: **The Loop, Calcasieu River** Mile: PWD: 104
Name: **Lyondell Chemical Co., Arch Chemicals Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 400 f Datum: MLG
Operator: Arch Chemicals, Inc.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of liquid caustic soda and receipt and shipment of calcium chloride, both by barge and, occasionally, by vessel.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.231389
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.2625

Waterway: **The Loop, Calcasieu River** Mile: PWD: 104
Name: **Lyondell Chemical Co., Arch Chemicals Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 400 f Datum: MLG
Operator: Arch Chemicals, Inc.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of liquid caustic soda and receipt and shipment of calcium chloride, both by barge and, occasionally, by vessel.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.231389
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.2625
Remarks: One 6-inch caustic soda pipeline extends from wharf to 8 steel storage tanks, total capacity 7,026 tons, and one 6-inch calcium chloride pipeline extends from wharf to 3 steel storage tanks, total capacity 4,483,160 gallons, all located in Arch Chemicals plant at rear. Three 1/2-inch compressed air, one 3-inch vent, and one 4-inch slop lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 6-inch caustic soda pipeline extends from wharf to 8 steel storage tanks, total capacity 7,026 tons, and one 6-inch calcium chloride pipeline extends from wharf to 3 steel storage tanks, total capacity 4,483,160 gallons, all located in Arch Chemicals plant at rear. Three 1/2-inch compressed air, one 3-inch vent, and one 4-inch slop lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 6-inch caustic soda pipeline extends from wharf to 8 steel storage tanks, total capacity 7,026 tons, and one 6-inch calcium chloride pipeline extends from wharf to 3 steel storage tanks, total capacity 4,483,160 gallons, all located in Arch Chemicals plant at rear. Three 1/2-inch compressed air, one 3-inch vent, and one 4-inch slop lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 104
Name: **Lyondell Chemical Co., Arch Chemicals Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 400 f Datum: MLG
Operator: Arch Chemicals, Inc.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of liquid caustic soda and receipt and shipment of calcium chloride, both by barge and, occasionally, by vessel.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.231389
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.2625

Waterway: **The Loop, Calcasieu River** Mile: PWD: 104
Name: **Lyondell Chemical Co., Arch Chemicals Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 400 f Datum: MLG
Operator: Arch Chemicals, Inc.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of liquid caustic soda and receipt and shipment of calcium chloride, both by barge and, occasionally, by vessel.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.231389
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.2625

Waterway: **The Loop, Calcasieu River** Mile: PWD: 104
Name: **Lyondell Chemical Co., Arch Chemicals Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 400 f Datum: MLG
Operator: Arch Chemicals, Inc.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of liquid caustic soda and receipt and shipment of calcium chloride, both by barge and, occasionally, by vessel.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.231389
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.2625
Remarks: One 6-inch caustic soda pipeline extends from wharf to 8 steel storage tanks, total capacity 7,026 tons, and one 6-inch calcium chloride pipeline extends from wharf to 3 steel storage tanks, total capacity 4,483,160 gallons, all located in Arch Chemicals plant at rear. Three 1/2-inch compressed air, one 3-inch vent, and one 4-inch slop lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 6-inch caustic soda pipeline extends from wharf to 8 steel storage tanks, total capacity 7,026 tons, and one 6-inch calcium chloride pipeline extends from wharf to 3 steel storage tanks, total capacity 4,483,160 gallons, all located in Arch Chemicals plant at rear. Three 1/2-inch compressed air, one 3-inch vent, and one 4-inch slop lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 6-inch caustic soda pipeline extends from wharf to 8 steel storage tanks, total capacity 7,026 tons, and one 6-inch calcium chloride pipeline extends from wharf to 3 steel storage tanks, total capacity 4,483,160 gallons, all located in Arch Chemicals plant at rear. Three 1/2-inch compressed air, one 3-inch vent, and one 4-inch slop lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 104
Name: **Lyondell Chemical Co., Arch Chemicals Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 400 f Datum: MLG
Operator: Arch Chemicals, Inc.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of liquid caustic soda and receipt and shipment of calcium chloride, both by barge and, occasionally, by vessel.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.231389
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.2625

Waterway: **The Loop, Calcasieu River** Mile: PWD: 104
Name: **Lyondell Chemical Co., Arch Chemicals Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 400 f Datum: MLG
Operator: Arch Chemicals, Inc.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of liquid caustic soda and receipt and shipment of calcium chloride, both by barge and, occasionally, by vessel.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.231389
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.2625

Waterway: **The Loop, Calcasieu River** Mile: PWD: 104
Name: **Lyondell Chemical Co., Arch Chemicals Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 400 f Datum: MLG
Operator: Arch Chemicals, Inc.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of liquid caustic soda and receipt and shipment of calcium chloride, both by barge and, occasionally, by vessel.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.231389
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.2625

Waterway: **The Loop, Calcasieu River** Mile: PWD: 104
Name: **Lyondell Chemical Co., Arch Chemicals Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 400 f Datum: MLG
Operator: Arch Chemicals, Inc.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Receipt of liquid caustic soda and receipt and shipment of calcium chloride, both by barge and, occasionally, by vessel.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.231389
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.2625
Remarks: One 6-inch caustic soda pipeline extends from wharf to 8 steel storage tanks, total capacity 7,026 tons, and one 6-inch calcium chloride pipeline extends from wharf to 3 steel storage tanks, total capacity 4,483,160 gallons, all located in Arch Chemicals plant at rear. Three 1/2-inch compressed air, one 3-inch vent, and one 4-inch slop lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: One 6-inch caustic soda pipeline extends from wharf to 8 steel storage tanks, total capacity 7,026 tons, and one 6-inch calcium chloride pipeline extends from wharf to 3 steel storage tanks, total capacity 4,483,160 gallons, all located in Arch Chemicals plant at rear. Three 1/2-inch compressed air, one 3-inch vent, and one 4-inch slop lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: One 6-inch caustic soda pipeline extends from wharf to 8 steel storage tanks, total capacity 7,026 tons, and one 6-inch calcium chloride pipeline extends from wharf to 3 steel storage tanks, total capacity 4,483,160 gallons, all located in Arch Chemicals plant at rear. Three 1/2-inch compressed air, one 3-inch vent, and one 4-inch slop lines serve wharf.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 106
Name: **Lyondell Chemical Co., Shell Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 0.5 m Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 752 | | Longitude (decimal): -93.26806

Waterway: **The Loop, Calcasieu River** Mile: PWD: 106
Name: **Lyondell Chemical Co., Shell Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 0.5 m Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 752 | | Longitude (decimal): -93.26806

Waterway: **The Loop, Calcasieu River** Mile: PWD: 106
Name: **Lyondell Chemical Co., Shell Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 0.5 m Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 752 | | Longitude (decimal): -93.26806
Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 106
Name: **Lyondell Chemical Co., Shell Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 0.5 m Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 752 | | Longitude (decimal): -93.26806

Waterway: **The Loop, Calcasieu River** Mile: PWD: 106
Name: **Lyondell Chemical Co., Shell Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 0.5 m Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 752 | | Longitude (decimal): -93.26806

Waterway: **The Loop, Calcasieu River** Mile: PWD: 106
Name: **Lyondell Chemical Co., Shell Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 0.5 m Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 752 | | Longitude (decimal): -93.26806
Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Waterway: **The Loop, Calcasieu River** Mile: PWD: 106
Name: **Lyondell Chemical Co., Shell Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 0.5 m Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 752 | | Longitude (decimal): -93.26806

Waterway: **The Loop, Calcasieu River** Mile: PWD: 106
Name: **Lyondell Chemical Co., Shell Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 0.5 m Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 752 | | Longitude (decimal): -93.26806

Waterway: **The Loop, Calcasieu River** Mile: PWD: 106
Name: **Lyondell Chemical Co., Shell Dock**
Port: Lake Charles
Location: The Loop Channel of the Calcasieu River, north side of slip opposite Clooney Island, approximately 0.5 m Datum: MLG
Operator: Not Operated.
Owner: Lyondell Chemical Co.
Address: Phone: 337-430-4050
Town: Westlake State: LA County: Calcasieu
Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway and Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.231111
Total Berthing Space (feet): 752 | | Longitude (decimal): -93.26806
Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Port Facilities by Waterway

Remarks: □□

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Waterway: **The Loop, Calcasieu River** Mile: PWD: 100

Name: **Mike Hooks Slip.**

Port: Lake Charles

Location: The Loop Channel of the Calcasieu River, opposite east side of Clooney Island, approx. 0.6 mile above tu Datum: MLG

Operator: Mike Hooks, Inc.

Owner: Mike Hooks, Inc.

Address: 409 Mike Hooks Road Phone: 337-436-6693

Town: Westlake State: LA County: Calcasieu

Railway Connection: None.

Purpose: Mooring and repairing company-owned floating equipment, primarily dredges. Handling construction supplies, materials, and equipment to and from barges.

Depth Alongside (feet): 14 | 14 | 14 Latitude (decimal): 30.226667

Total Berthing Space (feet): 100 | 430 | 320 Longitude (decimal): -93.25306

Remarks: Additional mooring in 12-foot water depth is available along 250 feet of natural bank below slip and at 400 feet of natural bank above slip, all fronting open storage yard. A 165-foot, timber bulkhead with solid fill, along lower side of 300- by 250-foot slip at upper side of yard, is 8 feet high and provides 300 feet of berthing space in 12 feet of water. Facility is used as a base for dredging and marine construction work.

Port Series: 21 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 20955 New Orleans District

Waterway: **Tidewater Access Canal** Mile: PWD: 125

Name: **D & B Seafood Wharf.**

Port: Below New Orleans

Location: North east side of Venice Boat Basin, from right bank, Tidewater Access Canal, approximately 1,000 feet Datum: MLG

Operator: D & B Seafood Co.

Owner: Plaquemines Parish Commission Council.

Address: Venice Boat Basin Phone: ----------

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of seafood; icing fishing vessels; mooring fishing vessels.

Depth Alongside (feet): 12 | 12 | 4 - 6 Latitude (decimal): 29.241389

Total Berthing Space (feet): 150 & | 60 + | 100 + Longitude (decimal): -89.36389

Remarks: Open-walled shed shelters platform. One 5-inch pneumatic hose for icing vessels extends to wharf from truck-supplied storage building. A depressed, 2-bay, truck loading ramp is located at rear of platform.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Tidewater Access Channel** Mile: PWD: 124

Name: **Venice Seafood Exchange, Venice Dock**

Port: Below New Orleans

Location: Right bank of Tidewater Access Channel and southeast corner of Plaquemines Parish Venice Boat Harbor bas Datum: MLG

Operator: Venice Seafood Exchange.

Owner: Plaquemines Parish Commission Council.

Address: 140 Tante-Phine Road. Phone: 985/534-9833

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Receipt of seafood; mooring and fueling fishing vessels.

Depth Alongside (feet): 14 | 14 | 14 Latitude (decimal): 29.238889

Total Berthing Space (feet): 150 | 90 | 250 Longitude (decimal): -89.36111

Remarks: Auxiliary dock, consisting of a 150-foot-long bulkhead across the road from the main receiving wharf, occasionally serves vessels in the Tidewater Access Channel. Depth alongside of 20 feet at the auxiliary dock is available. Auxiliary wharf is equipped with a recieving hopper and an electric, belt-conveyor sytem for unloading catch. Fueling pipelines extend to main wharf from 3 steel storage tanks located at rear, total capacity 50,000 gallons.Top-off ice for fishing vessels is available by truck delivery.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 104

Name: **Ambar Lonestar Fluid Services, Venice Dock.**

Port: Below New Orleans

Location: Approx. 2,700 feet above entrance to Slip No. 2, upper side, from right bank, Tiger Pass, 2,000 feet bel Datum: MLG

Operator: Ambar Lonestar Fluid Services, Co.

Owner: The Louisiana Fruit Co.

Address: 190 McDermott Road. Phone: 985/534-9071

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Mooring offshore platform service vessels; handling supplies and equipment, and transferring personnel; shipment of drilling mud.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 29.257778

Total Berthing Space (feet): 330 | | Longitude (decimal): -89.36222

Remarks: Two 4-inch pipelines extend to wharf from one liquid drilling mud and one heavy water storage tank, total capacity 115,500 gallons. One 4-inch pneumatic pipeline extends from five barite storage tanks, total capacity 19,000 sacks (23,560 cubic feet). Wharf is in line and contiguous with slip side of Ref. Nos. 98, 99 through 103, and 105.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 95
Name: **Baker Atlas, Venice Dock.**
Port: Below New Orleans
Location: Approx. 830 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet below Datum: MLG
Operator: Baker Atlas, a division of Baker Hughes, Inc.
Owner: The Louisiana Fruit Co.
Address: 351 McDermott Road. Phone: 985/534-2688
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Occasional mooring of company-owned vessels.
Depth Alongside (feet): 5 - 15 | | Latitude (decimal): 29.258056
Total Berthing Space (feet): 260 | | Longitude (decimal): -89.35667
Remarks: Vessel fueling manifold at dock is served by one 4-inch pipeline extending from diesel, aircraft, and gasoline fuel tanks located at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 116
Name: **Baroid Drilling Fluids, Venice Slip No. 2 Wharf.**
Port: Below New Orleans
Location: Lower side of entrance to Slip No. 2 and right bank, Tiger Pass, 2,000 feet below entrance from Grand Pa Datum: MLG
Operator: Baroid Drilling Fluids, a subsidiary of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: 419 Coast Guard Road. Phone: 985/534-7013
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling heavy-lift items, pipe, supplies, and equipment, and transferring personnel; shipment of bulk drilling mud, and bagged chemicals.
Depth Alongside (feet): 18 - 20 | 20 - 30 | Latitude (decimal): 29.253333
Total Berthing Space (feet): 410 | 600 | Longitude (decimal): -89.35694
Remarks: One 4-inch pneumatic pipeline extends to wharf from 4 dry mud storage tanks at rear, total capacity 1,000 tons. Approximately 3.5 acres of open storage and staging area are located at rear. Wharf is in line and contiguous with Ref. Nos. 110 through 115.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 76
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 1.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 300 feet below entrance from Grand Pass. Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of bulk drilling mud and bagged chemicals.
Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 240 | | Longitude (decimal): -89.35278

Waterway: **Tiger Pass** Mile: PWD: 76
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 1.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 300 feet below entrance from Grand Pass. Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of bulk drilling mud and bagged chemicals.
Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 240 | | Longitude (decimal): -89.35278

Waterway: **Tiger Pass** Mile: PWD: 76
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 1.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 300 feet below entrance from Grand Pass. Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of bulk drilling mud and bagged chemicals.
Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 240 | | Longitude (decimal): -89.35278
Remarks: One 6- and one 4-inch pipelines extend to wharf from 18 liquid mud storage tanks, total capacity 15,000 barrels, and one 4-inch pneumatic pipeline extends to wharf from 6 dry mud storage tanks at rear, total capacity approximately 2,100 tons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Remarks: One 6- and one 4-inch pipelines extend to wharf from 18 liquid mud storage tanks, total capacity 15,000 barrels, and one 4-inch pneumatic pipeline extends to wharf from 6 dry mud storage tanks at rear, total capacity approximately 2,100 tons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Remarks: One 6- and one 4-inch pipelines extend to wharf from 18 liquid mud storage tanks, total capacity 15,000 barrels, and one 4-inch pneumatic pipeline extends to wharf from 6 dry mud storage tanks at rear, total capacity approximately 2,100 tons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 76
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 1.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 300 feet below entrance from Grand Pass. Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of bulk drilling mud and bagged chemicals.
Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 240 | | Longitude (decimal): -89.35278

Waterway: **Tiger Pass** Mile: PWD: 76
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 1.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 300 feet below entrance from Grand Pass. Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of bulk drilling mud and bagged chemicals.
Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 240 | | Longitude (decimal): -89.35278

Waterway: **Tiger Pass** Mile: PWD: 76
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 1.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 300 feet below entrance from Grand Pass. Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of bulk drilling mud and bagged chemicals.
Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 240 | | Longitude (decimal): -89.35278
Remarks: One 6- and one 4-inch pipelines extend to wharf from 18 liquid mud storage tanks, total capacity 15,000 barrels, and one 4-inch pneumatic pipeline extends to wharf from 6 dry mud storage tanks at rear, total capacity approximately 2,100 tons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Remarks: One 6- and one 4-inch pipelines extend to wharf from 18 liquid mud storage tanks, total capacity 15,000 barrels, and one 4-inch pneumatic pipeline extends to wharf from 6 dry mud storage tanks at rear, total capacity approximately 2,100 tons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Remarks: One 6- and one 4-inch pipelines extend to wharf from 18 liquid mud storage tanks, total capacity 15,000 barrels, and one 4-inch pneumatic pipeline extends to wharf from 6 dry mud storage tanks at rear, total capacity approximately 2,100 tons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 76
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 1.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 300 feet below entrance from Grand Pass. Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of bulk drilling mud and bagged chemicals.
Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 240 | | Longitude (decimal): -89.35278

Waterway: **Tiger Pass** Mile: PWD: 76
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 1.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 300 feet below entrance from Grand Pass. Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of bulk drilling mud and bagged chemicals.
Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 240 | | Longitude (decimal): -89.35278

Waterway: **Tiger Pass** Mile: PWD: 76
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 1.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 300 feet below entrance from Grand Pass. Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of bulk drilling mud and bagged chemicals.
Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 240 | | Longitude (decimal): -89.35278
Remarks: One 6- and one 4-inch pipelines extend to wharf from 18 liquid mud storage tanks, total capacity 15,000 barrels, and one 4-inch pneumatic pipeline extends to wharf from 6 dry mud storage tanks at rear, total capacity approximately 2,100 tons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Remarks: One 6- and one 4-inch pipelines extend to wharf from 18 liquid mud storage tanks, total capacity 15,000 barrels, and one 4-inch pneumatic pipeline extends to wharf from 6 dry mud storage tanks at rear, total capacity approximately 2,100 tons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Remarks: One 6- and one 4-inch pipelines extend to wharf from 18 liquid mud storage tanks, total capacity 15,000 barrels, and one 4-inch pneumatic pipeline extends to wharf from 6 dry mud storage tanks at rear, total capacity approximately 2,100 tons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 77
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 2.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 500 feet below entrance from Grand Pass. Datum: MLG
Operator: Not operated (see Remarks)
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used. (see Remarks)
Depth Alongside (feet): 4 - 8 | 8 | 0 - 8 Latitude (decimal): 29.258056
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.35306

Waterway: **Tiger Pass** Mile: PWD: 77
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 2.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 500 feet below entrance from Grand Pass. Datum: MLG
Operator: Not operated (see Remarks)
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used. (see Remarks)
Depth Alongside (feet): 4 - 8 | 8 | 0 - 8 Latitude (decimal): 29.258056
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.35306

Waterway: **Tiger Pass** Mile: PWD: 77
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 2.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 500 feet below entrance from Grand Pass. Datum: MLG
Operator: Not operated (see Remarks)
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used. (see Remarks)
Depth Alongside (feet): 4 - 8 | 8 | 0 - 8 Latitude (decimal): 29.258056
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.35306
Remarks: At time of survey (2002), plans called for construction of a drilling mud plant at this site. A 400-foot row of offshore breasting dolphins is to be installed across the basin in line with the flanking shorelines in order to moor vessels for loading and shipment of drilling fluids to offshore platforms.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Remarks: At time of survey (2002), plans called for construction of a drilling mud plant at this site. A 400-foot row of offshore breasting dolphins is to be installed across the basin in line with the flanking shorelines in order to moor vessels for loading and shipment of drilling fluids to offshore platforms.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Remarks: At time of survey (2002), plans called for construction of a drilling mud plant at this site. A 400-foot row of offshore breasting dolphins is to be installed across the basin in line with the flanking shorelines in order to moor vessels for loading and shipment of drilling fluids to offshore platforms.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 77
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 2.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 500 feet below entrance from Grand Pass. Datum: MLG
Operator: Not operated (see Remarks)
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used. (see Remarks)
Depth Alongside (feet): 4 - 8 | 8 | 0 - 8 Latitude (decimal): 29.258056
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.35306

Waterway: **Tiger Pass** Mile: PWD: 77
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 2.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 500 feet below entrance from Grand Pass. Datum: MLG
Operator: Not operated (see Remarks)
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used. (see Remarks)
Depth Alongside (feet): 4 - 8 | 8 | 0 - 8 Latitude (decimal): 29.258056
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.35306

Waterway: **Tiger Pass** Mile: PWD: 77
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 2.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 500 feet below entrance from Grand Pass. Datum: MLG
Operator: Not operated (see Remarks)
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used. (see Remarks)
Depth Alongside (feet): 4 - 8 | 8 | 0 - 8 Latitude (decimal): 29.258056
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.35306
Remarks: At time of survey (2002), plans called for construction of a drilling mud plant at this site. A 400-foot row of offshore breasting dolphins is to be installed across the basin in line with the flanking shorelines in order to moor vessels for loading and shipment of drilling fluids to offshore platforms.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Remarks: At time of survey (2002), plans called for construction of a drilling mud plant at this site. A 400-foot row of offshore breasting dolphins is to be installed across the basin in line with the flanking shorelines in order to moor vessels for loading and shipment of drilling fluids to offshore platforms.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Remarks: At time of survey (2002), plans called for construction of a drilling mud plant at this site. A 400-foot row of offshore breasting dolphins is to be installed across the basin in line with the flanking shorelines in order to moor vessels for loading and shipment of drilling fluids to offshore platforms.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 77
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 2.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 500 feet below entrance from Grand Pass. Datum: MLG
Operator: Not operated (see Remarks)
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used. (see Remarks)
Depth Alongside (feet): 4 - 8 | 8 | 0 - 8 Latitude (decimal): 29.258056
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.35306

Waterway: **Tiger Pass** Mile: PWD: 77
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 2.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 500 feet below entrance from Grand Pass. Datum: MLG
Operator: Not operated (see Remarks)
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used. (see Remarks)
Depth Alongside (feet): 4 - 8 | 8 | 0 - 8 Latitude (decimal): 29.258056
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.35306

Waterway: **Tiger Pass** Mile: PWD: 77
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 2.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 500 feet below entrance from Grand Pass. Datum: MLG
Operator: Not operated (see Remarks)
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used. (see Remarks)
Depth Alongside (feet): 4 - 8 | 8 | 0 - 8 Latitude (decimal): 29.258056
Total Berthing Space (feet): 380 | | Longitude (decimal): -89.35306
Remarks: At time of survey (2002), plans called for construction of a drilling mud plant at this site. A 400-foot row of offshore breasting dolphins is to be installed across the basin in line with the flanking shorelines in order to moor vessels for loading and shipment of drilling fluids to offshore platforms.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Remarks: At time of survey (2002), plans called for construction of a drilling mud plant at this site. A 400-foot row of offshore breasting dolphins is to be installed across the basin in line with the flanking shorelines in order to moor vessels for loading and shipment of drilling fluids to offshore platforms.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Remarks: At time of survey (2002), plans called for construction of a drilling mud plant at this site. A 400-foot row of offshore breasting dolphins is to be installed across the basin in line with the flanking shorelines in order to moor vessels for loading and shipment of drilling fluids to offshore platforms.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 79
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 3.**
Port: Below New Orleans
Location: Approximately 400 feet above entrance to Slip No. 1, upper side, from right bank, Tiger Pass, 1,000 feet Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.256944
Total Berthing Space (feet): 280 | | Longitude (decimal): -89.35556

Waterway: **Tiger Pass** Mile: PWD: 79
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 3.**
Port: Below New Orleans
Location: Approximately 400 feet above entrance to Slip No. 1, upper side, from right bank, Tiger Pass, 1,000 feet Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.256944
Total Berthing Space (feet): 280 | | Longitude (decimal): -89.35556

Waterway: **Tiger Pass** Mile: PWD: 79
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 3.**
Port: Below New Orleans
Location: Approximately 400 feet above entrance to Slip No. 1, upper side, from right bank, Tiger Pass, 1,000 feet Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.256944
Total Berthing Space (feet): 280 | | Longitude (decimal): -89.35556
Remarks: Face of wharf is in line and contiguous with slip side of Ref. No. 78 and with Ref. Nos. 80 and 81. Slip No. 1 is T-shaped, with depths ranging to 22 feet, approximately 3,000 feet long by 230 feet wide having an upper and lower extension, each approximately 650 by 250 feet, at head of slip.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Remarks: Face of wharf is in line and contiguous with slip side of Ref. No. 78 and with Ref. Nos. 80 and 81. Slip No. 1 is T-shaped, with depths ranging to 22 feet, approximately 3,000 feet long by 230 feet wide having an upper and lower extension, each approximately 650 by 250 feet, at head of slip.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is in line and contiguous with slip side of Ref. No. 78 and with Ref. Nos. 80 and 81. Slip No. 1 is T-shaped, with depths ranging to 22 feet, approximately 3,000 feet long by 230 feet wide having an upper and lower extension, each approximately 650 by 250 feet, at head of slip.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 79
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 3.**
Port: Below New Orleans
Location: Approximately 400 feet above entrance to Slip No. 1, upper side, from right bank, Tiger Pass, 1,000 feet Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.256944
Total Berthing Space (feet): 280 | | Longitude (decimal): -89.35556

Waterway: **Tiger Pass** Mile: PWD: 79
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 3.**
Port: Below New Orleans
Location: Approximately 400 feet above entrance to Slip No. 1, upper side, from right bank, Tiger Pass, 1,000 feet Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.256944
Total Berthing Space (feet): 280 | | Longitude (decimal): -89.35556

Waterway: **Tiger Pass** Mile: PWD: 79
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 3.**
Port: Below New Orleans
Location: Approximately 400 feet above entrance to Slip No. 1, upper side, from right bank, Tiger Pass, 1,000 feet Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.256944
Total Berthing Space (feet): 280 | | Longitude (decimal): -89.35556

Remarks: Face of wharf is in line and contiguous with slip side of Ref. No. 78 and with Ref. Nos. 80 and 81. Slip No. 1 is T-shaped, with depths ranging to 22 feet, approximately 3,000 feet long by 230 feet wide having an upper and lower extension, each approximately 650 by 250 feet, at head of slip.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Remarks: Face of wharf is in line and contiguous with slip side of Ref. No. 78 and with Ref. Nos. 80 and 81. Slip No. 1 is T-shaped, with depths ranging to 22 feet, approximately 3,000 feet long by 230 feet wide having an upper and lower extension, each approximately 650 by 250 feet, at head of slip.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is in line and contiguous with slip side of Ref. No. 78 and with Ref. Nos. 80 and 81. Slip No. 1 is T-shaped, with depths ranging to 22 feet, approximately 3,000 feet long by 230 feet wide having an upper and lower extension, each approximately 650 by 250 feet, at head of slip.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 79
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 3.**
Port: Below New Orleans
Location: Approximately 400 feet above entrance to Slip No. 1, upper side, from right bank, Tiger Pass, 1,000 feet Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.256944
Total Berthing Space (feet): 280 | | Longitude (decimal): -89.35556

Waterway: **Tiger Pass** Mile: PWD: 79
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 3.**
Port: Below New Orleans
Location: Approximately 400 feet above entrance to Slip No. 1, upper side, from right bank, Tiger Pass, 1,000 feet Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.256944
Total Berthing Space (feet): 280 | | Longitude (decimal): -89.35556

Waterway: **Tiger Pass** Mile: PWD: 79
Name: **Baroid Drilling Fluids, Venice Yard No. 1,Wharf No 3.**
Port: Below New Orleans
Location: Approximately 400 feet above entrance to Slip No. 1, upper side, from right bank, Tiger Pass, 1,000 feet Datum: MLG
Operator: Baroid Drilling Fluids, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-2021
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.256944
Total Berthing Space (feet): 280 | | Longitude (decimal): -89.35556

Remarks: Face of wharf is in line and contiguous with slip side of Ref. No. 78 and with Ref. Nos. 80 and 81. Slip No. 1 is T-shaped, with depths ranging to 22 feet, approximately 3,000 feet long by 230 feet wide having an upper and lower extension, each approximately 650 by 250 feet, at head of slip.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Remarks: Face of wharf is in line and contiguous with slip side of Ref. No. 78 and with Ref. Nos. 80 and 81. Slip No. 1 is T-shaped, with depths ranging to 22 feet, approximately 3,000 feet long by 230 feet wide having an upper and lower extension, each approximately 650 by 250 feet, at head of slip.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Remarks: Face of wharf is in line and contiguous with slip side of Ref. No. 78 and with Ref. Nos. 80 and 81. Slip No. 1 is T-shaped, with depths ranging to 22 feet, approximately 3,000 feet long by 230 feet wide having an upper and lower extension, each approximately 650 by 250 feet, at head of slip.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 102

Name: **BJ Services, Venice Wharf.**

Port: Below New Orleans

Location: Approx. 2,000 feet above entrance to Slip No. 2, upper side, from right bank, Tiger Pass, 2,000 feet bel Datum: MLG

Operator: BJ Services, Inc.

Owner: The Louisiana Fruit Co.

Address: 238 McDermott Road. Phone: 985/534-2695

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Shipment of bulk cement, bagged cement, gel, and flyash mix, and break-bulk chemicals; mooring company-owned vessels.

Depth Alongside (feet): 12 | | Latitude (decimal): 29.256667

Total Berthing Space (feet): 272 | | Longitude (decimal): -89.36111

Remarks: One 4-inch pneumatic pipeline extends to wharf from 9 cement storage tanks at rear, total capacity 48,000 cubic feet. Wharf is in line and contiguous with slip side of Ref. Nos. 98, 99 through 101, and 103 through 105.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 101

Name: **BP-Amoco, Venice Base Wharf.**

Port: Below New Orleans

Location: Approx. 1,200 feet above entrance to Slip No. 2, upper side, from right bank, Tiger Pass, 2,000 feet bel Datum: MLG

Operator: Energy Logistics, Inc.

Owner: The Louisiana Fruit Co.

Address: 310 McDermott Road. Phone: 985/814-1812

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Mooring offshore platform service vessels; handling supplies, equipment, and transferring personnel.

Depth Alongside (feet): 20 | | Latitude (decimal): 29.256111

Total Berthing Space (feet): 700 | | Longitude (decimal): -89.36

Remarks: Approximately 7 acres of open storage and staging area are located at rear. Wharf is in line and contiguous with slip side of Ref. Nos. 98, 99, 100, and 102 through 105.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 120
Name: **Bud's Boat Rental, Wharf and Mooring Basin.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 1.2 mile below entrance from Grand Pass. Datum: MLG
Operator: Bud's Boat Rental, Inc.
Owner: The Louisiana Fruit Co.
Address: 148 Bud's Lane. Phone: 985/534-2394
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels; handling supplies, equipment, and personnel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.244444
Total Berthing Space (feet): 300 | 160 | 120 & Longitude (decimal): -89.36111
Remarks: Basin with capacity for 14 vessels measures approximately 300 by 180 feet with water depth of 10 feet and has an 130-foot-wide entrance channel off Tiger Pass.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 122
Name: **D & C Seafood Dock.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, at intersection with Tidewater Access Channel. Datum: MLG
Operator: D&C Seafood, Inc.
Owner: Plaquemines Parish Commission Council
Address: 391 IDF Road. Phone: 985/534-7696
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of seafood; icing fishing vessels; mooring fishing vessels.
Depth Alongside (feet): 16 | 6 - 7 | 6 - 7 Latitude (decimal): 29.235556
Total Berthing Space (feet): 400 | 80 | 25+25 Longitude (decimal): -89.35944
Remarks: At time of survey (2002), Tiger Pass side of wharf was not in use. Vessels along finger piers moor end-to. Ice plant at rear has capacity for 80 tons per day.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 106
Name: **Delta Towing Service, Venice Dock.**
Port: Below New Orleans
Location: Upper side of head of Slip No. 2, approximately 3,200 feet inside entrance from Tiger Pass. Datum: MLG
Operator: Not operated.
Owner: The Louisiana Fruit Co.
Address: McDermott Road. Phone: 985/534-2394
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.260278
Total Berthing Space (feet): 110 | | Longitude (decimal): -89.36389
Remarks: Dispatch office is located on wharf. At time of survey (2002), facility was being closed.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 84
Name: **Delta Well Surveyors Dock.**
Port: Below New Orleans
Location: Head of Slip No. 1, northeast extension, 3,500 feet inside entrance from Tiger Pass. Datum: MLG
Operator: Delta Well Surveyors.
Owner: The Louisiana Fruit Co.
Address: 297 Tidewater Road. Phone: 985/534-9566
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring company-owned small craft and barges.
Depth Alongside (feet): 3 - 4 | | Latitude (decimal): 29.263333
Total Berthing Space (feet): 65 + | | Longitude (decimal): -89.35944
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 83
Name: **Denet Towing Service Mooring Wharf.**
Port: Below New Orleans
Location: Upper side of Slip No. 1, end of northeast extension, approximately 2,800 feet inside entrance from Tige Datum: MLG
Operator: Denet Towing Service, Inc.
Owner: The Louisiana Fruit Co.
Address: Halliburton Road. Phone: 985/534-7807
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring company-owned vessels.
Depth Alongside (feet): 0 - 6 | | Latitude (decimal): 29.263333
Total Berthing Space (feet): 297 | | Longitude (decimal): -89.35861
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 93
Name: **Energy Logistics, Venice Wharf.**
Port: Below New Orleans
Location: Approx. 1,350 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: MLG
Operator: Energy Logistics, Inc.
Owner: The Louisiana Fruit Co.
Address: 289 McDermott Road. Phone: 985/534-2345
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.
Depth Alongside (feet): 16 | | Latitude (decimal): 29.258889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.35778
Remarks: Face of wharf is in line and contiguous with Ref. No. 92 and Ref. Nos. 94 through 97.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 110
Name: **Environmental Treatment Team, Venice Wharf.**
Port: Below New Orleans
Location: Approx. 3,000 feet above entrance to Slip No. 2, lower side, from right bank, Tiger Pass, 2,000 feet bel Datum: MLG
Operator: Environmental Treatment Team (ETT), L.L.C.
Owner: The Louisiana Fruit Co.
Address: 157 Coast Guard Road. Phone: 985/534-2204
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt and shipment of liquid wastes from offshore platforms; moor company-owned floating equipment.
Depth Alongside (feet): 11 | | Latitude (decimal): 29.258056
Total Berthing Space (feet): 420 | | Longitude (decimal): -89.36472
Remarks: Tanks and waste pits for filtering wastewater are located at rear. Wharf is in line and contiguous with Ref. Nos. 111 through 115 and slip side of Ref. No 116.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 89
Name: **Fab-Con Mooring Wharf.**
Port: Below New Orleans
Location: Head of Slip No. 1 and end of southeast extension, 3,500 feet inside entrance from Tiger Pass. Datum: MLG
Operator: Fab-Con.
Owner: The Louisiana Fruit Co.
Address: Tidewater Road. Phone: 985/534-9454
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 0 - 6 | | Latitude (decimal): 29.260833
Total Berthing Space (feet): 165 | | Longitude (decimal): -89.36306
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 113
Name: **French's Welding, Venice Wharf.**
Port: Below New Orleans
Location: Approx. 1,500 feet above entrance to Slip No. 2, lower side, from right bank, Tiger Pass, 2,000 feet bel Datum: MLG
Operator: French's Welding and Maintenance Service, Inc.
Owner: The Louisiana Fruit Co.
Address: 339 Coast Guard Road. Phone: 985/534-9194
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring company-owned vessels; occasional receipt of solid waste by barge; occasional mooring of transient vessels.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.255556
Total Berthing Space (feet): 500 | | Longitude (decimal): -89.36056
Remarks: Approximately 2 acres of open storage and staging area are located at rear. Wharf is in line and contiguous with Ref. Nos. 110 through 112, 114, 115, and slip side of 116.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 78
Name: **Halliburton Energy Services, Venice Base Wharf.**
Port: Below New Orleans
Location: Upper side of entrance to Slip No. 1, right bank, Tiger Pass, approximately 1,000 feet below entrance fr Datum: MLG
Operator: Halliburton Energy Services, a division of Halliburton Co.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 504/593-6706
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of bulk cement and packaged chemicals; mooring offshore platform service vessels.
Depth Alongside (feet): 18 - 20 | 14 - 18 | Latitude (decimal): 29.256389
Total Berthing Space (feet): 66+ | 350 | Longitude (decimal): -89.35417
Remarks: Twenty-four cement storage tanks are located at rear, total capacity 33,600 cubic feet. Fifty-pound bags of dry chemicals and five-gallon buckets of wet chemicals are stored at facility for shipment to offshore platforms.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 99
Name: **Integrity Industries, Venice Wharf.**
Port: Below New Orleans
Location: Approx. 200 feet above entrance to Slip No. 2, upper side, from right bank, Tiger Pass, 2,000 feet below Datum: MLG
Operator: Integrity Industries, Inc.
Owner: The Louisiana Fruit Co.
Address: 412 McDermott Road. Phone: 983/534-9948
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of bulk liquid drilling mud.
Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 29.254444
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.35722
Remarks: Two 4- and one 3-inch pipelines extend to wharf from mixing plant and from 8 storage tanks at rear, total storage capacity 120,000 barrels of liquid drilling mud. Other tanks containing mixing materials serve plant. Wharf is in line and contiguous with slip side of Ref. No. 98 and Ref. Nos. 98 through 105.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 118
Name: **John W. Stone, Venice Fuel Dock.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 0.6 mile below entrance from Grand Pass. Datum: MLG
Operator: John W. Stone Oil Distributor, L.L.C.
Owner: The Louisiana Fruit Co.
Address: Stone Road. Phone: 504/366-3401
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Bunkering vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.250833
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.35778
Remarks: One 8- and one 4-inch fueling pipelines extend to wharf from steel storage tanks located at rear. Buildings at rear are used for storing drummed lubricants.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 94
Name: **Liberty Services, Venice Base Wharf.**
Port: Below New Orleans
Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: MLG
Operator: Energy Logistics, Inc.
Owner: The Louisiana Fruit Co.
Address: 331 McDermott Road. Phone: 985/534-2345
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 250 | | Longitude (decimal): -89.35722

Waterway: **Tiger Pass** Mile: PWD: 94
Name: **Liberty Services, Venice Base Wharf.**
Port: Below New Orleans
Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: MLG
Operator: Energy Logistics, Inc.
Owner: The Louisiana Fruit Co.
Address: 331 McDermott Road. Phone: 985/534-2345
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 250 | | Longitude (decimal): -89.35722

Waterway: **Tiger Pass** Mile: PWD: 94
Name: **Liberty Services, Venice Base Wharf.**
Port: Below New Orleans
Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: LWRP
Operator: Energy Logistics, Inc.
Owner: The Louisiana Fruit Co.
Address: 331 McDermott Road. Phone: 225/562-9237
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.
Depth Alongside (feet): 55 | | 20 Latitude (decimal): 29.258611
Total Berthing Space (feet): 740 | | 195 Longitude (decimal): -89.35722

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 94

Name: **Liberty Services, Venice Base Wharf.**

Port: Below New Orleans

Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: LWRP

Operator: Energy Logistics, Inc.

Owner: The Louisiana Fruit Co.

Address: 331 McDermott Road. Phone: 225/562-9237

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.

Depth Alongside (feet): 55 | | 20 Latitude (decimal): 29.258611

Total Berthing Space (feet): 740 | | 195 Longitude (decimal): -89.35722

Remarks: Face of wharf is in line and contiguous with Ref. Nos. 91, 92, 93, and 95 through 97.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Remarks: Face of wharf is in line and contiguous with Ref. Nos. 91, 92, 93, and 95 through 97.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Remarks: Two 8-inch, caustic soda pipelines extend from center work platform to 6 storage tanks, total capacity 7,200,000 gallons; one 12- becoming two 8-inch ethylene dichloride, and two 6-inch vent pipelines extend to center and upper work platforms from 3 storage tanks, total capacity 5,100,000 gallons. One 3-inch compressed air and one 2- and one 1-inch nitrogen lines also serve wharf. One mooring dolphin and two mooring buoys located 900 feet upstream ofwharf provide a 380-foot berth in 20-foot depth.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Remarks: Two 8-inch, caustic soda pipelines extend from center work platform to 6 storage tanks, total capacity 7,200,000 gallons; one 12- becoming two 8-inch ethylene dichloride, and two 6-inch vent pipelines extend to center and upper work platforms from 3 storage tanks, total capacity 5,100,000 gallons. One 3-inch compressed air and one 2- and one 1-inch nitrogen lines also serve wharf. One mooring dolphin and two mooring buoys located 900 feet upstream ofwharf provide a 380-foot berth in 20-foot depth.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 94
Name: **Liberty Services, Venice Base Wharf.**
Port: Below New Orleans
Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: MLG
Operator: Energy Logistics, Inc.
Owner: The Louisiana Fruit Co.
Address: 331 McDermott Road. Phone: 985/534-2345
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 250 | | Longitude (decimal): -89.35722

Waterway: **Tiger Pass** Mile: PWD: 94
Name: **Liberty Services, Venice Base Wharf.**
Port: Below New Orleans
Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: MLG
Operator: Energy Logistics, Inc.
Owner: The Louisiana Fruit Co.
Address: 331 McDermott Road. Phone: 985/534-2345
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 250 | | Longitude (decimal): -89.35722

Waterway: **Tiger Pass** Mile: PWD: 94
Name: **Liberty Services, Venice Base Wharf.**
Port: Below New Orleans
Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: LWRP
Operator: Energy Logistics, Inc.
Owner: The Louisiana Fruit Co.
Address: 331 McDermott Road. Phone: 225/562-9237
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.
Depth Alongside (feet): 55 | | 20 Latitude (decimal): 29.258611
Total Berthing Space (feet): 740 | | 195 Longitude (decimal): -89.35722

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 94

Name: **Liberty Services, Venice Base Wharf.**

Port: Below New Orleans

Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: LWRP

Operator: Energy Logistics, Inc.

Owner: The Louisiana Fruit Co.

Address: 331 McDermott Road. Phone: 225/562-9237

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.

Depth Alongside (feet): 55 | | 20 Latitude (decimal): 29.258611

Total Berthing Space (feet): 740 | | 195 Longitude (decimal): -89.35722

Remarks: Face of wharf is in line and contiguous with Ref. Nos. 91, 92, 93, and 95 through 97.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Remarks: Face of wharf is in line and contiguous with Ref. Nos. 91, 92, 93, and 95 through 97.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Remarks: Two 8-inch, caustic soda pipelines extend from center work platform to 6 storage tanks, total capacity 7,200,000 gallons; one 12- becoming two 8-inch ethylene dichloride, and two 6-inch vent pipelines extend to center and upper work platforms from 3 storage tanks, total capacity 5,100,000 gallons. One 3-inch compressed air and one 2- and one 1-inch nitrogen lines also serve wharf. One mooring dolphin and two mooring buoys located 900 feet upstream ofwharf provide a 380-foot berth in 20-foot depth.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Remarks: Two 8-inch, caustic soda pipelines extend from center work platform to 6 storage tanks, total capacity 7,200,000 gallons; one 12- becoming two 8-inch ethylene dichloride, and two 6-inch vent pipelines extend to center and upper work platforms from 3 storage tanks, total capacity 5,100,000 gallons. One 3-inch compressed air and one 2- and one 1-inch nitrogen lines also serve wharf. One mooring dolphin and two mooring buoys located 900 feet upstream ofwharf provide a 380-foot berth in 20-foot depth.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 94
Name: **Liberty Services, Venice Base Wharf.**
Port: Below New Orleans
Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: MLG
Operator: Energy Logistics, Inc.
Owner: The Louisiana Fruit Co.
Address: 331 McDermott Road. Phone: 985/534-2345
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 250 | | Longitude (decimal): -89.35722

Waterway: **Tiger Pass** Mile: PWD: 94
Name: **Liberty Services, Venice Base Wharf.**
Port: Below New Orleans
Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: MLG
Operator: Energy Logistics, Inc.
Owner: The Louisiana Fruit Co.
Address: 331 McDermott Road. Phone: 985/534-2345
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 250 | | Longitude (decimal): -89.35722

Waterway: **Tiger Pass** Mile: PWD: 94
Name: **Liberty Services, Venice Base Wharf.**
Port: Below New Orleans
Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: LWRP
Operator: Energy Logistics, Inc.
Owner: The Louisiana Fruit Co.
Address: 331 McDermott Road. Phone: 225/562-9237
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.
Depth Alongside (feet): 55 | | 20 Latitude (decimal): 29.258611
Total Berthing Space (feet): 740 | | 195 Longitude (decimal): -89.35722

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 94

Name: **Liberty Services, Venice Base Wharf.**

Port: Below New Orleans

Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: LWRP

Operator: Energy Logistics, Inc.

Owner: The Louisiana Fruit Co.

Address: 331 McDermott Road. Phone: 225/562-9237

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.

Depth Alongside (feet): 55 | | 20 Latitude (decimal): 29.258611

Total Berthing Space (feet): 740 | | 195 Longitude (decimal): -89.35722

Remarks: Face of wharf is in line and contiguous with Ref. Nos. 91, 92, 93, and 95 through 97.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Remarks: Face of wharf is in line and contiguous with Ref. Nos. 91, 92, 93, and 95 through 97.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Remarks: Two 8-inch, caustic soda pipelines extend from center work platform to 6 storage tanks, total capacity 7,200,000 gallons; one 12- becoming two 8-inch ethylene dichloride, and two 6-inch vent pipelines extend to center and upper work platforms from 3 storage tanks, total capacity 5,100,000 gallons. One 3-inch compressed air and one 2- and one 1-inch nitrogen lines also serve wharf. One mooring dolphin and two mooring buoys located 900 feet upstream ofwharf provide a 380-foot berth in 20-foot depth.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Remarks: Two 8-inch, caustic soda pipelines extend from center work platform to 6 storage tanks, total capacity 7,200,000 gallons; one 12- becoming two 8-inch ethylene dichloride, and two 6-inch vent pipelines extend to center and upper work platforms from 3 storage tanks, total capacity 5,100,000 gallons. One 3-inch compressed air and one 2- and one 1-inch nitrogen lines also serve wharf. One mooring dolphin and two mooring buoys located 900 feet upstream ofwharf provide a 380-foot berth in 20-foot depth.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 94
Name: **Liberty Services, Venice Base Wharf.**
Port: Below New Orleans
Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: MLG
Operator: Energy Logistics, Inc.
Owner: The Louisiana Fruit Co.
Address: 331 McDermott Road. Phone: 985/534-2345
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 250 | | Longitude (decimal): -89.35722

Waterway: **Tiger Pass** Mile: PWD: 94
Name: **Liberty Services, Venice Base Wharf.**
Port: Below New Orleans
Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: MLG
Operator: Energy Logistics, Inc.
Owner: The Louisiana Fruit Co.
Address: 331 McDermott Road. Phone: 985/534-2345
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.258611
Total Berthing Space (feet): 250 | | Longitude (decimal): -89.35722

Waterway: **Tiger Pass** Mile: PWD: 94
Name: **Liberty Services, Venice Base Wharf.**
Port: Below New Orleans
Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: LWRP
Operator: Energy Logistics, Inc.
Owner: The Louisiana Fruit Co.
Address: 331 McDermott Road. Phone: 225/562-9237
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.
Depth Alongside (feet): 55 | | 20 Latitude (decimal): 29.258611
Total Berthing Space (feet): 740 | | 195 Longitude (decimal): -89.35722

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 94

Name: **Liberty Services, Venice Base Wharf.**

Port: Below New Orleans

Location: Approx. 1,110 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: LWRP

Operator: Energy Logistics, Inc.

Owner: The Louisiana Fruit Co.

Address: 331 McDermott Road. Phone: 225/562-9237

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Mooring offshore platform service vessels; handling supplies and equipment; and transferring personnel.

Depth Alongside (feet): 55 | | 20 Latitude (decimal): 29.258611

Total Berthing Space (feet): 740 | | 195 Longitude (decimal): -89.35722

Remarks: Face of wharf is in line and contiguous with Ref. Nos. 91, 92, 93, and 95 through 97.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Remarks: Face of wharf is in line and contiguous with Ref. Nos. 91, 92, 93, and 95 through 97.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Remarks: Two 8-inch, caustic soda pipelines extend from center work platform to 6 storage tanks, total capacity 7,200,000 gallons; one 12- becoming two 8-inch ethylene dichloride, and two 6-inch vent pipelines extend to center and upper work platforms from 3 storage tanks, total capacity 5,100,000 gallons. One 3-inch compressed air and one 2- and one 1-inch nitrogen lines also serve wharf. One mooring dolphin and two mooring buoys located 900 feet upstream ofwharf provide a 380-foot berth in 20-foot depth.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Remarks: Two 8-inch, caustic soda pipelines extend from center work platform to 6 storage tanks, total capacity 7,200,000 gallons; one 12- becoming two 8-inch ethylene dichloride, and two 6-inch vent pipelines extend to center and upper work platforms from 3 storage tanks, total capacity 5,100,000 gallons. One 3-inch compressed air and one 2- and one 1-inch nitrogen lines also serve wharf. One mooring dolphin and two mooring buoys located 900 feet upstream ofwharf provide a 380-foot berth in 20-foot depth.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 75
Name: **M.I. Drilling Fluids, Venice Wharf No. 1.**
Port: Below New Orleans
Location: Right bank of Tiger Pass, below entrance from Grand Pass. Datum: MLG
Operator: Not operated.
Owner: The Louisiana Fruit Co.
Address: Foot of Halliburton Road. Phone: 985/534-7422
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 29.259444
Total Berthing Space (feet): 180 | | Longitude (decimal): -89.3525
Remarks: Facility formerly was used for shipment of bulk drilling mud and bagged chemicals.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 105
Name: **M.I. Drilling Fluids, Venice Wharf No. 2.**
Port: Below New Orleans
Location: Upper side of head of Slip No. 2, approximately 3,000 feet inside entrance from Tiger Pass. Datum: MLG
Operator: M.I. Drilling Fluids L.L.C.
Owner: The Louisiana Fruit Co.
Address: 172 McDermott Road. Phone: 985/534-7422
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of dry bulk drilling mud raw materials; shipment of drilling mud.
Depth Alongside (feet): 17 | 17 | Latitude (decimal): 29.258333
Total Berthing Space (feet): 381 | 488 | Longitude (decimal): -89.36417
Remarks: Two 4-inch pipelines extend to wharf from 13 steel, liquid drilling mud storage tanks at rear, total capacity 567,000 gallons; and four 4-inch pneumatic pipelines extend to 7 dry mud storage tanks, total capacity 37,000 sacks. Slip side of wharf is in line and contiguous with slip side of Ref. Nos. 98 and 99 through 104.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 100
Name: **M.I. Drilling Fluids, Venice Wharf No. 3.**
Port: Below New Orleans
Location: Approx. 800 feet above entrance to Slip No. 2, upper side, from right bank, Tiger Pass, 2,000 feet below Datum: MLG
Operator: M.I. Drilling Fluids, L.L.C.
Owner: The Louisiana Fruit Co.
Address: McDermott Road. Phone: 985/534-7422
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of chemicals and bagged and bulk drilling mud.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.255278
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.35833
Remarks: One 4-inch pipeline extends to wharf from 11 synthetic mix tanks, total capacity 12,500 barrels; one 4-inch pipeline extends to wharf from 9 completion fluids storage tanks, total capacity 13,000 barrels; and two 5-inch pneumatic pipelines extend to wharf from two dry barite tanks, total capacity 14,000 sacks (17,360 cubic feet). One 3-inch compressed air line serves wharf.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 88
Name: **Newman Crane Service, Wharf No. 1.**
Port: Below New Orleans
Location: Head of Slip No. 1, 3,500 feet inside entrance from Tiger Pass. Datum: MLG
Operator: Newman Crane Service, Inc.
Owner: The Louisiana Fruit Co.
Address: 403 Tidewater Road. Phone: 985/534-7507
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 0 - 8 | | Latitude (decimal): 29.261389
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.3625
Remarks: Vessels moor end-to.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 92
Name: **Newman Crane Service, Wharf No. 2.**
Port: Below New Orleans
Location: Approx. 2,100 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet bel Datum: MLG
Operator: Newman Crane Service, Inc.
Owner: The Louisiana Fruit Co.
Address: McDermott Road. Phone: 985/534-7507
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Handling marine construction and fabrication supplies and equipment.
Depth Alongside (feet): 22 | | Latitude (decimal): 29.259722
Total Berthing Space (feet): 300 | | Longitude (decimal): -89.35861
Remarks: Face of wharf is in line and contiguous with Ref. Nos. 93 through 97. Approximately 3.5 acres of open storage area at rear are used for storing and handling of pipe, supplies, and equipment.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 111
Name: **Newpark Drilling Fluids, Venice Wharf.**
Port: Below New Orleans
Location: Approx. 2,500 feet above entrance to Slip No. 2, lower side, from right bank, Tiger Pass, 2,000 feet bel Datum: MLG
Operator: Newpark Drilling Fluids, Inc.
Owner: The Louisiana Fruit Co.
Address: 213 Coast Guard Road. Phone: 985/534-9496
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of liquid and dry bulk drilling mud.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.2575
Total Berthing Space (feet): 470 | | Longitude (decimal): -89.36389
Remarks: Two 4-inch pipelines extend to wharf from 13 steel, liquid drilling mud storage tanks, total capacity 14,500 barrels. Four 4-inch pneumatic pipelines extend to wharf from 10 dry bulk drilling mud storage tanks, total capacity 60,000 sacks. Wharf is in line and contiguous with Ref. Nos. 110, 112 through 115, and slip side of 116.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 112
Name: **Newpark Environmental Services, Venice Wharf.**
Port: Below New Orleans
Location: Approx. 2,000 feet above entrance to Slip No. 2, lower side, from right bank, Tiger Pass, 2,000 feet bel Datum: MLG
Operator: Newpark Environmental Services.
Owner: The Louisiana Fruit Co.
Address: 213 Coast Guard Road. Phone: 985/534-2027
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of offshore platform liquid waste; shipment of liquid waste to treatment facility.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 29.256667
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.36278
Remarks: Closed-loop washwater system connects with 5 waste tanks, total capacity 3,000 gallons. Elevated concrete ramps at rear of each barge station provide access for trucks to unload into waste pit for transfer to storage barge. Wharf is in line and contiguous with Ref. Nos. 110, 111, 113 through 115, and slip side of 116.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 90
Name: **Newpark Resources Wharf.**
Port: Below New Orleans
Location: Lower side of Slip No. 1, at south end of southwest extension, 3,200 feet inside entrance from Tiger Pas Datum: MLG
Operator: Not operated.
Owner: The Louisiana Fruit Co.
Address: McDermott Road. Phone: 985/534-9282
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.261111
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.36139
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 119
Name: **OSCA, Venice Dock**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 0.7 mile below entrance from Grand Pass. Datum: MLG
Operator: OSCA, Inc.
Owner: The Louisiana Fruit Co.
Address: 201 Stone Road. Phone: 337/839-7561
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Handling completion fluid chemicals, supplies, and equipment for offshore platform operations.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.25
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.35833
Remarks: One 4-inch pipeline extends to wharf from 7 steel storage tanks at rear, total capacity 12,700 barrels. At time of survey (2002), steel storage tanks were being replaced by fiberglass tanks.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 123
Name: **Plaquemines Parish, Venice Boat Harbor.**
Port: Below New Orleans
Location: East side of Venice Boat Basin, right bank, Tidewater Access Canal, approximately 1,000 feet below entra Datum: MLG
Operator: Plaquemines Parish Commission Council.
Owner: Plaquemines Parish Commission Council.
Address: Venice Marina Road. Phone: 504/392-6690 Ex
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring fishing vessels and other small craft.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 29.236111
Total Berthing Space (feet): See | | Longitude (decimal): -89.36167
Remarks: Tidewater Access Canal connects Tiger Pass with Pass Tante Phine.□Piers are located on the east side of a 2,000- by 1,000-foot dredged basin, with a 350- by 180-foot entrance on the south side from the Tidewater Access Canal, and provide the following berths: 9 at 30- by 100-foot; 18 at 30- by 70-foot; 50 at 25- by 50-foot; and 144 at 15 by 30-foot. Berths are also provided on the north and west side of the basin, maintaining a 180-foot clearentrance width.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 103
Name: **PMI, Venice Dock.**
Port: Below New Orleans
Location: Approx. 2,300 feet above entrance to Slip No. 2, upper side, from right bank, Tiger Pass, 2,000 feet bel Datum: MLG
Operator: Production Management Industries (PMI), L.L.C.
Owner: The Louisiana Fruit Co.
Address: 290 McDermott Road. Phone: 985/534-9118
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling of supplies and equipment for offshore platform operations; transferring personnel; mooring for tank cleaning.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.257222
Total Berthing Space (feet): 230 | | Longitude (decimal): -89.36167
Remarks: Wharf is in line and contiguous with slip side of Ref. Nos. 98, 99 through 102, 104, and 105.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 81
Name: **Premier Industries, Venice Wharf.**
Port: Below New Orleans
Location: Approx. 1,200 feet above entrance to Slip No. 1, upper side, from right bank, Tiger Pass, 1,000 feet bel Datum: MLG
Operator: Premier Industries, Inc.
Owner: The Louisiana Fruit Co.
Address: 308 Halliburton Road. Phone: 985/534-2874
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Shipment of fabricated structures by barge to offshore platforms.
Depth Alongside (feet): 18 | | Latitude (decimal): 29.259444
Total Berthing Space (feet): 782 | | Longitude (decimal): -89.3575
Remarks: Wharf is in line and contiguous with slip side of Ref. No. 78 and with Ref. Nos. 79 and 80. At time of survey (2002), lower 390 feet of wharf was not in use. Plans called for expansion into this portion of the property. Approximately 15 acres of open storage area located at rear are used for storage and handling of fabrication materials.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 109
Name: **Rene Cross Construction, Venice Wharf.**
Port: Below New Orleans
Location: Northwest end of head and lower side of Slip No. 2, approximately 3,200 feet inside entrance from Tiger Datum: MLG
Operator: Rene Cross Construction, Inc.
Owner: The Louisiana Fruit Co.
Address: 539 Tidewater Road. Phone: 985/534-9517
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; handling marine construction materials.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 29.258889
Total Berthing Space (feet): 300 | 200 | Longitude (decimal): -89.36556
Remarks: Approximately 3 acres of open storage area are located at rear.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 107
Name: **Rose's Seafood, Venice Dock.**
Port: Below New Orleans
Location: Northwest end of head of Slip No. 2, approximately 3,200 feet inside entrance from Tiger Pass. Datum:
Operator: Rose's Seafood, Inc.
Owner: The Louisiana Fruit Co.
Address: 459 Tidewater Road. Phone: 504/715-9214
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 2 - 4 | | Latitude (decimal): 29.260278
Total Berthing Space (feet): 100 + | | Longitude (decimal): -89.36444
Remarks: Concrete portion of wharf is protected from the weather by an open-sided shed structure. Facility provides for direct transfer of seafood from small vessels to trucks for shipment to market.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 114
Name: **Samedan Oil Corp., Venice Wharf.**
Port: Below New Orleans
Location: Approx. 800 feet above entrance to Slip No. 2, lower side, from right bank, Tiger Pass, 2,000 feet below Datum: MLG
Operator: Samedan Oil Corp.
Owner: The Louisiana Fruit Co.
Address: 389 Coast Guard Road. Phone: 985/534-9640
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies, and equipment, and transferring personnel.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.254722
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.35889
Remarks: Approximately 4 acres of open storage and staging area are located at rear. Wharf is in line and contiguous with Ref. Nos. 110 through 113, 115, and slip side of 116.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 98
Name: **Schlumberger-Dowell Venice District Wharf.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 1,800 feet below entrance from Grand Pass, and upper side of entra Datum: MLG
Operator: Schlumberger-Dowell, Inc.
Owner: The Louisiana Fruit Co.
Address: Foot of McDermott Road. Phone: 985/384-0235
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Occasional shipment of bagged and drummed chemicals, and bagged and bulk cement.
Depth Alongside (feet): 14 | 14 | Latitude (decimal): 29.254444
Total Berthing Space (feet): 400 | 200 | Longitude (decimal): -89.35611
Remarks: One 4-inch pneumatic pipeline extends to wharf from 14 cement storage tanks at rear, total capacity 28,000 cubic feet. Two hydrochloric acid storage tanks, total capacity 20,000 gallons, and one 15,000-gallon-capacity hydrofluoric acid storage tank were not in use at time of survey (2002). Slip No. 2 is an L-shaped, dredged slip with depths of water ranging to 20 feet. It is approximately 3,200 feet long by 230 feet wide, with an upper 500- by 250-footextension at head of slip.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 121
Name: **TETRA Technologies, Venice Dock**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 1.3 mile below entrance from Grand Pass. Datum: MLG
Operator: TETRA Technologies, Inc.
Owner: The Louisiana Fruit Co.
Address: 129 Venice Marina Road. Phone: 985/534-2089
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Receipt and shipment of conditioning chemicals by barge and service vessel, handling supplies and equipment for offshore platforms.
Depth Alongside (feet): 30 - 40 | | Latitude (decimal): 29.2425
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.36056
Remarks: Two 4-inch, flexible hose lines extend to face from 26 steel, liquid storage tanks at rear, total capacity 100,000 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 80
Name: **The Louisiana Fruit Co., Parcel 13 Wharf.**
Port: Below New Orleans
Location: Approx. 700 feet above entrance to Slip No. 1, upper side, from right bank, Tiger Pass, 1,000 feet below Datum: MLG
Operator: Not operated.
Owner: The Louisiana Fruit Co.
Address: Halliburton Road. Phone: 985/534-9282
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 13 - 16 | | Latitude (decimal): 29.258056
Total Berthing Space (feet): 350 | | Longitude (decimal): -89.35611
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 85
Name: **The Louisiana Fruit Co., Parcel 22 Wharf.**
Port: Below New Orleans
Location: Head of Slip No. 1, northeast extension, 3,500 feet inside entrance from Tiger Pass. Datum: MLG
Operator: Not operated.
Owner: The Louisiana Fruit Co.
Address: 521 Tidewater Road. Phone: 985/534-9282
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 29.262778
Total Berthing Space (feet): 370 | | Longitude (decimal): -89.36028
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 86
Name: **The Louisiana Fruit Co., Parcel 23 and 24 Wharf.**
Port: Below New Orleans
Location: Head of Slip No. 1, northeast extension, 3,500 feet inside entrance from Tiger Pass. Datum: MLG
Operator: Not operated.
Owner: The Louisiana Fruit Co.
Address: Tidewater Road. Phone: 985/534-9282
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.262222
Total Berthing Space (feet): 280 | | Longitude (decimal): -89.36111
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 87
Name: **The Louisiana Fruit Co., Parcel 24 Wharf.**
Port: Below New Orleans
Location: Head of Slip No. 1, 3,500 feet inside entrance from Tiger Pass. Datum: MLG
Operator: Not operated.
Owner: The Louisiana Fruit Co.
Address: Tidewater Road. Phone: 985/534-9282
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 6 | | Latitude (decimal): 29.261667
Total Berthing Space (feet): 110 | | Longitude (decimal): -89.36167
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 91
Name: **The Louisiana Fruit Co., Parcel 30 Wharf.**
Port: Below New Orleans
Location: Lower side of Slip No. 1, at inner side of southwest extension, 3,200 feet inside entrance from Tiger Pa Datum: MLG
Operator: Not operated.
Owner: The Louisiana Fruit Co.
Address: - Phone: 985/534-9282
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.260833
Total Berthing Space (feet): 150 | | Longitude (decimal): -89.36
Remarks: Three steel storage tanks, total capacity 504,000 gallons of drilling mud, were not in use at time of survey (2002).

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 96
Name: **The Louisiana Fruit Co., Parcel 35 Wharf.**
Port: Below New Orleans
Location: Approx. 700 feet above entrance to Slip No. 1, lower side, from right bank, Tiger Pass, 1,000 feet below Datum: MLG
Operator: Not operated.
Owner: The Louisiana Fruit Co.
Address: McDermott Road. Phone: 985-534-9282
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 6 - 15 | | Latitude (decimal): 29.2575
Total Berthing Space (feet): 230 | | Longitude (decimal): -89.35611
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 115
Name: **The Louisiana Fruit Co., Parcel 53 Dock.**
Port: Below New Orleans
Location: Approx. 500 feet above entrance to Slip No. 2, lower side, from right bank, Tiger Pass, 2,000 feet below Datum: MLG
Operator: Not operated.
Owner: The Louisiana Fruit Co.
Address: Phone: 985/534-9282
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 - 18 | | Latitude (decimal): 29.253889
Total Berthing Space (feet): 148 | | Longitude (decimal): -89.35833
Remarks: -

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 108
Name: **Tiger Tanks, Venice Wharf.**
Port: Below New Orleans
Location: Northwest side of head of Slip No. 2, approximately 3,200 feet inside entrance from Tiger Pass. Datum: MLG
Operator: Not operated.
Owner: The Louisiana Fruit Co.
Address: 501 Tidewater Road. Phone: 1-877/844-3791
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 2 - 4 | | Latitude (decimal): 29.259444
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -89.36528
Remarks: At time of survey (2002), facility was not used for maritime purposes.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 82
Name: **Tom's Welding Service Wharf.**
Port: Below New Orleans
Location: Approx. 2,400 feet above entrance to Slip No. 1, upper side, from right bank, Tiger Pass, 1,000 feet bel Datum: MLG
Operator: Tom's Welding Service
Owner: The Louisiana Fruit Co.
Address: Halliburton Road. Phone: 504/912-7848
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 29.261667
Total Berthing Space (feet): 269 | 476 | Longitude (decimal): -89.35917
Remarks: At time of survey (2002), facility was acquiring a 350-ton-capacity travel lift.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Waterway: **Tiger Pass** Mile: PWD: 97
Name: **Trinity Field Services, Venice Wharf.**
Port: Below New Orleans
Location: Right bank, Tiger Pass, approximately 1,500 feet below entrance from Grand Pass, and lower side of entra Datum: MLG
Operator: Trinity Field Services, L.P.
Owner: The Louisiana Fruit Co.
Address: 433 McDermott Road. Phone: 985/534-7031
Town: Venice State: LA County: Plaquemines
Railway Connection: None.
Purpose: Mooring offshore platform service vessels; handling supplies and equipment, and transferring personnel; receipt of non-hazardous offshore platform waste for trans-shipment.
Depth Alongside (feet): 10 | 20 | Latitude (decimal): 29.256111
Total Berthing Space (feet): 600 | 120 | Longitude (decimal): -89.35528
Remarks: Inner 300 feet of slip side are used for transfer of waste materials from offshore platforms to hopper barge for shipment to disposal area. Face of wharf on slip side is in line and contiguous with Ref. Nos. 91 through 96. Rectangular basin on Pass side formerly was used as a seaplane ramp.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

---

Port Facilities by Waterway

Waterway: **Tiger Pass** Mile: PWD: 117

Name: **U. S. Coast Guard Station, Venice Mooring.**

Port: Below New Orleans

Location: Right bank, Tiger Pass, approximately 0.5 mile below entrance from Grand Pass. Datum: MLG

Operator: U. S. Coast Guard.

Owner: U. S. Government.

Address: Foot of Coast Guard Road. Phone: 985/534-2332

Town: Venice State: LA County: Plaquemines

Railway Connection: None.

Purpose: Mooring U. S. Coast Guard vessels.

Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.252222

Total Berthing Space (feet): 180 | 65 | 195 Longitude (decimal): -89.3575

Remarks: A 12-foot-wide launching ramp is located on inner side of basin. One 4-inch sewage pipeline serves lower side. Two 2-inch fueling pipelines extend to basin from 4 steel storage tanks at rear, total capacity 5,100 gallons.

Port Series: 20 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 20452 New Orleans District

US Army Corps of Engineers
Dredging Contracts Awarded

District New Orleans

JOBNAME	Dredge Type	Bid Date	Quantity Cubic Yards	Government Estimate	Winning Bid	Winning Bidder	Status of Business	Number of Bids
FY 1997 Awards								
3 RIV ORL FBAY PAL FBAY BR H	P	7/28/1997	700,000	$1,240,202	$1,414,830	MIKE HOOKS INC.	L	1
ATCH RIV BAR CHAN UNIT PRICE	P	8/11/1997	10,000,000	$4,002,500	$3,963,000	T.L. JAMES & CO., INC.	L	2
ATCH RIV BAY CHAN UNIT PRICE	P	6/30/1997	2,500,000	$3,424,584	$4,286,000	T.L. JAMES & CO., INC.	L	1
ATCH RIV HORSESHOE LSD CUT-1	P	5/6/1997	1,000,000	$2,338,730	$2,804,795	MIKE HOOKS INC.	L	1
BERWICK BAY LSD CUTTER #1-97	P	1/29/1997	400,000	$785,240	$616,451	MIKE HOOKS INC.	L	2
BERWICK BAY LSD CUTTER #2-97	P	5/7/1997	2,000,000	$2,216,860	$2,178,250	T.L. JAMES & CO., INC.	L	1
CALC RIV BAR CHANNEL LSD HOP	H	11/26/1996	8,000,000	$2,659,349	$2,975,720	GULF COAST TRAILING CO.	L	2
CALCASIEU RIVER, BLACK BAYOU	P	11/19/1996	100,000	$426,000	$213,000	MIKE HOOKS INC.	L	5
MISS RIV SWP CY CUTTER 1-97	P	3/12/1997	3,000,000	$4,257,000	$3,866,000	MIKE HOOKS INC.	L	1
MISS RIV SWP CY CUTTER 2-97	P	4/1/1997	3,000,000	$4,047,080	$4,363,000	T.L. JAMES & CO., INC.	L	2
MISS RIV SWP LSD HOPPER 3-97	H	12/11/1996	2,300,000	$3,154,780	$3,720,000	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPPER 4-96	H	10/11/1996	2,300,000	$1,580,820	$924,240	BEAN DREDGING CORP.	L	2
MISS RIV SWP LSD HOPPER 4-97	H	3/3/1997	2,300,000	$2,927,560	$3,598,430	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPPER 5-96	H	10/17/1996	2,300,000	$1,605,949	$1,678,780	NATCO LIMITED PARTNERSHIP	L	2
MISS RIV SWP LSD HOPPER 5-97	H	3/19/1997	2,300,000	$2,893,130	$3,572,690	GULF COAST TRAILING CO.	L	1
MISS RIV SWP LSD HOPPER 6-96	H	11/6/1996	2,300,000	$2,659,712	$2,734,560	BEAN DREDGING CORP.	L	2
MISS RIV SWP LSD HOPPER 8-97	H	4/1/1997	2,300,000	$3,110,950	$3,544,917	BEAN HORIZON CORPORATION	L	1
MISS RIV SWP LSD HOPPR 10-97	H	4/16/1997	2,300,000	$2,946,130	$3,579,300	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPPR 11-97	H	7/22/1997	2,300,000	$3,007,450	$2,894,705	GULF COAST TRAILING CO.	L	2
MISS RIV XINGS WALLACE McG	D		5,000,000	$10,339,484	$9,972,147	PINE BLUFF SAND & GRAVEL CO.	L	1
MISS RV N.O. HAR LSD CT 1-97	P	1/16/1997	700,000	$813,071	$611,350	T.L. JAMES & CO., INC.	L	2
MISS RV N.O. HAR LSD CT 4-97	P	6/9/1997	2,000,000	$1,089,756	$1,354,900	MIKE HOOKS INC.	L	3
MR-GO BAR CHAN LHD NO. 1-97	H	11/19/1996	2,000,000	$3,016,136	$3,675,695	GULF COAST TRAILING CO.	L	1
MR-GO BAR CHAN LHD NO. 2-97	H	11/21/1996	2,000,000	$3,347,285	$3,335,920	NATCO LIMITED PARTNERSHIP	L	1
MRGO MILE 18.1 TO MILE 7.5	P	4/2/1997	2,500,000	$2,913,000	$3,574,000	T.L. JAMES & CO., INC.	L	1
			65,600,000	$70,802,759	$75,452,680			
FY 1998 Awards								
3 RIV ORL FBAY PAL FBAY BR H	P	8/4/1998	700,000	$1,177,380	$1,364,405	T.L. JAMES & CO., INC.	L	2
ATCH RIV BAR CHANN CY FY98	P	5/27/1998	6,000,000	$4,125,300	$4,491,000	T.L. JAMES & CO., INC.	L	1
ATCH RIV H/SHOE LSD CUT 3-97	P	8/13/1997	1,000,000	$1,772,820	$1,349,080	T.L. JAMES & CO., INC.	L	2
ATCH RIV HORSESHOE LSD CUT-1	P	7/13/1998	1,000,000	$4,173,417	$4,836,275	T.L.JAMES/GREAT LAKES JV	L	1
ATCH RV BY CHENE,BOEUF,BLACK	P	5/6/1998	6,000,000	$8,205,800	$5,274,000	T.L. JAMES & CO., INC.	L	3
BAPTISTE COLLETTE BR CH 1-98	P	11/25/1997	810,000	$1,132,170	$1,678,400	T.L. JAMES & CO., INC.	L	3
BERWICK BAY LSD CUTTER #1-98	P	2/20/1998	400,000	$840,338	$753,071	MIKE HOOKS INC.	L	1
BERWICK BAY LSD CUTTER #2-98	P	6/3/1998	2,000,000	$2,201,615	$2,746,877	T.L. JAMES & CO., INC.	L	1
BY TECHE E&W CALUMET FLDGT	P	11/20/1997	20,000	$121,270	$51,500	RAM INDUSTRIES, INC.	S	3

US Army Corps of Engineers
Dredging Contracts Awarded

District New Orleans

JOBNAME	Dredge Type	Bid Date	Quantity Cubic Yards	Government Estimate	Winning Bid	Winning Bidder	Status of Business	Number of Bids
CALC RIV MI 14-26 & DEV ELBO	P	7/20/1998	6,500,000	$5,924,900	$7,080,000	WEEKS MARINE, INC.(GULF)	L	3
CALC RV BAR CH LSD HOP FY98	H	12/10/1997	1,781,532	$2,743,482	$3,329,660	NATCO LIMITED PARTNERSHIP	L	2
GIWW BELOW BY SORREL LK CY98	P	8/21/1998	225,000	$891,500	$660,500	MIKE HOOKS INC.	L	3
GIWW BELOW BY SORREL LK FY97	P	8/25/1997	250,000	$650,000	$527,300	MIKE HOOKS INC.	L	3
HOUMA NAV CANAL CY FY98	P	6/30/1998	1,300,000	$3,186,200	$3,773,000	BEAN HORIZON CORPORATION	L	1
HOUMA NAV CAT ISL, EMERGENCY	H	11/26/1997	300,000	$444,906	$439,225	GULF COAST TRAILING CO.	L	2
MISS RIV SWP CY CUTTER 1-98	P	3/31/1998	3,000,000	$3,950,290	$4,081,000	GREAT LAKES DREDGE & DOCK CO.	L	2
MISS RIV SWP LSD CUTTER 1-97	P	7/21/1997	3,000,000	$3,612,820	$3,360,000	T.L. JAMES & CO., INC.	L	2
MISS RIV SWP LSD HOPP 12-98	H	6/2/1998	1,000,000	$1,145,700	$1,314,000	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPP 13-98	H	6/9/1998	1,000,000	$1,145,700	$1,238,314	WEEKS MARINE, INC.(GULF)	L	2
MISS RIV SWP LSD HOPP 14-98	H	6/12/1998	1,000,000	$1,145,700	$1,289,700	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPP 15-98	H	6/30/1998	1,000,000	$1,145,700	$1,262,700	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPP 16-98	H	7/9/1998	1,000,000	$1,141,000	$1,260,975	WEEKS MARINE, INC.(GULF)	L	2
MISS RIV SWP LSD HOPPER 1-98	H	3/10/1998	6,800,000	$3,168,729	$3,767,400	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPPER 2-98	H	3/26/1998	6,800,000	$1,999,692	$2,366,660	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPPER 3-98	H	1/30/1998	2,300,000	$1,129,879	$1,323,440	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPPER 4-98	H	2/4/1998	2,300,000	$1,321,670	$1,590,350	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPPER 5-98	H	2/10/1998	2,300,000	$1,377,100	$1,620,350	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPPER 6-98	H	2/19/1998	2,300,000	$1,936,880	$2,257,750	BEAN HORIZON CORPORATION	L	1
MISS RIV SWP LSD HOPPER 7-98	H	3/17/1998	2,300,000	$1,971,780	$2,373,144	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPPER 8-98	H	3/24/1998	2,300,000	$1,971,780	$2,279,020	GULF COAST TRAILING CO.	L	2
MISS RIV SWP LSD HOPPR 12-97	H	12/3/1997	2,300,000	$767,368	$774,475	GULF COAST TRAILING CO.	L	2
MISS RV N.O. HAR LSD CT 2-98	P	5/27/1998	2,000,000	$2,028,120	$2,186,201	T.L. JAMES & CO., INC.	L	1
MRGO BAR CH MI -3.8 TO -9.0	Y	8/6/1997	1,300,000	$2,232,000	$1,467,000	BEAN HORIZON CORPORATION	L	2
MRGO MI 23.0 TO MI -3.3 CY98	P	7/30/1998	10,500,000	$8,949,000	$10,893,000	GREAT LAKES DREDGE & DOCK CO.	L	2
N.O. HARB LSD CUTT/WATER INJ	N	1/21/1998	7,000,000	$851,201	$738,175	GULF COAST TRAILING CO.	L	2
TANGIPAHOA RIV BAR CHAN CY98	P	8/3/1998	90,000	$675,400	$796,127	LAKE MICHIGAN CONTRACTORS, INC	E	1
VERMILION RV NR LAFAYETTE CY	B	5/22/1998	37,000	$547,750	$477,000	LUHR BROS. INC.	L	3
WEST BELLE PASS HEADLAND RES	P	1/9/1998	2,500,000	$5,560,380	$4,834,155	T.L. JAMES & CO., INC.	L	3
			92,413,532	$87,366,737	$91,905,229			
FY 1999 Awards								
ATCH RIV BAR CHANNEL CY FY99	P	6/9/1999	6,000,000	$5,100,000	$4,361,000	WEEKS MARINE, INC.(GULF)	L	3
ATCH RV HORSSHOE LSD CT 1-99	P	8/5/1999	1,000,000	$2,987,367	$3,647,650	WEEKS MARINE, INC.(GULF)	L	1
BAPTISTE COLLETTE BR CH 2-98	P	1/27/1999	900,000	$1,604,700	$1,332,850	PINE BLUFF SAND & GRAVEL CO.	L	4
BARATARIA WWAY BAR CH CY 99	P	5/27/1999	500,000	$3,087,040	$2,965,245	BEAN HORIZON CORPORATION	L	2
BARATARIA WWAY MI 31-25.5 CY	P	5/12/1999	750,000	$3,157,800	$2,653,275	MIKE HOOKS INC.	L	3
BERWICK BAY LSD CUTTER #1-99	P	1/26/1999	400,000	$878,185	$853,251	PINE BLUFF SAND & GRAVEL CO.	L	3
BERWICK BAY LSD CUTTER #2-99	P	7/9/1999	2,000,000	$2,419,055	$2,204,226	PINE BLUFF SAND & GRAVEL CO.	L	2

US Army Corps of Engineers
Dredging Contracts Awarded

District New Orleans

JOBNAME	Dredge Type	Bid Date	Quantity Cubic Yards	Government Estimate	Winning Bid	Winning Bidder	Status of Business	Number of Bids
CALC RIV BAR CH LSD HOP 1-99	H	9/14/1998	8,000,000	$2,631,303	$3,162,120	B+B DREDGING CORPORATION	S	3
CALC RIV MI 05-14 CY 99	P	7/12/1999	3,500,000	$4,592,100	$4,490,000	WEEKS MARINE, INC.(GULF)	L	2
GIWW BELOW BY SORREL LK CY	P	7/7/1999	100,000	$936,400	$589,750	MIKE HOOKS INC.	L	3
MISS RIV SALTWT SILL LSD CUT	P	9/20/1999	1,000,000	$1,849,940	$1,429,891	MIKE HOOKS INC.	L	3
MISS RIV SWP CY CUTTER 2-99	P	2/23/1999	3,000,000	$4,312,850	$5,365,000	WEEKS MARINE, INC.(GULF)	L	2
MISS RIV SWP LSD HOPPER 1-99	H	2/24/1999	6,800,000	$4,519,216	$5,374,196	NATCO LIMITED PARTNERSHIP	L	2
MISS RIV SWP LSD HOPPER 2-99	H	3/3/1999	8,500,000	$5,011,911	$5,959,765	BEAN HORIZON & STUYVESANT JV	L	1
MISS RIV XINGS LSD HOPP 1-99	H	9/3/1999	1,250,000	$1,404,378	$1,336,823	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV XINGS LSD HOPP 2-99	H	9/16/1999	1,250,000	$1,312,479	$1,424,254	MANSON CONSTR. & ENGRNG CO	L	2
MISS RV N.O. HAR LSD CT 2-99	P	6/10/1999	2,000,000	$2,524,098	$2,355,400	BEAN HORIZON CORPORATION	L	2
MR-GO BAR CHAN LHD NO. 1-98	H	10/5/1998	2,000,000	$3,721,470	$4,177,450	WEEKS MARINE, INC.(GULF)	L	2
MR-GO BAR CHAN LHD NO. 2-98	H	1/6/1999	2,000,000	$2,195,165	$2,705,120	WEEKS MARINE, INC.(GULF)	L	1
MR-GO BAR CHAN LHD NO. 3-98	H	10/17/1998	2,000,000	$3,426,812	$4,212,500	BEAN HORIZON & STUYVESANT JV	L	2
MR-GO MI 12 TO MI 8 CY FY99	P	12/3/1998	1,600,000	$2,082,000	$1,635,000	BEAN HORIZON CORPORATION	L	2
MR-GO MI 8 TO MI 4 CY FY99	P	4/12/1999	1,500,000	$1,690,000	$1,382,500	GREAT LAKES DREDGE & DOCK CO.	L	3
MRGO MI 12 TO MI 2.3 CY 99	P	7/8/1999	1,500,000	$4,476,000	$3,980,000	GREAT LAKES DREDGE & DOCK CO.	L	3
MRGO MILE 27.0 TO 23.0 CY 99	P	7/15/1999	1,400,000	$1,628,200	$1,084,000	BEAN HORIZON CORPORATION	L	2
			58,950,000	$67,548,469	$68,681,266			
FY 2000 Awards								
3 RIV ORL FBAY PAL FBAY BR H	P	11/5/1999	700,000	$2,043,500	$1,394,800	PINE BLUFF SAND & GRAVEL CO.	L	3
ATCH RIV BAR CHAN CY FY2000	P	8/24/2000	6,000,000	$1,429,000	$1,410,000	WEEKS MARINE, INC.(GULF)	L	3
ATCH RIV BAY/BAR LSD CUTT-1	P	5/25/2000	2,000,000	$5,281,272	$5,679,950	WEEKS MARINE, INC.(GULF)	L	3
BERWICK BAY LSD CUTTER 1-00	P	5/8/2000	400,000	$1,012,879	$852,051	MIKE HOOKS INC.	L	3
BY TECHE E&W CALUMET FLOODGT	B	2/15/2000	20,000	$110,500	$56,950	WEEKS MARINE, INC.(GULF)	L	3
CALC RIV BAR CH LSD HOP 1-00	H	10/28/1999	8,000,000	$2,618,792	$3,374,250	B+B DREDGING CORPORATION	S	3
MERMENTAU RIV MI 6.5 TO 1.2	P	6/22/2000	1,020,000	$2,756,520	$2,206,226	MIKE HOOKS INC.	L	3
MISS RIV SOUTH PASS CY	P	2/26/1999	4,000,000	$9,650,000	$8,410,884	CENTRAL GULF CONTRACTORS	L	3
MISS RIV SWP LSD HOPPER 4-00	H	5/2/2000	2,300,000	$2,009,866	$1,594,846	MANSON CONSTR. & ENGRNG CO	L	3
MISS RIV SWP LSD HOPPER 5-00	H	6/29/2000	2,300,000	$1,835,524	$1,893,435	MANSON CONSTR. & ENGRNG CO	L	2
MISS RV N.O. HAR LSD CT 3-00	P	5/23/2000	700,000	$783,970	$926,225	WEEKS MARINE, INC.(GULF)	L	1
TIGER PASS MI 7.3 TO 14 CY99	P	8/24/1999	1,000,000	$3,536,200	$2,753,000	MIKE HOOKS INC.	L	3
			28,440,000	$33,068,023	$30,552,617			
FY 2001 Awards								
3 RIV ORL FBAY PAL FBAY BR H	P	7/26/2001	700,000	$2,991,945	$2,502,750	WEEKS MARINE, INC.(GULF)	L	1
ATCH RIV BAR CHAN CY FY 2001	P	8/9/2001	6,000,000	$5,550,900	$4,630,000	Mike Hooks	L	2

District New Orleans

JOBNAME	Dredge Type	Bid Date	Quantity Cubic Yards	Government Estimate	Winning Bid	Winning Bidder	Status of Business	Number of Bids
ATCH RIV BAR CHN LSD CT 1-01	P	2/12/2001	2,000,000	$3,926,874	$4,057,100	WEEKS MARINE, INC.(GULF)	L	1
ATCH RIV BAY CHAN CY FY2000	P	11/17/2000	2,000,000	$4,939,900	$4,680,500	WEEKS MARINE, INC.(GULF)	L	1
ATCH RV BAR CHN LSD CUT 2-01	P	4/16/2001	2,000,000	$2,983,834	$2,554,250	WEEKS MARINE, INC.(GULF)	L	1
BAPTISTE COLLETTE BR CH 1-00	P	8/29/2000	600,000	$1,675,800	$1,276,000	MIKE HOOKS INC.	L	2
BERWICK BAY LSD CUTTER 1-01	P	3/19/2001	400,000	$1,142,856	$1,137,641	MIKE HOOKS INC.	L	1
BERWICK BAY LSD CUTTER 2-01	P	7/23/2001	350,000	$785,736	$577,671	MIKE HOOKS INC.	L	3
BERWICK BAY RENTAL CUT 3-01	P	8/3/2001	2,000,000	$3,743,016	$3,415,731	MIKE HOOKS INC.	L	1
CALC RIV 5-14	P	3/20/2001	2,400,000	$7,467,000	$7,506,100	GREAT LAKES DREDGE & DOCK CO.	L	2
CALC RIV BAR CH LSD HOP 1-01	H	7/25/2001	4,000,000	$3,110,240	$1,619,850	MANSON CONSTR. & ENGRNG CO	L	3
CALC RIV BAR CH LSD HOP 2-00	H	9/25/2000	3,000,000	$1,171,896	$803,645	WEEKS MARINE, INC.(GULF)	L	3
CALC RV 14-30.3 CLOONEY IS	P	9/11/2000	5,400,000	$6,291,000	$6,291,000	MIKE HOOKS INC.	L	1
FRESHWATER BY LOCK TO GULF	P	10/11/2000	945,000	$1,633,300	$1,381,000	MIKE HOOKS INC.	L	2
GIWW FORKED IS WIGGLES CY	B	7/25/2000	1,000,000	$2,456,800	$1,134,750	AFFOLTER CONTRACTING CO.,INC.	S	3
MISS RIV SWP CY CUTTER 1-01	P	3/16/2001	3,000,000	$4,943,800	$5,743,220	GREAT LAKES DREDGE & DOCK CO.	L	2
MISS RIV SWP LSD HOPPER 2-01	H	3/28/2001	6,800,000	$4,422,509	$3,627,059	NATCO LIMITED PARTNERSHIP	L	3
MISS RIV SWP LSD HOPPER 4-01	H	3/1/2001	2,300,000	$2,472,380	$1,813,150	WEEKS MARINE, INC.(GULF)	L	3
MISS RIV SWP LSD HOPPER 5-01	H	3/7/2001	2,300,000	$2,179,530	$2,196,450	MANSON CONSTR. & ENGRNG CO	L	1
MISS RIV SWP LSD HOPPER 6-01	H	3/29/2001	2,300,000	$2,107,963	$2,346,938	MANSON CONSTR. & ENGRNG CO	L	2
MISS RIV SWP LSD HOPPER 7-01	H	4/5/2001	2,300,000	$2,303,377	$2,649,679	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPPER 8-01	H	5/30/2001	2,300,000	$1,192,036	$1,123,100	BEAN STUYVESANT, LLC	L	2
MISS RIV SWP LSD HOPPER 9-01	H	6/15/2001	2,300,000	$1,222,103	$1,038,000	MANSON CONSTR. & ENGRNG CO	L	3
MISS RIV XINGS WALLACE McGEO	D	6/9/1997	5,000,000	$9,815,561	$9,786,253	PINE BLUFF SAND & GRAVEL CO.	L	1
MISS RV N.O. HAR LSD CT 1-00	N	1/24/2001	700,000	$887,452	$951,300	WEEKS MARINE, INC.(GULF)	L	1
MISS RV N.O. HAR LSD CT 2-01	P	5/10/2001	2,000,000	$1,257,969	$1,329,845	WEEKS MARINE, INC.(GULF)	L	1
MISS RV N.O. HAR LSD CT 3-01	P	8/8/2001	700,000	$1,196,106	$1,199,851	PINE BLUFF SAND & GRAVEL CO.	L	2
MR-GO MILE -3.3 TO MILE 12.0	P	7/11/2001	3,000,000	$6,751,300	$8,281,000	GREAT LAKES DREDGE & DOCK CO.	L	2
MR-GO MILE 20.0 TO MILE 12.0	P	12/8/2000	4,300,000	$3,062,900	$3,412,000	MIKE HOOKS INC.	L	3
MR-GO MILE 38.0 T0 MILE 32.6	P	6/1/2000	1,700,000	$6,250,150	$5,337,500	LUHR BROS. INC.	L	3
PORT FOURCHON	P	4/13/2001	1,650,000	$3,336,100	$3,955,000	WEEKS MARINE, INC.(GULF)	L	2
			75,445,000	$103,272,333	$98,358,333			
FY 2002 Awards								
3 RIV OLD RIV LK FBY PAL FBY	P	7/29/2002	700,000	$2,223,117	$2,320,141	MIKE HOOKS INC.	L	2
ATCH RIV BAR CH LSD CUT 1-02	P	4/3/2002	10,000,000	$5,551,447	$6,667,250	WEEKS MARINE, INC.(GULF)	L	2
ATCH RIV HORSESH LSD CT 1-02	P	2/14/2002	1,500,000	$5,645,038	$5,438,276	WEEKS MARINE, INC.(GULF)	L	1
BAPTISTE COLLETTE BR CH 1-01	P	10/1/2001	800,000	$2,114,500	$1,845,500	WEEKS MARINE, INC.(GULF)	L	1
BARATARIA BAR CHANNEL CY	P	3/6/2002	600,000	$1,990,660	$2,748,000	WEEKS MARINE, INC.(GULF)	L	1
BERWICK BAY LSD CUTTER 1-02	P	1/15/2002	600,000	$1,403,827	$1,144,526	PINE BLUFF SAND & GRAVEL CO.	L	3
BERWICK BAY RENTAL CUT 3-02	P	6/13/2002	1,500,000	$4,382,415	$3,409,801	MIKE HOOKS INC.	L	3

US Army Corps of Engineers
Dredging Contracts Awarded

District New Orleans

JOBNAME	Dredge Type	Bid Date	Quantity Cubic Yards	Government Estimate	Winning Bid	Winning Bidder	Status of Business	Number of Bids
BY TECHE E & W CALUMET FLG	B	2/19/2002	60,000	$82,940	$47,300	COASTAL DREDGING & MARINE INC.	S	3
CALC RIV BAR CH LSD HOP 1-02	H	4/16/2002	8,000,000	$3,931,450	$2,846,216	NATCO LIMITED PARTNERSHIP	L	3
CALC RIV BAR CH LSD HOP 2-02	H	9/12/2002	3,000,000	$1,164,320	$870,725	MANSON CONSTR. & ENGRNG CO	L	3
HOUMA NAV TERREBONNE BAY	P	7/9/2002	575,000	$839,900	$680,250	MIKE HOOKS INC.	L	2
MISS RIV SWP CY CUTTER #1-02	P	4/4/2002	3,000,000	$5,280,750	$5,949,000	GREAT LAKES DREDGE & DOCK CO.	L	1
MISS RIV SWP LSD HOP 12-01	H	12/19/2001	2,300,000	$2,191,820	$3,039,500	WEEKS MARINE, INC.(GULF)	L	1
MISS RIV SWP LSD HOP 14-01	H	2/14/2002	2,300,000	$1,826,022	$2,524,100	MANSON CONSTR. & ENGRNG CO	L	1
MISS RIV SWP LSD HOP 15-01	H	3/20/2002	2,300,000	$2,087,564	$2,189,950	BEAN STUYVESANT, LLC	L	2
MISS RIV SWP LSD HOPPER 1-02	H	6/12/2002	6,800,000	$2,211,265	$2,029,800	MANSON CONSTR. & ENGRNG CO	L	2
MISS RIV SWP LSD HOPPER 3-02	H	6/4/2002	2,300,000	$1,929,204	$1,809,210	BEAN STUYVESANT, LLC	L	2
MISS RIV SWP LSD HOPPER 4-02	H	3/26/2002	2,300,000	$2,255,676	$2,575,040	WEEKS MARINE, INC.(GULF)	L	1
MISS RIV SWP LSD HOPPER 5-02	H	3/28/2002	2,300,000	$3,326,415	$2,694,998	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPPER 6-02	H	4/18/2002	2,300,000	$2,487,810	$2,079,598	NATCO LIMITED PARTNERSHIP	L	1
MISS RIV SWP LSD HOPPER 7-02	H	4/25/2002	2,300,000	$1,929,204	$1,955,700	BEAN STUYVESANT, LLC	L	2
MISS RIV SWP LSD HOPPER 8-02	H	5/6/2002	2,300,000	$2,130,860	$1,773,650	BEAN STUYVESANT, LLC	L	2
MISS RIV SWP LSD HOPPER 9-02	H	5/22/2002	2,300,000	$2,105,008	$1,829,080	WEEKS MARINE, INC.(GULF)	L	2
MISS RV N.O. HAR LSD CT 2-02	N	6/14/2002	2,000,000	$3,237,950	$2,904,951	WEEKS MARINE, INC.(GULF)	L	2
MISS RV N.O. HAR LSD CT 3-02	P	1/9/2002	700,000	$1,192,896	$1,005,301	WEEKS MARINE, INC.(GULF)	L	2
MISS SWP LSD HOP 11-01	H		2,300,000	$1,980,494	$2,296,520	MANSON CNST/BEAN STUYVESANT JV	L	2
MR-GO BAR CHAN LHD NO. 1-01	H	11/27/2001	400,000	$668,790	$548,900	BEAN STUYVESANT, LLC	L	3
MRGO BAR CH CY HOP 1-02	H	12/19/2001	2,000,000	$5,109,200	$3,854,000	BEAN STUYVESANT, LLC	L	3
MRGO MILE 27-19.8 CY	P	2/21/2002	2,700,000	$4,045,000	$3,191,000	WEEKS MARINE, INC.(GULF)	L	3
			70,235,000	$75,325,542	$72,268,283			

Dredge Type
B Bucket
D Dustpan
H Hopper
N Nonconventional
P Pipeline
S Sidecaster
W Combination - All types
X Pipeline & Bucket
Y Pipeline & Hopper
Z Hopper & Bucket
u undefined

Status of Business
E Emerging Small
L Large
S Small

LPMS Summary by Division/District

January - December 1998 and 1999

Berwick — **Main** — **Mississippi Valley Division**
Atchafalaya — **River Mile: 1.5** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,418	1,271	1,145	2	467	58	409	2,885	22
Downbound	2,489	1,266	1,145	2	498	461	37	2,987	568
Total	4,907	2,537	2,290	4	965	519	446	5,872	590
1999									
Upbound	2,102	1,358	732	12	192	91	101	2,294	67
Downbound	2,043	1,272	732	13	206	142	64	2,249	103
Total	4,145	2,630	1,464	25	398	233	165	4,543	170
Percent Change	-16%	4%	-36%	525%	-59%	-55%	-63%	-23%	-71%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,820	731	1,087	2	424	424	0.24	0.24	99.80
Downbound	1,812	703	1,107	2	444	444	0.14	0.14	62.07
Total	3,632	1,434	2,194	4	868	868	0.19	0.19	161.87
1999									
Upbound	1,581	864	705	12	171	171	0.13	0.13	22.92
Downbound	1,569	821	735	13	166	166	0.09	0.09	14.90
Total	3,150	1,685	1,440	25	337	337	0.11	0.11	37.82
Percent Change	-13%	18%	-34%	525%	-61%	-61%	-42%	-42%	-77%

1998 data unavailable for the following month(s):Nov Dec
1999 data unavailable for the following month(s):Sep

Calcasieu Barrier — **Cntrl** — **Mississippi Valley Division**
Calcasieu River — **River Mile: 38.9** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	10,573	10,263	301	9	387	36	351	10,960	96
Downbound	10,423	10,113	301	9	388	353	35	10,811	897
Total	20,996	20,376	602	18	775	389	386	21,771	993
1999									
Upbound	11,319	11,074	220	25	303	63	240	11,622	65
Downbound	11,171	10,922	220	30	299	266	33	11,470	563
Total	22,490	21,996	440	55	602	329	273	23,092	628
Percent Change	7%	8%	-27%	206%	-22%	-15%	-29%	6%	-37%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,638	2,337	292	9	272	272	0.26	0.26	69.85
Downbound	2,671	2,377	285	9	230	230	0.21	0.21	49.23
Total	5,309	4,714	577	18	502	502	0.24	0.24	119.08
1999									
Upbound	3,422	3,177	220	25	209	209	0.20	0.20	40.83
Downbound	3,402	3,155	217	30	179	179	0.21	0.21	37.18
Total	6,824	6,332	437	55	388	388	0.20	0.20	78.01
Percent Change	29%	34%	-24%	206%	-23%	-23%	-17%	-17%	-34%

LPMS Summary by Division/District

January - December 1998 and 1999

Freshwater Bayou — **Main** — **Mississippi Valley Division**
Freshwater Bayou — **River Mile: 1.2** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	16,204	1,149	15,042	13	12,903	8,585	4,318	29,107	2,546
Downbound	15,940	1,024	15,042	7	12,791	9,429	3,362	28,731	3,095
Total	32,144	2,173	30,084	20	25,694	18,014	7,680	57,838	5,641
1999									
Upbound	13,813	1,055	12,741	17	10,197	6,742	3,455	24,010	2,048
Downbound	13,418	870	12,741	12	10,093	7,359	2,734	23,511	2,435
Total	27,231	1,925	25,482	29	20,290	14,101	6,189	47,521	4,483
Percent Change	-15%	-11%	-15%	45%	-21%	-22%	-19%	-18%	-21%

Jan - Dec	Lockages				Tows		Average Delay		Total Delay
							All Tows	Delayed Tows	
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	8,985	204	8,770	11	242	242	0.24	0.24	59.02
Downbound	9,097	192	8,901	4	261	261	0.22	0.22	56.50
Total	18,082	396	17,671	15	503	503	0.23	0.23	115.52
1999									
Upbound	8,262	221	8,031	10	257	257	0.20	0.20	50.68
Downbound	8,349	256	8,083	10	278	277	0.22	0.22	62.12
Total	16,611	477	16,114	20	535	534	0.21	0.21	112.80
Percent Change	-8%	20%	-9%	33%	6%	6%	-9%	-9%	-2%

Harvey — **Main** — **Mississippi Valley Division**
GIWW — **River Mile: 0.0** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	6,229	295	5,886	48	4,001	1,728	2,273	10,230	1,891
Downbound	5,531	211	5,886	50	4,034	2,007	2,027	9,565	2,312
Total	11,760	506	11,772	98	8,035	3,735	4,300	19,795	4,203
1999									
Upbound	5,856	309	5,498	49	3,748	1,572	2,176	9,604	1,839
Downbound	5,269	215	5,498	43	3,646	1,996	1,650	8,915	2,376
Total	11,125	524	10,996	92	7,394	3,568	3,826	18,519	4,215
Percent Change	-5%	4%	-7%	-6%	-8%	-4%	-11%	-6%	0%

Jan - Dec	Lockages				Tows		Average Delay		Total Delay
							All Tows	Delayed Tows	
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	4,192	144	4,004	44	2,572	2,571	1.67	1.67	4,292.07
Downbound	3,950	98	3,809	43	2,602	2,600	1.78	1.78	4,635.18
Total	8,142	242	7,813	87	5,174	5,171	1.73	1.73	8,927.25
1999									
Upbound	4,187	178	3,965	44	2,410	2,406	1.17	1.17	2,817.05
Downbound	3,824	110	3,676	38	2,378	2,375	1.10	1.10	2,622.28
Total	8,011	288	7,641	82	4,788	4,781	1.14	1.14	5,439.33
Percent Change	-2%	19%	-2%	-6%	-7%	-8%	-34%	-34%	-39%

LPMS Summary by Division/District

January - December 1998 and 1999

Inner Harbor Nvg Chnl — **Main** — **Mississippi Valley Division**
GIWW — **River Mile: 5.6** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	7,211	407	6,769	35	9,051	3,503	5,548	16,262	5,095
Downbound	7,079	305	6,769	26	10,230	7,254	2,976	17,309	12,459
Total	14,290	712	13,538	61	19,281	10,757	8,524	33,571	17,554
1999									
Upbound	8,375	281	8,051	43	10,584	4,683	5,901	18,959	7,712
Downbound	8,618	374	8,051	37	12,077	7,615	4,462	20,695	11,705
Total	16,993	655	16,102	80	22,661	12,298	10,363	39,654	19,417
Percent Change	19%	-8%	19%	31%	18%	14%	22%	18%	11%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	3,647	54	3,558	35	3,665	3,662	12.67	12.68	46,448.13
Downbound	3,658	72	3,560	26	3,721	3,716	12.20	12.22	45,405.92
Total	7,305	126	7,118	61	7,386	7,378	12.44	12.45	91,854.05
1999									
Upbound	4,720	98	4,581	41	4,424	4,424	6.49	6.49	28,727.20
Downbound	4,877	131	4,710	36	4,637	4,636	6.28	6.28	29,119.32
Total	9,597	229	9,291	77	9,061	9,060	6.38	6.38	57,846.52
Percent Change	31%	82%	31%	26%	23%	23%	-49%	-49%	-37%

Bayou Boeuf — **Main** — **Mississippi Valley Division**
GIWW — **River Mile: 93.3** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	10,626	170	10,444	12	13,869	8,735	5,134	24,495	12,306
Downbound	11,839	179	10,444	13	17,017	8,002	9,015	28,856	10,783
Total	22,465	349	20,888	25	30,886	16,737	14,149	53,351	23,089
1999									
Upbound	9,669	162	9,488	19	12,352	7,581	4,771	22,021	11,037
Downbound	10,781	161	9,488	21	15,633	7,280	8,353	26,414	11,156
Total	20,450	323	18,976	40	27,985	14,861	13,124	48,435	22,193
Percent Change	-9%	-7%	-9%	60%	-9%	-11%	-7%	-9%	-4%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	6,781	13	6,758	10	6,819	6,816	0.35	0.35	2,393.15
Downbound	7,614	10	7,594	10	7,877	7,865	0.39	0.39	3,053.93
Total	14,395	23	14,352	20	14,696	14,681	0.37	0.37	5,447.08
1999									
Upbound	6,124	8	6,098	18	6,114	6,099	0.33	0.33	1,994.85
Downbound	6,941	4	6,917	20	7,026	7,020	0.37	0.37	2,627.98
Total	13,065	12	13,015	38	13,140	13,119	0.35	0.35	4,622.83
Percent Change	-9%	-48%	-9%	90%	-11%	-11%	-5%	-5%	-15%

LPMS Summary by Division/District

January - December 1998 and 1999

Leland Bowman — **Main** — **Mississippi Valley Division**
GIWW — **River Mile: 162.7** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	7,107	83	7,017	7	17,862	10,801	7,061	24,969	20,021
Downbound	7,173	87	7,017	13	17,698	10,679	7,019	24,871	17,624
Total	14,280	170	14,034	20	35,560	21,480	14,080	49,840	37,645
1999									
Upbound	7,877	81	7,793	3	18,971	10,846	8,125	26,848	20,245
Downbound	7,830	81	7,793	2	19,009	11,529	7,480	26,839	20,319
Total	15,707	162	15,586	5	37,980	22,375	15,605	53,687	40,564
Percent Change	10%	-5%	11%	-75%	7%	4%	11%	8%	8%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	5,565	34	5,525	6	6,524	6,524	0.52	0.52	3,406.47
Downbound	5,514	31	5,471	12	6,516	6,516	0.58	0.58	3,772.12
Total	11,079	65	10,996	18	13,040	13,040	0.55	0.55	7,178.59
1999									
Upbound	5,867	37	5,827	3	6,998	6,998	1.68	1.68	11,729.15
Downbound	5,888	39	5,848	1	7,016	7,015	1.51	1.51	10,570.23
Total	11,755	76	11,675	4	14,014	14,013	1.59	1.59	22,299.38
Percent Change	6%	17%	6%	-78%	7%	7%	189%	189%	211%

Calcasieu — **Main** — **Mississippi Valley Division**
GIWW — **River Mile: 238.5** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	7,250	186	7,063	1	17,555	10,193	7,362	24,805	19,122
Downbound	7,225	202	7,063	2	17,357	10,930	6,427	24,582	18,272
Total	14,475	388	14,126	3	34,912	21,123	13,789	49,387	37,394
1999									
Upbound	7,540	187	7,351	2	18,354	10,352	8,002	25,894	19,236
Downbound	7,550	176	7,351	0	18,334	11,562	6,772	25,884	20,289
Total	15,090	363	14,702	2	36,688	21,914	14,774	51,778	39,525
Percent Change	4%	-6%	4%	-33%	5%	4%	7%	5%	6%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	5,931	88	5,842	1	6,316	6,314	0.70	0.70	4,392.57
Downbound	5,961	107	5,852	2	6,358	6,356	0.68	0.68	4,304.40
Total	11,892	195	11,694	3	12,674	12,670	0.69	0.69	8,696.97
1999									
Upbound	5,981	110	5,869	2	6,688	6,685	0.89	0.89	5,982.68
Downbound	5,973	86	5,887	0	6,719	6,714	0.98	0.98	6,589.32
Total	11,954	196	11,756	2	13,407	13,399	0.94	0.94	12,572.00
Percent Change	1%	1%	1%	-33%	6%	6%	36%	36%	45%

LPMS Summary by Division/District

January - December 1998 and 1999

Algiers — **Main** — **Mississippi Valley Division**
Giww Algiers Canal — **River Mile: 0.0** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	4,314	128	4,146	40	8,570	5,848	2,722	12,884	9,642
Downbound	5,312	287	4,146	22	11,224	5,574	5,650	16,536	8,823
Total	9,626	415	8,292	62	19,794	11,422	8,372	29,420	18,465
1999									
Upbound	4,063	128	3,915	20	8,295	5,391	2,904	12,358	9,038
Downbound	5,145	319	3,915	15	11,506	5,609	5,897	16,651	10,184
Total	9,208	447	7,830	35	19,801	11,000	8,801	29,009	19,222
Percent Change	-4%	8%	-6%	-44%	0%	-4%	5%	-1%	4%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	3,427	69	3,318	40	3,024	3,024	4.47	4.47	13,519.03
Downbound	4,115	135	3,959	21	3,723	3,721	4.47	4.48	16,655.15
Total	7,542	204	7,277	61	6,747	6,745	4.47	4.47	30,174.18
1999									
Upbound	3,371	75	3,276	20	2,980	2,980	4.09	4.09	12,184.67
Downbound	4,161	155	3,991	15	3,700	3,697	4.40	4.40	16,280.95
Total	7,532	230	7,267	35	6,680	6,677	4.26	4.26	28,465.62
Percent Change	0%	13%	0%	-43%	-1%	-1%	-5%	-5%	-6%

Bayou Sorrel — **Main** — **Mississippi Valley Division**
Giww Port Allen-Morgan Cty Alt. Rte — **River Mile: 37.5** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	4,045	51	3,994	0	11,640	7,617	4,023	15,685	13,455
Downbound	3,606	61	3,994	3	9,125	5,230	3,895	12,731	9,189
Total	7,651	112	7,988	3	20,765	12,847	7,918	28,416	22,644
1999									
Upbound	4,049	49	3,998	2	12,187	7,984	4,203	16,236	13,642
Downbound	3,658	48	3,998	3	9,378	5,296	4,082	13,036	9,516
Total	7,707	97	7,996	5	21,565	13,280	8,285	29,272	23,158
Percent Change	1%	-13%	0%	67%	4%	3%	5%	3%	2%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	3,254	0	3,254	0	3,253	3,252	11.01	11.01	35,812.50
Downbound	2,804	2	2,799	3	2,621	2,620	11.11	11.12	29,132.22
Total	6,058	2	6,053	3	5,874	5,872	11.06	11.06	64,944.72
1999									
Upbound	3,508	2	3,504	2	3,430	3,424	4.74	4.74	16,243.15
Downbound	3,085	4	3,078	3	2,759	2,755	4.54	4.55	12,528.95
Total	6,593	6	6,582	5	6,189	6,179	4.65	4.66	28,772.10
Percent Change	9%	200%	9%	67%	5%	5%	-58%	-58%	-56%

LPMS Summary by Division/District

January - December 1998 and 1999

Port Allen — **Main** — **Mississippi Valley Division**
Giww Port Allen-Morgan Cty Alt. Rte — **River Mile: 64.1** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	4,130	13	4,097	20	12,303	7,832	4,471	16,433	13,715
Downbound	3,553	15	4,097	20	9,687	5,594	4,093	13,240	9,735
Total	7,683	28	8,194	40	21,990	13,426	8,564	29,673	23,450
1999									
Upbound	4,492	24	4,405	63	12,982	8,209	4,773	17,474	14,019
Downbound	3,909	34	4,405	78	9,999	5,708	4,291	13,908	10,148
Total	8,401	58	8,810	141	22,981	13,917	9,064	31,382	24,167
Percent Change	9%	107%	8%	253%	5%	4%	6%	6%	3%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	3,130	4	3,106	20	3,665	3,662	2.29	2.29	8,375.65
Downbound	2,734	5	2,709	20	3,070	3,067	2.04	2.05	6,276.25
Total	5,864	9	5,815	40	6,735	6,729	2.18	2.18	14,651.90
1999									
Upbound	3,253	11	3,179	63	3,866	3,860	2.75	2.75	10,625.57
Downbound	2,879	15	2,786	78	3,168	3,164	2.63	2.63	8,333.35
Total	6,132	26	5,965	141	7,034	7,024	2.70	2.70	18,958.92
Percent Change	5%	189%	3%	253%	4%	4%	24%	24%	29%

Catfish Point — **Cntrl** — **Mississippi Valley Division**
Mermentau — **River Mile: 25.0** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	787	416	370	1	242	131	111	1,029	83
Downbound	788	398	370	1	250	80	170	1,038	17
Total	1,575	814	740	2	492	211	281	2,067	100
1999									
Upbound	1,706	1,366	297	43	156	120	36	1,862	65
Downbound	1,708	1,382	297	44	153	75	78	1,861	19
Total	3,414	2,748	594	87	309	195	114	3,723	84
Percent Change	117%	238%	-20%	4250%	-37%	-8%	-59%	80%	-16%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	688	343	344	1	126	126	0.05	0.05	6.28
Downbound	671	317	353	1	138	138	0.20	0.20	28.13
Total	1,359	660	697	2	264	264	0.13	0.13	34.41
1999									
Upbound	1,348	1,029	276	43	118	117	0.06	0.07	7.62
Downbound	1,368	1,061	263	44	120	120	0.04	0.04	5.17
Total	2,716	2,090	539	87	238	237	0.05	0.05	12.79
Percent Change	100%	217%	-23%	4250%	-10%	-10%	-62%	-62%	-63%

LPMS Summary by Division/District

January - December 1998 and 1999

Old River — **Main** — **Mississippi Valley Division**
Old River — **River Mile: 304.0** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,915	16	1,870	29	4,687	1,325	3,362	6,602	2,852
Downbound	1,704	22	1,870	29	4,175	3,248	927	5,879	4,690
Total	3,619	38	3,740	58	8,862	4,573	4,289	12,481	7,542
1999									
Upbound	2,110	18	2,070	22	5,333	1,467	3,866	7,443	3,062
Downbound	1,866	23	2,070	19	4,738	3,689	1,049	6,604	5,287
Total	3,976	41	4,140	41	10,071	5,156	4,915	14,047	8,349
Percent Change	10%	8%	11%	-29%	14%	13%	15%	13%	11%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,796	16	1,751	29	1,395	1,394	0.21	0.21	294.00
Downbound	1,586	18	1,539	29	1,204	1,203	0.24	0.24	286.77
Total	3,382	34	3,290	58	2,599	2,597	0.22	0.22	580.77
1999									
Upbound	1,927	17	1,888	22	1,585	1,583	0.23	0.23	366.97
Downbound	1,726	23	1,684	19	1,312	1,308	0.24	0.24	316.50
Total	3,653	40	3,572	41	2,897	2,891	0.24	0.24	683.47
Percent Change	8%	18%	9%	-29%	11%	11%	9%	9%	18%

Schooner Bayou — **Cntrl** — **Mississippi Valley Division**
Schooner Bayou — **River Mile: 3.4** — **New Orleans District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,667	1,091	549	27	441	74	367	2,108	17
Downbound	1,574	1,091	549	31	366	41	325	1,940	15
Total	3,241	2,182	1,098	58	807	115	692	4,048	32
1999									
Upbound	1,581	1,066	498	17	412	64	348	1,993	23
Downbound	1,432	1,006	498	23	333	50	283	1,765	29
Total	3,013	2,072	996	40	745	114	631	3,758	52
Percent Change	-7%	-5%	-9%	-31%	-8%	-1%	-9%	-7%	63%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,410	856	527	27	83	83	0.07	0.07	5.53
Downbound	1,341	877	433	31	65	65	0.08	0.08	5.12
Total	2,751	1,733	960	58	148	148	0.07	0.07	10.65
1999									
Upbound	1,235	744	474	17	97	97	0.09	0.09	8.37
Downbound	1,209	796	390	23	89	89	0.09	0.09	7.73
Total	2,444	1,540	864	40	186	186	0.09	0.09	16.10
Percent Change	-11%	-11%	-10%	-31%	26%	26%	29%	29%	51%