NORFOLK HARBOR, VA

Section Included: From 55-foot contour in Hampton Roads to Norfolk & Western Railway Bridge Crossing Southern Branch of Elizabeth River, 14.78 miles; thence upstream in Southern Branch, 4.61 miles. In Eastern Branch, 2.54 miles upstream from the mouth of that branch; in Western Branch, 1.78 miles upstream from the mouth of that branch; and 0.73 miles in Scotts Creek. Maintained Depth: From the 55 foot contour in Hampton Roads to Lambert Point, outbound half 50 feet, inbound half, 45 feet; Lambert Point to Norfolk & Western Railway Bridge Crossing Southern Branch, 39.3 feet; branch channels range from 5 to 35 feet. Two anchorages opposite Sewells Point, 45 feet deep over a swinging radius of 1,200 feet, the west anchorage maintained to 40 feet deep. Anchorage area on the west side of the 45-foot channel opposite Lamberts Point totalling 173 acres consisting of 1-1500 s.f. area 38 ft. deep; 1-1500 s.f. area 35 ft. deep; 1-3000 ft. by 1000 ft. area 20 ft., and a 45 acre area 12 ft. deep at Pinners Point. Tidal range to 3 feet mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	54,617	1995	48,803	1998	48,540	**2001**	**37,983**
1993	46,802	1996	50,547	1999	41,618		
1994	46,815	1997	47,400	2000	43,032		

Totals above include through traffic.

Freight Traffic, 2001 (thousand short tons)

Commodity		Total**	Foreign		Canadian	
			Inbound*	Outbound*	Inbound*	Outbound*
Total, all commodities		**26,978**	**6,722**	**19,670**	**584**	**1**
Total coal		**13,079**	**0**	**13,079**	**—-**	**—-**
1100	coal lignite	12,897	0	12,897	—-	—-
1200	coal coke	182	—-	182	—-	—-
Total petroleum and petroleum products		**1,336**	**1,131**	**16**	**189**	**—-**
Subtotal crude petroleum		**434**	**245**	**—-**	**189**	**—-**
2100	crude petroleum	434	245	—-	189	—-
Subtotal petroleum products		**902**	**885**	**16**	**—-**	**—-**
2211	gasoline	14	14	0	—-	—-
2221	kerosene	0	—-	0	—-	—-
2330	distillate fuel oil	19	19	0	—-	—-
2340	residual fuel oil	594	594	—-	—-	—-
2350	lube oil & greases	7	1	5	—-	—-
2410	petro. jelly & waxes	2	0	2	—-	—-
2429	naphtha & solvents	114	110	4	—-	—-
2430	asphalt, tar & pitch	0	—-	0	—-	—-
2540	petroleum coke	37	34	4	—-	—-
2640	liquid natural gas	112	112	1	—-	—-
Total chemicals and related products		**2,086**	**712**	**1,270**	**104**	**0**
Subtotal fertilizers		**946**	**284**	**559**	**104**	**—-**
3110	nitrogenous fert.	767	220	547	—-	—-
3120	phosphatic fert.	4	0	4	—-	—-
3130	potassic fert.	151	48	0	103	—-
3190	fert. & mixes nec	24	16	8	0	—-
Subtotal other chemicals and related products		**1,139**	**429**	**711**	**0**	**0**
3211	acyclic hydrocarbons	2	0	2	—-	—-
3212	benzene & toluene	0	0	0	—-	—-
3219	other hydrocarbons	9	3	6	—-	—-
3220	alcohols	44	25	19	—-	—-
3230	carboxylic acids	42	30	12	—-	—-
3240	nitrogen func. comp.	79	17	62	0	—-
3250	organo - inorg. comp.	18	12	6	—-	—-
3260	organic comp. nec	43	13	29	—-	—-
3272	sulphuric acid	1	0	1	—-	—-
3273	ammonia	0	0	0	—-	—-
3274	sodium hydroxide	3	2	1	—-	—-
3275	inorg. elem.,oxides, & halogen salts	71	34	37	0	—-
3276	metallic salts	51	28	23	0	—-
3279	inorganic chem. nec	8	5	3	—-	—-
3281	radioactive material	2	1	1	—-	—-
3282	pigments & paints	66	48	18	—-	—-
3283	coloring mat. nec	12	4	8	—-	—-
3284	medicines	33	7	27	—-	—-
3285	perfumes & cleansers	52	15	37	0	0
3286	plastics	282	84	198	—-	—-
3291	pesticides	20	3	17	—-	—-
3292	starches, gluten, glue	40	28	12	—-	—-
3293	explosives	0	0	0	—-	—-
3297	chemical additives	21	10	11	—-	—-
3298	wood & resin chem.	1	1	0	—-	—-
3299	chem. products nec	239	58	182	—-	—-
Total crude materials, inedible except fuels		**2,611**	**658**	**1,676**	**277**	**0**
Subtotal forest products, wood and chips		**1,301**	**335**	**967**	**0**	**0**
4110	rubber & gums	194	193	1	—-	—-
4150	fuel wood	2	1	1	—-	—-
4161	wood chips	431	0	431	—-	—-
4170	wood in the rough	165	14	151	—-	—-
4189	lumber	489	115	374	0	—-
4190	forest products nec	21	12	8	0	0
Subtotal pulp and waste paper		**463**	**3**	**460**	**0**	**—-**
4225	pulp & waste paper	463	3	460	0	—-
Subtotal soil, sand, gravel, rock and stone		**337**	**53**	**6**	**277**	**—-**
4310	building stone	32	30	1	—-	—-

NORFOLK HARBOR, VA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total**	Foreign		Canadian	
			Inbound*	Outbound*	Inbound*	Outbound*
4322	limestone	1	1	0	—	—
4323	gypsum	290	20	2	268	—
4331	sand & gravel	14	2	3	9	—
Subtotal iron ore and scrap		**104**	**0**	**104**	**—**	**—**
4410	iron ore	0	0	0	—	—
4420	iron & steel scrap	104	0	104	—	—
Subtotal marine shells		**0**	**0**	**0**	**—**	**—**
4515	marine shells	0	0	0	—	—
Subtotal non-ferrous ores and scrap		**136**	**32**	**104**	**—**	**—**
4650	aluminum ore	29	28	1	—	—
4670	manganese ore	1	0	1	—	—
4680	non-ferrous scrap	33	3	30	—	—
4690	non-ferrous ores nec	73	1	72	—	—
Subtotal sulphur, clay and salt		**34**	**10**	**24**	**—**	**—**
4741	sulphur, (dry)	0	0	0	—	—
4782	clay & refrac. mat.	34	10	24	—	—
Subtotal slag		**0**	**0**	**0**	**—**	**—**
4860	slag	0	0	0	—	—
Subtotal other non-metal. min.		**236**	**226**	**10**	**—**	**—**
4900	non-metal. min. nec	236	226	10	—	—
Total primary manufactured goods		**2,162**	**1,360**	**791**	**10**	**1**
Subtotal paper products		**524**	**161**	**352**	**10**	**1**
5110	newsprint	25	3	12	10	—
5120	paper & paperboard	457	130	326	0	1
5190	paper products nec	43	29	14	0	—
Subtotal lime, cement and glass		**788**	**715**	**73**	**—**	**—**
5210	lime	0	—	0	—	—
5220	cement & concrete	526	526	0	—	—
5240	glass & glass prod.	70	40	31	—	—
5290	misc. mineral prod.	192	149	42	—	—
Subtotal primary iron and steel products		**222**	**100**	**122**	**—**	**—**
5312	pig iron	6	5	1	—	—
5315	ferro alloys	10	10	1	—	—
5320	i&s primary forms	72	46	25	—	—
5330	i&s plates & sheets	99	12	87	—	—
5360	i&s bars & shapes	13	12	1	—	—
5370	i&s pipe & tube	9	6	3	—	—
5390	primary i&s nec	13	8	5	—	—
Subtotal primary non-ferrous metal products		**455**	**251**	**203**	**0**	**0**
5421	copper	11	9	2	—	—
5422	aluminum	42	28	13	—	—
5429	smelted prod. nec	133	25	108	—	—
5480	fab. metal products	269	189	80	0	0
Subtotal primary wood products		**173**	**133**	**41**	**—**	**—**
5540	primary wood prod.	173	133	41	—	—
Total food and farm products		**2,763**	**967**	**1,793**	**3**	**1**
Subtotal fish		**55**	**42**	**10**	**2**	**0**
6134	fish (not shellfish)	36	30	5	1	0
6136	shellfish	20	13	5	1	0
Subtotal grain		**504**	**6**	**499**	**—**	**—**
6241	wheat	327	0	327	—	—
6344	corn	131	3	128	—	—
6442	rice	3	3	1	—	—
6443	barley & rye	43	0	43	—	—
6445	oats	0	—	0	—	—
6447	sorghum grains	0	—	0	—	—
Subtotal oilseeds		**358**	**11**	**347**	**—**	**—**
6521	peanuts	21	9	12	—	—
6522	soybeans	288	1	287	—	—
6534	flaxseed	0	—	0	—	—
6590	oilseeds nec	50	1	49	—	—
Subtotal vegetable products		**161**	**99**	**62**	**0**	**—**
6653	vegetable oils	55	15	40	—	—
6654	vegetables & prod.	106	83	22	0	—
Subtotal processed grain and animal feed		**143**	**28**	**115**	**—**	**—**
6746	wheat flour	6	0	6	—	—
6747	grain mill products	35	6	29	—	—
6781	hay & fodder	1	0	0	—	—
6782	animal feed, prep.	101	22	79	—	—
Subtotal other agricultural products		**1,542**	**781**	**760**	**0**	**0**
6811	meat, fresh, frozen	248	8	239	0	—
6817	meat, prepared	18	7	11	—	—
6822	dairy products	6	2	4	—	—
6835	fish, prepared	26	25	0	0	—
6838	tallow, animal oils	39	0	39	—	—
6839	animals & prod. nec	27	5	22	0	—
6856	bananas & plantains	0	0	—	—	—
6857	fruit & nuts nec	45	38	8	—	0
6858	fruit juices	41	36	4	0	0
6861	sugar	1	1	0	—	—
6865	molasses	0	0	0	—	—
6871	coffee	89	89	1	—	—
6872	cocoa beans	32	32	0	—	—
6885	alcoholic beverages	353	290	63	0	0

NORFOLK HARBOR, VA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total**	Foreign		Canadian	
			Inbound*	Outbound*	Inbound*	Outbound*
6888	water & ice	31	31	0	—-	—-
6889	food products nec	168	86	83	0	—-
6891	tobacco & products	367	115	252	—-	—-
6893	cotton	24	1	23	—-	—-
6894	natural fibers nec	4	2	1	—-	—-
6899	farm products nec	22	11	11	—-	—-
Total all manufactured equipment, machinery and products		**2,505**	**1,665**	**839**	**1**	**0**
7110	machinery (not elec)	608	410	198	0	—-
7120	electrical machinery	280	159	122	—-	—-
7210	vehicles & parts	362	265	97	0	0
7220	aircraft & parts	6	2	4	—-	—-
7230	ships & boats	4	1	3	—-	0
7300	ordnance & access.	4	3	1	0	—-
7400	manufac. wood prod.	41	25	16	—-	—-
7500	textile products	336	168	168	0	—-
7600	rubber & plastic pr.	284	190	94	0	—-
7900	manufac. prod. nec	580	442	137	1	—-
Total unknown or not elsewhere classified		**437**	**229**	**207**	**0**	**—-**
9900	unknown or nec	437	229	207	0	—-
Ton-miles (x1000)		**307,039**	**78,019**	**221,028**	**7,975**	**16**

Foreign & Canadian

Commodity		Total**	Coastwise	
			Receipts	Shipments
Total, all commodities		**2,923**	**1,238**	**1,685**
Total coal		**1,590**	**—-**	**1,590**
1100	coal lignite	1,590	—-	1,590
Total petroleum and petroleum products		**907**	**861**	**45**
Subtotal petroleum products		**907**	**861**	**45**
2211	gasoline	425	421	5
2221	kerosene	12	12	—-
2330	distillate fuel oil	83	83	—-
2340	residual fuel oil	346	305	41
2430	asphalt, tar & pitch	41	41	—-
Total chemicals and related products		**129**	**117**	**12**
Subtotal fertilizers		**12**	**—-**	**12**
3110	nitrogenous fert.	12	—-	12
Subtotal other chemicals and related products		**117**	**117**	**—-**
3219	other hydrocarbons	67	67	—-
3274	sodium hydroxide	51	51	—-
Total crude materials, inedible except fuels		**29**	**—-**	**29**
Subtotal iron ore and scrap		**5**	**—-**	**5**
4420	iron & steel scrap	5	—-	5
Subtotal other non-metal. min.		**24**	**—-**	**24**
4900	non-metal. min. nec	24	—-	24
Total primary manufactured goods		**163**	**161**	**2**
Subtotal lime, cement and glass		**163**	**161**	**2**
5220	cement & concrete	161	161	—-
5290	misc. mineral prod.	2	—-	2
Total all manufactured equipment, machinery and products		**105**	**98**	**7**
7900	manufac. prod. nec	105	98	7
Ton-miles (x1000)		**32,028**	**15,160**	**16,869**

Coastwise

Commodity		Total**	Internal					
			Inbound		Outbound		Intra	
			Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities		**7,409**	**4,390**	**42**	**220**	**2,291**	**188**	**279**
Total coal		**988**	**—-**	**—-**	**—-**	**988**	**—-**	**—-**
1100	coal lignite	988	—-	—-	—-	988	—-	—-
Total petroleum and petroleum products		**1,938**	**679**	**—-**	**192**	**630**	**177**	**261**
Subtotal crude petroleum		**130**	**6**	**—-**	**—-**	**124**	**—-**	**—-**
2100	crude petroleum	130	6	—-	—-	124	—-	—-
Subtotal petroleum products		**1,808**	**673**	**—-**	**192**	**506**	**177**	**261**
2211	gasoline	485	270	—-	125	54	26	10

NORFOLK HARBOR, VA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total**	Internal					
		Inbound		Outbound		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
2221 kerosene	9	5	—	—	0	5	—
2330 distillate fuel oil	458	202	—	6	189	31	28
2340 residual fuel oil	795	147	—	60	254	114	220
2350 lube oil & greases	4	0	—	—	1	1	3
2429 naphtha & solvents	8	—	—	—	8	—	—
2430 asphalt, tar & pitch	49	49	—	—	—	—	—
Total chemicals and related products	**289**	**116**	**15**	**19**	**114**	**10**	**15**
Subtotal fertilizers	**222**	**71**	**15**	**19**	**92**	**10**	**15**
3110 nitrogenous fert.	214	71	8	19	91	10	15
3190 fert. & mixes nec	8	—	7	—	1	—	—
Subtotal other chemicals and related products	**67**	**45**	**—**	**—**	**22**	**—**	**—**
3220 alcohols	45	45	—	—	—	—	—
3274 sodium hydroxide	22	—	—	—	22	—	—
Total crude materials, inedible except fuels	**2,444**	**2,444**	**—**	**—**	**—**	**0**	**0**
Subtotal forest products, wood and chips	**0**	**0**	**—**	**—**	**—**	**0**	**0**
4170 wood in the rough	0	0	—	—	—	0	0
Subtotal soil, sand, gravel, rock and stone	**2,440**	**2,440**	**—**	**—**	**—**	**—**	**—**
4331 sand & gravel	2,440	2,440	—	—	—	—	—
Subtotal sulphur, clay and salt	**0**	**—**	**—**	**—**	**—**	**—**	**0**
4782 clay & refrac. mat.	0	—	—	—	—	—	0
Subtotal slag	**3**	**3**	**—**	**—**	**—**	**—**	**—**
4860 slag	3	3	—	—	—	—	—
Total primary manufactured goods	**107**	**105**	**—**	**—**	**1**	**—**	**1**
Subtotal lime, cement and glass	**107**	**105**	**—**	**—**	**1**	**—**	**1**
5220 cement & concrete	105	105	—	—	—	—	—
5290 misc. mineral prod.	3	1	—	—	1	—	1
Subtotal primary iron and steel products	**0**	**—**	**—**	**—**	**—**	**—**	**0**
5360 i&s bars & shapes	0	—	—	—	—	—	0
Subtotal primary non-ferrous metal products	**0**	**—**	**—**	**—**	**0**	**—**	**—**
5480 fab. metal products	0	—	—	—	0	—	—
Total food and farm products	**317**	**277**	**27**	**9**	**3**	**—**	**—**
Subtotal grain	**161**	**130**	**18**	**9**	**3**	**—**	**—**
6241 wheat	78	57	15	6	—	—	—
6344 corn	53	48	2	—	3	—	—
6443 barley & rye	29	25	2	3	—	—	—
Subtotal oilseeds	**152**	**143**	**9**	**—**	**—**	**—**	**—**
6522 soybeans	152	143	9	—	—	—	—
Subtotal vegetable products	**4**	**4**	**—**	**—**	**—**	**—**	**—**
6654 vegetables & prod.	4	4	—	—	—	—	—
Total all manufactured equipment, machinery and products	**1,324**	**768**	**—**	**—**	**555**	**0**	**0**
7110 machinery (not elec)	1	0	—	—	0	0	0
7210 vehicles & parts	1	—	—	—	1	—	—
7900 manufac. prod. nec	1,321	768	—	—	553	—	—
Total waste and scrap nec	**2**	**0**	**—**	**—**	**0**	**1**	**1**
8900 waste and scrap nec	2	0	—	—	0	1	1
Ton-miles (x1000) Internal	**84,281**	**58,285**	**223**	**1,889**	**21,490**	**1,234**	**1,162**

Tons All Traffic (x1000) **37,983**
Ton-miles All Traffic (x1000) **435,060**

***Includes 64 (x1000) tons of foreign inbound in-transits; Includes 31 (x1000) tons of foreign outbound in-transits; Includes 9 (x1000) tons of Canadian inbound in-transits; Includes 0 (x1000) tons of Canadian outbound in-transits.**

****Does not include 672 (x1000) tons of through traffic.**

HAMPTON ROADS, VA

Section Included: Norfolk Harbor, Port of Newport News (including Newport News Creek), Hampton Creek, and channel from Phoebus to Deepwater in Hampton Roads, VA.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	79,064	1995	72,508	1998	67,880	**2001**	**51,994**
1993	65,711	1996	75,552	1999	56,063		
1994	62,746	1997	68,500	2000	56,940		

Freight Traffic, 2001 (thousand short tons)

Commodity		Total**	Foreign		Canadian	
			Inbound*	Outbound*	Inbound*	Outbound*
Total, all commodities		**33,656**	**7,950**	**24,650**	**937**	**119**
Total coal		**17,820**	**0**	**17,820**	**—-**	**—-**
1100	coal lignite	17,639	0	17,639	—-	—-
1200	coal coke	182	—-	182	—-	—-
Total petroleum and petroleum products		**2,216**	**1,552**	**17**	**530**	**117**
Subtotal crude petroleum		**881**	**398**	**—-**	**483**	**—-**
2100	crude petroleum	881	398	—-	483	—-
Subtotal petroleum products		**1,335**	**1,154**	**17**	**47**	**117**
2211	gasoline	14	14	0	—-	—-
2221	kerosene	0	—-	0	—-	—-
2330	distillate fuel oil	19	19	0	—-	—-
2340	residual fuel oil	797	750	—-	47	—-
2350	lube oil & greases	7	1	5	—-	—-
2410	petro. jelly & waxes	2	0	2	—-	—-
2429	naphtha & solvents	175	171	5	—-	—-
2430	asphalt, tar & pitch	0	—-	0	—-	—-
2540	petroleum coke	207	86	4	—-	117
2640	liquid natural gas	112	112	1	—-	—-
Total chemicals and related products		**2,163**	**762**	**1,297**	**104**	**0**
Subtotal fertilizers		**946**	**284**	**559**	**104**	**—-**
3110	nitrogenous fert.	767	220	547	—-	—-
3120	phosphatic fert.	4	0	4	—-	—-
3130	potassic fert.	151	48	0	103	—-
3190	fert. & mixes nec	24	16	8	0	—-
Subtotal other chemicals and related products		**1,217**	**478**	**738**	**0**	**0**
3211	acyclic hydrocarbons	2	0	2	—-	—-
3212	benzene & toluene	0	0	0	—-	—-
3219	other hydrocarbons	10	4	6	—-	—-
3220	alcohols	45	25	20	—-	—-
3230	carboxylic acids	43	30	13	—-	—-
3240	nitrogen func. comp.	84	17	67	0	—-
3250	organo - inorg. comp.	19	12	7	—-	—-
3260	organic comp. nec	45	14	31	—-	—-
3272	sulphuric acid	1	0	1	—-	—-
3273	ammonia	0	0	0	—-	—-
3274	sodium hydroxide	3	2	1	—-	—-
3275	inorg. elem.,oxides, & halogen salts	98	60	37	0	—-
3276	metallic salts	51	28	23	0	—-
3279	inorganic chem. nec	8	6	3	—-	—-
3281	radioactive material	2	1	1	—-	—-
3282	pigments & paints	67	48	19	—-	—-
3283	coloring mat. nec	12	4	9	—-	—-
3284	medicines	34	7	27	—-	—-
3285	perfumes & cleansers	56	15	40	0	0
3286	plastics	295	89	206	—-	—-
3291	pesticides	23	5	17	—-	—-
3292	starches, gluten, glue	42	29	13	—-	—-
3293	explosives	1	1	0	—-	—-
3297	chemical additives	22	10	11	—-	—-
3298	wood & resin chem.	1	1	0	—-	—-
3299	chem. products nec	255	70	184	—-	—-
Total crude materials, inedible except fuels		**2,759**	**751**	**1,721**	**287**	**0**
Subtotal forest products, wood and chips		**1,335**	**352**	**983**	**0**	**0**
4110	rubber & gums	194	193	2	—-	—-
4150	fuel wood	2	1	1	—-	—-
4161	wood chips	431	0	431	—-	—-
4170	wood in the rough	170	14	155	—-	—-
4189	lumber	517	132	386	0	—-
4190	forest products nec	21	12	8	0	0
Subtotal pulp and waste paper		**474**	**3**	**471**	**0**	**—-**
4225	pulp & waste paper	474	3	471	0	—-
Subtotal soil, sand, gravel, rock and stone		**338**	**55**	**7**	**277**	**—-**
4310	building stone	33	32	1	—-	—-
4322	limestone	1	1	0	—-	—-
4323	gypsum	291	20	2	268	—-
4331	sand & gravel	14	2	3	9	—-
Subtotal iron ore and scrap		**104**	**0**	**104**	**—-**	**—-**
4410	iron ore	0	0	0	—-	—-
4420	iron & steel scrap	104	0	104	—-	—-
Subtotal marine shells		**0**	**0**	**0**	**—-**	**—-**

HAMPTON ROADS, VA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total**	Foreign		Canadian	
		Inbound*	Outbound*	Inbound*	Outbound*
4515 marine shells	0	0	0	—	—
Subtotal non-ferrous ores and scrap	**153**	**32**	**121**	**—**	**—**
4650 aluminum ore	29	28	1	—	—
4670 manganese ore	17	0	17	—	—
4680 non-ferrous scrap	33	3	30	—	—
4690 non-ferrous ores nec	74	1	72	—	—
Subtotal sulphur, clay and salt	**35**	**10**	**25**	**—**	**—**
4741 sulphur, (dry)	0	0	0	—	—
4782 clay & refrac. mat.	35	10	25	—	—
Subtotal slag	**0**	**0**	**0**	**—**	**—**
4860 slag	0	0	0	—	—
Subtotal other non-metal. min.	**319**	**299**	**10**	**10**	**—**
4900 non-metal. min. nec	319	299	10	10	—
Total primary manufactured goods	**2,608**	**1,766**	**829**	**12**	**1**
Subtotal paper products	**572**	**184**	**376**	**12**	**1**
5110 newsprint	27	3	12	12	—
5120 paper & paperboard	499	150	347	0	1
5190 paper products nec	46	31	16	0	—
Subtotal lime, cement and glass	**1,116**	**1,042**	**74**	**—**	**—**
5210 lime	0	—	0	—	—
5220 cement & concrete	839	839	0	—	—
5240 glass & glass prod.	71	40	31	—	—
5290 misc. mineral prod.	206	163	43	—	—
Subtotal primary iron and steel products	**241**	**115**	**127**	**—**	**—**
5312 pig iron	11	10	1	—	—
5315 ferro alloys	10	10	1	—	—
5320 i&s primary forms	72	47	26	—	—
5330 i&s plates & sheets	104	14	90	—	—
5360 i&s bars & shapes	18	18	1	—	—
5370 i&s pipe & tube	11	8	3	—	—
5390 primary i&s nec	14	9	5	—	—
Subtotal primary non-ferrous metal products	**496**	**285**	**210**	**0**	**0**
5421 copper	12	10	2	—	—
5422 aluminum	45	29	17	—	—
5429 smelted prod. nec	134	25	109	—	—
5480 fab. metal products	305	222	82	0	0
Subtotal primary wood products	**183**	**140**	**43**	**—**	**0**
5540 primary wood prod.	183	140	43	—	0
Total food and farm products	**2,923**	**1,057**	**1,862**	**3**	**1**
Subtotal fish	**58**	**45**	**10**	**2**	**0**
6134 fish (not shellfish)	38	32	5	1	0
6136 shellfish	20	13	5	1	0
Subtotal grain	**505**	**6**	**499**	**—**	**—**
6241 wheat	327	0	327	—	—
6344 corn	132	3	129	—	—
6442 rice	3	3	1	—	—
6443 barley & rye	43	0	43	—	—
6445 oats	0	—	0	—	—
6447 sorghum grains	0	—	0	—	—
Subtotal oilseeds	**361**	**13**	**347**	**—**	**—**
6521 peanuts	23	11	12	—	—
6522 soybeans	288	1	287	—	—
6534 flaxseed	0	—	0	—	—
6590 oilseeds nec	50	1	49	—	—
Subtotal vegetable products	**162**	**99**	**63**	**0**	**—**
6653 vegetable oils	55	15	40	—	—
6654 vegetables & prod.	107	84	23	0	—
Subtotal processed grain and animal feed	**153**	**33**	**121**	**—**	**—**
6746 wheat flour	7	0	6	—	—
6747 grain mill products	37	6	31	—	—
6781 hay & fodder	1	0	0	—	—
6782 animal feed, prep.	109	26	83	—	—
Subtotal other agricultural products	**1,684**	**862**	**821**	**0**	**0**
6811 meat, fresh, frozen	250	9	241	0	—
6817 meat, prepared	18	8	11	—	—
6822 dairy products	6	2	4	—	—
6835 fish, prepared	26	25	0	0	—
6838 tallow, animal oils	39	0	39	—	—
6839 animals & prod. nec	32	9	23	0	—
6856 bananas & plantains	0	0	—	—	—
6857 fruit & nuts nec	48	40	8	—	0
6858 fruit juices	43	39	5	0	0
6861 sugar	1	1	0	—	—
6865 molasses	0	0	0	—	—
6871 coffee	96	95	1	—	—
6872 cocoa beans	32	32	0	—	—
6885 alcoholic beverages	372	295	77	0	0
6888 water & ice	32	32	0	—	—
6889 food products nec	177	89	87	0	—
6891 tobacco & products	460	171	289	—	—
6893 cotton	26	1	25	—	—
6894 natural fibers nec	4	2	1	—	—
6899 farm products nec	22	11	11	—	—

HAMPTON ROADS, VA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total**	Foreign		Canadian	
			Inbound*	Outbound*	Inbound*	Outbound*
Total all manufactured equipment, machinery and products		**2,717**	**1,828**	**888**	**1**	**0**
7110	machinery (not elec)	695	481	214	0	—
7120	electrical machinery	298	172	127	—	—
7210	vehicles & parts	412	311	100	0	0
7220	aircraft & parts	6	2	4	—	—
7230	ships & boats	4	1	3	—	0
7300	ordnance & access.	4	3	1	0	—
7400	manufac. wood prod.	43	27	16	—	—
7500	textile products	350	180	170	0	—
7600	rubber & plastic pr.	299	193	106	0	—
7900	manufac. prod. nec	606	458	147	1	—
Total unknown or not elsewhere classified		**451**	**235**	**216**	**0**	**0**
9900	unknown or nec	451	235	216	0	0

Commodity		Total**	Coastwise	
			Receipts	Shipments
Total, all commodities		**5,808**	**1,292**	**4,516**
Total coal		**4,415**	**8**	**4,407**
1100	coal lignite	4,415	8	4,407
Total petroleum and petroleum products		**955**	**906**	**49**
Subtotal petroleum products		**955**	**906**	**49**
2211	gasoline	430	426	5
2221	kerosene	12	12	—
2330	distillate fuel oil	88	88	—
2340	residual fuel oil	373	329	44
2430	asphalt, tar & pitch	51	51	—
Total chemicals and related products		**129**	**117**	**12**
Subtotal fertilizers		**12**	**—**	**12**
3110	nitrogenous fert.	12	—	12
Subtotal other chemicals and related products		**117**	**117**	**—**
3219	other hydrocarbons	67	67	—
3274	sodium hydroxide	51	51	—
Total crude materials, inedible except fuels		**39**	**—**	**39**
Subtotal iron ore and scrap		**15**	**—**	**15**
4420	iron & steel scrap	15	—	15
Subtotal other non-metal. min.		**24**	**—**	**24**
4900	non-metal. min. nec	24	—	24
Total primary manufactured goods		**165**	**162**	**2**
Subtotal lime, cement and glass		**163**	**161**	**2**
5220	cement & concrete	161	161	—
5290	misc. mineral prod.	2	—	2
Subtotal primary non-ferrous metal products		**1**	**1**	**0**
5480	fab. metal products	1	1	0
Total all manufactured equipment, machinery and products		**105**	**98**	**7**
7900	manufac. prod. nec	105	98	7

Commodity		Total**	Internal					
			Inbound		Outbound		Intra	
			Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities		**11,857**	**4,685**	**42**	**172**	**6,322**	**358**	**279**
Total coal		**4,948**	**—**	**—**	**—**	**4,948**	**—**	**—**
1100	coal lignite	4,948	—	—	—	4,948	—	—
Total petroleum and petroleum products		**2,216**	**778**	**—**	**144**	**687**	**346**	**261**
Subtotal crude petroleum		**130**	**6**	**—**	**—**	**124**	**—**	**—**
2100	crude petroleum	130	6	—	—	124	—	—
Subtotal petroleum products		**2,086**	**772**	**—**	**144**	**563**	**346**	**261**
2211	gasoline	487	264	—	125	54	35	10
2221	kerosene	9	5	—	—	0	5	—
2330	distillate fuel oil	523	234	—	6	182	72	28
2340	residual fuel oil	994	214	—	13	314	233	220
2350	lube oil & greases	4	0	—	—	0	1	3
2429	naphtha & solvents	12	—	—	—	12	—	—
2430	asphalt, tar & pitch	49	49	—	—	—	—	—
2990	petro. products nec	7	7	—	—	—	—	—

HAMPTON ROADS, VA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total**	Internal					
		Inbound		Outbound		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total chemicals and related products	**289**	**116**	**15**	**19**	**114**	**10**	**15**
Subtotal fertilizers	**222**	**71**	**15**	**19**	**92**	**10**	**15**
3110 nitrogenous fert.	214	71	8	19	91	10	15
3190 fert. & mixes nec	8	—	7	—	1	—	—
Subtotal other chemicals and related products	**67**	**45**	**—**	**—**	**22**	**—**	**—**
3220 alcohols	45	45	—	—	—	—	—
3274 sodium hydroxide	22	—	—	—	22	—	—
Total crude materials, inedible except fuels	**2,641**	**2,640**	**—**	**—**	**—**	**0**	**0**
Subtotal forest products, wood and chips	**0**	**0**	**—**	**—**	**—**	**0**	**0**
4170 wood in the rough	0	0	—	—	—	0	0
Subtotal soil, sand, gravel, rock and stone	**2,637**	**2,637**	**—**	**—**	**—**	**—**	**—**
4331 sand & gravel	2,637	2,637	—	—	—	—	—
Subtotal sulphur, clay and salt	**0**	**—**	**—**	**—**	**—**	**—**	**0**
4782 clay & refrac. mat.	0	—	—	—	—	—	0
Subtotal slag	**3**	**3**	**—**	**—**	**—**	**—**	**—**
4860 slag	3	3	—	—	—	—	—
Total primary manufactured goods	**121**	**105**	**—**	**—**	**15**	**—**	**1**
Subtotal lime, cement and glass	**107**	**105**	**—**	**—**	**1**	**—**	**1**
5220 cement & concrete	105	105	—	—	—	—	—
5290 misc. mineral prod.	3	1	—	—	1	—	1
Subtotal primary iron and steel products	**0**	**—**	**—**	**—**	**—**	**—**	**0**
5360 i&s bars & shapes	0	—	—	—	—	—	0
Subtotal primary non-ferrous metal products	**14**	**—**	**—**	**—**	**14**	**—**	**—**
5480 fab. metal products	14	—	—	—	14	—	—
Total food and farm products	**317**	**277**	**27**	**9**	**3**	**—**	**—**
Subtotal grain	**161**	**130**	**18**	**9**	**3**	**—**	**—**
6241 wheat	78	57	15	6	—	—	—
6344 corn	53	48	2	—	3	—	—
6443 barley & rye	29	25	2	3	—	—	—
Subtotal oilseeds	**152**	**143**	**9**	**—**	**—**	**—**	**—**
6522 soybeans	152	143	9	—	—	—	—
Subtotal vegetable products	**4**	**4**	**—**	**—**	**—**	**—**	**—**
6654 vegetables & prod.	4	4	—	—	—	—	—
Total all manufactured equipment, machinery and products	**1,324**	**768**	**—**	**—**	**555**	**0**	**0**
7110 machinery (not elec)	1	0	—	—	0	0	0
7210 vehicles & parts	1	—	—	—	1	—	—
7900 manufac. prod. nec	1,321	768	—	—	553	—	—
Total waste and scrap nec	**2**	**0**	**—**	**—**	**0**	**1**	**1**
8900 waste and scrap nec	2	0	—	—	0	1	1

***Includes 69 (x1000) tons of foreign inbound in-transits; Includes 31 (x1000) tons of foreign outbound in-transits; Includes 9 (x1000) tons of Canadian inbound in-transits; Includes 0 (x1000) tons of Canadian outbound in-transits.**

****Does not include 672 (x1000) tons of through traffic.**

CHANNEL TO NEWPORT NEWS, VA

Section Included: Between the 55-foot depth contours on each side of middle ground shoal in Hampton Roads, VA, 6 miles. Maintained Depth: Outbound half of channel, 50.2 feet at mean low water; inbound half of channel, 50.1 feet at mean low water. Project Length: 6 miles, maintained to 50 feet deep, also includes two deep draft anchorage berths opposite Newport News 45 deep over a 1,200 foot swing radius, maintained to 40 feet deep. Tidal range to 3 feet mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	29,635	1995	28,601	1998	24,343	**2001**	**17,485**
1993	21,938	1996	30,948	1999	19,373		
1994	20,250	1997	26,538	2000	18,734		

Freight Traffic, 2001 (thousand short tons)

Commodity		Total	Foreign Through		Canadian Through	
			Upbound*	Downbnd*	Upbound	Downbnd
Total, all commodities		**7,375**	**1,531**	**5,273**	**420**	**151**
Total coal		**4,742**	**0**	**4,742**	**—-**	**—-**
1100	coal lignite	4,742	—	4,742	—	—
1200	coal coke	0	0	—	—	—
Total petroleum and petroleum products		**881**	**422**	**1**	**341**	**117**
Subtotal crude petroleum		**447**	**153**	**—-**	**294**	**—-**
2100	crude petroleum	447	153	—	294	—
Subtotal petroleum products		**434**	**269**	**1**	**47**	**117**
2211	gasoline	0	—	0	—	—
2340	residual fuel oil	203	156	—	47	—
2350	lube oil & greases	1	0	1	—	—
2410	petro. jelly & waxes	0	0	—	—	—
2429	naphtha & solvents	61	61	0	—	—
2540	petroleum coke	170	52	0	—	117
Total chemicals and related products		**356**	**155**	**201**	**—-**	**—-**
Subtotal fertilizers		**129**	**25**	**104**	**—-**	**—-**
3110	nitrogenous fert.	120	16	104	—	—
3130	potassic fert.	0	—	0	—	—
3190	fert. & mixes nec	9	9	0	—	—
Subtotal other chemicals and related products		**227**	**131**	**96**	**—-**	**—-**
3211	acyclic hydrocarbons	1	0	1	—	—
3212	benzene & toluene	0	—	0	—	—
3219	other hydrocarbons	4	4	0	—	—
3220	alcohols	3	0	3	—	—
3230	carboxylic acids	7	4	2	—	—
3240	nitrogen func. comp.	15	5	9	—	—
3250	organo - inorg. comp.	3	1	2	—	—
3260	organic comp. nec	5	1	3	—	—
3272	sulphuric acid	0	—	0	—	—
3273	ammonia	0	0	—	—	—
3274	sodium hydroxide	17	17	0	—	—
3275	inorg. elem.,oxides, & halogen salts	30	28	2	—	—
3276	metallic salts	16	15	2	—	—
3279	inorganic chem. nec	2	2	0	—	—
3281	radioactive material	0	0	—	—	—
3282	pigments & paints	1	0	1	—	—
3283	coloring mat. nec	2	2	1	—	—
3284	medicines	2	2	1	—	—
3285	perfumes & cleansers	12	2	10	—	—
3286	plastics	62	25	37	—	—
3291	pesticides	3	2	1	—	—
3292	starches, gluten, glue	2	0	2	—	—
3293	explosives	0	0	—	—	—
3297	chemical additives	2	0	2	—	—
3298	wood & resin chem.	0	0	0	—	—
3299	chem. products nec	37	20	17	—	—
Total crude materials, inedible except fuels		**259**	**155**	**62**	**10**	**32**
Subtotal forest products, wood and chips		**40**	**23**	**17**	**—-**	**—-**
4110	rubber & gums	0	0	0	—	—
4170	wood in the rough	5	1	4	—	—
4189	lumber	34	22	12	—	—
4190	forest products nec	0	0	0	—	—
Subtotal pulp and waste paper		**43**	**—-**	**11**	**—-**	**32**
4225	pulp & waste paper	43	—	11	—	32
Subtotal soil, sand, gravel, rock and stone		**14**	**13**	**2**	**—-**	**—-**
4310	building stone	1	1	—	—	—
4322	limestone	0	—	0	—	—
4323	gypsum	0	—	0	—	—
4331	sand & gravel	13	11	1	—	—
Subtotal iron ore and scrap		**0**	**—-**	**0**	**—-**	**—-**
4420	iron & steel scrap	0	—	0	—	—
Subtotal non-ferrous ores and scrap		**18**	**1**	**17**	**—-**	**—-**
4650	aluminum ore	0	0	0	—	—
4670	manganese ore	17	—	17	—	—
4680	non-ferrous scrap	0	0	0	—	—
4690	non-ferrous ores nec	1	1	0	—	—
Subtotal sulphur, clay and salt		**15**	**3**	**12**	**—-**	**—-**

CHANNEL TO NEWPORT NEWS, VA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Foreign Through Upbound*	Foreign Through Downbnd*	Canadian Through Upbound	Canadian Through Downbnd
4741	sulphur, (dry)	0	0	—	—	—
4782	clay & refrac. mat.	15	3	12	—	—
Subtotal slag		**0**	**0**	**—**	**—**	**—**
4860	slag	0	0	—	—	—
Subtotal other non-metal. min.		**130**	**116**	**3**	**10**	**—**
4900	non-metal. min. nec	130	116	3	10	—
Total primary manufactured goods		**599**	**479**	**50**	**69**	**2**
Subtotal paper products		**155**	**58**	**26**	**69**	**2**
5110	newsprint	69	—	0	69	0
5120	paper & paperboard	81	55	24	—	1
5190	paper products nec	4	3	2	—	—
Subtotal lime, cement and glass		**338**	**333**	**5**	**—**	**—**
5220	cement & concrete	313	313	0	—	—
5240	glass & glass prod.	7	5	3	—	—
5290	misc. mineral prod.	18	15	2	—	—
Subtotal primary iron and steel products		**29**	**22**	**7**	**—**	**—**
5312	pig iron	6	5	2	—	—
5315	ferro alloys	1	0	0	—	—
5320	i&s primary forms	1	1	0	—	—
5330	i&s plates & sheets	8	3	4	—	—
5360	i&s bars & shapes	8	8	0	—	—
5370	i&s pipe & tube	3	3	0	—	—
5390	primary i&s nec	2	1	0	—	—
Subtotal primary non-ferrous metal products		**53**	**43**	**10**	**—**	**—**
5421	copper	1	0	0	—	—
5422	aluminum	5	0	4	—	—
5429	smelted prod. nec	4	3	1	—	—
5480	fab. metal products	44	39	5	—	—
Subtotal primary wood products		**25**	**23**	**2**	**—**	**0**
5540	primary wood prod.	25	23	2	—	0
Total food and farm products		**217**	**110**	**107**	**—**	**0**
Subtotal fish		**2**	**2**	**0**	**—**	**—**
6134	fish (not shellfish)	2	2	0	—	—
6136	shellfish	1	1	—	—	—
Subtotal grain		**1**	**0**	**1**	**—**	**—**
6344	corn	1	0	1	—	—
6442	rice	0	—	0	—	—
Subtotal oilseeds		**2**	**2**	**0**	**—**	**—**
6521	peanuts	2	2	0	—	—
6522	soybeans	0	—	0	—	—
6590	oilseeds nec	0	—	0	—	—
Subtotal vegetable products		**1**	**1**	**1**	**—**	**—**
6653	vegetable oils	0	0	0	—	—
6654	vegetables & prod.	1	1	1	—	—
Subtotal processed grain and animal feed		**10**	**4**	**6**	**—**	**—**
6746	wheat flour	0	—	0	—	—
6747	grain mill products	2	0	2	—	—
6781	hay & fodder	0	0	—	—	—
6782	animal feed, prep.	8	4	4	—	—
Subtotal other agricultural products		**200**	**100**	**100**	**—**	**0**
6811	meat, fresh, frozen	2	0	2	—	—
6817	meat, prepared	0	0	0	—	—
6822	dairy products	0	0	0	—	—
6835	fish, prepared	0	—	0	—	—
6839	animals & prod. nec	5	5	0	—	—
6857	fruit & nuts nec	2	2	0	—	0
6858	fruit juices	3	2	0	—	—
6871	coffee	7	7	0	—	—
6872	cocoa beans	0	0	—	—	—
6885	alcoholic beverages	34	20	14	—	—
6888	water & ice	0	0	—	—	—
6889	food products nec	11	5	6	—	—
6891	tobacco & products	133	59	74	—	—
6893	cotton	2	0	2	—	—
6894	natural fibers nec	0	—	0	—	—
6899	farm products nec	0	0	0	—	—
Total all manufactured equipment, machinery and products		**301**	**200**	**101**	**—**	**—**
7110	machinery (not elec)	103	81	22	—	—
7120	electrical machinery	22	14	8	—	—
7210	vehicles & parts	59	54	4	—	—
7220	aircraft & parts	0	0	—	—	—
7230	ships & boats	0	0	0	—	—
7300	ordnance & access.	0	—	0	—	—
7400	manufac. wood prod.	3	2	1	—	—
7500	textile products	48	22	26	—	—
7600	rubber & plastic pr.	29	8	21	—	—
7900	manufac. prod. nec	37	19	18	—	—

CHANNEL TO NEWPORT NEWS, VA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign Through Upbound*	Foreign Through Downbnd*	Canadian Through Upbound	Canadian Through Downbnd
Total unknown or not elsewhere classified	**20**	**10**	**10**	**0**	**0**
9900 unknown or nec	20	10	10	0	0
Ton-miles (x1000) Foreign & Canadian	**23,521**	**5,201**	**16,404**	**1,395**	**521**

Commodity	Total	Domestic Coastwise Through Upbound	Domestic Coastwise Through Downbnd	Domestic Internal Through Upbound	Domestic Internal Through Downbnd
Total, all commodities	**10,110**	**108**	**2,832**	**622**	**6,548**
Total coal	**6,786**	**8**	**2,818**	**—-**	**3,960**
1100 coal lignite	6,786	8	2,818	—-	3,960
Total petroleum and petroleum products	**739**	**99**	**3**	**393**	**243**
Subtotal petroleum products	**739**	**99**	**3**	**393**	**243**
2211 gasoline	39	8	—-	—-	31
2330 distillate fuel oil	245	17	—-	107	122
2340 residual fuel oil	316	27	3	200	86
2350 lube oil & greases	4	4	—-	1	—-
2429 naphtha & solvents	5	—-	—-	—-	5
2430 asphalt, tar & pitch	122	43	—-	79	—-
2990 petro. products nec	7	—-	—-	7	—-
Total chemicals and related products	**314**	**—-**	**0**	**229**	**85**
Subtotal fertilizers	**87**	**—-**	**0**	**2**	**85**
3110 nitrogenous fert.	87	—-	0	2	85
Subtotal other chemicals and related products	**227**	**—-**	**—-**	**227**	**—-**
3220 alcohols	227	—-	—-	227	—-
Total crude materials, inedible except fuels	**2,256**	**—-**	**10**	**—-**	**2,246**
Subtotal soil, sand, gravel, rock and stone	**2,203**	**—-**	**—-**	**—-**	**2,203**
4331 sand & gravel	2,203	—-	—-	—-	2,203
Subtotal iron ore and scrap	**10**	**—-**	**10**	**—-**	**—-**
4420 iron & steel scrap	10	—-	10	—-	—-
Subtotal marine shells	**42**	**—-**	**—-**	**—-**	**42**
4515 marine shells	42	—-	—-	—-	42
Total primary manufactured goods	**15**	**1**	**0**	**—-**	**14**
Subtotal primary non-ferrous metal products	**15**	**1**	**0**	**—-**	**14**
5480 fab. metal products	15	1	0	—-	14
Total waste and scrap nec	**0**	**—-**	**—-**	**—-**	**0**
8900 waste and scrap nec	0	—-	—-	—-	0
Ton-miles (x1000) Domestic	**36,000**	**431**	**8,497**	**2,620**	**24,452**

Tons All Traffic (x1000) **17,485**
Ton-miles All Traffic (x1000) **59,520**

***Includes 5 (x1000) tons of foreign upbound through in-transits; Includes 1 (x1000) tons of foreign downbound through in-transits.**

PORT OF NEWPORT NEWS, VA (INCLUDING NEWPORT NEWS CREEK, VA)

Section Included: Lower east shore of James River from mouth to 1.8 miles, and portion of north shore of Hampton Roads covering approximately 15,000 linear feet of waterfront at Newport News; and Newport News Creek. Tidal range to 3 feet mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	24,450	1995	23,365	1998	19,075	**2001**	**13,860**
1993	16,735	1996	24,787	1999	14,342		
1994	15,671	1997	20,755	2000	13,803		

Freight Traffic, 2001 (thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
Total, all commodities		**6,678**	**1,228**	**4,980**	**353**	**118**
Total coal		**4,742**	**—-**	**4,742**	**—-**	**—-**
1100	coal lignite	4,742	—-	4,742	—-	—-
Total petroleum and petroleum products		**880**	**421**	**0**	**341**	**117**
Subtotal crude petroleum		**447**	**153**	**—-**	**294**	**—-**
2100	crude petroleum	447	153	—-	294	—-
Subtotal petroleum products		**434**	**269**	**0**	**47**	**117**
2211	gasoline	0	—-	0	—-	—-
2340	residual fuel oil	203	156	—-	47	—-
2350	lube oil & greases	0	—-	0	—-	—-
2410	petro. jelly & waxes	0	0	—-	—-	—-
2429	naphtha & solvents	61	61	0	—-	—-
2540	petroleum coke	170	52	0	—-	117
Total chemicals and related products		**77**	**50**	**28**	**—-**	**—-**
Subtotal fertilizers		**0**	**—-**	**0**	**—-**	**—-**
3130	potassic fert.	0	—-	0	—-	—-
3190	fert. & mixes nec	0	—-	0	—-	—-
Subtotal other chemicals and related products		**77**	**50**	**27**	**—-**	**—-**
3211	acyclic hydrocarbons	0	—-	0	—-	—-
3219	other hydrocarbons	1	1	0	—-	—-
3220	alcohols	1	0	1	—-	—-
3230	carboxylic acids	0	0	0	—-	—-
3240	nitrogen func. comp.	5	0	5	—-	—-
3250	organo - inorg. comp.	1	0	0	—-	—-
3260	organic comp. nec	2	0	2	—-	—-
3274	sodium hydroxide	0	—-	0	—-	—-
3275	inorg. elem.,oxides, & halogen salts	27	26	0	—-	—-
3276	metallic salts	0	0	0	—-	—-
3279	inorganic chem. nec	1	1	0	—-	—-
3282	pigments & paints	1	0	1	—-	—-
3283	coloring mat. nec	0	0	0	—-	—-
3284	medicines	1	0	1	—-	—-
3285	perfumes & cleansers	3	0	3	—-	—-
3286	plastics	13	5	8	—-	—-
3291	pesticides	2	2	0	—-	—-
3292	starches, gluten, glue	2	0	2	—-	—-
3293	explosives	0	0	—-	—-	—-
3297	chemical additives	1	—-	1	—-	—-
3298	wood & resin chem.	0	0	0	—-	—-
3299	chem. products nec	15	13	2	—-	—-
Total crude materials, inedible except fuels		**148**	**92**	**45**	**10**	**—-**
Subtotal forest products, wood and chips		**34**	**17**	**16**	**—-**	**—-**
4110	rubber & gums	0	0	0	—-	—-
4170	wood in the rough	5	1	4	—-	—-
4189	lumber	28	16	12	—-	—-
4190	forest products nec	0	0	0	—-	—-
Subtotal pulp and waste paper		**11**	**—-**	**11**	**—-**	**—-**
4225	pulp & waste paper	11	—-	11	—-	—-
Subtotal soil, sand, gravel, rock and stone		**2**	**1**	**0**	**—-**	**—-**
4310	building stone	1	1	—-	—-	—-
4322	limestone	0	—-	0	—-	—-
4323	gypsum	0	—-	0	—-	—-
4331	sand & gravel	0	0	0	—-	—-
Subtotal iron ore and scrap		**0**	**—-**	**0**	**—-**	**—-**
4420	iron & steel scrap	0	—-	0	—-	—-
Subtotal non-ferrous ores and scrap		**18**	**1**	**17**	**—-**	**—-**
4650	aluminum ore	0	0	0	—-	—-
4670	manganese ore	17	—-	17	—-	—-
4680	non-ferrous scrap	0	0	0	—-	—-
4690	non-ferrous ores nec	1	1	—-	—-	—-
Subtotal sulphur, clay and salt		**1**	**1**	**1**	**—-**	**—-**
4782	clay & refrac. mat.	1	1	1	—-	—-
Subtotal slag		**0**	**0**	**—-**	**—-**	**—-**
4860	slag	0	0	—-	—-	—-
Subtotal other non-metal. min.		**83**	**73**	**0**	**10**	**—-**
4900	non-metal. min. nec	83	73	0	10	—-
Total primary manufactured goods		**446**	**406**	**38**	**2**	**0**
Subtotal paper products		**47**	**22**	**23**	**2**	**0**
5110	newsprint	2	—-	0	2	—-

PORT OF NEWPORT NEWS, VA (INCLUDING NEWPORT NEWS CREEK, VA)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Foreign		Canadian	
			Inbound*	Outbound*	Inbound	Outbound
5120	paper & paperboard	42	20	21	—	0
5190	paper products nec	4	2	2	—	—
Subtotal lime, cement and glass		**328**	**327**	**1**	**—**	**—**
5220	cement & concrete	313	313	0	—	—
5240	glass & glass prod.	1	0	0	—	—
5290	misc. mineral prod.	14	14	1	—	—
Subtotal primary iron and steel products		**19**	**14**	**5**	**—**	**—**
5312	pig iron	5	5	0	—	—
5320	i&s primary forms	1	0	0	—	—
5330	i&s plates & sheets	5	1	4	—	—
5360	i&s bars & shapes	5	5	0	—	—
5370	i&s pipe & tube	3	2	0	—	—
5390	primary i&s nec	1	1	—	—	—
Subtotal primary non-ferrous metal products		**41**	**34**	**7**	**—**	**—**
5421	copper	0	0	0	—	—
5422	aluminum	4	0	4	—	—
5429	smelted prod. nec	0	0	0	—	—
5480	fab. metal products	36	34	2	—	—
Subtotal primary wood products		**10**	**7**	**2**	**—**	**0**
5540	primary wood prod.	10	7	2	—	0
Total food and farm products		**159**	**91**	**69**	**—**	**0**
Subtotal fish		**2**	**2**	**0**	**—**	**—**
6134	fish (not shellfish)	2	2	0	—	—
6136	shellfish	1	1	—	—	—
Subtotal grain		**1**	**0**	**1**	**—**	**—**
6344	corn	1	0	1	—	—
6442	rice	0	—	0	—	—
Subtotal oilseeds		**2**	**2**	**0**	**—**	**—**
6521	peanuts	2	2	0	—	—
6522	soybeans	0	—	0	—	—
6590	oilseeds nec	0	—	0	—	—
Subtotal vegetable products		**1**	**1**	**0**	**—**	**—**
6653	vegetable oils	0	0	0	—	—
6654	vegetables & prod.	1	1	0	—	—
Subtotal processed grain and animal feed		**10**	**4**	**6**	**—**	**—**
6746	wheat flour	0	—	0	—	—
6747	grain mill products	2	0	2	—	—
6782	animal feed, prep.	8	4	4	—	—
Subtotal other agricultural products		**142**	**81**	**61**	**—**	**0**
6811	meat, fresh, frozen	2	0	2	—	—
6817	meat, prepared	0	0	0	—	—
6822	dairy products	0	0	0	—	—
6835	fish, prepared	0	—	0	—	—
6839	animals & prod. nec	5	5	0	—	—
6857	fruit & nuts nec	2	2	0	—	0
6858	fruit juices	3	2	0	—	—
6871	coffee	7	7	0	—	—
6872	cocoa beans	0	0	—	—	—
6885	alcoholic beverages	18	5	14	—	—
6888	water & ice	0	0	—	—	—
6889	food products nec	9	4	5	—	—
6891	tobacco & products	93	56	37	—	—
6893	cotton	2	0	2	—	—
6894	natural fibers nec	0	—	0	—	—
6899	farm products nec	0	0	0	—	—
Total all manufactured equipment, machinery and products		**212**	**163**	**49**	**—**	**—**
7110	machinery (not elec)	88	72	16	—	—
7120	electrical machinery	18	13	5	—	—
7210	vehicles & parts	50	46	4	—	—
7220	aircraft & parts	0	0	—	—	—
7230	ships & boats	0	0	0	—	—
7300	ordnance & access.	0	—	0	—	—
7400	manufac. wood prod.	2	1	1	—	—
7500	textile products	13	11	2	—	—
7600	rubber & plastic pr.	16	3	12	—	—
7900	manufac. prod. nec	26	16	10	—	—
Total unknown or not elsewhere classified		**14**	**5**	**9**	**0**	**0**
9900	unknown or nec	14	5	9	0	0

Commodity		Total	Domestic				
			Coastwise		Internal		
			Receipts	Shipments	Receipts	Shipments	Intraport
Total, all commodities		**7,182**	**53**	**2,831**	**210**	**4,079**	**8**
Total coal		**6,786**	**8**	**2,818**	**—**	**3,960**	**—**
1100	coal lignite	6,786	8	2,818	—	3,960	—

PORT OF NEWPORT NEWS, VA (INCLUDING NEWPORT NEWS CREEK, VA)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Total	Domestic				
			Coastwise		Internal		
			Receipts	Shipments	Receipts	Shipments	Intraport
Total petroleum and petroleum products		**370**	**44**	**3**	**210**	**105**	**8**
Subtotal petroleum products		**370**	**44**	**3**	**210**	**105**	**8**
2211	gasoline	14	5	—	—	6	3
2330	distillate fuel oil	74	5	—	42	27	—
2340	residual fuel oil	259	24	3	160	67	5
2350	lube oil & greases	0	—	—	0	—	—
2429	naphtha & solvents	5	—	—	—	5	—
2430	asphalt, tar & pitch	10	10	—	—	—	—
2990	petro. products nec	7	—	—	7	—	—
Total crude materials, inedible except fuels		**10**	**—**	**10**	**—**	**—**	**—**
Subtotal iron ore and scrap		**10**	**—**	**10**	**—**	**—**	**—**
4420	iron & steel scrap	10	—	10	—	—	—
Total primary manufactured goods		**15**	**1**	**0**	**—**	**14**	**—**
Subtotal primary non-ferrous metal products		**15**	**1**	**0**	**—**	**14**	**—**
5480	fab. metal products	15	1	0	—	14	—
Total waste and scrap nec		**0**	**—**	**—**	**—**	**0**	**—**
8900	waste and scrap nec	0	—	—	—	0	—

***Includes 5 (x1000) tons of foreign inbound in-transits; Includes 0 (x1000) tons of foreign outbound in-transits.**

PORT OF RICHMOND, VA (INCLUDED IN JAMES RIVER, VA CONSOLIDATED REPORT)

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,633	1995	1,135	1998	1,089	**2001**	**1,907**
1993	1,669	1996	1,499	1999	822		
1994	1,134	1997	1,121	2000	1,489		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Foreign		Canadian		Domestic			
		Inbound	Outbound*	Inbound	Outbound	Total	Coastwise Receipts	Internal Receipts	Internal Shipments
Total, all commodities	**1,907**	**273**	**237**	**67**	**34**	**1,296**	**47**	**1,044**	**205**
Total coal	**0**	**0**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
1100 coal lignite	0	—	0	—	—	—	—	—	—
1200 coal coke	0	0	—	—	—	—	—	—	—
Total petroleum and petroleum products	**342**	**0**	**0**	**—-**	**—-**	**341**	**47**	**93**	**201**
Subtotal petroleum products	**342**	**0**	**0**	**—-**	**—-**	**341**	**47**	**93**	**201**
2211 gasoline	28	—	—	—	—	28	3	—	25
2330 distillate fuel oil	218	—	—	—	—	218	4	37	176
2340 residual fuel oil	41	—	—	—	—	41	3	37	—
2350 lube oil & greases	4	0	0	—	—	4	4	0	—
2429 naphtha & solvents	0	—	0	—	—	—	—	—	—
2430 asphalt, tar & pitch	51	—	—	—	—	51	32	19	—
Total chemicals and related products	**195**	**77**	**118**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
Subtotal fertilizers	**57**	**8**	**49**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
3110 nitrogenous fert.	49	—	49	—	—	—	—	—	—
3190 fert. & mixes nec	8	8	0	—	—	—	—	—	—
Subtotal other chemicals and related products	**138**	**69**	**69**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
3211 acyclic hydrocarbons	1	0	1	—	—	—	—	—	—
3212 benzene & toluene	0	—	0	—	—	—	—	—	—
3219 other hydrocarbons	3	3	0	—	—	—	—	—	—
3220 alcohols	2	0	2	—	—	—	—	—	—
3230 carboxylic acids	6	4	2	—	—	—	—	—	—
3240 nitrogen func. comp.	10	5	5	—	—	—	—	—	—
3250 organo - inorg. comp.	2	0	2	—	—	—	—	—	—
3260 organic comp. nec	2	1	1	—	—	—	—	—	—
3272 sulphuric acid	0	—	0	—	—	—	—	—	—
3273 ammonia	0	0	—	—	—	—	—	—	—
3274 sodium hydroxide	6	6	—	—	—	—	—	—	—
3275 inorg. elem.,oxides, & halogen salts	4	2	2	—	—	—	—	—	—
3276 metallic salts	16	15	1	—	—	—	—	—	—
3279 inorganic chem. nec	2	1	0	—	—	—	—	—	—
3281 radioactive material	0	0	—	—	—	—	—	—	—
3282 pigments & paints	0	0	0	—	—	—	—	—	—
3283 coloring mat. nec	2	2	1	—	—	—	—	—	—
3284 medicines	2	2	0	—	—	—	—	—	—
3285 perfumes & cleansers	9	2	7	—	—	—	—	—	—
3286 plastics	48	19	29	—	—	—	—	—	—
3291 pesticides	0	—	0	—	—	—	—	—	—
3292 starches, gluten, glue	0	—	0	—	—	—	—	—	—
3297 chemical additives	1	0	1	—	—	—	—	—	—
3299 chem. products nec	22	7	14	—	—	—	—	—	—
Total crude materials, inedible except fuels	**1,066**	**63**	**16**	**—-**	**32**	**955**	**—-**	**951**	**4**
Subtotal forest products, wood and chips	**6**	**6**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
4110 rubber & gums	0	—	0	—	—	—	—	—	—
4189 lumber	6	6	0	—	—	—	—	—	—
4190 forest products nec	0	0	0	—	—	—	—	—	—
Subtotal pulp and waste paper	**32**	**—-**	**—-**	**—-**	**32**	**—-**	**—-**	**—-**	**—-**
4225 pulp & waste paper	32	—	—	—	32	—	—	—	—
Subtotal soil, sand, gravel, rock and stone	**968**	**11**	**1**	**—-**	**—-**	**955**	**—-**	**951**	**4**
4323 gypsum	0	—	0	—	—	—	—	—	—
4331 sand & gravel	968	11	1	—	—	955	—	951	4
Subtotal non-ferrous ores and scrap	**0**	**—-**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
4650 aluminum ore	0	—	0	—	—	—	—	—	—
4690 non-ferrous ores nec	0	—	0	—	—	—	—	—	—
Subtotal sulphur, clay and salt	**14**	**2**	**12**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
4741 sulphur, (dry)	0	0	—	—	—	—	—	—	—
4782 clay & refrac. mat.	14	2	12	—	—	—	—	—	—
Subtotal other non-metal. min.	**47**	**44**	**3**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
4900 non-metal. min. nec	47	44	3	—	—	—	—	—	—

PORT OF RICHMOND, VA (INCLUDED IN JAMES RIVER, VA CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Grand Total	Foreign		Canadian		Domestic			
		Inbound	Outbound*	Inbound	Outbound	Total	Coastwise	Internal	
							Receipts	Receipts	Shipments
Total primary manufactured goods	**153**	**72**	**12**	**67**	**1**	**—-**	**—-**	**—-**	**—-**
Subtotal paper products	**107**	**36**	**3**	**67**	**1**	**—-**	**—-**	**—-**	**—-**
5110 newsprint	67	—-	—-	67	0	—-	—-	—-	—-
5120 paper & paperboard	39	35	3	—-	1	—-	—-	—-	—-
5190 paper products nec	1	1	0	—-	—-	—-	—-	—-	—-
Subtotal lime, cement and glass	**9**	**5**	**4**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
5240 glass & glass prod.	6	4	2	—-	—-	—-	—-	—-	—-
5290 misc. mineral prod.	3	1	2	—-	—-	—-	—-	—-	—-
Subtotal primary iron and steel products	**9**	**7**	**2**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
5312 pig iron	1	—-	1	—-	—-	—-	—-	—-	—-
5315 ferro alloys	1	0	0	—-	—-	—-	—-	—-	—-
5320 i&s primary forms	1	1	0	—-	—-	—-	—-	—-	—-
5330 i&s plates & sheets	3	2	0	—-	—-	—-	—-	—-	—-
5360 i&s bars & shapes	3	3	—-	—-	—-	—-	—-	—-	—-
5370 i&s pipe & tube	0	0	—-	—-	—-	—-	—-	—-	—-
5390 primary i&s nec	0	0	0	—-	—-	—-	—-	—-	—-
Subtotal primary non-ferrous metal products	**12**	**9**	**3**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
5421 copper	0	0	0	—-	—-	—-	—-	—-	—-
5422 aluminum	1	0	0	—-	—-	—-	—-	—-	—-
5429 smelted prod. nec	3	3	0	—-	—-	—-	—-	—-	—-
5480 fab. metal products	7	5	2	—-	—-	—-	—-	—-	—-
Subtotal primary wood products	**15**	**15**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
5540 primary wood prod.	15	15	—-	—-	—-	—-	—-	—-	—-
Total food and farm products	**57**	**19**	**38**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
Subtotal vegetable products	**0**	**—-**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
6654 vegetables & prod.	0	—-	0	—-	—-	—-	—-	—-	—-
Subtotal processed grain and animal feed	**0**	**0**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
6747 grain mill products	0	0	—-	—-	—-	—-	—-	—-	—-
6781 hay & fodder	0	0	—-	—-	—-	—-	—-	—-	—-
6782 animal feed, prep.	0	—-	0	—-	—-	—-	—-	—-	—-
Subtotal other agricultural products	**57**	**19**	**38**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
6839 animals & prod. nec	0	0	—-	—-	—-	—-	—-	—-	—-
6872 cocoa beans	0	0	—-	—-	—-	—-	—-	—-	—-
6885 alcoholic beverages	15	15	—-	—-	—-	—-	—-	—-	—-
6889 food products nec	2	1	1	—-	—-	—-	—-	—-	—-
6891 tobacco & products	39	2	37	—-	—-	—-	—-	—-	—-
6893 cotton	0	—-	0	—-	—-	—-	—-	—-	—-
Total all manufactured equipment, machinery and products	**88**	**37**	**51**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
7110 machinery (not elec)	15	9	6	—-	—-	—-	—-	—-	—-
7120 electrical machinery	4	1	3	—-	—-	—-	—-	—-	—-
7210 vehicles & parts	9	9	0	—-	—-	—-	—-	—-	—-
7400 manufac. wood prod.	1	1	0	—-	—-	—-	—-	—-	—-
7500 textile products	34	11	24	—-	—-	—-	—-	—-	—-
7600 rubber & plastic pr.	13	5	9	—-	—-	—-	—-	—-	—-
7900 manufac. prod. nec	12	3	9	—-	—-	—-	—-	—-	—-
Total unknown or not elsewhere classified	**6**	**5**	**2**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
9900 unknown or nec	6	5	2	—-	—-	—-	—-	—-	—-

***Includes 0 (x1000) tons of foreign outbound in-transits.**

JAMES RIVER BELOW RICHMOND, VA (INCLUDED IN JAMES RIVER CONSOLIDATED REPORT)

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	7,373	1995	5,988	1998	6,572	**2001**	**5,346**
1993	6,851	1996	7,540	1999	6,417		
1994	5,387	1997	7,146	2000	6,476		

Freight Traffic, 2001 (thousand short tons)

Commodity	Total	Foreign				Canadian	
		Inbound	Outbound	Through		Through	
				Upbound	Downbnd*	Upbound	Downbnd
Total, all commodities	**697**	**30**	**55**	**273**	**237**	**67**	**34**
Total coal	**0**	**—-**	**—-**	**0**	**0**	**—-**	**—-**
1100 coal lignite	0	—	—	—	0	—	—
1200 coal coke	0	—	—	0	—	—	—
Total petroleum and petroleum products	**1**	**—-**	**—-**	**0**	**0**	**—-**	**—-**
Subtotal petroleum products	**1**	**—-**	**—-**	**0**	**0**	**—-**	**—-**
2350 lube oil & greases	1	—	—	0	0	—	—
2429 naphtha & solvents	0	—	—	—	0	—	—
Total chemicals and related products	**279**	**28**	**55**	**77**	**118**	**—-**	**—-**
Subtotal fertilizers	**129**	**16**	**55**	**8**	**49**	**—-**	**—-**
3110 nitrogenous fert.	120	16	55	—	49	—	—
3190 fert. & mixes nec	9	0	—	8	0	—	—
Subtotal other chemicals and related products	**150**	**12**	**—-**	**69**	**69**	**—-**	**—-**
3211 acyclic hydrocarbons	1	—	—	0	1	—	—
3212 benzene & toluene	0	—	—	—	0	—	—
3219 other hydrocarbons	3	0	—	3	0	—	—
3220 alcohols	2	—	—	0	2	—	—
3230 carboxylic acids	6	0	—	4	2	—	—
3240 nitrogen func. comp.	10	—	—	5	5	—	—
3250 organo - inorg. comp.	2	—	—	0	2	—	—
3260 organic comp. nec	2	0	—	1	1	—	—
3272 sulphuric acid	0	—	—	—	0	—	—
3273 ammonia	0	—	—	0	—	—	—
3274 sodium hydroxide	17	11	—	6	—	—	—
3275 inorg. elem.,oxides, & halogen salts	4	0	—	2	2	—	—
3276 metallic salts	16	0	—	15	1	—	—
3279 inorganic chem. nec	2	0	—	1	0	—	—
3281 radioactive material	0	—	—	0	—	—	—
3282 pigments & paints	0	—	—	0	0	—	—
3283 coloring mat. nec	2	0	—	2	1	—	—
3284 medicines	2	—	—	2	0	—	—
3285 perfumes & cleansers	9	0	—	2	7	—	—
3286 plastics	49	1	—	19	29	—	—
3291 pesticides	0	—	—	—	0	—	—
3292 starches, gluten, glue	0	0	—	—	0	—	—
3297 chemical additives	1	0	—	0	1	—	—
3299 chem. products nec	22	0	—	7	14	—	—
Total crude materials, inedible except fuels	**112**	**0**	**—-**	**63**	**16**	**—-**	**32**
Subtotal forest products, wood and chips	**6**	**—-**	**—-**	**6**	**0**	**—-**	**—-**
4110 rubber & gums	0	—	—	—	0	—	—
4189 lumber	6	—	—	6	0	—	—
4190 forest products nec	0	—	—	0	0	—	—
Subtotal pulp and waste paper	**32**	**—-**	**—-**	**—-**	**—-**	**—-**	**32**
4225 pulp & waste paper	32	—	—	—	—	—	32
Subtotal soil, sand, gravel, rock and stone	**13**	**—-**	**—-**	**11**	**1**	**—-**	**—-**
4323 gypsum	0	—	—	—	0	—	—
4331 sand & gravel	13	—	—	11	1	—	—
Subtotal non-ferrous ores and scrap	**0**	**—-**	**—-**	**—-**	**0**	**—-**	**—-**
4650 aluminum ore	0	—	—	—	0	—	—
4690 non-ferrous ores nec	0	—	—	—	0	—	—
Subtotal sulphur, clay and salt	**14**	**0**	**—-**	**2**	**12**	**—-**	**—-**
4741 sulphur, (dry)	0	—	—	0	—	—	—
4782 clay & refrac. mat.	14	0	—	2	12	—	—
Subtotal other non-metal. min.	**47**	**—-**	**—-**	**44**	**3**	**—-**	**—-**
4900 non-metal. min. nec	47	—	—	44	3	—	—
Total primary manufactured goods	**154**	**1**	**—-**	**72**	**12**	**67**	**1**
Subtotal paper products	**107**	**0**	**—-**	**36**	**3**	**67**	**1**
5110 newsprint	67	—	—	—	—	67	0
5120 paper & paperboard	39	0	—	35	3	—	1
5190 paper products nec	1	0	—	1	0	—	—
Subtotal lime, cement and glass	**10**	**0**	**—-**	**5**	**4**	**—-**	**—-**
5240 glass & glass prod.	7	0	—	4	2	—	—
5290 misc. mineral prod.	3	0	—	1	2	—	—
Subtotal primary iron and steel products	**9**	**—-**	**—-**	**7**	**2**	**—-**	**—-**
5312 pig iron	1	—	—	—	1	—	—
5315 ferro alloys	1	—	—	0	0	—	—
5320 i&s primary forms	1	—	—	1	0	—	—
5330 i&s plates & sheets	3	—	—	2	0	—	—
5360 i&s bars & shapes	3	—	—	3	—	—	—

JAMES RIVER BELOW RICHMOND, VA (INCLUDED IN JAMES RIVER CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign				Canadian	
		Inbound	Outbound	Through		Through	
				Upbound	Downbnd*	Upbound	Downbnd
5370 i&s pipe & tube	0	—	—	0	—	—	—
5390 primary i&s nec	0	—	—	0	0	—	—
Subtotal primary non-ferrous metal products	**12**	**0**	**—**	**9**	**3**	**—**	**—**
5421 copper	0	—	—	0	0	—	—
5422 aluminum	1	—	—	0	0	—	—
5429 smelted prod. nec	4	0	—	3	0	—	—
5480 fab. metal products	7	—	—	5	2	—	—
Subtotal primary wood products	**16**	**0**	**—**	**15**	**—**	**—**	**—**
5540 primary wood prod.	16	0	—	15	—	—	—
Total food and farm products	**57**	**0**	**—**	**19**	**38**	**—**	**—**
Subtotal vegetable products	**0**	**—**	**—**	**—**	**0**	**—**	**—**
6654 vegetables & prod.	0	—	—	—	0	—	—
Subtotal processed grain and animal feed	**0**	**—**	**—**	**0**	**0**	**—**	**—**
6747 grain mill products	0	—	—	0	—	—	—
6781 hay & fodder	0	—	—	0	—	—	—
6782 animal feed, prep.	0	—	—	—	0	—	—
Subtotal other agricultural products	**57**	**0**	**—**	**19**	**38**	**—**	**—**
6839 animals & prod. nec	0	—	—	0	—	—	—
6872 cocoa beans	0	—	—	0	—	—	—
6885 alcoholic beverages	15	—	—	15	—	—	—
6889 food products nec	2	0	—	1	1	—	—
6891 tobacco & products	40	0	—	2	37	—	—
6893 cotton	0	—	—	—	0	—	—
Total all manufactured equipment, machinery and products	**89**	**1**	**—**	**37**	**51**	**—**	**—**
7110 machinery (not elec)	16	0	—	9	6	—	—
7120 electrical machinery	4	0	—	1	3	—	—
7210 vehicles & parts	9	0	—	9	0	—	—
7400 manufac. wood prod.	1	—	—	1	0	—	—
7500 textile products	34	0	—	11	24	—	—
7600 rubber & plastic pr.	13	0	—	5	9	—	—
7900 manufac. prod. nec	12	0	—	3	9	—	—
Total unknown or not elsewhere classified	**6**	**0**	**—**	**5**	**2**	**—**	**—**
9900 unknown or nec	6	0	—	5	2	—	—
Ton-miles (x1000) Foreign & Canadian	**58,415**	**2,065**	**3,768**	**23,496**	**20,419**	**5,777**	**2,889**

Commodity	Total	Domestic						
		Coastwise		Internal				
		Receipts	Through	Inbound		Outbound	Through	
			Upbound	Upbound	Downbnd	Downbnd	Upbound	Downbnd
Total, all commodities	**4,648**	**8**	**47**	**637**	**421**	**127**	**1,044**	**2,365**
Total petroleum and petroleum products	**461**	**8**	**47**	**112**	**72**	**—**	**93**	**129**
Subtotal petroleum products	**461**	**8**	**47**	**112**	**72**	**—**	**93**	**129**
2211 gasoline	28	—	3	—	—	—	—	25
2330 distillate fuel oil	269	8	4	43	72	—	37	104
2340 residual fuel oil	50	—	3	9	—	—	37	—
2350 lube oil & greases	4	—	4	—	—	—	0	—
2430 asphalt, tar & pitch	111	—	32	60	—	—	19	—
Total chemicals and related products	**313**	**—**	**—**	**229**	**—**	**85**	**—**	**—**
Subtotal fertilizers	**86**	**—**	**—**	**2**	**—**	**85**	**—**	**—**
3110 nitrogenous fert.	86	—	—	2	—	85	—	—
Subtotal other chemicals and related products	**227**	**—**	**—**	**227**	**—**	**—**	**—**	**—**
3220 alcohols	227	—	—	227	—	—	—	—
Total crude materials, inedible except fuels	**3,874**	**—**	**—**	**296**	**348**	**42**	**951**	**2,236**
Subtotal soil, sand, gravel, rock and stone	**3,831**	**—**	**—**	**296**	**348**	**—**	**951**	**2,236**
4331 sand & gravel	3,831	—	—	296	348	—	951	2,236
Subtotal marine shells	**42**	**—**	**—**	**—**	**—**	**42**	**—**	**—**
4515 marine shells	42	—	—	—	—	42	—	—
Ton-miles (x1000) Domestic	**245,404**	**512**	**4,009**	**25,466**	**16,362**	**7,036**	**22,286**	**169,733**

Tons All Traffic (x1000) **5,346**
Ton-miles All Traffic (x1000) **303,851**

***Includes 0 (x1000) tons of foreign downbound through in-transits.**

PORT OF HOPEWELL, VA (INCLUDED IN JAMES RIVER VA CONSOLIDATED REPORT)

Section Included: South side of James River, from City Point, at mouth of Appomattox River, 2 miles downstream to the mouth of Baileys Creek.
Maintained Depth: 25 feet at mean low water. Tidal range to 3 feet mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,278	1995	935	1998	1,183	**2001**	**510**
1993	1,256	1996	1,395	1999	1,330		
1994	916	1997	1,362	2000	1,024		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Foreign		Domestic			
		Inbound	Outbound	Total	Coastwise	Internal	
					Receipts	Receipts	Shipments
Total, all commodities	**509**	**30**	**55**	**424**	**8**	**331**	**85**
Total petroleum and petroleum products	**110**	**—-**	**—-**	**110**	**8**	**103**	**—-**
Subtotal petroleum products	**110**	**—-**	**—-**	**110**	**8**	**103**	**—-**
2330 distillate fuel oil	41	—-	—-	41	8	33	—-
2340 residual fuel oil	9	—-	—-	9	—-	9	—-
2430 asphalt, tar & pitch	60	—-	—-	60	—-	60	—-
Total chemicals and related products	**397**	**28**	**55**	**313**	**—-**	**229**	**85**
Subtotal fertilizers	**158**	**16**	**55**	**86**	**—-**	**2**	**85**
3110 nitrogenous fert.	157	16	55	86	—-	2	85
3190 fert. & mixes nec	0	0	—-	—-	—-	—-	—-
Subtotal other chemicals and related products	**239**	**12**	**—-**	**227**	**—-**	**227**	**—-**
3219 other hydrocarbons	0	0	—-	—-	—-	—-	—-
3220 alcohols	227	—-	—-	227	—-	227	—-
3230 carboxylic acids	0	0	—-	—-	—-	—-	—-
3260 organic comp. nec	0	0	—-	—-	—-	—-	—-
3274 sodium hydroxide	11	11	—-	—-	—-	—-	—-
3275 inorg. elem.,oxides, & halogen salts	0	0	—-	—-	—-	—-	—-
3276 metallic salts	0	0	—-	—-	—-	—-	—-
3279 inorganic chem. nec	0	0	—-	—-	—-	—-	—-
3283 coloring mat. nec	0	0	—-	—-	—-	—-	—-
3285 perfumes & cleansers	0	0	—-	—-	—-	—-	—-
3286 plastics	1	1	—-	—-	—-	—-	—-
3292 starches, gluten, glue	0	0	—-	—-	—-	—-	—-
3297 chemical additives	0	0	—-	—-	—-	—-	—-
3299 chem. products nec	0	0	—-	—-	—-	—-	—-
Total crude materials, inedible except fuels	**0**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**
Subtotal sulphur, clay and salt	**0**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**
4782 clay & refrac. mat.	0	0	—-	—-	—-	—-	—-
Total primary manufactured goods	**1**	**1**	**—-**	**—-**	**—-**	**—-**	**—-**
Subtotal paper products	**0**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**
5120 paper & paperboard	0	0	—-	—-	—-	—-	—-
5190 paper products nec	0	0	—-	—-	—-	—-	—-
Subtotal lime, cement and glass	**0**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**
5240 glass & glass prod.	0	0	—-	—-	—-	—-	—-
5290 misc. mineral prod.	0	0	—-	—-	—-	—-	—-
Subtotal primary non-ferrous metal products	**0**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**
5429 smelted prod. nec	0	0	—-	—-	—-	—-	—-
Subtotal primary wood products	**0**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**
5540 primary wood prod.	0	0	—-	—-	—-	—-	—-
Total food and farm products	**0**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**
Subtotal other agricultural products	**0**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**
6889 food products nec	0	0	—-	—-	—-	—-	—-
6891 tobacco & products	0	0	—-	—-	—-	—-	—-
Total all manufactured equipment, machinery and products	**1**	**1**	**—-**	**—-**	**—-**	**—-**	**—-**
7110 machinery (not elec)	0	0	—-	—-	—-	—-	—-
7120 electrical machinery	0	0	—-	—-	—-	—-	—-
7210 vehicles & parts	0	0	—-	—-	—-	—-	—-
7500 textile products	0	0	—-	—-	—-	—-	—-
7600 rubber & plastic pr.	0	0	—-	—-	—-	—-	—-
7900 manufac. prod. nec	0	0	—-	—-	—-	—-	—-
Total unknown or not elsewhere classified	**0**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**
9900 unknown or nec	0	0	—-	—-	—-	—-	—-

JAMES RIVER, VA (CONSOLIDATED REPORT)

Section Included: From mouth to Richmond, VA, 90.8 miles. Controlling Depth: From the mouth to Deepwater Terminal (4.7 miles below Richmond), 24.1 feet, thence to a point 700 feet downstream from lock, 18 feet. Project Depth: from the mouth to Deepwater Terminal (4.7 miles below Richmond), 35 feet, maintained to 25 feet, thence 18 feet to the Richmond Lock. All at mean low water. Project Length: 90.8 miles. Terminals with a turning basin 35 feet deep, maintained to 25 feet, 825 ft wide, and 2,770 ft long.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	7,373	1995	5,988	1998	6,572	**2001**	**5,346**
1993	6,851	1996	7,540	1999	6,417		
1994	5,387	1997	7,146	2000	6,476		

Note: Passenger totals above include ferry passengers.

Freight Traffic, 2001 (thousand short tons)

Commodity		Total	Foreign				Canadian	
			Inbound	Outbound	Through		Through	
					Upbound	Downbnd*	Upbound	Downbnd
Total, all commodities		**697**	**30**	**55**	**273**	**237**	**67**	**34**
Total coal		**0**	**—-**	**—-**	**0**	**0**	**—-**	**—-**
1100	coal lignite	0	—-	—-	—-	0	—-	—-
1200	coal coke	0	—-	—-	0	—-	—-	—-
Total petroleum and petroleum products		**1**	**—-**	**—-**	**0**	**0**	**—-**	**—-**
Subtotal petroleum products		**1**	**—-**	**—-**	**0**	**0**	**—-**	**—-**
2350	lube oil & greases	1	—-	—-	0	0	—-	—-
2429	naphtha & solvents	0	—-	—-	—-	0	—-	—-
Total chemicals and related products		**279**	**28**	**55**	**77**	**118**	**—-**	**—-**
Subtotal fertilizers		**129**	**16**	**55**	**8**	**49**	**—-**	**—-**
3110	nitrogenous fert.	120	16	55	—-	49	—-	—-
3190	fert. & mixes nec	9	0	—-	8	0	—-	—-
Subtotal other chemicals and related products		**150**	**12**	**—-**	**69**	**69**	**—-**	**—-**
3211	acyclic hydrocarbons	1	—-	—-	0	1	—-	—-
3212	benzene & toluene	0	—-	—-	—-	0	—-	—-
3219	other hydrocarbons	3	0	—-	3	0	—-	—-
3220	alcohols	2	—-	—-	0	2	—-	—-
3230	carboxylic acids	6	0	—-	4	2	—-	—-
3240	nitrogen func. comp.	10	—-	—-	5	5	—-	—-
3250	organo - inorg. comp.	2	—-	—-	0	2	—-	—-
3260	organic comp. nec	2	0	—-	1	1	—-	—-
3272	sulphuric acid	0	—-	—-	—-	0	—-	—-
3273	ammonia	0	—-	—-	0	—-	—-	—-
3274	sodium hydroxide	17	11	—-	6	—-	—-	—-
3275	inorg. elem.,oxides, & halogen salts	4	0	—-	2	2	—-	—-
3276	metallic salts	16	0	—-	15	1	—-	—-
3279	inorganic chem. nec	2	0	—-	1	0	—-	—-
3281	radioactive material	0	—-	—-	0	—-	—-	—-
3282	pigments & paints	0	—-	—-	0	0	—-	—-
3283	coloring mat. nec	2	0	—-	2	1	—-	—-
3284	medicines	2	—-	—-	2	0	—-	—-
3285	perfumes & cleansers	9	0	—-	2	7	—-	—-
3286	plastics	49	1	—-	19	29	—-	—-
3291	pesticides	0	—-	—-	—-	0	—-	—-
3292	starches, gluten, glue	0	0	—-	—-	0	—-	—-
3297	chemical additives	1	0	—-	0	1	—-	—-
3299	chem. products nec	22	0	—-	7	14	—-	—-
Total crude materials, inedible except fuels		**112**	**0**	**—-**	**63**	**16**	**—-**	**32**
Subtotal forest products, wood and chips		**6**	**—-**	**—-**	**6**	**0**	**—-**	**—-**
4110	rubber & gums	0	—-	—-	—-	0	—-	—-
4189	lumber	6	—-	—-	6	0	—-	—-
4190	forest products nec	0	—-	—-	0	0	—-	—-
Subtotal pulp and waste paper		**32**	**—-**	**—-**	**—-**	**—-**	**—-**	**32**
4225	pulp & waste paper	32	—-	—-	—-	—-	—-	32
Subtotal soil, sand, gravel, rock and stone		**13**	**—-**	**—-**	**11**	**1**	**—-**	**—-**
4323	gypsum	0	—-	—-	—-	0	—-	—-
4331	sand & gravel	13	—-	—-	11	1	—-	—-
Subtotal non-ferrous ores and scrap		**0**	**—-**	**—-**	**—-**	**0**	**—-**	**—-**
4650	aluminum ore	0	—-	—-	—-	0	—-	—-
4690	non-ferrous ores nec	0	—-	—-	—-	0	—-	—-
Subtotal sulphur, clay and salt		**14**	**0**	**—-**	**2**	**12**	**—-**	**—-**
4741	sulphur, (dry)	0	—-	—-	0	—-	—-	—-
4782	clay & refrac. mat.	14	0	—-	2	12	—-	—-
Subtotal other non-metal. min.		**47**	**—-**	**—-**	**44**	**3**	**—-**	**—-**
4900	non-metal. min. nec	47	—-	—-	44	3	—-	—-
Total primary manufactured goods		**154**	**1**	**—-**	**72**	**12**	**67**	**1**
Subtotal paper products		**107**	**0**	**—-**	**36**	**3**	**67**	**1**
5110	newsprint	67	—-	—-	—-	—-	67	0
5120	paper & paperboard	39	0	—-	35	3	—-	1
5190	paper products nec	1	0	—-	1	0	—-	—-
Subtotal lime, cement and glass		**10**	**0**	**—-**	**5**	**4**	**—-**	**—-**

JAMES RIVER, VA (CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Foreign				Canadian	
		Inbound	Outbound	Through		Through	
				Upbound	Downbnd*	Upbound	Downbnd
5240 glass & glass prod.	7	0	—	4	2	—	—
5290 misc. mineral prod.	3	0	—	1	2	—	—
Subtotal primary iron and steel products	**9**	**—**	**—**	**7**	**2**	**—**	**—**
5312 pig iron	1	—	—	—	1	—	—
5315 ferro alloys	1	—	—	0	0	—	—
5320 i&s primary forms	1	—	—	1	0	—	—
5330 i&s plates & sheets	3	—	—	2	0	—	—
5360 i&s bars & shapes	3	—	—	3	—	—	—
5370 i&s pipe & tube	0	—	—	0	—	—	—
5390 primary i&s nec	0	—	—	0	0	—	—
Subtotal primary non-ferrous metal products	**12**	**0**	**—**	**9**	**3**	**—**	**—**
5421 copper	0	—	—	0	0	—	—
5422 aluminum	1	—	—	0	0	—	—
5429 smelted prod. nec	4	0	—	3	0	—	—
5480 fab. metal products	7	—	—	5	2	—	—
Subtotal primary wood products	**16**	**0**	**—**	**15**	**—**	**—**	**—**
5540 primary wood prod.	16	0	—	15	—	—	—
Total food and farm products	**57**	**0**	**—**	**19**	**38**	**—**	**—**
Subtotal vegetable products	**0**	**—**	**—**	**—**	**0**	**—**	**—**
6654 vegetables & prod.	0	—	—	—	0	—	—
Subtotal processed grain and animal feed	**0**	**—**	**—**	**0**	**0**	**—**	**—**
6747 grain mill products	0	—	—	0	—	—	—
6781 hay & fodder	0	—	—	0	—	—	—
6782 animal feed, prep.	0	—	—	—	0	—	—
Subtotal other agricultural products	**57**	**0**	**—**	**19**	**38**	**—**	**—**
6839 animals & prod. nec	0	—	—	0	—	—	—
6872 cocoa beans	0	—	—	0	—	—	—
6885 alcoholic beverages	15	—	—	15	—	—	—
6889 food products nec	2	0	—	1	1	—	—
6891 tobacco & products	40	0	—	2	37	—	—
6893 cotton	0	—	—	—	0	—	—
Total all manufactured equipment, machinery and products	**89**	**1**	**—**	**37**	**51**	**—**	**—**
7110 machinery (not elec)	16	0	—	9	6	—	—
7120 electrical machinery	4	0	—	1	3	—	—
7210 vehicles & parts	9	0	—	9	0	—	—
7400 manufac. wood prod.	1	—	—	1	0	—	—
7500 textile products	34	0	—	11	24	—	—
7600 rubber & plastic pr.	13	0	—	5	9	—	—
7900 manufac. prod. nec	12	0	—	3	9	—	—
Total unknown or not elsewhere classified	**6**	**0**	**—**	**5**	**2**	**—**	**—**
9900 unknown or nec	6	0	—	5	2	—	—
Ton-miles (x1000) Foreign & Canadian	**58,415**	**2,065**	**3,768**	**23,496**	**20,419**	**5,777**	**2,889**

Commodity	Total	Domestic						
		Coastwise		Internal				
		Receipts	Through	Inbound		Outbound	Through	
			Upbound	Upbound	Downbnd	Downbnd	Upbound	Downbnd
Total, all commodities	**4,648**	**8**	**47**	**637**	**421**	**127**	**1,044**	**2,365**
Total petroleum and petroleum products	**461**	**8**	**47**	**112**	**72**	**—**	**93**	**129**
Subtotal petroleum products	**461**	**8**	**47**	**112**	**72**	**—**	**93**	**129**
2211 gasoline	28	—	3	—	—	—	—	25
2330 distillate fuel oil	269	8	4	43	72	—	37	104
2340 residual fuel oil	50	—	3	9	—	—	37	—
2350 lube oil & greases	4	—	4	—	—	—	0	—
2430 asphalt, tar & pitch	111	—	32	60	—	—	19	—
Total chemicals and related products	**313**	**—**	**—**	**229**	**—**	**85**	**—**	**—**
Subtotal fertilizers	**86**	**—**	**—**	**2**	**—**	**85**	**—**	**—**
3110 nitrogenous fert.	86	—	—	2	—	85	—	—
Subtotal other chemicals and related products	**227**	**—**	**—**	**227**	**—**	**—**	**—**	**—**
3220 alcohols	227	—	—	227	—	—	—	—
Total crude materials, inedible except fuels	**3,874**	**—**	**—**	**296**	**348**	**42**	**951**	**2,236**
Subtotal soil, sand, gravel, rock and stone	**3,831**	**—**	**—**	**296**	**348**	**—**	**951**	**2,236**

JAMES RIVER, VA (CONSOLIDATED REPORT)
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Domestic						
		Coastwise		Internal				
		Receipts	Through Upbound	Inbound Upbound	Inbound Downbnd	Outbound Downbnd	Through Upbound	Through Downbnd
4331 sand & gravel	3,831	—-	—-	296	348	—-	951	2,236
Subtotal marine shells	**42**	**—-**	**—-**	**—-**	**—-**	**42**	**—-**	**—-**
4515 marine shells	42	—-	—-	—-	—-	42	—-	—-
Ton-miles (x1000) Domestic	**245,404**	**512**	**4,009**	**25,466**	**16,362**	**7,036**	**22,286**	**169,733**

Tons All Traffic (x1000) **5,346**
Ton-miles All Traffic (x1000) **303,851**

***Includes 0 (x1000) tons of foreign downbound through in-transits.**

APPOMATTOX RIVER, VA

Section Included: From mouth to Petersburg, Virginia, 11 miles. Controlling Depth: From the mouth to mile point 7.8, 7.5 feet, thence to mile point 8.5, 2.2 feet, thence to mile point 11, 5.5 feet. Project Depth: 10 feet until the vessel traffic indicates the need for a change, the 60 foot wide channel between Puddledock and the Small Boat Harbor will be maintained to a depth of 6 feet. The channel upstream of the Small Boat Harbor is not being maintained.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,366	1995	3,610	1998	4,245	**2001**	**3,695**
1993	4,181	1996	4,630	1999	4,135		
1994	3,020	1997	4,150	2000	4,237		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Domestic Internal Outbound Downbnd
Total, all commodities	**3,695**	**3,695**
Total crude materials, inedible except fuels	**3,695**	**3,695**
Subtotal soil, sand, gravel, rock and stone	**3,695**	**3,695**
4331 sand & gravel	3,695	3,695
Ton-miles (x1000)	**29,557**	**29,557**

Tons All Traffic (x1000)	**3,695**
Ton-miles All Traffic (x1000)	**29,557**

ATLANTIC INTRACOASTAL WATERWAY BETWEEN NORFOLK, VA, AND THE ST. JOHNS RIVER FL (NORFOLK DISTRICT) VIA GREAT BRIDGE LOCK ROUTE

Section Included: Norfolk, VA, North Carolina Line. Controlling Depth: 11 feet at mean low water. Project Depth: 12 feet at mean low water. Project Length: 33.8 miles.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	1,354	1995	1,381	1998	983	**2001**	**879**
1993	1,519	1996	1,513	1999	938		
1994	1,252	1997	1,214	2000	810		

Freight Traffic, 2001 (thousand short tons)

Commodity		Grand Total	Internal		
			Inbound	Through	
			Downbnd	Upbound	Downbnd
Total, all commodities		**879**	**677**	**52**	**150**
Total petroleum and petroleum products		**144**	**144**	**—-**	**—-**
Subtotal petroleum products		**144**	**144**	**—-**	**—-**
2211	gasoline	125	125	—-	—-
2330	distillate fuel oil	6	6	—-	—-
2340	residual fuel oil	13	13	—-	—-
Total chemicals and related products		**43**	**—-**	**24**	**19**
Subtotal fertilizers		**43**	**—-**	**24**	**19**
3110	nitrogenous fert.	32	—-	13	19
3190	fert. & mixes nec	11	—-	11	—-
Total crude materials, inedible except fuels		**651**	**533**	**—-**	**118**
Subtotal soil, sand, gravel, rock and stone		**533**	**533**	**—-**	**—-**
4331	sand & gravel	533	533	—-	—-
Subtotal iron ore and scrap		**101**	**—-**	**—-**	**101**
4420	iron & steel scrap	101	—-	—-	101
Subtotal slag		**17**	**—-**	**—-**	**17**
4860	slag	17	—-	—-	17
Total food and farm products		**41**	**—-**	**29**	**12**
Subtotal grain		**32**	**—-**	**20**	**12**
6241	wheat	21	—-	15	6
6344	corn	3	—-	3	—-
6443	barley & rye	8	—-	2	6
Subtotal oilseeds		**9**	**—-**	**9**	**—-**
6522	soybeans	9	—-	9	—-
Total all manufactured equipment, machinery and products		**0**	**—-**	**—-**	**0**
7900	manufac. prod. nec	0	—-	—-	0
Ton-miles (x1000)		**9,937**	**4,685**	**1,354**	**3,897**

Tons All Traffic (x1000)	**879**
Ton-miles All Traffic (x1000)	**9,937**

PAMUNKEY RIVER, VA

Section Included: A channel 12 feet deep and 100 feet wide to Cumberland Landing 20 miles; thence 8 feet deep to White House 32 miles; and 4 feet to end of project 50 miles. Controlling Depth: 7 feet, Project Depth: 12 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	71	1995	528	1998	507	**2001**	**455**
1993	503	1996	545	1999	564		
1994	548	1997	725	2000	432		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal Inbound Upbound	Internal Outbound Downbnd
Total, all commodities	**455**	**452**	**3**
Total petroleum and petroleum products	**61**	**61**	**—-**
Subtotal petroleum products	**61**	**61**	**—-**
2330 distillate fuel oil	3	3	—-
2340 residual fuel oil	58	58	—-
Total chemicals and related products	**20**	**20**	**—-**
Subtotal fertilizers	**3**	**3**	**—-**
3110 nitrogenous fert.	3	3	—-
Subtotal other chemicals and related products	**17**	**17**	**—-**
3274 sodium hydroxide	17	17	—-
Total crude materials, inedible except fuels	**369**	**369**	**—-**
Subtotal forest products, wood and chips	**369**	**369**	**—-**
4161 wood chips	369	369	—-
Total food and farm products	**3**	**—-**	**3**
Subtotal grain	**3**	**—-**	**3**
6443 barley & rye	3	—-	3
Total all manufactured equipment, machinery and products	**1**	**1**	**—-**
7210 vehicles & parts	1	1	—-
Ton-miles (x1000)	**466**	**463**	**3**

Tons All Traffic (x1000)	**455**
Ton-miles All Traffic (x1000)	**466**

YORK RIVER, VA

Section Included: From the mouth to West Point, Va, a distance of 33.75 miles, inlcuding the western shoreline of the town of West Point and a dike on the towns right bank. Maintained Depth: 22 feet to West Point, 33 miles above the mouth. Tidal range to 3 feet mean higher high water.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	6,092	1995	6,057	1998	5,540	**2001**	**6,508**
1993	5,478	1996	6,974	1999	5,465		
1994	6,944	1997	5,495	2000	5,420		

Freight Traffic, 2001 (thousand short tons)

Commodity	Total	Foreign Inbound	Canadian Inbound
Total, all commodities	**1,951**	**1,694**	**257**
Total petroleum and petroleum products	**1,907**	**1,650**	**257**
Subtotal crude petroleum	**1,397**	**1,194**	**202**
2100 crude petroleum	1,397	1,194	202
Subtotal petroleum products	**510**	**455**	**55**
2211 gasoline	46	46	—
2221 kerosene	65	65	—
2340 residual fuel oil	340	285	55
2429 naphtha & solvents	59	59	—
Total chemicals and related products	**43**	**43**	**—**
Subtotal other chemicals and related products	**43**	**43**	**—**
3260 organic comp. nec	43	43	—
Total primary manufactured goods	**0**	**0**	**—**
Subtotal primary non-ferrous metal products	**0**	**0**	**—**
5480 fab. metal products	0	0	—
Total all manufactured equipment, machinery and products	**1**	**1**	**—**
7110 machinery (not elec)	1	1	—
Ton-miles (x1000)	**15,611**	**13,552**	**2,059**
Foreign & Canadian			

Commodity	Total	Coastwise Receipts	Coastwise Shipments
Total, all commodities	**1,461**	**292**	**1,169**
Total petroleum and petroleum products	**1,412**	**243**	**1,169**
Subtotal crude petroleum	**74**	**74**	**—**
2100 crude petroleum	74	74	—
Subtotal petroleum products	**1,338**	**169**	**1,169**
2211 gasoline	727	108	619
2330 distillate fuel oil	525	54	471
2340 residual fuel oil	28	—	28
2429 naphtha & solvents	58	7	51
2990 petro. products nec	0	—	0
Total chemicals and related products	**49**	**49**	**—**
Subtotal other chemicals and related products	**49**	**49**	**—**
3212 benzene & toluene	6	6	—
3297 chemical additives	42	42	—
Ton-miles (x1000)	**5,894**	**1,167**	**4,727**
Coastwise			

Commodity	Total	Internal Inbound Upbound	Internal Inbound Downbnd	Internal Outbound Upbound	Internal Outbound Downbnd	Internal Through Upbound	Internal Through Downbnd	Internal Intra Upbound	Internal Intra Downbnd
Total, all commodities	**3,095**	**803**	**1,823**	**452**	**3**	**12**	**2**		
Total petroleum and petroleum products	**2,666**	**783**	**1,808**	**61**	**—**	**12**	**2**		
Subtotal crude petroleum	**169**	**169**	**—**	**—**	**—**	**—**	**—**		
2100 crude petroleum	169	169	—	—	—	—	—		
Subtotal petroleum products	**2,498**	**615**	**1,808**	**61**	**—**	**12**	**2**		
2211 gasoline	1,058	47	997	—	—	12	2		
2330 distillate fuel oil	840	119	718	3	—	—	—		
2340 residual fuel oil	533	422	53	58	—	—	—		
2350 lube oil & greases	0	0	—	—	—	—	—		
2429 naphtha & solvents	58	27	31	—	—	—	—		
2990 petro. products nec	9	—	9	—	—	—	—		
Total chemicals and related products	**31**	**10**	**—**	**20**	**—**	**—**	**—**		
Subtotal fertilizers	**3**	**—**	**—**	**3**	**—**	**—**	**—**		
3110 nitrogenous fert.	3	—	—	3	—	—	—		

YORK RIVER, VA
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Total	Internal					
		Inbound	Outbound	Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Subtotal other chemicals and related products	**28**	**10**	**—-**	**17**	**—-**	**—-**	**—-**
3274 sodium hydroxide	22	4	—-	17	—-	—-	—-
3297 chemical additives	6	6	—-	—-	—-	—-	—-
Total crude materials, inedible except fuels	**369**	**—-**	**0**	**369**	**—-**	**—-**	**—-**
Subtotal forest products, wood and chips	**369**	**—-**	**0**	**369**	**—-**	**—-**	**—-**
4161 wood chips	369	—-	—-	369	—-	—-	—-
4170 wood in the rough	0	—-	0	—-	—-	—-	—-
Total primary manufactured goods	**9**	**9**	**0**	**—-**	**—-**	**—-**	**—-**
Subtotal lime, cement and glass	**9**	**9**	**0**	**—-**	**—-**	**—-**	**—-**
5290 misc. mineral prod.	9	9	0	—-	—-	—-	—-
Subtotal primary non-ferrous metal products	**0**	**0**	**—-**	**—-**	**—-**	**—-**	**—-**
5480 fab. metal products	0	0	—-	—-	—-	—-	—-
Total food and farm products	**3**	**—-**	**—-**	**—-**	**3**	**—-**	**—-**
Subtotal grain	**3**	**—-**	**—-**	**—-**	**3**	**—-**	**—-**
6443 barley & rye	3	—-	—-	—-	3	—-	—-
Total all manufactured equipment, machinery and products	**2**	**0**	**0**	**1**	**—-**	**—-**	**—-**
7110 machinery (not elec)	1	0	0	—-	—-	—-	—-
7210 vehicles & parts	1	—-	—-	1	—-	—-	—-
Total waste and scrap nec	**15**	**—-**	**15**	**—-**	**—-**	**—-**	**—-**
8900 waste and scrap nec	15	—-	15	—-	—-	—-	—-
Ton-miles (x1000)	**28,558**	**3,258**	**7,974**	**17,185**	**114**	**24**	**4**
Internal							

Tons All Traffic (x1000) **6,508**
Ton-miles All Traffic (x1000) **50,066**

RAPPAHANNOCK RIVER, VA

Section Included: Mouth to Fredricksburg, 107 miles. Controlling Depth: 8.7 feet to mile 43, (Tappahannock) then 6.3 feet from Tappahannock to Fredericksburg. Project Depth: 12 feet. Also includes 20,401 l.f. of crib and pile dikes and 1,906 l.f. of rip rap stone dike.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	209	1995	316	1998	321	**2001**	**754**
1993	279	1996	305	1999	373		
1994	332	1997	396	2000	554		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal Inbound Upbound	Internal Outbound Downbnd	Internal Through Downbnd
Total, all commodities	**754**	**56**	**505**	**194**
Total crude materials, inedible except fuels	**506**	**42**	**463**	**—-**
Subtotal soil, sand, gravel, rock and stone	**463**	**—-**	**463**	**—-**
4331 sand & gravel	463	—-	463	—-
Subtotal marine shells	**42**	**42**	**—-**	**—-**
4515 marine shells	42	42	—-	—-
Total food and farm products	**236**	**—-**	**42**	**194**
Subtotal grain	**186**	**—-**	**27**	**159**
6241 wheat	22	—-	6	15
6344 corn	150	—-	19	130
6443 barley & rye	14	—-	1	13
Subtotal oilseeds	**46**	**—-**	**11**	**35**
6522 soybeans	46	—-	11	35
Subtotal vegetable products	**4**	**—-**	**4**	**—-**
6654 vegetables & prod.	4	—-	4	—-
Total waste and scrap nec	**13**	**13**	**—-**	**—-**
8900 waste and scrap nec	13	13	—-	—-
Ton-miles (x1000)	**46,380**	**2,097**	**36,186**	**8,097**

Tons All Traffic (x1000)	**754**
Ton-miles All Traffic (x1000)	**46,380**

Harbor or Waterway Project	Commodity	Thousand Short Tons
ABERDEEN CREEK, VA	No Commerce Reported	
ATLANTIC INTRACOASTAL WATERWAY BETWEEN NORFOLK, VA, AND THE ST. JOHNS RIVER FL (NORFOLK DISTRICT) DISMAL SWAMP AND PASQUOTANK RIVER	No Commerce Reported	
BEACH CREEK, VA	No Commerce Reported	
BROAD CREEK, VA	No Commerce Reported	
CAPE CHARLES CITY HARBOR, VA	4331 sand & gravel	146
	5290 misc. mineral prod.	9
	Total Tons(x1000)	**155**
CARTERS CREEK, VA	No Commerce Reported	
CHANNEL CONNECTING YORK RIVER, VA, WITH BACK CREEK TO SLAIGHTS WHARF, VA	No Commerce Reported	
CHANNEL FROM PHOEBUS, VA (TO DEEP WATER IN HAMPTON ROADS, VA)	No Commerce Reported	
CHESCONESSEX CREEK, VA	No Commerce Reported	
CHINCOTEAGUE BAY, MD AND VA	4170 wood in the rough	0
	Total Tons(x1000)	**0**
	Total Ton-miles(x1000)	**1**
CHINCOTEAGUE HARBOR OF REFUGE, VA	No Commerce Reported	
CRANES CREEK, VA	No Commerce Reported	
DAVIS CREEK, VA	No Commerce Reported	
DEEP CREEK, ACCOMACK COUNTY, VA	No Commerce Reported	
DEEP CREEK, NEWPORT NEWS, VA	No Commerce Reported	
DELAWARE BAY - CHESAPEAKE BAY WATERWAY - VIRGINIA PORTION	4170 wood in the rough	0
	4515 marine shells	1
	Total Tons(x1000)	**1**
	Total Ton-miles(x1000)	**58**
DYMERS CREEK, VA	No Commerce Reported	
GREENVALE CREEK, VA	No Commerce Reported	
HAMPTON CREEK, VA	2330 distillate fuel oil	18
	4331 sand & gravel	196
	Total Tons(x1000)	**214**
	Total Ton-miles(x1000)	**642**
HORN HARBOR, VA	No Commerce Reported	
HOSKINS CREEK, VA	6241 wheat	15
	6344 corn	130
	6443 barley & rye	13
	6522 soybeans	33
	Total Tons(x1000)	**192**
	Total Ton-miles(x1000)	**192**

Other Harbors and Waterways 2001 - continued

Harbor or Waterway Project	Commodity	Thousand Short Tons
JACKSON CREEK, VA	8900 waste and scrap nec	2
	Total Tons(x1000)	**2**
	Total Ton-miles(x1000)	**2**
KINGS CREEK, NORTHAMPTON COUNTY, VA	No Commerce Reported	
LAFAYETTE RIVER, VA	No Commerce Reported	
LITTLE MACHIPONGO RIVER, VA	No Commerce Reported	
LITTLE RIVER (CREEK), VA	2211 gasoline	0
	2330 distillate fuel oil	7
	2340 residual fuel oil	1
	2350 lube oil & greases	0
	4331 sand & gravel	4
	Total Tons(x1000)	**12**
	Total Ton-miles(x1000)	**12**
LOCKLIES CREEK, VA	No Commerce Reported	
LYNHAVEN ROADS, INLET, AND CONNECTING WATERS, VA	2350 lube oil & greases	0
	Total Tons(x1000)	**0**
	Total Ton-miles(x1000)	**0**
MATTAPONI RIVER, VA	No Commerce Reported	
MEHERRIN RIVER, NC	No Commerce Reported	
MILFORD HAVEN, VA	No Commerce Reported	
MILL CREEK, VA	No Commerce Reported	
MULBERRY CREEK, VA	No Commerce Reported	
NANDUA CREEK, VA	No Commerce Reported	
NANSEMOND RIVER, VA	4331 sand & gravel	33
	Total Tons(x1000)	**33**
	Total Ton-miles(x1000)	**593**
NEWPORT NEWS CREEK, VA (INCLUDED IN PORT OF NEWPORT NEWS, VA)	2330 distillate fuel oil	1
	Total Tons(x1000)	**1**
OCCOHANNOCK CREEK, VA	No Commerce Reported	
ONANCOCK RIVER, VA	4331 sand & gravel	74
	Total Tons(x1000)	**74**
	Total Ton-miles(x1000)	**429**
OYSTER CHANNEL, VA	No Commerce Reported	
PAGAN RIVER, VA	No Commerce Reported	
PARKER CREEK, VA	No Commerce Reported	
PARROTTS CREEK, VA	No Commerce Reported	

Other Harbors and Waterways 2001 - continued

Harbor or Waterway Project	Commodity	Thousand Short Tons
QUEENS CREEK, VA	No Commerce Reported	
QUINBY CREEK, VA	No Commerce Reported	
STARLINGS CREEK, VA	No Commerce Reported	
TANGIER CHANNEL, VA	2221 kerosene	0
	2330 distillate fuel oil	0
	2340 residual fuel oil	1
	Total Tons(x1000)	**1**
	Total Ton-miles(x1000)	**1**
TOTUSKEY CREEK, VA	4331 sand & gravel	13
	Total Tons(x1000)	**13**
	Total Ton-miles(x1000)	**64**
TYLERS BEACH, VA	No Commerce Reported	
URBANNA CREEK, VA	6522 soybeans	2
	Total Tons(x1000)	**2**
	Total Ton-miles(x1000)	**2**
WILLOUGHBY CHANNEL, VA	No Commerce Reported	
WINTER HARBOR, VA	No Commerce Reported	
WISHART POINT CHANNEL, VA	No Commerce Reported	

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
NORFOLK HARBOR, VA												
	Upbound						Downbound					
Grand Total	**13,825**	**3,136**	**347**	**6,699**	**2,850**	**793**	**13,829**	**3,145**	**342**	**6,700**	**2,851**	**791**
FOREIGN												
Total	**2,060**	**1,962**	**94**	**3**	**—-**	**1**	**2,069**	**1,975**	**89**	**4**	**—-**	**1**
50	—-	—-	—-	—-	—-	—-	19	19	—-	—-	—-	—-
49	—-	—-	—-	—-	—-	—-	3	3	—-	—-	—-	—-
48	—-	—-	—-	—-	—-	—-	9	9	—-	—-	—-	—-
47	—-	—-	—-	—-	—-	—-	18	18	—-	—-	—-	—-
46	—-	—-	—-	—-	—-	—-	15	15	—-	—-	—-	—-
45	1	—-	1	—-	—-	—-	17	17	—-	—-	—-	—-
44	1	—-	1	—-	—-	—-	7	6	1	—-	—-	—-
43	1	—-	1	—-	—-	—-	7	7	—-	—-	—-	—-
42	48	48	—-	—-	—-	—-	22	22	—-	—-	—-	—-
41	7	1	6	—-	—-	—-	7	6	1	—-	—-	—-
40	4	2	2	—-	—-	—-	13	13	—-	—-	—-	—-
39	7	3	4	—-	—-	—-	17	17	—-	—-	—-	—-
38	13	9	4	—-	—-	—-	19	19	—-	—-	—-	—-
37	33	26	7	—-	—-	—-	34	33	1	—-	—-	—-
36	60	57	3	—-	—-	—-	63	63	—-	—-	—-	—-
35	71	64	7	—-	—-	—-	92	89	3	—-	—-	—-
34	122	119	3	—-	—-	—-	116	111	5	—-	—-	—-
33	126	123	3	—-	—-	—-	136	135	1	—-	—-	—-
32	393	384	9	—-	—-	—-	378	373	5	—-	—-	—-
31	168	166	2	—-	—-	—-	170	165	5	—-	—-	—-
30	170	166	4	—-	—-	—-	157	153	4	—-	—-	—-
29	237	233	4	—-	—-	—-	220	217	3	—-	—-	—-
28	135	132	2	—-	—-	1	130	122	8	—-	—-	—-
27	93	90	3	—-	—-	—-	91	85	6	—-	—-	—-
26	84	81	3	—-	—-	—-	72	63	8	—-	—-	1
25	38	35	3	—-	—-	—-	11	1	10	—-	—-	—-
24	47	41	6	—-	—-	—-	31	27	4	—-	—-	—-
23	31	30	1	—-	—-	—-	29	27	2	—-	—-	—-
22	29	24	5	—-	—-	—-	25	18	7	—-	—-	—-
21	26	24	2	—-	—-	—-	34	30	4	—-	—-	—-
20	18	16	2	—-	—-	—-	25	19	6	—-	—-	—-
19	18	15	3	—-	—-	—-	9	8	1	—-	—-	—-
18	79	73	3	3	—-	—-	73	65	4	4	—-	—-
DOMESTIC												
Total	**11,765**	**1,174**	**253**	**6,696**	**2,850**	**792**	**11,760**	**1,170**	**253**	**6,696**	**2,851**	**790**
36	2	—-	1	—-	—-	1	—-	—-	—-	—-	—-	—-
35	—-	—-	—-	—-	—-	—-	3	—-	—-	—-	—-	3
34	1	—-	—-	—-	—-	1	21	21	—-	—-	—-	—-
32	2	—-	2	—-	—-	—-	1	—-	1	—-	—-	—-
30	1	—-	1	—-	—-	—-	—-	—-	—-	—-	—-	—-
29	1	—-	—-	—-	—-	1	29	—-	—-	—-	—-	29
28	1	1	—-	—-	—-	—-	1	1	—-	—-	—-	—-
27	3	—-	1	—-	1	1	1	—-	—-	—-	—-	1
26	10	—-	2	—-	5	3	1	—-	—-	—-	—-	1
25	4	—-	—-	—-	1	3	2	—-	1	—-	—-	1
24	5	—-	—-	—-	1	4	2	—-	—-	—-	—-	2
23	21	16	—-	—-	4	1	2	—-	—-	—-	—-	2
22	10	—-	—-	—-	6	4	37	—-	—-	—-	36	1
21	17	—-	—-	4	9	4	17	—-	—-	3	12	2
20	2	—-	—-	—-	1	1	18	—-	2	—-	12	4
19	14	5	—-	—-	5	4	40	—-	—-	—-	39	1
18	11,671	1,152	246	6,692	2,817	764	11,585	1,148	249	6,693	2,752	743
										Total trips:		**27,654**

HAMPTON ROADS, VA												
	Inbound						Outbound					
Grand Total	**16,231**	**3,597**	**371**	**7,610**	**3,757**	**896**	**16,220**	**3,583**	**371**	**7,612**	**3,758**	**896**
FOREIGN												
Total	**2,494**	**2,371**	**117**	**4**	**1**	**1**	**2,494**	**2,368**	**117**	**6**	**2**	**1**
50	—-	—-	—-	—-	—-	—-	20	20	—-	—-	—-	—-
49	—-	—-	—-	—-	—-	—-	4	4	—-	—-	—-	—-
48	—-	—-	—-	—-	—-	—-	10	10	—-	—-	—-	—-
47	52	52	—-	—-	—-	—-	23	23	—-	—-	—-	—-
46	—-	—-	—-	—-	—-	—-	18	18	—-	—-	—-	—-

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
HAMPTON ROADS, VA - continued			Inbound						Outbound			
FOREIGN												
45	1	—	1	—	—	—	25	25	—	—	—	—
44	2	—	2	—	—	—	10	9	1	—	—	—
43	2	—	2	—	—	—	14	14	—	—	—	—
42	1	—	1	—	—	—	32	32	—	—	—	—
41	10	1	9	—	—	—	17	16	1	—	—	—
40	6	2	4	—	—	—	27	20	7	—	—	—
39	9	4	5	—	—	—	20	20	—	—	—	—
38	17	13	4	—	—	—	23	23	—	—	—	—
37	37	30	7	—	—	—	40	39	1	—	—	—
36	66	62	4	—	—	—	22	22	—	—	—	—
35	79	72	7	—	—	—	100	96	4	—	—	—
34	138	135	3	—	—	—	129	124	5	—	—	—
33	153	148	5	—	—	—	160	159	1	—	—	—
32	423	419	4	—	—	—	400	395	5	—	—	—
31	189	185	4	—	—	—	190	185	5	—	—	—
30	189	183	6	—	—	—	171	167	4	—	—	—
29	259	253	6	—	—	—	238	233	5	—	—	—
28	163	158	4	—	—	1	153	143	10	—	—	—
27	127	124	3	—	—	—	117	109	8	—	—	—
26	108	104	4	—	—	—	99	88	10	—	—	1
25	67	59	6	1	1	—	78	64	12	1	1	—
24	74	66	8	—	—	—	55	45	10	—	—	—
23	63	60	3	—	—	—	57	53	4	—	—	—
22	53	48	5	—	—	—	43	35	8	—	—	—
21	47	45	2	—	—	—	43	39	4	—	—	—
20	28	26	2	—	—	—	37	29	6	1	1	—
19	24	21	3	—	—	—	14	13	1	—	—	—
18	107	101	3	3	—	—	105	96	5	4	—	—
DOMESTIC												
Total	**13,737**	**1,226**	**254**	**7,606**	**3,756**	**895**	**13,726**	**1,215**	**254**	**7,606**	**3,756**	**895**
36	2	—	1	—	—	1	—	—	—	—	—	—
35	—	—	—	—	—	—	3	—	—	—	—	3
34	1	—	—	—	—	1	66	66	—	—	—	—
32	2	—	2	—	—	—	1	—	1	—	—	—
30	1	—	1	—	—	—	2,403	—	—	2,403	—	—
29	1	—	—	—	—	1	44	—	44	—	—	—
28	1	1	—	—	—	—	98	1	—	—	—	97
27	3	—	1	—	1	1	1	—	—	—	—	1
26	10	—	2	—	5	3	1	—	—	—	—	1
25	5	—	—	—	1	4	3	—	1	—	1	1
24	7	—	—	—	1	6	2	—	—	—	—	2
23	42	34	—	—	4	4	2	—	—	—	—	2
22	11	—	—	—	6	5	229	—	—	—	228	1
21	17	—	—	4	9	4	327	—	—	3	322	2
20	4	—	—	—	2	2	45	—	2	—	39	4
19	40	31	—	—	5	4	48	—	—	—	47	1
18	13,590	1,160	247	7,602	3,722	859	10,453	1,148	206	5,200	3,119	780
										Total trips:		**32,451**

CHANNEL TO NEWPORT NEWS, VA			Upbound						Downbound			
Grand Total	**10,618**	**579**	**64**	**6,104**	**3,604**	**267**	**10,600**	**564**	**53**	**6,105**	**3,605**	**273**
FOREIGN												
Total	**554**	**517**	**35**	**1**	**1**	**—**	**531**	**502**	**25**	**2**	**2**	**—**
50	—	—	—	—	—	—	1	1	—	—	—	—
49	—	—	—	—	—	—	1	1	—	—	—	—
48	—	—	—	—	—	—	1	1	—	—	—	—
47	—	—	—	—	—	—	5	5	—	—	—	—
46	—	—	—	—	—	—	3	3	—	—	—	—
45	—	—	—	—	—	—	8	8	—	—	—	—
44	1	—	1	—	—	—	3	3	—	—	—	—
43	1	—	1	—	—	—	7	7	—	—	—	—
42	1	—	1	—	—	—	10	10	—	—	—	—
41	3	—	3	—	—	—	10	10	—	—	—	—
40	2	—	2	—	—	—	7	7	—	—	—	—
39	2	1	1	—	—	—	3	3	—	—	—	—
38	4	4	—	—	—	—	4	4	—	—	—	—
37	4	4	—	—	—	—	6	6	—	—	—	—

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
CHANNEL TO NEWPORT NEWS, VA - continued			Upbound						Downbound			
FOREIGN												
36	6	5	1	—	—	—	10	10	—	—	—	—
35	8	8	—	—	—	—	8	7	1	—	—	—
34	16	16	—	—	—	—	13	13	—	—	—	—
33	27	25	2	—	—	—	24	24	—	—	—	—
32	37	35	2	—	—	—	22	22	—	—	—	—
31	21	19	2	—	—	—	20	20	—	—	—	—
30	19	17	2	—	—	—	14	14	—	—	—	—
29	22	20	2	—	—	—	18	16	2	—	—	—
28	28	26	2	—	—	—	24	22	2	—	—	—
27	34	34	—	—	—	—	26	24	2	—	—	—
26	24	23	1	—	—	—	27	25	2	—	—	—
25	29	24	3	1	1	—	20	16	2	1	1	—
24	28	25	3	—	—	—	29	23	6	—	—	—
23	32	30	2	—	—	—	30	28	2	—	—	—
22	28	25	3	—	—	—	28	27	1	—	—	—
21	61	61	—	—	—	—	38	38	—	—	—	—
20	43	42	1	—	—	—	41	38	1	1	1	—
19	16	16	—	—	—	—	20	20	—	—	—	—
18	57	57	—	—	—	—	50	46	4	—	—	—
DOMESTIC												
Total	**10,064**	**62**	**29**	**6,103**	**3,603**	**267**	**10,069**	**62**	**28**	**6,103**	**3,603**	**273**
34	—	—	—	—	—	—	45	45	—	—	—	—
26	2	—	—	—	—	2	17	17	—	—	—	—
25	2	—	—	—	—	2	1	—	—	—	1	—
24	2	—	—	—	—	2	2	—	—	—	2	—
23	4	1	—	—	—	3	—	—	—	—	—	—
22	1	—	—	—	—	1	202	—	—	—	202	—
21	27	—	—	—	27	—	310	—	—	—	310	—
20	2	—	—	—	1	1	24	—	—	—	24	—
19	26	26	—	—	—	—	8	—	—	—	8	—
18	9,998	35	29	6,103	3,575	256	9,460	—	28	6,103	3,056	273
										Total trips:		**21,218**

PORT OF NEWPORT NEWS, VA

			Inbound						Outbound			
Grand Total	**4,079**	**453**	**39**	**2,866**	**585**	**136**	**4,078**	**446**	**29**	**2,867**	**593**	**143**
FOREIGN												
Total	**419**	**405**	**12**	**1**	**1**	**—**	**404**	**397**	**3**	**2**	**2**	**—**
50	—	—	—	—	—	—	1	1	—	—	—	—
49	—	—	—	—	—	—	1	1	—	—	—	—
48	—	—	—	—	—	—	1	1	—	—	—	—
47	—	—	—	—	—	—	5	5	—	—	—	—
46	—	—	—	—	—	—	3	3	—	—	—	—
45	—	—	—	—	—	—	8	8	—	—	—	—
44	1	—	1	—	—	—	3	3	—	—	—	—
43	1	—	1	—	—	—	7	7	—	—	—	—
42	1	—	1	—	—	—	10	10	—	—	—	—
41	3	—	3	—	—	—	10	10	—	—	—	—
40	2	—	2	—	—	—	7	7	—	—	—	—
39	2	1	1	—	—	—	3	3	—	—	—	—
38	4	4	—	—	—	—	4	4	—	—	—	—
37	4	4	—	—	—	—	6	6	—	—	—	—
36	6	5	1	—	—	—	10	10	—	—	—	—
35	8	8	—	—	—	—	8	7	1	—	—	—
34	16	16	—	—	—	—	13	13	—	—	—	—
33	26	25	1	—	—	—	24	24	—	—	—	—
32	35	35	—	—	—	—	22	22	—	—	—	—
31	19	19	—	—	—	—	20	20	—	—	—	—
30	17	17	—	—	—	—	14	14	—	—	—	—
29	20	20	—	—	—	—	16	16	—	—	—	—
28	26	26	—	—	—	—	22	21	1	—	—	—
27	34	34	—	—	—	—	24	24	—	—	—	—
26	23	23	—	—	—	—	25	25	—	—	—	—
25	27	24	1	1	1	—	18	16	—	1	1	—
24	25	25	—	—	—	—	18	18	—	—	—	—
23	30	30	—	—	—	—	26	26	—	—	—	—
22	24	24	—	—	—	—	18	17	1	—	—	—
21	21	21	—	—	—	—	9	9	—	—	—	—

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
PORT OF NEWPORT NEWS, VA - continued			Inbound						Outbound			
FOREIGN												
20	10	10	—	—	—	—	12	10	—	1	1	—
19	6	6	—	—	—	—	5	5	—	—	—	—
18	28	28	—	—	—	—	31	31	—	—	—	—
DOMESTIC												
Total	**3,660**	**48**	**27**	**2,865**	**584**	**136**	**3,674**	**49**	**26**	**2,865**	**591**	**143**
34	—	—	—	—	—	—	45	45	—	—	—	—
26	2	—	—	—	—	2	—	—	—	—	—	—
25	2	—	—	—	—	2	1	—	—	—	1	—
24	2	—	—	—	—	2	—	—	—	—	—	—
23	21	18	—	—	—	3	—	—	—	—	—	—
22	1	—	—	—	—	1	228	—	—	—	228	—
21	40	—	—	40	—	—	310	—	—	—	310	—
20	2	—	—	—	1	1	27	—	—	—	27	—
19	26	26	—	—	—	—	8	—	—	—	8	—
18	3,564	4	27	2,825	583	125	3,055	4	26	2,865	17	143
										Total trips:		**8,157**
PORT OF RICHMOND, VA			Inbound						Outbound			
Grand Total	**3,668**	**530**	**3**	**1,591**	**1,463**	**81**	**3,711**	**491**	**3**	**1,642**	**1,492**	**83**
FOREIGN												
Total	**95**	**94**	**1**	**—**	**—**	**—**	**93**	**92**	**1**	**—**	**—**	**—**
24	—	—	—	—	—	—	4	4	—	—	—	—
23	—	—	—	—	—	—	1	1	—	—	—	—
22	2	1	1	—	—	—	3	3	—	—	—	—
21	36	36	—	—	—	—	28	28	—	—	—	—
20	32	32	—	—	—	—	28	28	—	—	—	—
19	5	5	—	—	—	—	14	14	—	—	—	—
18	5	5	—	—	—	—	5	5	—	—	—	—
17	3	3	—	—	—	—	4	4	—	—	—	—
16	2	2	—	—	—	—	1	1	—	—	—	—
15	4	4	—	—	—	—	3	2	1	—	—	—
14	1	1	—	—	—	—	1	1	—	—	—	—
12	5	5	—	—	—	—	1	1	—	—	—	—
DOMESTIC												
Total	**3,573**	**436**	**2**	**1,591**	**1,463**	**81**	**3,618**	**399**	**2**	**1,642**	**1,492**	**83**
18	1	—	—	—	—	1	—	—	—	—	—	—
17	3	—	—	—	—	3	—	—	—	—	—	—
16	4	—	—	—	—	4	—	—	—	—	—	—
15	6	—	—	—	—	6	1	—	—	—	—	1
14	8	—	—	6	—	2	7	—	—	6	—	1
13	14	—	—	8	—	6	40	—	—	6	—	34
12	3,537	436	2	1,577	1,463	59	3,570	399	2	1,630	1,492	47
										Total trips:		**7,379**
PORT OF HOPEWELL, VA			Inbound						Outbound			
Grand Total	**359**	**18**	**4**	**210**	**42**	**85**	**350**	**14**	**3**	**202**	**57**	**74**
FOREIGN												
Total	**22**	**18**	**4**	**—**	**—**	**—**	**17**	**14**	**3**	**—**	**—**	**—**
28	—	—	—	—	—	—	1	1	—	—	—	—
24	1	—	1	—	—	—	2	2	—	—	—	—
23	—	—	—	—	—	—	1	1	—	—	—	—
22	2	—	2	—	—	—	7	7	—	—	—	—
21	4	4	—	—	—	—	1	1	—	—	—	—
20	1	—	1	—	—	—	1	—	1	—	—	—
19	5	5	—	—	—	—	1	1	—	—	—	—
18	—	—	—	—	—	—	1	—	1	—	—	—
17	1	1	—	—	—	—	1	—	1	—	—	—
16	3	3	—	—	—	—	—	—	—	—	—	—

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
PORT OF HOPEWELL, VA - continued			Inbound						Outbound			
FOREIGN												
15	2	2	—	—	—	—	1	1	—	—	—	—
13	1	1	—	—	—	—	—	—	—	—	—	—
12	2	2	—	—	—	—	—	—	—	—	—	—
DOMESTIC												
Total	**337**	**—**	**—**	**210**	**42**	**85**	**333**	**—**	**—**	**202**	**57**	**74**
24	—	—	—	—	—	—	2	—	—	—	2	—
17	1	—	—	—	—	1	—	—	—	—	—	—
16	6	—	—	—	—	6	—	—	—	—	—	—
15	8	—	—	—	—	8	1	—	—	—	—	1
14	15	—	—	—	—	15	4	—	—	4	—	—
13	47	—	—	3	—	44	6	—	—	1	5	—
12	260	—	—	207	42	11	320	—	—	197	50	73
										Total trips:		**709**
JAMES RIVER, VA			Upbound						Downbound			
Grand Total	**28,254**	**16,602**	**7**	**5,869**	**5,605**	**171**	**28,226**	**16,595**	**6**	**5,865**	**5,593**	**167**
FOREIGN												
Total	**117**	**112**	**5**	**—**	**—**	**—**	**109**	**105**	**4**	**—**	**—**	**—**
28	—	—	—	—	—	—	1	1	—	—	—	—
24	1	—	1	—	—	—	5	5	—	—	—	—
23	—	—	—	—	—	—	2	2	—	—	—	—
22	4	1	3	—	—	—	10	10	—	—	—	—
21	40	40	—	—	—	—	29	29	—	—	—	—
20	33	32	1	—	—	—	29	28	1	—	—	—
19	10	10	—	—	—	—	15	15	—	—	—	—
18	5	5	—	—	—	—	6	5	1	—	—	—
17	4	4	—	—	—	—	5	4	1	—	—	—
16	5	5	—	—	—	—	1	1	—	—	—	—
15	6	6	—	—	—	—	4	3	1	—	—	—
14	1	1	—	—	—	—	1	1	—	—	—	—
13	1	1	—	—	—	—	—	—	—	—	—	—
12	7	7	—	—	—	—	1	1	—	—	—	—
DOMESTIC												
Total	**28,137**	**16,490**	**2**	**5,869**	**5,605**	**171**	**28,117**	**16,490**	**2**	**5,865**	**5,593**	**167**
24	—	—	—	—	—	—	2	—	—	—	2	—
18	1	—	—	—	—	1	—	—	—	—	—	—
17	4	—	—	—	—	4	—	—	—	—	—	—
16	10	—	—	—	—	10	114	114	—	—	—	—
15	14	—	—	1	—	13	2	—	—	1	—	1
14	24	—	—	6	—	18	11	—	—	10	—	1
13	63	—	—	12	—	51	99	—	—	59	5	35
12	28,021	16,490	2	5,850	5,605	74	27,889	16,376	2	5,795	5,586	130
										Total trips:		**56,480**
APPOMATTOX RIVER, VA			Upbound						Downbound			
Grand Total	**10,911**	**—**	**—**	**5,433**	**5,478**	**—**	**10,969**	**—**	**—**	**5,468**	**5,501**	**—**
DOMESTIC												
Total	**10,911**	**—**	**—**	**5,433**	**5,478**	**—**	**10,969**	**—**	**—**	**5,468**	**5,501**	**—**
13	—	—	—	—	—	—	51	—	—	51	—	—
9	1,567	—	—	1,567	—	—	1,519	—	—	1,516	3	—
8	2,350	—	—	2,348	2	—	2,381	—	—	2,373	8	—
7	965	—	—	965	—	—	2,625	—	—	975	1,650	—
6	553	—	—	553	—	—	3,645	—	—	553	3,092	—
5	—	—	—	—	—	—	686	—	—	—	686	—
4	—	—	—	—	—	—	6	—	—	—	6	—
3	1	—	—	—	1	—	5	—	—	—	5	—
2	5,356	—	—	—	5,356	—	50	—	—	—	50	—
1	119	—	—	—	119	—	1	—	—	—	1	—
										Total trips:		**21,880**

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
ATLANTIC INTRACOASTAL WATERWAY BETWEEN NORFOLK, VA, AND THE ST. JOHNS RIVER, FL (NORFOLK DISTRICT) VIA GREAT BRIDGE LOCK ROUTE												
	Upbound						Downbound					
Grand Total	**1,998**	**3**	**1**	**1,050**	**852**	**92**	**2,038**	**3**	**1**	**1,056**	**885**	**93**
DOMESTIC												
Total	**1,998**	**3**	**1**	**1,050**	**852**	**92**	**2,038**	**3**	**1**	**1,056**	**885**	**93**
12	14	—	—	2	10	2	20	—	—	4	—	16
11	4	—	—	—	4	—	11	—	—	—	5	6
10	47	—	—	31	6	10	67	—	—	15	1	51
9	183	—	—	175	8	—	224	—	—	178	46	—
8	260	—	—	257	—	3	290	—	—	270	5	15
7	558	—	—	558	—	—	643	—	—	562	81	—
6	932	3	1	27	824	77	783	3	1	27	747	5
										Total trips:		**4,036**
PAMUNKEY RIVER, VA												
	Upbound						Downbound					
Grand Total	**1,114**	**—**	**—**	**228**	**820**	**66**	**1,086**	**—**	**—**	**205**	**820**	**61**
DOMESTIC												
Total	**1,114**	**—**	**—**	**228**	**820**	**66**	**1,086**	**—**	**—**	**205**	**820**	**61**
15	1	—	—	—	—	1	—	—	—	—	—	—
12	8	—	—	5	—	3	5	—	—	5	—	—
11	—	—	—	—	—	—	2	—	—	—	2	—
10	24	—	—	2	6	16	2	—	—	1	—	1
9	27	—	—	27	—	—	16	—	—	16	—	—
8	940	—	—	158	743	39	156	—	—	156	—	—
7	51	—	—	25	19	7	20	—	—	20	—	—
6	63	—	—	11	52	—	885	—	—	7	818	60
										Total trips:		**2,200**
YORK RIVER, VA												
	Upbound						Downbound					
Grand Total	**2,736**	**11**	**46**	**1,106**	**895**	**678**	**2,820**	**13**	**68**	**1,131**	**900**	**708**
FOREIGN												
Total	**43**	**9**	**34**	**—**	**—**	**—**	**69**	**11**	**56**	**1**	**1**	**—**
38	3	1	2	—	—	—	—	—	—	—	—	—
37	1	—	1	—	—	—	—	—	—	—	—	—
36	5	1	4	—	—	—	—	—	—	—	—	—
35	5	1	4	—	—	—	—	—	—	—	—	—
34	5	—	5	—	—	—	—	—	—	—	—	—
33	8	1	7	—	—	—	1	—	1	—	—	—
32	3	—	3	—	—	—	1	1	—	—	—	—
31	2	—	2	—	—	—	1	—	1	—	—	—
30	—	—	—	—	—	—	5	2	3	—	—	—
29	1	1	—	—	—	—	2	—	2	—	—	—
28	3	—	3	—	—	—	39	2	37	—	—	—
27	—	—	—	—	—	—	3	—	3	—	—	—
26	—	—	—	—	—	—	4	—	4	—	—	—
25	3	—	3	—	—	—	1	—	1	—	—	—
24	—	—	—	—	—	—	1	—	1	—	—	—
23	—	—	—	—	—	—	2	1	1	—	—	—
22	1	1	—	—	—	—	2	1	1	—	—	—
20	—	—	—	—	—	—	2	1	1	—	—	—
19	1	1	—	—	—	—	1	1	—	—	—	—
18	2	2	—	—	—	—	4	2	—	1	1	—
DOMESTIC												
Total	**2,693**	**2**	**12**	**1,106**	**895**	**678**	**2,751**	**2**	**12**	**1,130**	**899**	**708**
37	1	—	1	—	—	—	—	—	—	—	—	—
35	4	—	—	—	—	4	—	—	—	—	—	—
30	1	—	1	—	—	—	1	—	1	—	—	—
29	1	—	1	—	—	—	9	—	—	—	—	9
28	1	—	—	—	—	1	1	—	1	—	—	—
27	2	—	—	—	—	2	—	—	—	—	—	—
26	7	—	—	—	—	7	2	—	2	—	—	—

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
YORK RIVER, VA - continued			Upbound						Downbound			
DOMESTIC												
25	8	—	—	—	—	8	3	—	—	—	—	3
24	3	—	—	—	—	3	19	—	—	—	—	19
23	3	—	—	—	—	3	14	—	—	—	—	14
22	—	—	—	—	—	—	1	—	—	—	—	1
21	5	—	3	—	—	2	7	—	2	—	—	5
20	5	—	—	—	—	5	11	—	—	—	—	11
19	2	—	—	—	—	2	10	—	—	—	—	10
18	2,650	2	6	1,106	895	641	2,673	2	6	1,130	899	636
										Total trips:		**5,556**
RAPPAHANNOCK RIVER, VA			Upbound						Downbound			
Grand Total	**930**	**212**	**—**	**349**	**369**	**—**	**1,001**	**212**	**—**	**375**	**414**	**—**
DOMESTIC												
Total	**930**	**212**	**—**	**349**	**369**	**—**	**1,001**	**212**	**—**	**375**	**414**	**—**
12	—	—	—	—	—	—	5	—	—	—	5	—
11	—	—	—	—	—	—	54	—	—	—	54	—
10	26	—	—	23	3	—	93	—	—	23	70	—
9	33	—	—	29	4	—	70	—	—	30	40	—
8	156	64	—	74	18	—	283	64	—	120	99	—
7	121	—	—	115	6	—	135	—	—	113	22	—
6	594	148	—	108	338	—	361	148	—	89	124	—
										Total trips:		**1,931**
ATLANTIC INTRACOASTAL WATERWAY (CONSOLIDATED REPORT) BETWEEN NORFOLK, VA AND THE ST. JOHNS RIVER, FL			Upbound						Downbound			
Grand Total	**15,178**	**9,932**	**3**	**2,489**	**2,022**	**732**	**15,208**	**9,687**	**3**	**2,498**	**2,272**	**748**
DOMESTIC												
Total	**15,178**	**9,932**	**3**	**2,489**	**2,022**	**732**	**15,208**	**9,687**	**3**	**2,498**	**2,272**	**748**
15	1	—	1	—	—	—	2	—	—	1	—	1
14	1	—	—	1	—	—	6	—	1	5	—	—
13	2	—	1	1	—	—	2	—	1	1	—	—
12	23	—	—	11	10	2	31	—	—	14	—	17
11	5	—	—	1	4	—	11	—	—	—	5	6
10	71	—	—	39	19	13	115	—	—	19	45	51
9	576	3	—	376	42	155	800	3	—	440	291	66
8	639	—	—	538	3	98	696	1	—	632	43	20
7	1,325	215	—	988	30	92	1,299	215	—	996	84	4
6	12,535	9,714	1	534	1,914	372	12,246	9,468	1	390	1,804	583
										Total trips:		**30,386**
ABERDEEN CREEK, VA (5 feet and less)			Upbound						Downbound			
Grand Total	**1**	**1**	**—**	**—**	**—**	**—**	**1**	**1**	**—**	**—**	**—**	**—**
										Total trips:		**2**

ATLANTIC INTRACOASTAL WATERWAY BETWEEN NORFOLK, VA, AND THE ST. JOHNS RIVER , FL (NORFOLK DISTRICT) DISMAL SWAMP AND PASQUOTANK RIVER
No Vessel Trips Reported

BEACH CREEK, VA
No Vessel Trips Reported

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
BROAD CREEK, VA												
(6 feet and less)												
			Upbound						Downbound			
Grand Total	**1**	**—-**	**—-**	**1**	**—-**	**—-**	**1**	**—-**	**—-**	**1**	**—-**	**—-**
										Total trips:		**2**
CAPE CHARLES CITY HARBOR, VA												
(16 feet and less)												
			Inbound						Outbound			
Grand Total	**1,577**	**96**	**—-**	**343**	**1,138**	**—-**	**1,566**	**97**	**—-**	**338**	**1,131**	**—-**
										Total trips:		**3,143**
CARTERS CREEK, VA												
No Vessel Trips Reported												
CHANNEL CONNECTING YORK RIVER, VA, WITH BACK CREEK TO SLAIGHTS WHARF, VA												
No Vessel Trips Reported												
CHANNEL FROM PHOEBUS, VA (TO DEEP WATER IN HAMPTON ROADS, VA)												
No Vessel Trips Reported												
CHESCONESSEX CREEK, VA												
No Vessel Trips Reported												
CHINCOTEAGUE BAY, MD AND VA												
(1 feet and less)												
			Upbound						Downbound			
Grand Total	**3**	**—-**	**—-**	**—-**	**3**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
										Total trips:		**3**
CHINCOTEAGUE HARBOR OF REFUGE, VA												
No Vessel Trips Reported												
CRANES CREEK, VA												
No Vessel Trips Reported												
DAVIS CREEK, VA												
(9 feet and less)												
			Upbound						Downbound			
Grand Total	**2**	**—-**	**—-**	**2**	**—-**	**—-**	**2**	**—-**	**—-**	**2**	**—-**	**—-**
										Total trips:		**4**
DEEP CREEK, ACCOMACK COUNTY, VA												
(7 feet and less)												
			Inbound						Outbound			
Grand Total	**1**	**—-**	**—-**	**1**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
										Total trips:		**1**
DEEP CREEK, NEWPORT NEWS, VA												
No Vessel Trips Reported												
DELAWARE BAY - CHESAPEAKE BAY WATERWAY - VIRGINIA PORTION												
(7 feet and less)												
			Upbound						Downbound			
Grand Total	**12**	**—-**	**—-**	**8**	**4**	**—-**	**8**	**—-**	**—-**	**7**	**1**	**—-**
										Total trips:		**20**
DYMERS CREEK, VA												
No Vessel Trips Reported												

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
GREENVALE CREEK, VA												
No Vessel Trips Reported												
HAMPTON CREEK, VA												
(9 feet and less)												
			Upbound						Downbound			
Grand Total	**657**	**—-**	**1**	**322**	**318**	**16**	**645**	**—-**	**1**	**315**	**318**	**11**
										Total trips:		**1,302**
HORN HARBOR, VA												
No Vessel Trips Reported												
HOSKINS CREEK, VA												
(12 feet and less)												
			Upbound						Downbound			
Grand Total	**196**	**—-**	**—-**	**89**	**107**	**—-**	**225**	**—-**	**—-**	**99**	**126**	**—-**
										Total trips:		**421**
JACKSON CREEK, VA												
(7 feet and less)												
			Upbound						Downbound			
Grand Total	**7**	**—-**	**—-**	**3**	**4**	**—-**	**7**	**—-**	**—-**	**3**	**4**	**—-**
										Total trips:		**14**
KINGS CREEK, NORTHAMPTON COUNTY, VA												
No Vessel Trips Reported												
LAFAYETTE RIVER, VA												
No Vessel Trips Reported												
LITTLE MACHIPONGO RIVER, VA												
No Vessel Trips Reported												
LITTLE RIVER (CREEK), VA												
(21 feet and less)												
			Upbound						Downbound			
Grand Total	**521**	**3**	**22**	**262**	**222**	**12**	**511**	**4**	**16**	**258**	**222**	**11**
										Total trips:		**1,032**
LOCKLIES CREEK, VA												
No Vessel Trips Reported												
LYNHAVEN ROADS, INLET, AND CONNECTING WATERS, VA												
(9 feet and less)												
			Upbound						Downbound			
Grand Total	**261**	**255**	**1**	**5**	**—-**	**—-**	**500**	**305**	**1**	**5**	**189**	**—-**
										Total trips:		**761**
MATTAPONI RIVER, VA												
No Vessel Trips Reported												
MEHERRIN RIVER, NC												
No Vessel Trips Reported												
MILFORD HAVEN, VA												
No Vessel Trips Reported												
MILL CREEK, VA												
No Vessel Trips Reported												

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
MULBERRY CREEK, VA												
No Vessel Trips Reported												
NANDUA CREEK, VA												
No Vessel Trips Reported												
NANSEMOND RIVER, VA												
(8 feet and less)												
			Upbound						Downbound			
Grand Total	**167**	**1**	**—-**	**98**	**68**	**—-**	**149**	**1**	**—-**	**80**	**68**	**—-**
										Total trips:		**316**
NEWPORT NEWS CREEK, VA												
(9 feet and less)												
			Upbound						Downbound			
Grand Total	**17**	**—-**	**—-**	**17**	**—-**	**—-**	**22**	**—-**	**—-**	**21**	**—-**	**1**
										Total trips:		**39**
OCCOHANNOCK CREEK, VA												
No Vessel Trips Reported												
ONANCOCK RIVER, VA												
(10 feet and less)												
			Upbound						Downbound			
Grand Total	**136**	**43**	**—-**	**49**	**44**	**—-**	**126**	**43**	**—-**	**43**	**40**	**—-**
										Total trips:		**262**
OYSTER CHANNEL, VA												
No Vessel Trips Reported												
PAGAN RIVER, VA												
(10 feet and less)												
			Upbound						Downbound			
Grand Total	**1**	**—-**	**—-**	**1**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
										Total trips:		**1**
PARKER CREEK, VA												
No Vessel Trips Reported												
PARROTTS CREEK, VA												
No Vessel Trips Reported												
QUEENS CREEK, VA												
No Vessel Trips Reported												
QUINBY CREEK, VA												
No Vessel Trips Reported												
STARLINGS CREEK, VA												
No Vessel Trips Reported												
TANGIER CHANNEL, VA												
(9 feet and less)												
			Upbound						Downbound			
Grand Total	**171**	**156**	**14**	**1**	**—-**	**—-**	**821**	**805**	**15**	**1**	**—-**	**—-**
										Total trips:		**992**

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
TOTUSKEY CREEK, VA (8 feet and less)												
			Upbound						Downbound			
Grand Total	**26**	**—-**	**—-**	**13**	**13**	**—-**	**21**	**—-**	**—-**	**11**	**10**	**—-**
										Total trips:		**47**
TYLERS BEACH, VA												
No Vessel Trips Reported												
URBANNA CREEK, VA (9 feet and less)												
			Upbound						Downbound			
Grand Total	**1**	**—-**	**—-**	**1**	**—-**	**—-**	**2**	**—-**	**—-**	**1**	**1**	**—-**
										Total trips:		**3**
WILLOUGHBY CHANNEL, VA (9 feet and less)												
			Upbound						Downbound			
Grand Total	**3**	**—-**	**—-**	**3**	**—-**	**—-**	**3**	**—-**	**—-**	**3**	**—-**	**—-**
										Total trips:		**6**
WINTER HARBOR, VA												
No Vessel Trips Reported												
WISHART POINT CHANNEL, VA												
No Vessel Trips Reported												

FREIGHT TRAFFIC INDEX

A

ABERDEEN CREEK, VA . . . 29
APPOMATTOX RIVER, VA . . . 23
ATLANTIC INTRACOASTAL WATERWAY BETWEEN NORFOLK, VA AND THE ST. JOHNS RIVER, FL:
DISMAL SWAMP AND PASQUOTANK RIVER . . . 29
GREAT BRIDGE LOCK ROUTE . . . 24

B

BEACH CREEK, VA . . . 29
BROAD CREEK, VA . . . 29

C

CAPE CHARLES CITY HARBOR, VA . . . 29
CARTERS CREEK, VA. . . . 29
CHANNEL CONNECTING YORK RIVER, VA, WITH BACK CREEK TO SLAIGHTS WHARF, VA . . . 29
CHANNEL FROM PHOEBUS, VA (TO DEEP WATER IN HAMPTON ROADS, VA) . . . 29
CHANNEL TO NEWPORT NEWS, VA . . . 9
CHESCONESSEX CREEK, VA . . . 29
CHINCOTEAGUE BAY, MD AND VA . . . 29
CHINCOTEAGUE HARBOR OF REFUGE, VA . . . 29
CONSOLIDATED STATEMENT OF TRAFFIC:
HAMPTON ROADS, VA . . . 5
JAMES RIVER, VA . . . 20
PORT OF NEWPORT NEWS, VA. . . . 12
CRANES CREEK, VA . . . 29

D

DAVIS CREEK, VA. . . . 29
DEEP CREEK, ACCOMACK COUNTY, VA . . . 29
DEEP CREEK, NEWPORT NEWS, VA . . . 29
DELAWARE BAY - CHESAPEAKE BAY WATERWAY - VIRGINIA PORTION . . . 29
DISMAL SWAMP AND PASQUOTANK RIVER . . . 29
DYMERS CREEK, VA . . . 29

G

GREAT BRIDGE LOCK ROUTE . . . 24
GREENVALE CREEK, VA . . . 29

H

HAMPTON CREEK, VA . . . 29
HAMPTON ROADS, VA . . . 5
HOPEWELL, VA, PORT OF . . . 19
HORN HARBOR, VA . . . 29
HOSKINS CREEK, VA . . . 29

J

JACKSON CREEK, VA. . . . 30
JAMES RIVER, VA:
BELOW RICHMOND, VA . . . 17
CONSOLIDATED REPORT . . . 20
PORT OF HOPEWELL, VA . . . 19
PORT OF RICHMOND, VA . . . 15

K

KINGS CREEK, NORTHAMPTON COUNTY, VA . . . 30

L

LAFAYETTE RIVER, VA . . . 30
LITTLE MACHIPONGO RIVER, VA . . . 30
LITTLE RIVER (CREEK), VA. . . . 30
LOCKLIES CREEK, VA . . . 30
LYNHAVEN ROADS, INLET, AND CONNECTING WATERS, VA . . . 30

M

MATTAPONI RIVER, VA . . . 30
MEHERRIN RIVER, NC . . . 30
MILFORD HAVEN, VA . . . 30
MILL CREEK, VA. . . . 30
MULBERRY CREEK, VA. . . . 30

N

NANDUA CREEK, VA . . . 30

N

NANSEMOND RIVER, VA . . . 30
NEWPORT NEWS CREEK, VA . . . 30
NEWPORT NEWS, VA, CHANNEL TO . . . 9
NEWPORT NEWS, VA, PORT OF . . . 12
NORFOLK HARBOR, VA . . . 1
NORFOLK, VA, DISTRICT . . . 1

O

OCCOHANNOCK CREEK, VA . . . 30
ONANCOCK RIVER, VA . . . 30
OYSTER CHANNEL, VA . . . 30

P

PAGAN RIVER, VA. . . . 30
PAMUNKEY RIVER, VA . . . 25
PARKER CREEK, VA . . . 30
PARROTTS CREEK, VA . . . 30
PHOEBUS, VA . . . 29
PORT OF HOPEWELL, VA . . . 19
PORT OF NEWPORT NEWS, VA . . . 12
PORT OF RICHMOND, VA . . . 15

Q

QUEENS CREEK, VA . . . 31
QUINBY CREEK, VA . . . 31

R

RAPPAHANNOCK RIVER, VA . . . 28
RICHMOND, VA, PORT OF . . . 15

S

SLAIGHTS WHARF, VA . . . 29
STARLINGS CREEK, VA . . . 31

T

TANGIER CHANNEL, VA . . . 31
TOTUSKEY CREEK, VA . . . 31
TYLERS BEACH, VA. . . . 31

U

URBANNA CREEK, VA . . . 31

W

WILLOUGHBY CHANNEL, VA . . . 31
WINTER HARBOR, VA. . . . 31
WISHART POINT CHANNEL, VA . . . 31

Y

YORK RIVER, VA . . . 26

TRIPS AND DRAFTS INDEX

A

ABERDEEN CREEK, VA . . . 38
APPOMATTOX RIVER, VA . . . 36
ATLANTIC INTRACOASTAL WATERWAY BETWEEN NORFOLK, VA AND THE ST. JOHNS RIVER, FL:
CONSOLIDATED . . . 38
DISMAL SWAMP AND PASQUOTANK RIVER . . . 38
GREAT BRIDGE LOCK ROUTE . . . 37

B

BEACH CREEK, VA . . . 38
BROAD CREEK, VA . . . 39

C

CAPE CHARLES CITY HARBOR, VA . . . 39
CARTERS CREEK, VA. . . . 39
CHANNEL CONNECTING YORK RIVER, VA, WITH BACK CREEK TO SLAIGHTS WHARF, VA . . . 39
CHANNEL FROM PHOEBUS, VA (TO DEEP WATER IN HAMPTON ROADS, VA) . . . 39
CHANNEL TO NEWPORT NEWS, VA . . . 33
CHESCONESSEX CREEK, VA . . . 39
CHINCOTEAGUE BAY, MD AND VA . . . 39
CHINCOTEAGUE HARBOR OF REFUGE, VA . . . 39
CONSOLIDATED STATEMENT OF TRAFFIC:
ATLANTIC INTRACOASTAL WATERWAY . . . 38
HAMPTON ROADS, VA . . . 32
JAMES RIVER, VA . . . 36
PORT OF NEWPORT NEWS, VA . . . 34
CRANES CREEK, VA . . . 39

D

DAVIS CREEK, VA . . . 39
DEEP CREEK, ACCOMACK COUNTY, VA . . . 39
DEEP CREEK, NEWPORT NEWS, VA . . . 39
DELAWARE BAY - CHESAPEAKE BAY WATERWAY - VIRGINIA PORTION . . . 39
DISMAL SWAMP AND PASQUOTANK RIVER . . . 38
DYMERS CREEK, VA . . . 39

G

GREAT BRIDGE LOCK ROUTE . . . 37
GREENVALE CREEK, VA . . . 40

H

HAMPTON CREEK, VA . . . 40
HAMPTON ROADS, VA . . . 32
HOPEWELL, VA, PORT OF . . . 35
HORN HARBOR, VA . . . 40
HOSKINS CREEK, VA . . . 40

I

INTRACOASTAL WATERWAYS:
ATLANTIC INTRACOASTAL WATERWAY (CONSOLIDATED) . . . 38

J

JACKSON CREEK, VA. . . . 40
JAMES RIVER, VA:
CONSOLIDATED REPORT . . . 36
PORT OF HOPEWELL, VA . . . 35
PORT OF RICHMOND, VA . . . 35

K

KINGS CREEK, NORTHAMPTON COUNTY, VA . . . 40

L

LAFAYETTE RIVER, VA . . . 40
LITTLE MACHIPONGO RIVER, VA . . . 40
LITTLE RIVER (CREEK), VA. . . . 40
LOCKLIES CREEK, VA . . . 40
LYNHAVEN ROADS, INLET, AND CONNECTING WATERS, VA . . . 40

M

MATTAPONI RIVER, VA . . . 40
MEHERRIN RIVER, NC . . . 40
MILFORD HAVEN, VA . . . 40

M

MILL CREEK, VA . . . 40
MULBERRY CREEK, VA . . . 41

N

NANDUA CREEK, VA . . . 41
NANSEMOND RIVER, VA . . . 41
NEWPORT NEWS CREEK, VA . . . 41
NEWPORT NEWS, VA, CHANNEL TO . . . 33
NEWPORT NEWS, VA, PORT OF . . . 34
NORFOLK HARBOR, VA . . . 32
NORFOLK, VA, DISTRICT . . . 32

O

OCCOHANNOCK CREEK, VA . . . 41
ONANCOCK RIVER, VA . . . 41
OYSTER CHANNEL, VA . . . 41

P

PAGAN RIVER, VA. . . . 41
PAMUNKEY RIVER, VA . . . 37
PARKER CREEK, VA . . . 41
PARROTTS CREEK, VA . . . 41
PHOEBUS, VA . . . 39
PORT OF HOPEWELL, VA . . . 35
PORT OF NEWPORT NEWS, VA . . . 34
PORT OF RICHMOND, VA . . . 35

Q

QUEENS CREEK, VA . . . 41
QUINBY CREEK, VA . . . 41

R

RAPPAHANNOCK RIVER, VA . . . 38
RICHMOND, VA, PORT OF . . . 35

S

SLAIGHTS WHARF, VA . . . 39
STARLINGS CREEK, VA . . . 41

T

TANGIER CHANNEL, VA . . . 41
TOTUSKEY CREEK, VA . . . 42
TYLERS BEACH, VA. . . . 42

U

URBANNA CREEK, VA . . . 42

W

WILLOUGHBY CHANNEL, VA . . . 42
WINTER HARBOR, VA. . . . 42
WISHART POINT CHANNEL, VA . . . 42

Y

YORK RIVER, VA . . . 37

Port Facilities by Waterway

Waterway: **Aberdeen Creek** Mile: PWD: 37
Name: **Gloucester County, Aberdeen Creek Public Landing Piers.**
Port: Hampton Roads
Location: Left bank, Aberdeen Creek, approximately 0.5 mile above conjunction with York River, near Clay Bank. Datum: MLLW
Operator: Gloucester County.
Owner: Gloucester County.
Address: State Highway 632 Phone: 804/693-5480
Town: Clay Bank State: VA County: Gloucester
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 2 | 2 - 3 | 2 - 3 Latitude (decimal): 37.342222
Total Berthing Space (feet): 24 | 85 | Longitude (decimal): -76.59194
Remarks: Independent watermen land at piers. Upper side of upper pier forms a 25- to 30-foot-wide slip with face of Gloucester Seafood's, Inc., wharf, Ref. No. 36.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10261 Norfolk District

---

Waterway: **Aberdeen Creek** Mile: PWD: 36
Name: **Gloucester Seafood, Aberdeen Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Aberdeen Creek, approximately 0.5 mile above conjunction with York River, near Clay Bank Datum: MLLW
Operator: Gloucester Seafood, Inc.
Owner: Gloucester Seafood, Inc.
Address: State Highway 632 Phone: 804/693-2131
Town: Clay Bank State: VA County: Gloucester
Railway Connection: None.
Purpose: Receipt of seafood; fueling and mooring small fishing vessels; mooring company-owned crane barge.
Depth Alongside (feet): 3 - 4 | 3 - 4 | 2 Latitude (decimal): 37.342778
Total Berthing Space (feet): 205 | 32 | 40 Longitude (decimal): -76.59194
Remarks: Wharf is located on lower side and outer end of peninsula. Lower portion of face forms a 25- to 30-foot-wide slip with upper side of Gloucester County's public landing upper pier, Ref. No. 37. Two 1 1/2-inch fu metered pumps at bulkhead from 2 steel storage tanks at rear, total capacity 3,000 gallons. Seafood-processing plant is located at rear of bulkhead.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10261 Norfolk District

---

Port Facilities by Waterway

Waterway: **Albemarle & Chesapeake Canal** Mile: 11.7 PWD: 150
Name: **U.S. Army Corps of Engineers, Great Bridge Reservation Slip.**
Port: Hampton Roads
Location: Mile 11.7, south bank, Albemarle & Chesapeake Canal Route of Atlantic Intracoastal Waterway, 600 feet ea Datum: MLLW
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: 2509 Reservation Road Phone: 804/547-2109
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Handling maintenance materials and equipment; mooring and maintaining government-owned vessels.
Depth Alongside (feet): 6 - 8 | 6 - 8 | 6 - 8 Latitude (decimal): 36.721667
Total Berthing Space (feet): 201 | 343 | 327 Longitude (decimal): -76.24472
Remarks: Slip is used for handling materials and equipment for maintaining locks and bridges in area.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10505 Norfolk District

---

Waterway: **Albemarle & Chesapeake Canal** Mile: 12.4 PWD: 149
Name: **Atkinson Dredging Co., Atlantic Yacht Basin Moorings.**
Port: Hampton Roads
Location: Mile 12.4, south bank, Albemarle & Chesapeake Canal Route of Atlantic Intracoastal Waterway, on canal an Datum: MLLW
Operator: Atkinson Dredging Co., Subsidiary of Atlantic Yacht Basin, Inc.
Owner: Atlantic Yacht Basin, Inc.
Address: 2615 Basin Road Phone: 804/482-2141
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 10 | 12 | Latitude (decimal): 36.719167
Total Berthing Space (feet): 550 | 400 | Longitude (decimal): -76.2325
Remarks: Operator's yard is located between moorings.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10506 Norfolk District

---

Port Facilities by Waterway

Waterway: **Albemarle & Chesapeake Canal** Mile: 14.5 PWD: 148
Name: **Norfolk Dredging Co. Basin Moorings.**
Port: Hampton Roads
Location: Mile 14.5, north bank, Albemarle & Chesapeake Canal Route of Atlantic Intracoastal Waterway, Chesapeake. Datum: MLLW
Operator: Norfolk Dredging Co.
Owner: Norfolk Dredging Co.
Address: 110 North Centerville Turnpike Phone: 804/547-9391
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Handling dredging equipment and supplies; mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 36.724444
Total Berthing Space (feet): 500 | 500 | 500 Longitude (decimal): -76.19694
Remarks: East arm of basin is approximately 360 feet wide at entrance by 500 feet long, divided by pier into two 385-foot slips. Bulkheaded south slip is 40, 95, and 140 feet wide. North slip is 120 to 160 feet wide wit along east portion of north side. Additional mooring in 12-foot water depth is available in 320- by 350-foot west arm, and in 330- by 260-foot north arm. Shop and warehouse buildings are located at rear of east endeast arm.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10505 Norfolk District

---

Waterway: **Appomattox River** Mile: PWD: 14
Name: **Tarmac Virginia, Puddledock Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Appomattox River, approximately 8.0 miles above conjunction with James River, on upper side Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Puddledock Road (State Highway 645) Phone: 804/343-7780
Town: Petersburg State: VA County: Prince George
Railway Connection: None.
Purpose: Shipment of sand, gravel, and stone by barge.
Depth Alongside (feet): 8 | | Latitude (decimal): 37.2675
Total Berthing Space (feet): 275 | | Longitude (decimal): -77.37222
Remarks: Slip is 450 feet long by 150 feet wide. A shed is located on the wharf's approach. A processing plant located at quarry at rear is served by 4 stackers in 2 storage areas, total capacity 230,000 tons of gravel sand. A ready-mix concrete plant, casting plant, and an asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10349 Norfolk District

Port Facilities by Waterway

Waterway: **Chuckatuck Creek** Mile: PWD: 1
Name: **Dixon's Oyster House Wharf.**
Port: Hampton Roads
Location: Right bank, Chuckatuck Creek, approximately 0.7 mile above conjunction with James River, at Crittenden, Datum: MLLW
Operator: Thomas A. Hazelwood.
Owner: Thomas A. Hazelwood.
Address: White Dogwood Terrace Phone: 804/925-6434
Town: Suffolk State: VA County: Suffolk
Railway Connection: None.
Purpose: Receipt of seafood; mooring small fishing vessels and floating equipment.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 36.915
Total Berthing Space (feet): 150 | 75 | 100 Longitude (decimal): -76.49861
Remarks: Independent watermen moor vessels at wharf. Approximately 1.4 acres of open storage area are located at rear. Additional mooring for 50-foot vessels in 4-foot depth of water is available along the sides of a 40 pile, timber-decked platform with 250- by 5-foot approach, located approximately 1,250 feet below wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10358 Norfolk District

---

Waterway: **Deep Creek** Mile: PWD: 50
Name: **City of Newport News, Deep Creek Pier.**
Port: Hampton Roads
Location: Left bank, Deep Creek, approximately 1,400 feet above conjunction with James River, at Deep Creek, Newpo Datum: MLLW
Operator: City of Newport News, Parks and Recreation Department.
Owner: City of Newport News.
Address: Foot of Deep Creek Road. Phone: 804/247-8451
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of seafood; mooring small fishing vessels.
Depth Alongside (feet): 5 | 5 | 1 - 4 Latitude (decimal): 37.080833
Total Berthing Space (feet): 335 | 128 | 463 Longitude (decimal): -76.52417
Remarks: Independent watermen unload seafood at inner portion of upper side, and moor vessels on lower side and at outer portion.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10345 Norfolk District

---

Port Facilities by Waterway

Waterway: **Deep Creek** Mile: PWD: 47

Name: **City of Newport News, Menchville Wharf.**

Port: Hampton Roads

Location: Right bank, Deep Creek, approximately 1,400 feet above conjunction with James River, at Menchville, Newp Datum: MLLW

Operator: City of Newport News, Parks and Recreation Department.

Owner: City of Newport News.

Address: Foot of Menchville Road. Phone: 804/247-8451

Town: Newport News State: VA County: Newport News

Railway Connection: None.

Purpose: Receipt of seafood; mooring small fishing vessels.

Depth Alongside (feet): 3 - 4 | | Latitude (decimal): 37.082222

Total Berthing Space (feet): 200 | | Longitude (decimal): -76.52556

Remarks: Independent watermen moor vessels at wharf.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10345 Norfolk District

Port Facilities by Waterway

Waterway: **Deep Creek** Mile: PWD: 46
Name: **Menchville Land Trust, Lower Wharf.**
Port: Hampton Roads
Location: Right bank, Deep Creek, approximately 1,250 feet above conjunction with James River, at Menchville, Newp Datum: MLLW
Operator: Not operated.
Owner: Menchville Land Trust.
Address: 494 Menchville Road Phone: 804/827-1400
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Not used.

Depth Alongside (feet):	3	3 - 4	4
Total Berthing Space (feet):	60	60	60

Latitude (decimal): 37.081944
Longitude (decimal): -76.52611

Waterway: **Deep Creek** Mile: PWD: 46
Name: **Menchville Land Trust, Lower Wharf.**
Port: Hampton Roads
Location: Right bank, Deep Creek, approximately 1,250 feet above conjunction with James River, at Menchville, Newp Datum: MLLW
Operator: Not operated.
Owner: Menchville Land Trust.
Address: 494 Menchville Road Phone: 804/827-1400
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Not used.

Depth Alongside (feet):	3	3 - 4	4
Total Berthing Space (feet):	60	60	60

Latitude (decimal): 37.081944
Longitude (decimal): -76.52611

Remarks: Formerly used for receipt of seafood and for mooring small fishing vessels. Additional mooring was available at 60 feet of natural bank below bulkhead.□ □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10345 Norfolk District

Remarks: Formerly used for receipt of seafood and for mooring small fishing vessels. Additional mooring was available at 60 feet of natural bank below bulkhead.□ □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10345 Norfolk District

Port Facilities by Waterway

Waterway: **Deep Creek** Mile: PWD: 46
Name: **Menchville Land Trust, Lower Wharf.**
Port: Hampton Roads
Location: Right bank, Deep Creek, approximately 1,250 feet above conjunction with James River, at Menchville, Newp Datum: MLLW
Operator: Not operated.
Owner: Menchville Land Trust.
Address: 494 Menchville Road Phone: 804/827-1400
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Not used.

Depth Alongside (feet):	3	3 - 4	4	Latitude (decimal):	37.081944
Total Berthing Space (feet):	60	60	60	Longitude (decimal):	-76.52611

Waterway: **Deep Creek** Mile: PWD: 46
Name: **Menchville Land Trust, Lower Wharf.**
Port: Hampton Roads
Location: Right bank, Deep Creek, approximately 1,250 feet above conjunction with James River, at Menchville, Newp Datum: MLLW
Operator: Not operated.
Owner: Menchville Land Trust.
Address: 494 Menchville Road Phone: 804/827-1400
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Not used.

Depth Alongside (feet):	3	3 - 4	4	Latitude (decimal):	37.081944
Total Berthing Space (feet):	60	60	60	Longitude (decimal):	-76.52611

Remarks: Formerly used for receipt of seafood and for mooring small fishing vessels. Additional mooring was available at 60 feet of natural bank below bulkhead.□ □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10345 Norfolk District

Remarks: Formerly used for receipt of seafood and for mooring small fishing vessels. Additional mooring was available at 60 feet of natural bank below bulkhead.□ □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10345 Norfolk District

Port Facilities by Waterway

Waterway: **Deep Creek** Mile: PWD: 49

Name: **Menchville Land Trust, Upper Wharves.**

Port: Hampton Roads

Location: Right bank, Deep Creek, approximately 1,800 feet above conjunction with James River, at Menchville, Newp Datum: MLLW

Operator: Not operated.

Owner: Menchville Land Trust.

Address: 494 Menchville Road Phone: 804/827-1400

Town: Newport News State: VA County: Newport News

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet):	6	6 - 10	6	Latitude (decimal):	37.083056
Total Berthing Space (feet):	85	40	125	Longitude (decimal):	-76.52472

Waterway: **Deep Creek** Mile: PWD: 49

Name: **Menchville Land Trust, Upper Wharves.**

Port: Hampton Roads

Location: Right bank, Deep Creek, approximately 1,800 feet above conjunction with James River, at Menchville, Newp Datum: MLLW

Operator: Not operated.

Owner: Menchville Land Trust.

Address: 494 Menchville Road Phone: 804/827-1400

Town: Newport News State: VA County: Newport News

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet):	6	6 - 10	6	Latitude (decimal):	37.083056
Total Berthing Space (feet):	85	40	125	Longitude (decimal):	-76.52472

Remarks: Formerly used for receipt of seafood and for mooring small fishing vessels. Two 80-foot sections of bulkhead extend above wharf. A seafood-packing plant is located at rear of lower portion. Fishing vessel owne their own vessels at Harbor View Marina, located 1,200 feet upstream, with one 12-ton, gasoline, mobile vertical boat lift with 13.5-foot span, operated by Farris Marine Service, at slip with 4-foot depth of water.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10345 Norfolk District

Remarks: Formerly used for receipt of seafood and for mooring small fishing vessels. Two 80-foot sections of bulkhead extend above wharf. A seafood-packing plant is located at rear of lower portion. Fishing vessel owne their own vessels at Harbor View Marina, located 1,200 feet upstream, with one 12-ton, gasoline, mobile vertical boat lift with 13.5-foot span, operated by Farris Marine Service, at slip with 4-foot depth of water.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10345 Norfolk District

Port Facilities by Waterway

Waterway: **Deep Creek** Mile: PWD: 49
Name: **Menchville Land Trust, Upper Wharves.**
Port: Hampton Roads
Location: Right bank, Deep Creek, approximately 1,800 feet above conjunction with James River, at Menchville, Newp Datum: MLLW
Operator: Not operated.
Owner: Menchville Land Trust.
Address: 494 Menchville Road Phone: 804/827-1400
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Not used.

Depth Alongside (feet):	6	6 - 10	6	Latitude (decimal):	37.083056
Total Berthing Space (feet):	85	40	125	Longitude (decimal):	-76.52472

Waterway: **Deep Creek** Mile: PWD: 49
Name: **Menchville Land Trust, Upper Wharves.**
Port: Hampton Roads
Location: Right bank, Deep Creek, approximately 1,800 feet above conjunction with James River, at Menchville, Newp Datum: MLLW
Operator: Not operated.
Owner: Menchville Land Trust.
Address: 494 Menchville Road Phone: 804/827-1400
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Not used.

Depth Alongside (feet):	6	6 - 10	6	Latitude (decimal):	37.083056
Total Berthing Space (feet):	85	40	125	Longitude (decimal):	-76.52472

Remarks: Formerly used for receipt of seafood and for mooring small fishing vessels. Two 80-foot sections of bulkhead extend above wharf. A seafood-packing plant is located at rear of lower portion. Fishing vessel owne their own vessels at Harbor View Marina, located 1,200 feet upstream, with one 12-ton, gasoline, mobile vertical boat lift with 13.5-foot span, operated by Farris Marine Service, at slip with 4-foot depth of water.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10345 Norfolk District

Remarks: Formerly used for receipt of seafood and for mooring small fishing vessels. Two 80-foot sections of bulkhead extend above wharf. A seafood-packing plant is located at rear of lower portion. Fishing vessel owne their own vessels at Harbor View Marina, located 1,200 feet upstream, with one 12-ton, gasoline, mobile vertical boat lift with 13.5-foot span, operated by Farris Marine Service, at slip with 4-foot depth of water.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10345 Norfolk District

Port Facilities by Waterway

Waterway: **Deep Creek** Mile: PWD: 48
Name: **Menchville Marine Supply Corp. Wharf.**
Port: Hampton Roads
Location: Right bank, Deep Creek, approximately 1,600 feet above conjunction with James River, at Menchville, Newp Datum: MLLW
Operator: Menchville Marine Supply Corp.
Owner: Menchville Associates
Address: 494B Menchville Road Phone: 804/877-0207
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of seafood; fueling small vessels.
Depth Alongside (feet): 3 - 4 | | 0 - 4 Latitude (decimal): 37.0825
Total Berthing Space (feet): 250 | - | 30 Longitude (decimal): -76.525
Remarks: Three 1 1/2-inch pipelines extend to 3 metered pumps at lower section from 3 underground fuel storage tanks at rear, total capacity 200 barrels. Building used as office is located at rear of lower section. A tr located to the rear of the ramp.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10345 Norfolk District

---

Waterway: **Dismal Swamp Canal** Mile: 10.6 PWD: 159
Name: **Deep Creek Lock Landing.**
Port: Hampton Roads
Location: Mile 10.6, west bank, Dismal Swamp Canal Route of Atlantic Intracoastal Waterway, 200 feet south of Deep Datum: NPE
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government
Address: 301 Luray Street Phone: 804/547-2109
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Landing for miscellaneous vessels.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.746111
Total Berthing Space (feet): 120 | - | - Longitude (decimal): -76.34111
Remarks: Wharf is operated as a public landing for vessels using the Dismal Swamp Canal. □ □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10803 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 76

Name: **Allied Terminals Wharf and Moorings.**

Port: Hampton Roads

Location: Left bank, Eastern Branch, Elizabeth River, approximately 800 feet above lower Norfolk Southern Railway Datum: MLLW

Operator: Allied Terminals, Inc., Subsidiary of Allied Marine Industries, Inc.; and Allied Towi

Owner: Allied Terminals, Inc., Subsidiary of Allied Marine Industries, Inc.

Address: 1000 Lansing Street Phone: 804/545-7301

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track serves 4-car-capacity tank car loading and 4-car-capacity unloading racks in rear; connects with Norfolk Southern Railway Co.

Purpose: Receipt of asphalt, liquid fertilizer, methanol and caustic soda; mooring company-owned barges.

Depth Alongside (feet): 26 | 26 | 9 - 10 Latitude (decimal): 36.838889

Total Berthing Space (feet): 625 | 540 | 450 Longitude (decimal): -76.27222

Remarks: An additional 195 feet of berthing are available on lower side of wharf at rear of row of breasting dolphins. Allied Towing Corp. moors barges at vessel and spud barge and operates from office at 500 East Indian pipelines extend from wharf to 9 steel storage tanks in rear:□Product Pipeline Tanks □ Size No. Total (inches) Capacity□asphalt 8 1 50,000□liquid barrels fertilizer 10) □caustic soda 8) 8 15,540,000□methanol 8) gallonsunused 8) □Wharf is equipped with 1- and 2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 69

Name: **Chevron U.S.A., Asphalt Division, Norfolk Plant Wharf.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 920 feet below upper Norfolk Southern Railway Datum: MLLW

Operator: Chevron U.S.A., Inc., Asphalt Division.

Owner: Chevron U.S.A., Inc., Asphalt Division.

Address: Westminster Avenue and Kimball Terrac Phone: 804/627-4296

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Receipt of asphalt by barge.

Depth Alongside (feet): 10 | - | - Latitude (decimal): 36.838333

Total Berthing Space (feet): 400 | - | - Longitude (decimal): -76.24667

Remarks: One 8-inch pipeline extends from wharf to 3 steel storage tanks located at asphalt emulsion plant at rear, total capacity 21,500 barrels.□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47
Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333
Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47
Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333
Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47
Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333
Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47

Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW

Operator: Harbor Tours, Inc.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.

Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333

Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47
Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333
Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47
Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333
Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47
Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333
Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47

Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW

Operator: Harbor Tours, Inc.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.

Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333

Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47
Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333
Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47
Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333
Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47
Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333
Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47

Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW

Operator: Harbor Tours, Inc.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.

Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333

Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47
Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333
Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47
Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333
Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47
Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333
Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 47

Name: **City of Norfolk, Elizabeth River Ferry Landing Pier.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.28 mile west of Berkley Highway Br Datum: MLLW

Operator: Harbor Tours, Inc.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Landings for passenger ferry to Portsmouth and for chartered recreational craft.

Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843333

Total Berthing Space (feet): - | 90 | 70 Longitude (decimal): -76.29139

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Pier is breakwater for the east side of the Waterside Municipal Marina (Ref. No. 46.) Ferries 'Elizabeth River I' and 'II,' operated by Harbor Tours, Inc. land at float and at City of Portsmouth ferry landings (Chartered recreational craft land at pier's west side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48
Name: **City of Norfolk, Liverpool Berth Landing.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landing for excursion vessel.
Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48
Name: **City of Norfolk, Liverpool Berth Landing.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landing for excursion vessel.
Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48
Name: **City of Norfolk, Liverpool Berth Landing.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landing for excursion vessel.
Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48

Name: **City of Norfolk, Liverpool Berth Landing.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW

Operator: Harbor Tours, Inc.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Landing for excursion vessel.

Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333

Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48
Name: **City of Norfolk, Liverpool Berth Landing.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landing for excursion vessel.
Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48
Name: **City of Norfolk, Liverpool Berth Landing.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landing for excursion vessel.
Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48
Name: **City of Norfolk, Liverpool Berth Landing.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landing for excursion vessel.
Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48

Name: **City of Norfolk, Liverpool Berth Landing.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW

Operator: Harbor Tours, Inc.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Landing for excursion vessel.

Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333

Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48
Name: **City of Norfolk, Liverpool Berth Landing.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landing for excursion vessel.
Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48
Name: **City of Norfolk, Liverpool Berth Landing.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landing for excursion vessel.
Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48
Name: **City of Norfolk, Liverpool Berth Landing.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landing for excursion vessel.
Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48

Name: **City of Norfolk, Liverpool Berth Landing.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW

Operator: Harbor Tours, Inc.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Landing for excursion vessel.

Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333

Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48
Name: **City of Norfolk, Liverpool Berth Landing.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landing for excursion vessel.
Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48
Name: **City of Norfolk, Liverpool Berth Landing.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landing for excursion vessel.
Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48
Name: **City of Norfolk, Liverpool Berth Landing.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landing for excursion vessel.
Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 48
Name: **City of Norfolk, Liverpool Berth Landing.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.24 mile west of Berkley Highway Br Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Landing for excursion vessel.
Depth Alongside (feet): 14 | - | Latitude (decimal): 36.843333
Total Berthing Space (feet): 200 | - | Longitude (decimal): -76.29028
Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Excursion vessel 'Carrie B' operates from landing.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 51
Name: **City of Norfolk, Municipal Stadium Moorings.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile above Berkley Highway Bridge, Norfol Datum: MLLW
Operator: Whitehorse Marine, Inc. and City of Norfolk.
Owner: City of Norfolk.
Address: East Water Street Phone: 804/441-2375
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Occasional mooring of company-owned vessels and barges and miscellaneous vessels. (See Remarks.)
Depth Alongside (feet): 18 - 20 | 20 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): 915 | 242 | 145 Longitude (decimal): -76.27944
Remarks: In 1992, plans called for construction of a municipal stadium at rear. Whitehorse Marine, Inc., moors tugboats and barges at wharf, which was in deteriorated condition and planned for removal. Miscellaneous ves lower side of pier, and plans call for construction of a floating landing for water taxis and recreational craft. Timber frame, metal-covered building on pier is The Boathouse concert hall. A pier formed by the remabulkheads with solid fill, located on the upper side of The Boathouse pier, forms two 150-foot-wide slips, and was used as a construction site in 1992.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45
Name: **City of Norfolk, Otter Berth Slip.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW
Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722
Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45
Name: **City of Norfolk, Otter Berth Slip.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW
Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722
Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45
Name: **City of Norfolk, Otter Berth Slip.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW
Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722
Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45

Name: **City of Norfolk, Otter Berth Slip.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW

Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)

Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722

Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45
Name: **City of Norfolk, Otter Berth Slip.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW
Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722
Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45
Name: **City of Norfolk, Otter Berth Slip.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW
Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722
Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45
Name: **City of Norfolk, Otter Berth Slip.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW
Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722
Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45

Name: **City of Norfolk, Otter Berth Slip.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW

Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)

Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722

Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45
Name: **City of Norfolk, Otter Berth Slip.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW
Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722
Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45
Name: **City of Norfolk, Otter Berth Slip.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW
Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722
Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45
Name: **City of Norfolk, Otter Berth Slip.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW
Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722
Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45

Name: **City of Norfolk, Otter Berth Slip.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW

Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)

Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722

Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45
Name: **City of Norfolk, Otter Berth Slip.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW
Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722
Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45
Name: **City of Norfolk, Otter Berth Slip.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW
Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722
Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45
Name: **City of Norfolk, Otter Berth Slip.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW
Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722
Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 45

Name: **City of Norfolk, Otter Berth Slip.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.4 mile west of Berkley Highway Bri Datum: MLLW

Operator: Spirit Cruises, Inc. and Norfolk Redevelopment and Housing Authority.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)

Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 36.844722

Total Berthing Space (feet): 140 | 220 | 335 Longitude (decimal): -76.29278

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Breasting dolphins in line with the east side front the west side of the Waterside Municipal Marina breakwater, Ref. No. 46. Spirit Cruises, Inc. operates the excursion vessel 'Spirit of Norfolk' from the west vessels moor at the east side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46
Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611
Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46
Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611
Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46
Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611
Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46

Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW

Operator: Norfolk Redevelopment and Housing Authority.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)

Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611

Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46
Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611
Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46
Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611
Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46
Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611
Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46

Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW

Operator: Norfolk Redevelopment and Housing Authority.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)

Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611

Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46
Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611
Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46
Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611
Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46
Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611
Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46

Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW

Operator: Norfolk Redevelopment and Housing Authority.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)

Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611

Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46
Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611
Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46
Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611
Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46
Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**
Port: Hampton Roads
Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: 333 Waterside Drive Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611
Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 46

Name: **City of Norfolk, Waterside Municipal Marina, Breakwater Mooring.**

Port: Hampton Roads

Location: Right bank, Mouth of Eastern Branch, Elizabeth River, approximately 0.3 mile west of Berkley Highway Bri Datum: MLLW

Operator: Norfolk Redevelopment and Housing Authority.

Owner: City of Norfolk.

Address: 333 Waterside Drive Phone: 804/623-1111

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring excursion vessel and miscellaneous other vessels. (See Remarks.)

Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 36.843611

Total Berthing Space (feet): 450 | 70 | 60 Longitude (decimal): -76.29222

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: West portion of breakwater is fronted by breasting dolphins described under Otter Berth Slip, Ref. No. 45. Excursion vessel 'American Rover' operates from face, and visiting vessels moor there. Waterside Munic recreational craft at floating timber wharves and finger piers at rear of face of breakwater, and timber pile, timber-decked extension fronting concrete pile, brick-covered concrete-decked wharf at rear. The Watersidthe World Trade Center office building are located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 77
Name: **Colonna's Shipyard, Mooring Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 0 - 15 | | Latitude (decimal): 36.837222
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.27389

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co. Gas-freeing equipment is located at rear of wharf. Wharf is equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 84
Name: **Colonna's Shipyard, Pescara Creek Mooring Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on east bank of Pescara Creek, 100 feet north of Indian Rive Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels and company-owned barges.
Depth Alongside (feet): 6 | 6 | - Latitude (decimal): 36.835
Total Berthing Space (feet): 100 | 55 | Longitude (decimal): -76.27722

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Face of wharf is 150 feet from bulkheaded west side of creek, Ref. No. 85. Norfolk Barge Co. moors company-owned barges in creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778
Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778
Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778
Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778
Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778
Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778
Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778
Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778
Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 85
Name: **Colonna's Shipyard, Pescara Creek Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on west bank of Pescara Creek, from Indian River Road crossi Datum: MLLW
Operator: Colonna's Shipyard, Inc. and Norfolk Barge Co.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring small vessels and company-owned barges.
Depth Alongside (feet): 0 - 6 | 25 | 6 - 12 Latitude (decimal): 36.835833
Total Berthing Space (feet): 600 | 600 | 150 Longitude (decimal): -76.27778
Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Barge and Repair Berths and part of north side are in line and contiguous, providing 1,400 feet of continuous berthing space. West side of floating drydock moored at Pier No. 6 (Ref. No. 83) is 110 feet from fac Floating drydock provides electric power, fresh water, compressed air, steam, sewage, oxygen and acetylene gas service to Repair Berth from lines on Pier No. 6. Norfolk Barge Co. moors company-owned barges at Barge Bside.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417
Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417
Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417
Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417
Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417
Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 78
Name: **Colonna's Shipyard, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, above lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, outfitting, and gas freeing.
Depth Alongside (feet): 18 | 4 - 18 | 4 - 18 Latitude (decimal): 36.838333
Total Berthing Space (feet): - | 250 | 250 Longitude (decimal): -76.27417
Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Shipyard is divided by the main line tracks of the Norfolk Southern Railway Co., and the lower side of the pier forms an 80-foot-wide slip with the railroad's bridge. Gas-freeing equipment is located at inner en equipped with 6-inch steam and compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528
Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528
Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528
Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528
Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528
Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528
Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528
Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528
Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 79
Name: **Colonna's Shipyard, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, below lower Norfolk Southern Railway bridge, Norfolk. Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 16 | 4 - 10 | 4 - 16 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | - | 440 Longitude (decimal): -76.27528
Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 550-long-ton marine railway is located at the inner end of the upper side. Lower side of pier forms a 55- to 80-foot-wide slip with Pier No. 3, Ref. No. 80. Pier is equipped with 1 1/2-inch compressed air l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 80
Name: **Colonna's Shipyard, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 5 - 18 | 0 - 18 Latitude (decimal): 36.838611
Total Berthing Space (feet): - | 435 | 185 Longitude (decimal): -76.27583

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Outer sections of piers form a slip 115 feet wide. Pier is equipped with 1 1/2- lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639
Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639
Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639
Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639
Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639
Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639
Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639
Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639
Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 81
Name: **Colonna's Shipyard, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 300 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 24 | 0 - 24 | 8 - 24 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 250 | 350 Longitude (decimal): -76.27639
Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 1,350- and one 5,000-long ton marine railways are located at the inner ends of the upper and lower sides, respectively. The inner 170 feet of the pier fronts the upper side of a 60-foot wide service pier for formed by timber bulkheads with solid fill and supporting the gantry crane. The lower side of the service pier is 380 feet long with the inner 270-foot portion fronted by a 12-foot wide timber pile, timber-decked extis equipped with four 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667
Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 82
Name: **Colonna's Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One 900-foot surface track on pier for cranes joins additional trackage serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 30 | 0 - 30 | 10 - 30 Latitude (decimal): 36.838611
Total Berthing Space (feet): 24 | - | 840 Longitude (decimal): -76.27667

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: A marine railway described under Remarks for adjacent Pier No. 4 (Ref. No. 81) is located between the inner sections of the piers. Lower side of Pier No. 5 forms a 105-foot wide slip with Pier No. 6 and its brea 83. Pier is equipped with 6-inch compressed air, 4-inch steam, and 2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667
Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667
Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667
Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667
Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667
Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667
Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667
Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 83
Name: **Colonna's Shipyard, Pier No. 6.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 580 feet below lower Norfolk Southern Railway Datum: MLLW
Operator: Colonna's Shipyard, Inc. and the Jonathan Corp.
Owner: Colonna's Shipyard, Inc.
Address: 400 East Indian River Road Phone: 804/545-2414
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 30 | 25 - 55 Latitude (decimal): 36.836389
Total Berthing Space (feet): 30 | 620 | - Longitude (decimal): -76.27667
Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 16,600-long ton floating drydock, operated by the Jonathan Corp., is moored at the lower side. Pier is equipped with 12-inch compressed air, 8-inch steam and sewage, and 3-inch oxygen and acetylene gas lines

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 49
Name: **Elizabeth River Land Co., West Mooring.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 550 feet above Berkley Highway Bridge, Norfol Datum: MLLW
Operator: Elizabeth River Land Co., Inc.
Owner: Elizabeth River Land Co., Inc.
Address: 1125 East Water Street Phone: 207/563-3661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Transient mooring of barges.
Depth Alongside (feet): 15 - 18 | | Latitude (decimal): 36.841944
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.28333
Remarks: Two additional timber breasting dolphins in line with the row, and an irregularly-shaped arrangement of remains of timber bulkheads, extend to the west under the Berkley Bridge. Area was in use as a construction

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 87
Name: **Eugene Hicks Mooring.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approx. 0.27 mile above Berkley Highway Bridge, below foot o Datum: MLLW
Operator: Not operated.
Owner: Eugene G. Hicks.
Address: 111 South Main Street Phone: 804/622-1688
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 6 - 14 | 6 - 8 | - Latitude (decimal): 36.838889
Total Berthing Space (feet): 500 | 70 | - Longitude (decimal): -76.28167
Remarks: Subsequent to survey, Metro Machine Corp. (Ref. No. 89) used open area at rear for storing equipment and supplies.□ □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 72

Name: **Ford Motor Co., Norfolk Assembly Plant Pier.**

Port: Hampton Roads

Location: Left bank, Eastern Branch, Elizabeth River, approximately 450 feet below upper Norfolk Southern Railway Datum: MLLW

Operator: Not operated.

Owner: Ford Motor Co.

Address: 2424 Springfield Avenue Phone: 804/494-2059

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One 390-foot surface track on pier; connects with Norfolk and Portsmouth Belt-Line Railroad and Norfolk Southern Railway Co.

Purpose: Not used for handling waterborne commerce.

Depth Alongside (feet): 21 | 1 - 21 | 1 - 21 Latitude (decimal): 36.836111

Total Berthing Space (feet): 40 | 180 | 180 Longitude (decimal): -76.24583

Remarks: Norfolk Assembly Plant of Ford Motor Co. is located in rear of pier. Outer end of pier has rounded corners with a large protective timber dolphin located off each corner. Pier is completely fenced in and used f components.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56
Name: **Lyon Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.
Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56
Name: **Lyon Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.
Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56
Name: **Lyon Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.
Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56

Name: **Lyon Shipyard, Pier No. 5.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW

Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Willoughby Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.

Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833

Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56
Name: **Lyon Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.
Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56
Name: **Lyon Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.
Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56
Name: **Lyon Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.
Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56

Name: **Lyon Shipyard, Pier No. 5.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW

Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Willoughby Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.

Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833

Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56
Name: **Lyon Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.
Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56
Name: **Lyon Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.
Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56
Name: **Lyon Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.
Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56

Name: **Lyon Shipyard, Pier No. 5.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW

Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Willoughby Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.

Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833

Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56
Name: **Lyon Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.
Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56
Name: **Lyon Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.
Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56
Name: **Lyon Shipyard, Pier No. 5.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.
Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 56

Name: **Lyon Shipyard, Pier No. 5.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile below Campostella Bridge, at foot of Datum: MLLW

Operator: Lyon Shipyard, Inc. and S.C. Loveland & Co., Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Willoughby Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair; mooring company-owned tugboats and barges.

Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 36.840833

Total Berthing Space (feet): - | 270 | 270 Longitude (decimal): -76.26917

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Building at rear is used as an office by S.C. Loveland & Co., Inc., a towing company operating from the pier. One 6-inch compressed air line serves pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54
Name: **Lyon Shipyard, Piers Nos. 1 and 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111
Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54
Name: **Lyon Shipyard, Piers Nos. 1 and 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111
Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54
Name: **Lyon Shipyard, Piers Nos. 1 and 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111
Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54

Name: **Lyon Shipyard, Piers Nos. 1 and 2.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW

Operator: Lyon Shipyard, Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Brown Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair.

Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111

Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54
Name: **Lyon Shipyard, Piers Nos. 1 and 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111
Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54
Name: **Lyon Shipyard, Piers Nos. 1 and 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111
Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54
Name: **Lyon Shipyard, Piers Nos. 1 and 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111
Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54

Name: **Lyon Shipyard, Piers Nos. 1 and 2.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW

Operator: Lyon Shipyard, Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Brown Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair.

Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111

Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54
Name: **Lyon Shipyard, Piers Nos. 1 and 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111
Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54
Name: **Lyon Shipyard, Piers Nos. 1 and 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111
Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54
Name: **Lyon Shipyard, Piers Nos. 1 and 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111
Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54

Name: **Lyon Shipyard, Piers Nos. 1 and 2.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW

Operator: Lyon Shipyard, Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Brown Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair.

Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111

Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54
Name: **Lyon Shipyard, Piers Nos. 1 and 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111
Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54
Name: **Lyon Shipyard, Piers Nos. 1 and 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111
Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54
Name: **Lyon Shipyard, Piers Nos. 1 and 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111
Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 54

Name: **Lyon Shipyard, Piers Nos. 1 and 2.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.3 mile below Campostella Bridge, at foot of Datum: MLLW

Operator: Lyon Shipyard, Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Brown Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair.

Depth Alongside (feet): 15 | 15 | 6 Latitude (decimal): 36.841111

Total Berthing Space (feet): 350 | 200 | 100 Longitude (decimal): -76.27056

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of Pier No. 2 is not used for mooring. Outer ends of Piers Nos. 1 and 2 and of bulkheaded inner portion are 10, 5, and 40 feet wide, respectively. A timber-frame, metal-covered building is located on portion. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55
Name: **Lyon Shipyard, Piers Nos. 3 and 4.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111
Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55
Name: **Lyon Shipyard, Piers Nos. 3 and 4.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111
Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55
Name: **Lyon Shipyard, Piers Nos. 3 and 4.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111
Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55

Name: **Lyon Shipyard, Piers Nos. 3 and 4.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW

Operator: Lyon Shipyard, Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Brown Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair.

Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111

Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55
Name: **Lyon Shipyard, Piers Nos. 3 and 4.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111
Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55
Name: **Lyon Shipyard, Piers Nos. 3 and 4.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111
Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55
Name: **Lyon Shipyard, Piers Nos. 3 and 4.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111
Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55

Name: **Lyon Shipyard, Piers Nos. 3 and 4.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW

Operator: Lyon Shipyard, Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Brown Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair.

Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111

Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55
Name: **Lyon Shipyard, Piers Nos. 3 and 4.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111
Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55
Name: **Lyon Shipyard, Piers Nos. 3 and 4.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111
Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55
Name: **Lyon Shipyard, Piers Nos. 3 and 4.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111
Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55

Name: **Lyon Shipyard, Piers Nos. 3 and 4.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW

Operator: Lyon Shipyard, Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Brown Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair.

Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111

Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55
Name: **Lyon Shipyard, Piers Nos. 3 and 4.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111
Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55
Name: **Lyon Shipyard, Piers Nos. 3 and 4.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111
Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55
Name: **Lyon Shipyard, Piers Nos. 3 and 4.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Brown Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111
Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 55

Name: **Lyon Shipyard, Piers Nos. 3 and 4.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.24 mile below Campostella Bridge, above foo Datum: MLLW

Operator: Lyon Shipyard, Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Brown Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair.

Depth Alongside (feet): 6 | 6 | 15 Latitude (decimal): 36.841111

Total Berthing Space (feet): 300 | 200 | 200 Longitude (decimal): -76.27028

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 800-long-ton marine railway is located at inner end of slip between piers. The inner portion of the upper side of Pier No. 3 and the lower side of Pier No. 4 provide additional mooring in 6-foot water depths allows. One 6-inch compressed air line serves piers. The row of dolphins extending from Pier No. 4 had not been constructed at time of survey and is described as planned.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57
Name: **Lyon Shipyard, Piers Nos. 6 and 7.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57
Name: **Lyon Shipyard, Piers Nos. 6 and 7.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57
Name: **Lyon Shipyard, Piers Nos. 6 and 7.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57

Name: **Lyon Shipyard, Piers Nos. 6 and 7.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW

Operator: Lyon Shipyard, Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Willoughby Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair.

Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389

Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57
Name: **Lyon Shipyard, Piers Nos. 6 and 7.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57
Name: **Lyon Shipyard, Piers Nos. 6 and 7.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57
Name: **Lyon Shipyard, Piers Nos. 6 and 7.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57

Name: **Lyon Shipyard, Piers Nos. 6 and 7.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW

Operator: Lyon Shipyard, Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Willoughby Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair.

Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389

Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57
Name: **Lyon Shipyard, Piers Nos. 6 and 7.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57
Name: **Lyon Shipyard, Piers Nos. 6 and 7.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57
Name: **Lyon Shipyard, Piers Nos. 6 and 7.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57

Name: **Lyon Shipyard, Piers Nos. 6 and 7.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW

Operator: Lyon Shipyard, Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Willoughby Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair.

Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389

Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57
Name: **Lyon Shipyard, Piers Nos. 6 and 7.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57
Name: **Lyon Shipyard, Piers Nos. 6 and 7.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57
Name: **Lyon Shipyard, Piers Nos. 6 and 7.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Lyon Shipyard, Inc.
Owner: Lyon Shipyard, Inc.
Address: Foot of Willoughby Avenue Phone: 804/622-4661
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 57

Name: **Lyon Shipyard, Piers Nos. 6 and 7.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet below Campostella Bridge, above foot Datum: MLLW

Operator: Lyon Shipyard, Inc.

Owner: Lyon Shipyard, Inc.

Address: Foot of Willoughby Avenue Phone: 804/622-4661

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels and barges for repair.

Depth Alongside (feet): 15 | 6 - 15 | 15 Latitude (decimal): 36.841389

Total Berthing Space (feet): 125 | 200 | 150 Longitude (decimal): -76.26917

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Outer portion of Pier No. 6 was in deteriorated condition. One 500-long-ton marine railway is located at inner end of slip between piers. The upper side of Pier No. 6 provides additional mooring in 6- to 15- foo lower side of Pier No. 7 provides mooring in 6-foot water depths when use of the railway allows. One 6-inch compressed air line serves piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 88
Name: **M/V Kanak Ltd. Mooring.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approx. 0.23 mile above Berkley Highway Bridge, above entran Datum: MLLW
Operator: M/V Kanak Ltd.
Owner: M/V Kanak Ltd. and Eugene G. Hicks.
Address: 151 South Main Street Phone: 804/545-1981
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 12 - 14 | 12 - 14 | 3 - 14 Latitude (decimal): 36.838333
Total Berthing Space (feet): 140 | 250 | 360 Longitude (decimal): -76.2825
Remarks: Storage building and company office are located at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 71
Name: **Malpass Construction Co. Pier.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 200 feet above upper Norfolk Southern Railway Datum: MLLW
Operator: Malpass Construction Co., Inc.
Owner: Malpass Construction Co., Inc.
Address: 2650 East Indian River Road Phone: 804/543-3541
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring company-owned barges; occasionally handling construction materials and equipment.
Depth Alongside (feet): 3 - 5 | 0 - 5 | 0 - 5 Latitude (decimal): 36.834167
Total Berthing Space (feet): 100 | 45 | 45 Longitude (decimal): -76.24444
Remarks: A 10-foot-wide concrete ramp is located on upper side of pier, and contractor's office and shop occupy building in rear of pier.□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 74
Name: **Marine Hydraulics International Wharves.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, on opposite sides of peninisula, approximately 600 feet belo Datum: MLLW
Operator: Marine Hydraulics International, Inc.
Owner: Marine Hydraulics International, Inc.
Address: 800 East Indian River Road Phone: 804/545-6400
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track at shop building on opposite side of East Indian River Road, connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 20 | 25 | 10 Latitude (decimal): 36.836944
Total Berthing Space (feet): 400 | 600 | 400 Longitude (decimal): -76.26611
Remarks: Outer East Berth and face of Va. Dry Dock Corp. Wharf, Ref. No. 73, are on opposite sides of a 160-foot-wide entrance to an inlet. Outer East Berth and West Berth are parallel and approximately 640 feet apart, w acres of open storage area located between them. Building used as office and shops is located on opposite side of East Indian River Road. Wharves are equipped with compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 86
Name: **Marpol Wharf.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approx. 0.33 mile above Berkley Highway Bridge, above foot o Datum: MLLW
Operator: Marpol, Inc.
Owner: Elm Enterprises, Inc.
Address: 150 South Main Street Phone: 804/494-7145
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Receipt of oil tank wash water; mooring company-owned floating equipment.
Depth Alongside (feet): 17 | 17 | 8 Latitude (decimal): 36.839444
Total Berthing Space (feet): 300 | 195 | 195 Longitude (decimal): -76.28056
Remarks: Two 8-inch pipelines extend from wharf to 4 steel wash water storage tanks at rear, total capacity 60,000 barrels. Marpol, Inc. operates warehouse and office located at rear. Marpol, Inc., Bay Gulf, and Harbor company-owned tank barges and tugboats at upper side and finger pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 90
Name: **Metro Machine Corp., Berkley Facility, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, conjunction of Eastern and Southern Branches, Elizabeth River, approximately 750 feet west of Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | 30 | 35 Latitude (decimal): 36.840556
Total Berthing Space (feet): 476 | 580 | 580 Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 90
Name: **Metro Machine Corp., Berkley Facility, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, conjunction of Eastern and Southern Branches, Elizabeth River, approximately 750 feet west of Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | 30 | 35 Latitude (decimal): 36.840556
Total Berthing Space (feet): 476 | 580 | 580 Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 90
Name: **Metro Machine Corp., Berkley Facility, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, conjunction of Eastern and Southern Branches, Elizabeth River, approximately 750 feet west of Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | 30 | 35 Latitude (decimal): 36.840556
Total Berthing Space (feet): 476 | 580 | 580 Longitude (decimal): -76.29028
Remarks: Fixed pier's portion of east side is Slip No. 2 Berth, and floating pier provides two Finger Pier Berths. The face of the fixed pier flanks the Finger Pier and provides 159 and 90 feet of berthing in 30- and 33- respectively. One 2-story and one part 2- and part 3-story brick buildings located on the outer and inner portions, respectively, of the fixed pier, at the rear of Slip No. 2 Berth, are used as a marine repair plant.equipped with 6- and 4-inch steam, 5- and 4-inch compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Fixed pier's portion of east side is Slip No. 2 Berth, and floating pier provides two Finger Pier Berths. The face of the fixed pier flanks the Finger Pier and provides 159 and 90 feet of berthing in 30- and 33- respectively. One 2-story and one part 2- and part 3-story brick buildings located on the outer and inner portions, respectively, of the fixed pier, at the rear of Slip No. 2 Berth, are used as a marine repair plant.equipped with 6- and 4-inch steam, 5- and 4-inch compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Fixed pier's portion of east side is Slip No. 2 Berth, and floating pier provides two Finger Pier Berths. The face of the fixed pier flanks the Finger Pier and provides 159 and 90 feet of berthing in 30- and 33- respectively. One 2-story and one part 2- and part 3-story brick buildings located on the outer and inner portions, respectively, of the fixed pier, at the rear of Slip No. 2 Berth, are used as a marine repair plant.equipped with 6- and 4-inch steam, 5- and 4-inch compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 90
Name: **Metro Machine Corp., Berkley Facility, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, conjunction of Eastern and Southern Branches, Elizabeth River, approximately 750 feet west of Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | 30 | 35 Latitude (decimal): 36.840556
Total Berthing Space (feet): 476 | 580 | 580 Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 90
Name: **Metro Machine Corp., Berkley Facility, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, conjunction of Eastern and Southern Branches, Elizabeth River, approximately 750 feet west of Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | 30 | 35 Latitude (decimal): 36.840556
Total Berthing Space (feet): 476 | 580 | 580 Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 90
Name: **Metro Machine Corp., Berkley Facility, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, conjunction of Eastern and Southern Branches, Elizabeth River, approximately 750 feet west of Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | 30 | 35 Latitude (decimal): 36.840556
Total Berthing Space (feet): 476 | 580 | 580 Longitude (decimal): -76.29028
Remarks: Fixed pier's portion of east side is Slip No. 2 Berth, and floating pier provides two Finger Pier Berths. The face of the fixed pier flanks the Finger Pier and provides 159 and 90 feet of berthing in 30- and 33- respectively. One 2-story and one part 2- and part 3-story brick buildings located on the outer and inner portions, respectively, of the fixed pier, at the rear of Slip No. 2 Berth, are used as a marine repair plant.equipped with 6- and 4-inch steam, 5- and 4-inch compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Fixed pier's portion of east side is Slip No. 2 Berth, and floating pier provides two Finger Pier Berths. The face of the fixed pier flanks the Finger Pier and provides 159 and 90 feet of berthing in 30- and 33- respectively. One 2-story and one part 2- and part 3-story brick buildings located on the outer and inner portions, respectively, of the fixed pier, at the rear of Slip No. 2 Berth, are used as a marine repair plant.equipped with 6- and 4-inch steam, 5- and 4-inch compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Fixed pier's portion of east side is Slip No. 2 Berth, and floating pier provides two Finger Pier Berths. The face of the fixed pier flanks the Finger Pier and provides 159 and 90 feet of berthing in 30- and 33- respectively. One 2-story and one part 2- and part 3-story brick buildings located on the outer and inner portions, respectively, of the fixed pier, at the rear of Slip No. 2 Berth, are used as a marine repair plant.equipped with 6- and 4-inch steam, 5- and 4-inch compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 90
Name: **Metro Machine Corp., Berkley Facility, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, conjunction of Eastern and Southern Branches, Elizabeth River, approximately 750 feet west of Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | 30 | 35 Latitude (decimal): 36.840556
Total Berthing Space (feet): 476 | 580 | 580 Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 90
Name: **Metro Machine Corp., Berkley Facility, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, conjunction of Eastern and Southern Branches, Elizabeth River, approximately 750 feet west of Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | 30 | 35 Latitude (decimal): 36.840556
Total Berthing Space (feet): 476 | 580 | 580 Longitude (decimal): -76.29028

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 90
Name: **Metro Machine Corp., Berkley Facility, Pier No. 2.**
Port: Hampton Roads
Location: Left bank, conjunction of Eastern and Southern Branches, Elizabeth River, approximately 750 feet west of Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | 30 | 35 Latitude (decimal): 36.840556
Total Berthing Space (feet): 476 | 580 | 580 Longitude (decimal): -76.29028
Remarks: Fixed pier's portion of east side is Slip No. 2 Berth, and floating pier provides two Finger Pier Berths. The face of the fixed pier flanks the Finger Pier and provides 159 and 90 feet of berthing in 30- and 33- respectively. One 2-story and one part 2- and part 3-story brick buildings located on the outer and inner portions, respectively, of the fixed pier, at the rear of Slip No. 2 Berth, are used as a marine repair plant.equipped with 6- and 4-inch steam, 5- and 4-inch compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Fixed pier's portion of east side is Slip No. 2 Berth, and floating pier provides two Finger Pier Berths. The face of the fixed pier flanks the Finger Pier and provides 159 and 90 feet of berthing in 30- and 33- respectively. One 2-story and one part 2- and part 3-story brick buildings located on the outer and inner portions, respectively, of the fixed pier, at the rear of Slip No. 2 Berth, are used as a marine repair plant.equipped with 6- and 4-inch steam, 5- and 4-inch compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Fixed pier's portion of east side is Slip No. 2 Berth, and floating pier provides two Finger Pier Berths. The face of the fixed pier flanks the Finger Pier and provides 159 and 90 feet of berthing in 30- and 33- respectively. One 2-story and one part 2- and part 3-story brick buildings located on the outer and inner portions, respectively, of the fixed pier, at the rear of Slip No. 2 Berth, are used as a marine repair plant.equipped with 6- and 4-inch steam, 5- and 4-inch compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 89
Name: **Metro Machine Corp., Berkley Facility, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, mouth of Eastern Branch, Elizabeth River, approximately 300 feet below Berkley Highway Bridge Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 25 | 25 | 30 Latitude (decimal): 36.840556
Total Berthing Space (feet): 78 | 362 | 770 Longitude (decimal): -76.28861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 89
Name: **Metro Machine Corp., Berkley Facility, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, mouth of Eastern Branch, Elizabeth River, approximately 300 feet below Berkley Highway Bridge Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 25 | 25 | 30 Latitude (decimal): 36.840556
Total Berthing Space (feet): 78 | 362 | 770 Longitude (decimal): -76.28861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 89
Name: **Metro Machine Corp., Berkley Facility, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, mouth of Eastern Branch, Elizabeth River, approximately 300 feet below Berkley Highway Bridge Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 25 | 25 | 30 Latitude (decimal): 36.840556
Total Berthing Space (feet): 78 | 362 | 770 Longitude (decimal): -76.28861

Remarks: Head of Slip No. 2 on west side provides an additional 125 feet of berthing in 30-foot depth of water. A 221- by 74-foot, brick and concrete building located on fixed portion of pier is used as a marine repair p with 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Head of Slip No. 2 on west side provides an additional 125 feet of berthing in 30-foot depth of water. A 221- by 74-foot, brick and concrete building located on fixed portion of pier is used as a marine repair p with 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Head of Slip No. 2 on west side provides an additional 125 feet of berthing in 30-foot depth of water. A 221- by 74-foot, brick and concrete building located on fixed portion of pier is used as a marine repair p with 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 89
Name: **Metro Machine Corp., Berkley Facility, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, mouth of Eastern Branch, Elizabeth River, approximately 300 feet below Berkley Highway Bridge Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 25 | 25 | 30 Latitude (decimal): 36.840556
Total Berthing Space (feet): 78 | 362 | 770 Longitude (decimal): -76.28861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 89
Name: **Metro Machine Corp., Berkley Facility, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, mouth of Eastern Branch, Elizabeth River, approximately 300 feet below Berkley Highway Bridge Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 25 | 25 | 30 Latitude (decimal): 36.840556
Total Berthing Space (feet): 78 | 362 | 770 Longitude (decimal): -76.28861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 89
Name: **Metro Machine Corp., Berkley Facility, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, mouth of Eastern Branch, Elizabeth River, approximately 300 feet below Berkley Highway Bridge Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 25 | 25 | 30 Latitude (decimal): 36.840556
Total Berthing Space (feet): 78 | 362 | 770 Longitude (decimal): -76.28861

Remarks: Head of Slip No. 2 on west side provides an additional 125 feet of berthing in 30-foot depth of water. A 221- by 74-foot, brick and concrete building located on fixed portion of pier is used as a marine repair p with 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Head of Slip No. 2 on west side provides an additional 125 feet of berthing in 30-foot depth of water. A 221- by 74-foot, brick and concrete building located on fixed portion of pier is used as a marine repair p with 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Head of Slip No. 2 on west side provides an additional 125 feet of berthing in 30-foot depth of water. A 221- by 74-foot, brick and concrete building located on fixed portion of pier is used as a marine repair p with 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 89
Name: **Metro Machine Corp., Berkley Facility, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, mouth of Eastern Branch, Elizabeth River, approximately 300 feet below Berkley Highway Bridge Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 25 | 25 | 30 Latitude (decimal): 36.840556
Total Berthing Space (feet): 78 | 362 | 770 Longitude (decimal): -76.28861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 89
Name: **Metro Machine Corp., Berkley Facility, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, mouth of Eastern Branch, Elizabeth River, approximately 300 feet below Berkley Highway Bridge Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 25 | 25 | 30 Latitude (decimal): 36.840556
Total Berthing Space (feet): 78 | 362 | 770 Longitude (decimal): -76.28861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 89
Name: **Metro Machine Corp., Berkley Facility, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, mouth of Eastern Branch, Elizabeth River, approximately 300 feet below Berkley Highway Bridge Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 25 | 25 | 30 Latitude (decimal): 36.840556
Total Berthing Space (feet): 78 | 362 | 770 Longitude (decimal): -76.28861

Remarks: Head of Slip No. 2 on west side provides an additional 125 feet of berthing in 30-foot depth of water. A 221- by 74-foot, brick and concrete building located on fixed portion of pier is used as a marine repair p with 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Head of Slip No. 2 on west side provides an additional 125 feet of berthing in 30-foot depth of water. A 221- by 74-foot, brick and concrete building located on fixed portion of pier is used as a marine repair p with 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Head of Slip No. 2 on west side provides an additional 125 feet of berthing in 30-foot depth of water. A 221- by 74-foot, brick and concrete building located on fixed portion of pier is used as a marine repair p with 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 52

Name: **Moran Towing of Virginia, Pier No. 1.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 800 feet above lower Norfolk Southern Railway Datum: MLLW

Operator: Moran Towing of Virginia, Inc.

Owner: Moran Towing of Virginia, Inc.

Address: Foot of Brown Avenue Phone: 804/627-5489

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring company-owned floating equipment for repair.

Depth Alongside (feet): 21 | 0 - 21 | 0 - 21 Latitude (decimal): 36.840833

Total Berthing Space (feet): - | 136 | 136 Longitude (decimal): -76.27222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 52

Name: **Moran Towing of Virginia, Pier No. 1.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 800 feet above lower Norfolk Southern Railway Datum: MLLW

Operator: Moran Towing of Virginia, Inc.

Owner: Moran Towing of Virginia, Inc.

Address: Foot of Brown Avenue Phone: 804/627-5489

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring company-owned floating equipment for repair.

Depth Alongside (feet): 21 | 0 - 21 | 0 - 21 Latitude (decimal): 36.840833

Total Berthing Space (feet): - | 136 | 136 Longitude (decimal): -76.27222

Remarks: Pier is equipped with 1 1/4-inch compressed air lines. Building used as shop is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Remarks: Pier is equipped with 1 1/4-inch compressed air lines. Building used as shop is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 52
Name: **Moran Towing of Virginia, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 800 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Moran Towing of Virginia, Inc.
Owner: Moran Towing of Virginia, Inc.
Address: Foot of Brown Avenue Phone: 804/627-5489
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair.
Depth Alongside (feet): 21 | 0 - 21 | 0 - 21 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 136 | 136 Longitude (decimal): -76.27222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 52
Name: **Moran Towing of Virginia, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 800 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Moran Towing of Virginia, Inc.
Owner: Moran Towing of Virginia, Inc.
Address: Foot of Brown Avenue Phone: 804/627-5489
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair.
Depth Alongside (feet): 21 | 0 - 21 | 0 - 21 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 136 | 136 Longitude (decimal): -76.27222
Remarks: Pier is equipped with 1 1/4-inch compressed air lines. Building used as shop is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Pier is equipped with 1 1/4-inch compressed air lines. Building used as shop is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 53
Name: **Moran Towing of Virginia, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Moran Towing of Virginia, Inc.
Owner: Moran Towing of Virginia, Inc.
Address: Foot of Brown Avenue Phone: 804/627-5489
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair.
Depth Alongside (feet): 21 | 0 - 21 | 0 - 21 Latitude (decimal): 36.840556
Total Berthing Space (feet): - | 175 | 175 Longitude (decimal): -76.27167

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 53
Name: **Moran Towing of Virginia, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Moran Towing of Virginia, Inc.
Owner: Moran Towing of Virginia, Inc.
Address: Foot of Brown Avenue Phone: 804/627-5489
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair.
Depth Alongside (feet): 21 | 0 - 21 | 0 - 21 Latitude (decimal): 36.840556
Total Berthing Space (feet): - | 175 | 175 Longitude (decimal): -76.27167
Remarks: Pier is equipped with 1 1/4-inch compressed air lines. Building used as warehouse and office is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Pier is equipped with 1 1/4-inch compressed air lines. Building used as warehouse and office is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 53
Name: **Moran Towing of Virginia, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Moran Towing of Virginia, Inc.
Owner: Moran Towing of Virginia, Inc.
Address: Foot of Brown Avenue Phone: 804/627-5489
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair.
Depth Alongside (feet): 21 | 0 - 21 | 0 - 21 Latitude (decimal): 36.840556
Total Berthing Space (feet): - | 175 | 175 Longitude (decimal): -76.27167

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 53
Name: **Moran Towing of Virginia, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above lower Norfolk Southern Railway Datum: MLLW
Operator: Moran Towing of Virginia, Inc.
Owner: Moran Towing of Virginia, Inc.
Address: Foot of Brown Avenue Phone: 804/627-5489
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair.
Depth Alongside (feet): 21 | 0 - 21 | 0 - 21 Latitude (decimal): 36.840556
Total Berthing Space (feet): - | 175 | 175 Longitude (decimal): -76.27167
Remarks: Pier is equipped with 1 1/4-inch compressed air lines. Building used as warehouse and office is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Pier is equipped with 1 1/4-inch compressed air lines. Building used as warehouse and office is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 58
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 1**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 790 feet below Campostella Bridge, below foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 21 | - | 10 - 21 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | - | 400 Longitude (decimal): -76.26861

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: *Lower side is fronted by remains of pier owned by Lyon Shipyard, Inc. Pier equipped with 6-inch salt water, 4-inch fresh water, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. Company shipyards in the area: Brambleton Yard (Ref. Nos. 58-62); Southern Yard (Ref. Nos. 64 to 68); and Berkley Yard (Ref. Nos. 98 to 104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 59
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 2**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 640 feet below Campostella Bridge, above foot Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on inner portion of pier joins with additional company-owned tracks serving plant in rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 25 | 22 - 25 | 22 - 25 Latitude (decimal): 36.841111
Total Berthing Space (feet): - | 440 | 200 Longitude (decimal): -76.26806

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Upper side of pier forms a 100-foot-wide slip with Pier No. 3, Ref. No. 60. One 2,800-long-ton floating drydock, moored to Pier No. 3, occupies inner portion of slip. Pier equipped with 6-inch salt water, 4-inc steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 60
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 3**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 520 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 30 | 32 | 24 Latitude (decimal): 36.840833
Total Berthing Space (feet): - | 222 | 460 Longitude (decimal): -76.2675

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 2,800-long-ton floating drydock is moored at inner portion of lower side. Lower side of pier forms a 100-foot-wide slip with Pier No. 2, Ref. No. 59. Pier equipped with 6-inch salt water, 4-inch steam and c freshwater, and 1 1/4-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 62
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Pier No. 6**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 270 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins with additional company-owned tracks serving plant at rear.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 26 | 21 - 26 | 21 - 26 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 360 | 360 Longitude (decimal): -76.26639

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Lower side of pier forms 75-foot wide slip with Pier No. 5, Ref. No. 61. Pier equipped with 6-inch saltwater, 4-inch freshwater, steam, and compressed air, and 1 1/4-inch oxygen and acetylene gas lines. One 5,2 located between upper side of pier and Campostella Bridge.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 61
Name: **Norfolk Shipbuilding & Drydock Corp., Brambleton Plant, Piers Nos.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 420 feet below Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: Foot of Claiborne Avenue Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Pier No. 4: Mooring vessels for repair; Pier No. 5: mooring miscellaneous vessels.
Depth Alongside (feet): 24 | 6 - 18 | 0 - 18 Latitude (decimal): 36.841389
Total Berthing Space (feet): 340 | 340 | 330 Longitude (decimal): -76.26722

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: The lower side of Pier No. 5 is used for serving one 1,000-ton marine railway located between piers. One 4-inch saltwater line and one 1 1/2-inch compressed air line serve Pier No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 65
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 850 feet above the Campostella Bridge, above Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.841944
Total Berthing Space (feet): 65 | 65 | 172 Longitude (decimal): -76.26222

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Two piers, extending from lower end of wharf, were formerly used as runways for a mobile boat lift.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 66
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 900 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 15 | 10 - 15 | 15 Latitude (decimal): 36.841389
Total Berthing Space (feet): - | 240 | 270 Longitude (decimal): -76.26194

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms 115-foot-wide slip with Pier No. 2, Ref. No. 67. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 67
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,050 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 6 - 18 | 3 - 18 Latitude (decimal): 36.841111
Total Berthing Space (feet): 15 | 100 | 234 Longitude (decimal): -76.26139

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Upper side forms a 105-foot-wide slip with Pier No. 3, Ref. No. 68. Bulkhead located at inner end of upper side provides 57.5 feet of berthing in 3-foot depth of water. One 1,200-ton marine railway is located at side. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 68
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 1,170 feet above Campostella Bridge, Norfolk. Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 8 | 6 - 8 | 0 - 8 Latitude (decimal): 36.841667
Total Berthing Space (feet): 12 | 215 | 690 Longitude (decimal): -76.26083

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Bulkhead forms the lower side of an inlet with an approximate 100-foot-wide entrance. Pier is equipped with 1 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 64
Name: **Norfolk Shipbuilding & Drydock Corp., Southern Plant, Small Boat M**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approx. 730 feet above the Campostella Bridge, east side of Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 2401 Kimball Terrace Phone: 804/640-7879
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 0 - 7 | 0 - 7 | 7 Latitude (decimal): 36.842222
Total Berthing Space (feet): 80 | 70 | 120 Longitude (decimal): -76.26306

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Boathouse has 4-foot wide walkways on outside of north and west sides, and covers two 100- by 30-foot slips with 7-foot depths of water. Facilities at this yard are supplemented by the company's other 2 shipyard (Ref. Nos. 58-62) and Berkley Yard (Ref. Nos. 98-104).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 63

Name: **Tarmac Virginia, Campostella Plant Wharf.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, above Campostella Bridge, Norfolk. Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 2125 Kimball Terrace Phone: 804/533-7150

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Receipt of sand and gravel by barge.

Depth Alongside (feet): 9 | | Latitude (decimal): 36.842222

Total Berthing Space (feet): 400 | | Longitude (decimal): -76.26472

Remarks: Open storage area at rear has capacity for 15,000 tons of sand and gravel. Company moors barges on 2 rows of timber breasting dolphins located in river, on opposite sides of the channel, between wharf and entran North row of 2 dolphins, 75 feet apart, moors 6 barges, 3 abreast, on landward side, and south row of 9 dolphins, 400 feet long, moors 9 barges, 3 abreast, on channel side, and 6 empty barges, 2 abreast, on landward s

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 70

Name: **Tarmac Virginia, Westminster Yard Wharf.**

Port: Hampton Roads

Location: Right bank, Eastern Branch, Elizabeth River, approximately 500 feet below upper Norfolk Southern Railway Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Rea Construction Co., Inc.

Address: 3425 Westminster Avenue Phone: 804/622-4200

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Receipt of limestone, sand, and gravel by barge.

Depth Alongside (feet): 3 - 10 | - | - Latitude (decimal): 36.837778

Total Berthing Space (feet): 755 | - | - Longitude (decimal): -76.24528

Remarks: Open storage area at rear has capacity for approximately 200,000 tons of material and has 6 hoppers served by a 30-inch electric belt conveyor extending to a Rea Construction Co. asphalt batch plant.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 50
Name: **Tillett Oil Transport Mooring.**
Port: Hampton Roads
Location: Right bank, Eastern Branch, Elizabeth River, approximately 0.2 mile above Berkley Highway Bridge, Norfol Datum: MLLW
Operator: Tillett Oil Transport, Inc.
Owner: Elizabeth River Land Co., Inc.
Address: 1235 East Water Street Phone: 804/482-3949
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 18 - 20 | 18 | Latitude (decimal): 36.841944
Total Berthing Space (feet): 200 | 350 | Longitude (decimal): -76.28167
Remarks: A concrete building fronted by the barge and float and a 1-story building on the wharf are used as a warehouse and office, respectively.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 75
Name: **Todd Marine Enterprises Moorings.**
Port: Hampton Roads
Location: Left bank, Eastern Branch, Elizabeth River, approximately 0.2 mile above lower Norfolk Southern Railway Datum: MLLW
Operator: Todd Marine Enterprises, Inc.
Owner: Todd Marine Enterprises, Inc.
Address: 508 East Indian River Road Phone: 804/494-0600
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring company-owned floating equipment.
Depth Alongside (feet): 5 | 8 | 5 Latitude (decimal): 36.836667
Total Berthing Space (feet): 60 | 70 | 110 Longitude (decimal): -76.27028
Remarks: Piers are used as runways for mobile boat lift, which can be specially rigged to lift up to 80 tons. Additional mooring is available at 2 timber breasting dolphins 75 feet apart, located in the river on the left Approximately 16 acres of open storage area and a building used as a shop are located at rear. Facility is operated in conjunction with company's machine shop at 2311 Ingleside Road, Norfolk.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Port Facilities by Waterway

Waterway: **Eastern Br., Elizabeth River** Mile: PWD: 73

Name: **Va. Dry Dock Corp. Wharf.**

Port: Hampton Roads

Location: Left bank, Eastern Branch, Elizabeth River, east side of entrance to inlet, approximately 370 feet below Datum: MLLW

Operator: Va. Dry Dock Corp.

Owner: G & M Corp.

Address: 307 Campostella Road Phone: 804/494-7387

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels for maintenance and mooring floating drydock.

Depth Alongside (feet): 10 - 20 | 10 | 18 - 20 Latitude (decimal): 36.838056

Total Berthing Space (feet): 500 | 330+ | 100 Longitude (decimal): -76.26528

Remarks: One 5,500-ton floating drydock is moored at outer side. Buildings located at rear are equipped as shops, but marine repair plant was performing only limited maintenance on vessels, primarily in drydock, in 1992. 3-inch steam and 2 1/2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 43
Name: **City of Norfolk, Freemason Harbour Slip.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.2 mile south of entrance to Smith Creek, south of foot of T Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: Foot of Brooke Avenue Phone: 804/441-2400
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring miscellaneous vessels. (See Remarks.)
Depth Alongside (feet): 17 - 26 | 17 - 26 | 17 - 20 Latitude (decimal): 36.850278
Total Berthing Space (feet): 95 | 490 | 475 Longitude (decimal): -76.29722

Waterway: **Elizabeth River** Mile: PWD: 43
Name: **City of Norfolk, Freemason Harbour Slip.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.2 mile south of entrance to Smith Creek, south of foot of T Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: Foot of Brooke Avenue Phone: 804/441-2400
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring miscellaneous vessels. (See Remarks.)
Depth Alongside (feet): 17 - 26 | 17 - 26 | 17 - 20 Latitude (decimal): 36.850278
Total Berthing Space (feet): 95 | 490 | 475 Longitude (decimal): -76.29722

Remarks: Slip area was under development in 1992. Plans call for mooring visiting vessels in the slip for exhibition. Entrance to slip is 160 feet wide. An apartment building is located on Pier A, with a recreational m north side. A 520- by 52-foot concrete building, unused in 1992, is located on Pier B, with the ruins of a timber extension, planned to be replaced with a steel sheet pile bulkhead with solid fill, fronting the south

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Slip area was under development in 1992. Plans call for mooring visiting vessels in the slip for exhibition. Entrance to slip is 160 feet wide. An apartment building is located on Pier A, with a recreational m north side. A 520- by 52-foot concrete building, unused in 1992, is located on Pier B, with the ruins of a timber extension, planned to be replaced with a steel sheet pile bulkhead with solid fill, fronting the south

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 43
Name: **City of Norfolk, Freemason Harbour Slip.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.2 mile south of entrance to Smith Creek, south of foot of T Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: Foot of Brooke Avenue Phone: 804/441-2400
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring miscellaneous vessels. (See Remarks.)
Depth Alongside (feet): 17 - 26 | 17 - 26 | 17 - 20 Latitude (decimal): 36.850278
Total Berthing Space (feet): 95 | 490 | 475 Longitude (decimal): -76.29722

Waterway: **Elizabeth River** Mile: PWD: 43
Name: **City of Norfolk, Freemason Harbour Slip.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.2 mile south of entrance to Smith Creek, south of foot of T Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: Foot of Brooke Avenue Phone: 804/441-2400
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring miscellaneous vessels. (See Remarks.)
Depth Alongside (feet): 17 - 26 | 17 - 26 | 17 - 20 Latitude (decimal): 36.850278
Total Berthing Space (feet): 95 | 490 | 475 Longitude (decimal): -76.29722

Remarks: Slip area was under development in 1992. Plans call for mooring visiting vessels in the slip for exhibition. Entrance to slip is 160 feet wide. An apartment building is located on Pier A, with a recreational m north side. A 520- by 52-foot concrete building, unused in 1992, is located on Pier B, with the ruins of a timber extension, planned to be replaced with a steel sheet pile bulkhead with solid fill, fronting the south

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Slip area was under development in 1992. Plans call for mooring visiting vessels in the slip for exhibition. Entrance to slip is 160 feet wide. An apartment building is located on Pier A, with a recreational m north side. A 520- by 52-foot concrete building, unused in 1992, is located on Pier B, with the ruins of a timber extension, planned to be replaced with a steel sheet pile bulkhead with solid fill, fronting the south

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 44
Name: **City of Norfolk, Nauticus Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.3 mile south of entrance to Smith Creek, north of foot of M Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: Foot of Main Street Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring oceanographic survey vessels and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 28 - 32 | 16 - 25 | 6 - 22 Latitude (decimal): 36.848333
Total Berthing Space (feet): 500 | 200 | 335 Longitude (decimal): -76.29667

Waterway: **Elizabeth River** Mile: PWD: 44
Name: **City of Norfolk, Nauticus Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.3 mile south of entrance to Smith Creek, north of foot of M Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: Foot of Main Street Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring oceanographic survey vessels and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 28 - 32 | 16 - 25 | 6 - 22 Latitude (decimal): 36.848333
Total Berthing Space (feet): 500 | 200 | 335 Longitude (decimal): -76.29667

Remarks: Pier area, under construction in 1992 and described as planned, will be a base for oceanographic research vessels and a mooring for visiting vessels. Wharf structure will include a concrete-slab wave screen. A be located in Kingfisher Slip at the revetted inner portion of the pier's north side. A 240- by 100-foot building to be located on pier will house the Nauticus National Marine Center.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Pier area, under construction in 1992 and described as planned, will be a base for oceanographic research vessels and a mooring for visiting vessels. Wharf structure will include a concrete-slab wave screen. A be located in Kingfisher Slip at the revetted inner portion of the pier's north side. A 240- by 100-foot building to be located on pier will house the Nauticus National Marine Center.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 44
Name: **City of Norfolk, Nauticus Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.3 mile south of entrance to Smith Creek, north of foot of M Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: Foot of Main Street Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring oceanographic survey vessels and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 28 - 32 | 16 - 25 | 6 - 22 Latitude (decimal): 36.848333
Total Berthing Space (feet): 500 | 200 | 335 Longitude (decimal): -76.29667

Waterway: **Elizabeth River** Mile: PWD: 44
Name: **City of Norfolk, Nauticus Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.3 mile south of entrance to Smith Creek, north of foot of M Datum: MLLW
Operator: Norfolk Redevelopment and Housing Authority.
Owner: City of Norfolk.
Address: Foot of Main Street Phone: 804/623-1111
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring oceanographic survey vessels and miscellaneous other vessels. (See Remarks.)
Depth Alongside (feet): 28 - 32 | 16 - 25 | 6 - 22 Latitude (decimal): 36.848333
Total Berthing Space (feet): 500 | 200 | 335 Longitude (decimal): -76.29667

Remarks: Pier area, under construction in 1992 and described as planned, will be a base for oceanographic research vessels and a mooring for visiting vessels. Wharf structure will include a concrete-slab wave screen. A be located in Kingfisher Slip at the revetted inner portion of the pier's north side. A 240- by 100-foot building to be located on pier will house the Nauticus National Marine Center.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Pier area, under construction in 1992 and described as planned, will be a base for oceanographic research vessels and a mooring for visiting vessels. Wharf structure will include a concrete-slab wave screen. A be located in Kingfisher Slip at the revetted inner portion of the pier's north side. A 240- by 100-foot building to be located on pier will house the Nauticus National Marine Center.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 35

Name: **Corps of Engineers, Fort Norfolk Hopper Dredge Wharf.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, approximately 0.43 mile west of entrance to Smith Creek, Norfolk. Datum: MLLW

Operator: U.S. Army Corps of Engineers.

Owner: United States Government.

Address: 803 Front Street Phone: 804/441-7642

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring government-owned floating equipment.

Depth Alongside (feet): 30 | 0 - 30 | Latitude (decimal): 36.855556

Total Berthing Space (feet): 320 | - | Longitude (decimal): -76.30722

Remarks: Face of wharf and dolphins are in line with face of Fort Norfolk Wharf (Ref. No. 36) which provide for a total of 545 feet of berthing space. East side of wharf forms a 100-foot-wide slip with west side of Ref. Building, headquarters of U.S. Army Engineer District, Norfolk, is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Elizabeth River** Mile: PWD: 34

Name: **Corps of Engineers, Fort Norfolk Pier.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, approximately 0.6 mile west of entrance to Smith Creek, at foot of Woodis A Datum: MLLW

Operator: U.S. Army Corps of Engineers.

Owner: United States Government.

Address: 803 Front Street Phone: 804/441-7642

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Handling buoys; mooring government-owned small vessels.

Depth Alongside (feet): 14 | 12 - 14 | 5 - 14 Latitude (decimal): 36.857222

Total Berthing Space (feet): 21 | 275 | 400 Longitude (decimal): -76.30806

Remarks: A 185- by 21-foot, timber pile, timber-decked pier is located north of concrete pier and is connected to it by a 20-foot timber walkway. Timber pier is used for scraping and painting buoys. A 45- by 25-foot, ti storage shed extends from the south side of the concrete pier, and a 15-foot-wide concrete ramp is located alongside the inner end of that side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 36
Name: **Corps of Engineers, Fort Norfolk Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.38 mile west of entrance to Smith Creek, Norfolk. Datum: MLLW
Operator: U.S. Army Corps of Engineers.
Owner: United States Government.
Address: 803 Front Street Phone: 804/441-7642
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring government-owned vessels.
Depth Alongside (feet): 30 | 0 - 30 | 16 - 30 Latitude (decimal): 36.855278
Total Berthing Space (feet): 125 | - | 318 Longitude (decimal): -76.30639
Remarks: Face of wharf and dolphins are in line with face of Fort Norfolk Hopper Dredge Wharf (Ref. No. 35) which provide for a total of 545 feet of berthing space. East side of wharf forms a 130- to 165-foot-wide slip w inner end and to east. The Waterfield Building, headquarters of U.S. Army Engineer District, Norfolk, is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Elizabeth River** Mile: PWD: 175
Name: **Crofton Diving Corp. Mooring.**
Port: Hampton Roads
Location: Left bank of Scott Creek, approximately 0.3 mile above mouth, at outer end and west side of former bridg Datum: MLLW
Operator: Crofton Diving Corp.
Owner: Crofton Diving Corp.
Address: 16 Harper Avenue Phone: 804/397-1131
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 36.848333
Total Berthing Space (feet): 135 | 50 | - Longitude (decimal): -76.31611
Remarks: Building used as company office is located at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 174
Name: **Harbor Tours, 'Carrie B' Mooring.**
Port: Hampton Roads
Location: Right bank of Scott Creek, approx. 0.4 mile above mouth, on south side of cove at end of dredged channel Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: Steve Jordan
Address: End of Bay Street Phone: 804/393-4735
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring company-owned vessels.
Depth Alongside (feet): 1 - 7 | 7 | Latitude (decimal): 36.845833
Total Berthing Space (feet): 140 | slips | Longitude (decimal): -76.31472
Remarks: North side is divided into slips for recreational craft by finger piers. Face is used as base for excursion vessel 'Carrie B,' and passenger ferries 'Elizabeth River I' and'II.' A steel-frame, metal-covered bui warehouse is located at inner end of slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Elizabeth River** Mile: PWD: 28
Name: **International Oceanic Enterpises, Mooring Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: Eastern Marine Equipment Co., Inc.
Owner: International Oceanic Enterprises, Inc.
Address: 900 Southampton Avenue Phone: 804/622-0117
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned tugboats and barges.
Depth Alongside (feet): 8 - 12 | | Latitude (decimal): 36.858889
Total Berthing Space (feet): 325 | | Longitude (decimal): -76.30833
Remarks: Wharf is located on the north side of a peninsula, at the rear of the owner's processing plant on the south side, described under Ref. No. 33.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 33

Name: **International Oceanic Enterprises, Seafood Wharf.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW

Operator: Fisherman's Seafood, Inc.

Owner: International Oceanic Enterprises, Inc.

Address: 900 Southampton Avenue Phone: 804/622-0117

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Receipt of fish and shellfish; icing and mooring fishing vessels.

Depth Alongside (feet): 16 - 18 | 0 - 18 | Latitude (decimal): 36.858056

Total Berthing Space (feet): 470 | 100 | Longitude (decimal): -76.30833

Remarks: Building used as seafood processing plant is located at rear, and Krisp Pak Co., Inc., cold storage warehouse (Ref. No. 10) is located to the east.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 31
Name: **J. H. Miles & Co., Clam Shell Loading Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Shipment of clam shells for seeding clam beds.
Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 31
Name: **J. H. Miles & Co., Clam Shell Loading Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Shipment of clam shells for seeding clam beds.
Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 31
Name: **J. H. Miles & Co., Clam Shell Loading Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Shipment of clam shells for seeding clam beds.
Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 31

Name: **J. H. Miles & Co., Clam Shell Loading Pier.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW

Operator: J. H. Miles & Co., Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-9264

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Shipment of clam shells for seeding clam beds.

Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167

Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 31
Name: **J. H. Miles & Co., Clam Shell Loading Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Shipment of clam shells for seeding clam beds.
Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 31
Name: **J. H. Miles & Co., Clam Shell Loading Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Shipment of clam shells for seeding clam beds.
Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 31
Name: **J. H. Miles & Co., Clam Shell Loading Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Shipment of clam shells for seeding clam beds.
Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 31

Name: **J. H. Miles & Co., Clam Shell Loading Pier.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW

Operator: J. H. Miles & Co., Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-9264

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Shipment of clam shells for seeding clam beds.

Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167

Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 31
Name: **J. H. Miles & Co., Clam Shell Loading Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Shipment of clam shells for seeding clam beds.
Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 31
Name: **J. H. Miles & Co., Clam Shell Loading Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Shipment of clam shells for seeding clam beds.
Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 31
Name: **J. H. Miles & Co., Clam Shell Loading Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Shipment of clam shells for seeding clam beds.
Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 31

Name: **J. H. Miles & Co., Clam Shell Loading Pier.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW

Operator: J. H. Miles & Co., Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-9264

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Shipment of clam shells for seeding clam beds.

Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167

Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 31
Name: **J. H. Miles & Co., Clam Shell Loading Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Shipment of clam shells for seeding clam beds.
Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 31
Name: **J. H. Miles & Co., Clam Shell Loading Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Shipment of clam shells for seeding clam beds.
Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 31
Name: **J. H. Miles & Co., Clam Shell Loading Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Shipment of clam shells for seeding clam beds.
Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 31

Name: **J. H. Miles & Co., Clam Shell Loading Pier.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, outer end of peninsula, 800 feet south of Midtown Tunnel, at foot of Southa Datum: MLLW

Operator: J. H. Miles & Co., Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-9264

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Shipment of clam shells for seeding clam beds.

Depth Alongside (feet): 1 | 8 | 5 Latitude (decimal): 36.859167

Total Berthing Space (feet): - | 242 | 118 Longitude (decimal): -76.31

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: North side of pier forms 50-foot-wide slip with Ref. No. 30.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 29
Name: **J. H. Miles & Co., Main Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats; handling miscellaneous marine supplies.
Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167
Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Waterway: **Elizabeth River** Mile: PWD: 29
Name: **J. H. Miles & Co., Main Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats; handling miscellaneous marine supplies.
Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167
Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Waterway: **Elizabeth River** Mile: PWD: 29
Name: **J. H. Miles & Co., Main Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats; handling miscellaneous marine supplies.
Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167
Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 29

Name: **J. H. Miles & Co., Main Plant Wharf.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW

Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-9264

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring fishing boats; handling miscellaneous marine supplies.

Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167

Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 29
Name: **J. H. Miles & Co., Main Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats; handling miscellaneous marine supplies.
Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167
Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Waterway: **Elizabeth River** Mile: PWD: 29
Name: **J. H. Miles & Co., Main Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats; handling miscellaneous marine supplies.
Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167
Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Waterway: **Elizabeth River** Mile: PWD: 29
Name: **J. H. Miles & Co., Main Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats; handling miscellaneous marine supplies.
Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167
Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 29

Name: **J. H. Miles & Co., Main Plant Wharf.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW

Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-9264

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring fishing boats; handling miscellaneous marine supplies.

Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167

Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 29
Name: **J. H. Miles & Co., Main Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats; handling miscellaneous marine supplies.
Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167
Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Waterway: **Elizabeth River** Mile: PWD: 29
Name: **J. H. Miles & Co., Main Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats; handling miscellaneous marine supplies.
Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167
Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Waterway: **Elizabeth River** Mile: PWD: 29
Name: **J. H. Miles & Co., Main Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats; handling miscellaneous marine supplies.
Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167
Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 29

Name: **J. H. Miles & Co., Main Plant Wharf.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW

Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-9264

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring fishing boats; handling miscellaneous marine supplies.

Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167

Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 29
Name: **J. H. Miles & Co., Main Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats; handling miscellaneous marine supplies.
Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167
Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Waterway: **Elizabeth River** Mile: PWD: 29
Name: **J. H. Miles & Co., Main Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats; handling miscellaneous marine supplies.
Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167
Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Waterway: **Elizabeth River** Mile: PWD: 29
Name: **J. H. Miles & Co., Main Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats; handling miscellaneous marine supplies.
Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167
Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 29

Name: **J. H. Miles & Co., Main Plant Wharf.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW

Operator: J. H. Miles & Co., Inc. and Jack's Launch Serevice, Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-9264

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring fishing boats; handling miscellaneous marine supplies.

Depth Alongside (feet): 6 | - | - Latitude (decimal): 36.859167

Total Berthing Space (feet): 175 | - | - Longitude (decimal): -76.30917

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: One 3-story brick and concrete building at rear is used by J. H. Miles & Co., Inc. for seafood processing plant and offices. Jack's Launch Service, Inc. moors vessels at Storage Building Pier (Ref. No. 32) at re side of the peninsula.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 30
Name: **J. H. Miles & Co., Mooring Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444
Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 30
Name: **J. H. Miles & Co., Mooring Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444
Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 30
Name: **J. H. Miles & Co., Mooring Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444
Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 30

Name: **J. H. Miles & Co., Mooring Pier.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW

Operator: J. H. Miles & Co., Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-9264

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring fishing boats.

Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444

Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 30
Name: **J. H. Miles & Co., Mooring Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444
Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 30
Name: **J. H. Miles & Co., Mooring Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444
Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 30
Name: **J. H. Miles & Co., Mooring Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444
Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 30

Name: **J. H. Miles & Co., Mooring Pier.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW

Operator: J. H. Miles & Co., Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-9264

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring fishing boats.

Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444

Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 30
Name: **J. H. Miles & Co., Mooring Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444
Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 30
Name: **J. H. Miles & Co., Mooring Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444
Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 30
Name: **J. H. Miles & Co., Mooring Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444
Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 30

Name: **J. H. Miles & Co., Mooring Pier.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW

Operator: J. H. Miles & Co., Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-9264

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring fishing boats.

Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444

Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 30
Name: **J. H. Miles & Co., Mooring Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444
Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 30
Name: **J. H. Miles & Co., Mooring Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444
Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 30
Name: **J. H. Miles & Co., Mooring Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: J. H. Miles & Co., Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-9264
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444
Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 30

Name: **J. H. Miles & Co., Mooring Pier.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, north side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW

Operator: J. H. Miles & Co., Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-9264

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring fishing boats.

Depth Alongside (feet): 8 | 8 | 0 - 6 Latitude (decimal): 36.859444

Total Berthing Space (feet): - | 250 | 244 Longitude (decimal): -76.31

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: South side of pier forms 50-foot-wide slip with north side of Ref. No. 31.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 32
Name: **J. H. Miles & Co., Storage Building Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: Jack's Launch Service, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-0243
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring ship service launches; handling miscellaneous marine supplies.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056
Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 32
Name: **J. H. Miles & Co., Storage Building Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: Jack's Launch Service, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-0243
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring ship service launches; handling miscellaneous marine supplies.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056
Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 32
Name: **J. H. Miles & Co., Storage Building Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: Jack's Launch Service, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-0243
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring ship service launches; handling miscellaneous marine supplies.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056
Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 32

Name: **J. H. Miles & Co., Storage Building Pier.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW

Operator: Jack's Launch Service, Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-0243

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring ship service launches; handling miscellaneous marine supplies.

Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056

Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 32
Name: **J. H. Miles & Co., Storage Building Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: Jack's Launch Service, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-0243
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring ship service launches; handling miscellaneous marine supplies.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056
Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 32
Name: **J. H. Miles & Co., Storage Building Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: Jack's Launch Service, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-0243
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring ship service launches; handling miscellaneous marine supplies.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056
Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 32
Name: **J. H. Miles & Co., Storage Building Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: Jack's Launch Service, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-0243
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring ship service launches; handling miscellaneous marine supplies.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056
Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 32

Name: **J. H. Miles & Co., Storage Building Pier.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW

Operator: Jack's Launch Service, Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-0243

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring ship service launches; handling miscellaneous marine supplies.

Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056

Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 32
Name: **J. H. Miles & Co., Storage Building Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: Jack's Launch Service, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-0243
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring ship service launches; handling miscellaneous marine supplies.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056
Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 32
Name: **J. H. Miles & Co., Storage Building Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: Jack's Launch Service, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-0243
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring ship service launches; handling miscellaneous marine supplies.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056
Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 32
Name: **J. H. Miles & Co., Storage Building Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: Jack's Launch Service, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-0243
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring ship service launches; handling miscellaneous marine supplies.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056
Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 32

Name: **J. H. Miles & Co., Storage Building Pier.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW

Operator: Jack's Launch Service, Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-0243

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring ship service launches; handling miscellaneous marine supplies.

Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056

Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 32
Name: **J. H. Miles & Co., Storage Building Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: Jack's Launch Service, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-0243
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring ship service launches; handling miscellaneous marine supplies.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056
Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 32
Name: **J. H. Miles & Co., Storage Building Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: Jack's Launch Service, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-0243
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring ship service launches; handling miscellaneous marine supplies.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056
Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Waterway: **Elizabeth River** Mile: PWD: 32
Name: **J. H. Miles & Co., Storage Building Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW
Operator: Jack's Launch Service, Inc.
Owner: J. H. Miles & Co., Inc.
Address: 902 Southampton Avenue Phone: 804/622-0243
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring ship service launches; handling miscellaneous marine supplies.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056
Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 32

Name: **J. H. Miles & Co., Storage Building Pier.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, south side of peninsula, 800 feet south of Midtown Tunnel, at foot of South Datum: MLLW

Operator: Jack's Launch Service, Inc.

Owner: J. H. Miles & Co., Inc.

Address: 902 Southampton Avenue Phone: 804/622-0243

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring ship service launches; handling miscellaneous marine supplies.

Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 36.858056

Total Berthing Space (feet): 77 | 105 | Longitude (decimal): -76.31

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Remarks: A platform supporting a steel storage tank was constructed on the west side of the pier subsequent to the survey, preventing mooring on that side. The operator handles heavy marine supplies at the Main Plant Wha rear, on the opposite side of the peninsula. Launches also operate from a company base at Lynnhaven Waterway Marina, 2101 North Great Neck Road, Virginia Beach. One hydraulic tilt dumper for seafood trucks, locatedeast side of pier, was unused.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 37
Name: **Jonathan Corp., Front Street Yard Inner Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.3 mile west of entrance to Smith Creek, east of foot of Col Datum: MLLW
Operator: Jonathan Corp.
Owner: Jonathan Corp.
Address: 701 Front Street Phone: 804/622-0440
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along north side of building at rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | | Latitude (decimal): 36.854444
Total Berthing Space (feet): 638 | | Longitude (decimal): -76.30472

Waterway: **Elizabeth River** Mile: PWD: 37
Name: **Jonathan Corp., Front Street Yard Inner Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.3 mile west of entrance to Smith Creek, east of foot of Col Datum: MLLW
Operator: Jonathan Corp.
Owner: Jonathan Corp.
Address: 701 Front Street Phone: 804/622-0440
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along north side of building at rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | | Latitude (decimal): 36.854444
Total Berthing Space (feet): 638 | | Longitude (decimal): -76.30472

Remarks: Outer Wharf, Ref. No. 38, forms a slip 75 to 150 feet wide with the east portion of the wharf. Masonry buildings used as shops and storage buildings, and a 5-acre repair yard are located at rear. Two-inch steam air lines serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Outer Wharf, Ref. No. 38, forms a slip 75 to 150 feet wide with the east portion of the wharf. Masonry buildings used as shops and storage buildings, and a 5-acre repair yard are located at rear. Two-inch steam air lines serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 37

Name: **Jonathan Corp., Front Street Yard Inner Wharf.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, approximately 0.3 mile west of entrance to Smith Creek, east of foot of Col Datum: MLLW

Operator: Jonathan Corp.

Owner: Jonathan Corp.

Address: 701 Front Street Phone: 804/622-0440

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track along north side of building at rear; connects with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair.

Depth Alongside (feet): 30 | | Latitude (decimal): 36.854444

Total Berthing Space (feet): 638 | | Longitude (decimal): -76.30472

Waterway: **Elizabeth River** Mile: PWD: 37

Name: **Jonathan Corp., Front Street Yard Inner Wharf.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, approximately 0.3 mile west of entrance to Smith Creek, east of foot of Col Datum: MLLW

Operator: Jonathan Corp.

Owner: Jonathan Corp.

Address: 701 Front Street Phone: 804/622-0440

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track along north side of building at rear; connects with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair.

Depth Alongside (feet): 30 | | Latitude (decimal): 36.854444

Total Berthing Space (feet): 638 | | Longitude (decimal): -76.30472

Remarks: Outer Wharf, Ref. No. 38, forms a slip 75 to 150 feet wide with the east portion of the wharf. Masonry buildings used as shops and storage buildings, and a 5-acre repair yard are located at rear. Two-inch steam air lines serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Outer Wharf, Ref. No. 38, forms a slip 75 to 150 feet wide with the east portion of the wharf. Masonry buildings used as shops and storage buildings, and a 5-acre repair yard are located at rear. Two-inch steam air lines serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 38

Name: **Jonathan Corp., Front Street Yard Outer Wharf.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, approximately 0.2 mile west of entrance to Smith Creek, foot of Third Stree Datum: MLLW

Operator: Jonathan Corp.

Owner: Jonathan Corp.

Address: 701 Front Street Phone: 804/622-0440

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track along north side of building at rear; connects with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair.

Depth Alongside (feet): 30 | 30 | 30 Latitude (decimal): 36.853889

Total Berthing Space (feet): 600 | - | 185 Longitude (decimal): -76.30417

Waterway: **Elizabeth River** Mile: PWD: 38

Name: **Jonathan Corp., Front Street Yard Outer Wharf.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, approximately 0.2 mile west of entrance to Smith Creek, foot of Third Stree Datum: MLLW

Operator: Jonathan Corp.

Owner: Jonathan Corp.

Address: 701 Front Street Phone: 804/622-0440

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track along north side of building at rear; connects with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair.

Depth Alongside (feet): 30 | 30 | 30 Latitude (decimal): 36.853889

Total Berthing Space (feet): 600 | - | 185 Longitude (decimal): -76.30417

Remarks: Rear of face is not used for mooring. East portion of Inner Wharf, shop and storage buildings, and repair yard, described under Ref. No. 37, are located at rear. Two-inch steam and compressed air lines serve wh

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Rear of face is not used for mooring. East portion of Inner Wharf, shop and storage buildings, and repair yard, described under Ref. No. 37, are located at rear. Two-inch steam and compressed air lines serve wh

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 38
Name: **Jonathan Corp., Front Street Yard Outer Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.2 mile west of entrance to Smith Creek, foot of Third Stree Datum: MLLW
Operator: Jonathan Corp.
Owner: Jonathan Corp.
Address: 701 Front Street Phone: 804/622-0440
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along north side of building at rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | 30 | 30 Latitude (decimal): 36.853889
Total Berthing Space (feet): 600 | - | 185 Longitude (decimal): -76.30417

Waterway: **Elizabeth River** Mile: PWD: 38
Name: **Jonathan Corp., Front Street Yard Outer Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.2 mile west of entrance to Smith Creek, foot of Third Stree Datum: MLLW
Operator: Jonathan Corp.
Owner: Jonathan Corp.
Address: 701 Front Street Phone: 804/622-0440
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along north side of building at rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | 30 | 30 Latitude (decimal): 36.853889
Total Berthing Space (feet): 600 | - | 185 Longitude (decimal): -76.30417
Remarks: Rear of face is not used for mooring. East portion of Inner Wharf, shop and storage buildings, and repair yard, described under Ref. No. 37, are located at rear. Two-inch steam and compressed air lines serve wh

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Rear of face is not used for mooring. East portion of Inner Wharf, shop and storage buildings, and repair yard, described under Ref. No. 37, are located at rear. Two-inch steam and compressed air lines serve wh

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 22

Name: **Lambert's Point Docks, Lamberts Point Division, Pier L.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, approximately 0.5 mile north of Midtown Tunnel, Norfolk. Datum: MLLW

Operator: Norfolk Oil Transit, Inc.

Owner: Norfolk Southern Corp.

Address: Foot of Orapax Avenue Phone: 804/622-2687

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks serving carloading racks in rear, and 3 platform-level tracks serving warehouses, join additional terminal trackage; connect with Norfolk Southern Railway Co.

Purpose: Receipt of glyoxal: Receipt and shipment of animal and vegetable oils and of latex.

Depth Alongside (feet): - | 32 | Latitude (decimal): 36.865278

Total Berthing Space (feet): - | 756 | Longitude (decimal): -76.31722

Remarks: South side of pier is fronted by a concrete pile, concrete-decked apron and is operated by the United States Navy. A steel sheet pile bulkhead with solid fill at the head of the adjacent slip has a 10-foot water 6- and three 4-inch vegetable and animal oil and glyoxal pipelines extend from pier to 12 steel storage tanks in rear, total capacity 2,601,000 gallons, and one 6-inch latex pipeline extends to 4 steel storage tanks,604,000 gallons. Vegetable oils include peanut, soybean, palm and coconut oils. Animal oils include fish oil and tallow. Three public storage buildings, Warehouses D, E and F (S.W. Ref. No. 7) are l

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Elizabeth River** Mile: PWD: 21

Name: **Lambert's Point Docks, Lamberts Point Division, Pier N.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, approximately 0.6 mile north of Midtown Tunnel, Norfolk. Datum: MLLW

Operator: Lambert's Point Docks, Inc. and Norfolk Oil Transit, Inc.

Owner: Norfolk Southern Corp.

Address: Foot of Orapax Avenue Phone: 804/446-1222

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks each on north and south aprons, total length 4,300 feet, and 2 carfloor-level tracks inside transit shed, total length 2,020 feet connect with Norfolk Southern Railway Co.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; occasional receipt of animal and vegetable oils.

Depth Alongside (feet): 24 | 32 | 32 Latitude (decimal): 36.865833

Total Berthing Space (feet): 390 | 1,100 | 1,100 Longitude (decimal): -76.31972

Remarks: A 0.5-acre, open, paved storage area and 3 public storage buildings, Warehouses K, H, and J (S.W. Ref. No. 6), are located at rear; covered driveways connect Warehouses H and J with shore end of transit shed. Tr interior of transit shed and to wharf aprons. Two vertical lift bridges cross depressed tracks inside transit shed.□Norfolk Oil Transit, Inc.: One 6-inch pipeline extends from inner portion ofsouth side to vegetable and animal oil storage tanks at rear, described under Pier L (Ref. No. 22.)

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 23

Name: **Lambert's Point Docks, Lambert's Point Division, Pier P.**

Port: Hampton Roads

Location: Right bank, Elizabeth River, approximately 0.3 mile north of Midtown Tunnel, Norfolk. Datum: MLLW

Operator: Lambert's Point Docks, Inc.

Owner: Norfolk Southern Corp.

Address: Foot of Orapax Avenue Phone: 804/446-1222

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks each on north and south aprons, total length 4,110 feet, and 2 carfloor-level tracks inside transit shed, total length 2,000 feet; connect with Norfolk Southern Railway Co.

Purpose: Receipt and shipment of conventional and containerized general cargo and roll-on, roll-off cargo in foreign and domestic trades.

Depth Alongside (feet): 32 | 32 | 32 Latitude (decimal): 36.8625

Total Berthing Space (feet): 398 | 1,196 | 1,196 Longitude (decimal): -76.31556

Remarks: Roll-on, Roll-off vessels unload by stern ramps to bulkheads at inner end of each side, and tugs moor along an additional 100 feet of bulkhead on north side. Covered driveways connect Warehouses Q and R (S.W. Re shore end of transit shed; trucks have access to interior of transit shed, to wharf apron, and to a 20-truck-capacity loading platform at inner end. Three vertical lift bridges cross depressed tracks inside transit sWarehouse (S.W. Ref. Nos. 8), a 7.5-acre open storage area for 3,000 stackedcontainers (TEU's), and one 2-chamber fumigation plant, total capacity 24,000 cubic feet, are located in rear of bulkhead onnorth of bulkhead, is formed by remains of timber bulkheads with solid fill and provides 3.5 acres of open storage area for 600 stacked containers or roll-on, roll-off cargo.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Elizabeth River** Mile: PWD: 24

Name: **Lambert's Point Docks, Lambert's Point Division, Railroad Carfloat**

Port: Hampton Roads

Location: Right bank, Elizabeth River, approximately 0.2 mile north of Midtown Tunnel, Norfolk. Datum: MLLW

Operator: Lambert's Point Docks, Inc.

Owner: Norfolk Southern Corp.

Address: Foot of Orapax Avenue Phone: 804/446-1222

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on transfer bridge join with terminal tracks and storage yard at rear; connect with Norfolk Southern Railway Co.

Purpose: Transient mooring of barges and tugboats.

Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 36.863333

Total Berthing Space (feet): 300 | 300 | 300 Longitude (decimal): -76.31278

Remarks: At time of survey, adjustable bridge was inoperative.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 25
Name: **Metro Machine Corp., Mid-Atlantic Steel & Boat Works Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north of Midtown Tunnel, Norfolk. Datum: MLLW
Operator: Mid-Atlantic Steel & Boat Works, Inc., Division of Metro Machine Corp.
Owner: H. L. Swanner and W. D. Kelly.
Address: 1118 Warrington Avenue Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Norfolk Southern Railway Co. spur tracks cross property at rear.
Purpose: Handling marine equipment and machinery for repair; mooring small vessels.
Depth Alongside (feet): 7 | | Latitude (decimal): 36.862778
Total Berthing Space (feet): 130 | | Longitude (decimal): -76.30944
Remarks: Area at rear between bulkhead and railroad tracks is used for storage. Building at rear is used as a steel fabrication shop. Equipment and machinery are transferred by barge to Metro Machine Corp., Berkley Faci

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Elizabeth River** Mile: PWD: 41
Name: **Moon Engineering Co., Norfolk Pier.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 500 feet west of entrance to Smith Creek, 200 feet east of fo Datum: MLLW
Operator: Moon Engineering Co., Inc.
Owner: Front Street Corp.
Address: 545 Front Street Phone: 804/393-3000
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for storage.
Depth Alongside (feet): 23 | 16 - 23 | 10 - 20 Latitude (decimal): 36.8525
Total Berthing Space (feet): 190 | 348 | 430 Longitude (decimal): -76.30083
Remarks: Pier has the 115-foot-wide National Oceanic and Atmospheric Administration slip (Ref. No. 40) to the west, and a 100-foot-wide slip to the east. A steel frame, metal-covered building used for storage and a 3/4-a are located on pier. Operator has a repair yard (Ref. No. 176) on the opposite bank.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 176

Name: **Moon Engineering Co., Portsmouth Yard Pier No. 2.**

Port: Hampton Roads

Location: Left bank, Elizabeth River, west of mouth of Scott Creek, Portsmouth. Datum: MLLW

Operator: Moon Engineering Co., Inc.

Owner: Moon Engineering Co., Inc.

Address: 2 Harper Avenue Phone: 804/393-3000

Town: Portsmouth State: VA County: Portsmouth

Railway Connection: None.

Purpose: Mooring vessels for repair, tank cleaning, and gas freeing; mooring company-owned floating equipment.

Depth Alongside (feet):	35	35	25 - 31	Latitude (decimal):	36.853889
Total Berthing Space (feet):	-	800	800	Longitude (decimal):	-76.31083

Remarks: Pier was located between ruins of timber piling and of solid-filled pier, forming approximately 100- and 290-foot wide slips to the east and west, respectively. Two 115-foot timber bulkheads with solid fill were the inner ends of the west slip and of a dredged slip to the west of the pier ruins, providing 11- to 13- and 8-foot water depths, respectively. Company-owned equipment is moored at bulkheads and on west side of apprPier is equipped with 6-inch steam line. Steel frame, metal-covered buildings located at rear are used as marine repair plant. Operator stores vessels at Norfolk Pier (Ref. No. 41), on the opposite bsolid-filled pier were removed and an 800- by 55-foot pier was constructed in its place.*

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Elizabeth River** Mile: PWD: 42

Name: **National Oceanic and Atmospheric Administra- tion, Atlantic Marin**

Port: Hampton Roads

Location: Right bank, Elizabeth River, east side of entrance to Smith Creek, adjacent to south side of Brambleton Datum: MLLW

Operator: National Oceanic and Atmospheric Administration, Corps Operations, Department of Comm

Owner: United States Government.

Address: 439 West York Street Phone: 804/441-6776

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring government-owned oceanographic survey vessels and other types of floating equipment.

Depth Alongside (feet):	20	20	20	Latitude (decimal):	36.853333
Total Berthing Space (feet):	312	251	243	Longitude (decimal):	-76.29889

Remarks: Administrative offices and survey and navigation chart preparation facilities located in building at rear. On the west side of the entrance to Smith Creek, adjacent to the south side of the Brambleton Avenue Bri sections of concrete-capped, steel sheet pile bulkhead with solid fill, 8 feet high and with a 5-foot depth, are occasionally used for mooring small government-owned vessels and floating equipment. The mooring, adjacAtlantic Marine Center's maintenance yard at 538 Front Street, is also used for lifting vessels out of the water for repair.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 40
Name: **National Oceanic and Atmospheric Administra- tion,Atlantic Marine**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 700 feet west of entrance to Smith Creek, east of foot of 2d Datum: MLLW
Operator: National Oceanic and Atmospheric Administration, Corps Operations, Department of Comm
Owner: United States Government.
Address: 561 Front Street Phone: 804/441-6776
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Occasional mooring of small government-owned vessels.
Depth Alongside (feet): 7 - 8 | 4 - 7 | Latitude (decimal): 36.853889
Total Berthing Space (feet): 50 | - | Longitude (decimal): -76.30222
Remarks: Slip is 115 feet wide with Moon Engineering Co., Inc., Norfolk Pier (Ref. No. 41) on east side. Vessels are repaired and stored at rear and in yard on opposite side of Front Street. (See Remarks under Ref. No.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10389 Norfolk District

---

Waterway: **Elizabeth River** Mile: PWD: 20
Name: **Norfolk Southern Railway Co., Lamberts Point Pier No. 5.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.1 mile north of Lamberts Point, at foot of 38th Street exte Datum: MLLW
Operator: Norfolk Southern Railway Co. (See Remarks.)
Owner: Norfolk Southern Corp.
Address: 2200 Redgate Avenue Phone: 804/446-5343
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels; occasional mooring of vessels for maintenance and minor repairs.
Depth Alongside (feet): 36 | - | 36 Latitude (decimal): 36.878056
Total Berthing Space (feet): - | - | 1,000 Longitude (decimal): -76.33056
Remarks: Pier is leased occasionally to companies doing maintenance work on vessels. Row of 3 timber breasting dolphins along bank, approximately 350 feet south of pier, provides 120 feet of mooring for company-owned, el floating crane.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 19
Name: **Norfolk Southern Railway Co., Lamberts Point, Coal Pier No. 6.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 0.2 mile north of Lamberts Point, at foot of 38th Street exte Datum: MLLW
Operator: Norfolk Southern Railway Co.
Owner: Norfolk Southern Corp.
Address: 2200 Redgate Avenue Phone: 804/446-5343
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Norfolk Southern Railway Co.: Trackage serving 2 tandem, rotary, car dumpers in rear; connects with 7,000-car-capacity Lamberts Point classification and storage yard.
Purpose: North side: shipment of coal; south side: mooring vessels.

Depth Alongside (feet):	45	50	45 - 33	Latitude (decimal): 36.879722
Total Berthing Space (feet):	-	1,850	1,850	Longitude (decimal): -76.33222

Remarks: Surge silos have capacity for 5,000 tons each. Ancillary rail facilities include thawing sheds, scales, car repair shops, turntables, and extensive classification and storage yards.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Elizabeth River** Mile: PWD: 26
Name: **Pilot Marine Corp. Piers.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, approximately 700 feet south of Midtown Tunnel, Norfolk. Datum: MLLW
Operator: Pilot Marine Corp.
Owner: International Oceanic Enterprises, Inc.
Address: 904 Southampton Avenue Phone: 804/623-4148
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring small vessels for repair.

Depth Alongside (feet):	0 - 10	0 - 10	2 - 6	Latitude (decimal): 36.86
Total Berthing Space (feet):	60	60	60	Longitude (decimal): -76.30778

Remarks: South runway is located adjacent to the remains of a pier. Small open repair yard is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 178

Name: **Portsmouth Marine Terminal Wharf.**

Port: Hampton Roads

Location: Left bank, Elizabeth River, approximately 0.6 mile west of Mid-Town Tunnel, on north side of Pinner Poin Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 2000 Seaboard Avenue Phone: 804/683-8000

Town: Portsmouth State: VA County: Portsmouth

Railway Connection: Two surface tracks on apron, total length 2,200 feet, and door-level tracks at container freight station and warehouse at rear; connect with Norfolk and Portsmouth Belt-Line Railroad and CSX Rail Transport.Tran

Purpose: Receipt and shipment of conventional, containerized, and roll-on, roll-off general cargo in foreign and domestic trades; receipt of automobiles; and shipment of tobacco and heavy-lift items.

Depth Alongside (feet): 40 | | Latitude (decimal): 36.857778

Total Berthing Space (feet): 3,535 | | Longitude (decimal): -76.32583

Remarks: +++ described under Ref. No. 177. One diesel-electric, traveling, full-portal gantry crane, (capacity 110 tons at 35- and 45 tons at 90-foot radius, with 11 1/2 and 66 1/2-foot outboard reach, respectively). Tw container top-lift trucks, 11 diesel yard hustlers, and one 22 1/2-ton, diesel-, and twenty 3-ton, electric and LP-gas forklift trucks serve terminal.++++++ Wharf is contiguous with, and at angle to, adjacentSea-Land's Portsmouth Terminal Wharf, Ref. No. 177. Approximately 187 acres of paved, open storage area in rear has capacity for 2,000 stacked containers (TEU's) and 3,300 containers on chassis, inclurefrigerated containers. An additional 12 acres of open storage area for automobiles, two 4,440-cubic foot fumigation chambers in a public storage warehouse, Building 200 (S.W. Ref. No. 17), a TOFCand imported automobile servicing facility are available.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Elizabeth River** Mile: PWD: 173

Name: **Russell's Crab House Wharf.**

Port: Hampton Roads

Location: Right bank of Scott Creek, approximately 0.4 mile above mouth, on south side of cove at end of dredged c Datum: MLLW

Operator: Russell's Crab House.

Owner: E. T. Russell.

Address: Foot of North Elm Avenue Phone: 804/393-9551

Town: Portsmouth State: VA County: Portsmouth

Railway Connection: None.

Purpose: Receipt of seafood.

Depth Alongside (feet): 0 - 2 | | Latitude (decimal): 36.846111

Total Berthing Space (feet): 100 | | Longitude (decimal): -76.31333

Remarks: Crab and fish processing plant is located at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 27
Name: **Sandy Point Launch Service, Norfolk Wharf.**
Port: Hampton Roads
Location: Right bank, Elizabeth River, north of peninsula, 800 feet south of Midtown Tunnel, at foot of Southampto Datum: MLLW
Operator: Sandy Point Launch Service, Inc.
Owner: International Oceanic Enterprises, Inc.
Address: 900 Southampton Avenue Phone: 804/623-2028
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring ship service launches; handling miscellaneous marine supplies; fueling company-owned vessels.
Depth Alongside (feet): 11 - 12 | 3 - 12 | 8 - 9 Latitude (decimal): 36.859167
Total Berthing Space (feet): 120 | 96 | 96 Longitude (decimal): -76.30806
Remarks: One 2,000-gallon diesel fuel tank is located at rear. Launch 'Big Stone Gap' is based at wharf. Other company launches operate from Bubba's Marina, 3323 Shore Drive, Virginia Beach.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Elizabeth River** Mile: PWD: 177
Name: **Sea-Land Service, Inc.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 0.2 mile west of Mid-Town Tunnel, on north side of Pinner Poin Datum: MLLW
Operator: Sea-Land Service, Inc.
Owner: Virginia Port Authority.
Address: 1800 Seaboard Avenue Phone: 804/393-4071
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: One surface track in rear; connects with Norfolk and Portsmouth Belt-Line Railroad and CSX Rail Transport.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 38 | | Latitude (decimal): 36.858056
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -76.31833
Remarks: Wharf is contiguous with, and at angle to, adjacent Portsmouth Marine's Terminal Wharf, Ref. No. 178. The 40-long ton crane, owned by Virginia Port Authority, is articulated and serves both wharves. Paved open rear has capacity for 1,300 containers on chassis, including 152 positions for refrigerated cargo containers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 188
Name: **U.S. Coast Guard, Portsmouth Support Center, North Pier.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,000 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 19 - 21 | 16 - 19 | 13 - 19 Latitude (decimal): 36.881944
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056

Waterway: **Elizabeth River** Mile: PWD: 188
Name: **U.S. Coast Guard, Portsmouth Support Center, North Pier.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,000 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 19 - 21 | 16 - 19 | 13 - 19 Latitude (decimal): 36.881944
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056

Waterway: **Elizabeth River** Mile: PWD: 188
Name: **U.S. Coast Guard, Portsmouth Support Center, North Pier.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,000 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 19 - 21 | 16 - 19 | 13 - 19 Latitude (decimal): 36.881944
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056
Remarks: Two parallel, 61- by 3-foot, concrete-pile, concrete-decked piers extending from bulkhead on north side serve as runways for mobile vertical boat lift. Inner portion of pier forms slip 110 to 170 feet wide with side of Wharf, Ref. No. 189. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Two parallel, 61- by 3-foot, concrete-pile, concrete-decked piers extending from bulkhead on north side serve as runways for mobile vertical boat lift. Inner portion of pier forms slip 110 to 170 feet wide with side of Wharf, Ref. No. 189. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Two parallel, 61- by 3-foot, concrete-pile, concrete-decked piers extending from bulkhead on north side serve as runways for mobile vertical boat lift. Inner portion of pier forms slip 110 to 170 feet wide with side of Wharf, Ref. No. 189. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 188
Name: **U.S. Coast Guard, Portsmouth Support Center, North Pier.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,000 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 19 - 21 | 16 - 19 | 13 - 19 Latitude (decimal): 36.881944
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056

Waterway: **Elizabeth River** Mile: PWD: 188
Name: **U.S. Coast Guard, Portsmouth Support Center, North Pier.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,000 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 19 - 21 | 16 - 19 | 13 - 19 Latitude (decimal): 36.881944
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056

Waterway: **Elizabeth River** Mile: PWD: 188
Name: **U.S. Coast Guard, Portsmouth Support Center, North Pier.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,000 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 19 - 21 | 16 - 19 | 13 - 19 Latitude (decimal): 36.881944
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056
Remarks: Two parallel, 61- by 3-foot, concrete-pile, concrete-decked piers extending from bulkhead on north side serve as runways for mobile vertical boat lift. Inner portion of pier forms slip 110 to 170 feet wide with side of Wharf, Ref. No. 189. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Two parallel, 61- by 3-foot, concrete-pile, concrete-decked piers extending from bulkhead on north side serve as runways for mobile vertical boat lift. Inner portion of pier forms slip 110 to 170 feet wide with side of Wharf, Ref. No. 189. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Two parallel, 61- by 3-foot, concrete-pile, concrete-decked piers extending from bulkhead on north side serve as runways for mobile vertical boat lift. Inner portion of pier forms slip 110 to 170 feet wide with side of Wharf, Ref. No. 189. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 188
Name: **U.S. Coast Guard, Portsmouth Support Center, North Pier.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,000 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 19 - 21 | 16 - 19 | 13 - 19 Latitude (decimal): 36.881944
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056

Waterway: **Elizabeth River** Mile: PWD: 188
Name: **U.S. Coast Guard, Portsmouth Support Center, North Pier.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,000 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 19 - 21 | 16 - 19 | 13 - 19 Latitude (decimal): 36.881944
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056

Waterway: **Elizabeth River** Mile: PWD: 188
Name: **U.S. Coast Guard, Portsmouth Support Center, North Pier.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,000 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 19 - 21 | 16 - 19 | 13 - 19 Latitude (decimal): 36.881944
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056
Remarks: Two parallel, 61- by 3-foot, concrete-pile, concrete-decked piers extending from bulkhead on north side serve as runways for mobile vertical boat lift. Inner portion of pier forms slip 110 to 170 feet wide with side of Wharf, Ref. No. 189. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Two parallel, 61- by 3-foot, concrete-pile, concrete-decked piers extending from bulkhead on north side serve as runways for mobile vertical boat lift. Inner portion of pier forms slip 110 to 170 feet wide with side of Wharf, Ref. No. 189. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Two parallel, 61- by 3-foot, concrete-pile, concrete-decked piers extending from bulkhead on north side serve as runways for mobile vertical boat lift. Inner portion of pier forms slip 110 to 170 feet wide with side of Wharf, Ref. No. 189. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 187
Name: **U.S. Coast Guard, Portsmouth Support Center, South Pier**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,250 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 20 - 24 | 0 - 24 | 20 - 23 Latitude (decimal): 36.881389
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056

Waterway: **Elizabeth River** Mile: PWD: 187
Name: **U.S. Coast Guard, Portsmouth Support Center, South Pier**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,250 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 20 - 24 | 0 - 24 | 20 - 23 Latitude (decimal): 36.881389
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056

Waterway: **Elizabeth River** Mile: PWD: 187
Name: **U.S. Coast Guard, Portsmouth Support Center, South Pier**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,250 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 20 - 24 | 0 - 24 | 20 - 23 Latitude (decimal): 36.881389
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056
Remarks: Additional berthing is available along 200 feet of bulkhead north of pier, providing 15 feet of water depth at inner end of slip formed with the North Pier, Ref. No. 188. A 100-foot bulkhead at inner end of sout shoaled for use. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Additional berthing is available along 200 feet of bulkhead north of pier, providing 15 feet of water depth at inner end of slip formed with the North Pier, Ref. No. 188. A 100-foot bulkhead at inner end of sout shoaled for use. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing is available along 200 feet of bulkhead north of pier, providing 15 feet of water depth at inner end of slip formed with the North Pier, Ref. No. 188. A 100-foot bulkhead at inner end of sout shoaled for use. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 187
Name: **U.S. Coast Guard, Portsmouth Support Center, South Pier**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,250 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 20 - 24 | 0 - 24 | 20 - 23 Latitude (decimal): 36.881389
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056

Waterway: **Elizabeth River** Mile: PWD: 187
Name: **U.S. Coast Guard, Portsmouth Support Center, South Pier**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,250 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 20 - 24 | 0 - 24 | 20 - 23 Latitude (decimal): 36.881389
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056

Waterway: **Elizabeth River** Mile: PWD: 187
Name: **U.S. Coast Guard, Portsmouth Support Center, South Pier**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,250 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 20 - 24 | 0 - 24 | 20 - 23 Latitude (decimal): 36.881389
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056
Remarks: Additional berthing is available along 200 feet of bulkhead north of pier, providing 15 feet of water depth at inner end of slip formed with the North Pier, Ref. No. 188. A 100-foot bulkhead at inner end of sout shoaled for use. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Additional berthing is available along 200 feet of bulkhead north of pier, providing 15 feet of water depth at inner end of slip formed with the North Pier, Ref. No. 188. A 100-foot bulkhead at inner end of sout shoaled for use. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing is available along 200 feet of bulkhead north of pier, providing 15 feet of water depth at inner end of slip formed with the North Pier, Ref. No. 188. A 100-foot bulkhead at inner end of sout shoaled for use. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 187
Name: **U.S. Coast Guard, Portsmouth Support Center, South Pier**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,250 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 20 - 24 | 0 - 24 | 20 - 23 Latitude (decimal): 36.881389
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056

Waterway: **Elizabeth River** Mile: PWD: 187
Name: **U.S. Coast Guard, Portsmouth Support Center, South Pier**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,250 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 20 - 24 | 0 - 24 | 20 - 23 Latitude (decimal): 36.881389
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056

Waterway: **Elizabeth River** Mile: PWD: 187
Name: **U.S. Coast Guard, Portsmouth Support Center, South Pier**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1,250 feet south of entrance to Craney Island Creek, Portsmout Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 20 - 24 | 0 - 24 | 20 - 23 Latitude (decimal): 36.881389
Total Berthing Space (feet): 40 | 600 | 600 Longitude (decimal): -76.35056
Remarks: Additional berthing is available along 200 feet of bulkhead north of pier, providing 15 feet of water depth at inner end of slip formed with the North Pier, Ref. No. 188. A 100-foot bulkhead at inner end of sout shoaled for use. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Additional berthing is available along 200 feet of bulkhead north of pier, providing 15 feet of water depth at inner end of slip formed with the North Pier, Ref. No. 188. A 100-foot bulkhead at inner end of sout shoaled for use. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing is available along 200 feet of bulkhead north of pier, providing 15 feet of water depth at inner end of slip formed with the North Pier, Ref. No. 188. A 100-foot bulkhead at inner end of sout shoaled for use. One 8-inch sewage main with vessel connections and one 3-inch compressed air line serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 189
Name: **U.S. Coast Guard, Portsmouth Support Center, Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, at entrance to Craney Island Creek, Portsmouth. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 14 - 20 | 18 - 20 | 5 - 8 Latitude (decimal): 36.883333
Total Berthing Space (feet): 880 | 200 | 50 Longitude (decimal): -76.35194

Waterway: **Elizabeth River** Mile: PWD: 189
Name: **U.S. Coast Guard, Portsmouth Support Center, Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, at entrance to Craney Island Creek, Portsmouth. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 14 - 20 | 18 - 20 | 5 - 8 Latitude (decimal): 36.883333
Total Berthing Space (feet): 880 | 200 | 50 Longitude (decimal): -76.35194

Waterway: **Elizabeth River** Mile: PWD: 189
Name: **U.S. Coast Guard, Portsmouth Support Center, Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, at entrance to Craney Island Creek, Portsmouth. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 14 - 20 | 18 - 20 | 5 - 8 Latitude (decimal): 36.883333
Total Berthing Space (feet): 880 | 200 | 50 Longitude (decimal): -76.35194

Waterway: **Elizabeth River** Mile: PWD: 189
Name: **U.S. Coast Guard, Portsmouth Support Center, Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, at entrance to Craney Island Creek, Portsmouth. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 14 - 20 | 18 - 20 | 5 - 8 Latitude (decimal): 36.883333
Total Berthing Space (feet): 880 | 200 | 50 Longitude (decimal): -76.35194
Remarks: Inner 66 feet of south side is covered by a 37-foot wide, metal-covered boat house. Wave screens and adjacent plastic floats extending from north side form a 40- by 22-foot fueling slip, with 2 metered pumps ser extending from 2 steel underground storage tanks, total capacity 5,500 gallons. Slips between other floats are 25 to 30 feet wide. Apron provides 10 acres of open storage area. One 8-inch sewage main with vessel con3-inch compressed air line serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Inner 66 feet of south side is covered by a 37-foot wide, metal-covered boat house. Wave screens and adjacent plastic floats extending from north side form a 40- by 22-foot fueling slip, with 2 metered pumps ser extending from 2 steel underground storage tanks, total capacity 5,500 gallons. Slips between other floats are 25 to 30 feet wide. Apron provides 10 acres of open storage area. One 8-inch sewage main with vessel con3-inch compressed air line serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Inner 66 feet of south side is covered by a 37-foot wide, metal-covered boat house. Wave screens and adjacent plastic floats extending from north side form a 40- by 22-foot fueling slip, with 2 metered pumps ser extending from 2 steel underground storage tanks, total capacity 5,500 gallons. Slips between other floats are 25 to 30 feet wide. Apron provides 10 acres of open storage area. One 8-inch sewage main with vessel con3-inch compressed air line serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 189
Name: **U.S. Coast Guard, Portsmouth Support Center, Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, at entrance to Craney Island Creek, Portsmouth. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 14 - 20 | 18 - 20 | 5 - 8 Latitude (decimal): 36.883333
Total Berthing Space (feet): 880 | 200 | 50 Longitude (decimal): -76.35194

Waterway: **Elizabeth River** Mile: PWD: 189
Name: **U.S. Coast Guard, Portsmouth Support Center, Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, at entrance to Craney Island Creek, Portsmouth. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 14 - 20 | 18 - 20 | 5 - 8 Latitude (decimal): 36.883333
Total Berthing Space (feet): 880 | 200 | 50 Longitude (decimal): -76.35194

Waterway: **Elizabeth River** Mile: PWD: 189
Name: **U.S. Coast Guard, Portsmouth Support Center, Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, at entrance to Craney Island Creek, Portsmouth. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 14 - 20 | 18 - 20 | 5 - 8 Latitude (decimal): 36.883333
Total Berthing Space (feet): 880 | 200 | 50 Longitude (decimal): -76.35194

Waterway: **Elizabeth River** Mile: PWD: 189
Name: **U.S. Coast Guard, Portsmouth Support Center, Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, at entrance to Craney Island Creek, Portsmouth. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 14 - 20 | 18 - 20 | 5 - 8 Latitude (decimal): 36.883333
Total Berthing Space (feet): 880 | 200 | 50 Longitude (decimal): -76.35194
Remarks: Inner 66 feet of south side is covered by a 37-foot wide, metal-covered boat house. Wave screens and adjacent plastic floats extending from north side form a 40- by 22-foot fueling slip, with 2 metered pumps ser extending from 2 steel underground storage tanks, total capacity 5,500 gallons. Slips between other floats are 25 to 30 feet wide. Apron provides 10 acres of open storage area. One 8-inch sewage main with vessel con3-inch compressed air line serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Inner 66 feet of south side is covered by a 37-foot wide, metal-covered boat house. Wave screens and adjacent plastic floats extending from north side form a 40- by 22-foot fueling slip, with 2 metered pumps ser extending from 2 steel underground storage tanks, total capacity 5,500 gallons. Slips between other floats are 25 to 30 feet wide. Apron provides 10 acres of open storage area. One 8-inch sewage main with vessel con3-inch compressed air line serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Inner 66 feet of south side is covered by a 37-foot wide, metal-covered boat house. Wave screens and adjacent plastic floats extending from north side form a 40- by 22-foot fueling slip, with 2 metered pumps ser extending from 2 steel underground storage tanks, total capacity 5,500 gallons. Slips between other floats are 25 to 30 feet wide. Apron provides 10 acres of open storage area. One 8-inch sewage main with vessel con3-inch compressed air line serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 189
Name: **U.S. Coast Guard, Portsmouth Support Center, Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, at entrance to Craney Island Creek, Portsmouth. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 14 - 20 | 18 - 20 | 5 - 8 Latitude (decimal): 36.883333
Total Berthing Space (feet): 880 | 200 | 50 Longitude (decimal): -76.35194

Waterway: **Elizabeth River** Mile: PWD: 189
Name: **U.S. Coast Guard, Portsmouth Support Center, Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, at entrance to Craney Island Creek, Portsmouth. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 14 - 20 | 18 - 20 | 5 - 8 Latitude (decimal): 36.883333
Total Berthing Space (feet): 880 | 200 | 50 Longitude (decimal): -76.35194

Waterway: **Elizabeth River** Mile: PWD: 189
Name: **U.S. Coast Guard, Portsmouth Support Center, Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, at entrance to Craney Island Creek, Portsmouth. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 14 - 20 | 18 - 20 | 5 - 8 Latitude (decimal): 36.883333
Total Berthing Space (feet): 880 | 200 | 50 Longitude (decimal): -76.35194

Waterway: **Elizabeth River** Mile: PWD: 189
Name: **U.S. Coast Guard, Portsmouth Support Center, Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, at entrance to Craney Island Creek, Portsmouth. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4000 Coast Guard Boulevard Phone: 804/483-8500
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring Coast Guard vessels; handling buoys.
Depth Alongside (feet): 14 - 20 | 18 - 20 | 5 - 8 Latitude (decimal): 36.883333
Total Berthing Space (feet): 880 | 200 | 50 Longitude (decimal): -76.35194
Remarks: Inner 66 feet of south side is covered by a 37-foot wide, metal-covered boat house. Wave screens and adjacent plastic floats extending from north side form a 40- by 22-foot fueling slip, with 2 metered pumps ser extending from 2 steel underground storage tanks, total capacity 5,500 gallons. Slips between other floats are 25 to 30 feet wide. Apron provides 10 acres of open storage area. One 8-inch sewage main with vessel con3-inch compressed air line serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Inner 66 feet of south side is covered by a 37-foot wide, metal-covered boat house. Wave screens and adjacent plastic floats extending from north side form a 40- by 22-foot fueling slip, with 2 metered pumps ser extending from 2 steel underground storage tanks, total capacity 5,500 gallons. Slips between other floats are 25 to 30 feet wide. Apron provides 10 acres of open storage area. One 8-inch sewage main with vessel con3-inch compressed air line serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Inner 66 feet of south side is covered by a 37-foot wide, metal-covered boat house. Wave screens and adjacent plastic floats extending from north side form a 40- by 22-foot fueling slip, with 2 metered pumps ser extending from 2 steel underground storage tanks, total capacity 5,500 gallons. Slips between other floats are 25 to 30 feet wide. Apron provides 10 acres of open storage area. One 8-inch sewage main with vessel con3-inch compressed air line serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Elizabeth River** Mile: PWD: 39

Name: **Virginia Marine Resources Commission, Front Street Slip**

Port: Hampton Roads

Location: Right bank, Elizabeth River, approximately 950 feet west of entrance to Smith Creek, west of foot of 2d Datum: MLLW

Operator: Virginia Marine Resources Commission.

Owner: United States Government.

Address: 561 Front Street Phone: 804/622-7855

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Loading artificial reef structures onto barges; mooring miscellaneous government-owned small vessels.

Depth Alongside (feet): 0 - 3 | 3 - 4 | Latitude (decimal): 36.853611

Total Berthing Space (feet): 100 | 300 | Longitude (decimal): -76.30306

Remarks: West side of slip is formed by remains of timber sheet pile bulkhead extending from east side of Jonathan Corp., Front Street Yard Outer Wharf (Ref. No. 38). Yard at rear is used for the construction of concrete

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 179
Name: **W.F. Magann Corp. Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1.0 mile west of Mid-Town Tunnel, at south side of entrance to Datum: MLLW
Operator: W.F. Magann Corp.
Owner: W.F. Magann Corp.
Address: 101 Chautauqua Avenue Phone: 804/484-2820
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 36.856389
Total Berthing Space (feet): 300 | - | - Longitude (decimal): -76.3325

Waterway: **Elizabeth River** Mile: PWD: 179
Name: **W.F. Magann Corp. Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1.0 mile west of Mid-Town Tunnel, at south side of entrance to Datum: MLLW
Operator: W.F. Magann Corp.
Owner: W.F. Magann Corp.
Address: 101 Chautauqua Avenue Phone: 804/484-2820
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 36.856389
Total Berthing Space (feet): 300 | - | - Longitude (decimal): -76.3325

Remarks: Open storage area at rear has capacity for 200,000 tons of material. Ground-level hopper in storage area is served by a belt conveyor extending to a ready-mix concrete plant at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Remarks: Open storage area at rear has capacity for 200,000 tons of material. Ground-level hopper in storage area is served by a belt conveyor extending to a ready-mix concrete plant at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Port Facilities by Waterway

Waterway: **Elizabeth River** Mile: PWD: 179
Name: **W.F. Magann Corp. Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1.0 mile west of Mid-Town Tunnel, at south side of entrance to Datum: MLLW
Operator: W.F. Magann Corp.
Owner: W.F. Magann Corp.
Address: 101 Chautauqua Avenue Phone: 804/484-2820
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 36.856389
Total Berthing Space (feet): 300 | - | - Longitude (decimal): -76.3325

Waterway: **Elizabeth River** Mile: PWD: 179
Name: **W.F. Magann Corp. Wharf.**
Port: Hampton Roads
Location: Left bank, Elizabeth River, approximately 1.0 mile west of Mid-Town Tunnel, at south side of entrance to Datum: MLLW
Operator: W.F. Magann Corp.
Owner: W.F. Magann Corp.
Address: 101 Chautauqua Avenue Phone: 804/484-2820
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 36.856389
Total Berthing Space (feet): 300 | - | - Longitude (decimal): -76.3325

Remarks: Open storage area at rear has capacity for 200,000 tons of material. Ground-level hopper in storage area is served by a belt conveyor extending to a ready-mix concrete plant at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Remarks: Open storage area at rear has capacity for 200,000 tons of material. Ground-level hopper in storage area is served by a belt conveyor extending to a ready-mix concrete plant at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Creek** Mile: PWD: 15
Name: **City of Hampton Pier.**
Port: Hampton Roads
Location: Right bank, Hampton Creek, above entrance to Salters Creek and approx 1,300 feet below Settlers Landing Datum: MLLW
Operator: L. D. Amory & Co., Inc.
Owner: L. D. Amory & Co., Inc. and City of Hampton.
Address: 1 South King Street Phone: 804/722-1915
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Mooring small vessels.
Depth Alongside (feet): 10 - 12 | 4 - 6 | 4 - 6 Latitude (decimal): 37.022778
Total Berthing Space (feet): 103 | 108 | 128 Longitude (decimal): -76.34333
Remarks: Wharf is owned by L. D. Amory & Co., Inc. and pier is owned by City of Hampton. An additional 60 feet of mooring is available at rear of face of wharf. □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

---

Waterway: **Hampton Creek** Mile: PWD: 17
Name: **City of Hampton Visitor Center, Public and Excursion Boat Landings**
Port: Hampton Roads
Location: Right bank, Hampton Creek, approximately 500 feet below Settlers Landing Road (U.S. Highway 60) Bridge, Datum: MLLW
Operator: City of Hampton and Customs House Marina, Ltd.
Owner: City of Hampton.
Address: 710 Settlers Landing Road Phone: 804/727-6347
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Mooring excursion vessel and miscellaneous other vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 37.024167
Total Berthing Space (feet): 85 | 80 | 70 Longitude (decimal): -76.34139
Remarks: Customs House Marina Ltd. operates excursion vessel 'Miss Hampton II' from floats. Vessel transports passengers to City of Hampton, Fort Wool Landing, Ref. No. 19. Row of floats extends an additional 335 feet a bulkhead between upper side of pier and Settlers Landing Road Bridge, providing mooring for recreational craft. A marina is located on the lower side of the pier. Hampton Visitor Center is housed in octagonal buildi

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

---

Port Facilities by Waterway

Waterway: **Hampton Creek** Mile: PWD: 2
Name: **E. T. Lawson & Sons Wharf.**
Port: Hampton Roads
Location: Right bank, entrance to Hampton Creek, approx. 350 feet above mouth of creek and 500 feet below mouth of Datum: MLLW
Operator: E. T. Lawson & Sons, Inc.
Owner: I. E. Lawson, Sr. and I. E. Lawson, Jr.
Address: 4 Ivy Home Road Phone: 804/722-1928
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of petroleum products by barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.016111
Total Berthing Space (feet): 184 | | Longitude (decimal): -76.34083
Remarks: Wharf has one 21- by 5-foot, low-level, timber pile, timber-decked platform on each side, not used for mooring at time of survey. One 3-inch pipeline extends from wharf to 4 steel storage tanks at rear, total ca

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

---

Waterway: **Hampton Creek** Mile: PWD: 10
Name: **Jones Marina Wharf and Moorings.**
Port: Hampton Roads
Location: Right bank, Hampton Creek, approximately 500 feet below entrance to Salters Creek, Hampton. Datum: MLLW
Operator: Jones Marina and Chesapeake Charter Service of Virginia, Ltd.
Owner: Jones Marina Land Trust.
Address: 519 Bridge Street Phone: 804/723-0998
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels; fueling small vessels.
Depth Alongside (feet): 17 | 12 - 17 | 12 - 17 Latitude (decimal): 37.021111
Total Berthing Space (feet): 77 | 40 | ** Longitude (decimal): -76.34389
Remarks: Lower side of wharf is located on property line, precluding its use. A steel drawbridge extending from the face of the wharf provides access to an L-shaped, timber pier with rows of timber breasting piles on 3 s and one 38-foot berths. Four 3-inch pipelines, 3 for fuel and one unused, extend to 3 metered pumps on wharf from 4 steel storage tanks located at rear, total capacity approximately 1,400 barrels. A building used asstore is located on wharf. Landing floats for seafood and three 20-foot, timber finger piers extend from bulkhead above wharf. A 225- by 5-foot, timber pier located at the upper end of the bulkhead hextending from its lower side, forming one 90-foot berth and five 85- by 40-foot slips.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Creek** Mile: PWD: 16
Name: **L. D. Amory & Co., Wharf and Moorings.**
Port: Hampton Roads
Location: Right bank, Hampton Creek, approximately 1,200 feet below Settlers Landing Road (U.S. Highway 60) Bridge Datum: MLLW
Operator: L. D. Amory & Co., Inc.
Owner: L. D. Amory & Co., Inc.
Address: 1 South King Street Phone: 804/722-1915
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of seafood and petroleum products; fueling small vessels; and icing fishing vessels.
Depth Alongside (feet): 9 | 4 - 9 | 12 Latitude (decimal): 37.023333
Total Berthing Space (feet): 265 | 120 | 105 Longitude (decimal): -76.34278
Remarks: An additional 100-foot berthing space in 4-foot water depth is available at the bulkhead adjacent to the northwest side of the pier. One 4-inch pipeline extends from pier to 8 steel storage tanks at rear, total barrels. Two metered pumps are located on pier for fueling small vessels. Seafood-processing and ice-making plants are located in building on wharf. Ice plant can make 100 tons per day, with 300 tons of storage ava

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

---

Waterway: **Hampton Creek** Mile: PWD: 1
Name: **S&S Marine Supply, Inc. Wharf.**
Port: Hampton Roads
Location: Right bank, entrance to Hampton Creek, at mouth of creek, Hampton. Datum: MLLW
Operator: S&S Marine Supply, Inc.
Owner: S&S Marine Supply, Inc.
Address: 14 Ivy Home Road Phone: 804/722-2826
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of seafood; icing fishing vessels.
Depth Alongside (feet): 12 | | 12 Latitude (decimal): 37.015278
Total Berthing Space (feet): 357 | | 55 Longitude (decimal): -76.34056
Remarks: Two 6-inch icing hoses extend from building at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

---

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 8

Name: **Cargill, Norfolk Southern (North) Grain Elevator Wharf.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, inner portion of south side of Grain Elevator Slip, approximately 2.0 mil Datum: MLLW

Operator: Cargill, Inc. Commodity Marketing Division.

Owner: Norfolk Southern Corp.

Address: 8801 Hampton Boulevard Phone: 804/489-7880

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on wharf and 3 surface tracks serving carloading spouts and car dumper, join additional trackage serving elevator; connect with Norfolk and Portsmouth Belt Line Railroad.

Purpose: Receipt of grain by barge; shipment of grain.

Depth Alongside (feet): 39 | 39 | Latitude (decimal): 36.932778

Total Berthing Space (feet): 450 | 850 | Longitude (decimal): -76.32667

Remarks: Two berths combined provide 1,300 feet of berthing space for barges. Face of wharf is in line and contiguous with north side of Lambert's Point Docks, Sewell's Point Division, Pier B (Ref. No. 9) providing a tot berthing space. Grain elevator in rear has capacity for 3,250,000 bushels. In 1992, Virginia Port Authority planned to purchase facility.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Hampton Roads** Mile: PWD: 19

Name: **City of Hampton, Fort Wool Landing.**

Port: Hampton Roads

Location: Entrance to Hampton Roads, south side of Fort Wool, approx. 700 feet north of Hampton Roads Bridge Tunne Datum: MLLW

Operator: City of Hampton.

Owner: City of Hampton.

Address: Phone: 804/727-6347

Town: Hampton State: VA County: Hampton

Railway Connection: None.

Purpose: Landing for excursion vessel.

Depth Alongside (feet): 10 | 9 - 10 | 9 - 10 Latitude (decimal): 36.986389

Total Berthing Space (feet): 60 | 60 | 60 Longitude (decimal): -76.30167

Remarks: Excursion vessel 'Miss Hampton II' transports passengers to landing from City of Hampton Visitor Center Landing, Ref. No. 17. Fort Wool park is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 190

Name: **Corps of Engineers, Craney Island Management Area, Debris Wharf.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, east side of Craney Island, north of mouth of Elizabeth River, at inner e Datum: MLLW

Operator: U.S. Army Corps of Engineers.

Owner: United States Government.

Address: 4599 River Shore Road Phone: 804/484-1041

Town: Portsmouth State: VA County: Portsmouth

Railway Connection: None.

Purpose: Handling debris from harbor cleaning craft.

Depth Alongside (feet): 10 | | Latitude (decimal): 36.8975

Total Berthing Space (feet): 400 | | Longitude (decimal): -76.35028

Remarks: Levee retaining dredge material at Craney Island Management Area is located at rear of apron. Wharf is located at west end of dredge material rehandling basin. A midstream hopper-dredge unloading facility is lo 1.1 mile north of bulkhead.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Hampton Roads** Mile: PWD: 9

Name: **Lambert's Point Docks, Sewell's Point Division, Piers A and B.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, outer portion of south side of Grain Elevator Slip, approximately 2.0 mil Datum: MLLW

Operator: Lambert's Point Docks, Inc.

Owner: Norfolk Southern Corp.

Address: Hampton Boulevard Phone: 804/446-1222

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on N & S aprons, total length 4,740 feet; and two 1,176-foot platform-level tracks along rear ofeach transit shed, also serving Warehouse G, connect with Norfolk and Portmouth Belt Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades, including crude rubber; mooring vessels for storage.

Depth Alongside (feet): 32 | 32 | 32 Latitude (decimal): 36.931389

Total Berthing Space (feet): 498 | 1,293 | 1,193 Longitude (decimal): -76.33361

Remarks: North side is in line and contiguous with face of Cargill, Inc., Norfolk Southern Grain Elevator Wharf (Ref. No. 8) providing a total of 2,593 feet of berthing space. Each transit shed is divided into 3 sections firewalls. One 1,178- by 133-foot, steel frame, metal-covered building (Warehouse G) located in center of pier between transit sheds is used as storage warehouse (S.W. Ref. No. 3). Three electric drawbridges extendrear of each transit shed to Warehouse G. Approximately 3 acres of open storage area are located at rear. In 1992, Virginia Port Authority planned to purchase facility.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 10

Name: **Lehigh Portland Cement Co., Norfolk Terminal Pier.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 1.8 miles north of Tanner Point, Norfolk. Datum: MLLW

Operator: Lehigh Portland Cement Co.

Owner: Lehigh Portland Cement Co.

Address: 8501 Hampton Boulevard Phone: 804/423-4462

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks serving cement silos join with 3-track storage yard in rear; connect with Norfolk and Portsmouth Belt-Line Railroad.

Purpose: Occasional receipt of bulk cement by vessel.

Depth Alongside (feet): 29 | | Latitude (decimal): 36.93

Total Berthing Space (feet): 700 | | Longitude (decimal): -76.33139

Remarks: Six storage silos with 2 interstices have a total capacity of 32,900 tons of cement. One loading spout available for rail hopper cars, rate 75 tons (one car) per hour, and 2 spouts for trucks, rate 45 tons (4 tr electric bagging machine, rate 20 tons per hour, is located at plant. Cement is primarily received by rail hopper cars at undertrack receiving pit with air-slide pump and conveyor extending to silos, rate 40 tons per

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15

Name: **Norfolk International Terminals, Container Berth No. 1.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.

Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.

Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722

Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15

Name: **Norfolk International Terminals, Container Berth No. 1.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.

Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.

Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722

Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15

Name: **Norfolk International Terminals, Container Berth No. 1.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.

Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.

Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722

Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15

Name: **Norfolk International Terminals, Container Berth No. 1.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.

Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.

Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722

Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Waterway: **Hampton Roads** Mile: PWD: 15
Name: **Norfolk International Terminals, Container Berth No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.7 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.914722
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.3275

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Container freight station in Warehouse No. 1 at rear is divided by concrete firewalls. Paved area at rear of Berth No. 1 provides storage for 5,040 stacked containers (TEU's) and, with areas adjacent to terminal warehouses, 2,179 containers on chassis, including 120 positions forrefrigerated containers. A U.S.D.A. meat inspection facility and 2 public storage warehouses, Warehouses Nos. 2 and 3 (S.W. Ref. No. 4) are located at rear. See Remarks under Ref. No. 14.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Waterway: **Hampton Roads** Mile: PWD: 16
Name: **Norfolk International Terminals, Container Berth No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.6 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.9125
Total Berthing Space (feet): 830 | | Longitude (decimal): -76.32722

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 2 provides storage for 4,200 stac (TEU's) and 922 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14 and 15.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Waterway: **Hampton Roads** Mile: PWD: 17
Name: **Norfolk International Terminals, Container Berth No. 3.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.4 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.909722
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -76.32667

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3 and 4 (Ref. Nos. 15, 16, 17 and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 3 provides storage for 7,350 stac (TEU's) and 1,089 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, and 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Waterway: **Hampton Roads** Mile: PWD: 18
Name: **Norfolk International Terminals, Container Berth No. 4.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Terminal trackage in rear connects with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades.
Depth Alongside (feet): 41 | | Latitude (decimal): 36.906111
Total Berthing Space (feet): 1,550 | | Longitude (decimal): -76.32611

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Berths Nos. 1, 2, 3, and 4 (Ref. Nos. 15, 16, 17, and 18) are in line and contiguous, providing a total of 4,230 feet of continuous berthing space. Paved area at rear of Berth No. 4 provides storage for 7,410 st (TEU's) and 1,143 containers on chassis. Other ancillary facilities for handling containers are described in Remarks under Ref. Nos. 14, 15, 16, and 17.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Waterway: **Hampton Roads** Mile: PWD: 12
Name: **Norfolk International Terminals, North Berth.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.1 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Platform-level tracks at warehouses in rear connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt and shipment of roll-on, roll-off cargo in foreign and domestic trades.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.919444
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.32833

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Roll-on, roll-off vehicles are stored in a portion of the open storage area described under North Expansion Berth No. 1, Ref. No. 11, as needed. Three public storage warehouses, Warehouses Nos. 6, 7, and 8 (S.W. located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Waterway: **Hampton Roads** Mile: PWD: 11
Name: **Norfolk International Terminals, North Expansion Berth No. 1**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 1.5 miles north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks at rear connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trades. (See Remarks.)
Depth Alongside (feet): 41 | | Latitude (decimal): 36.925556
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -76.32944

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Wharf was under construction at time of survey (1992) and is described as planned. Specifications of container-handling equipment had not been determined, but installation of 8 traveling, overhead bridge cranes tentatively planned. Approximately 56 acres of paved open storage area will be located at rear for storing stacked containers, and 127 acres, to be paved in the future, for storing containers on chassis. Additionalextending the wharf another 2,500 feet and adding 3 more container-handling cranes by the year 2004.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Waterway: **Hampton Roads** Mile: PWD: 14
Name: **Norfolk International Terminals, Pier No. 1.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.8 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks each on N and S aprons, tot length 5,160 ft; and 3 platform-level tracks inside transit shed, tot length 3,690 ft; cnnct with Norfolk Southern Rwy. Co., and Norfolk and Portsmouth Belt-Line R
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 30 | 35 Latitude (decimal): 36.915278
Total Berthing Space (feet): 300 | 1,320 | 1,320 Longitude (decimal): -76.33222

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Trucks have access to interior of transit shed and to wharf aprons. One 2-chamber, 19,800-cubic-foot fumigation plant accommodating two 40- or four 20-foot containers, a 30-railcar-capacity COFC/TOFC ramp, and 2 warehouses, Warehouses Nos. 4 and 5 (S.W. Ref. No. 4) are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13
Name: **Norfolk International Terminals, Pier No. 2.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW
Operator: Virginia International Terminals, Inc.
Owner: Virginia Port Authority.
Address: 7737 Hampton Boulevard Phone: 804/440-7017
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.
Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175
Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Waterway: **Hampton Roads** Mile: PWD: 13

Name: **Norfolk International Terminals, Pier No. 2.**

Port: Hampton Roads

Location: Southeast side, Hampton Roads, approximately 0.9 mile north of Tanner Point, Norfolk. Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 7737 Hampton Boulevard Phone: 804/440-7017

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Two surface tracks on S. apron, total length 2,580 ft; and 3 platform -level tracks inside transit shed, tot. length 3,690 ft; connect with Norfolk Southern Railway Co. and Norfolk and Portsmouth Belt-Line RR

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades.

Depth Alongside (feet): 35 | 32 | 33 Latitude (decimal): 36.9175

Total Berthing Space (feet): 334 | 1,328 | 1,328 Longitude (decimal): -76.3325

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Remarks: Additional berthing space of 421 feet with 30-foot depth is available at steel sheet pile bulkhead located at inner end of slip to south of pier, used by Tidewater Construction Corp. for mooring the floating derr have access to interior of transit shed and to wharf aprons. Tracks on Piers Nos. 1 and 2 (Ref. Nos. 13 and 14) join with additional trackage serving the terminal's 7 public storage warehouse buildings (S.W. Ref. No.1,000-car-capacity terminal storage yard east of Hampton Boulevard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

Port Facilities by Waterway

Waterway: **Hampton Roads** Mile: PWD: 7
Name: **Norfolk Southern, Grain Elevator Slip.**
Port: Hampton Roads
Location: Southeast side, Hampton Roads, south portion of head of Grain Elevator Slip, approximately 2.0 miles nor Datum: MLLW
Operator: Not operated.
Owner: Norfolk Southern Corp.
Address: 8901 Hampton Boulevard Phone: 804/446-1222
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Norfolk Southern Railway Co.: One surface track serves open storage area in rear.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 36.933056
Total Berthing Space (feet): 200 | | Longitude (decimal): -76.32472
Remarks: Formerly used for receipt of sand and gravel. In 1992, Virginia Port Authority planned to purchase facility and use approximately 20 acres in yard at rear for open storage.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10387 Norfolk District

---

Waterway: **Herberts (Sunset) Creek** Mile: PWD: 3
Name: **F. D. Hunt Co. Wharf.**
Port: Hampton Roads
Location: Right bank, Herberts (Sunset) Creek, approximately 1,100 feet below head of creek, Hampton. Datum: MLLW
Operator: F. D. Hunt Co., Inc.
Owner: F. D. Hunt Co., Inc.
Address: 801 Newcombe Avenue Phone: 804/723-5211
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 37.016944
Total Berthing Space (feet): 100 | 50 | 50 Longitude (decimal): -76.34833
Remarks: Two additional berths are available at rear of finger piers. Owner operates a petroleum products terminal located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

---

Port Facilities by Waterway

Waterway: **Herberts (Sunset) Creek** Mile: PWD: 6
Name: **Hampton Roads Seafood Wharves.**
Port: Hampton Roads
Location: Right bank, Herberts (Sunset) Creek, approximately 500 feet below head of creek, Hampton. Datum: MLLW
Operator: Hampton Roads Seafood, Ltd.
Owner: Hampton Roads Seafood, Ltd.
Address: 29 East Sunset Road Phone: 804/723-3363
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 8 - 10 | 12 | 12 Latitude (decimal): 37.016944
Total Berthing Space (feet): 220 | | 60 Longitude (decimal): -76.35111
Remarks: Seafood-packing plant located in building on upper wharf has 2 cold storage rooms, total capacity 20,000 pounds. Face of upper wharf is in line and contiguous with Ref. No. 7.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

---

Waterway: **Herberts (Sunset) Creek** Mile: PWD: 9
Name: **Monad Systems Pier.**
Port: Hampton Roads
Location: Right bank, Herberts (Sunset) Creek, approximately 60 feet below head of creek, Hampton. Datum: MLLW
Operator: Monad Systems, Inc.
Owner: Monad Systems, Inc.
Address: Kecoughtan Road at head of Sunset Cre Phone: 804/722-1946
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Mooring company-owned tugboat.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.016944
Total Berthing Space (feet): 80 | | Longitude (decimal): -76.35278
Remarks: Tugboat 'Miss Jennifer' moors at pier.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

---

Port Facilities by Waterway

Waterway: **Herberts (Sunset) Creek** Mile: PWD: 5
Name: **Papco Oil Co. Wharf.**
Port: Hampton Roads
Location: Right bank, Herberts (Sunset) Creek, approximately 750 feet below head of creek, Hampton. Datum: MLLW
Operator: Papco Oil Co., Inc.
Owner: York Companies, Inc.
Address: 33 East Sunset Road Phone: 804/722-1354
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of petroleum products by barge; fueling and supplying lube oil to small vessels.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.016944
Total Berthing Space (feet): 100 | | Longitude (decimal): -76.35028
Remarks: Two 4- and two 3-inch fuel pipelines extend from wharf to 8 steel storage tanks at rear, total capacity 6,700 barrels. Two 1 1/4-inch, lube-oil pipelines extend to wharf from 2 steel storage tanks at rear, total gallons. Face of wharf is in line with Ref No. 4.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

---

Waterway: **Herberts (Sunset) Creek** Mile: PWD: 4
Name: **Tarmac Virginia, Hampton Plant East Wharf.**
Port: Hampton Roads
Location: Right bank, Herberts (Sunset) Creek, approximately 800 feet below head of creek, Hampton. Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 35 East Sunset Road Phone: 804/727-9629
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 10 | 6 - 8 | Latitude (decimal): 37.017222
Total Berthing Space (feet): 253 | 106 | Longitude (decimal): -76.34944
Remarks: Office is located at 11 East Sunset Road, Ref. No. 8. Open storage area for approximately 4,000 tons of sand and gravel is located at rear. Face of wharf is in line with Ref. No. 5.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

---

Port Facilities by Waterway

Waterway: **Herberts (Sunset) Creek** Mile: PWD: 8
Name: **Tarmac Virginia, Hampton Plant West Wharf.**
Port: Hampton Roads
Location: Right bank, Herberts (Sunset) Creek, approximately 250 feet below head of creek, Hampton. Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 11 East Sunset Road Phone: 804/727-9629
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 7 - 8 | | Latitude (decimal): 37.016944
Total Berthing Space (feet): 310 | | Longitude (decimal): -76.35194
Remarks: Building used as office, and open storage area for approximately 4,000 tons of sand and gravel, are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

---

Waterway: **Herberts (Sunset) Creek** Mile: PWD: 7
Name: **Wharton Bros. Seafood Co. Wharf.**
Port: Hampton Roads
Location: Right bank, Herberts (Sunset) Creek, approximately 450 feet below head of creek, Hampton. Datum: MLLW
Operator: Wharton Bros. Seafood Co.
Owner: Wharton Bros. Seafood Co.
Address: East Sunset Road Phone: 804/723-3363
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 8 | | Latitude (decimal): 37.016944
Total Berthing Space (feet): 68 | | Longitude (decimal): -76.35139
Remarks: A building is located on wharf. Face of wharf is in line and contiguous with Ref. No. 6.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

---

Port Facilities by Waterway

Waterway: **James R., Turkey Island Bend** Mile: 73.4 PWD: 38

Name: **Tidewater Quarries, Turkey Island Bend Gravel Pit Wharf.**

Port: Hampton Roads

Location: Left bank, James River, Turkey Island Bend, approx. 73.4 miles above Interstate Hwy 664 Bridge-Tunnel, a Datum: MLLW

Operator: Tidewater Quarries, Inc.

Owner: Tidewater Quarries, Inc.

Address: 5437 New Market Road (State Hwy 5) Phone: 804/232-1200

Town: Varina State: VA County: Henrico

Railway Connection: None.

Purpose: Shipment of sand and gravel by barge.

Depth Alongside (feet): 15 - 20 | | 10 Latitude (decimal): 37.382778

Total Berthing Space (feet): 350 | | 450 Longitude (decimal): -77.25361

Remarks: Gravel pits located at rear are served by an electric, belt-conveyor system extending through processing plant to 5 stackers in open storage yard with capacity for 750,000 tons of sand and 100,000 tons of gravel. navigation channel bypasses Turkey Island Bend via the Turkey Island Cutoff approximately 3.0 miles below wharf. A cable ferry crosses the cutoff between adjustable ramps, from Bermuda Hundred on the right bank to thNational Wildlife Refuge on Turkey Island.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 0.4 PWD: 66

Name: **Koch Fuels, Newport News Barge Dock.**

Port: Hampton Roads

Location: Left bank, James River, approximately 0.4 mile above Interstate Highway 664 (Monitor-Merrimac) Bridge-Tu Datum: MLLW

Operator: Koch Fuels, Inc.

Owner: Koch Fuels, Inc.

Address: 801 Terminal Avenue Phone: 804/244-6545

Town: Newport News State: VA County: Newport News

Railway Connection: Two surface tracks serve 3- to 4-car capacity, tank-car loading rack at terminal in rear; connect with CSX Rail Transport.

Purpose: Receipt and shipment of petroleum products; loading barges for bunkering vessels at berth in harbor.

Depth Alongside (feet): 35 | 18 | Latitude (decimal): 36.962222

Total Berthing Space (feet): 250 | 250 | Longitude (decimal): -76.41611

Waterway: **James River** Mile: 0.4 PWD: 66

Name: **Koch Fuels, Newport News Barge Dock.**

Port: Hampton Roads

Location: Left bank, James River, approximately 0.4 mile above Interstate Highway 664 (Monitor-Merrimac) Bridge-Tu Datum: MLLW

Operator: Koch Fuels, Inc.

Owner: Koch Fuels, Inc.

Address: 801 Terminal Avenue Phone: 804/244-6545

Town: Newport News State: VA County: Newport News

Railway Connection: Two surface tracks serve 3- to 4-car capacity, tank-car loading rack at terminal in rear; connect with CSX Rail Transport.

Purpose: Receipt and shipment of petroleum products; loading barges for bunkering vessels at berth in harbor.

Depth Alongside (feet): 35 | 18 | Latitude (decimal): 36.962222

Total Berthing Space (feet): 250 | 250 | Longitude (decimal): -76.41611

Remarks: Approach extends from timber bulkhead with solid fill across platforms and continues at angle to form approach to Tanker Dock, Ref. No. 67. One 20-, three 12-, and two 8-inch, petroleum-products pipelines extend 9 steel storage tanks at terminal in rear, total capacity 320,000 barrels; one 12-inch, asphalt pipeline extends to 16 storage tanks, total capacity 205,000 barrels; and one 10-inch pipeline is blanked.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Remarks: Approach extends from timber bulkhead with solid fill across platforms and continues at angle to form approach to Tanker Dock, Ref. No. 67. One 20-, three 12-, and two 8-inch, petroleum-products pipelines extend 9 steel storage tanks at terminal in rear, total capacity 320,000 barrels; one 12-inch, asphalt pipeline extends to 16 storage tanks, total capacity 205,000 barrels; and one 10-inch pipeline is blanked.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 0.4 PWD: 66
Name: **Koch Fuels, Newport News Barge Dock.**
Port: Hampton Roads
Location: Left bank, James River, approximately 0.4 mile above Interstate Highway 664 (Monitor-Merrimac) Bridge-Tu Datum: MLLW
Operator: Koch Fuels, Inc.
Owner: Koch Fuels, Inc.
Address: 801 Terminal Avenue Phone: 804/244-6545
Town: Newport News State: VA County: Newport News
Railway Connection: Two surface tracks serve 3- to 4-car capacity, tank-car loading rack at terminal in rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of petroleum products; loading barges for bunkering vessels at berth in harbor.
Depth Alongside (feet): 35 | 18 | Latitude (decimal): 36.962222
Total Berthing Space (feet): 250 | 250 | Longitude (decimal): -76.41611

Waterway: **James River** Mile: 0.4 PWD: 66
Name: **Koch Fuels, Newport News Barge Dock.**
Port: Hampton Roads
Location: Left bank, James River, approximately 0.4 mile above Interstate Highway 664 (Monitor-Merrimac) Bridge-Tu Datum: MLLW
Operator: Koch Fuels, Inc.
Owner: Koch Fuels, Inc.
Address: 801 Terminal Avenue Phone: 804/244-6545
Town: Newport News State: VA County: Newport News
Railway Connection: Two surface tracks serve 3- to 4-car capacity, tank-car loading rack at terminal in rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of petroleum products; loading barges for bunkering vessels at berth in harbor.
Depth Alongside (feet): 35 | 18 | Latitude (decimal): 36.962222
Total Berthing Space (feet): 250 | 250 | Longitude (decimal): -76.41611

Remarks: Approach extends from timber bulkhead with solid fill across platforms and continues at angle to form approach to Tanker Dock, Ref. No. 67. One 20-, three 12-, and two 8-inch, petroleum-products pipelines extend 9 steel storage tanks at terminal in rear, total capacity 320,000 barrels; one 12-inch, asphalt pipeline extends to 16 storage tanks, total capacity 205,000 barrels; and one 10-inch pipeline is blanked.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Remarks: Approach extends from timber bulkhead with solid fill across platforms and continues at angle to form approach to Tanker Dock, Ref. No. 67. One 20-, three 12-, and two 8-inch, petroleum-products pipelines extend 9 steel storage tanks at terminal in rear, total capacity 320,000 barrels; one 12-inch, asphalt pipeline extends to 16 storage tanks, total capacity 205,000 barrels; and one 10-inch pipeline is blanked.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 0.4 PWD: 67
Name: **Koch Fuels, Newport News Tanker Dock.**
Port: Hampton Roads
Location: Left bank, James River, approximately 0.4 mile above Interstate Highway 664 (Monitor-Merrimac) Bridge-Tu Datum: MLLW
Operator: Koch Fuels, Inc.
Owner: Koch Fuels, Inc.
Address: 801 Terminal Avenue Phone: 804/244-6545
Town: Newport News State: VA County: Newport News
Railway Connection: Two surface tracks serve 3- to 4-car capacity, tank-car loading rack at terminal in rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of petroleum products; loading barges for bunkering vessels at berth in harbor.
Depth Alongside (feet): 35 | | Latitude (decimal): 36.961111
Total Berthing Space (feet): 800 | | Longitude (decimal): -76.41639

Waterway: **James River** Mile: 0.4 PWD: 67
Name: **Koch Fuels, Newport News Tanker Dock.**
Port: Hampton Roads
Location: Left bank, James River, approximately 0.4 mile above Interstate Highway 664 (Monitor-Merrimac) Bridge-Tu Datum: MLLW
Operator: Koch Fuels, Inc.
Owner: Koch Fuels, Inc.
Address: 801 Terminal Avenue Phone: 804/244-6545
Town: Newport News State: VA County: Newport News
Railway Connection: Two surface tracks serve 3- to 4-car capacity, tank-car loading rack at terminal in rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of petroleum products; loading barges for bunkering vessels at berth in harbor.
Depth Alongside (feet): 35 | | Latitude (decimal): 36.961111
Total Berthing Space (feet): 800 | | Longitude (decimal): -76.41639

Remarks: Approach extends from Barge Dock's work platform, crossing its outer breasting platform, Ref. No. 66. Face of wharf is 40 feet above upper face of Barge Dock, and is fronted by timber-pile fender system. Breast fronted by timber-faced, steel frame and rubber fender systems. Row of 6 timber breasting dolphins along lower side of wharf provides 500 feet of berthing for barges. One 20-, three 12-, and two 8-inch, petroleum-prpipelines, and one 12-inch, asphalt pipeline, extend from wharf and connect with respective pipelines and storage tanks described under Barge Dock.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Remarks: Approach extends from Barge Dock's work platform, crossing its outer breasting platform, Ref. No. 66. Face of wharf is 40 feet above upper face of Barge Dock, and is fronted by timber-pile fender system. Breast fronted by timber-faced, steel frame and rubber fender systems. Row of 6 timber breasting dolphins along lower side of wharf provides 500 feet of berthing for barges. One 20-, three 12-, and two 8-inch, petroleum-prpipelines, and one 12-inch, asphalt pipeline, extend from wharf and connect with respective pipelines and storage tanks described under Barge Dock.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 0.4 PWD: 67

Name: **Koch Fuels, Newport News Tanker Dock.**

Port: Hampton Roads

Location: Left bank, James River, approximately 0.4 mile above Interstate Highway 664 (Monitor-Merrimac) Bridge-Tu Datum: MLLW

Operator: Koch Fuels, Inc.

Owner: Koch Fuels, Inc.

Address: 801 Terminal Avenue Phone: 804/244-6545

Town: Newport News State: VA County: Newport News

Railway Connection: Two surface tracks serve 3- to 4-car capacity, tank-car loading rack at terminal in rear; connect with CSX Rail Transport.

Purpose: Receipt and shipment of petroleum products; loading barges for bunkering vessels at berth in harbor.

Depth Alongside (feet): 35 | | Latitude (decimal): 36.961111

Total Berthing Space (feet): 800 | | Longitude (decimal): -76.41639

Waterway: **James River** Mile: 0.4 PWD: 67

Name: **Koch Fuels, Newport News Tanker Dock.**

Port: Hampton Roads

Location: Left bank, James River, approximately 0.4 mile above Interstate Highway 664 (Monitor-Merrimac) Bridge-Tu Datum: MLLW

Operator: Koch Fuels, Inc.

Owner: Koch Fuels, Inc.

Address: 801 Terminal Avenue Phone: 804/244-6545

Town: Newport News State: VA County: Newport News

Railway Connection: Two surface tracks serve 3- to 4-car capacity, tank-car loading rack at terminal in rear; connect with CSX Rail Transport.

Purpose: Receipt and shipment of petroleum products; loading barges for bunkering vessels at berth in harbor.

Depth Alongside (feet): 35 | | Latitude (decimal): 36.961111

Total Berthing Space (feet): 800 | | Longitude (decimal): -76.41639

Remarks: Approach extends from Barge Dock's work platform, crossing its outer breasting platform, Ref. No. 66. Face of wharf is 40 feet above upper face of Barge Dock, and is fronted by timber-pile fender system. Breast fronted by timber-faced, steel frame and rubber fender systems. Row of 6 timber breasting dolphins along lower side of wharf provides 500 feet of berthing for barges. One 20-, three 12-, and two 8-inch, petroleum-prpipelines, and one 12-inch, asphalt pipeline, extend from wharf and connect with respective pipelines and storage tanks described under Barge Dock.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Remarks: Approach extends from Barge Dock's work platform, crossing its outer breasting platform, Ref. No. 66. Face of wharf is 40 feet above upper face of Barge Dock, and is fronted by timber-pile fender system. Breast fronted by timber-faced, steel frame and rubber fender systems. Row of 6 timber breasting dolphins along lower side of wharf provides 500 feet of berthing for barges. One 20-, three 12-, and two 8-inch, petroleum-prpipelines, and one 12-inch, asphalt pipeline, extend from wharf and connect with respective pipelines and storage tanks described under Barge Dock.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 0.5 PWD: 65

Name: **Hampton Roads Wharf Co., Pier No. 15.**

Port: Hampton Roads

Location: Left bank, James River, approximately 0.5 mile above Interstate Highway 664 (Monitor-Merrimac) Bridge-Tu Datum: MLLW

Operator: Hampton Roads Wharf Co.

Owner: CSX Real Property, Inc.

Address: Harbor Road Phone: 804/244-5754

Town: Newport News State: VA County: Newport News

Railway Connection: One surface track in yard at rear, connects with CSX Rail Transport.

Purpose: Receipt and shipment of conventional general cargo by barge, including steel and scrap metal; mooring vessels for repair and storage.

Depth Alongside (feet):	55	35 - 41	35 - 42	Latitude (decimal):	36.960556
Total Berthing Space (feet):	89	1,000	1,000	Longitude (decimal):	-76.41833

Remarks: Vessels and barges are repaired and stored at pier. Barges, including LASH barges, are unloaded at bulkhead. Transit shed is located at rear of bulkhead above pier. Open storage area described under Ref. No. 6 Pier is equipped with 4-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

---

Waterway: **James River** Mile: 0.7 PWD: 64

Name: **Hampton Roads Wharf Co., Pier No. 14.**

Port: Hampton Roads

Location: Left bank, James River, approximately 0.7 mile above Interstate Highway 664 (Monitor-Merrimac) Bridge-Tu Datum: MLLW

Operator: Hampton Roads Wharf Co.

Owner: CSX Real Property, Inc.

Address: Harbor Road Phone: 804/244-5754

Town: Newport News State: VA County: Newport News

Railway Connection: One surface track in yard at rear, connects with CSX Rail Transport.

Purpose: Receipt and shipment of conventional general cargo by barge, including steel and scrap metal; mooring vessels for repair and storage.

Depth Alongside (feet):		40 - 45	40 - 45	Latitude (decimal):	36.960556
Total Berthing Space (feet):		1,090	1,090	Longitude (decimal):	-76.42028

Remarks: Vessels and barges are repaired and stored at pier. Barges, including LASH barges, are unloaded at bulkheads. Transit sheds are located at rear of lower bulkhead, which forms inner end of slip between pier and 15, Ref. No. 65. Approximately 43 acres of open storage area, including 1/2 acre of paved area, are located at rear. Pier is equipped with 4-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 1.6 PWD: 62

Name: **Pier IX Terminal Co., Pier No. 9.**

Port: Hampton Roads

Location: Left bank, James River, approximately 1.9 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Pier IX Terminal Co., Division of Ziegler Coal Handling Co.

Owner: Ziegler Coal Handling Co.

Address: 21st Street and Terminal Avenue Phone: 804/244-8800

Town: Newport News State: VA County: Newport News

Railway Connection: CSX Rail Transport: Four surface tracks in rear, capacity 400 cars, serving one tandem, rotary, car dumper, capacity 60 cars (6,000 tons) per hour.

Purpose: Shipment of coal; receipt of cement.

Depth Alongside (feet):	43	50	Latitude (decimal):	36.966389
Total Berthing Space (feet): -	1,000	1,000	Longitude (decimal):	-76.42306

Remarks: Sides of pier are fronted by plastic-faced, steel plate and rubber fenders along outer portion, and timber and rubber-loop fender system along retaining walls. Railcar dumper is served by a 72-inch, electric bel extending to 2 overhead stackers in 1,320,000-ton capacity coal storage yard located at rear. Storage silos, *operated by ESSROC Materials Inc.,* have a capacity for 30,000 tons of cement and are served by pneumatictruckloading system.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 1.9 PWD: 61

Name: **Newport News Marine Terminal, Pier C.**

Port: Hampton Roads

Location: Left bank, James River, approximately 1.9 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 25th Street and Warwick Boulevard Phone: 804/247-3700

Town: Newport News State: VA County: Newport News

Railway Connection: CSX Rail Transport: 2 platform-level tracks inside transit shed, total length 1,320 ft; 3 surface tracks on upper apron, total length 2,250 feet; 3 surface tracks on lower apron, total length 2,220 feet.2,220

Purpose: Receipt and shipment of conventional, containerized, and roll-on, roll-off general cargo and heavy-lift items in foreign and domestic trades. Mooring cruise vessels; boarding passengers.

Depth Alongside (feet): 35 | 38 | 38 Latitude (decimal): 36.969444

Total Berthing Space (feet): 540 | 930 | 930 Longitude (decimal): -76.43306

Waterway: **James River** Mile: 1.9 PWD: 61

Name: **Newport News Marine Terminal, Pier C.**

Port: Hampton Roads

Location: Left bank, James River, approximately 1.9 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 25th Street and Warwick Boulevard Phone: 804/247-3700

Town: Newport News State: VA County: Newport News

Railway Connection: CSX Rail Transport: 2 platform-level tracks inside transit shed, total length 1,320 ft; 3 surface tracks on upper apron, total length 2,250 feet; 3 surface tracks on lower apron, total length 2,220 feet.2,220

Purpose: Receipt and shipment of conventional, containerized, and roll-on, roll-off general cargo and heavy-lift items in foreign and domestic trades. Mooring cruise vessels; boarding passengers.

Depth Alongside (feet): 35 | 38 | 38 Latitude (decimal): 36.969444

Total Berthing Space (feet): 540 | 930 | 930 Longitude (decimal): -76.43306

Remarks: In 1992, plans called for removing a 40-ton, diesel-electric, traveling, full-portal gantry crane, with 110-foot boom, serving upper side. A roll-on, roll-off ramp is located at the inner end of the lower side. moor at the lower side, and, occasionally, at the upper side. Trucks have access to pier aprons, interior of transit shed, and an 11-truck capacity loading platform at rear. Open storage area described under Pier B60), one 4-chamber, 14,400-cubic foot fumigation plant, and 2 storage warehouse buildings, Warehouses Nos. 36 to 43 (S.W. Ref. No. 2), are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Remarks: In 1992, plans called for removing a 40-ton, diesel-electric, traveling, full-portal gantry crane, with 110-foot boom, serving upper side. A roll-on, roll-off ramp is located at the inner end of the lower side. moor at the lower side, and, occasionally, at the upper side. Trucks have access to pier aprons, interior of transit shed, and an 11-truck capacity loading platform at rear. Open storage area described under Pier B60), one 4-chamber, 14,400-cubic foot fumigation plant, and 2 storage warehouse buildings, Warehouses Nos. 36 to 43 (S.W. Ref. No. 2), are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 1.9 PWD: 61

Name: **Newport News Marine Terminal, Pier C.**

Port: Hampton Roads

Location: Left bank, James River, approximately 1.9 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 25th Street and Warwick Boulevard Phone: 804/247-3700

Town: Newport News State: VA County: Newport News

Railway Connection: CSX Rail Transport: 2 platform-level tracks inside transit shed, total length 1,320 ft; 3 surface tracks on upper apron, total length 2,250 feet; 3 surface tracks on lower apron, total length 2,220 feet.2,220

Purpose: Receipt and shipment of conventional, containerized, and roll-on, roll-off general cargo and heavy-lift items in foreign and domestic trades. Mooring cruise vessels; boarding passengers.

Depth Alongside (feet): 35 | 38 | 38 Latitude (decimal): 36.969444

Total Berthing Space (feet): 540 | 930 | 930 Longitude (decimal): -76.43306

Waterway: **James River** Mile: 1.9 PWD: 61

Name: **Newport News Marine Terminal, Pier C.**

Port: Hampton Roads

Location: Left bank, James River, approximately 1.9 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 25th Street and Warwick Boulevard Phone: 804/247-3700

Town: Newport News State: VA County: Newport News

Railway Connection: CSX Rail Transport: 2 platform-level tracks inside transit shed, total length 1,320 ft; 3 surface tracks on upper apron, total length 2,250 feet; 3 surface tracks on lower apron, total length 2,220 feet.2,220

Purpose: Receipt and shipment of conventional, containerized, and roll-on, roll-off general cargo and heavy-lift items in foreign and domestic trades. Mooring cruise vessels; boarding passengers.

Depth Alongside (feet): 35 | 38 | 38 Latitude (decimal): 36.969444

Total Berthing Space (feet): 540 | 930 | 930 Longitude (decimal): -76.43306

Remarks: In 1992, plans called for removing a 40-ton, diesel-electric, traveling, full-portal gantry crane, with 110-foot boom, serving upper side. A roll-on, roll-off ramp is located at the inner end of the lower side. moor at the lower side, and, occasionally, at the upper side. Trucks have access to pier aprons, interior of transit shed, and an 11-truck capacity loading platform at rear. Open storage area described under Pier B60), one 4-chamber, 14,400-cubic foot fumigation plant, and 2 storage warehouse buildings, Warehouses Nos. 36 to 43 (S.W. Ref. No. 2), are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Remarks: In 1992, plans called for removing a 40-ton, diesel-electric, traveling, full-portal gantry crane, with 110-foot boom, serving upper side. A roll-on, roll-off ramp is located at the inner end of the lower side. moor at the lower side, and, occasionally, at the upper side. Trucks have access to pier aprons, interior of transit shed, and an 11-truck capacity loading platform at rear. Open storage area described under Pier B60), one 4-chamber, 14,400-cubic foot fumigation plant, and 2 storage warehouse buildings, Warehouses Nos. 36 to 43 (S.W. Ref. No. 2), are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 2.1 PWD: 60

Name: **Newport News Marine Terminal, Pier B.**

Port: Hampton Roads

Location: Left bank, James River, approximately 2.1 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 25th Street and Warwick Boulevard Phone: 804/247-3700

Town: Newport News State: VA County: Newport News

Railway Connection: CSX Rail Transport: 2 platform level tracks inside center of transit shed, total length 1,100 feet; 2 surface tracks on upper apron, total length 1,160 feet; and one 580-foot surface track on lower apron.

Purpose: Receipt and shipment of conventional, containerized, and roll-on/roll-off general cargo in foreign and domestic trades.

Depth Alongside (feet): 33 | 25 | 38 Latitude (decimal): 36.971667

Total Berthing Space (feet): 550 | 620 | 620 Longitude (decimal): -76.43417

Waterway: **James River** Mile: 2.1 PWD: 60

Name: **Newport News Marine Terminal, Pier B.**

Port: Hampton Roads

Location: Left bank, James River, approximately 2.1 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 25th Street and Warwick Boulevard Phone: 804/247-3700

Town: Newport News State: VA County: Newport News

Railway Connection: CSX Rail Transport: 2 platform level tracks inside center of transit shed, total length 1,100 feet; 2 surface tracks on upper apron, total length 1,160 feet; and one 580-foot surface track on lower apron.

Purpose: Receipt and shipment of conventional, containerized, and roll-on/roll-off general cargo in foreign and domestic trades.

Depth Alongside (feet): 33 | 25 | 38 Latitude (decimal): 36.971667

Total Berthing Space (feet): 550 | 620 | 620 Longitude (decimal): -76.43417

Remarks: Lower side of pier forms a 240-foot wide slip with upper side of Pier C, Ref. No. 61. Trucks have access to pier aprons, interior of transit shed, and to a 22-truck capacity loading platform at rear. Approximat open storage area at rear and at rear of Pier C provide storage for roll-on, roll-off cargo, 10,000 stacked containers (TEU's) or 2,500 containers on chassis, including 48 refrigerated containers, 24 on the ground andchassis.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Remarks: Lower side of pier forms a 240-foot wide slip with upper side of Pier C, Ref. No. 61. Trucks have access to pier aprons, interior of transit shed, and to a 22-truck capacity loading platform at rear. Approximat open storage area at rear and at rear of Pier C provide storage for roll-on, roll-off cargo, 10,000 stacked containers (TEU's) or 2,500 containers on chassis, including 48 refrigerated containers, 24 on the ground andchassis.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 2.1 PWD: 60

Name: **Newport News Marine Terminal, Pier B.**

Port: Hampton Roads

Location: Left bank, James River, approximately 2.1 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 25th Street and Warwick Boulevard Phone: 804/247-3700

Town: Newport News State: VA County: Newport News

Railway Connection: CSX Rail Transport: 2 platform level tracks inside center of transit shed, total length 1,100 feet; 2 surface tracks on upper apron, total length 1,160 feet; and one 580-foot surface track on lower apron.

Purpose: Receipt and shipment of conventional, containerized, and roll-on/roll-off general cargo in foreign and domestic trades.

Depth Alongside (feet): 33 | 25 | 38 Latitude (decimal): 36.971667

Total Berthing Space (feet): 550 | 620 | 620 Longitude (decimal): -76.43417

Waterway: **James River** Mile: 2.1 PWD: 60

Name: **Newport News Marine Terminal, Pier B.**

Port: Hampton Roads

Location: Left bank, James River, approximately 2.1 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Virginia International Terminals, Inc.

Owner: Virginia Port Authority.

Address: 25th Street and Warwick Boulevard Phone: 804/247-3700

Town: Newport News State: VA County: Newport News

Railway Connection: CSX Rail Transport: 2 platform level tracks inside center of transit shed, total length 1,100 feet; 2 surface tracks on upper apron, total length 1,160 feet; and one 580-foot surface track on lower apron.

Purpose: Receipt and shipment of conventional, containerized, and roll-on/roll-off general cargo in foreign and domestic trades.

Depth Alongside (feet): 33 | 25 | 38 Latitude (decimal): 36.971667

Total Berthing Space (feet): 550 | 620 | 620 Longitude (decimal): -76.43417

Remarks: Lower side of pier forms a 240-foot wide slip with upper side of Pier C, Ref. No. 61. Trucks have access to pier aprons, interior of transit shed, and to a 22-truck capacity loading platform at rear. Approximat open storage area at rear and at rear of Pier C provide storage for roll-on, roll-off cargo, 10,000 stacked containers (TEU's) or 2,500 containers on chassis, including 48 refrigerated containers, 24 on the ground andchassis.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Remarks: Lower side of pier forms a 240-foot wide slip with upper side of Pier C, Ref. No. 61. Trucks have access to pier aprons, interior of transit shed, and to a 22-truck capacity loading platform at rear. Approximat open storage area at rear and at rear of Pier C provide storage for roll-on, roll-off cargo, 10,000 stacked containers (TEU's) or 2,500 containers on chassis, including 48 refrigerated containers, 24 on the ground andchassis.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 2.4 PWD: 59
Name: **McAllister Towing of Virginia, Pier A.**
Port: Hampton Roads
Location: Left bank, James River, approximately 2.4 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW
Operator: McAllister Towing of Virginia, Inc.
Owner: City of Newport News.
Address: 23d Street and Harbor Road Phone: 804/247-7800
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring company-owned tugboats and barges.
Depth Alongside (feet): 16 | 6 - 16 | 22 Latitude (decimal): 36.975
Total Berthing Space (feet): | 525 | 560 Longitude (decimal): -76.43694
Remarks: City plans to move company to moorings at Newport News Creek (Ref. Nos. 68 and 84) and develop property at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

---

Waterway: **James River** Mile: 2.8 PWD: 58
Name: **Newport News Shipbuilding and Dry Dock Co., Pier No. 1.**
Port: Hampton Roads
Location: Left bank, James River, approximately 2.8 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW
Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.
Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.
Address: 4101 Washington Avenue Phone: 804/380-4003
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring small vessels and barges.
Depth Alongside (feet): | 25 | 25 Latitude (decimal): 36.979722
Total Berthing Space (feet): | 225 | 225 Longitude (decimal): -76.4375
Remarks: Bulkhead extends approximately 100 feet below pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 2.9 PWD: 57

Name: **Newport News Shipbuilding and Dry Dock Co., Pier No. 2.**

Port: Hampton Roads

Location: Left bank, James River, approximately 2.9 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Address: 4101 Washington Avenue Phone: 804/380-4003

Town: Newport News State: VA County: Newport News

Railway Connection: One surface track in center of pier joins additional plant trackage; connects with CSX Rail Transport.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	45	35 - 45	45	Latitude (decimal):	36.98
Total Berthing Space (feet):		982	982	Longitude (decimal):	-76.44028

Remarks: Inner portion of lower side forms 300-foot wide slip with upper side of Pier No. 1 (Ref. No. 58). At inner end of slip, bulkhead fronting utility trench extends 80 feet below pier, and 20-foot wide, timber pile, fronting concrete-capped, steel sheet pile bulkhead with solid fill, extends 160 feet below lower end of utility trench. Other utilities available at pier are described in Remarks under Ref. No. 52.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

---

Waterway: **James River** Mile: 3.0 PWD: 56

Name: **Newport News Shipbuilding and Dry Dock Co., Pier No. 4.**

Port: Hampton Roads

Location: Left bank, James River, approximately 3.0 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Address: 4101 Washington Avenue Phone: 804/380-4003

Town: Newport News State: VA County: Newport News

Railway Connection: One surface track in center of pier joins additional plant trackage; connects with CSX Rail Transport.

Purpose: Mooring small vessels for repair. (See Remarks.)

Depth Alongside (feet):	35	35	35	Latitude (decimal):	36.981944
Total Berthing Space (feet):	-	982	982	Longitude (decimal):	-76.44167

Remarks: In 1992, gantry crane rails on pier were unused and plans called for removal of the pier in 1994. Lower side forms 670-foot wide slip with upper side of Pier No. 2 (Ref. No. 57). Other utilities available at pi Remarks under Ref. No. 52.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 3.1 PWD: 55

Name: **Newport News Shipbuilding and Dry Dock Co., Pier No. 5.**

Port: Hampton Roads

Location: Left bank, James River, approximately 3.1 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Address: 4101 Washington Avenue Phone: 804/380-4003

Town: Newport News State: VA County: Newport News

Railway Connection: None.

Purpose: Mooring vessels for conversion, outfitting, and repair.

Depth Alongside (feet): 35 | 35 | 35 Latitude (decimal): 36.982778

Total Berthing Space (feet): | 1,160 | 1,160 Longitude (decimal): -76.44222

Remarks: Lower side forms 290-foot wide slip with upper side of Pier No. 4 (Ref. No. 56). Other utilities available at pier are described in Remarks under Ref. No. 52.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

---

Waterway: **James River** Mile: 3.2 PWD: 54

Name: **Newport News Shipbuilding and Dry Dock Co., Pier No. 6.**

Port: Hampton Roads

Location: Left bank, James River, approximately 3.2 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Address: 4101 Washington Avenue Phone: 804/380-4003

Town: Newport News State: VA County: Newport News

Railway Connection: One surface track on pier joins additional plant trackage; connects with CSX Rail Transport.

Purpose: Mooring vessels for conversion, outfitting, and repair; receipt of fuel oil for plant consumption.

Depth Alongside (feet): 30 | 30 | 30 Latitude (decimal): 36.983889

Total Berthing Space (feet): - | 850 | 1,244 Longitude (decimal): -76.44417

Remarks: Lower side forms 500-foot wide slip with upper side of Pier No. 5 (Ref. No. 55). Two 6-inch fuel-oil pipelines extend from inner end of slip and one from inner end of pier's lower side to one 11,900-barrel, stee tank located in rear. Three graving docks (Drydocks Nos. 1, 2, and 3) are located above pier. Other utilities available at pier are described in Remarks under Ref. No. 52.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 3.5 PWD: 53

Name: **Newport News Shipbuilding and Dry Dock Co., Pier No. 8.**

Port: Hampton Roads

Location: Left bank, James River, approximately 3.5 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Address: 4101 Washington Avenue Phone: 804/380-4003

Town: Newport News State: VA County: Newport News

Railway Connection: None.

Purpose: Mooring company-owned floating equipment and floating drydock.

Depth Alongside (feet): 30 | 30 | 30 Latitude (decimal): 36.988056

Total Berthing Space (feet): - | 640 | 660 Longitude (decimal): -76.44639

Remarks: Floating drydock described in Remarks under Ref. No. 52 moors at upper side of pier and locks onto mooring trough fronting wharf during transfer of vessel onto drydock from lowest of 4 land-level ways located at graving dock (Drydock No. 4), and 2 inclined shipbuilding ways (Shipways Nos. 6 and 5) are located below pier. Other utilities available at pier are described in Remarks under Ref. No. 52.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 3.6 PWD: 52
Name: **Newport News Shipbuilding and Dry Dock Co., Pier No. 9 and Land-Le**
Port: Hampton Roads
Location: Left bank, James River, approximately 3.6 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW
Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.
Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.
Address: 4101 Washington Avenue Phone: 804/380-4003
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 30 | 70 | 30 Latitude (decimal): 36.989722
Total Berthing Space (feet): 190 | 100 | 594 Longitude (decimal): -76.44694

Waterway: **James River** Mile: 3.6 PWD: 52
Name: **Newport News Shipbuilding and Dry Dock Co., Pier No. 9 and Land-Le**
Port: Hampton Roads
Location: Left bank, James River, approximately 3.6 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW
Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.
Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.
Address: 4101 Washington Avenue Phone: 804/380-4003
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 30 | 70 | 30 Latitude (decimal): 36.989722
Total Berthing Space (feet): 190 | 100 | 594 Longitude (decimal): -76.44694

Remarks: One 42,000-ton, floating drydock (Ed Campbell) used for launching and repairing vessels, moors at lower side of pier. A lip on the drydock's apron locks onto the trough along the face of the wharf during transfe for launching. Four partly-covered, land-level ways served by a transporter are located at rear of wharf. Each pier at shipyard is equipped with lines for supplying propane, oxygen, steam, and compressed air, and haconnections for welding equipment, and sewer connections for vessels. Trucks have access to all piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Remarks: One 42,000-ton, floating drydock (Ed Campbell) used for launching and repairing vessels, moors at lower side of pier. A lip on the drydock's apron locks onto the trough along the face of the wharf during transfe for launching. Four partly-covered, land-level ways served by a transporter are located at rear of wharf. Each pier at shipyard is equipped with lines for supplying propane, oxygen, steam, and compressed air, and haconnections for welding equipment, and sewer connections for vessels. Trucks have access to all piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 3.6 PWD: 52
Name: **Newport News Shipbuilding and Dry Dock Co., Pier No. 9 and Land-Le**
Port: Hampton Roads
Location: Left bank, James River, approximately 3.6 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW
Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.
Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.
Address: 4101 Washington Avenue Phone: 804/380-4003
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 30 | 70 | 30 Latitude (decimal): 36.989722
Total Berthing Space (feet): 190 | 100 | 594 Longitude (decimal): -76.44694

Waterway: **James River** Mile: 3.6 PWD: 52
Name: **Newport News Shipbuilding and Dry Dock Co., Pier No. 9 and Land-Le**
Port: Hampton Roads
Location: Left bank, James River, approximately 3.6 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW
Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.
Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.
Address: 4101 Washington Avenue Phone: 804/380-4003
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 30 | 70 | 30 Latitude (decimal): 36.989722
Total Berthing Space (feet): 190 | 100 | 594 Longitude (decimal): -76.44694

Remarks: One 42,000-ton, floating drydock (Ed Campbell) used for launching and repairing vessels, moors at lower side of pier. A lip on the drydock's apron locks onto the trough along the face of the wharf during transfe for launching. Four partly-covered, land-level ways served by a transporter are located at rear of wharf. Each pier at shipyard is equipped with lines for supplying propane, oxygen, steam, and compressed air, and haconnections for welding equipment, and sewer connections for vessels. Trucks have access to all piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Remarks: One 42,000-ton, floating drydock (Ed Campbell) used for launching and repairing vessels, moors at lower side of pier. A lip on the drydock's apron locks onto the trough along the face of the wharf during transfe for launching. Four partly-covered, land-level ways served by a transporter are located at rear of wharf. Each pier at shipyard is equipped with lines for supplying propane, oxygen, steam, and compressed air, and haconnections for welding equipment, and sewer connections for vessels. Trucks have access to all piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 4.0 PWD: 51

Name: **Newport News Shipbuilding and Dry Dock Co., Outfitting Berths Nos.**

Port: Hampton Roads

Location: Left bank, James River, approximately 4.0 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Address: 4101 Washington Avenue Phone: 804/380-4003

Town: Newport News State: VA County: Newport News

Railway Connection: One surface track along rear of face joins additional plant trackage; connects with CSX Rail Transport.

Purpose: Mooring vessels for conversion, outfitting, and repair. Occasional receipt of steel for shipyard use.

Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 36.995278

Total Berthing Space (feet): 2,320 | | Longitude (decimal): -76.44944

Waterway: **James River** Mile: 4.0 PWD: 51

Name: **Newport News Shipbuilding and Dry Dock Co., Outfitting Berths Nos.**

Port: Hampton Roads

Location: Left bank, James River, approximately 4.0 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Address: 4101 Washington Avenue Phone: 804/380-4003

Town: Newport News State: VA County: Newport News

Railway Connection: One surface track along rear of face joins additional plant trackage; connects with CSX Rail Transport.

Purpose: Mooring vessels for conversion, outfitting, and repair. Occasional receipt of steel for shipyard use.

Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 36.995278

Total Berthing Space (feet): 2,320 | | Longitude (decimal): -76.44944

Remarks: Upper portion is Berth No. 2 and lower portion is Berth No. 1. Three shipbuilding graving docks are located adjacent to wharf, spanned and served by 2 electric bridge cranes traveling on rails from assembly area structures extending outward from the entrances to the shipways. Above the wharf, a crane serving Shipway No. 12 has a maximum lift capacity of 990 tons and spans 540 feet from the upper side of Berth No. 2 to a 200-of the same construction. Below the wharf, a crane spanning 410 feet across Shipways Nos. 10 and 11 has a maximum lift capacity of 310 tons, and travels on two 150-foot long, concrete piers. One 6-inof wharf to 10 steel storage tanks at oil-reclaiming facility at rear, total capacity 305,000 barrels. Other utilities available at wharf are described in Remarks under Ref. No. 52.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Remarks: Upper portion is Berth No. 2 and lower portion is Berth No. 1. Three shipbuilding graving docks are located adjacent to wharf, spanned and served by 2 electric bridge cranes traveling on rails from assembly area structures extending outward from the entrances to the shipways. Above the wharf, a crane serving Shipway No. 12 has a maximum lift capacity of 990 tons and spans 540 feet from the upper side of Berth No. 2 to a 200-of the same construction. Below the wharf, a crane spanning 410 feet across Shipways Nos. 10 and 11 has a maximum lift capacity of 310 tons, and travels on two 150-foot long, concrete piers. One 6-inof wharf to 10 steel storage tanks at oil-reclaiming facility at rear, total capacity 305,000 barrels. Other utilities available at wharf are described in Remarks under Ref. No. 52.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 4.0 PWD: 51

Name: **Newport News Shipbuilding and Dry Dock Co., Outfitting Berths Nos.**

Port: Hampton Roads

Location: Left bank, James River, approximately 4.0 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Address: 4101 Washington Avenue Phone: 804/380-4003

Town: Newport News State: VA County: Newport News

Railway Connection: One surface track along rear of face joins additional plant trackage; connects with CSX Rail Transport.

Purpose: Mooring vessels for conversion, outfitting, and repair. Occasional receipt of steel for shipyard use.

Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 36.995278

Total Berthing Space (feet): 2,320 | | Longitude (decimal): -76.44944

Waterway: **James River** Mile: 4.0 PWD: 51

Name: **Newport News Shipbuilding and Dry Dock Co., Outfitting Berths Nos.**

Port: Hampton Roads

Location: Left bank, James River, approximately 4.0 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge-T Datum: MLLW

Operator: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Owner: Newport News Shipbuilding and Dry Dock Co., Subsidiary of Tenneco, Inc.

Address: 4101 Washington Avenue Phone: 804/380-4003

Town: Newport News State: VA County: Newport News

Railway Connection: One surface track along rear of face joins additional plant trackage; connects with CSX Rail Transport.

Purpose: Mooring vessels for conversion, outfitting, and repair. Occasional receipt of steel for shipyard use.

Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 36.995278

Total Berthing Space (feet): 2,320 | | Longitude (decimal): -76.44944

Remarks: Upper portion is Berth No. 2 and lower portion is Berth No. 1. Three shipbuilding graving docks are located adjacent to wharf, spanned and served by 2 electric bridge cranes traveling on rails from assembly area structures extending outward from the entrances to the shipways. Above the wharf, a crane serving Shipway No. 12 has a maximum lift capacity of 990 tons and spans 540 feet from the upper side of Berth No. 2 to a 200-of the same construction. Below the wharf, a crane spanning 410 feet across Shipways Nos. 10 and 11 has a maximum lift capacity of 310 tons, and travels on two 150-foot long, concrete piers. One 6-inof wharf to 10 steel storage tanks at oil-reclaiming facility at rear, total capacity 305,000 barrels. Other utilities available at wharf are described in Remarks under Ref. No. 52.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Remarks: Upper portion is Berth No. 2 and lower portion is Berth No. 1. Three shipbuilding graving docks are located adjacent to wharf, spanned and served by 2 electric bridge cranes traveling on rails from assembly area structures extending outward from the entrances to the shipways. Above the wharf, a crane serving Shipway No. 12 has a maximum lift capacity of 990 tons and spans 540 feet from the upper side of Berth No. 2 to a 200-of the same construction. Below the wharf, a crane spanning 410 feet across Shipways Nos. 10 and 11 has a maximum lift capacity of 310 tons, and travels on two 150-foot long, concrete piers. One 6-inof wharf to 10 steel storage tanks at oil-reclaiming facility at rear, total capacity 305,000 barrels. Other utilities available at wharf are described in Remarks under Ref. No. 52.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 1.0 PWD: 63

Name: **Dominion Terminal Associates, Pier No. 11.**

Port: Hampton Roads

Location: Left bank, James River, approximately 1.0 mile above Interstate Highway 664 (Monitor-Merrimac) Bridge-Tu Datum: MLLW

Operator: Dominion Terminal Associates, and McAllister Towing of Virginia, Inc.

Owner: Dominion Terminal Associates.

Address: Harbor Road Phone: 804/245-2275 X

Town: Newport News State: VA County: Newport News

Railway Connection: CSX Rail Transport: Surface tracks in rear, capacity 429 cars, including automatic-unloading-system track serving one tandem, rotary, car dumper, capacity 57 cars (5,700 tons) per hour.

Purpose: Shipment of coal; mooring company-owned tugboats and barges.

Depth Alongside (feet):	-	50	50	Latitude (decimal):	36.963333
Total Berthing Space (feet):	-	1,000	1,000	Longitude (decimal):	-76.42306

Remarks: McAllister Towing of Virginia, Inc. moors company-owned equipment along bulkhead above and below pier, providing 60 and 472 feet of berthing space, respectively, in 15-foot depth of water. Open storage area with capacity for 1,400,000 tons of coal is served by 2 electric, traveling, stacker-reclaimers and one traveling reclaimer, each with a slewing boom equipped with a continuous bucket wheel, served by an 84-inch belt convewhich is reversible for the stackers, reclaiming rate each, 4,000 tons per hour average, 6,800 tons per hour maximum, and stacking rate for each stacker, 5,800 tons per hour maximum. Railcar dumper issystem extending through 1,000-ton surge silo to storage area.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10343 Norfolk District

---

Waterway: **James River** Mile: 19.2 PWD: 45

Name: **U.S. Maritime Administration, James River Reserve Fleet Pier.**

Port: Hampton Roads

Location: Left bank, James River, approx. 19.2 miles above Interstate Highway 664 Bridge-Tunnel and 0.8 mile above Datum: MLLW

Operator: U.S. Department of Transportation, Maritime Administration.

Owner: U.S. Government.

Address: Harrison Road Phone: 804/887-3233

Town: Newport News State: VA County: Newport News

Railway Connection: None.

Purpose: Handling supplies and equipment; mooring government-owned small vessels.

Depth Alongside (feet):	10	9 - 12	12	Latitude (decimal):	37.138333
Total Berthing Space (feet):	181	450	200	Longitude (decimal):	-76.62333

Remarks: Bulkhead extends 181 feet beyond face of pier, serving as a wave screen. Vessels berth along lower side, and a row of sunken vessels fronts upper side. Small vessel slip on lower side of pier is 57- by 10- + 16 Facility is base for service craft maintaining reserve fleet, which is moored in the James River, on both sides of the channel.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 20.5 PWD: 8
Name: **Virginia Power, Surry Power Station Heavy Equipment Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 20.5 miles above Interstate Highway 664 Bridge-Tunnel, on east si Datum: MLLW
Operator: Virginia Power.
Owner: Virginia Power.
Address: State Highway 650 Phone: 804/365-2377
Town: Bacons Castle State: VA County: Surry
Railway Connection: None.
Purpose: Handling heavy equipment and components for plant.
Depth Alongside (feet): 7 | | Latitude (decimal): 37.156944
Total Berthing Space (feet): 125 | | Longitude (decimal): -76.67111
Remarks: Plant cooling-water outfall is located at lower end of wharf.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Waterway: **James River** Mile: 32.1 PWD: 9
Name: **Scotland-Jamestown Ferry Slips.**
Port: Hampton Roads
Location: Right bank, James River, approximately 32.1 miles above Interstate Highway 664 Bridge-Tunnel, Scotland. Datum: MLLW
Operator: State of Virginia, Department of Transportation.
Owner: State of Virginia.
Address: State Highway 31 Phone: 804/294-3354
Town: Scotland State: VA County: Surry
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferries to Jamestown; mooring idle ferries.
Depth Alongside (feet): 11 | 16 | 23 Latitude (decimal): 37.184722
Total Berthing Space (feet): 275 | 200 | 200 Longitude (decimal): -76.785
Remarks: Plans call for lengthening the 2 landing slips to 200 feet in 1994 to accommodate longer ferries, adding a third lay slip on the lower side, and constructing a repair slip with an adjustable transfer bridge on th side. Ferries 'Jamestown' and 'Surry' operate to slips at Jamestown, Ref. No. 43. Ferry service office is located on pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 34.3 PWD: 43
Name: **Jamestown-Scotland Ferry Slips.**
Port: Hampton Roads
Location: Left bank, James River, approximately 34.3 miles above Interstate Highway 664 Bridge-Tunnel, above Glass Datum: MLLW
Operator: State of Virginia, Department of Transportation.
Owner: State of Virginia.
Address: State Highway 31 Phone: 804/294-3354
Town: Jamestown State: VA County: James City
Railway Connection: None.
Purpose: Landing for passenger and vehicular ferries to Scotland.
Depth Alongside (feet): 30 | 30 | Latitude (decimal): 37.219722
Total Berthing Space (feet): 200 | 200 | Longitude (decimal): -76.79194
Remarks: Plans call for lengthening the 2 slips to 200 feet in 1994 to accommodate longer ferries. Ferries operate to slips at Scotland, Ref. No. 9. □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Waterway: **James River** Mile: 42.9 PWD: 42
Name: **Riverside Farm, Sandy Point Dock.**
Port: Hampton Roads
Location: Left bank, James River, approximately 42.9 miles above Interstate Highway 664 Bridge-Tunnel, at Sandy Po Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Riverside Farm, Inc.
Address: 18001 Sandy Point Road (St Hwy 613) Phone: 804/829-2373
Town: Rustic State: VA County: Charles City
Railway Connection: None.
Purpose: Occasional mooring of barges.
Depth Alongside (feet): 15 - 18 | | Latitude (decimal): 37.237222
Total Berthing Space (feet): 800 | | Longitude (decimal): -76.94111
Remarks: Operator uses dock as an emergency mooring for up to 12 barges, 3 abreast, during foul weather. Dock was formerly used for shipment of sand and gravel by barge, trucked from gravel pits located one mile at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 49.5 PWD: 41
Name: **Cedarcrest Marine, Sturgeon Point Wharves.**
Port: Hampton Roads
Location: Left bank, James River, approx. 49.5 miles above Interstate Highway 664 Bridge-Tunnel, lower side of Stu Datum: MLLW
Operator: Cedarcrest Marine, Inc.
Owner: Cedarcrest Marine, Inc.
Address: 13101 Sturgeon Point Road (St Hwy 614 Phone: 804/829-2459
Town: Rustic State: VA County: Charles City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned equipment.
Depth Alongside (feet): 20 | 8 - 10 | 12 Latitude (decimal): 37.306667
Total Berthing Space (feet): 130 | 250 | 250 Longitude (decimal): -77.00667

Waterway: **James River** Mile: 49.5 PWD: 41
Name: **Cedarcrest Marine, Sturgeon Point Wharves.**
Port: Hampton Roads
Location: Left bank, James River, approx. 49.5 miles above Interstate Highway 664 Bridge-Tunnel, lower side of Stu Datum: MLLW
Operator: Cedarcrest Marine, Inc.
Owner: Cedarcrest Marine, Inc.
Address: 13101 Sturgeon Point Road (St Hwy 614 Phone: 804/829-2459
Town: Rustic State: VA County: Charles City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned equipment.
Depth Alongside (feet): 20 | 8 - 10 | 12 Latitude (decimal): 37.306667
Total Berthing Space (feet): 130 | 250 | 250 Longitude (decimal): -77.00667

Remarks: Remains of bulkhead are approximately 530 feet long. A timber pile, steel-decked, 40- by 8-foot pier, with 4-foot depth of water at outer end, is located 25 feet above pier. Approximately 2 1/2 acres of open st located at rear. Barges are moored up to 4 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

Remarks: Remains of bulkhead are approximately 530 feet long. A timber pile, steel-decked, 40- by 8-foot pier, with 4-foot depth of water at outer end, is located 25 feet above pier. Approximately 2 1/2 acres of open st located at rear. Barges are moored up to 4 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 49.5 PWD: 41
Name: **Cedarcrest Marine, Sturgeon Point Wharves.**
Port: Hampton Roads
Location: Left bank, James River, approx. 49.5 miles above Interstate Highway 664 Bridge-Tunnel, lower side of Stu Datum: MLLW
Operator: Cedarcrest Marine, Inc.
Owner: Cedarcrest Marine, Inc.
Address: 13101 Sturgeon Point Road (St Hwy 614 Phone: 804/829-2459
Town: Rustic State: VA County: Charles City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned equipment.
Depth Alongside (feet): 20 | 8 - 10 | 12 Latitude (decimal): 37.306667
Total Berthing Space (feet): 130 | 250 | 250 Longitude (decimal): -77.00667

Waterway: **James River** Mile: 49.5 PWD: 41
Name: **Cedarcrest Marine, Sturgeon Point Wharves.**
Port: Hampton Roads
Location: Left bank, James River, approx. 49.5 miles above Interstate Highway 664 Bridge-Tunnel, lower side of Stu Datum: MLLW
Operator: Cedarcrest Marine, Inc.
Owner: Cedarcrest Marine, Inc.
Address: 13101 Sturgeon Point Road (St Hwy 614 Phone: 804/829-2459
Town: Rustic State: VA County: Charles City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned equipment.
Depth Alongside (feet): 20 | 8 - 10 | 12 Latitude (decimal): 37.306667
Total Berthing Space (feet): 130 | 250 | 250 Longitude (decimal): -77.00667

Remarks: Remains of bulkhead are approximately 530 feet long. A timber pile, steel-decked, 40- by 8-foot pier, with 4-foot depth of water at outer end, is located 25 feet above pier. Approximately 2 1/2 acres of open st located at rear. Barges are moored up to 4 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

Remarks: Remains of bulkhead are approximately 530 feet long. A timber pile, steel-decked, 40- by 8-foot pier, with 4-foot depth of water at outer end, is located 25 feet above pier. Approximately 2 1/2 acres of open st located at rear. Barges are moored up to 4 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 49.6 PWD: 40
Name: **Cedarcrest Marine, Sturgeon Point Moorings.**
Port: Hampton Roads
Location: Left bank, James River, approx. 49.6 miles above Interstate Highway 664 Bridge-Tunnel, upper side of Stu Datum: MLLW
Operator: Cedarcrest Marine, Inc.
Owner: Cedarcrest Marine, Inc.
Address: 13101 Sturgeon Point Road (St Hwy 614 Phone: 804/829-2459
Town: Rustic State: VA County: Charles City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned equipment.
Depth Alongside (feet): 0 - 12 | 0 - 12 | 4 - 5 Latitude (decimal): 37.307222
Total Berthing Space (feet): 195 | 130 | 200 Longitude (decimal): -77.00778

Waterway: **James River** Mile: 49.6 PWD: 40
Name: **Cedarcrest Marine, Sturgeon Point Moorings.**
Port: Hampton Roads
Location: Left bank, James River, approx. 49.6 miles above Interstate Highway 664 Bridge-Tunnel, upper side of Stu Datum: MLLW
Operator: Cedarcrest Marine, Inc.
Owner: Cedarcrest Marine, Inc.
Address: 13101 Sturgeon Point Road (St Hwy 614 Phone: 804/829-2459
Town: Rustic State: VA County: Charles City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned equipment.
Depth Alongside (feet): 0 - 12 | 0 - 12 | 4 - 5 Latitude (decimal): 37.307222
Total Berthing Space (feet): 195 | 130 | 200 Longitude (decimal): -77.00778

Remarks: An inclined launchway located between barges was being converted into a 3,000-ton marine railway in 1992. A pair of steel ramps for loading cranes onto barges is located below lower barge. Buildings used as sho at rear. Barges are moored up to 4 abreast along bank.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

Remarks: An inclined launchway located between barges was being converted into a 3,000-ton marine railway in 1992. A pair of steel ramps for loading cranes onto barges is located below lower barge. Buildings used as sho at rear. Barges are moored up to 4 abreast along bank.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 49.6 PWD: 40
Name: **Cedarcrest Marine, Sturgeon Point Moorings.**
Port: Hampton Roads
Location: Left bank, James River, approx. 49.6 miles above Interstate Highway 664 Bridge-Tunnel, upper side of Stu Datum: MLLW
Operator: Cedarcrest Marine, Inc.
Owner: Cedarcrest Marine, Inc.
Address: 13101 Sturgeon Point Road (St Hwy 614 Phone: 804/829-2459
Town: Rustic State: VA County: Charles City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned equipment.
Depth Alongside (feet): 0 - 12 | 0 - 12 | 4 - 5 Latitude (decimal): 37.307222
Total Berthing Space (feet): 195 | 130 | 200 Longitude (decimal): -77.00778

Waterway: **James River** Mile: 49.6 PWD: 40
Name: **Cedarcrest Marine, Sturgeon Point Moorings.**
Port: Hampton Roads
Location: Left bank, James River, approx. 49.6 miles above Interstate Highway 664 Bridge-Tunnel, upper side of Stu Datum: MLLW
Operator: Cedarcrest Marine, Inc.
Owner: Cedarcrest Marine, Inc.
Address: 13101 Sturgeon Point Road (St Hwy 614 Phone: 804/829-2459
Town: Rustic State: VA County: Charles City
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring company-owned equipment.
Depth Alongside (feet): 0 - 12 | 0 - 12 | 4 - 5 Latitude (decimal): 37.307222
Total Berthing Space (feet): 195 | 130 | 200 Longitude (decimal): -77.00778

Remarks: An inclined launchway located between barges was being converted into a 3,000-ton marine railway in 1992. A pair of steel ramps for loading cranes onto barges is located below lower barge. Buildings used as sho at rear. Barges are moored up to 4 abreast along bank.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

Remarks: An inclined launchway located between barges was being converted into a 3,000-ton marine railway in 1992. A pair of steel ramps for loading cranes onto barges is located below lower barge. Buildings used as sho at rear. Barges are moored up to 4 abreast along bank.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 67.6 PWD: 10

Name: **Allied-Signal, Hopewell Plant Pier.**

Port: Hampton Roads

Location: Right bank, James River, approximately 67.6 miles above Interstate Highway 664 Bridge-Tunnel, and 1.0 mi Datum: MLLW

Operator: Allied Fibers, a division of Allied-Signal, Inc.

Owner: Allied-Signal, Inc.

Address: 905 East Randolph Road Phone: 804/541-5732

Town: Hopewell State: VA County: Hopewell

Railway Connection: One 265-foot surface track on upper apron serves one tank-car loading rack on pier and joins plant trackage at rear; connects with Norfolk Southern Railway Co.

Purpose: Receipt of phenol, sulphur, oleum, and fuel oil for plant consumption by barge; shipment of dry bulk ammonium sulfate.

Depth Alongside (feet): 25 | 25 | 25 Latitude (decimal): 37.307778

Total Berthing Space (feet): | 650 | 570 Longitude (decimal): -77.26528

Remarks: Two additional storage buildings at rear have a total capacity for 70,000 tons of ammonium sulfate. Four pipelines extend from pier to storage tanks at rear:□Product Pipeline Size Storage Tanks (inches) No. Capacity Units □Fuel oil 12 2 160,000 barrels.□Sulphur 14 becoming 12 2 2,500,000 gallons.□Phenol 6 2 2,000,000 gallons.□Oleum 6 2 500,000 gallons.Allied Fibers and Tarmac Virginia, Inc. moor up to 12 barges at a 500-foot long row of timber breasting dolphins located in 10-foot water depth, on left side of the navigation channel, opposite the pContainer Corp. Hopewell Mill is located approximately 0.4 mile below pier, on a timber, T-head pier formerly used to receive fuel oil

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10352 Norfolk District

---

Waterway: **James River** Mile: 68.0 PWD: 11

Name: **Regional Enterprises, Hopewell Wharf.**

Port: Hampton Roads

Location: Right bank, James River, approximately 68.0 miles above Interstate Highway 664 Bridge-Tunnel, and 0.6 mi Datum: MLLW

Operator: Regional Enterprises, Inc.

Owner: Regional Enterprises, Inc.

Address: 410 Water Street Phone: 804/458-0926

Town: Hopewell State: VA County: Hopewell

Railway Connection: Two surface tracks in terminal at rear; connect with Norfolk Southern Railway Co.

Purpose: Receipt of crude oil, petroleum products, and fertilizer by barge.

Depth Alongside (feet): 23 | | Latitude (decimal): 37.312778

Total Berthing Space (feet): 300 | | Longitude (decimal): -77.26972

Remarks: Six pipelines extend from wharf to 7 steel storage tanks located at rear:□Product Pipelines Storage Tanks □ No. Size No. Capacity Units (inches) □Asphalt 1 10 1 40,000 barrels.□Crude oil 1 6 1 40,000 barrels.Petroleum) □ products) 4 6 (4 160,000 barrels.□Fertilizer) (1 1,680,000 gallons.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10352 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 68.1 PWD: 12
Name: **Tidewater Materials, Hopewell Concrete Plant Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 68.1 miles above Interstate Highway 664 Bridge-Tunnel, and 0.5 mi Datum: MLLW
Operator: Tidewater Materials, Inc.
Owner: Tidewater Materials, Inc.
Address: 500 Water Street Phone: 804/232-1200
Town: Hopewell State: VA County: Hopewell
Railway Connection: None.
Purpose: Receipt of sand and gravel by barge.
Depth Alongside (feet): 10 - 18 | | Latitude (decimal): 37.313611
Total Berthing Space (feet): 400 | | Longitude (decimal): -77.27111
Remarks: Crane unloads to 3 concrete-walled bins on apron, total capacity 2,700 tons of gravel and 2,000 tons of sand. Crane also serves 3 elevated hoppers on ready-mix concrete plant at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10352 Norfolk District

---

Waterway: **James River** Mile: 68.2 PWD: 13
Name: **Dominion Towing, City Point Mooring.**
Port: Hampton Roads
Location: Right bank, James River, approximately 68.2 miles above Interstate Highway 664 Bridge-Tunnel, and 0.4 mi Datum: MLLW
Operator: Dominion Towing and B and B Tugs.
Owner: C. Hardaway Marks and U.S. Government.
Address: Water Street Phone: 804/732-3966
Town: Hopewell State: VA County: Hopewell
Railway Connection: None.
Purpose: Mooring company-owned tugboats.
Depth Alongside (feet): 15 - 35 | | Latitude (decimal): 37.315278
Total Berthing Space (feet): 240 | | Longitude (decimal): -77.27222
Remarks: Dominion Towing moors at wharf, owned by C. Hardaway Marks. B and B Tugs moors at steel piling, owned by the U.S. Park Service, which plans to purchase the Marks wharf and replace all of the structures.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10352 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 70.0 PWD: 39
Name: **Tarmac Virginia, Shirley Hole Landing.**
Port: Hampton Roads
Location: Left bank, James River, approx. 70.0 miles above Interstate Highway 664 Bridge-Tunnel, on north side of Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Charles Carter, Sr.
Address: New Market Road (St Hwys 5 and 156) Phone: 804/343-7780
Town: Charles City State: VA County: Charles City
Railway Connection: None.
Purpose: Landing for company-owned towboats; mooring barges.
Depth Alongside (feet): 8 | | Latitude (decimal): 37.335556
Total Berthing Space (feet): 50 | | Longitude (decimal): -77.26028
Remarks: The Shirley Hole is located above Eppes Island and is approximately 0.4 mile long by 0.3 mile wide with a 400-foot wide entrance channel at the northwest corner. Operator moors up to 24 barges in 2 blocks of 12 located in the south portion of the basin.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Waterway: **James River** Mile: 73.7 PWD: 37
Name: **Tarmac Virginia, Curles Neck Gravel Pit Pier.**
Port: Hampton Roads
Location: Left bank, James River, approx. 73.7 miles above Interstate Hwy 664 Bridge-Tunnel, north side of basin i Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Dick Watkins.
Address: 4201 New Market Road (State Hwy 5) Phone: 804/343-7780
Town: Varina State: VA County: Henrico
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge; mooring barges.
Depth Alongside (feet): | 8 - 9 | 8 - 9 Latitude (decimal): 37.369444
Total Berthing Space (feet): - | 225 | 225 Longitude (decimal): -77.295
Remarks: Basin is located in the upper side of Curles Neck, and is approximately 0.9 mile long by 0.6 mile wide with a 300-foot wide entrance channel on the west side. Material is trucked from gravel pits located approxi at rear. Operator fleets up to 18 barges in 5 blocks moored to buoys located in the south portion of the basin.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 78.5 PWD: 15

Name: **Virginia Power, Chesterfield Power Station Slip.**

Port: Hampton Roads

Location: Right bank, James River, approximately 78.5 miles above Interstate Highway 664 Bridge-Tunnel, Chesterfie Datum: MLLW

Operator: Virginia Power.

Owner: Virginia Power.

Address: End of State Highway 615 Phone: 804/796-6016

Town: Chester State: VA County: Chesterfield

Railway Connection: Two surface tracks serving coal storage facilities at power plant in rear; connect with CSX Rail Transport.

Purpose: Occasional receipt of fuel oil by barge for plant consumption.

Depth Alongside (feet): 22 | 22 - 28 | Latitude (decimal): 37.386111

Total Berthing Space (feet): 400 | 200 | Longitude (decimal): -77.38667

Remarks: Slip is 450 feet long at waterline. One 8-inch pipeline extends from lower side to 2 steel storage tanks at power plant located in rear, total capacity 261,900 barrels. Truck-loading hoppers are maintained on s coal.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 79.9 PWD: 16
Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge; mooring barges.
Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333
Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Waterway: **James River** Mile: 79.9 PWD: 16
Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge; mooring barges.
Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333
Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Waterway: **James River** Mile: 79.9 PWD: 16
Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge; mooring barges.
Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333
Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Port Facilities by Waterway

Waterway: **James River** Mile: 79.9 PWD: 16

Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**

Port: Hampton Roads

Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Shipment of sand and gravel by barge; mooring barges.

Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333

Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 79.9 PWD: 16
Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge; mooring barges.
Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333
Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Waterway: **James River** Mile: 79.9 PWD: 16
Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge; mooring barges.
Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333
Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Waterway: **James River** Mile: 79.9 PWD: 16
Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge; mooring barges.
Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333
Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Port Facilities by Waterway

Waterway: **James River** Mile: 79.9 PWD: 16

Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**

Port: Hampton Roads

Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Shipment of sand and gravel by barge; mooring barges.

Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333

Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 79.9 PWD: 16
Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge; mooring barges.
Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333
Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Waterway: **James River** Mile: 79.9 PWD: 16
Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge; mooring barges.
Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333
Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Waterway: **James River** Mile: 79.9 PWD: 16
Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge; mooring barges.
Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333
Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Port Facilities by Waterway

Waterway: **James River** Mile: 79.9 PWD: 16

Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**

Port: Hampton Roads

Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Shipment of sand and gravel by barge; mooring barges.

Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333

Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 79.9 PWD: 16
Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge; mooring barges.
Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333
Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Waterway: **James River** Mile: 79.9 PWD: 16
Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge; mooring barges.
Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333
Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Waterway: **James River** Mile: 79.9 PWD: 16
Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge; mooring barges.
Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333
Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Port Facilities by Waterway

Waterway: **James River** Mile: 79.9 PWD: 16

Name: **Tarmac Virginia, Kingsland Reach Plant, Front Dock Wharf.**

Port: Hampton Roads

Location: Right bank, James River, approximately 79.9 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Shipment of sand and gravel by barge; mooring barges.

Depth Alongside (feet): 9 | 8 | Latitude (decimal): 37.403333

Total Berthing Space (feet): 260 | 150 | Longitude (decimal): -77.39389

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip on upper side is Ref. No. 17. Processing plant located at rear is served by one stacker in 300,000-ton capacity open storage area. Sand and gravel pits and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 80.0 PWD: 17
Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**
Port: Hampton Roads
Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Waterway: **James River** Mile: 80.0 PWD: 17
Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**
Port: Hampton Roads
Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Waterway: **James River** Mile: 80.0 PWD: 17
Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**
Port: Hampton Roads
Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Port Facilities by Waterway

Waterway: **James River** Mile: 80.0 PWD: 17

Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**

Port: Hampton Roads

Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.

Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611

Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 80.0 PWD: 17
Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**
Port: Hampton Roads
Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Waterway: **James River** Mile: 80.0 PWD: 17
Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**
Port: Hampton Roads
Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Waterway: **James River** Mile: 80.0 PWD: 17
Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**
Port: Hampton Roads
Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Port Facilities by Waterway

Waterway: **James River** Mile: 80.0 PWD: 17

Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**

Port: Hampton Roads

Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.

Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611

Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 80.0 PWD: 17
Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**
Port: Hampton Roads
Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Waterway: **James River** Mile: 80.0 PWD: 17
Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**
Port: Hampton Roads
Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Waterway: **James River** Mile: 80.0 PWD: 17
Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**
Port: Hampton Roads
Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Port Facilities by Waterway

Waterway: **James River** Mile: 80.0 PWD: 17

Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**

Port: Hampton Roads

Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.

Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611

Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 80.0 PWD: 17
Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**
Port: Hampton Roads
Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Waterway: **James River** Mile: 80.0 PWD: 17
Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**
Port: Hampton Roads
Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Waterway: **James River** Mile: 80.0 PWD: 17
Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**
Port: Hampton Roads
Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Port Facilities by Waterway

Waterway: **James River** Mile: 80.0 PWD: 17

Name: **Tarmac Virginia, Kingsland Reach Plant, Brick Sand and Unloading D**

Port: Hampton Roads

Location: Right bank, James River, approximately 80.0 miles above Interstate Hwy 664 Bridge-Tunnel, on Kingsland R Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Receipt of sand, gravel, and stone, and shipment of sand, all by barge.

Depth Alongside (feet): 8 | 8 | Latitude (decimal): 37.403611

Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -77.39639

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Slip is approximately 750 feet long by 80 to 200 feet wide, with 110 feet between docks. Processing plant and open storage area are described under Ref. No. 16.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 18
Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Fueling and mooring company-owned tugboats.
Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444
Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Waterway: **James River** Mile: 80.1 PWD: 18
Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Fueling and mooring company-owned tugboats.
Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444
Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Waterway: **James River** Mile: 80.1 PWD: 18
Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Fueling and mooring company-owned tugboats.
Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444
Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 18

Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**

Port: Hampton Roads

Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Fueling and mooring company-owned tugboats.

Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444

Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 18
Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Fueling and mooring company-owned tugboats.
Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444
Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Waterway: **James River** Mile: 80.1 PWD: 18
Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Fueling and mooring company-owned tugboats.
Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444
Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Waterway: **James River** Mile: 80.1 PWD: 18
Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Fueling and mooring company-owned tugboats.
Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444
Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 18

Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**

Port: Hampton Roads

Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Fueling and mooring company-owned tugboats.

Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444

Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 18
Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Fueling and mooring company-owned tugboats.
Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444
Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Waterway: **James River** Mile: 80.1 PWD: 18
Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Fueling and mooring company-owned tugboats.
Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444
Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Waterway: **James River** Mile: 80.1 PWD: 18
Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Fueling and mooring company-owned tugboats.
Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444
Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 18

Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**

Port: Hampton Roads

Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Fueling and mooring company-owned tugboats.

Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444

Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 18
Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Fueling and mooring company-owned tugboats.
Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444
Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Waterway: **James River** Mile: 80.1 PWD: 18
Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Fueling and mooring company-owned tugboats.
Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444
Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Waterway: **James River** Mile: 80.1 PWD: 18
Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Fueling and mooring company-owned tugboats.
Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444
Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 18

Name: **Tarmac Virginia, Kingsland Reach Plant, Fuel Pier and Tugboat Moor**

Port: Hampton Roads

Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, inn Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Fueling and mooring company-owned tugboats.

Depth Alongside (feet): 0 - 8 | 8 | 8 Latitude (decimal): 37.404444

Total Berthing Space (feet): 50 | 130 | 47 Longitude (decimal): -77.39778

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is approximately 800 feet long by 470 feet wide with 130-foot wide entrance channel at southeast corner. Tug moorings on north side are 150 feet apart. One 1 1/2-inch fuel pipeline extends to metered pump steel storage tanks, total capacity 890 barrels, and one 1-inch lube oil line extends to pier from one 1,000-gallon storage tank at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 19
Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair; mooring barges.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405
Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Waterway: **James River** Mile: 80.1 PWD: 19
Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair; mooring barges.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405
Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Waterway: **James River** Mile: 80.1 PWD: 19
Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair; mooring barges.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405
Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 19

Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**

Port: Hampton Roads

Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Mooring company-owned floating equipment for repair; mooring barges.

Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405

Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 19
Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair; mooring barges.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405
Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Waterway: **James River** Mile: 80.1 PWD: 19
Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair; mooring barges.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405
Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Waterway: **James River** Mile: 80.1 PWD: 19
Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair; mooring barges.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405
Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 19

Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**

Port: Hampton Roads

Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Mooring company-owned floating equipment for repair; mooring barges.

Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405

Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 19
Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair; mooring barges.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405
Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Waterway: **James River** Mile: 80.1 PWD: 19
Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair; mooring barges.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405
Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Waterway: **James River** Mile: 80.1 PWD: 19
Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair; mooring barges.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405
Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 19

Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**

Port: Hampton Roads

Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Mooring company-owned floating equipment for repair; mooring barges.

Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405

Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 19
Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair; mooring barges.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405
Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Waterway: **James River** Mile: 80.1 PWD: 19
Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair; mooring barges.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405
Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Waterway: **James River** Mile: 80.1 PWD: 19
Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**
Port: Hampton Roads
Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1300 Willis Road Phone: 804/343-7780
Town: Kingsland State: VA County: Chesterfield
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair; mooring barges.
Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405
Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Port Facilities by Waterway

Waterway: **James River** Mile: 80.1 PWD: 19

Name: **Tarmac Virginia, Kingsland Reach Plant, Shipyard Pier.**

Port: Hampton Roads

Location: Right bank, James River, approx. 80.1 miles above Interstate Hwy 664 Bridge-Tunnel, Kingsland Reach, nor Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1300 Willis Road Phone: 804/343-7780

Town: Kingsland State: VA County: Chesterfield

Railway Connection: None.

Purpose: Mooring company-owned floating equipment for repair; mooring barges.

Depth Alongside (feet): 8 | 0 - 8 | 0 - 8 Latitude (decimal): 37.405

Total Berthing Space (feet): 47 | 150 | 150 Longitude (decimal): -77.39694

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Remarks: Basin is described under Ref. No. 18. Floating equipment also moors east of pier, adjacent to a gravel ramp for unloading equipment. Operator fleets barges along right bank of river, at 2 rows of timber breasti located above entrance to basin and above ABB Power Generation slip, Ref. No. 20. Each row is 390 feet long, in 9- to 10-foot depth of water, the lower mooring 9 barges, 3 abreast, and the upper 4 barges, 2 abreast.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 80.2 PWD: 20
Name: **ABB Power Generation, Richmond Plant Slip.**
Port: Hampton Roads
Location: Right bank, James River, approximately 80.2 miles above Interstate Highway 664 Bridge-Tunnel, on Kingsla Datum: MLLW
Operator: ABB Power Generation, Inc.
Owner: ABB Power Generation, Inc.
Address: 1200 Willis Road Phone: 804/271-5366
Town: Kingsland State: VA County: Chesterfield
Railway Connection: One surface track at plant in rear connects with CSX Rail Transport.
Purpose: Occasional receipt of power generation equipment by barge.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.407778
Total Berthing Space (feet): 250 | | Longitude (decimal): -77.39639
Remarks: Slip is approximately 440 feet long by 100 feet wide. Plant located approximately 0.4 mile at rear manufactures and repairs electrical-power generation equipment. Tarmac Virginia, Inc. operates sand and gravel above slip and open storage areas at sides of slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Waterway: **James River** Mile: 81.9 PWD: 21
Name: **Du Pont James River Plant Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 81.9 miles above Interstate Hwy 664 Bridge-Tunnel, below Drewrys Datum: MLLW
Operator: E. I. Du Pont De Nemours & Co.
Owner: E. I. Du Pont De Nemours & Co.
Address: 1201 Bellwood Road Phone: 804/383-3772
Town: Bellwood State: VA County: Chesterfield
Railway Connection: Three surface tracks serving plant in rear, connect with CSX Rail Transport.
Purpose: Receipt of aragonite by self-unloading vessel.
Depth Alongside (feet): 21 | | Latitude (decimal): 37.422778
Total Berthing Space (feet): 240 | | Longitude (decimal): -77.40944
Remarks: Open storage area has capacity for 50,000 tons of aragonite. Hopper in open storage area serves belt-conveyor system extending to gypsum plant located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 82.7 PWD: 22
Name: **Exxon, Richmond Asphalt Terminal Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 82.7 miles above Interstate Highway 664 Bridge-Tunnel, at foot of Datum: MLLW
Operator: Not operated.
Owner: Exxon Co. U.S.A.
Address: 7700 Fort Darling Road Phone: 804/743-5761
Town: Bellwood State: VA County: Chesterfield
Railway Connection: None.
Purpose: Not used.

Depth Alongside (feet):	30			Latitude (decimal): 37.423889
Total Berthing Space (feet):	500			Longitude (decimal): -77.42444

Remarks: Formerly used for receipt of asphalt by barge. Facility was for sale in 1993. One 10-inch pipeline extends from wharf to 4 steel storage tanks in terminal located at top of bluff in rear, total capacity 147,000 □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

---

Waterway: **James River** Mile: 83.5 PWD: 23
Name: **Falling Creek Marina Moorings.**
Port: Hampton Roads
Location: Right bank, James River, approx. 83.5 miles above Interstate Hwy 664 Bridge-Tunnel, lower side of mouth Datum: MLLW
Operator: Falling Creek Marina.
Owner: Henry Houck.
Address: 1900 Marina Drive Phone:
Town: Bensley State: VA County: Chesterfield
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair.

Depth Alongside (feet):	6	6 - 7	6 - 7	Latitude (decimal): 37.436111
Total Berthing Space (feet):	100	400	150	Longitude (decimal): -77.42778

Remarks: Two grounded steel barges above river mooring form a 110- by 40-foot wharf with one timber breasting dolphin in line with face and one in front of line of face on upper side, providing 170 feet of berthing in 2 1 Approximately 8 acres of open storage area are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 84.4 PWD: 24

Name: **Exxon, Richmond Fuels Terminal Wharf.**

Port: Hampton Roads

Location: Right bank, James River, approx. 84.4 miles above Interstate Highway 664 Bridge-Tunnel, at Chesterfield Datum: MLLW

Operator: Not operated.

Owner: Exxon Co. U.S.A.

Address: 2000 Trenton Avenue Phone: 804/743-5733

Town: Richmond State: VA County: Chesterfield

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 24 | | Latitude (decimal): 37.4475

Total Berthing Space (feet): 465 | | Longitude (decimal): -77.42083

Remarks: Formerly used for receipt and shipment of petroleum products by barge. Two 14-, four 10-, and one 8-inch pipelines extend from wharf to 10 steel storage tanks located in terminal on Trenton Avenue at rear, total barrels.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 85.1 PWD: 25

Name: **Port of Richmond, Deepwater Terminal Wharf.**

Port: Hampton Roads

Location: Right bank, James River, approximately 85.1 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge Datum: MLLW

Operator: Meehan Overseas Terminal, Ltd.

Owner: City of Richmond.

Address: 5000 Deepwater Terminal Road Phone: 804/743-7678

Town: Richmond State: VA County: Richmond

Railway Connection: Two surface tracks serving lower and upper portions of apron, and four platform-level tracks between Warehouses Nos. 1 and 2, connect with CSX Rail Transport.

Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trades, including tobacco, forest, and paper products, chemicals, and cocoa; shipment of scrap iron and livestock.

Depth Alongside (feet): 25 | | Latitude (decimal): 37.456111

Total Berthing Space (feet): 1,250 | | Longitude (decimal): -77.42056

Waterway: **James River** Mile: 85.1 PWD: 25

Name: **Port of Richmond, Deepwater Terminal Wharf.**

Port: Hampton Roads

Location: Right bank, James River, approximately 85.1 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge Datum: MLLW

Operator: Meehan Overseas Terminal, Ltd.

Owner: City of Richmond.

Address: 5000 Deepwater Terminal Road Phone: 804/743-7678

Town: Richmond State: VA County: Richmond

Railway Connection: Two surface tracks serving lower and upper portions of apron, and four platform-level tracks between Warehouses Nos. 1 and 2, connect with CSX Rail Transport.

Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trades, including tobacco, forest, and paper products, chemicals, and cocoa; shipment of scrap iron and livestock.

Depth Alongside (feet): 25 | | Latitude (decimal): 37.456111

Total Berthing Space (feet): 1,250 | | Longitude (decimal): -77.42056

Remarks: Vessels up to 564 feet in length transit the James River above Hopewell. Plans call for extending the wharf 300 feet on the upper side by construction of a concrete pile or caisson, concrete-decked addition by 1 chute extends to lower side of wharf from pens for 1,200 head located at rear. Transit sheds are divided into 10 bays, with landward bays used as container-freight stations. Doors to rail- and truck-loading platformsides of Warehouses Nos. 1 and 2 include 17 for rail cars and 17 for trucks. Paved areas providing storage for 180 stacked containers (TEU's) and 1,220 containers on chassis, 7 additional acres of pavstorage warehouse adjacent to Warehouse No. 3 (S.W. Ref. No. 9), and fumigation facilities are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

Remarks: Vessels up to 564 feet in length transit the James River above Hopewell. Plans call for extending the wharf 300 feet on the upper side by construction of a concrete pile or caisson, concrete-decked addition by 1 chute extends to lower side of wharf from pens for 1,200 head located at rear. Transit sheds are divided into 10 bays, with landward bays used as container-freight stations. Doors to rail- and truck-loading platformsides of Warehouses Nos. 1 and 2 include 17 for rail cars and 17 for trucks. Paved areas providing storage for 180 stacked containers (TEU's) and 1,220 containers on chassis, 7 additional acres of pavstorage warehouse adjacent to Warehouse No. 3 (S.W. Ref. No. 9), and fumigation facilities are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 85.1 PWD: 25

Name: **Port of Richmond, Deepwater Terminal Wharf.**

Port: Hampton Roads

Location: Right bank, James River, approximately 85.1 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge Datum: MLLW

Operator: Meehan Overseas Terminal, Ltd.

Owner: City of Richmond.

Address: 5000 Deepwater Terminal Road Phone: 804/743-7678

Town: Richmond State: VA County: Richmond

Railway Connection: Two surface tracks serving lower and upper portions of apron, and four platform-level tracks between Warehouses Nos. 1 and 2, connect with CSX Rail Transport.

Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trades, including tobacco, forest, and paper products, chemicals, and cocoa; shipment of scrap iron and livestock.

Depth Alongside (feet): 25 | | Latitude (decimal): 37.456111

Total Berthing Space (feet): 1,250 | | Longitude (decimal): -77.42056

Waterway: **James River** Mile: 85.1 PWD: 25

Name: **Port of Richmond, Deepwater Terminal Wharf.**

Port: Hampton Roads

Location: Right bank, James River, approximately 85.1 miles above Interstate Highway 664 (Monitor-Merrimac) Bridge Datum: MLLW

Operator: Meehan Overseas Terminal, Ltd.

Owner: City of Richmond.

Address: 5000 Deepwater Terminal Road Phone: 804/743-7678

Town: Richmond State: VA County: Richmond

Railway Connection: Two surface tracks serving lower and upper portions of apron, and four platform-level tracks between Warehouses Nos. 1 and 2, connect with CSX Rail Transport.

Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trades, including tobacco, forest, and paper products, chemicals, and cocoa; shipment of scrap iron and livestock.

Depth Alongside (feet): 25 | | Latitude (decimal): 37.456111

Total Berthing Space (feet): 1,250 | | Longitude (decimal): -77.42056

Remarks: Vessels up to 564 feet in length transit the James River above Hopewell. Plans call for extending the wharf 300 feet on the upper side by construction of a concrete pile or caisson, concrete-decked addition by 1 chute extends to lower side of wharf from pens for 1,200 head located at rear. Transit sheds are divided into 10 bays, with landward bays used as container-freight stations. Doors to rail- and truck-loading platformsides of Warehouses Nos. 1 and 2 include 17 for rail cars and 17 for trucks. Paved areas providing storage for 180 stacked containers (TEU's) and 1,220 containers on chassis, 7 additional acres of pavstorage warehouse adjacent to Warehouse No. 3 (S.W. Ref. No. 9), and fumigation facilities are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

Remarks: Vessels up to 564 feet in length transit the James River above Hopewell. Plans call for extending the wharf 300 feet on the upper side by construction of a concrete pile or caisson, concrete-decked addition by 1 chute extends to lower side of wharf from pens for 1,200 head located at rear. Transit sheds are divided into 10 bays, with landward bays used as container-freight stations. Doors to rail- and truck-loading platformsides of Warehouses Nos. 1 and 2 include 17 for rail cars and 17 for trucks. Paved areas providing storage for 180 stacked containers (TEU's) and 1,220 containers on chassis, 7 additional acres of pavstorage warehouse adjacent to Warehouse No. 3 (S.W. Ref. No. 9), and fumigation facilities are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 85.2 PWD: 26
Name: **Port of Richmond, Deepwater Terminal Tugboat Landing.**
Port: Hampton Roads
Location: Right bank, James River, approximately 85.2 miles above Interstate Highway 664 Bridge-Tunnel, Richmond. Datum: MLLW
Operator: Meehan Overseas Terminal, Ltd.
Owner: City of Richmond.
Address: 5000 Deepwater Terminal Road Phone: 804/743-7678
Town: Richmond State: VA County: Richmond
Railway Connection: None.
Purpose: Transient mooring of tugboats. (See Remarks.)
Depth Alongside (feet): 6 - 10 | | Latitude (decimal): 37.458611
Total Berthing Space (feet): 100 | | Longitude (decimal): -77.42111

Waterway: **James River** Mile: 85.2 PWD: 26
Name: **Port of Richmond, Deepwater Terminal Tugboat Landing.**
Port: Hampton Roads
Location: Right bank, James River, approximately 85.2 miles above Interstate Highway 664 Bridge-Tunnel, Richmond. Datum: MLLW
Operator: Meehan Overseas Terminal, Ltd.
Owner: City of Richmond.
Address: 5000 Deepwater Terminal Road Phone: 804/743-7678
Town: Richmond State: VA County: Richmond
Railway Connection: None.
Purpose: Transient mooring of tugboats. (See Remarks.)
Depth Alongside (feet): 6 - 10 | | Latitude (decimal): 37.458611
Total Berthing Space (feet): 100 | | Longitude (decimal): -77.42111

Remarks: B and B Tugs moors company-owned tugboats at wharf. Upper portion of wharf was in deteriorated condition. Wharf will by replaced by expansion of adjacent Deepwater Terminal Wharf (Ref. No. 25) by 1995.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

Remarks: B and B Tugs moors company-owned tugboats at wharf. Upper portion of wharf was in deteriorated condition. Wharf will by replaced by expansion of adjacent Deepwater Terminal Wharf (Ref. No. 25) by 1995.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 85.2 PWD: 26
Name: **Port of Richmond, Deepwater Terminal Tugboat Landing.**
Port: Hampton Roads
Location: Right bank, James River, approximately 85.2 miles above Interstate Highway 664 Bridge-Tunnel, Richmond. Datum: MLLW
Operator: Meehan Overseas Terminal, Ltd.
Owner: City of Richmond.
Address: 5000 Deepwater Terminal Road Phone: 804/743-7678
Town: Richmond State: VA County: Richmond
Railway Connection: None.
Purpose: Transient mooring of tugboats. (See Remarks.)
Depth Alongside (feet): 6 - 10 | | Latitude (decimal): 37.458611
Total Berthing Space (feet): 100 | | Longitude (decimal): -77.42111

Waterway: **James River** Mile: 85.2 PWD: 26
Name: **Port of Richmond, Deepwater Terminal Tugboat Landing.**
Port: Hampton Roads
Location: Right bank, James River, approximately 85.2 miles above Interstate Highway 664 Bridge-Tunnel, Richmond. Datum: MLLW
Operator: Meehan Overseas Terminal, Ltd.
Owner: City of Richmond.
Address: 5000 Deepwater Terminal Road Phone: 804/743-7678
Town: Richmond State: VA County: Richmond
Railway Connection: None.
Purpose: Transient mooring of tugboats. (See Remarks.)
Depth Alongside (feet): 6 - 10 | | Latitude (decimal): 37.458611
Total Berthing Space (feet): 100 | | Longitude (decimal): -77.42111

Remarks: B and B Tugs moors company-owned tugboats at wharf. Upper portion of wharf was in deteriorated condition. Wharf will by replaced by expansion of adjacent Deepwater Terminal Wharf (Ref. No. 25) by 1995.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

Remarks: B and B Tugs moors company-owned tugboats at wharf. Upper portion of wharf was in deteriorated condition. Wharf will by replaced by expansion of adjacent Deepwater Terminal Wharf (Ref. No. 25) by 1995.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

Port Facilities by Waterway

Waterway: **James River** Mile: 85.9 PWD: 36
Name: **Tarmac Virginia, Chatsworth Quarry Dock.**
Port: Hampton Roads
Location: Left bank, James River, approx. 85.9 miles above Interstate Highway 664 Bridge-Tunnel, Richmond Heights, Datum: MLLW
Operator: Not operated.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 7060 Osborne Turnpike Phone: 804/343-7780
Town: Richmond Heights State: VA County: Henrico
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.468611
Total Berthing Space (feet): 500 | | Longitude (decimal): -77.42111
Remarks: Formerly used for shipment of sand and stone by barge. Material was trucked from quarry located approximately one mile at rear.□ □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

---

Waterway: **James River** Mile: 86.1 PWD: 27
Name: **Koch Fuels, Richmond Terminal Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 86.1 miles above Interstate Highway 664 Bridge-Tunnel, Richmond. Datum: MLLW
Operator: Koch Fuels, Inc.
Owner: Koch Industries, Inc.
Address: 4110 Deepwater Terminal Road Phone: 804/230-9366
Town: Richmond State: VA County: Richmond
Railway Connection: None.
Purpose: Receipt of fuel oil and asphalt by barge.
Depth Alongside (feet): 16 | | Latitude (decimal): 37.471944
Total Berthing Space (feet): 200 | | Longitude (decimal): -77.42333
Remarks: Two 10-inch pipelines extend from wharf to terminal located at rear, one to 3 fuel oil storage tanks, total capacity 86,000 barrels, and one to 6 asphalt storage tanks, total capacity 65,500 barrels.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 86.6 PWD: 28
Name: **Primary Corp., Deepwater Terminal Dock.**
Port: Hampton Roads
Location: Right bank, James River, approximately 86.6 miles above Interstate Highway 664 Bridge-Tunnel, Richmond. Datum: MLLW
Operator: Primary Corp.
Owner: Primary Corp.
Address: 3302 Deepwater Terminal Road Phone: 804/230-1747
Town: Richmond State: VA County: Richmond
Railway Connection: None.
Purpose: Receipt of petroleum products; shipment of fuel oil by barge.
Depth Alongside (feet): 25 | | Latitude (decimal): 37.478611
Total Berthing Space (feet): 200 | | Longitude (decimal): -77.42306
Remarks: Three 10-inch, and one unused 8-inch, pipelines extend from wharf to 7 steel storage tanks located in terminal at rear, total capacity 130,000 barrels.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

---

Waterway: **James River** Mile: 87.0 PWD: 29
Name: **Peck Recycling Co., Richmond Dock.**
Port: Hampton Roads
Location: Right bank, James River, approximately 87.0 miles above Interstate Highway 664 Bridge-Tunnel, Richmond. Datum: MLLW
Operator: Not operated.
Owner: Peck Iron & Metal Co., Inc.
Address: 3220 Deepwater Terminal Road Phone: 804/232-5601
Town: Richmond State: VA County: Richmond
Railway Connection: Seven surface tracks serving yard in rear, connect with CSX Rail Transport.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.485
Total Berthing Space (feet): 125 | | Longitude (decimal): -77.42306
Remarks: Pier was formerly used for shipment of scrap metal by barge, and is maintained on a standby basis. Outer end of deck, used for dumping trucks, is 10 feet outboard of line of dolphins.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 87.8 PWD: 30
Name: **Tidewater Quarries, Richmond Quarry Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approx. 87.8 miles above Interstate Highway 664 Bridge-Tunnel and 0.2 mile belo Datum: MLLW
Operator: Tidewater Quarries, Inc.
Owner: Tidewater Quarries, Inc.
Address: 2100 Deepwater Terminal Road Phone: 804/232-1200
Town: Richmond State: VA County: Richmond
Railway Connection: None.
Purpose: Occasional shipment of sand and stone by barge.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 37.496111
Total Berthing Space (feet): 350 | | Longitude (decimal): -77.42444
Remarks: Quarry located below wharf is served by an electric belt-conveyor system extending through processing plant to 9 stackers in open storage area at rear, total capacity 1,000,000 tons of stone.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

---

Waterway: **James River** Mile: 88.3 PWD: 31
Name: **Southern Ice Co., Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 88.3 miles above Interstate Highway 664 Bridge-Tunnel, Richmond. Datum: MLLW
Operator: Not operated.
Owner: Mrs. W. A. Vail.
Address: Deepwater Terminal Road Phone: 804/288-8332
Town: Richmond State: VA County: Richmond
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 37.501944
Total Berthing Space (feet): 280 | | Longitude (decimal): -77.42139
Remarks: Formerly used for receipt of fuel oil by barge. One 10-inch pipeline extends 3/4-mile from wharf to 15 steel, petroleum-products storage tanks, total capacity 153,800 barrels, located in terminal at 1640 Commerc cellular dolphin is one of 4 in line with face of an unused timber pile, timber-decked wharf located approximately 230 feet upstream and jointly owned by Little Oil Co., Inc. and Amoco Oil Co.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 88.4 PWD: 32
Name: **Tarmac Virginia, Richmond Quarry Wharf.**
Port: Hampton Roads
Location: Right bank, James River, approximately 88.4 miles above Interstate Highway 664 Bridge-Tunnel, Richmond. Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1700 Deepwater Terminal Road Phone: 804/343-7780
Town: Richmond State: VA County: Richmond
Railway Connection: None.
Purpose: Shipment of stone by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.504722
Total Berthing Space (feet): 700 | | Longitude (decimal): -77.41944
Remarks: A processing plant located in quarry at rear is served by 4 stackers in a 50,000-ton capacity open storage yard.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

---

Waterway: **James River** Mile: 88.5 PWD: 35
Name: **Tarmac Virginia, Richmond Lower Yard Wharf.**
Port: Hampton Roads
Location: Left bank, James River, approximately 88.5 miles above Interstate Highway 664 Bridge-Tunnel, above mouth Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 5600 Old Osborne Turnpike (St Hwy 5) Phone: 804/343-7780
Town: Richmond State: VA County: Henrico
Railway Connection: One surface track extending along bank above wharf; connects with CSX Rail Transport.
Purpose: Receipt of sand, gravel, stone, and pumice by barge; mooring barges.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.504722
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -77.41778
Remarks: One elevated receiving hopper on apron is served by electric belt-conveyor system extending to 2 radial stackers in open storage area located at rear, capacity 20,000 tons of sand, 5,600 tons of gravel, 14,500 to 1,800 tons of pumice. Pumice is received from operator's Money Point Barge Dock, Chesapeake Ref. No. 123. Up to 12 barges are moored, 3 abreast, along upper portion of row of dolphins, fronting remains of a timber w

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River** Mile: 88.8 PWD: 34

Name: **International-Matex, Richmond Terminal Wharf.**

Port: Hampton Roads

Location: Left bank, James River, approx. 88.8 miles above Interstate Hwy 664 Bridge-Tunnel, and 0.4 mile above mo Datum: MLLW

Operator: Primary Corp.

Owner: International-Matex Tank Terminals-Chesapeake.

Address: 5501 Old Osborne Turnpike (St Hwy 5) Phone: 804/485-3000

Town: Richmond State: VA County: Henrico

Railway Connection: None.

Purpose: Receipt of aviation fuel by barge.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.508889

Total Berthing Space (feet): 325 | | Longitude (decimal): -77.41694

Remarks: Tarmac Virginia's, Inc., Richmond Lower Yard (Ref. No. 35) is located below wharf. Three 8-inch pipelines extend 3/4 mile from wharf to petroleum-products storage tanks at 3 terminals operated by International-M Terminals, Inc., located at 5501 and 5500 Old Osborne Turnpike, respectively, and by Primary Corp., at 413 Gickerstaff Road:□ Pipelines Storage Tanks □ Product No. No. Capacity □ (barrels) Not used 2 (4 276,000 □ (6 119,000□ Aviationfuel 1 4 58,000 □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

---

Waterway: **James River** Mile: 89.6 PWD: 33

Name: **Richmond Intermediate Terminal Wharf.**

Port: Hampton Roads

Location: Left bank, James River, approx. 89.6 miles above Interstate Highway 664 Bridge-Tunnel, below mouth of Gi Datum: MLLW

Operator: City of Richmond and Heritage Cruise Line.

Owner: City of Richmond.

Address: 3125 Wharf Street Phone: 804/780-5097

Town: Richmond State: VA County: Richmond

Railway Connection: None.

Purpose: Mooring excursion vessel; occasional mooring of miscellaneous vessels.

Depth Alongside (feet): 23 - 26 | | Latitude (decimal): 37.521111

Total Berthing Space (feet): 600 | | Longitude (decimal): -77.41722

Remarks: Heritage Cruise Line operates the excursion vessel 'Annabel Lee' from the lower 200 feet of the wharf. A steel frame, metal-covered building on the upper portion of the wharf, formerly used as a transit shed, wa survey. A timber wharf owned by Crown Central Petroleum, located 300 feet below the city wharf and providing 235 feet of mooring along 4 timber breasting dolphins, was formerly used by Heritage Cruise Line for moorinwas not operated in 1992.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10350 Norfolk District

---

Port Facilities by Waterway

Waterway: **James River, Burwell Bay** Mile: 16.0 PWD: 7
Name: **Tylers Beach Harbor of Refuge Wharves.**
Port: Hampton Roads
Location: Right bank, James River, approx. 16.0 miles above Interstate Hwy 664 (Monitor-Merrimac) Bridge-Tunnel, B Datum: MLLW
Operator: Tylers Beach Harbor Committee.
Owner: Isle of Wight County.
Address: Foot of State Highway 686 Phone: 804/357-3191
Town: Lawson State: VA County: Isle of Wight
Railway Connection: None.
Purpose: Receipt of seafood; mooring small fishing vessels.
Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 37.083056
Total Berthing Space (feet): 35 | 60 | 150 Longitude (decimal): -76.66583
Remarks: Independent watermen moor vessels in 300- by 150-foot basin.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10353 Norfolk District

---

Waterway: **Jones Creek** Mile: PWD: 18
Name: **Hampton University Wharf.**
Port: Hampton Roads
Location: Left bank, Hampton Creek, approximately 600 feet above mouth of creek, on north bank of entrance to Jone Datum: MLLW
Operator: Hampton University, Steam Plant, Department of Naval Military Science, and Department
Owner: Hampton University.
Address: Huntington Road Phone: 804/727-5263
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of coal and fuel oil for plant consumption, and occasional receipt of gasoline; mooring miscellaneous vessels.
Depth Alongside (feet): 8 - 12 | 12 | Latitude (decimal): 37.017222
Total Berthing Space (feet): 626 | 336 | Longitude (decimal): -76.33861
Remarks: Departments of Naval Military Science and Marine Science Studies moor vessels at lower portion and operate storage building located at rear. Steam plant receives fuels at upper portion. One 4-inch pipeline exte steel, fuel-oil storage tanks at rear, total capacity 1,500 barrels; and one 2-inch pipeline extends to one 285-barrel gasoline storage tank. Open storage area for 3,000 tons of coal at rear of face is served by grouand 24-inch electric elevator extending to 80-ton storage silo at plant.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

---

Port Facilities by Waterway

Waterway: **Little River (Creek) Channel** Mile: PWD: 5
Name: **Eastern Shore Railroad, Little Creek Carfloat Slips.**
Port: Hampton Roads
Location: South side of basin at head of Little River (Creek) Channel, Virginia Beach. Datum: MLLW
Operator: Eastern Shore Railroad, Inc., and C & P Towing Co.
Owner: Northampton-Accomack Transportation District.
Address: 2429 Ferry Road Phone: 804/331-1094
Town: Virginia Beach State: VA County: Virginia Beach
Railway Connection: Eastern Shore Railroad, Inc.: Two surface tracks on transfer bridge connect with storage yard in rear, total capacity 250 cars.
Purpose: Transfer of railroad freight cars to and from carfloats (See Remarks). Mooring company-owned tugboats.

Depth Alongside (feet):	15			Latitude (decimal):	36.913611
Total Berthing Space (feet):	410			Longitude (decimal):	-76.17861

Remarks: Carfloats operate between Little Creek and Cape Charles, VA. C & P Towing Co. moors company-owned tugboats and Eastern Shore Railroad, Inc. carfloats along 170 feet of timber bulkhead east of slip. Building use and Eastern Shore Railroad, Inc. offices is located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10414 Norfolk District

---

Waterway: **Little River (Creek) Channel** Mile: PWD: 3
Name: **Jonathan Corp., Little Creek Yard Pier.**
Port: Hampton Roads
Location: South side of basin at head of Little River (Creek) Channel, Virginia Beach. Datum: MLLW
Operator: Jonathan Corp.
Owner: Jonathan Corp.
Address: 2465 Ferry Road Phone: 804/460-1241
Town: Virginia Beach State: VA County: Virginia Beach
Railway Connection: None.
Purpose: Mooring vessels for repair.

Depth Alongside (feet):	22	16 - 22	16 - 22	Latitude (decimal):	36.913056
Total Berthing Space (feet):	-	650	650	Longitude (decimal):	-76.17694

Remarks: Office and shop building and 39-acre repair yard are located at rear. Two-inch steam and compressed air lines serve pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10414 Norfolk District

Port Facilities by Waterway

Waterway: **Little River (Creek) Channel** Mile: PWD: 4
Name: **Marine Contracting Corp., Mooring.**
Port: Hampton Roads
Location: West side of slip, on south side of basin, at head of Little River (Creek) Channel, Virginia Beach. Datum: MLLW
Operator: Marine Contracting Corp.
Owner: Jonathan Corp.
Address: 2430 Ferry Road Phone: 804/460-4666
Town: Virginia Beach State: VA County: Virginia Beach
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 36.912778
Total Berthing Space (feet): 300 | | Longitude (decimal): -76.17806
Remarks: Bulkhead was in deteriorated condition. Marine construction company office and storage yard are located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10414 Norfolk District

---

Waterway: **Little River (Creek) Channel** Mile: PWD: 6
Name: **Sadler Materials Corp., Little Creek Plant Slip.**
Port: Hampton Roads
Location: South side of basin at head of Little River (Creek) Channel, Virginia Beach. Datum: MLLW
Operator: Sadler Materials Corp.
Owner: Vulcan Materials Co.
Address: 5899 Ferry Road Phone: 804/523-0500
Town: Virginia Beach State: VA County: Virginia Beach
Railway Connection: One surface track in rear connects with Eastern Shore Railroad, Inc.
Purpose: Receipt of sand, stone, and gravel by barge.
Depth Alongside (feet): 6 - 12 | | Latitude (decimal): 36.913611
Total Berthing Space (feet): 250 | | Longitude (decimal): -76.17917
Remarks: Facility was under construction at time of survey (1992), and is described as planned. A dry-batch concrete plant served by an inclined, 20-inch wide, electric belt conveyor extending from a hopper will be locat open storage area in the rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10414 Norfolk District

---

Port Facilities by Waterway

Waterway: **Little River (Creek) Channel** Mile: PWD: 1
Name: **U.S. Coast Guard, Little Creek Station, East and Fuel Piers.**
Port: Hampton Roads
Location: Southeast of basin at head of Little River (Creek) Channel, Virginia Beach. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: Phone: 804/464-9372
Town: Virginia Beach State: VA County: Virginia Beach
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels.
Depth Alongside (feet): 3 - 12 | 3 - 12 | Latitude (decimal): 36.9125
Total Berthing Space (feet): 130 | 130 | Longitude (decimal): -76.17611
Remarks: Fuel Pier: One 1 1/2-inch, diesel, fueling line extends to pier from one 1,000-gallon capacity steel storage tank in rear. Two marine railways for launching boats extend between piers from boathouse at rear. O 3-foot, timber pile, timber-decked finger pier extends between marine railways.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10414 Norfolk District

---

Waterway: **Little River (Creek) Channel** Mile: PWD: 2
Name: **U.S. Coast Guard, Little Creek Station, West Pier.**
Port: Hampton Roads
Location: Southeast of basin at head of Little River (Creek) Channel, Virginia Beach. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: Phone: 804/464-9372
Town: Virginia Beach State: VA County: Virginia Beach
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels.
Depth Alongside (feet): 12 | 3 - 12 | 3 - 12 Latitude (decimal): 36.912778
Total Berthing Space (feet): - | 231 | 239 Longitude (decimal): -76.17639
Remarks: U.S. Coast Guard Little Creek Station and facilities located in rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10414 Norfolk District

Port Facilities by Waterway

Waterway: **Mattaponi River** Mile: PWD: 35
Name: **Harbor House Restaurant & Marina, Seafood Pier.**
Port: Hampton Roads
Location: Right bank, Mattaponi River, approximately 0.3 mile below Lord Delaware (State Highway 33) Bridge, West Datum: MLLW
Operator: Harbor House Restaurant & Marina.
Owner: Harbor House Restaurant & Marina.
Address: 7th and Mattaponi Streets Phone: 804/843-2015
Town: West Point State: VA County: King William
Railway Connection: None.
Purpose: Receipt of seafood; mooring small fishing vessels.
Depth Alongside (feet): 6 - 8 | 6 - 8 | 6 - 8 Latitude (decimal): 37.533056
Total Berthing Space (feet): 40 | 70 | 70 Longitude (decimal): -76.79306
Remarks: Additional mooring for small fishing vessels is available at one 90-foot berth and in 31 slips at Fisherman's Wharf Marina, 350 feet below pier. Slips are 40- by 10- to 18-feet, formed by rows of timber breastin face and rear of face of a 20+175- by 6-foot, timber walkway extending from the lower side of a timber wharf. A building used as a restaurant is located on wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10271 Norfolk District

---

Waterway: **Newport News Creek** Mile: PWD: 81
Name: **B. C. Burton & Sons Co. Wharf.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 1,200 feet north of entrance, Newport News. Datum: MLLW
Operator: B. C. Burton & Sons Co.
Owner: City of Newport News.
Address: 201 Jefferson Avenue Phone: 804/245-7796
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of contaminated crabs; fueling small vessels.
Depth Alongside (feet): 11 | | Latitude (decimal): 36.965556
Total Berthing Space (feet): 73 | | Longitude (decimal): -76.41306
Remarks: Two 3/4-inch fuel lines extend to 2 metered pumps from storage tanks at Knight Oil Co., Inc. terminal, described under Ref. No. 80. Contaminated crabs received at wharf are placed in clean rivers until free of t reharvested. Crab-processing plant is located in building at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

---

Port Facilities by Waterway

Waterway: **Newport News Creek** Mile: PWD: 74
Name: **Casey Seafood Wharf.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,900 feet north of entrance, Newport News. Datum: MLLW
Operator: Casey Seafood, Inc.
Owner: City of Newport News.
Address: 807 Jefferson Avenue Phone: 804/928-1979
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.969722
Total Berthing Space (feet): 101 | | Longitude (decimal): -76.415
Remarks: Seafood-processing plant is located in building at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

---

Waterway: **Newport News Creek** Mile: PWD: 69
Name: **Chesapeake Bay Packing L.L.C.**
Port: Hampton Roads
Location: West side, Newport News Creek, approximately 2,600 feet north of entrance, Newport News. Datum: MLLW
Operator: Chesapeake Bay Packing L.L.C.
Owner: City of Newport News.
Address: 800 Terminal Avenue Phone: 804/244-8440
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of seafood; handling miscellaneous marine supplies; mooring fishing vessels for repair.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.967778
Total Berthing Space (feet): 797 | | Longitude (decimal): -76.415
Remarks: Two buildings are located at rear of wharf. South building, 1000 Terminal Avenue, is used as a seafood-packing plant, ice house, and supply warehouse. North building, 800 Terminal Avenue, is used as a seafood-p office, and by Dwight McAlpin Welding and Fabrication Co. as a welding shop. Two metered pumps serve two 500-gallon storage tanks at south building, one for lubricating oil and one for hydraulic oil.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

---

Port Facilities by Waterway

Waterway: **Newport News Creek** Mile: PWD: 82
Name: **Davis Boat Works Wharf and Slip.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 900 feet north of entrance, Newport News. Datum: MLLW
Operator: Davis Boat Works, Inc.
Owner: City of Newport News.
Address: 99 Jefferson Avenue Phone: 804/247-0101
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring small vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 12 | 12 - 17 | 12 Latitude (decimal): 36.964444
Total Berthing Space (feet): 480 | 341 | 100 Longitude (decimal): -76.41194
Remarks: Southern 171 feet of south portion is alongside entrance channel and not used for mooring. Buildings and 5-acre yard located at rear are operated as marine repair plant. Wharf is equipped with 1-inch compressed

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

---

Waterway: **Newport News Creek** Mile: PWD: 77
Name: **G & B, Newport News Creek Wharf.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,300 feet north of entrance, Newport News. Datum: MLLW
Operator: G & B, Inc.
Owner: City of Newport News.
Address: 675 Jefferson Avenue Phone: 804/245-1426
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of seafood; occasional mooring of company-owned fishing vessels for repair.
Depth Alongside (feet): 7 - 14 | | Latitude (decimal): 36.968333
Total Berthing Space (feet): 145 | | Longitude (decimal): -76.41417
Remarks: Fish-processing plant is located in building at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

---

Port Facilities by Waterway

Waterway: **Newport News Creek** Mile: PWD: 72
Name: **Harbor Cruise, Newport News Creek Piers.**
Port: Hampton Roads
Location: North end, Newport News Creek, approximately 3,500 feet north of entrance, Newport News. Datum: MLLW
Operator: Harbor Cruise, Inc.
Owner: Harbor Cruise, Inc., and City of Newport News.
Address: 530 12th Street Phone: 804/245-1533
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring harbor excursion vessels and fishing vessels.
Depth Alongside (feet): 1 - 5 | 1 - 8 | 1 - 10 Latitude (decimal): 36.971111
Total Berthing Space (feet): 130 | 130 | 291 Longitude (decimal): -76.41611
Remarks: Each slip is 67 feet wide. Harbor Cruise, Inc., owns piers and operates excursion vessels 'Harbortown Lady', 'Harbortown Lady II', 'Harbortown Lady III', and 'Ocean Patriot' from west pier and slip between piers vessels moor in east slip, and along east portion of bulkhead. Passenger ticket office is located in building at rear of inner end of west pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

---

Waterway: **Newport News Creek** Mile: PWD: 80
Name: **Knight Oil Co., Newport News Creek Wharf.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 1,300 feet north of entrance, Newport News. Datum: MLLW
Operator: Knight Oil Co., Inc. and Frank L. Jordan Corp.
Owner: City of Newport News.
Address: 207 Jefferson Avenue Phone: 804/244-7951
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of petroleum products by barge; mooring company-owned barges.
Depth Alongside (feet): 14 | | Latitude (decimal): 36.966111
Total Berthing Space (feet): 125 | | Longitude (decimal): -76.41333
Remarks: Frank L. Jordan Corp. moors tank barges occasionally used for bunkering vessels at berth in harbor. Four 3-inch pipelines extend from bulkhead to 9 steel storage tanks located at rear, total capacity 6,000 barre

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

---

Port Facilities by Waterway

Waterway: **Newport News Creek** Mile: PWD: 71
Name: **Lockwood Marine, Newport News Creek Repair Wharf.**
Port: Hampton Roads
Location: West side, Newport News Creek, approximately 3,300 feet north of entrance, Newport News. Datum: MLLW
Operator: Lockwood Marine, Inc.
Owner: City of Newport News.
Address: Terminal Avenue Phone: 804/722-1946
Town: Newport News State: VA County: Newport News
Railway Connection: One surface track at rear of property; connects with CSX Rail Transport.
Purpose: Mooring company-owned barges for repair.
Depth Alongside (feet): 8 | | Latitude (decimal): 36.971111
Total Berthing Space (feet): 200 | | Longitude (decimal): -76.41639
Remarks: □□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

---

Waterway: **Newport News Creek** Mile: PWD: 78
Name: **M & W Marine Works, Newport News Creek Wharf and Slip.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,000 feet north of entrance, Newport News. Datum: MLLW
Operator: M & W Marine Works, Inc.
Owner: City of Newport News.
Address: 601 Jefferson Avenue Phone: 804/247-0263
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring small vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 16 | 12 | Latitude (decimal): 36.9675
Total Berthing Space (feet): 621 | 100 | Longitude (decimal): -76.41389
Remarks: Buildings and 3 1/2-acre yard located at rear are operated as marine repair plant.□ □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

---

Port Facilities by Waterway

Waterway: **Newport News Creek** Mile: PWD: 75
Name: **Martin and Richardson Plant No. 1 Wharf.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,800 feet north of entrance, Newport News. Datum: MLLW
Operator: Martin and Richardson Seafood Co., Inc.
Owner: City of Newport News.
Address: 801 Jefferson Avenue Phone: 804/380-8023
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.969167
Total Berthing Space (feet): 107 | | Longitude (decimal): -76.41444

Waterway: **Newport News Creek** Mile: PWD: 75
Name: **Martin and Richardson Plant No. 1 Wharf.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,800 feet north of entrance, Newport News. Datum: MLLW
Operator: Martin and Richardson Seafood Co., Inc.
Owner: City of Newport News.
Address: 801 Jefferson Avenue Phone: 804/380-8023
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.969167
Total Berthing Space (feet): 107 | | Longitude (decimal): -76.41444

Remarks: Two buildings are located at rear of bulkhead, flanking truckloading platform. Crabmeat-processing plant is located in buildings at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Remarks: Two buildings are located at rear of bulkhead, flanking truckloading platform. Crabmeat-processing plant is located in buildings at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Waterway: **Newport News Creek** Mile: PWD: 75
Name: **Martin and Richardson Plant No. 1 Wharf.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,800 feet north of entrance, Newport News. Datum: MLLW
Operator: Martin and Richardson Seafood Co., Inc.
Owner: City of Newport News.
Address: 801 Jefferson Avenue Phone: 804/380-8023
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.969167
Total Berthing Space (feet): 107 | | Longitude (decimal): -76.41444

Waterway: **Newport News Creek** Mile: PWD: 75
Name: **Martin and Richardson Plant No. 1 Wharf.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,800 feet north of entrance, Newport News. Datum: MLLW
Operator: Martin and Richardson Seafood Co., Inc.
Owner: City of Newport News.
Address: 801 Jefferson Avenue Phone: 804/380-8023
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.969167
Total Berthing Space (feet): 107 | | Longitude (decimal): -76.41444

Remarks: Two buildings are located at rear of bulkhead, flanking truckloading platform. Crabmeat-processing plant is located in buildings at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Remarks: Two buildings are located at rear of bulkhead, flanking truckloading platform. Crabmeat-processing plant is located in buildings at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Waterway: **Newport News Creek** Mile: PWD: 73
Name: **Martin and Richardson Plant No. 2 and Market Wharves.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 3,100 feet north of entrance, Newport News. Datum: MLLW
Operator: Martin and Richardson Seafood Co., Inc.
Owner: City of Newport News.
Address: 909 Jefferson Avenue Phone: 804/245-6911
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of seafood; fueling and mooring fishing vessels.
Depth Alongside (feet): 10 | | Latitude (decimal): 36.970278
Total Berthing Space (feet): 288 | | Longitude (decimal): -76.415

Waterway: **Newport News Creek** Mile: PWD: 73
Name: **Martin and Richardson Plant No. 2 and Market Wharves.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 3,100 feet north of entrance, Newport News. Datum: MLLW
Operator: Martin and Richardson Seafood Co., Inc.
Owner: City of Newport News.
Address: 909 Jefferson Avenue Phone: 804/245-6911
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of seafood; fueling and mooring fishing vessels.
Depth Alongside (feet): 10 | | Latitude (decimal): 36.970278
Total Berthing Space (feet): 288 | | Longitude (decimal): -76.415

Remarks: Two buildings are located at rear of wharf. North building, 909 JeffersonAvenue, is used as a market and seafood-processing plant. South building, 817 Jefferson Avenue, is company's seafood-processing Plant No. Two metered pumps serve two fuel storage tanks, total capacity 1,000 gallons, on south portion of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Remarks: Two buildings are located at rear of wharf. North building, 909 JeffersonAvenue, is used as a market and seafood-processing plant. South building, 817 Jefferson Avenue, is company's seafood-processing Plant No. Two metered pumps serve two fuel storage tanks, total capacity 1,000 gallons, on south portion of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Waterway: **Newport News Creek** Mile: PWD: 73
Name: **Martin and Richardson Plant No. 2 and Market Wharves.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 3,100 feet north of entrance, Newport News. Datum: MLLW
Operator: Martin and Richardson Seafood Co., Inc.
Owner: City of Newport News.
Address: 909 Jefferson Avenue Phone: 804/245-6911
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of seafood; fueling and mooring fishing vessels.
Depth Alongside (feet): 10 | | Latitude (decimal): 36.970278
Total Berthing Space (feet): 288 | | Longitude (decimal): -76.415

Waterway: **Newport News Creek** Mile: PWD: 73
Name: **Martin and Richardson Plant No. 2 and Market Wharves.**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 3,100 feet north of entrance, Newport News. Datum: MLLW
Operator: Martin and Richardson Seafood Co., Inc.
Owner: City of Newport News.
Address: 909 Jefferson Avenue Phone: 804/245-6911
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Receipt of seafood; fueling and mooring fishing vessels.
Depth Alongside (feet): 10 | | Latitude (decimal): 36.970278
Total Berthing Space (feet): 288 | | Longitude (decimal): -76.415

Remarks: Two buildings are located at rear of wharf. North building, 909 JeffersonAvenue, is used as a market and seafood-processing plant. South building, 817 Jefferson Avenue, is company's seafood-processing Plant No. Two metered pumps serve two fuel storage tanks, total capacity 1,000 gallons, on south portion of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Remarks: Two buildings are located at rear of wharf. North building, 909 JeffersonAvenue, is used as a market and seafood-processing plant. South building, 817 Jefferson Avenue, is company's seafood-processing Plant No. Two metered pumps serve two fuel storage tanks, total capacity 1,000 gallons, on south portion of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Waterway: **Newport News Creek** Mile: PWD: 76
Name: **Newport News Creek, Seafood Industrial Park Harbor, East Side City**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,600 feet north of entrance, Newport News. Datum: MLLW
Operator: City of Newport News, Seafood Industrial Park.
Owner: City of Newport News.
Address: 703 Jefferson Avenue Phone: 804/247-8437
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring miscellaneous small vessels.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.968611
Total Berthing Space (feet): 294 | | Longitude (decimal): -76.41444

Waterway: **Newport News Creek** Mile: PWD: 76
Name: **Newport News Creek, Seafood Industrial Park Harbor, East Side City**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,600 feet north of entrance, Newport News. Datum: MLLW
Operator: City of Newport News, Seafood Industrial Park.
Owner: City of Newport News.
Address: 703 Jefferson Avenue Phone: 804/247-8437
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring miscellaneous small vessels.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.968611
Total Berthing Space (feet): 294 | | Longitude (decimal): -76.41444

Waterway: **Newport News Creek** Mile: PWD: 76
Name: **Newport News Creek, Seafood Industrial Park Harbor, East Side City**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,600 feet north of entrance, Newport News. Datum: MLLW
Operator: City of Newport News, Seafood Industrial Park.
Owner: City of Newport News.
Address: 703 Jefferson Avenue Phone: 804/247-8437
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring miscellaneous small vessels.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.968611
Total Berthing Space (feet): 294 | | Longitude (decimal): -76.41444

Remarks: Mechanical Piping, Inc., operates the buildings and yard located in rear for storage and sales of marine and industrial supplies.□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Remarks: Mechanical Piping, Inc., operates the buildings and yard located in rear for storage and sales of marine and industrial supplies.□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Remarks: Mechanical Piping, Inc., operates the buildings and yard located in rear for storage and sales of marine and industrial supplies.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Waterway: **Newport News Creek** Mile: PWD: 76
Name: **Newport News Creek, Seafood Industrial Park Harbor, East Side City**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,600 feet north of entrance, Newport News. Datum: MLLW
Operator: City of Newport News, Seafood Industrial Park.
Owner: City of Newport News.
Address: 703 Jefferson Avenue Phone: 804/247-8437
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring miscellaneous small vessels.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.968611
Total Berthing Space (feet): 294 | | Longitude (decimal): -76.41444

Waterway: **Newport News Creek** Mile: PWD: 76
Name: **Newport News Creek, Seafood Industrial Park Harbor, East Side City**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,600 feet north of entrance, Newport News. Datum: MLLW
Operator: City of Newport News, Seafood Industrial Park.
Owner: City of Newport News.
Address: 703 Jefferson Avenue Phone: 804/247-8437
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring miscellaneous small vessels.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.968611
Total Berthing Space (feet): 294 | | Longitude (decimal): -76.41444

Waterway: **Newport News Creek** Mile: PWD: 76
Name: **Newport News Creek, Seafood Industrial Park Harbor, East Side City**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,600 feet north of entrance, Newport News. Datum: MLLW
Operator: City of Newport News, Seafood Industrial Park.
Owner: City of Newport News.
Address: 703 Jefferson Avenue Phone: 804/247-8437
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring miscellaneous small vessels.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.968611
Total Berthing Space (feet): 294 | | Longitude (decimal): -76.41444

Waterway: **Newport News Creek** Mile: PWD: 76
Name: **Newport News Creek, Seafood Industrial Park Harbor, East Side City**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,600 feet north of entrance, Newport News. Datum: MLLW
Operator: City of Newport News, Seafood Industrial Park.
Owner: City of Newport News.
Address: 703 Jefferson Avenue Phone: 804/247-8437
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring miscellaneous small vessels.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.968611
Total Berthing Space (feet): 294 | | Longitude (decimal): -76.41444
Remarks: Mechanical Piping, Inc., operates the buildings and yard located in rear for storage and sales of marine and industrial supplies.□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Remarks: Mechanical Piping, Inc., operates the buildings and yard located in rear for storage and sales of marine and industrial supplies.□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Remarks: Mechanical Piping, Inc., operates the buildings and yard located in rear for storage and sales of marine and industrial supplies.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Waterway: **Newport News Creek** Mile: PWD: 76
Name: **Newport News Creek, Seafood Industrial Park Harbor, East Side City**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,600 feet north of entrance, Newport News. Datum: MLLW
Operator: City of Newport News, Seafood Industrial Park.
Owner: City of Newport News.
Address: 703 Jefferson Avenue Phone: 804/247-8437
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring miscellaneous small vessels.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.968611
Total Berthing Space (feet): 294 | | Longitude (decimal): -76.41444

Waterway: **Newport News Creek** Mile: PWD: 76
Name: **Newport News Creek, Seafood Industrial Park Harbor, East Side City**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,600 feet north of entrance, Newport News. Datum: MLLW
Operator: City of Newport News, Seafood Industrial Park.
Owner: City of Newport News.
Address: 703 Jefferson Avenue Phone: 804/247-8437
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring miscellaneous small vessels.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.968611
Total Berthing Space (feet): 294 | | Longitude (decimal): -76.41444

Waterway: **Newport News Creek** Mile: PWD: 76
Name: **Newport News Creek, Seafood Industrial Park Harbor, East Side City**
Port: Hampton Roads
Location: East side, Newport News Creek, approximately 2,600 feet north of entrance, Newport News. Datum: MLLW
Operator: City of Newport News, Seafood Industrial Park.
Owner: City of Newport News.
Address: 703 Jefferson Avenue Phone: 804/247-8437
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring miscellaneous small vessels.
Depth Alongside (feet): 13 | | Latitude (decimal): 36.968611
Total Berthing Space (feet): 294 | | Longitude (decimal): -76.41444
Remarks: Mechanical Piping, Inc., operates the buildings and yard located in rear for storage and sales of marine and industrial supplies.□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Remarks: Mechanical Piping, Inc., operates the buildings and yard located in rear for storage and sales of marine and industrial supplies.□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Remarks: Mechanical Piping, Inc., operates the buildings and yard located in rear for storage and sales of marine and industrial supplies.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Waterway: **Newport News Creek** Mile: PWD: 68

Name: **Newport News Creek, Seafood Industrial Park Harbor, West Side City**

Port: Hampton Roads

Location: West side, Newport News Creek, approximately 1,600 feet north of entrance, Newport News. Datum: MLLW

Operator: City of Newport News, Seafood Industrial Park, Virginia Pilot Association, and variou

Owner: City of Newport News.

Address: Terminal Avenue Phone: 804/247-8437

Town: Newport News State: VA County: Newport News

Railway Connection: None.

Purpose: Mooring pilot boat, fishing vessels, and miscellaneous other vessels.

Depth Alongside (feet): 13 - 15 | 16 | 16 Latitude (decimal): 36.966111

Total Berthing Space (feet): 512 | 125 | 400 Longitude (decimal): -76.41222

Remarks: Southern 641 feet of south portion is alongside entrance channel and not used for mooring. Width of south portion's apron is restricted by a fence running alongside elevated Interstate Highway 664, located at re

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Waterway: **Newport News Creek** Mile: PWD: 70

Name: **Tarmac Virginia, Newport News Creek Wharf.**

Port: Hampton Roads

Location: West side, Newport News Creek, approximately 3,000 feet north of entrance, Newport News. Datum: MLLW

Operator: Tarmac Virginia, Inc., and East Coast Fish & Scallop Co.

Owner: City of Newport News.

Address: 410 Terminal Avenue Phone: 804/727-9638

Town: Newport News State: VA County: Newport News

Railway Connection: One surface track at rear of property; connects with CSX Rail Transport.

Purpose: Receipt of sand and gravel by barge; mooring company-owned fishing vessels.

Depth Alongside (feet): 8 | | Latitude (decimal): 36.97

Total Berthing Space (feet): 306 | | Longitude (decimal): -76.41611

Remarks: Open storage area located at rear has capacity for approximately 2,000 tons of sand and 1,000 tons of gravel. One elevated hopper in yard is served by a 24-inch, electric belt conveyor extending to a ready-mix c rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Waterway: **Newport News Creek** Mile: PWD: 79

Name: **Tidewater Terminal Wharf.**

Port: Hampton Roads

Location: East side, Newport News Creek, approximately 1,500 feet north of entrance, Newport News. Datum: MLLW

Operator: Tidewater Terminal, Inc. and Frank L. Jordan Corp.

Owner: City of Newport News.

Address: 407 Jefferson Avenue Phone: 804/244-8232

Town: Newport News State: VA County: Newport News

Railway Connection: None.

Purpose: Receipt of petroleum products by barge; fueling small vessels; and mooring company-owned barges.

Depth Alongside (feet): 13 | | Latitude (decimal): 36.966944

Total Berthing Space (feet): 214 | | Longitude (decimal): -76.41417

Remarks: Frank L. Jordan Corp. moors tank barges occasionally used for bunkering vessels at berth in harbor. One 4-, five 3-, and one 2-inch pipelines extend from bulkhead to 11 steel storage tanks located at rear, total barrels.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Waterway: **Newport News Creek Basin** Mile: PWD: 83
Name: **Newport News Creek, Seafood Industrial Park Harbor, Basin Moorings**
Port: Hampton Roads
Location: Newport News Creek Basin, approximately 700 feet southeast of entrance to Newport News Creek, Newport Ne Datum: MLLW
Operator: M & W Marine Works, Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/247-0263
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 3 - 10 | 3 - 10 | Latitude (decimal): 36.9625
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -76.40806

Waterway: **Newport News Creek Basin** Mile: PWD: 83
Name: **Newport News Creek, Seafood Industrial Park Harbor, Basin Moorings**
Port: Hampton Roads
Location: Newport News Creek Basin, approximately 700 feet southeast of entrance to Newport News Creek, Newport Ne Datum: MLLW
Operator: M & W Marine Works, Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/247-0263
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 3 - 10 | 3 - 10 | Latitude (decimal): 36.9625
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -76.40806

Waterway: **Newport News Creek Basin** Mile: PWD: 83
Name: **Newport News Creek, Seafood Industrial Park Harbor, Basin Moorings**
Port: Hampton Roads
Location: Newport News Creek Basin, approximately 700 feet southeast of entrance to Newport News Creek, Newport Ne Datum: MLLW
Operator: M & W Marine Works, Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/247-0263
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 3 - 10 | 3 - 10 | Latitude (decimal): 36.9625
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -76.40806

Remarks: Mooring serves as fleeting area for operator's marine repair plant on Newport News Creek, Ref. No. 78. Fleet has capacity for up to 70 LASH barges in a block. Plans call for installing more buoys.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Remarks: Mooring serves as fleeting area for operator's marine repair plant on Newport News Creek, Ref. No. 78. Fleet has capacity for up to 70 LASH barges in a block. Plans call for installing more buoys.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Remarks: Mooring serves as fleeting area for operator's marine repair plant on Newport News Creek, Ref. No. 78. Fleet has capacity for up to 70 LASH barges in a block. Plans call for installing more buoys.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Waterway: **Newport News Creek Basin** Mile: PWD: 83
Name: **Newport News Creek, Seafood Industrial Park Harbor, Basin Moorings**
Port: Hampton Roads
Location: Newport News Creek Basin, approximately 700 feet southeast of entrance to Newport News Creek, Newport Ne Datum: MLLW
Operator: M & W Marine Works, Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/247-0263
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 3 - 10 | 3 - 10 | Latitude (decimal): 36.9625
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -76.40806

Waterway: **Newport News Creek Basin** Mile: PWD: 83
Name: **Newport News Creek, Seafood Industrial Park Harbor, Basin Moorings**
Port: Hampton Roads
Location: Newport News Creek Basin, approximately 700 feet southeast of entrance to Newport News Creek, Newport Ne Datum: MLLW
Operator: M & W Marine Works, Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/247-0263
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 3 - 10 | 3 - 10 | Latitude (decimal): 36.9625
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -76.40806

Waterway: **Newport News Creek Basin** Mile: PWD: 83
Name: **Newport News Creek, Seafood Industrial Park Harbor, Basin Moorings**
Port: Hampton Roads
Location: Newport News Creek Basin, approximately 700 feet southeast of entrance to Newport News Creek, Newport Ne Datum: MLLW
Operator: M & W Marine Works, Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/247-0263
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 3 - 10 | 3 - 10 | Latitude (decimal): 36.9625
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -76.40806

Remarks: Mooring serves as fleeting area for operator's marine repair plant on Newport News Creek, Ref. No. 78. Fleet has capacity for up to 70 LASH barges in a block. Plans call for installing more buoys.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Remarks: Mooring serves as fleeting area for operator's marine repair plant on Newport News Creek, Ref. No. 78. Fleet has capacity for up to 70 LASH barges in a block. Plans call for installing more buoys.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Remarks: Mooring serves as fleeting area for operator's marine repair plant on Newport News Creek, Ref. No. 78. Fleet has capacity for up to 70 LASH barges in a block. Plans call for installing more buoys.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Waterway: **Newport News Creek Basin** Mile: PWD: 83
Name: **Newport News Creek, Seafood Industrial Park Harbor, Basin Moorings**
Port: Hampton Roads
Location: Newport News Creek Basin, approximately 700 feet southeast of entrance to Newport News Creek, Newport Ne Datum: MLLW
Operator: M & W Marine Works, Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/247-0263
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 3 - 10 | 3 - 10 | Latitude (decimal): 36.9625
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -76.40806

Waterway: **Newport News Creek Basin** Mile: PWD: 83
Name: **Newport News Creek, Seafood Industrial Park Harbor, Basin Moorings**
Port: Hampton Roads
Location: Newport News Creek Basin, approximately 700 feet southeast of entrance to Newport News Creek, Newport Ne Datum: MLLW
Operator: M & W Marine Works, Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/247-0263
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 3 - 10 | 3 - 10 | Latitude (decimal): 36.9625
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -76.40806

Waterway: **Newport News Creek Basin** Mile: PWD: 83
Name: **Newport News Creek, Seafood Industrial Park Harbor, Basin Moorings**
Port: Hampton Roads
Location: Newport News Creek Basin, approximately 700 feet southeast of entrance to Newport News Creek, Newport Ne Datum: MLLW
Operator: M & W Marine Works, Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/247-0263
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 3 - 10 | 3 - 10 | Latitude (decimal): 36.9625
Total Berthing Space (feet): 150 | 150 | Longitude (decimal): -76.40806

Remarks: Mooring serves as fleeting area for operator's marine repair plant on Newport News Creek, Ref. No. 78. Fleet has capacity for up to 70 LASH barges in a block. Plans call for installing more buoys.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Remarks: Mooring serves as fleeting area for operator's marine repair plant on Newport News Creek, Ref. No. 78. Fleet has capacity for up to 70 LASH barges in a block. Plans call for installing more buoys.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Remarks: Mooring serves as fleeting area for operator's marine repair plant on Newport News Creek, Ref. No. 78. Fleet has capacity for up to 70 LASH barges in a block. Plans call for installing more buoys.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Waterway: **Newport News Creek Basin** Mile: PWD: 84
Name: **Newport News Creek, Seafood Industrial Park Harbor, Wave Screen Mo**
Port: Hampton Roads
Location: East side, Newport News Creek Basin, approx. 1,200 feet southeast of entrance to Newport News Creek, wav Datum: MLLW
Operator: Lockwood Marine, Inc. and Augusta Towing Co., Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/722-1946
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 12 - 16 | | Latitude (decimal): 36.960833
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.40778

Waterway: **Newport News Creek Basin** Mile: PWD: 84
Name: **Newport News Creek, Seafood Industrial Park Harbor, Wave Screen Mo**
Port: Hampton Roads
Location: East side, Newport News Creek Basin, approx. 1,200 feet southeast of entrance to Newport News Creek, wav Datum: MLLW
Operator: Lockwood Marine, Inc. and Augusta Towing Co., Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/722-1946
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 12 - 16 | | Latitude (decimal): 36.960833
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.40778

Waterway: **Newport News Creek Basin** Mile: PWD: 84
Name: **Newport News Creek, Seafood Industrial Park Harbor, Wave Screen Mo**
Port: Hampton Roads
Location: East side, Newport News Creek Basin, approx. 1,200 feet southeast of entrance to Newport News Creek, wav Datum: MLLW
Operator: Lockwood Marine, Inc. and Augusta Towing Co., Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/722-1946
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 12 - 16 | | Latitude (decimal): 36.960833
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.40778

Remarks: Inner arm of wave screen extends 1,650 feet from shore, and outer arm extends 1,040 feet to the southwest. Lockwood Marine, Inc. moors along inner 300 feet of row of dolphins, and Augusta Towing Co., Inc. moors Plans call for installing more breasting dolphins along outer arm.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Remarks: Inner arm of wave screen extends 1,650 feet from shore, and outer arm extends 1,040 feet to the southwest. Lockwood Marine, Inc. moors along inner 300 feet of row of dolphins, and Augusta Towing Co., Inc. moors Plans call for installing more breasting dolphins along outer arm.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Remarks: Inner arm of wave screen extends 1,650 feet from shore, and outer arm extends 1,040 feet to the southwest. Lockwood Marine, Inc. moors along inner 300 feet of row of dolphins, and Augusta Towing Co., Inc. moors Plans call for installing more breasting dolphins along outer arm.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Waterway: **Newport News Creek Basin** Mile: PWD: 84
Name: **Newport News Creek, Seafood Industrial Park Harbor, Wave Screen Mo**
Port: Hampton Roads
Location: East side, Newport News Creek Basin, approx. 1,200 feet southeast of entrance to Newport News Creek, wav Datum: MLLW
Operator: Lockwood Marine, Inc. and Augusta Towing Co., Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/722-1946
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 12 - 16 | | Latitude (decimal): 36.960833
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.40778

Waterway: **Newport News Creek Basin** Mile: PWD: 84
Name: **Newport News Creek, Seafood Industrial Park Harbor, Wave Screen Mo**
Port: Hampton Roads
Location: East side, Newport News Creek Basin, approx. 1,200 feet southeast of entrance to Newport News Creek, wav Datum: MLLW
Operator: Lockwood Marine, Inc. and Augusta Towing Co., Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/722-1946
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 12 - 16 | | Latitude (decimal): 36.960833
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.40778

Waterway: **Newport News Creek Basin** Mile: PWD: 84
Name: **Newport News Creek, Seafood Industrial Park Harbor, Wave Screen Mo**
Port: Hampton Roads
Location: East side, Newport News Creek Basin, approx. 1,200 feet southeast of entrance to Newport News Creek, wav Datum: MLLW
Operator: Lockwood Marine, Inc. and Augusta Towing Co., Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/722-1946
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 12 - 16 | | Latitude (decimal): 36.960833
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.40778

Remarks: Inner arm of wave screen extends 1,650 feet from shore, and outer arm extends 1,040 feet to the southwest. Lockwood Marine, Inc. moors along inner 300 feet of row of dolphins, and Augusta Towing Co., Inc. moors Plans call for installing more breasting dolphins along outer arm.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Remarks: Inner arm of wave screen extends 1,650 feet from shore, and outer arm extends 1,040 feet to the southwest. Lockwood Marine, Inc. moors along inner 300 feet of row of dolphins, and Augusta Towing Co., Inc. moors Plans call for installing more breasting dolphins along outer arm.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Remarks: Inner arm of wave screen extends 1,650 feet from shore, and outer arm extends 1,040 feet to the southwest. Lockwood Marine, Inc. moors along inner 300 feet of row of dolphins, and Augusta Towing Co., Inc. moors Plans call for installing more breasting dolphins along outer arm.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Waterway: **Newport News Creek Basin** Mile: PWD: 84
Name: **Newport News Creek, Seafood Industrial Park Harbor, Wave Screen Mo**
Port: Hampton Roads
Location: East side, Newport News Creek Basin, approx. 1,200 feet southeast of entrance to Newport News Creek, wav Datum: MLLW
Operator: Lockwood Marine, Inc. and Augusta Towing Co., Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/722-1946
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 12 - 16 | | Latitude (decimal): 36.960833
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.40778

Waterway: **Newport News Creek Basin** Mile: PWD: 84
Name: **Newport News Creek, Seafood Industrial Park Harbor, Wave Screen Mo**
Port: Hampton Roads
Location: East side, Newport News Creek Basin, approx. 1,200 feet southeast of entrance to Newport News Creek, wav Datum: MLLW
Operator: Lockwood Marine, Inc. and Augusta Towing Co., Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/722-1946
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 12 - 16 | | Latitude (decimal): 36.960833
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.40778

Waterway: **Newport News Creek Basin** Mile: PWD: 84
Name: **Newport News Creek, Seafood Industrial Park Harbor, Wave Screen Mo**
Port: Hampton Roads
Location: East side, Newport News Creek Basin, approx. 1,200 feet southeast of entrance to Newport News Creek, wav Datum: MLLW
Operator: Lockwood Marine, Inc. and Augusta Towing Co., Inc.
Owner: City of Newport News.
Address: South end of Jefferson Avenue Phone: 804/722-1946
Town: Newport News State: VA County: Newport News
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 12 - 16 | | Latitude (decimal): 36.960833
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.40778

Remarks: Inner arm of wave screen extends 1,650 feet from shore, and outer arm extends 1,040 feet to the southwest. Lockwood Marine, Inc. moors along inner 300 feet of row of dolphins, and Augusta Towing Co., Inc. moors Plans call for installing more breasting dolphins along outer arm.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Remarks: Inner arm of wave screen extends 1,650 feet from shore, and outer arm extends 1,040 feet to the southwest. Lockwood Marine, Inc. moors along inner 300 feet of row of dolphins, and Augusta Towing Co., Inc. moors Plans call for installing more breasting dolphins along outer arm.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

Port Facilities by Waterway

Remarks: Inner arm of wave screen extends 1,650 feet from shore, and outer arm extends 1,040 feet to the southwest. Lockwood Marine, Inc. moors along inner 300 feet of row of dolphins, and Augusta Towing Co., Inc. moors Plans call for installing more breasting dolphins along outer arm.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10342 Norfolk District

---

Waterway: **Pagan River** Mile: PWD: 6

Name: **Dock Side Seafood Wharf.**

Port: Hampton Roads

Location: Right bank, Pagan River, approximately 0.5 mile above conjuction with James River, and 0.2 mile above mo Datum: MLLW

Operator: Dock Side Seafood.

Owner: O. A. Spady.

Address: Foot of Newport Street Phone: 804/357-9298

Town: Battery Park State: VA County: Isle of Wight

Railway Connection: None.

Purpose: Receipt of seafood.

Depth Alongside (feet): 6 | | Latitude (decimal): 36.997778

Total Berthing Space (feet): 105 | | Longitude (decimal): -76.57583

Remarks: Seafood-processing plant is located in building on pier.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10354 Norfolk District

---

Waterway: **Pagan River, Jones Creek** Mile: PWD: 5

Name: **Bevins, Garrett, and Carter, Rescue Wharf.**

Port: Hampton Roads

Location: Left bank, Jones Creek, approx. 0.6 mile above conjunction with Pagan River, below Rescue Road (State Hi Datum: MLLW

Operator: Bevins, Garrett, and Carter, Partnership, and Martin Watkins.

Owner: Mary Wooster, Ollie King, Martin Watkins, and Ballard Fish & Oyster Co., Inc.

Address: Rescue Road (State Highway 704) Phone: 804/357-4842

Town: Rescue State: VA County: Isle of Wight

Railway Connection: None.

Purpose: Receipt of seafood; mooring small fishing vessels.

Depth Alongside (feet): 7 | 0 - 7 | Latitude (decimal): 36.995

Total Berthing Space (feet): 640 | 430 | Longitude (decimal): -76.56361

Remarks: -□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10354 Norfolk District

---

Port Facilities by Waterway

Waterway: **Pagan River, Jones Creek** Mile: PWD: 2
Name: **Brown's Marina Wharf and Moorings.**
Port: Hampton Roads
Location: Right bank, Jones Creek, approximately 0.3 mile above conjunction with Pagan River, Rescue. Datum: MLLW
Operator: Robert L. Brown & Sons.
Owner: Robert L. Brown.
Address: 10230 Brown's Marina Road Phone: 804/357-4459
Town: Rescue State: VA County: Isle of Wight
Railway Connection: None.
Purpose: Occasional receipt of seafood; fueling small vessels; mooring small vessels for repair.
Depth Alongside (feet): 6 | 5 | 5 Latitude (decimal): 36.998056
Total Berthing Space (feet): 85 | 90 | 60 Longitude (decimal): -76.56667
Remarks: Approach and pier at upper side serve as runways for mobile vertical boat lift; timber walkways extend from lower side of wharf and from bulkhead above wharf, and rows of breasting piles front bulkhead and walkwa basins with 29 slips for 40- to 60-foot fishing vessels, and 3 outer mooring areas with 40 slips for recreational craft. Two 1 1/2-inch pipelines extend to 2 metered pumps on wharf from 2 fuel storage tanks at rear,2,000 gallons. A 40- by 24-foot building is located on lower portion of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10354 Norfolk District

---

Waterway: **Pagan River, Jones Creek** Mile: PWD: 4
Name: **Rescue Marina Wharf.**
Port: Hampton Roads
Location: Right bank, Jones Creek, approx. 0.6 mile above conjunction with Pagan River, below Rescue Road (State H Datum: MLLW
Operator: Joe and Billy Carter.
Owner: W.C. Carter, Jr.
Address: 20188 Marina Road Phone: 804/357-4842
Town: Rescue State: VA County: Isle of Wight
Railway Connection: None.
Purpose: Receipt of seafood; fueling small vessels.
Depth Alongside (feet): 7 | 0 - 7 | - Latitude (decimal): 36.994722
Total Berthing Space (feet): 75 | 17 | Longitude (decimal): -76.56278
Remarks: A 25-foot wide launching ramp is located between lower side of wharf and upper side of upper pier at Rescue Yacht Basin, Inc., Ref. No. 3. Two 1 1/2-inch pipelines extend to 2 metered pumps on wharf from 2 fuel total capacity 1,500 gallons. A building used as an office and restaurant is located on upper portion of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10354 Norfolk District

---

Port Facilities by Waterway

Waterway: **Pagan River, Jones Creek** Mile: PWD: 3
Name: **Rescue Yacht Basin Wharf and Moorings.**
Port: Hampton Roads
Location: Right bank, Jones Creek, approximately 0.6 mile above conjunction with Pagan River, below foot of Marina Datum: MLLW
Operator: Rescue Yacht Basin, Inc.
Owner: Rescue Yacht Basin, Inc.
Address: Foot of Marina Road Phone: 804/357-5756
Town: Rescue State: VA County: Isle of Wight
Railway Connection: None.
Purpose: Mooring small vessels for repair; mooring government-owned vessel.
Depth Alongside (feet): 4 | 4 - 7 | 4 - 7 Latitude (decimal): 36.995278
Total Berthing Space (feet): 50 | 50 | 50 Longitude (decimal): -76.5625
Remarks: Virginia State Marine Patrol moors vessel at basin. Portion of bulkhead along upper side of basin, and a parallel, 40- by 5-foot timber pile, timber-decked pier, form a 16-foot wide slip and serve as runways for lift. Marine repair building with 2 covered bays is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10354 Norfolk District

---

Waterway: **Pamumkey River** Mile: PWD: 34
Name: **West Point Log Corp. Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.6 mile below Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: Not operated.
Owner: West Point Log Corp.
Address: 5th and Kirby Streets Phone: 804/843-3200
Town: West Point State: VA County: King William
Railway Connection: One surface track in storage yard at rear, connects with Norfolk Southern Railway Co.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 37.526667
Total Berthing Space (feet): 325 | | Longitude (decimal): -76.79972
Remarks: Part of deck was in deteriorated condition in 1992. Approximately 7 acres of open storage area are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

---

Port Facilities by Waterway

Waterway: **Pamunkey River** Mile: PWD: 30
Name: **Old Dominion Grain Corp., Port Richmond Elevator Dock.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 1.1 miles above Eltham (State Highways 30 and 33) Bridge, West Datum: MLLW
Operator: Old Dominion Grain Corp. and Lebanon Agricorp, a division of Lebanon Chemical Corp.
Owner: Old Dominion Grain Corp.
Address: 3100 Southern Avenue Phone: 804/843-2922
Town: West Point State: VA County: King William
Railway Connection: One surface track serving loading spout in rear; connects with Norfolk Southern Railway Co.
Purpose: Shipment of grain and receipt of ammonium nitrate and urea solutions by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.550556
Total Berthing Space (feet): 550 | | Longitude (decimal): -76.81667
Remarks: Grain elevator located at rear has capacity for 711,000 bushels. One 4-inch, liquid fertilizer pipeline extends from lower approach to one 500,000-gallon, steel storage tank at Lebanon Agricorp terminal on Pamun

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

---

Waterway: **Pamunkey River** Mile: PWD: 29
Name: **The Chesapeake Corp. of Virginia, Parham Landing Wharf.**
Port: Hampton Roads
Location: Right bank, Pamunkey River, approximately 4.4 miles above Eltham (State Highways 30 and 33) Bridge, Elth Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: State Highway 33 Phone: 804/843-5482
Town: Eltham State: VA County: New Kent
Railway Connection: None.
Purpose: Receipt of logs by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.521111
Total Berthing Space (feet): 200 | | Longitude (decimal): -76.86083
Remarks: Logs are shipped by truck to operator's West Point Plant, Ref. No. 33. Approximately 23 acres of open storage area for logs are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

---

Port Facilities by Waterway

Waterway: **Pamunkey River** Mile: PWD: 32
Name: **The Chesapeake Corp. of Virginia, West Point Plant Chip Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.3 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas in plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of wood chips by barge.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 37.538889
Total Berthing Space (feet): 1,150 | | Longitude (decimal): -76.80722

Waterway: **Pamunkey River** Mile: PWD: 32
Name: **The Chesapeake Corp. of Virginia, West Point Plant Chip Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.3 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas in plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of wood chips by barge.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 37.538889
Total Berthing Space (feet): 1,150 | | Longitude (decimal): -76.80722

Waterway: **Pamunkey River** Mile: PWD: 32
Name: **The Chesapeake Corp. of Virginia, West Point Plant Chip Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.3 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas in plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of wood chips by barge.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 37.538889
Total Berthing Space (feet): 1,150 | | Longitude (decimal): -76.80722

Remarks: Face is in line and contiguous with Paper Wharf (Ref. No. 33), providing 1,700 feet of continuous berthing space. Wood-chip unloading berth occupies 450 feet near center of bulkhead, including 275 feet with soli fronts water-treatment lagoons, and rest of wharf is used for mooring barges 2 abreast. Paper mill and wood-chip storage yards are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with Paper Wharf (Ref. No. 33), providing 1,700 feet of continuous berthing space. Wood-chip unloading berth occupies 450 feet near center of bulkhead, including 275 feet with soli fronts water-treatment lagoons, and rest of wharf is used for mooring barges 2 abreast. Paper mill and wood-chip storage yards are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Remarks: Face is in line and contiguous with Paper Wharf (Ref. No. 33), providing 1,700 feet of continuous berthing space. Wood-chip unloading berth occupies 450 feet near center of bulkhead, including 275 feet with soli fronts water-treatment lagoons, and rest of wharf is used for mooring barges 2 abreast. Paper mill and wood-chip storage yards are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Waterway: **Pamunkey River** Mile: PWD: 32
Name: **The Chesapeake Corp. of Virginia, West Point Plant Chip Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.3 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas in plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of wood chips by barge.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 37.538889
Total Berthing Space (feet): 1,150 | | Longitude (decimal): -76.80722

Waterway: **Pamunkey River** Mile: PWD: 32
Name: **The Chesapeake Corp. of Virginia, West Point Plant Chip Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.3 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas in plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of wood chips by barge.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 37.538889
Total Berthing Space (feet): 1,150 | | Longitude (decimal): -76.80722

Waterway: **Pamunkey River** Mile: PWD: 32
Name: **The Chesapeake Corp. of Virginia, West Point Plant Chip Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.3 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas in plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of wood chips by barge.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 37.538889
Total Berthing Space (feet): 1,150 | | Longitude (decimal): -76.80722

Remarks: Face is in line and contiguous with Paper Wharf (Ref. No. 33), providing 1,700 feet of continuous berthing space. Wood-chip unloading berth occupies 450 feet near center of bulkhead, including 275 feet with soli fronts water-treatment lagoons, and rest of wharf is used for mooring barges 2 abreast. Paper mill and wood-chip storage yards are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with Paper Wharf (Ref. No. 33), providing 1,700 feet of continuous berthing space. Wood-chip unloading berth occupies 450 feet near center of bulkhead, including 275 feet with soli fronts water-treatment lagoons, and rest of wharf is used for mooring barges 2 abreast. Paper mill and wood-chip storage yards are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Remarks: Face is in line and contiguous with Paper Wharf (Ref. No. 33), providing 1,700 feet of continuous berthing space. Wood-chip unloading berth occupies 450 feet near center of bulkhead, including 275 feet with soli fronts water-treatment lagoons, and rest of wharf is used for mooring barges 2 abreast. Paper mill and wood-chip storage yards are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Waterway: **Pamunkey River** Mile: PWD: 32
Name: **The Chesapeake Corp. of Virginia, West Point Plant Chip Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.3 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas in plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of wood chips by barge.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 37.538889
Total Berthing Space (feet): 1,150 | | Longitude (decimal): -76.80722

Waterway: **Pamunkey River** Mile: PWD: 32
Name: **The Chesapeake Corp. of Virginia, West Point Plant Chip Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.3 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas in plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of wood chips by barge.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 37.538889
Total Berthing Space (feet): 1,150 | | Longitude (decimal): -76.80722

Waterway: **Pamunkey River** Mile: PWD: 32
Name: **The Chesapeake Corp. of Virginia, West Point Plant Chip Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.3 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas in plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of wood chips by barge.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 37.538889
Total Berthing Space (feet): 1,150 | | Longitude (decimal): -76.80722

Remarks: Face is in line and contiguous with Paper Wharf (Ref. No. 33), providing 1,700 feet of continuous berthing space. Wood-chip unloading berth occupies 450 feet near center of bulkhead, including 275 feet with soli fronts water-treatment lagoons, and rest of wharf is used for mooring barges 2 abreast. Paper mill and wood-chip storage yards are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with Paper Wharf (Ref. No. 33), providing 1,700 feet of continuous berthing space. Wood-chip unloading berth occupies 450 feet near center of bulkhead, including 275 feet with soli fronts water-treatment lagoons, and rest of wharf is used for mooring barges 2 abreast. Paper mill and wood-chip storage yards are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Remarks: Face is in line and contiguous with Paper Wharf (Ref. No. 33), providing 1,700 feet of continuous berthing space. Wood-chip unloading berth occupies 450 feet near center of bulkhead, including 275 feet with soli fronts water-treatment lagoons, and rest of wharf is used for mooring barges 2 abreast. Paper mill and wood-chip storage yards are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Waterway: **Pamunkey River** Mile: PWD: 31
Name: **The Chesapeake Corp. of Virginia, West Point Plant Fuel Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.6 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level and 7 surface tracks serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.543333
Total Berthing Space (feet): 195 | | Longitude (decimal): -76.80944

Waterway: **Pamunkey River** Mile: PWD: 31
Name: **The Chesapeake Corp. of Virginia, West Point Plant Fuel Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.6 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level and 7 surface tracks serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.543333
Total Berthing Space (feet): 195 | | Longitude (decimal): -76.80944

Waterway: **Pamunkey River** Mile: PWD: 31
Name: **The Chesapeake Corp. of Virginia, West Point Plant Fuel Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.6 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level and 7 surface tracks serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.543333
Total Berthing Space (feet): 195 | | Longitude (decimal): -76.80944

Remarks: One 6-inch, fuel-oil pipeline extends from wharf to one 1,200-barrel, steel storage tank, and one 1 1/2-inch, diesel fuel pipeline extends from 2 metered pumps on wharf to one 400-barrel, steel storage tank locat equipped with 2-inch steam line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Remarks: One 6-inch, fuel-oil pipeline extends from wharf to one 1,200-barrel, steel storage tank, and one 1 1/2-inch, diesel fuel pipeline extends from 2 metered pumps on wharf to one 400-barrel, steel storage tank locat equipped with 2-inch steam line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Remarks: One 6-inch, fuel-oil pipeline extends from wharf to one 1,200-barrel, steel storage tank, and one 1 1/2-inch, diesel fuel pipeline extends from 2 metered pumps on wharf to one 400-barrel, steel storage tank locat equipped with 2-inch steam line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Waterway: **Pamunkey River** Mile: PWD: 31
Name: **The Chesapeake Corp. of Virginia, West Point Plant Fuel Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.6 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level and 7 surface tracks serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.543333
Total Berthing Space (feet): 195 | | Longitude (decimal): -76.80944

Waterway: **Pamunkey River** Mile: PWD: 31
Name: **The Chesapeake Corp. of Virginia, West Point Plant Fuel Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.6 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level and 7 surface tracks serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.543333
Total Berthing Space (feet): 195 | | Longitude (decimal): -76.80944

Waterway: **Pamunkey River** Mile: PWD: 31
Name: **The Chesapeake Corp. of Virginia, West Point Plant Fuel Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.6 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level and 7 surface tracks serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.543333
Total Berthing Space (feet): 195 | | Longitude (decimal): -76.80944
Remarks: One 6-inch, fuel-oil pipeline extends from wharf to one 1,200-barrel, steel storage tank, and one 1 1/2-inch, diesel fuel pipeline extends from 2 metered pumps on wharf to one 400-barrel, steel storage tank locat equipped with 2-inch steam line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Remarks: One 6-inch, fuel-oil pipeline extends from wharf to one 1,200-barrel, steel storage tank, and one 1 1/2-inch, diesel fuel pipeline extends from 2 metered pumps on wharf to one 400-barrel, steel storage tank locat equipped with 2-inch steam line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Remarks: One 6-inch, fuel-oil pipeline extends from wharf to one 1,200-barrel, steel storage tank, and one 1 1/2-inch, diesel fuel pipeline extends from 2 metered pumps on wharf to one 400-barrel, steel storage tank locat equipped with 2-inch steam line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Waterway: **Pamunkey River** Mile: PWD: 31
Name: **The Chesapeake Corp. of Virginia, West Point Plant Fuel Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.6 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level and 7 surface tracks serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.543333
Total Berthing Space (feet): 195 | | Longitude (decimal): -76.80944

Waterway: **Pamunkey River** Mile: PWD: 31
Name: **The Chesapeake Corp. of Virginia, West Point Plant Fuel Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.6 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level and 7 surface tracks serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.543333
Total Berthing Space (feet): 195 | | Longitude (decimal): -76.80944

Waterway: **Pamunkey River** Mile: PWD: 31
Name: **The Chesapeake Corp. of Virginia, West Point Plant Fuel Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.6 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level and 7 surface tracks serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.543333
Total Berthing Space (feet): 195 | | Longitude (decimal): -76.80944

Remarks: One 6-inch, fuel-oil pipeline extends from wharf to one 1,200-barrel, steel storage tank, and one 1 1/2-inch, diesel fuel pipeline extends from 2 metered pumps on wharf to one 400-barrel, steel storage tank locat equipped with 2-inch steam line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Remarks: One 6-inch, fuel-oil pipeline extends from wharf to one 1,200-barrel, steel storage tank, and one 1 1/2-inch, diesel fuel pipeline extends from 2 metered pumps on wharf to one 400-barrel, steel storage tank locat equipped with 2-inch steam line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Remarks: One 6-inch, fuel-oil pipeline extends from wharf to one 1,200-barrel, steel storage tank, and one 1 1/2-inch, diesel fuel pipeline extends from 2 metered pumps on wharf to one 400-barrel, steel storage tank locat equipped with 2-inch steam line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Waterway: **Pamunkey River** Mile: PWD: 33
Name: **The Chesapeake Corp. of Virginia, West Point Plant Paper Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.1 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas at plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Shipment of wood pulp and paper; occasional receipt of plant equipment; mooring company-owned tugboats.
Depth Alongside (feet): 10 - 20 | 10 | 10 Latitude (decimal): 37.5375
Total Berthing Space (feet): 550 | 90 | 115 Longitude (decimal): -76.80694

Waterway: **Pamunkey River** Mile: PWD: 33
Name: **The Chesapeake Corp. of Virginia, West Point Plant Paper Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.1 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas at plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Shipment of wood pulp and paper; occasional receipt of plant equipment; mooring company-owned tugboats.
Depth Alongside (feet): 10 - 20 | 10 | 10 Latitude (decimal): 37.5375
Total Berthing Space (feet): 550 | 90 | 115 Longitude (decimal): -76.80694

Waterway: **Pamunkey River** Mile: PWD: 33
Name: **The Chesapeake Corp. of Virginia, West Point Plant Paper Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.1 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas at plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Shipment of wood pulp and paper; occasional receipt of plant equipment; mooring company-owned tugboats.
Depth Alongside (feet): 10 - 20 | 10 | 10 Latitude (decimal): 37.5375
Total Berthing Space (feet): 550 | 90 | 115 Longitude (decimal): -76.80694

Waterway: **Pamunkey River** Mile: PWD: 33
Name: **The Chesapeake Corp. of Virginia, West Point Plant Paper Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.1 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas at plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Shipment of wood pulp and paper; occasional receipt of plant equipment; mooring company-owned tugboats.
Depth Alongside (feet): 10 - 20 | 10 | 10 Latitude (decimal): 37.5375
Total Berthing Space (feet): 550 | 90 | 115 Longitude (decimal): -76.80694
Remarks: Face is in line and contiguous with Chip Wharf (Ref. No. 32), providing 1,700 feet of continuous berthing space. Paper-loading berth, with 20-foot depth of water, occupies 300 feet near center of bulkhead. Rest used for mooring barges 2 abreast. Lower portion and side are used for mooring tugboats. Paper mill and open storage areas for wood chips and logs are located at rear of apron.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with Chip Wharf (Ref. No. 32), providing 1,700 feet of continuous berthing space. Paper-loading berth, with 20-foot depth of water, occupies 300 feet near center of bulkhead. Rest used for mooring barges 2 abreast. Lower portion and side are used for mooring tugboats. Paper mill and open storage areas for wood chips and logs are located at rear of apron.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Remarks: Face is in line and contiguous with Chip Wharf (Ref. No. 32), providing 1,700 feet of continuous berthing space. Paper-loading berth, with 20-foot depth of water, occupies 300 feet near center of bulkhead. Rest used for mooring barges 2 abreast. Lower portion and side are used for mooring tugboats. Paper mill and open storage areas for wood chips and logs are located at rear of apron.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Waterway: **Pamunkey River** Mile: PWD: 33
Name: **The Chesapeake Corp. of Virginia, West Point Plant Paper Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.1 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas at plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Shipment of wood pulp and paper; occasional receipt of plant equipment; mooring company-owned tugboats.
Depth Alongside (feet): 10 - 20 | 10 | 10 Latitude (decimal): 37.5375
Total Berthing Space (feet): 550 | 90 | 115 Longitude (decimal): -76.80694

Waterway: **Pamunkey River** Mile: PWD: 33
Name: **The Chesapeake Corp. of Virginia, West Point Plant Paper Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.1 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas at plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Shipment of wood pulp and paper; occasional receipt of plant equipment; mooring company-owned tugboats.
Depth Alongside (feet): 10 - 20 | 10 | 10 Latitude (decimal): 37.5375
Total Berthing Space (feet): 550 | 90 | 115 Longitude (decimal): -76.80694

Waterway: **Pamunkey River** Mile: PWD: 33
Name: **The Chesapeake Corp. of Virginia, West Point Plant Paper Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.1 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas at plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Shipment of wood pulp and paper; occasional receipt of plant equipment; mooring company-owned tugboats.
Depth Alongside (feet): 10 - 20 | 10 | 10 Latitude (decimal): 37.5375
Total Berthing Space (feet): 550 | 90 | 115 Longitude (decimal): -76.80694

Waterway: **Pamunkey River** Mile: PWD: 33
Name: **The Chesapeake Corp. of Virginia, West Point Plant Paper Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.1 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas at plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Shipment of wood pulp and paper; occasional receipt of plant equipment; mooring company-owned tugboats.
Depth Alongside (feet): 10 - 20 | 10 | 10 Latitude (decimal): 37.5375
Total Berthing Space (feet): 550 | 90 | 115 Longitude (decimal): -76.80694
Remarks: Face is in line and contiguous with Chip Wharf (Ref. No. 32), providing 1,700 feet of continuous berthing space. Paper-loading berth, with 20-foot depth of water, occupies 300 feet near center of bulkhead. Rest used for mooring barges 2 abreast. Lower portion and side are used for mooring tugboats. Paper mill and open storage areas for wood chips and logs are located at rear of apron.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with Chip Wharf (Ref. No. 32), providing 1,700 feet of continuous berthing space. Paper-loading berth, with 20-foot depth of water, occupies 300 feet near center of bulkhead. Rest used for mooring barges 2 abreast. Lower portion and side are used for mooring tugboats. Paper mill and open storage areas for wood chips and logs are located at rear of apron.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Remarks: Face is in line and contiguous with Chip Wharf (Ref. No. 32), providing 1,700 feet of continuous berthing space. Paper-loading berth, with 20-foot depth of water, occupies 300 feet near center of bulkhead. Rest used for mooring barges 2 abreast. Lower portion and side are used for mooring tugboats. Paper mill and open storage areas for wood chips and logs are located at rear of apron.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Waterway: **Pamunkey River** Mile: PWD: 33
Name: **The Chesapeake Corp. of Virginia, West Point Plant Paper Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.1 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas at plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Shipment of wood pulp and paper; occasional receipt of plant equipment; mooring company-owned tugboats.
Depth Alongside (feet): 10 - 20 | 10 | 10 Latitude (decimal): 37.5375
Total Berthing Space (feet): 550 | 90 | 115 Longitude (decimal): -76.80694

Waterway: **Pamunkey River** Mile: PWD: 33
Name: **The Chesapeake Corp. of Virginia, West Point Plant Paper Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.1 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas at plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Shipment of wood pulp and paper; occasional receipt of plant equipment; mooring company-owned tugboats.
Depth Alongside (feet): 10 - 20 | 10 | 10 Latitude (decimal): 37.5375
Total Berthing Space (feet): 550 | 90 | 115 Longitude (decimal): -76.80694

Waterway: **Pamunkey River** Mile: PWD: 33
Name: **The Chesapeake Corp. of Virginia, West Point Plant Paper Wharf.**
Port: Hampton Roads
Location: Left bank, Pamunkey River, approximately 0.1 mile above Eltham (State Highways 30 and 33) Bridge, West P Datum: MLLW
Operator: The Chesapeake Corp. of Virginia.
Owner: The Chesapeake Corp. of Virginia.
Address: 19th and Main Streets Phone: 804/843-5482
Town: West Point State: VA County: King William
Railway Connection: One platform-level track serving warehouse, and 7 surface tracks serving open storage areas at plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Shipment of wood pulp and paper; occasional receipt of plant equipment; mooring company-owned tugboats.
Depth Alongside (feet): 10 - 20 | 10 | 10 Latitude (decimal): 37.5375
Total Berthing Space (feet): 550 | 90 | 115 Longitude (decimal): -76.80694

Remarks: Face is in line and contiguous with Chip Wharf (Ref. No. 32), providing 1,700 feet of continuous berthing space. Paper-loading berth, with 20-foot depth of water, occupies 300 feet near center of bulkhead. Rest used for mooring barges 2 abreast. Lower portion and side are used for mooring tugboats. Paper mill and open storage areas for wood chips and logs are located at rear of apron.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Port Facilities by Waterway

Remarks: Face is in line and contiguous with Chip Wharf (Ref. No. 32), providing 1,700 feet of continuous berthing space. Paper-loading berth, with 20-foot depth of water, occupies 300 feet near center of bulkhead. Rest used for mooring barges 2 abreast. Lower portion and side are used for mooring tugboats. Paper mill and open storage areas for wood chips and logs are located at rear of apron.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Remarks: Face is in line and contiguous with Chip Wharf (Ref. No. 32), providing 1,700 feet of continuous berthing space. Paper-loading berth, with 20-foot depth of water, occupies 300 feet near center of bulkhead. Rest used for mooring barges 2 abreast. Lower portion and side are used for mooring tugboats. Paper mill and open storage areas for wood chips and logs are located at rear of apron.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10272 Norfolk District

Waterway: **Perrin River** Mile: PWD: 45

Name: **B.R. Marine Service & Railway Piers.**

Port: Hampton Roads

Location: Right bank, Perrin River, approximately 0.8 mile above conjunction with York River, below mouth of Sages Datum: MLLW

Operator: B.R. Marine Service & Railway, Inc.

Owner: B.R. Marine Service & Railway, Inc.

Address: State Highway 658 Phone: 804/642-2282

Town: Bena State: VA County: Gloucester

Railway Connection: None.

Purpose: Mooring small vessels for repair.

Depth Alongside (feet):	4	4 - 7	4 - 7	Latitude (decimal): 37.268889
Total Berthing Space (feet):	60	150	175	Longitude (decimal): -76.43306

Remarks: Piers are 30 feet apart, with one 100-ton marine railway located between them. The timber-frame, metal-roofed boathouse at the upper pier provides two 55- by 16-foot slips in 4-foot depth of water. Building use rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Waterway: **Perrin River** Mile: PWD: 46

Name: **Benny Belvin Seafood Wharf.**

Port: Hampton Roads

Location: Left bank, Perrin River, approximately 0.33 mile above conjunction with York River, Perrin. Datum: MLLW

Operator: Benny Belvin.

Owner: Benny Belvin.

Address: State Highway 1101 Phone: 804/642-5037

Town: Perrin State: VA County: Gloucester

Railway Connection: None.

Purpose: Receipt of seafood; fueling and mooring small fishing vessels.

Depth Alongside (feet):	6	6	6 - &	Latitude (decimal): 37.268333
Total Berthing Space (feet):	150	100	165	Longitude (decimal): -76.42472

Remarks: Lower side of wharf and lower pier form a 60-foot-wide slip with upper side of Sedger's Creek Landing Pier, Ref. No. 47. Two 2-inch fuel pipelines extend to 3 metered pumps on wharf from 2 steel storage tanks at 6,000 gallons. Fish- and seafood-packing plant is located on wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Waterway: **Perrin River** Mile: PWD: 47

Name: **Gloucester County, Sedger's Creek Landing Pier.**

Port: Hampton Roads

Location: Left bank, Perrin River, approximately 0.31 mile above conjunction with York River, Perrin. Datum: MLLW

Operator: Gloucester County.

Owner: State of Virginia.

Address: Foot of State Highway 1101 Phone: 804/693-5480

Town: Perrin State: VA County: Gloucester

Railway Connection: None.

Purpose: Receipt of seafood; mooring small fishing vessels.

Depth Alongside (feet): | 6 | 6 Latitude (decimal): 37.268333

Total Berthing Space (feet): - | 300 | 300 Longitude (decimal): -76.42444

Remarks: Independent watermen moor vessels at pier. Upper side of pier is 60 feet below lower side of Benny Belvin's Seafood wharf and lower pier, Ref. No. 46. Fishing vessel owners perform repairs to their own vessels Marina, located below pier, with one 20-ton, diesel, and one 15-ton, gasoline, mobile, vertical boat lifts with 15-foot spans, operating at a bulkheaded slip in 5-foot water depth.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

---

Waterway: **Perrin River** Mile: PWD: 49

Name: **Herman Green & Sons Seafood Wharf.**

Port: Hampton Roads

Location: Left bank, Perrin River, approximately 400 feet above conjunction with York River, Perrin. Datum: MLLW

Operator: Herman Green & Sons Seafood.

Owner: Herman Green & Sons Seafood.

Address: State Highway 1102 Phone: 804/642-6232

Town: Perrin State: VA County: Gloucester

Railway Connection: None.

Purpose: Receipt of fish and seafood; fueling and mooring small company-owned fishing vessels.

Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 37.264167

Total Berthing Space (feet): 100 | 50 | 90 Longitude (decimal): -76.42194

Remarks: Lower side of pier is not used for mooring. Additional mooring is available at five 50- by 18-foot slips, 2 formed by timber piers above wharf, in 3- and 5-foot depths of water, and 3 at rear of face of pier. T pipelines extend to 2 metered pumps on wharf from 2 storage tanks at rear, total capacity 2,000 gallons. Fish-packing plant is located on wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

---

Port Facilities by Waterway

Waterway: **Perrin River** Mile: PWD: 50
Name: **King's Seafood Pier.**
Port: Hampton Roads
Location: Left bank, Perrin River, above conjunction with York River, Perrin. Datum: MLLW
Operator: Joseph King.
Owner: Joseph King.
Address: Foot of State Highway 1102 Phone: 804/642-2605
Town: Perrin State: VA County: Gloucester
Railway Connection: None.
Purpose: Receipt of seafood; fueling and mooring small fishing vessels.
Depth Alongside (feet): | 6 | 4 - 6 Latitude (decimal): 37.263611
Total Berthing Space (feet): | 100 | 120 Longitude (decimal): -76.42056
Remarks: Lower side of pier, 150+200 feet long, is not used for mooring. One 1,000-gallon fuel storage tank and buildings used as seafood-packing plants are located on bulkheaded portion of pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

---

Waterway: **Perrin River** Mile: PWD: 48
Name: **York River Seafood Co. Wharf.**
Port: Hampton Roads
Location: Left bank, Perrin River, approximately 800 feet above conjunction with York River, Perrin. Datum: MLLW
Operator: York River Seafood Co., Inc.
Owner: York River Seafood Co., Inc.
Address: State Highway 1102 Phone: 804/642-2151
Town: Perrin State: VA County: Gloucester
Railway Connection: None.
Purpose: Receipt of seafood; fueling and mooring small fishing vessels.
Depth Alongside (feet): 6 - 8 | 6 | 2 - 3 Latitude (decimal): 37.264722
Total Berthing Space (feet): 203 | 50 | 110 Longitude (decimal): -76.42306
Remarks: Upper side of outer wharf and a row of timber breasting piles below lower end of walkway provide an additional 50 and 200 feet of mooring, respectively. Two 2-inch fuel pipelines extend to 2 metered pumps on out storage tanks at rear, total capacity 500 barrels. Three buildings used as seafood-packing plants are located on wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

---

Port Facilities by Waterway

Waterway: **Phoebus Channel** Mile: PWD: 21
Name: **Wanchese Fish Co., Amory Pier.**
Port: Hampton Roads
Location: Inner end, Phoebus Channel, southwest of Phoebus (State Highway 143) Bridge, Hampton. Datum: MLLW
Operator: Wanchese Fish Co., Inc.
Owner: Wanchese Fish Co., Inc.
Address: 48 Water Street Phone: 804/722-1443
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of seafood; fueling and icing fishing vessels.
Depth Alongside (feet): 14 | 14 | 5 - 14 Latitude (decimal): 37.013333
Total Berthing Space (feet): 60 | 195 | 195 Longitude (decimal): -76.31833
Remarks: Pier forms 105-foot-wide slip with Ref. No. 20. One 2-inch, diesel, fuel pipeline extends to metered pump on southwest side of pier from one 238-barrel steel storage tank located at rear. Seafood storage wareho steel frame, metal-covered building on pier.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10327 Norfolk District

---

Waterway: **Phoebus Channel** Mile: PWD: 20
Name: **Wanchese Fish Co., Mooring Pier.**
Port: Hampton Roads
Location: Inner end, Phoebus Channel, approximately 300 feet southwest of Phoebus (State Highway 143) Bridge, Hamp Datum: MLLW
Operator: Wanchese Fish Co., Inc.
Owner: Wanchese Fish Co., Inc.
Address: 48 Water Street Phone: 804/722-1443
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 12 | 0 - 12 | 0 - 12 Latitude (decimal): 37.013056
Total Berthing Space (feet): 74 | 48 | 108 Longitude (decimal): -76.31889
Remarks: A Z-shaped, steel sheet pile bulkhead with concrete-surfaced solid fill, fronted by timber fender system, provides 60, 35, and 45 feet of berthing at inner end of 105-foot-wide slip between Ref. Nos. 20 and 21. Seafood-processing plant is located in concrete-block building at rear of bulkhead.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10327 Norfolk District

---

Port Facilities by Waterway

Waterway: **Salters Creek** Mile: PWD: 12
Name: **Graham and Rollins, Hampton East Wharf.**
Port: Hampton Roads
Location: Left bank, Salters Creek, approximately 300 feet above mouth, Hampton. Datum: MLLW
Operator: Graham and Rollins, Inc.
Owner: Graham and Rollins, Inc.
Address: 19 Rudd Lane Phone: 804/723-3831
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 4 | | Latitude (decimal): 37.023333
Total Berthing Space (feet): 60 | | Longitude (decimal): -76.34444

Waterway: **Salters Creek** Mile: PWD: 12
Name: **Graham and Rollins, Hampton East Wharf.**
Port: Hampton Roads
Location: Left bank, Salters Creek, approximately 300 feet above mouth, Hampton. Datum: MLLW
Operator: Graham and Rollins, Inc.
Owner: Graham and Rollins, Inc.
Address: 19 Rudd Lane Phone: 804/723-3831
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 4 | | Latitude (decimal): 37.023333
Total Berthing Space (feet): 60 | | Longitude (decimal): -76.34444
Remarks: Seafood-processing plant is located in building at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

Remarks: Seafood-processing plant is located in building at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

Port Facilities by Waterway

Waterway: **Salters Creek** Mile: PWD: 12
Name: **Graham and Rollins, Hampton East Wharf.**
Port: Hampton Roads
Location: Left bank, Salters Creek, approximately 300 feet above mouth, Hampton. Datum: MLLW
Operator: Graham and Rollins, Inc.
Owner: Graham and Rollins, Inc.
Address: 19 Rudd Lane Phone: 804/723-3831
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 4 | | Latitude (decimal): 37.023333
Total Berthing Space (feet): 60 | | Longitude (decimal): -76.34444

Waterway: **Salters Creek** Mile: PWD: 12
Name: **Graham and Rollins, Hampton East Wharf.**
Port: Hampton Roads
Location: Left bank, Salters Creek, approximately 300 feet above mouth, Hampton. Datum: MLLW
Operator: Graham and Rollins, Inc.
Owner: Graham and Rollins, Inc.
Address: 19 Rudd Lane Phone: 804/723-3831
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 4 | | Latitude (decimal): 37.023333
Total Berthing Space (feet): 60 | | Longitude (decimal): -76.34444
Remarks: Seafood-processing plant is located in building at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

Remarks: Seafood-processing plant is located in building at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

Port Facilities by Waterway

Waterway: **Salters Creek** Mile: PWD: 11
Name: **Graham and Rollins, Hampton West Wharf.**
Port: Hampton Roads
Location: Left bank, Salters Creek, below Bridge Street Bridge and approximately 360 feet above mouth, Hampton. Datum: MLLW
Operator: Graham and Rollins, Inc.
Owner: Graham and Rollins, Inc.
Address: 19 Rudd Lane Phone: 804/723-3831
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 4 | | Latitude (decimal): 37.023333
Total Berthing Space (feet): 118 | | Longitude (decimal): -76.345

Waterway: **Salters Creek** Mile: PWD: 11
Name: **Graham and Rollins, Hampton West Wharf.**
Port: Hampton Roads
Location: Left bank, Salters Creek, below Bridge Street Bridge and approximately 360 feet above mouth, Hampton. Datum: MLLW
Operator: Graham and Rollins, Inc.
Owner: Graham and Rollins, Inc.
Address: 19 Rudd Lane Phone: 804/723-3831
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 4 | | Latitude (decimal): 37.023333
Total Berthing Space (feet): 118 | | Longitude (decimal): -76.345
Remarks: Seafood-processing plant is located in building at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

Remarks: Seafood-processing plant is located in building at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

Port Facilities by Waterway

Waterway: **Salters Creek** Mile: PWD: 11
Name: **Graham and Rollins, Hampton West Wharf.**
Port: Hampton Roads
Location: Left bank, Salters Creek, below Bridge Street Bridge and approximately 360 feet above mouth, Hampton. Datum: MLLW
Operator: Graham and Rollins, Inc.
Owner: Graham and Rollins, Inc.
Address: 19 Rudd Lane Phone: 804/723-3831
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 4 | | Latitude (decimal): 37.023333
Total Berthing Space (feet): 118 | | Longitude (decimal): -76.345

Waterway: **Salters Creek** Mile: PWD: 11
Name: **Graham and Rollins, Hampton West Wharf.**
Port: Hampton Roads
Location: Left bank, Salters Creek, below Bridge Street Bridge and approximately 360 feet above mouth, Hampton. Datum: MLLW
Operator: Graham and Rollins, Inc.
Owner: Graham and Rollins, Inc.
Address: 19 Rudd Lane Phone: 804/723-3831
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 4 | | Latitude (decimal): 37.023333
Total Berthing Space (feet): 118 | | Longitude (decimal): -76.345
Remarks: Seafood-processing plant is located in building at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

Remarks: Seafood-processing plant is located in building at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

Waterway: **Salters Creek** Mile: PWD: 13
Name: **Lawson Seafood Wharf.**
Port: Hampton Roads
Location: Left bank, Salters Creek, approximately 200 feet above mouth, Hampton. Datum: MLLW
Operator: Lawson Seafood Co., Inc.
Owner: Mrs. J. R. Lawson.
Address: 15 Rudd Lane Phone: 804/722-6211
Town: Hampton State: VA County: Hampton
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 4 | | Latitude (decimal): 37.023333
Total Berthing Space (feet): 110 | | Longitude (decimal): -76.34417
Remarks: Seafood-processing plant is located in building at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

Port Facilities by Waterway

Waterway: **Salters Creek** Mile: PWD: 14

Name: **Virginia Tech Seafood Agricultural Experiment Station, Elliott's W**

Port: Hampton Roads

Location: Left bank, Salters Creek, at mouth of creek, Hampton. Datum: MLLW

Operator: Virginia Polytechnic Institute & State University, Virginia Seafood Agicultural Exper

Owner: Virginia Tech Foundation.

Address: 102 South King Street Phone: 804/727-4861

Town: Hampton State: VA County: Hampton

Railway Connection: None.

Purpose: Mooring fishing vessels.

Depth Alongside (feet): 3 - 8 | | Latitude (decimal): 37.023056

Total Berthing Space (feet): 155 | | Longitude (decimal): -76.34389

Remarks: Independent watermen moor vessels at wharf. A building used as a seafood agricultural experiment station is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10326 Norfolk District

Port Facilities by Waterway

Waterway: **Sarah Creek** Mile: PWD: 44
Name: **Cook's Oyster Co., Fish Piers.**
Port: Hampton Roads
Location: Right bank, Northeast Branch, Sarah Creek, approximately 0.9 mile above conjunction with York River, Ben Datum: MLLW
Operator: Cook's Oyster Co.
Owner: Cook's Oyster Co.
Address: Foot of Yacht Club Rd. (State Hwy 707 Phone: 804/642-4600
Town: Bena State: VA County: Gloucester
Railway Connection: None.
Purpose: Receipt of fish; fueling small fishing vessels.
Depth Alongside (feet): 9 | 9 | 0 - 9 Latitude (decimal): 37.260556
Total Berthing Space (feet): 75 | 70 | 70 Longitude (decimal): -76.46694

Waterway: **Sarah Creek** Mile: PWD: 44
Name: **Cook's Oyster Co., Fish Piers.**
Port: Hampton Roads
Location: Right bank, Northeast Branch, Sarah Creek, approximately 0.9 mile above conjunction with York River, Ben Datum: MLLW
Operator: Cook's Oyster Co.
Owner: Cook's Oyster Co.
Address: Foot of Yacht Club Rd. (State Hwy 707 Phone: 804/642-4600
Town: Bena State: VA County: Gloucester
Railway Connection: None.
Purpose: Receipt of fish; fueling small fishing vessels.
Depth Alongside (feet): 9 | 9 | 0 - 9 Latitude (decimal): 37.260556
Total Berthing Space (feet): 75 | 70 | 70 Longitude (decimal): -76.46694

Remarks: Lower side of lower pier is not used for berthing. Both piers are covered by timber-frame, metal-covered canopies. Two 1 1/4-inch fuel pipelines extend to 2 metered pumps at outer end of upper pier from 2 under rear, total capacity 1,500 gallons. Fish packing plant is located at inner end of piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Remarks: Lower side of lower pier is not used for berthing. Both piers are covered by timber-frame, metal-covered canopies. Two 1 1/4-inch fuel pipelines extend to 2 metered pumps at outer end of upper pier from 2 under rear, total capacity 1,500 gallons. Fish packing plant is located at inner end of piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Port Facilities by Waterway

Waterway: **Sarah Creek** Mile: PWD: 44
Name: **Cook's Oyster Co., Fish Piers.**
Port: Hampton Roads
Location: Right bank, Northeast Branch, Sarah Creek, approximately 0.9 mile above conjunction with York River, Ben Datum: MLLW
Operator: Cook's Oyster Co.
Owner: Cook's Oyster Co.
Address: Foot of Yacht Club Rd. (State Hwy 707 Phone: 804/642-4600
Town: Bena State: VA County: Gloucester
Railway Connection: None.
Purpose: Receipt of fish; fueling small fishing vessels.
Depth Alongside (feet): 9 | 9 | 0 - 9 Latitude (decimal): 37.260556
Total Berthing Space (feet): 75 | 70 | 70 Longitude (decimal): -76.46694

Waterway: **Sarah Creek** Mile: PWD: 44
Name: **Cook's Oyster Co., Fish Piers.**
Port: Hampton Roads
Location: Right bank, Northeast Branch, Sarah Creek, approximately 0.9 mile above conjunction with York River, Ben Datum: MLLW
Operator: Cook's Oyster Co.
Owner: Cook's Oyster Co.
Address: Foot of Yacht Club Rd. (State Hwy 707 Phone: 804/642-4600
Town: Bena State: VA County: Gloucester
Railway Connection: None.
Purpose: Receipt of fish; fueling small fishing vessels.
Depth Alongside (feet): 9 | 9 | 0 - 9 Latitude (decimal): 37.260556
Total Berthing Space (feet): 75 | 70 | 70 Longitude (decimal): -76.46694

Remarks: Lower side of lower pier is not used for berthing. Both piers are covered by timber-frame, metal-covered canopies. Two 1 1/4-inch fuel pipelines extend to 2 metered pumps at outer end of upper pier from 2 under rear, total capacity 1,500 gallons. Fish packing plant is located at inner end of piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Remarks: Lower side of lower pier is not used for berthing. Both piers are covered by timber-frame, metal-covered canopies. Two 1 1/4-inch fuel pipelines extend to 2 metered pumps at outer end of upper pier from 2 under rear, total capacity 1,500 gallons. Fish packing plant is located at inner end of piers.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Port Facilities by Waterway

Waterway: **Sarah Creek** Mile: PWD: 43
Name: **Cook's Oyster Co., Seafood Pier.**
Port: Hampton Roads
Location: Right bank, Northeast Branch, Sarah Creek, approximately 0.8 mile above conjunction with York River, Ben Datum: MLLW
Operator: Cook's Oyster Co.
Owner: Cook's Oyster Co.
Address: Foot of Yacht Club Rd. (State Hwy 707 Phone: 804/642-4600
Town: Bena State: VA County: Gloucester
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 8 | | Latitude (decimal): 37.26
Total Berthing Space (feet): 90 | | Longitude (decimal): -76.46833

Waterway: **Sarah Creek** Mile: PWD: 43
Name: **Cook's Oyster Co., Seafood Pier.**
Port: Hampton Roads
Location: Right bank, Northeast Branch, Sarah Creek, approximately 0.8 mile above conjunction with York River, Ben Datum: MLLW
Operator: Cook's Oyster Co.
Owner: Cook's Oyster Co.
Address: Foot of Yacht Club Rd. (State Hwy 707 Phone: 804/642-4600
Town: Bena State: VA County: Gloucester
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 8 | | Latitude (decimal): 37.26
Total Berthing Space (feet): 90 | | Longitude (decimal): -76.46833
Remarks: Oyster packing plant is located at inner end of pier.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Remarks: Oyster packing plant is located at inner end of pier.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Port Facilities by Waterway

Waterway: **Sarah Creek** Mile: PWD: 43
Name: **Cook's Oyster Co., Seafood Pier.**
Port: Hampton Roads
Location: Right bank, Northeast Branch, Sarah Creek, approximately 0.8 mile above conjunction with York River, Ben Datum: MLLW
Operator: Cook's Oyster Co.
Owner: Cook's Oyster Co.
Address: Foot of Yacht Club Rd. (State Hwy 707 Phone: 804/642-4600
Town: Bena State: VA County: Gloucester
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 8 | | Latitude (decimal): 37.26
Total Berthing Space (feet): 90 | | Longitude (decimal): -76.46833

Waterway: **Sarah Creek** Mile: PWD: 43
Name: **Cook's Oyster Co., Seafood Pier.**
Port: Hampton Roads
Location: Right bank, Northeast Branch, Sarah Creek, approximately 0.8 mile above conjunction with York River, Ben Datum: MLLW
Operator: Cook's Oyster Co.
Owner: Cook's Oyster Co.
Address: Foot of Yacht Club Rd. (State Hwy 707 Phone: 804/642-4600
Town: Bena State: VA County: Gloucester
Railway Connection: None.
Purpose: Receipt of seafood.
Depth Alongside (feet): 8 | | Latitude (decimal): 37.26
Total Berthing Space (feet): 90 | | Longitude (decimal): -76.46833
Remarks: Oyster packing plant is located at inner end of pier.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Remarks: Oyster packing plant is located at inner end of pier.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Port Facilities by Waterway

Waterway: **Sarah Creek** Mile: PWD: 42

Name: **Jordan Marine Service Piers.**

Port: Hampton Roads

Location: Right bank, Northwest Branch, Sarah Creek, approximately 1.1 miles above conjunction with York River, Gl Datum: MLLW

Operator: Jordan Marine Service, Inc.

Owner: Jordan Marine Service, Inc.

Address: Jordan Road (State Highway 1205) Phone: 804/642-4360

Town: Gloucester Pt. State: VA County: Gloucester

Railway Connection: None.

Purpose: Mooring small vessels for repair.

Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 37.264722

Total Berthing Space (feet): 70 | 90 | 90 Longitude (decimal): -76.48861

Remarks: Piers are 40 to 50 feet apart, with a 75-ton marine railway located between them, serviced by upper side of lower pier. Two pairs of 50- by 3-foot, timber pile, timber-decked runways for mobile boat lifts are lo piers, upper pair 13 feet apart in a slip for 10-ton lift, and lower pair 19 feet apart for 60-ton lift. Buildings used as shops and repair sheds are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Port Facilities by Waterway

Waterway: **Sarah Creek** Mile: PWD: 40
Name: **York River Yacht Haven, Fish Wharf.**
Port: Hampton Roads
Location: Right bank, Sarah Creek, approximately 750 feet above conjunction with York River, on lower side of peni Datum: MLLW
Operator: ABR Corp. d.b.a. York River Yacht Haven.
Owner: ABR Corp.
Address: Yacht Haven Road (State Highway 1210) Phone: 804/642-2156
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Occasional receipt of fish; mooring small vessels for repair and storage.
Depth Alongside (feet): 6 | | Latitude (decimal): 37.256667
Total Berthing Space (feet): 80 | | Longitude (decimal): -76.48

Waterway: **Sarah Creek** Mile: PWD: 40
Name: **York River Yacht Haven, Fish Wharf.**
Port: Hampton Roads
Location: Right bank, Sarah Creek, approximately 750 feet above conjunction with York River, on lower side of peni Datum: MLLW
Operator: ABR Corp. d.b.a. York River Yacht Haven.
Owner: ABR Corp.
Address: Yacht Haven Road (State Highway 1210) Phone: 804/642-2156
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Occasional receipt of fish; mooring small vessels for repair and storage.
Depth Alongside (feet): 6 | | Latitude (decimal): 37.256667
Total Berthing Space (feet): 80 | | Longitude (decimal): -76.48

Remarks: Center of wharf is used seasonally for receipt of fish. Timber pile, timber-decked piers extending from bulkhead and end of peninsula provide three-hundred 25- to 80-foot-long slips in 5- to 14-foot depths of wa seasonally for mooring fishing fleet, and alternately for mooring recreational craft.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Remarks: Center of wharf is used seasonally for receipt of fish. Timber pile, timber-decked piers extending from bulkhead and end of peninsula provide three-hundred 25- to 80-foot-long slips in 5- to 14-foot depths of wa seasonally for mooring fishing fleet, and alternately for mooring recreational craft.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Port Facilities by Waterway

Waterway: **Sarah Creek** Mile: PWD: 40
Name: **York River Yacht Haven, Fish Wharf.**
Port: Hampton Roads
Location: Right bank, Sarah Creek, approximately 750 feet above conjunction with York River, on lower side of peni Datum: MLLW
Operator: ABR Corp. d.b.a. York River Yacht Haven.
Owner: ABR Corp.
Address: Yacht Haven Road (State Highway 1210) Phone: 804/642-2156
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Occasional receipt of fish; mooring small vessels for repair and storage.
Depth Alongside (feet): 6 | | Latitude (decimal): 37.256667
Total Berthing Space (feet): 80 | | Longitude (decimal): -76.48

Waterway: **Sarah Creek** Mile: PWD: 40
Name: **York River Yacht Haven, Fish Wharf.**
Port: Hampton Roads
Location: Right bank, Sarah Creek, approximately 750 feet above conjunction with York River, on lower side of peni Datum: MLLW
Operator: ABR Corp. d.b.a. York River Yacht Haven.
Owner: ABR Corp.
Address: Yacht Haven Road (State Highway 1210) Phone: 804/642-2156
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Occasional receipt of fish; mooring small vessels for repair and storage.
Depth Alongside (feet): 6 | | Latitude (decimal): 37.256667
Total Berthing Space (feet): 80 | | Longitude (decimal): -76.48

Remarks: Center of wharf is used seasonally for receipt of fish. Timber pile, timber-decked piers extending from bulkhead and end of peninsula provide three-hundred 25- to 80-foot-long slips in 5- to 14-foot depths of wa seasonally for mooring fishing fleet, and alternately for mooring recreational craft.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Remarks: Center of wharf is used seasonally for receipt of fish. Timber pile, timber-decked piers extending from bulkhead and end of peninsula provide three-hundred 25- to 80-foot-long slips in 5- to 14-foot depths of wa seasonally for mooring fishing fleet, and alternately for mooring recreational craft.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Port Facilities by Waterway

Waterway: **Sarah Creek** Mile: PWD: 41
Name: **York River Yacht Haven, Repair Wharf.**
Port: Hampton Roads
Location: Right bank, Sarah Creek, approximately 0.4 mile above conjunction with York River, on upper side of peni Datum: MLLW
Operator: ABR Corp. d.b.a. York River Yacht Haven.
Owner: ABR Corp.
Address: Yacht Haven Road (State Highway 1210) Phone: 804/642-2156
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 7 | 7 | Latitude (decimal): 37.256667
Total Berthing Space (feet): 90 | 55 | Longitude (decimal): -76.48222

Waterway: **Sarah Creek** Mile: PWD: 41
Name: **York River Yacht Haven, Repair Wharf.**
Port: Hampton Roads
Location: Right bank, Sarah Creek, approximately 0.4 mile above conjunction with York River, on upper side of peni Datum: MLLW
Operator: ABR Corp. d.b.a. York River Yacht Haven.
Owner: ABR Corp.
Address: Yacht Haven Road (State Highway 1210) Phone: 804/642-2156
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 7 | 7 | Latitude (decimal): 37.256667
Total Berthing Space (feet): 90 | 55 | Longitude (decimal): -76.48222

Remarks: Facility is used seasonally for repair of fishing fleet. Timber pile, timber-decked extensions along sides of slip form runways for mobile boat lift. Bulkheads along sides of cove are fronted by timber pile, ti extensions and finger piers, forming ten 45-foot berths with 7 1/2-foot depth of water for vessels under repair. A building used as a repair shed is located in yard at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Remarks: Facility is used seasonally for repair of fishing fleet. Timber pile, timber-decked extensions along sides of slip form runways for mobile boat lift. Bulkheads along sides of cove are fronted by timber pile, ti extensions and finger piers, forming ten 45-foot berths with 7 1/2-foot depth of water for vessels under repair. A building used as a repair shed is located in yard at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Port Facilities by Waterway

Waterway: **Sarah Creek** Mile: PWD: 41
Name: **York River Yacht Haven, Repair Wharf.**
Port: Hampton Roads
Location: Right bank, Sarah Creek, approximately 0.4 mile above conjunction with York River, on upper side of peni Datum: MLLW
Operator: ABR Corp. d.b.a. York River Yacht Haven.
Owner: ABR Corp.
Address: Yacht Haven Road (State Highway 1210) Phone: 804/642-2156
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 7 | 7 | Latitude (decimal): 37.256667
Total Berthing Space (feet): 90 | 55 | Longitude (decimal): -76.48222

Waterway: **Sarah Creek** Mile: PWD: 41
Name: **York River Yacht Haven, Repair Wharf.**
Port: Hampton Roads
Location: Right bank, Sarah Creek, approximately 0.4 mile above conjunction with York River, on upper side of peni Datum: MLLW
Operator: ABR Corp. d.b.a. York River Yacht Haven.
Owner: ABR Corp.
Address: Yacht Haven Road (State Highway 1210) Phone: 804/642-2156
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Mooring small vessels for repair.
Depth Alongside (feet): 7 | 7 | Latitude (decimal): 37.256667
Total Berthing Space (feet): 90 | 55 | Longitude (decimal): -76.48222

Remarks: Facility is used seasonally for repair of fishing fleet. Timber pile, timber-decked extensions along sides of slip form runways for mobile boat lift. Bulkheads along sides of cove are fronted by timber pile, ti extensions and finger piers, forming ten 45-foot berths with 7 1/2-foot depth of water for vessels under repair. A building used as a repair shed is located in yard at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Remarks: Facility is used seasonally for repair of fishing fleet. Timber pile, timber-decked extensions along sides of slip form runways for mobile boat lift. Bulkheads along sides of cove are fronted by timber pile, ti extensions and finger piers, forming ten 45-foot berths with 7 1/2-foot depth of water for vessels under repair. A building used as a repair shed is located in yard at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10262 Norfolk District

Port Facilities by Waterway

Waterway: **Skiffes Creek** Mile: PWD: 44

Name: **Tarmac Virginia, Skiff's Creek Yard Wharf.**

Port: Hampton Roads

Location: Left bank, Skiffes Creek, approximately 3.7 miles above conjunction with James River, at Lee Hall, Newpo Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 313 O'Hara Lane Phone: 804/727-9546

Town: Newport News State: VA County: Newport News

Railway Connection: None.

Purpose: Receipt of sand and stone by barge.

Depth Alongside (feet): 0 - 10 | | Latitude (decimal): 37.191944

Total Berthing Space (feet): 500 | | Longitude (decimal): -76.58028

Remarks: Open storage area for 30,000 tons of sand and gravel is located at rear. Elevated hopper in yard is served by a belt-conveyor system extending to concrete batch plant at rear. Operator moors up to 24 barges, 6 block between 2 anchored buoys on the right side of Hog Island Slough, a side channel located off the right bank of the James River, approximately 23 miles above the Interstate Highway 664 (Monitor-Merrimac) Bridge-Tu

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10351 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 163

Name: **Alcoa, Paradise Point Transfer Station Pier.**

Port: Hampton Roads

Location: Left bank, Southern Branch, Elizabeth River, below lower Norfolk Southern Railway Bridge, on south side Datum: MLLW

Operator: Aluminum Co. of America.

Owner: Aluminum Co. of America.

Address: Foot of Alcoa Drive Phone: 804/485-3301

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: Three surface tracks, total length 11,500 feet, serve 3 rail-car loading spouts; connect with Norfolk Southern Railway Co.

Purpose: Receipt of alumina.

Depth Alongside (feet): 40 | | Latitude (decimal): 36.798611

Total Berthing Space (feet): 750 | - | Longitude (decimal): -76.29389

Remarks: South side of pier is not used for mooring.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 126
Name: **Amerada Hess Corp., Money Point Barge Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile above lower Norfolk Southern Railwa Datum: MLLW
Operator: Amerada Hess Corp.
Owner: Amerada Hess Corp.
Address: 4030 Buell Street Phone: 804/543-2061
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 18 | | Latitude (decimal): 36.787222
Total Berthing Space (feet): 300 | | Longitude (decimal): -76.3025

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 126
Name: **Amerada Hess Corp., Money Point Barge Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile above lower Norfolk Southern Railwa Datum: MLLW
Operator: Amerada Hess Corp.
Owner: Amerada Hess Corp.
Address: 4030 Buell Street Phone: 804/543-2061
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 18 | | Latitude (decimal): 36.787222
Total Berthing Space (feet): 300 | | Longitude (decimal): -76.3025

Remarks: One 14-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 476,000 barrels, that are also connected to the terminal's Tanker Wharf, Ref. No. 127.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: One 14-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 476,000 barrels, that are also connected to the terminal's Tanker Wharf, Ref. No. 127.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 126
Name: **Amerada Hess Corp., Money Point Barge Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile above lower Norfolk Southern Railwa Datum: MLLW
Operator: Amerada Hess Corp.
Owner: Amerada Hess Corp.
Address: 4030 Buell Street Phone: 804/543-2061
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 18 | | Latitude (decimal): 36.787222
Total Berthing Space (feet): 300 | | Longitude (decimal): -76.3025

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 126
Name: **Amerada Hess Corp., Money Point Barge Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile above lower Norfolk Southern Railwa Datum: MLLW
Operator: Amerada Hess Corp.
Owner: Amerada Hess Corp.
Address: 4030 Buell Street Phone: 804/543-2061
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 18 | | Latitude (decimal): 36.787222
Total Berthing Space (feet): 300 | | Longitude (decimal): -76.3025

Remarks: One 14-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 476,000 barrels, that are also connected to the terminal's Tanker Wharf, Ref. No. 127.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: One 14-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 476,000 barrels, that are also connected to the terminal's Tanker Wharf, Ref. No. 127.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 127
Name: **Amerada Hess Corp., Money Point Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 mile above lower Norfolk Southern Railwa Datum: MLLW
Operator: Amerada Hess Corp.
Owner: Amerada Hess Corp.
Address: 4030 Buell Street Phone: 804/543-2061
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 35 | | Latitude (decimal): 36.784722
Total Berthing Space (feet): 700 | - | Longitude (decimal): -76.30278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 127
Name: **Amerada Hess Corp., Money Point Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 mile above lower Norfolk Southern Railwa Datum: MLLW
Operator: Amerada Hess Corp.
Owner: Amerada Hess Corp.
Address: 4030 Buell Street Phone: 804/543-2061
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 35 | | Latitude (decimal): 36.784722
Total Berthing Space (feet): 700 | - | Longitude (decimal): -76.30278

Remarks: One 24- and two 18-inch pipelines extend from wharf to 5 steel storage tanks at rear, total capacity 540,100 barrels, and to 2 additional tanks described under Ref. No. 126.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: One 24- and two 18-inch pipelines extend from wharf to 5 steel storage tanks at rear, total capacity 540,100 barrels, and to 2 additional tanks described under Ref. No. 126.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 127
Name: **Amerada Hess Corp., Money Point Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 mile above lower Norfolk Southern Railwa Datum: MLLW
Operator: Amerada Hess Corp.
Owner: Amerada Hess Corp.
Address: 4030 Buell Street Phone: 804/543-2061
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 35 | | Latitude (decimal): 36.784722
Total Berthing Space (feet): 700 | - | Longitude (decimal): -76.30278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 127
Name: **Amerada Hess Corp., Money Point Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 mile above lower Norfolk Southern Railwa Datum: MLLW
Operator: Amerada Hess Corp.
Owner: Amerada Hess Corp.
Address: 4030 Buell Street Phone: 804/543-2061
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 35 | | Latitude (decimal): 36.784722
Total Berthing Space (feet): 700 | - | Longitude (decimal): -76.30278

Remarks: One 24- and two 18-inch pipelines extend from wharf to 5 steel storage tanks at rear, total capacity 540,100 barrels, and to 2 additional tanks described under Ref. No. 126.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: One 24- and two 18-inch pipelines extend from wharf to 5 steel storage tanks at rear, total capacity 540,100 barrels, and to 2 additional tanks described under Ref. No. 126.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 116
Name: **Amoco Oil Co., Chesapeake Terminal, Lower Barge Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approx. 1000 feet above Jordan Br., south side of entrance Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: 428 Barnes Road Phone: 804/545-4641
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at berth in harbor; fueling tugs and small vessels.
Depth Alongside (feet): 19 | 12 | Latitude (decimal): 36.806111
Total Berthing Space (feet): 290 | 290 | - Longitude (decimal): -76.28972

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 116
Name: **Amoco Oil Co., Chesapeake Terminal, Lower Barge Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approx. 1000 feet above Jordan Br., south side of entrance Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: 428 Barnes Road Phone: 804/545-4641
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at berth in harbor; fueling tugs and small vessels.
Depth Alongside (feet): 19 | 12 | Latitude (decimal): 36.806111
Total Berthing Space (feet): 290 | 290 | - Longitude (decimal): -76.28972

Remarks: Breasting dolphins at face are also in line with dolphins serving nearby Upper Wharf (Ref. No. 117), providing for 680 feet of continuous berthing space with water depths of 19 to 27 feet. Five 10- and one 8-inc wharf and connect with lines serving Upper Wharf and storage tanks described under Ref. No. 117.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Breasting dolphins at face are also in line with dolphins serving nearby Upper Wharf (Ref. No. 117), providing for 680 feet of continuous berthing space with water depths of 19 to 27 feet. Five 10- and one 8-inc wharf and connect with lines serving Upper Wharf and storage tanks described under Ref. No. 117.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 116
Name: **Amoco Oil Co., Chesapeake Terminal, Lower Barge Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approx. 1000 feet above Jordan Br., south side of entrance Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: 428 Barnes Road Phone: 804/545-4641
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at berth in harbor; fueling tugs and small vessels.
Depth Alongside (feet): 19 | 12 | Latitude (decimal): 36.806111
Total Berthing Space (feet): 290 | 290 | - Longitude (decimal): -76.28972

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 116
Name: **Amoco Oil Co., Chesapeake Terminal, Lower Barge Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approx. 1000 feet above Jordan Br., south side of entrance Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: 428 Barnes Road Phone: 804/545-4641
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products by barge; loading barges for bunkering vessels at berth in harbor; fueling tugs and small vessels.
Depth Alongside (feet): 19 | 12 | Latitude (decimal): 36.806111
Total Berthing Space (feet): 290 | 290 | - Longitude (decimal): -76.28972

Remarks: Breasting dolphins at face are also in line with dolphins serving nearby Upper Wharf (Ref. No. 117), providing for 680 feet of continuous berthing space with water depths of 19 to 27 feet. Five 10- and one 8-inc wharf and connect with lines serving Upper Wharf and storage tanks described under Ref. No. 117.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Breasting dolphins at face are also in line with dolphins serving nearby Upper Wharf (Ref. No. 117), providing for 680 feet of continuous berthing space with water depths of 19 to 27 feet. Five 10- and one 8-inc wharf and connect with lines serving Upper Wharf and storage tanks described under Ref. No. 117.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 117
Name: **Amoco Oil Co., Chesapeake Terminal, Upper Barge Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.3 mile above Jordan (State Highway 337) Br Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: 428 Barnes Road Phone: 804/545-4641
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products and receipt of asphalt by barge.
Depth Alongside (feet): 27 | | Latitude (decimal): 36.804444
Total Berthing Space (feet): 390 | | Longitude (decimal): -76.29

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 117
Name: **Amoco Oil Co., Chesapeake Terminal, Upper Barge Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.3 mile above Jordan (State Highway 337) Br Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: 428 Barnes Road Phone: 804/545-4641
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products and receipt of asphalt by barge.
Depth Alongside (feet): 27 | | Latitude (decimal): 36.804444
Total Berthing Space (feet): 390 | | Longitude (decimal): -76.29

Remarks: Breasting dolphins at face are also in line with dolphins serving nearby Lower Wharf (Ref. No. 116), providing for 680 feet of continuous berthing space with water depths of 19 to 27 feet. Amoco Oil Co.: Five 10-, one 6-, and one 4-inch petroleum product pipelines extend from wharf to 6 storage tanks, total capacity 376,000 barrels; and one 10-inch asphalt pipeline extends to 9 storage tanks, total capabarrels.□Cargill, Inc.: One 8-inch pipeline, out of service, extends to wharf from soybean oil storage tanks described under Ref. No. 118. One 4-inch steam lineserves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Breasting dolphins at face are also in line with dolphins serving nearby Lower Wharf (Ref. No. 116), providing for 680 feet of continuous berthing space with water depths of 19 to 27 feet. Amoco Oil Co.: Five 10-, one 6-, and one 4-inch petroleum product pipelines extend from wharf to 6 storage tanks, total capacity 376,000 barrels; and one 10-inch asphalt pipeline extends to 9 storage tanks, total capabarrels.□Cargill, Inc.: One 8-inch pipeline, out of service, extends to wharf from soybean oil storage tanks described under Ref. No. 118. One 4-inch steam lineserves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 117
Name: **Amoco Oil Co., Chesapeake Terminal, Upper Barge Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.3 mile above Jordan (State Highway 337) Br Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: 428 Barnes Road Phone: 804/545-4641
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products and receipt of asphalt by barge.
Depth Alongside (feet): 27 | | Latitude (decimal): 36.804444
Total Berthing Space (feet): 390 | | Longitude (decimal): -76.29

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 117
Name: **Amoco Oil Co., Chesapeake Terminal, Upper Barge Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.3 mile above Jordan (State Highway 337) Br Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: 428 Barnes Road Phone: 804/545-4641
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products and receipt of asphalt by barge.
Depth Alongside (feet): 27 | | Latitude (decimal): 36.804444
Total Berthing Space (feet): 390 | | Longitude (decimal): -76.29

Remarks: Breasting dolphins at face are also in line with dolphins serving nearby Lower Wharf (Ref. No. 116), providing for 680 feet of continuous berthing space with water depths of 19 to 27 feet. Amoco Oil Co.: Five 10-, one 6-, and one 4-inch petroleum product pipelines extend from wharf to 6 storage tanks, total capacity 376,000 barrels; and one 10-inch asphalt pipeline extends to 9 storage tanks, total capabarrels.□Cargill, Inc.: One 8-inch pipeline, out of service, extends to wharf from soybean oil storage tanks described under Ref. No. 118. One 4-inch steam lineserves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Breasting dolphins at face are also in line with dolphins serving nearby Lower Wharf (Ref. No. 116), providing for 680 feet of continuous berthing space with water depths of 19 to 27 feet. Amoco Oil Co.: Five 10-, one 6-, and one 4-inch petroleum product pipelines extend from wharf to 6 storage tanks, total capacity 376,000 barrels; and one 10-inch asphalt pipeline extends to 9 storage tanks, total capabarrels.□Cargill, Inc.: One 8-inch pipeline, out of service, extends to wharf from soybean oil storage tanks described under Ref. No. 118. One 4-inch steam lineserves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 162
Name: **Atlantic Energy Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.9 mile below Gilmerton Bridge, south side, entran Datum: MLLW
Operator: Commonwealth Propane, Inc.
Owner: Atlantic Energy, Inc., joint venture of Petrolane, Inc. and Commonwealth Propane, Inc.
Address: 2901 South Military Highway Phone: 804/485-1018
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track serves 2 tank-car loading platforms at terminal in rear; connects with Norfolk Southern Railway Co.
Purpose: Receipt and shipment of liquefied propane and butane gases.
Depth Alongside (feet): 35 | | Latitude (decimal): 36.778611
Total Berthing Space (feet): 750 | | Longitude (decimal): -76.31083
Remarks: One 14-inch liquefied petroleum gas and one 6-inch vapor return pipelines extend from wharf to 2 steel storage tanks at terminal located in rear, total capacity 480,000 barrels (60oF).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 166
Name: **Atlantic Wood Industries Pier.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, above Jordan (State Highway 337) Bridge, Portsmouth. Datum: MLLW
Operator: Atlantic Wood Industries, Inc.
Owner: Atlantic Wood Industries, Inc.
Address: 3950 Elm Avenue Phone: 804/397-2317
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: One surface track on pier joins trackage serving timber treating plant and open storage area in rear; connects with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Shipment of treated timber by barge.
Depth Alongside (feet): 15 | 0 - 15 | Latitude (decimal): 36.807222
Total Berthing Space (feet): 200 | 216 | - Longitude (decimal): -76.29222
Remarks: Plant has approximately 56 acres of open storage area in rear for timber.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 96
Name: **Bay Towing Corp., East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 820 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 6 - 8 | 6 - 8 | 6 - 12 Latitude (decimal): 36.837222
Total Berthing Space (feet): 90 | 90 | 120 Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 96
Name: **Bay Towing Corp., East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 820 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 6 - 8 | 6 - 8 | 6 - 12 Latitude (decimal): 36.837222
Total Berthing Space (feet): 90 | 90 | 120 Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 96
Name: **Bay Towing Corp., East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 820 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 6 - 8 | 6 - 8 | 6 - 12 Latitude (decimal): 36.837222
Total Berthing Space (feet): 90 | 90 | 120 Longitude (decimal): -76.29111
Remarks: Bulkhead on west side forms a 50-foot wide slip with West Pier, Ref. No. 97. Two-story office building in rear, supported on sunken barge with solid fill, serves as base and offices for Bay Towing Corp. One 1 1 pipeline extends to pier from 3 steel storage tanks, total capacity 800 barrels, all out of use in 1992.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: Bulkhead on west side forms a 50-foot wide slip with West Pier, Ref. No. 97. Two-story office building in rear, supported on sunken barge with solid fill, serves as base and offices for Bay Towing Corp. One 1 1 pipeline extends to pier from 3 steel storage tanks, total capacity 800 barrels, all out of use in 1992.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Bulkhead on west side forms a 50-foot wide slip with West Pier, Ref. No. 97. Two-story office building in rear, supported on sunken barge with solid fill, serves as base and offices for Bay Towing Corp. One 1 1 pipeline extends to pier from 3 steel storage tanks, total capacity 800 barrels, all out of use in 1992.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 96
Name: **Bay Towing Corp., East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 820 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 6 - 8 | 6 - 8 | 6 - 12 Latitude (decimal): 36.837222
Total Berthing Space (feet): 90 | 90 | 120 Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 96
Name: **Bay Towing Corp., East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 820 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 6 - 8 | 6 - 8 | 6 - 12 Latitude (decimal): 36.837222
Total Berthing Space (feet): 90 | 90 | 120 Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 96
Name: **Bay Towing Corp., East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 820 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 6 - 8 | 6 - 8 | 6 - 12 Latitude (decimal): 36.837222
Total Berthing Space (feet): 90 | 90 | 120 Longitude (decimal): -76.29111
Remarks: Bulkhead on west side forms a 50-foot wide slip with West Pier, Ref. No. 97. Two-story office building in rear, supported on sunken barge with solid fill, serves as base and offices for Bay Towing Corp. One 1 1 pipeline extends to pier from 3 steel storage tanks, total capacity 800 barrels, all out of use in 1992.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: Bulkhead on west side forms a 50-foot wide slip with West Pier, Ref. No. 97. Two-story office building in rear, supported on sunken barge with solid fill, serves as base and offices for Bay Towing Corp. One 1 1 pipeline extends to pier from 3 steel storage tanks, total capacity 800 barrels, all out of use in 1992.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Bulkhead on west side forms a 50-foot wide slip with West Pier, Ref. No. 97. Two-story office building in rear, supported on sunken barge with solid fill, serves as base and offices for Bay Towing Corp. One 1 1 pipeline extends to pier from 3 steel storage tanks, total capacity 800 barrels, all out of use in 1992.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 96
Name: **Bay Towing Corp., East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 820 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 6 - 8 | 6 - 8 | 6 - 12 Latitude (decimal): 36.837222
Total Berthing Space (feet): 90 | 90 | 120 Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 96
Name: **Bay Towing Corp., East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 820 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 6 - 8 | 6 - 8 | 6 - 12 Latitude (decimal): 36.837222
Total Berthing Space (feet): 90 | 90 | 120 Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 96
Name: **Bay Towing Corp., East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 820 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 6 - 8 | 6 - 8 | 6 - 12 Latitude (decimal): 36.837222
Total Berthing Space (feet): 90 | 90 | 120 Longitude (decimal): -76.29111
Remarks: Bulkhead on west side forms a 50-foot wide slip with West Pier, Ref. No. 97. Two-story office building in rear, supported on sunken barge with solid fill, serves as base and offices for Bay Towing Corp. One 1 1 pipeline extends to pier from 3 steel storage tanks, total capacity 800 barrels, all out of use in 1992.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: Bulkhead on west side forms a 50-foot wide slip with West Pier, Ref. No. 97. Two-story office building in rear, supported on sunken barge with solid fill, serves as base and offices for Bay Towing Corp. One 1 1 pipeline extends to pier from 3 steel storage tanks, total capacity 800 barrels, all out of use in 1992.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Bulkhead on west side forms a 50-foot wide slip with West Pier, Ref. No. 97. Two-story office building in rear, supported on sunken barge with solid fill, serves as base and offices for Bay Towing Corp. One 1 1 pipeline extends to pier from 3 steel storage tanks, total capacity 800 barrels, all out of use in 1992.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 95
Name: **Bay Towing Corp., East Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 750 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp. and Tarmac Virginia, Inc.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels and barges.
Depth Alongside (feet): 8 - 20 | 18 - 20 | 8 Latitude (decimal): 36.838056
Total Berthing Space (feet): 395 | 35 | 70 Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 95
Name: **Bay Towing Corp., East Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 750 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp. and Tarmac Virginia, Inc.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels and barges.
Depth Alongside (feet): 8 - 20 | 18 - 20 | 8 Latitude (decimal): 36.838056
Total Berthing Space (feet): 395 | 35 | 70 Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 95
Name: **Bay Towing Corp., East Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 750 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp. and Tarmac Virginia, Inc.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels and barges.
Depth Alongside (feet): 8 - 20 | 18 - 20 | 8 Latitude (decimal): 36.838056
Total Berthing Space (feet): 395 | 35 | 70 Longitude (decimal): -76.29139
Remarks: Tarmac Virginia, Inc. moors barges at a 200-foot row of 2 sunken steel barges alongside a row of 3 timber breasting dolphins, all located 200 feet west of face of wharf and in line with west side of Bay Towing's No. 97. The sunken barges provide mooring for up to 10 barges in 3 to 20 feet of water depth, moored 3 abreast on each side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: Tarmac Virginia, Inc. moors barges at a 200-foot row of 2 sunken steel barges alongside a row of 3 timber breasting dolphins, all located 200 feet west of face of wharf and in line with west side of Bay Towing's No. 97. The sunken barges provide mooring for up to 10 barges in 3 to 20 feet of water depth, moored 3 abreast on each side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Tarmac Virginia, Inc. moors barges at a 200-foot row of 2 sunken steel barges alongside a row of 3 timber breasting dolphins, all located 200 feet west of face of wharf and in line with west side of Bay Towing's No. 97. The sunken barges provide mooring for up to 10 barges in 3 to 20 feet of water depth, moored 3 abreast on each side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 95
Name: **Bay Towing Corp., East Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 750 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp. and Tarmac Virginia, Inc.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels and barges.
Depth Alongside (feet): 8 - 20 | 18 - 20 | 8 Latitude (decimal): 36.838056
Total Berthing Space (feet): 395 | 35 | 70 Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 95
Name: **Bay Towing Corp., East Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 750 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp. and Tarmac Virginia, Inc.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels and barges.
Depth Alongside (feet): 8 - 20 | 18 - 20 | 8 Latitude (decimal): 36.838056
Total Berthing Space (feet): 395 | 35 | 70 Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 95
Name: **Bay Towing Corp., East Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 750 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp. and Tarmac Virginia, Inc.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels and barges.
Depth Alongside (feet): 8 - 20 | 18 - 20 | 8 Latitude (decimal): 36.838056
Total Berthing Space (feet): 395 | 35 | 70 Longitude (decimal): -76.29139
Remarks: Tarmac Virginia, Inc. moors barges at a 200-foot row of 2 sunken steel barges alongside a row of 3 timber breasting dolphins, all located 200 feet west of face of wharf and in line with west side of Bay Towing's No. 97. The sunken barges provide mooring for up to 10 barges in 3 to 20 feet of water depth, moored 3 abreast on each side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: Tarmac Virginia, Inc. moors barges at a 200-foot row of 2 sunken steel barges alongside a row of 3 timber breasting dolphins, all located 200 feet west of face of wharf and in line with west side of Bay Towing's No. 97. The sunken barges provide mooring for up to 10 barges in 3 to 20 feet of water depth, moored 3 abreast on each side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Tarmac Virginia, Inc. moors barges at a 200-foot row of 2 sunken steel barges alongside a row of 3 timber breasting dolphins, all located 200 feet west of face of wharf and in line with west side of Bay Towing's No. 97. The sunken barges provide mooring for up to 10 barges in 3 to 20 feet of water depth, moored 3 abreast on each side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 95
Name: **Bay Towing Corp., East Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 750 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp. and Tarmac Virginia, Inc.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels and barges.
Depth Alongside (feet): 8 - 20 | 18 - 20 | 8 Latitude (decimal): 36.838056
Total Berthing Space (feet): 395 | 35 | 70 Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 95
Name: **Bay Towing Corp., East Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 750 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp. and Tarmac Virginia, Inc.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels and barges.
Depth Alongside (feet): 8 - 20 | 18 - 20 | 8 Latitude (decimal): 36.838056
Total Berthing Space (feet): 395 | 35 | 70 Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 95
Name: **Bay Towing Corp., East Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 750 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp. and Tarmac Virginia, Inc.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels and barges.
Depth Alongside (feet): 8 - 20 | 18 - 20 | 8 Latitude (decimal): 36.838056
Total Berthing Space (feet): 395 | 35 | 70 Longitude (decimal): -76.29139
Remarks: Tarmac Virginia, Inc. moors barges at a 200-foot row of 2 sunken steel barges alongside a row of 3 timber breasting dolphins, all located 200 feet west of face of wharf and in line with west side of Bay Towing's No. 97. The sunken barges provide mooring for up to 10 barges in 3 to 20 feet of water depth, moored 3 abreast on each side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: Tarmac Virginia, Inc. moors barges at a 200-foot row of 2 sunken steel barges alongside a row of 3 timber breasting dolphins, all located 200 feet west of face of wharf and in line with west side of Bay Towing's No. 97. The sunken barges provide mooring for up to 10 barges in 3 to 20 feet of water depth, moored 3 abreast on each side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Tarmac Virginia, Inc. moors barges at a 200-foot row of 2 sunken steel barges alongside a row of 3 timber breasting dolphins, all located 200 feet west of face of wharf and in line with west side of Bay Towing's No. 97. The sunken barges provide mooring for up to 10 barges in 3 to 20 feet of water depth, moored 3 abreast on each side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 97
Name: **Bay Towing Corp., West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 920 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 12 | 6 - 12 | 1 - 8 Latitude (decimal): 36.837222
Total Berthing Space (feet): - | 85 | 85 Longitude (decimal): -76.29167

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 97
Name: **Bay Towing Corp., West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 920 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 12 | 6 - 12 | 1 - 8 Latitude (decimal): 36.837222
Total Berthing Space (feet): - | 85 | 85 Longitude (decimal): -76.29167

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 97
Name: **Bay Towing Corp., West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 920 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 12 | 6 - 12 | 1 - 8 Latitude (decimal): 36.837222
Total Berthing Space (feet): - | 85 | 85 Longitude (decimal): -76.29167
Remarks: Grounded barge was in deteriorated condition in 1992.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Grounded barge was in deteriorated condition in 1992.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Grounded barge was in deteriorated condition in 1992.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 97
Name: **Bay Towing Corp., West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 920 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 12 | 6 - 12 | 1 - 8 Latitude (decimal): 36.837222
Total Berthing Space (feet): - | 85 | 85 Longitude (decimal): -76.29167

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 97
Name: **Bay Towing Corp., West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 920 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 12 | 6 - 12 | 1 - 8 Latitude (decimal): 36.837222
Total Berthing Space (feet): - | 85 | 85 Longitude (decimal): -76.29167

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 97
Name: **Bay Towing Corp., West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 920 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 12 | 6 - 12 | 1 - 8 Latitude (decimal): 36.837222
Total Berthing Space (feet): - | 85 | 85 Longitude (decimal): -76.29167
Remarks: Grounded barge was in deteriorated condition in 1992.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Grounded barge was in deteriorated condition in 1992.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Grounded barge was in deteriorated condition in 1992.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 97
Name: **Bay Towing Corp., West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 920 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 12 | 6 - 12 | 1 - 8 Latitude (decimal): 36.837222
Total Berthing Space (feet): - | 85 | 85 Longitude (decimal): -76.29167

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 97
Name: **Bay Towing Corp., West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 920 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 12 | 6 - 12 | 1 - 8 Latitude (decimal): 36.837222
Total Berthing Space (feet): - | 85 | 85 Longitude (decimal): -76.29167

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 97
Name: **Bay Towing Corp., West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 920 feet above conjunction with Eas Datum: MLLW
Operator: Bay Towing Corp.
Owner: Robbins and Douglas, Inc.
Address: 914 Pearl Street Phone: 804/545-1242
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 12 | 6 - 12 | 1 - 8 Latitude (decimal): 36.837222
Total Berthing Space (feet): - | 85 | 85 Longitude (decimal): -76.29167
Remarks: Grounded barge was in deteriorated condition in 1992.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Grounded barge was in deteriorated condition in 1992.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Grounded barge was in deteriorated condition in 1992.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 151
Name: **Bayshore Concrete Products, Chesapeake Plant Loading Slip.**
Port: Hampton Roads
Location: Left bank, Old Channel of Southern Branch, Elizabeth River, approx. 1,800 feet above lower conjunction w Datum: MLLW
Operator: Bayshore Concrete Products, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1010 Bells Mill Road Phone: 804/547-0141
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Shipment of prestressed concrete products by barge.
Depth Alongside (feet): | 9 | 0 - 9 Latitude (decimal): 36.7225
Total Berthing Space (feet): - | 260 | Longitude (decimal): -76.26306

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 151
Name: **Bayshore Concrete Products, Chesapeake Plant Loading Slip.**
Port: Hampton Roads
Location: Left bank, Old Channel of Southern Branch, Elizabeth River, approx. 1,800 feet above lower conjunction w Datum: MLLW
Operator: Bayshore Concrete Products, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1010 Bells Mill Road Phone: 804/547-0141
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Shipment of prestressed concrete products by barge.
Depth Alongside (feet): | 9 | 0 - 9 Latitude (decimal): 36.7225
Total Berthing Space (feet): - | 260 | Longitude (decimal): -76.26306
Remarks: Approximately 30 acres of open storage area are located at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10505 Norfolk District

Remarks: Approximately 30 acres of open storage area are located at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10505 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 151
Name: **Bayshore Concrete Products, Chesapeake Plant Loading Slip.**
Port: Hampton Roads
Location: Left bank, Old Channel of Southern Branch, Elizabeth River, approx. 1,800 feet above lower conjunction w Datum: MLLW
Operator: Bayshore Concrete Products, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1010 Bells Mill Road Phone: 804/547-0141
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Shipment of prestressed concrete products by barge.
Depth Alongside (feet): | 9 | 0 - 9 Latitude (decimal): 36.7225
Total Berthing Space (feet): - | 260 | Longitude (decimal): -76.26306

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 151
Name: **Bayshore Concrete Products, Chesapeake Plant Loading Slip.**
Port: Hampton Roads
Location: Left bank, Old Channel of Southern Branch, Elizabeth River, approx. 1,800 feet above lower conjunction w Datum: MLLW
Operator: Bayshore Concrete Products, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1010 Bells Mill Road Phone: 804/547-0141
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Shipment of prestressed concrete products by barge.
Depth Alongside (feet): | 9 | 0 - 9 Latitude (decimal): 36.7225
Total Berthing Space (feet): - | 260 | Longitude (decimal): -76.26306
Remarks: Approximately 30 acres of open storage area are located at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10505 Norfolk District

Remarks: Approximately 30 acres of open storage area are located at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10505 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 152
Name: **Bayshore Concrete Products, Chesapeake Plant Wharf.**
Port: Hampton Roads
Location: Left bank, Old Channel of Southern Branch, Elizabeth River, approx. 1,300 feet above lower conjunction w Datum: MLLW
Operator: Bayshore Concrete Products, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1010 Bells Mill Road Phone: 804/547-0141
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Shipment of prestressed concrete products by barge.
Depth Alongside (feet): 7 | | Latitude (decimal): 36.725278
Total Berthing Space (feet): 250 | | Longitude (decimal): -76.26472

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 152
Name: **Bayshore Concrete Products, Chesapeake Plant Wharf.**
Port: Hampton Roads
Location: Left bank, Old Channel of Southern Branch, Elizabeth River, approx. 1,300 feet above lower conjunction w Datum: MLLW
Operator: Bayshore Concrete Products, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1010 Bells Mill Road Phone: 804/547-0141
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Shipment of prestressed concrete products by barge.
Depth Alongside (feet): 7 | | Latitude (decimal): 36.725278
Total Berthing Space (feet): 250 | | Longitude (decimal): -76.26472
Remarks: Concrete casting plant is located at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10505 Norfolk District

Remarks: Concrete casting plant is located at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10505 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 152
Name: **Bayshore Concrete Products, Chesapeake Plant Wharf.**
Port: Hampton Roads
Location: Left bank, Old Channel of Southern Branch, Elizabeth River, approx. 1,300 feet above lower conjunction w Datum: MLLW
Operator: Bayshore Concrete Products, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1010 Bells Mill Road Phone: 804/547-0141
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Shipment of prestressed concrete products by barge.
Depth Alongside (feet): 7 | | Latitude (decimal): 36.725278
Total Berthing Space (feet): 250 | | Longitude (decimal): -76.26472

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 152
Name: **Bayshore Concrete Products, Chesapeake Plant Wharf.**
Port: Hampton Roads
Location: Left bank, Old Channel of Southern Branch, Elizabeth River, approx. 1,300 feet above lower conjunction w Datum: MLLW
Operator: Bayshore Concrete Products, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 1010 Bells Mill Road Phone: 804/547-0141
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Shipment of prestressed concrete products by barge.
Depth Alongside (feet): 7 | | Latitude (decimal): 36.725278
Total Berthing Space (feet): 250 | | Longitude (decimal): -76.26472

Remarks: Concrete casting plant is located at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10505 Norfolk District

Remarks: Concrete casting plant is located at rear.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10505 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 129
Name: **Blue Circle Cement, Chesapeake Terminal Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approx. 0.6 mile below entrance to Milldam Creek, upper si Datum: MLLW
Operator: Blue Circle Cement, Inc.
Owner: Blue Circle Cement, Inc.
Address: Foot of Pratt Street Phone: 804/545-2481
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Three surface tracks serve cement loading spouts at plant in rear; connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): 35 | 25 | Latitude (decimal): 36.778333
Total Berthing Space (feet): 550 | 100 | - Longitude (decimal): -76.30611
Remarks: Sixteen concrete storage silos have a total capacity of 30,000 tons. Plant is equipped to load trucks and rail cars at a rate of 100 and 150 tons per hour, respectively.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 121
Name: **BP North American Petroleum, Chesapeake Terminal Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, above lower Norfolk Southern Railway Bridge, at foot of Ba Datum: MLLW
Operator: BP North America Petroleum, Inc.
Owner: BP North America Petroleum, Inc.
Address: 500 Hill Street Phone: 804/543-4444
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 31 | | Latitude (decimal): 36.795833
Total Berthing Space (feet): 650 | - | Longitude (decimal): -76.29222
Remarks: One 16- and one 12-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 155,000 barrels. Wharf is equipped with 3-inch steam and 1 1/2-inch condensate lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 118
Name: **Cargill, Chesapeake (South) Grain Elevator, Barge Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.4 mile above Jordan (State Highway 337) Br Datum: MLLW
Operator: Cargill, Inc., Commodity Marketing Division.
Owner: Cargill, Inc.
Address: Foot of Barnes Road Phone: 804/545-8461
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Surface tracks serving soybean-oil loading spout, car dumper, and grain loading spout in car shed at grain elevator, join additional trackage; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt of grain by barge; shipment of soybean oil.
Depth Alongside (feet): 38 | 18 | Latitude (decimal): 36.802778
Total Berthing Space (feet): 416 | 240 | - Longitude (decimal): -76.29028
Remarks: One 6-inch pipeline extends to wharf from 9 steel storage tanks at soybean processing plant in rear, 8 used for shipping soybean oil, total capacity 9,217,000 gallons, and one for bottoms, capacity 263,319 gallon

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 119
Name: **Cargill, Chesapeake (South) Grain Elevator, Ship Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approx. 0.4 mile above Jordan Bridge, north side of entran Datum: MLLW
Operator: Cargill, Inc., Commodity Marketing Division.
Owner: Cargill, Inc.
Address: Foot of Barnes Road. Phone: 804/545-8461
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Surface tracks serving soybean-oil loading spout, car dumper, and grain loading spout in car shed at grain elevator, join additional trackage; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Shipment of grain and soybean meal.
Depth Alongside (feet): 39 | | Latitude (decimal): 36.801667
Total Berthing Space (feet): 800 | - | Longitude (decimal): -76.28889
Remarks: Grain elevator in rear has capacity for 6,800,000 bushels. Steel frame, metal-covered soybean meal storage shed at processing plant in rear has capacity for approximately 18,000 tons.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 115
Name: **Carpenter Construction Co. Wharf**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approx. 250 feet above Jordan Br., south side of entrance Datum: MLLW
Operator: Carpenter Construction Co., Inc.
Owner: Carpenter Construction Co., Inc.
Address: Barnes Road Phone: 804/422-1868
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.808333
Total Berthing Space (feet): 400 | - | Longitude (decimal): -76.28528
Remarks: Entrance to Scuffeltown Creek has one foot of water depth at MLLW. A 4 1/2-acre open storage yard is located at rear. Company was inactive in 1992.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 107
Name: **Carter Machinery Co., Berkley Plant Pier.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.78 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Carter Machinery Co., Inc.
Owner: Carter Machinery Co., Inc.
Address: 1601 South Main Street Phone: 804/545-2303
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 14 | 14 - 18 | 14 - 18 Latitude (decimal): 36.823056
Total Berthing Space (feet): 175 | 270 | 270 Longitude (decimal): -76.28889
Remarks: Building at rear is used as an engine repair shop.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 167
Name: **City of Portsmouth, Berths 11 and 10.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 0.8 mile above mouth, above foot of Randolph Datum: MLLW
Operator: Not operated.
Owner: City of Portsmouth.
Address: 451 First Street Phone: 804/393-8804
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | 12 - 20 | Latitude (decimal): 36.829167
Total Berthing Space (feet): - | 199 | Longitude (decimal): -76.29472
Remarks: Lower side of wharf forms 80-foot wide slip with upper side of Ref. No. 168. At time of survey, wharves and adjacent area were being prepared for redevelopment into industrial use.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 169
Name: **City of Portsmouth, Berths 6, 5, and 4.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 0.6 mile above mouth, at foot of Wythe Street Datum: MLLW
Operator: Not operated.
Owner: City of Portsmouth.
Address: First Street Phone: 804/393-8804
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: One surface track on upper apron connects with CSX Rail Transport.
Purpose: Not used.
Depth Alongside (feet): 19 | 12 - 19 | 12 - 21 Latitude (decimal): 36.831111
Total Berthing Space (feet): 184 | 301 | 389 Longitude (decimal): -76.29556
Remarks: One 200- by 80-foot building located at rear. A concrete pile, concrete-decked wharf fronted by rubber fenders extends 350 feet from lower side to upper side of concrete floodwall. At time of survey, wharves an prepared for redevelopment into industrial use.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 168

Name: **City of Portsmouth, Berths 9, 8, and 7.**

Port: Hampton Roads

Location: Left bank, Southern Branch, Elizabeth River, approximately 0.7 mile above mouth, below foot of Randolph Datum: MLLW

Operator: Not operated.

Owner: City of Portsmouth.

Address: 301 First Street Phone: 804/393-8804

Town: Portsmouth State: VA County: Portsmouth

Railway Connection: One surface track on lower apron connects with CSX Rail Transport.

Purpose: Not used.

Depth Alongside (feet): 22 | 12 - 20 | 12 - 20 Latitude (decimal): 36.830278

Total Berthing Space (feet): 290 | 204 | 274 Longitude (decimal): -76.295

Remarks: One 250- by 165-foot building located at rear. One 4-inch sewer connection for vessels on upper side. Lower side of wharf forms 74-foot wide slip with upper side of Ref. No. 169. At time of survey, wharves and prepared for redevelopment into industrial use.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 170
Name: **City of Portsmouth, Floodwall, Excursion Boat and Elizabeth River**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.3 mile above mouth, at foot of High Street and ab Datum: MLLW
Operator: Harbor Tours, Inc., and City of Portsmouth.
Owner: City of Portsmouth.
Address: Water and High Streets Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landing for passenger ferry to Norfolk, harbor excursion vessel, and transient miscellaneous vessels.
Depth Alongside (feet): 16 | | 13 Latitude (decimal): 36.835556
Total Berthing Space (feet): 90 | - | 90 Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 170
Name: **City of Portsmouth, Floodwall, Excursion Boat and Elizabeth River**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.3 mile above mouth, at foot of High Street and ab Datum: MLLW
Operator: Harbor Tours, Inc., and City of Portsmouth.
Owner: City of Portsmouth.
Address: Water and High Streets Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landing for passenger ferry to Norfolk, harbor excursion vessel, and transient miscellaneous vessels.
Depth Alongside (feet): 16 | | 13 Latitude (decimal): 36.835556
Total Berthing Space (feet): 90 | - | 90 Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 170
Name: **City of Portsmouth, Floodwall, Excursion Boat and Elizabeth River**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.3 mile above mouth, at foot of High Street and ab Datum: MLLW
Operator: Harbor Tours, Inc., and City of Portsmouth.
Owner: City of Portsmouth.
Address: Water and High Streets Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landing for passenger ferry to Norfolk, harbor excursion vessel, and transient miscellaneous vessels.
Depth Alongside (feet): 16 | | 13 Latitude (decimal): 36.835556
Total Berthing Space (feet): 90 | - | 90 Longitude (decimal): -76.29611
Remarks: Floodwall extends approximately 2,000 feet along waterfront and contains 2 other, similar, 12 by 5-foot small boat landings without fendering. An additional 200 feet of floodwall on the lower side of Portside Sl 171 and 172) is fronted by a row of timber breasting dolphins. Ferries 'Elizabeth River I' and 'II,' land at upper landing, at City of Portsmouth, Portside Slip (Ref. No. 172), and at City of Norfolk Landing Pier, Re Excursion vessel 'Carrie B' occasionally operates from upper landing.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: Floodwall extends approximately 2,000 feet along waterfront and contains 2 other, similar, 12 by 5-foot small boat landings without fendering. An additional 200 feet of floodwall on the lower side of Portside Sl 171 and 172) is fronted by a row of timber breasting dolphins. Ferries 'Elizabeth River I' and 'II,' land at upper landing, at City of Portsmouth, Portside Slip (Ref. No. 172), and at City of Norfolk Landing Pier, Re Excursion vessel 'Carrie B' occasionally operates from upper landing.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Floodwall extends approximately 2,000 feet along waterfront and contains 2 other, similar, 12 by 5-foot small boat landings without fendering. An additional 200 feet of floodwall on the lower side of Portside Sl 171 and 172) is fronted by a row of timber breasting dolphins. Ferries 'Elizabeth River I' and 'II,' land at upper landing, at City of Portsmouth, Portside Slip (Ref. No. 172), and at City of Norfolk Landing Pier, Re Excursion vessel 'Carrie B' occasionally operates from upper landing.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 170
Name: **City of Portsmouth, Floodwall, Excursion Boat and Elizabeth River**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.3 mile above mouth, at foot of High Street and ab Datum: MLLW
Operator: Harbor Tours, Inc., and City of Portsmouth.
Owner: City of Portsmouth.
Address: Water and High Streets Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landing for passenger ferry to Norfolk, harbor excursion vessel, and transient miscellaneous vessels.
Depth Alongside (feet): 16 | | 13 Latitude (decimal): 36.835556
Total Berthing Space (feet): 90 | - | 90 Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 170
Name: **City of Portsmouth, Floodwall, Excursion Boat and Elizabeth River**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.3 mile above mouth, at foot of High Street and ab Datum: MLLW
Operator: Harbor Tours, Inc., and City of Portsmouth.
Owner: City of Portsmouth.
Address: Water and High Streets Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landing for passenger ferry to Norfolk, harbor excursion vessel, and transient miscellaneous vessels.
Depth Alongside (feet): 16 | | 13 Latitude (decimal): 36.835556
Total Berthing Space (feet): 90 | - | 90 Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 170
Name: **City of Portsmouth, Floodwall, Excursion Boat and Elizabeth River**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.3 mile above mouth, at foot of High Street and ab Datum: MLLW
Operator: Harbor Tours, Inc., and City of Portsmouth.
Owner: City of Portsmouth.
Address: Water and High Streets Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landing for passenger ferry to Norfolk, harbor excursion vessel, and transient miscellaneous vessels.
Depth Alongside (feet): 16 | | 13 Latitude (decimal): 36.835556
Total Berthing Space (feet): 90 | - | 90 Longitude (decimal): -76.29611
Remarks: Floodwall extends approximately 2,000 feet along waterfront and contains 2 other, similar, 12 by 5-foot small boat landings without fendering. An additional 200 feet of floodwall on the lower side of Portside Sl 171 and 172) is fronted by a row of timber breasting dolphins. Ferries 'Elizabeth River I' and 'II,' land at upper landing, at City of Portsmouth, Portside Slip (Ref. No. 172), and at City of Norfolk Landing Pier, Re Excursion vessel 'Carrie B' occasionally operates from upper landing.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: Floodwall extends approximately 2,000 feet along waterfront and contains 2 other, similar, 12 by 5-foot small boat landings without fendering. An additional 200 feet of floodwall on the lower side of Portside Sl 171 and 172) is fronted by a row of timber breasting dolphins. Ferries 'Elizabeth River I' and 'II,' land at upper landing, at City of Portsmouth, Portside Slip (Ref. No. 172), and at City of Norfolk Landing Pier, Re Excursion vessel 'Carrie B' occasionally operates from upper landing.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Floodwall extends approximately 2,000 feet along waterfront and contains 2 other, similar, 12 by 5-foot small boat landings without fendering. An additional 200 feet of floodwall on the lower side of Portside Sl 171 and 172) is fronted by a row of timber breasting dolphins. Ferries 'Elizabeth River I' and 'II,' land at upper landing, at City of Portsmouth, Portside Slip (Ref. No. 172), and at City of Norfolk Landing Pier, Re Excursion vessel 'Carrie B' occasionally operates from upper landing.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 170
Name: **City of Portsmouth, Floodwall, Excursion Boat and Elizabeth River**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.3 mile above mouth, at foot of High Street and ab Datum: MLLW
Operator: Harbor Tours, Inc., and City of Portsmouth.
Owner: City of Portsmouth.
Address: Water and High Streets Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landing for passenger ferry to Norfolk, harbor excursion vessel, and transient miscellaneous vessels.
Depth Alongside (feet): 16 | | 13 Latitude (decimal): 36.835556
Total Berthing Space (feet): 90 | - | 90 Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 170
Name: **City of Portsmouth, Floodwall, Excursion Boat and Elizabeth River**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.3 mile above mouth, at foot of High Street and ab Datum: MLLW
Operator: Harbor Tours, Inc., and City of Portsmouth.
Owner: City of Portsmouth.
Address: Water and High Streets Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landing for passenger ferry to Norfolk, harbor excursion vessel, and transient miscellaneous vessels.
Depth Alongside (feet): 16 | | 13 Latitude (decimal): 36.835556
Total Berthing Space (feet): 90 | - | 90 Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 170
Name: **City of Portsmouth, Floodwall, Excursion Boat and Elizabeth River**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.3 mile above mouth, at foot of High Street and ab Datum: MLLW
Operator: Harbor Tours, Inc., and City of Portsmouth.
Owner: City of Portsmouth.
Address: Water and High Streets Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landing for passenger ferry to Norfolk, harbor excursion vessel, and transient miscellaneous vessels.
Depth Alongside (feet): 16 | | 13 Latitude (decimal): 36.835556
Total Berthing Space (feet): 90 | - | 90 Longitude (decimal): -76.29611
Remarks: Floodwall extends approximately 2,000 feet along waterfront and contains 2 other, similar, 12 by 5-foot small boat landings without fendering. An additional 200 feet of floodwall on the lower side of Portside Sl 171 and 172) is fronted by a row of timber breasting dolphins. Ferries 'Elizabeth River I' and 'II,' land at upper landing, at City of Portsmouth, Portside Slip (Ref. No. 172), and at City of Norfolk Landing Pier, Re Excursion vessel 'Carrie B' occasionally operates from upper landing.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: Floodwall extends approximately 2,000 feet along waterfront and contains 2 other, similar, 12 by 5-foot small boat landings without fendering. An additional 200 feet of floodwall on the lower side of Portside Sl 171 and 172) is fronted by a row of timber breasting dolphins. Ferries 'Elizabeth River I' and 'II,' land at upper landing, at City of Portsmouth, Portside Slip (Ref. No. 172), and at City of Norfolk Landing Pier, Re Excursion vessel 'Carrie B' occasionally operates from upper landing.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Floodwall extends approximately 2,000 feet along waterfront and contains 2 other, similar, 12 by 5-foot small boat landings without fendering. An additional 200 feet of floodwall on the lower side of Portside Sl 171 and 172) is fronted by a row of timber breasting dolphins. Ferries 'Elizabeth River I' and 'II,' land at upper landing, at City of Portsmouth, Portside Slip (Ref. No. 172), and at City of Norfolk Landing Pier, Re Excursion vessel 'Carrie B' occasionally operates from upper landing.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 172
Name: **City of Portsmouth, Portside Slip, Excursion Boat and Elizabeth Ri**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 600 feet above mouth, outer portion of north Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landings for passenger ferry to Norfolk and for harbor excursion vessel.
Depth Alongside (feet): 8 - 11 | | 8 - 11 Latitude (decimal): 36.838889
Total Berthing Space (feet): 75 | - | 85* Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 172
Name: **City of Portsmouth, Portside Slip, Excursion Boat and Elizabeth Ri**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 600 feet above mouth, outer portion of north Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landings for passenger ferry to Norfolk and for harbor excursion vessel.
Depth Alongside (feet): 8 - 11 | | 8 - 11 Latitude (decimal): 36.838889
Total Berthing Space (feet): 75 | - | 85* Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 172
Name: **City of Portsmouth, Portside Slip, Excursion Boat and Elizabeth Ri**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 600 feet above mouth, outer portion of north Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landings for passenger ferry to Norfolk and for harbor excursion vessel.
Depth Alongside (feet): 8 - 11 | | 8 - 11 Latitude (decimal): 36.838889
Total Berthing Space (feet): 75 | - | 85* Longitude (decimal): -76.29611
Remarks: *Breasting dolphins are in line, providing 225 feet of berthing space. Outer portion of slip side, from west berth access ramps to entrance, is 315 feet long. North side of slip, including portion of Ref. No. 1 Ferries 'Elizabeth River I' and 'II,' land at west landing, at City of Portsmouth Floodwall upper landing (Ref. No. 170), and at City of Norfolk Pier, Ref. No. 47. Excursion vessel 'Carrie B' operates from east bert

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: *Breasting dolphins are in line, providing 225 feet of berthing space. Outer portion of slip side, from west berth access ramps to entrance, is 315 feet long. North side of slip, including portion of Ref. No. 1 Ferries 'Elizabeth River I' and 'II,' land at west landing, at City of Portsmouth Floodwall upper landing (Ref. No. 170), and at City of Norfolk Pier, Ref. No. 47. Excursion vessel 'Carrie B' operates from east bert

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: *Breasting dolphins are in line, providing 225 feet of berthing space. Outer portion of slip side, from west berth access ramps to entrance, is 315 feet long. North side of slip, including portion of Ref. No. 1 Ferries 'Elizabeth River I' and 'II,' land at west landing, at City of Portsmouth Floodwall upper landing (Ref. No. 170), and at City of Norfolk Pier, Ref. No. 47. Excursion vessel 'Carrie B' operates from east bert

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 172
Name: **City of Portsmouth, Portside Slip, Excursion Boat and Elizabeth Ri**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 600 feet above mouth, outer portion of north Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landings for passenger ferry to Norfolk and for harbor excursion vessel.
Depth Alongside (feet): 8 - 11 | | 8 - 11 Latitude (decimal): 36.838889
Total Berthing Space (feet): 75 | - | 85* Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 172
Name: **City of Portsmouth, Portside Slip, Excursion Boat and Elizabeth Ri**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 600 feet above mouth, outer portion of north Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landings for passenger ferry to Norfolk and for harbor excursion vessel.
Depth Alongside (feet): 8 - 11 | | 8 - 11 Latitude (decimal): 36.838889
Total Berthing Space (feet): 75 | - | 85* Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 172
Name: **City of Portsmouth, Portside Slip, Excursion Boat and Elizabeth Ri**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 600 feet above mouth, outer portion of north Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landings for passenger ferry to Norfolk and for harbor excursion vessel.
Depth Alongside (feet): 8 - 11 | | 8 - 11 Latitude (decimal): 36.838889
Total Berthing Space (feet): 75 | - | 85* Longitude (decimal): -76.29611
Remarks: *Breasting dolphins are in line, providing 225 feet of berthing space. Outer portion of slip side, from west berth access ramps to entrance, is 315 feet long. North side of slip, including portion of Ref. No. 1 Ferries 'Elizabeth River I' and 'II,' land at west landing, at City of Portsmouth Floodwall upper landing (Ref. No. 170), and at City of Norfolk Pier, Ref. No. 47. Excursion vessel 'Carrie B' operates from east bert

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: *Breasting dolphins are in line, providing 225 feet of berthing space. Outer portion of slip side, from west berth access ramps to entrance, is 315 feet long. North side of slip, including portion of Ref. No. 1 Ferries 'Elizabeth River I' and 'II,' land at west landing, at City of Portsmouth Floodwall upper landing (Ref. No. 170), and at City of Norfolk Pier, Ref. No. 47. Excursion vessel 'Carrie B' operates from east bert

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: *Breasting dolphins are in line, providing 225 feet of berthing space. Outer portion of slip side, from west berth access ramps to entrance, is 315 feet long. North side of slip, including portion of Ref. No. 1 Ferries 'Elizabeth River I' and 'II,' land at west landing, at City of Portsmouth Floodwall upper landing (Ref. No. 170), and at City of Norfolk Pier, Ref. No. 47. Excursion vessel 'Carrie B' operates from east bert

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 172
Name: **City of Portsmouth, Portside Slip, Excursion Boat and Elizabeth Ri**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 600 feet above mouth, outer portion of north Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landings for passenger ferry to Norfolk and for harbor excursion vessel.
Depth Alongside (feet): 8 - 11 | | 8 - 11 Latitude (decimal): 36.838889
Total Berthing Space (feet): 75 | - | 85* Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 172
Name: **City of Portsmouth, Portside Slip, Excursion Boat and Elizabeth Ri**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 600 feet above mouth, outer portion of north Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landings for passenger ferry to Norfolk and for harbor excursion vessel.
Depth Alongside (feet): 8 - 11 | | 8 - 11 Latitude (decimal): 36.838889
Total Berthing Space (feet): 75 | - | 85* Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 172
Name: **City of Portsmouth, Portside Slip, Excursion Boat and Elizabeth Ri**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 600 feet above mouth, outer portion of north Datum: MLLW
Operator: Harbor Tours, Inc.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Landings for passenger ferry to Norfolk and for harbor excursion vessel.
Depth Alongside (feet): 8 - 11 | | 8 - 11 Latitude (decimal): 36.838889
Total Berthing Space (feet): 75 | - | 85* Longitude (decimal): -76.29611
Remarks: *Breasting dolphins are in line, providing 225 feet of berthing space. Outer portion of slip side, from west berth access ramps to entrance, is 315 feet long. North side of slip, including portion of Ref. No. 1 Ferries 'Elizabeth River I' and 'II,' land at west landing, at City of Portsmouth Floodwall upper landing (Ref. No. 170), and at City of Norfolk Pier, Ref. No. 47. Excursion vessel 'Carrie B' operates from east bert

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: *Breasting dolphins are in line, providing 225 feet of berthing space. Outer portion of slip side, from west berth access ramps to entrance, is 315 feet long. North side of slip, including portion of Ref. No. 1 Ferries 'Elizabeth River I' and 'II,' land at west landing, at City of Portsmouth Floodwall upper landing (Ref. No. 170), and at City of Norfolk Pier, Ref. No. 47. Excursion vessel 'Carrie B' operates from east bert

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: *Breasting dolphins are in line, providing 225 feet of berthing space. Outer portion of slip side, from west berth access ramps to entrance, is 315 feet long. North side of slip, including portion of Ref. No. 1 Ferries 'Elizabeth River I' and 'II,' land at west landing, at City of Portsmouth Floodwall upper landing (Ref. No. 170), and at City of Norfolk Pier, Ref. No. 47. Excursion vessel 'Carrie B' operates from east bert

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 171
Name: **City of Portsmouth, Portside Slip, Public Landing.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 800 feet above mouth, south side and inner po Datum: MLLW
Operator: City of Portsmouth.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Transient mooring of miscellaneous vessels and recreational craft.
Depth Alongside (feet): 8 - 10 | 10 - 13 | 8 Latitude (decimal): 36.838333
Total Berthing Space (feet): 80 | 330 | 160 Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 171
Name: **City of Portsmouth, Portside Slip, Public Landing.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 800 feet above mouth, south side and inner po Datum: MLLW
Operator: City of Portsmouth.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Transient mooring of miscellaneous vessels and recreational craft.
Depth Alongside (feet): 8 - 10 | 10 - 13 | 8 Latitude (decimal): 36.838333
Total Berthing Space (feet): 80 | 330 | 160 Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 171
Name: **City of Portsmouth, Portside Slip, Public Landing.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 800 feet above mouth, south side and inner po Datum: MLLW
Operator: City of Portsmouth.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Transient mooring of miscellaneous vessels and recreational craft.
Depth Alongside (feet): 8 - 10 | 10 - 13 | 8 Latitude (decimal): 36.838333
Total Berthing Space (feet): 80 | 330 | 160 Longitude (decimal): -76.29611

Remarks: Slip is 200 feet wide, with inner portion narrowing to 50 feet wide at steps. A 40- by 20-foot, concrete pile, concrete-decked platform used as a stage is located at center of steps. North side, including Ref. long. A building used as a visitor's welcome center is located at rear of north side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Slip is 200 feet wide, with inner portion narrowing to 50 feet wide at steps. A 40- by 20-foot, concrete pile, concrete-decked platform used as a stage is located at center of steps. North side, including Ref. long. A building used as a visitor's welcome center is located at rear of north side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: Slip is 200 feet wide, with inner portion narrowing to 50 feet wide at steps. A 40- by 20-foot, concrete pile, concrete-decked platform used as a stage is located at center of steps. North side, including Ref. long. A building used as a visitor's welcome center is located at rear of north side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 171
Name: **City of Portsmouth, Portside Slip, Public Landing.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 800 feet above mouth, south side and inner po Datum: MLLW
Operator: City of Portsmouth.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Transient mooring of miscellaneous vessels and recreational craft.
Depth Alongside (feet): 8 - 10 | 10 - 13 | 8 Latitude (decimal): 36.838333
Total Berthing Space (feet): 80 | 330 | 160 Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 171
Name: **City of Portsmouth, Portside Slip, Public Landing.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 800 feet above mouth, south side and inner po Datum: MLLW
Operator: City of Portsmouth.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Transient mooring of miscellaneous vessels and recreational craft.
Depth Alongside (feet): 8 - 10 | 10 - 13 | 8 Latitude (decimal): 36.838333
Total Berthing Space (feet): 80 | 330 | 160 Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 171
Name: **City of Portsmouth, Portside Slip, Public Landing.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 800 feet above mouth, south side and inner po Datum: MLLW
Operator: City of Portsmouth.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Transient mooring of miscellaneous vessels and recreational craft.
Depth Alongside (feet): 8 - 10 | 10 - 13 | 8 Latitude (decimal): 36.838333
Total Berthing Space (feet): 80 | 330 | 160 Longitude (decimal): -76.29611

Remarks: Slip is 200 feet wide, with inner portion narrowing to 50 feet wide at steps. A 40- by 20-foot, concrete pile, concrete-decked platform used as a stage is located at center of steps. North side, including Ref. long. A building used as a visitor's welcome center is located at rear of north side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Slip is 200 feet wide, with inner portion narrowing to 50 feet wide at steps. A 40- by 20-foot, concrete pile, concrete-decked platform used as a stage is located at center of steps. North side, including Ref. long. A building used as a visitor's welcome center is located at rear of north side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: Slip is 200 feet wide, with inner portion narrowing to 50 feet wide at steps. A 40- by 20-foot, concrete pile, concrete-decked platform used as a stage is located at center of steps. North side, including Ref. long. A building used as a visitor's welcome center is located at rear of north side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 171
Name: **City of Portsmouth, Portside Slip, Public Landing.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 800 feet above mouth, south side and inner po Datum: MLLW
Operator: City of Portsmouth.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Transient mooring of miscellaneous vessels and recreational craft.
Depth Alongside (feet): 8 - 10 | 10 - 13 | 8 Latitude (decimal): 36.838333
Total Berthing Space (feet): 80 | 330 | 160 Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 171
Name: **City of Portsmouth, Portside Slip, Public Landing.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 800 feet above mouth, south side and inner po Datum: MLLW
Operator: City of Portsmouth.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Transient mooring of miscellaneous vessels and recreational craft.
Depth Alongside (feet): 8 - 10 | 10 - 13 | 8 Latitude (decimal): 36.838333
Total Berthing Space (feet): 80 | 330 | 160 Longitude (decimal): -76.29611

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 171
Name: **City of Portsmouth, Portside Slip, Public Landing.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 800 feet above mouth, south side and inner po Datum: MLLW
Operator: City of Portsmouth.
Owner: City of Portsmouth.
Address: 6 Crawford Parkway Phone: 804/393-8481
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Transient mooring of miscellaneous vessels and recreational craft.
Depth Alongside (feet): 8 - 10 | 10 - 13 | 8 Latitude (decimal): 36.838333
Total Berthing Space (feet): 80 | 330 | 160 Longitude (decimal): -76.29611

Remarks: Slip is 200 feet wide, with inner portion narrowing to 50 feet wide at steps. A 40- by 20-foot, concrete pile, concrete-decked platform used as a stage is located at center of steps. North side, including Ref. long. A building used as a visitor's welcome center is located at rear of north side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Slip is 200 feet wide, with inner portion narrowing to 50 feet wide at steps. A 40- by 20-foot, concrete pile, concrete-decked platform used as a stage is located at center of steps. North side, including Ref. long. A building used as a visitor's welcome center is located at rear of north side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Remarks: Slip is 200 feet wide, with inner portion narrowing to 50 feet wide at steps. A 40- by 20-foot, concrete pile, concrete-decked platform used as a stage is located at center of steps. North side, including Ref. long. A building used as a visitor's welcome center is located at rear of north side.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 146

Name: **Cottrell Engineering Corp. Mooring.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approx. 0.4 mile above entrance Albemarle & Chesapeake Can Datum: MLLW

Operator: Cottrell Engineering Corp.

Owner: Cottrell Engineering Corp.

Address: 328 North Battlefield Boulevard Phone: 804/547-9611

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: None.

Purpose: Mooring company-owned floating equipment.

Depth Alongside (feet): 12 - 18 | 12 - 18 | Latitude (decimal): 36.7275

Total Berthing Space (feet): 250 | 100 | Longitude (decimal): -76.24417

Remarks: Building used as office and approximately 4 acres of open storage area for dredging equipment are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10500 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 109

Name: **Crown Central Petroleum Corp., Chesapeake Barge Dock.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approx. 0.6 mile below lower Norfolk and Portsmouth Belt-L Datum: MLLW

Operator: Crown Central Petroleum Corp.

Owner: Crown Central Petroleum Corp.

Address: 801 Butt Street Phone: 804/545-0245

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: None.

Purpose: Shipment and occasional receipt of petroleum products by barge.

Depth Alongside (feet): 25 | | Latitude (decimal): 36.820833

Total Berthing Space (feet): 300 | - | Longitude (decimal): -76.28944

Remarks: Approach extends across remains of pierhead retaining wall 200 feet in rear of face. Reciprocal agreement with United States Gypsum Co. (Ref. No. 108) on lower side allows a total of approximately 620 feet of co space. Three 6-inch pipelines, one with 4-inch metered connection, extend to wharf from 4 steel storage tanks in rear, total capacity 160,000 barrels.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 142
Name: **Davis Grain Corp. Dock.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River., approx. 600 feet above former upper N. & P. B.L. RR Br., Datum: MLLW
Operator: Davis Grain Corp.
Owner: Davis Grain Corp.
Address: 5500 Bainbridge Boulevard Phone: 804/543-2041
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track serves undertrack, hopper-car receiving pit and loading spout at rear of elevator; connects with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Shipment of grain by barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 36.744722
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.29417
Remarks: Grain elevator located in rear consists of 22 steel and 9 concrete storage silos, total capacity 1,250,000 bushels.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10500 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 128
Name: **Elizabeth River Terminals, Barge Mooring.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approx. 1.5 mile above lower Norfolk Southern Railway Brid Datum: MLLW
Operator: Elizabeth River Terminals, Inc., member of the Van Ommeren-Ceteco Group.
Owner: Elizabeth River Terminals, Inc., member of the Van Ommeren-Ceteco Group.
Address: Foot of Pratt Street Phone: 804/543-0335
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Occasional mooring of barges.
Depth Alongside (feet): 15 | | Latitude (decimal): 36.780556
Total Berthing Space (feet): 260 | - | Longitude (decimal): -76.30667
Remarks: Wharf was in deteriorated condition. Ruins of fertilizer plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 131

Name: **Elizabeth River Terminals, Pier No. 2 Wharf.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approx. 600 feet below entrance to Milldam Creek, upper si Datum: MLLW

Operator: Elizabeth River Terminals, Inc., member of the Van Ommeren-Ceteco Group.

Owner: Elizabeth River Terminals, Inc., member of the Van Ommeren-Ceteco Group.

Address: 4100 Buell Street Phone: 804/543-0335

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: Five surface tracks, 2 on apron and 2 serving loading spout at Warehouse No. 4, join additional terminal trackage described under Ref. No. 130; connect with Norfolk and Portsmouth Belt-Line Railroad.

Purpose: Receipt and shipment of scrap metal, pig iron, ingots, ore, salt, aggregates, pelletized animal feed, fertilizer, and miscellaneous other dry bulk materials; mooring vessels for shipbreaking.

Depth Alongside (feet): 35 | | Latitude (decimal): 36.778333

Total Berthing Space (feet): 750 | - | Longitude (decimal): -76.29889

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 131

Name: **Elizabeth River Terminals, Pier No. 2 Wharf.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approx. 600 feet below entrance to Milldam Creek, upper si Datum: MLLW

Operator: Elizabeth River Terminals, Inc., member of the Van Ommeren-Ceteco Group.

Owner: Elizabeth River Terminals, Inc., member of the Van Ommeren-Ceteco Group.

Address: 4100 Buell Street Phone: 804/543-0335

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: Five surface tracks, 2 on apron and 2 serving loading spout at Warehouse No. 4, join additional terminal trackage described under Ref. No. 130; connect with Norfolk and Portsmouth Belt-Line Railroad.

Purpose: Receipt and shipment of scrap metal, pig iron, ingots, ore, salt, aggregates, pelletized animal feed, fertilizer, and miscellaneous other dry bulk materials; mooring vessels for shipbreaking.

Depth Alongside (feet): 35 | | Latitude (decimal): 36.778333

Total Berthing Space (feet): 750 | - | Longitude (decimal): -76.29889

Remarks: Shipbreaking is performed in conjunction with adjacent Jacobson Metal Co., Ref. No. 132. With crane barges removed, bulkhead provides 550 feet of berthing in 20-foot depth of water. Warehouse No. 3, capacity 30 rear of upper portion of apron, and Warehouse No. 4, capacity 10,000 tons, and approximately 5.7 acres of asphalt-surfaced open storage area are located in rear (S.W. Ref. No. 16).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Shipbreaking is performed in conjunction with adjacent Jacobson Metal Co., Ref. No. 132. With crane barges removed, bulkhead provides 550 feet of berthing in 20-foot depth of water. Warehouse No. 3, capacity 30 rear of upper portion of apron, and Warehouse No. 4, capacity 10,000 tons, and approximately 5.7 acres of asphalt-surfaced open storage area are located in rear (S.W. Ref. No. 16).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 New York District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 131

Name: **Elizabeth River Terminals, Pier No. 2 Wharf.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approx. 600 feet below entrance to Milldam Creek, upper si Datum: MLLW

Operator: Elizabeth River Terminals, Inc., member of the Van Ommeren-Ceteco Group.

Owner: Elizabeth River Terminals, Inc., member of the Van Ommeren-Ceteco Group.

Address: 4100 Buell Street Phone: 804/543-0335

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: Five surface tracks, 2 on apron and 2 serving loading spout at Warehouse No. 4, join additional terminal trackage described under Ref. No. 130; connect with Norfolk and Portsmouth Belt-Line Railroad.

Purpose: Receipt and shipment of scrap metal, pig iron, ingots, ore, salt, aggregates, pelletized animal feed, fertilizer, and miscellaneous other dry bulk materials; mooring vessels for shipbreaking.

Depth Alongside (feet): 35 | | Latitude (decimal): 36.778333

Total Berthing Space (feet): 750 | - | Longitude (decimal): -76.29889

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 131

Name: **Elizabeth River Terminals, Pier No. 2 Wharf.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approx. 600 feet below entrance to Milldam Creek, upper si Datum: MLLW

Operator: Elizabeth River Terminals, Inc., member of the Van Ommeren-Ceteco Group.

Owner: Elizabeth River Terminals, Inc., member of the Van Ommeren-Ceteco Group.

Address: 4100 Buell Street Phone: 804/543-0335

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: Five surface tracks, 2 on apron and 2 serving loading spout at Warehouse No. 4, join additional terminal trackage described under Ref. No. 130; connect with Norfolk and Portsmouth Belt-Line Railroad.

Purpose: Receipt and shipment of scrap metal, pig iron, ingots, ore, salt, aggregates, pelletized animal feed, fertilizer, and miscellaneous other dry bulk materials; mooring vessels for shipbreaking.

Depth Alongside (feet): 35 | | Latitude (decimal): 36.778333

Total Berthing Space (feet): 750 | - | Longitude (decimal): -76.29889

Remarks: Shipbreaking is performed in conjunction with adjacent Jacobson Metal Co., Ref. No. 132. With crane barges removed, bulkhead provides 550 feet of berthing in 20-foot depth of water. Warehouse No. 3, capacity 30 rear of upper portion of apron, and Warehouse No. 4, capacity 10,000 tons, and approximately 5.7 acres of asphalt-surfaced open storage area are located in rear (S.W. Ref. No. 16).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Shipbreaking is performed in conjunction with adjacent Jacobson Metal Co., Ref. No. 132. With crane barges removed, bulkhead provides 550 feet of berthing in 20-foot depth of water. Warehouse No. 3, capacity 30 rear of upper portion of apron, and Warehouse No. 4, capacity 10,000 tons, and approximately 5.7 acres of asphalt-surfaced open storage area are located in rear (S.W. Ref. No. 16).

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 New York District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 141
Name: **Higgerson-Buchanan Mooring.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approx. 600 feet below former upper N. & P. B.L. RR Br., o Datum: MLLW
Operator: Higgerson-Buchanan, Inc.
Owner: Higgerson-Buchanan, Inc.
Address: 5300 Bainbridge Boulevard Phone: 804/545-4665
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track at rear of east side; connects with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Mooring company-owned equipment.
Depth Alongside (feet): 5 - 6 | 5 - 6 | 5 - 6 Latitude (decimal): 36.748333
Total Berthing Space (feet): 600 | 150 | 250 Longitude (decimal): -76.2925
Remarks: General contractor's construction yard with approximately 26 acres of open storage area is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 144
Name: **Hitch Properties, Route 104 Bridge Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 400 feet below Dominion Boulevard (State Hig Datum: MLLW
Operator: Not operated.
Owner: Hitch Properties.
Address: 100 Dominion Boulevard Phone: 804/497-4446
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 4 - 5 | | Latitude (decimal): 36.736944
Total Berthing Space (feet): 300 | - | Longitude (decimal): -76.29472
Remarks: Wharf formerly was used by Sadler Materials Corp. for receipt of sand and gravel by barge. A dry-mix concrete batch plant at rear was being moved to the company's Gilmerton wharf (Ref. No. 138) in 1992. Open st has capacity for 2,000 tons of sand and 1,600 tons of gravel.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10500 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 140

Name: **Huntsman Chemical Corp., Chesapeake Wharf.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 0.2 mile above Interstate Highway 64 Bridge, Datum: MLLW

Operator: Huntsman Chemical Corp.

Owner: Huntsman Chemical Corp.

Address: 5100 Bainbridge Boulevard Phone: 804/494-2740

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: Three surface tracks serve terminal in rear; connect with Norfolk and Portsmouth Belt-Line Railroad.

Purpose: Receipt of styrene monomer by barge.

Depth Alongside (feet): 22 | | Latitude (decimal): 36.755

Total Berthing Space (feet): 330 | - | Longitude (decimal): -76.29306

Remarks: One 10-inch pipeline extends from wharf to 2 steel storage tanks located at rear, total capacity 5,040,000 gallons.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 161

Name: **International-Matex, Chesapeake Terminal Wharf.**

Port: Hampton Roads

Location: Left bank, Southern Branch, Elizabeth River, approx. 0.6 mile below Gilmerton (S. Military Highway, U.S. Datum: MLLW

Operator: International-Matex Tank Terminals-Chesapeake.

Owner: International-Matex Tank Terminals-Chesapeake.

Address: 2801 South Military Highway Phone: 804/485-3000

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: None.

Purpose: Receipt of petroleum products; loading barges for bunkering vessels at berth in harbor; fueling tugboats; and mooring company-owned floating equipment.

Depth Alongside (feet): 37 | | Latitude (decimal): 36.776667

Total Berthing Space (feet): 650 | - | Longitude (decimal): -76.30639

Remarks: Company-owned equipment is moored stern-to upper side of approach. Four pipelines extend from wharf to 20 steel storage tanks in rear: Product Pipeline Tanks Size No. Capacity (inch) (barrels) Petroleum 14) Products 10) 9 525,300 8 2 87,600 Asphalt 8 & 10 becoming 12 9 197,600 Wharf is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 147
Name: **Ireland Marine Moorings.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approx. 0.4 mile above entrance Albemarle & Chesapeake Can Datum: MLLW
Operator: Ireland Marine, Inc.
Owner: Ireland Marine, Inc.
Address: 134 Tilden Avenue Phone: 804/547-4945
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 10 - 12 | 10 - 12 | 10 - 12 Latitude (decimal): 36.726389
Total Berthing Space (feet): 100 | 150 | 100 Longitude (decimal): -76.24389
Remarks: A row of 3 timber breasting dolphins fronting east end of basin provides an additional 150 feet of berthing in 10 to 12 feet of water depth.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10500 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 132
Name: **Jacobson Metal Co. Slip.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, north side of entrance to Milldam Creek, upper side of Mon Datum: MLLW
Operator: Jacobson Metal Co.
Owner: Jacobson Metal Co.
Address: 4300 Buell Street Phone: 804/543-2066
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Two surface tracks along rear of inner portion of west side of slip, join additional trackage serving salvage yard in rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Occasional receipt and shipment of scrap steel by barge; mooring vessels for shipbreaking.
Depth Alongside (feet): | 12 - 21 | 12 - 21 Latitude (decimal): 36.780278
Total Berthing Space (feet): - | 976 | 750 Longitude (decimal): -76.29528
Remarks: Slip averages 140 feet in width. Additional berthing for vessels is available in a 750- by 150-foot dredged slip with natural banks, located to east up Milldam Creek. Approximately 45 acres of open storage area located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 105

Name: **Marine Oil Service, Berkley Mooring, Pier No. 1.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 0.87 mile below lower Norfolk and Portsmouth Datum: MLLW

Operator: Marine Oil Service, Inc., and Bunker Group Virginia, Inc.

Owner: Marine Oil Associates.

Address: 1421 South Main Street Phone: 804/446-7300

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Loading company-owned vessels and barges with lube oil for supplying vessels at berth in harbor; mooring company-owned floating equipment.

Depth Alongside (feet): 10 | 10 - 19 | 10 - 19 Latitude (decimal): 36.824167

Total Berthing Space (feet): 85 | 255 | 295 Longitude (decimal): -76.29

Remarks: Bunker Group Virginia, Inc. moors at sides of outer portion of pier, and Marine Oil Service, Inc. moors at inner portion and wharf. Upper side forms an 80-foot wide slip with Pier No. 2, Ref. No. 106. One 3-an oil pipelines extend to inner end of pier from 8 steel storage tanks at rear, total capacity 2,100 barrels. A masonry building located at rear is used as warehouse and offices.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 122

Name: **McLean Contracting Co., South Norfolk Yard Wharf.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 0.2 mile above lower Norfolk Southern Railwa Datum: MLLW

Operator: McLean Contracting Co.

Owner: McLean Contracting Co.

Address: 100 Republic Road Phone: 804/543-1676

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: One surface track extends to rear of bulkhead; connects with Norfolk and Portsmouth Belt Line Railroad.

Purpose: Handling construction supplies and equipment; mooring company-owned equipment.

Depth Alongside (feet): 10 - 14 | 10 - 14 | 0 - 14 Latitude (decimal): 36.793889

Total Berthing Space (feet): 360 | 270 | 75 Longitude (decimal): -76.29333

Remarks: Lower wharf is used for handling supplies and equipment. Upper wharf is used for mooring company-owned tugboats and barges. Contractor's office and 22-acreequipment storage yard are located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 91
Name: **Metro Machine Corp., Berkley Facility, Drydock Slip.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 350 feet above conjunction with Eas Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring floating drydock.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 36.839722
Total Berthing Space (feet): 62 | 399 | Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 91
Name: **Metro Machine Corp., Berkley Facility, Drydock Slip.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 350 feet above conjunction with Eas Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring floating drydock.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 36.839722
Total Berthing Space (feet): 62 | 399 | Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 91
Name: **Metro Machine Corp., Berkley Facility, Drydock Slip.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 350 feet above conjunction with Eas Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring floating drydock.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 36.839722
Total Berthing Space (feet): 62 | 399 | Longitude (decimal): -76.29111

Remarks: One 14,500-long ton floating drydock moors end-to center of head of slip. East side is portion of Pier No. 2, and has one 1-story, steel frame, aluminum-covered shop building located at rear. Head of slip is eq 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 14,500-long ton floating drydock moors end-to center of head of slip. East side is portion of Pier No. 2, and has one 1-story, steel frame, aluminum-covered shop building located at rear. Head of slip is eq 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 14,500-long ton floating drydock moors end-to center of head of slip. East side is portion of Pier No. 2, and has one 1-story, steel frame, aluminum-covered shop building located at rear. Head of slip is eq 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 91
Name: **Metro Machine Corp., Berkley Facility, Drydock Slip.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 350 feet above conjunction with Eas Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring floating drydock.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 36.839722
Total Berthing Space (feet): 62 | 399 | Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 91
Name: **Metro Machine Corp., Berkley Facility, Drydock Slip.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 350 feet above conjunction with Eas Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring floating drydock.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 36.839722
Total Berthing Space (feet): 62 | 399 | Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 91
Name: **Metro Machine Corp., Berkley Facility, Drydock Slip.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 350 feet above conjunction with Eas Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring floating drydock.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 36.839722
Total Berthing Space (feet): 62 | 399 | Longitude (decimal): -76.29111

Remarks: One 14,500-long ton floating drydock moors end-to center of head of slip. East side is portion of Pier No. 2, and has one 1-story, steel frame, aluminum-covered shop building located at rear. Head of slip is eq 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 14,500-long ton floating drydock moors end-to center of head of slip. East side is portion of Pier No. 2, and has one 1-story, steel frame, aluminum-covered shop building located at rear. Head of slip is eq 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 14,500-long ton floating drydock moors end-to center of head of slip. East side is portion of Pier No. 2, and has one 1-story, steel frame, aluminum-covered shop building located at rear. Head of slip is eq 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 91
Name: **Metro Machine Corp., Berkley Facility, Drydock Slip.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 350 feet above conjunction with Eas Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring floating drydock.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 36.839722
Total Berthing Space (feet): 62 | 399 | Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 91
Name: **Metro Machine Corp., Berkley Facility, Drydock Slip.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 350 feet above conjunction with Eas Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring floating drydock.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 36.839722
Total Berthing Space (feet): 62 | 399 | Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 91
Name: **Metro Machine Corp., Berkley Facility, Drydock Slip.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 350 feet above conjunction with Eas Datum: MLLW
Operator: Metro Machine Corp.
Owner: Metro Machine Corp.
Address: 200 Ligon Street Phone: 804/543-6801 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring floating drydock.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 36.839722
Total Berthing Space (feet): 62 | 399 | Longitude (decimal): -76.29111

Remarks: One 14,500-long ton floating drydock moors end-to center of head of slip. East side is portion of Pier No. 2, and has one 1-story, steel frame, aluminum-covered shop building located at rear. Head of slip is eq 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 14,500-long ton floating drydock moors end-to center of head of slip. East side is portion of Pier No. 2, and has one 1-story, steel frame, aluminum-covered shop building located at rear. Head of slip is eq 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 14,500-long ton floating drydock moors end-to center of head of slip. East side is portion of Pier No. 2, and has one 1-story, steel frame, aluminum-covered shop building located at rear. Head of slip is eq 4-inch steam and compressed air, and 1 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 110

Name: **Mobil Oil Corp., Chesapeake Terminal Barge Wharf.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth Rive, approx. 0.57 mile below lower N & P Belt-Line RR Br., s. si Datum: MLLW

Operator: Mobil Oil Corp., Louis Dreyfus Energy Corp., and Papco Oil Co.

Owner: Mobil Oil Corp.

Address: 7600 Halifax Lane Phone: 804/545-4681

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: None.

Purpose: Shipment and occasional receipt of petroleum products by barge; loading barges for bunkering vessels at berth in harbor; fueling and supplying lubricating oil to tugs and small vessels.

Depth Alongside (feet): 21 | | Latitude (decimal): 36.820278

Total Berthing Space (feet): 335 | - | Longitude (decimal): -76.28889

Remarks: Mobil Oil Corp.: Four 12-, three 10-, two 6- and four 3-inch pipelines extend to wharf; Louis Dreyfus Energy Corp.: Four 10- becoming 6-inch pipelines extend to wharf. Seven pipelines are metered. All pipeline with lines serving Tanker Wharf and storage tanks described under Ref. No. 111.□*Papco Oil Co. provides fuel and lubricating oil at wharf.*

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 111

Name: **Mobil Oil Corp., Chesapeake Terminal, Tanker Wharf.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approx. 0.5 mile below lower Norfolk and Portsmouth Belt-L Datum: MLLW

Operator: Mobil Oil Corp., Louis Dreyfus Energy Corp., and Papco Oil Co.

Owner: Mobil Oil Corp.

Address: 7600 Halifax Lane Phone: 804/545-4681

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: None.

Purpose: Receipt and shipment of bulk and packaged petroleum products; bunkering vessels; loading barges for bunkering vessels at berth in harbor; fueling and providing lubricating oil to tugs & small vessels

Depth Alongside (feet): 35 | 35 | Latitude (decimal): 36.818889

Total Berthing Space (feet): 810 | - | Longitude (decimal): -76.28972

Remarks: Additional catwalk approaches extend to lower and upper work platforms from Barge Wharf (Ref. No. 110) and from shore, respectively. Mobil Oil Corp.: Four 12-, three 10-, and two 6-inch pipelines extend to wharf tanks, total capacity 839,600 barrels, and four 3-inch lube oil pipelines extend from 6 steel storage tanks, total capacity 1,900 barrels; Louis Dreyfus Energy Corp.: Four 10-inch pipelines extend to wharf from 5 steetanks, total capacity 350,000 barrels. Ten pipelines are metered. *Papco Oil Co. provides fuel and lubricating oil at wharf.*

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111

Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111

Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111

Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111

Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111

Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111

Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111
Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 100

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Berth A Pier**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.36 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier, and 2 surface tracks on lower side of slip join with additional trackage serving plant in rear; connect with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 2 - 13 | 28 | 39 Latitude (decimal): 36.831111

Total Berthing Space (feet): 120 | 900 | Longitude (decimal): -76.29194

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier and lower side of slip are adjacent; can be used as one berth, and form the 120- to 180-foot wide North Slip with lower side of Pier No. 3 (Ref No. 101). Berths are equipped with 6-inch compre 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 409-494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair; mooring floating drydock.

Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444

Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 409-494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair; mooring floating drydock.

Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444

Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 409-494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair; mooring floating drydock.

Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444

Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 409-494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair; mooring floating drydock.

Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444

Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 409-494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair; mooring floating drydock.

Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444

Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 409-494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair; mooring floating drydock.

Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444

Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 409-494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444
Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 98

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 1.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.6 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 409-494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair; mooring floating drydock.

Depth Alongside (feet): 40 | 40 | Latitude (decimal): 36.834444

Total Berthing Space (feet): 1,600 | - | - Longitude (decimal): -76.29361

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 54,250-long ton floating drydock 'Titan' is moored at rear of face. Wharf and drydock are served by 8-inch steam, 6-inch compressed air and sewage, and 2 1/2-inch oxygen and acetylene gas pipelines. Wharf a allow vessels direct entry from channel without turning.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: United States Government

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels for repair.

Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944

Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: United States Government

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels for repair.

Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944

Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: United States Government

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels for repair.

Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944

Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: United States Government

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels for repair.

Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944

Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: United States Government

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels for repair.

Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944

Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: United States Government

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels for repair.

Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944

Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: United States Government
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944
Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 104

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 11.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.0 mile below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: United States Government

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: None.

Purpose: Mooring vessels for repair.

Depth Alongside (feet): 30 | - | 30 Latitude (decimal): 36.826944

Total Berthing Space (feet): - | - | 850 Longitude (decimal): -76.29028

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side of pier forms 175-foot wide slip with pier operated by U.S. Navy. Operator also has use of 165 + 25 feet of bulkhead at inner end of slip. Pier is equipped with 2 1/2-inch oxygen and acetylene gas li

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.

Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.

Depth Alongside (feet):	22	17 - 22	0 - 22	Latitude (decimal):	36.831944
Total Berthing Space (feet):	-	150	150	Longitude (decimal):	-76.29333

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.

Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.

Depth Alongside (feet):	22	17 - 22	0 - 22	Latitude (decimal):	36.831944
Total Berthing Space (feet):	-	150	150	Longitude (decimal):	-76.29333

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.

Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.

Depth Alongside (feet):	22	17 - 22	0 - 22	Latitude (decimal):	36.831944
Total Berthing Space (feet):	-	150	150	Longitude (decimal):	-76.29333

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.

Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.

Depth Alongside (feet):	22	17 - 22	0 - 22	Latitude (decimal):	36.831944
Total Berthing Space (feet):	-	150	150	Longitude (decimal):	-76.29333

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.

Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.

Depth Alongside (feet):	22	17 - 22	0 - 22	Latitude (decimal):	36.831944
Total Berthing Space (feet):	-	150	150	Longitude (decimal):	-76.29333

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.

Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.

Depth Alongside (feet):	22	17 - 22	0 - 22	Latitude (decimal):	36.831944
Total Berthing Space (feet):	-	150	150	Longitude (decimal):	-76.29333

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.
Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.
Depth Alongside (feet): 22 | 17 - 22 | 0 - 22 Latitude (decimal): 36.831944
Total Berthing Space (feet): - | 150 | 150 Longitude (decimal): -76.29333

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 99

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 2.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.4 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track along rear of lower side joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co.

Purpose: Mooring small vessels and barges for repair; mooring company-owned tugboats.

Depth Alongside (feet):	22	17 - 22	0 - 22	Latitude (decimal):	36.831944
Total Berthing Space (feet):	-	150	150	Longitude (decimal):	-76.29333

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Inner 90-foot portion of pier varies in width from 16 to 45 feet. The remains of an unused marine railway are located adjacent to inner end of upper side. Inner 120 feet of upper side forms a slip approximately side of Berth A Pier (Ref. No. 100). Pier is equipped with 2-inch compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal): 36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal): -76.29278

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 28 | 28 - 39 | 22 - 28 Latitude (decimal): 36.830833
Total Berthing Space (feet): - | 702 | 495 Longitude (decimal): -76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 28 | 28 - 39 | 22 - 28 Latitude (decimal): 36.830833
Total Berthing Space (feet): - | 702 | 495 Longitude (decimal): -76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 28 | 28 - 39 | 22 - 28 Latitude (decimal): 36.830833
Total Berthing Space (feet): - | 702 | 495 Longitude (decimal): -76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 101

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 3.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.33 miles below lower Norfolk and Portsmout Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet):	28	28 - 39	22 - 28	Latitude (decimal):	36.830833
Total Berthing Space (feet):	-	702	495	Longitude (decimal):	-76.29278

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 4 (Ref. No. 102). A concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill forms inner end of slip. Pier is equipped with 6-inch compress steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278

Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278

Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278

Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278

Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278

Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278

Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.
Purpose: Mooring vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278
Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 102

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Pier No. 4.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.3 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: Plant trackage in rear connects with Norfolk Southern Railway Co.

Purpose: Mooring vessels for repair, conversion, and outfitting.

Depth Alongside (feet): 27 - 30 | 11 - 27 | 17 - 30 Latitude (decimal): 36.830278

Total Berthing Space (feet): - | 490 | 490 Longitude (decimal): -76.2925

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: Upper side forms a 200-foot wide slip with Pier No. 5, Ref. No. 103. Pier is equipped with 6-inch compressed air, 8-inch steam, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.

Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889

Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.

Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889

Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.

Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889

Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.

Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889

Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.

Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889

Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.

Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889

Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103
Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW
Operator: Norfolk Shipbuilding & Drydock Corp.
Owner: Norfolk Shipbuilding & Drydock Corp.
Address: 750 Berkley Avenue Phone: 804/494-4469
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..
Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.
Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889
Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 103

Name: **Norfolk Shipbuilding & Drydock Corp., Berkley Plant, Piers Nos. 5**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 1.2 miles below lower Norfolk and Portsmouth Datum: MLLW

Operator: Norfolk Shipbuilding & Drydock Corp.

Owner: Norfolk Shipbuilding & Drydock Corp.

Address: 750 Berkley Avenue Phone: 804/494-4469

Town: Norfolk City State: VA County: Norfolk City

Railway Connection: One surface track on each pier joins additional trackage serving plant in rear; connects with Norfolk Southern Railway Co..

Purpose: Mooring vessels for repair, conversion, and outfitting; mooring floating drydock.

Depth Alongside (feet): 18 - 28 | 25 - 35 | 21 - 30 Latitude (decimal): 36.828889

Total Berthing Space (feet): 490 | 630 | 524 Longitude (decimal): -76.29194

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: One 20,000-long ton floating drydock 'Virginian' is moored at 571-foot long, lower side of Pier No. 6, in 44-foot depth of water. Slip between piers is 235 feet wide, and clearance between Pier No. 5 and drydock ways extend to head of slip, where newly constructed vessels are launched via floating drydock. Piers are equipped with 8-inch steam, 6-inch compressed air, and 2 1/2-inch oxygen and acetylene gas lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 164

Name: **Olympic Marine Services, Southern Branch Plant Wharf.**

Port: Hampton Roads

Location: Left bank, Southern Branch, Elizabeth River, 600 ft below lower Nor-folk Southern Rwy Br, north side, en Datum: MLLW

Operator: Olympic Marine Services, Inc.

Owner: BP Oil Co., Inc.

Address: 3950 Burtons Point Road Phone: 804/399-4031

Town: Portsmouth State: VA County: Portsmouth

Railway Connection: None.

Purpose: Mooring vessels for repair.

Depth Alongside (feet): 26 - 38 | 20 - 26 | Latitude (decimal): 36.799444

Total Berthing Space (feet): 700 | | - Longitude (decimal): -76.29583

Remarks: One 1-story, steel frame, metal-covered building on wharf and others located in 15-acre open storage area at rear are used as shops.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 112

Name: **Peck Iron & Metal Co., Chesapeake Wharf.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approx. 0.3 mile below lower Norfolk and Portsmouth Belt-L Datum: MLLW

Operator: Not operated.

Owner: Peck Iron & Metal Co., Inc.

Address: Truxton Street Phone: 804/399-4075

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 27 - 29 | | Latitude (decimal): 36.816389

Total Berthing Space (feet): 1,003 | | Longitude (decimal): -76.28944

Remarks: Wharf was in deteriorated condition. Approximately 40 acres of open area are located in rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 135
Name: **Piney Point Transportation Co. Wharf and Slip.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, above upper Norfolk Southern Railway Bridge, Chesapeake. Datum: MLLW
Operator: Piney Point Transportation Co. and Southern States Cooperative, Inc. (See Remarks.)
Owner: Steuart Investment Co.
Address: 1316 Smith Douglas Road Phone: 804/545-0000
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Four platform-level tracks serve warehouses at rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Mooring company-owned vessels for repair; receipt of potash and salt by self-unloading vessel.
Depth Alongside (feet): 25 - 28 | | 14 - 25 Latitude (decimal): 36.773889
Total Berthing Space (feet): 500 | - | 360 Longitude (decimal): -76.29417
Remarks: Slip is 120 feet wide. Southern States Cooperative, Inc. received potash, but planned to move operation to their own wharf (Ref. No. 134) in 1992. They receive salt for AKZO Salt, Inc. Potash is unloaded into a of a 575- by 245-foot warehouse building located at rear of lower portion of wharf. Two warehouse buildings have a total capacity for 15,000 tons of bulk potash. A concrete-paved open storage area located at rear ofcapacity for 75,000 tons of salt received by company for AKZO Salt, Inc. Piney Point Transportation Co. uses building located at rear of warehouses as office and shop. One 6-inch pipeline extends frtanks in rear, total capacity approximately 650,000 gallons, all unused in 1992.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 145
Name: **Port Allen Marine Services Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approx. 0.3 mile above entrance Albemarle & Chesapeake Can Datum: MLLW
Operator: Port Allen Marine Services, Inc.
Owner: Port Allen Marine Services, Inc.
Address: 334 North Battlefield Boulevard Phone: 804/547-4541
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring vessels for repair, gas freeing, and tank cleaning.
Depth Alongside (feet): 13 | 13 | 0 - 13 Latitude (decimal): 36.726944
Total Berthing Space (feet): 165 | 310 | 90 Longitude (decimal): -76.24611
Remarks: Piers are approximately 50 feet apart with a 360-ton marine railway located between them. Vessels are moored only on the outboard sides of piers. Wharf is equipped with compressed air line.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10500 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 113
Name: **Roanoke Cement Co., Ohio Street Terminal Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approx. 1000 feet below lower Norfolk and Portsmouth Belt- Datum: MLLW
Operator: Roanoke Cement Co. and LaFarge Calcium Aluminates.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Ohio Street Phone: 804/533-7191
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Four surface tracks serve silos and plant in rear; connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Receipt of bulk cement; receipt of cement clinker by self-unloading vessel.
Depth Alongside (feet): 35 | | Latitude (decimal): 36.814444
Total Berthing Space (feet): 500 | | Longitude (decimal): -76.28944
Remarks: Vessel overlaps adjacent Peck Iron & Metal Co., Inc., (Ref. No. 112) and Royster Co. (Ref. No. 114) wharves. Approach to trestle is via 60- by 10-foot, timber pile, timber-decked walkway extending from steel she with solid fill to a 25- by 40-foot platform at upper side. Five storage silos have a total capacity of 18,500 tons of cement. Storage shed has capacity for 25,000 tons of cement clinker, recovered by front-end loadbelt conveyor extending to LaFarge Calcium Aluminates' cement finishing plant at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 114
Name: **Royster Co., Chesapeake Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approx. 400 feet below lower Norfolk and Portsmouth Belt-L Datum: MLLW
Operator: Royster Co. *and Chesapeake Fertilizer*
Owner: Royster Co.
Address: Foot of Ohio Street Phone: 804/545-3024
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Two surface tracks serve plant at rear; connect with Norfolk and Portsmouth Belt-Line Railroad.
Purpose: Shipment of bulk fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 36.813056
Total Berthing Space (feet): 450 | | Longitude (decimal): -76.28917
Remarks: Two plant warehouses, one at rear of apron divided into 4 sections by partitions, and one on upper side, have total storage capacity for approximately 70,000 tons of fertilizer.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 138
Name: **Sadler Materials Corp., Gilmerton Plant Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.6 mile above upper Norfolk Southern Railwa Datum: MLLW
Operator: Sadler Materials Corp.
Owner: Sadler Materials Corp.
Address: Bainbridge and Great Bridge Boulevard Phone: 804/523-0500
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track of the Norfolk and Portsmouth Belt Line Railroad is at rear.
Purpose: Receipt of sand, stone, and gravel by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 36.766944
Total Berthing Space (feet): 800 | | Longitude (decimal): -76.29667
Remarks: Facility was under construction in 1992, and is described as planned. An asphalt batch plant owned by Rea Construction Co. and a dry-batch concrete plant will be located in a 30-acre open storage area in the rea

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 143
Name: **Southern Materials, Chesapeake Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.2 mile below Dominion Boulevard (State Hig Datum: MLLW
Operator: Southern Materials.
Owner: Solite Corp.
Address: 100 Dominion Boulevard Phone: 703/775-7600
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track at rear of block plant; connects with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt of sand, gravel, and stone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.739444
Total Berthing Space (feet): 575 | - | Longitude (decimal): -76.29667
Remarks: Open storage area at rear has capacity for 60,000 tons of gravel, 8,000 tons of sand, and 3,000 tons of stone. Material is transferred by truck to a dumper served by an inclined belt conveyor extending to a bloc operated by Solite Masonry Units Corp.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10500 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 134
Name: **Southern States Cooperative, Chesapeake Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, below Gilmerton (South Military Highway, U.S. Highways 13 Datum: MLLW
Operator: Southern States Cooperative, Inc., Fertilizer Division.
Owner: Southern States Cooperative, Inc.
Address: 2651 South Military Highway Phone: 804/545-2449
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Three platform-level tracks serve warehouse and 2 bulk-loading spouts at rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt of potash by self-unloading vessesl.
Depth Alongside (feet): 19 - 33 | | Latitude (decimal): 36.776389
Total Berthing Space (feet): 700 | | Longitude (decimal): -76.29472
Remarks: Wharf and adjacent United Winner Metals, Inc., Dock (Ref. No. 133) are in line and contiguous. Reciprocal agreement allows 850 feet of continuous berthing space. Domes have a total capacity of 20,000 tons. Pot domes to an elevator serving one rail and one truck loading spout. A building used as a warehouse and office is located at rear of wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 125
Name: **Stratus Petroleum Corp., Chesapeake Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.8 mile above lower Norfolk Southern Railwa Datum: MLLW
Operator: Tank Cleaning Services, Inc.
Owner: Stratus Petroleum Corp. and Holland Investment Group Corp.
Address: Freeman Avenue and Buell Street Phone: 404/518-3504
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track serves 4-car capacity tank-car loading rack at Bernuth Lembcke Co. terminal in rear; connects with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt of oil tank wash water.
Depth Alongside (feet): 28 | | Latitude (decimal): 36.789444
Total Berthing Space (feet): 300 | - | Longitude (decimal): -76.30194
Remarks: Wharf was in deteriorated condition in 1992. Stratus Petroleum Corp. and Citgo Petroleum Corp.: Six 6- becoming four 16- becoming two 12- and two 10-inch pipelines extend from wharf to 6 steel storage tanks at t Avenue and Buell Street, total capacity 350,000 barrels. Tank Cleaning Services, Inc.: One 6-inch pipeline extends from wharf to 2 wash water storage tanks at 101 Freeman Avenue, total capacity 1,500,000 gallons. Exthe 12- and 10-inch pipelines, out of service in 1992, formerly served an Exxon Co. USA terminal at 4115 Buell Street.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 92
Name: **Tarmac Virginia, Berkley Plant Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 500 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Metro Machine Corp.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Receipt of sand by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 36.839167
Total Berthing Space (feet): 230 | | Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 92
Name: **Tarmac Virginia, Berkley Plant Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 500 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Metro Machine Corp.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Receipt of sand by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 36.839167
Total Berthing Space (feet): 230 | | Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 92
Name: **Tarmac Virginia, Berkley Plant Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 500 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Metro Machine Corp.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Receipt of sand by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 36.839167
Total Berthing Space (feet): 230 | | Longitude (decimal): -76.29111
Remarks: Wharf is on west side of Metro Machine's Corp., Drydock Slip (Ref. No. 91), 80 feet from west wingwall of floating drydock, and forms east side of Tarmac Virginia's, Inc., Marine Department East Pier. Sand is tr through the Marine Department repair plant at rear (Ref. No. 93) to a 4,800-ton capacity open storage area at operator's Berkley concrete batch plant on Pearl Street.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Wharf is on west side of Metro Machine's Corp., Drydock Slip (Ref. No. 91), 80 feet from west wingwall of floating drydock, and forms east side of Tarmac Virginia's, Inc., Marine Department East Pier. Sand is tr through the Marine Department repair plant at rear (Ref. No. 93) to a 4,800-ton capacity open storage area at operator's Berkley concrete batch plant on Pearl Street.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Wharf is on west side of Metro Machine's Corp., Drydock Slip (Ref. No. 91), 80 feet from west wingwall of floating drydock, and forms east side of Tarmac Virginia's, Inc., Marine Department East Pier. Sand is tr through the Marine Department repair plant at rear (Ref. No. 93) to a 4,800-ton capacity open storage area at operator's Berkley concrete batch plant on Pearl Street.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 92
Name: **Tarmac Virginia, Berkley Plant Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 500 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Metro Machine Corp.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Receipt of sand by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 36.839167
Total Berthing Space (feet): 230 | | Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 92
Name: **Tarmac Virginia, Berkley Plant Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 500 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Metro Machine Corp.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Receipt of sand by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 36.839167
Total Berthing Space (feet): 230 | | Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 92
Name: **Tarmac Virginia, Berkley Plant Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 500 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Metro Machine Corp.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Receipt of sand by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 36.839167
Total Berthing Space (feet): 230 | | Longitude (decimal): -76.29111

Remarks: Wharf is on west side of Metro Machine's Corp., Drydock Slip (Ref. No. 91), 80 feet from west wingwall of floating drydock, and forms east side of Tarmac Virginia's, Inc., Marine Department East Pier. Sand is tr through the Marine Department repair plant at rear (Ref. No. 93) to a 4,800-ton capacity open storage area at operator's Berkley concrete batch plant on Pearl Street.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Wharf is on west side of Metro Machine's Corp., Drydock Slip (Ref. No. 91), 80 feet from west wingwall of floating drydock, and forms east side of Tarmac Virginia's, Inc., Marine Department East Pier. Sand is tr through the Marine Department repair plant at rear (Ref. No. 93) to a 4,800-ton capacity open storage area at operator's Berkley concrete batch plant on Pearl Street.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Wharf is on west side of Metro Machine's Corp., Drydock Slip (Ref. No. 91), 80 feet from west wingwall of floating drydock, and forms east side of Tarmac Virginia's, Inc., Marine Department East Pier. Sand is tr through the Marine Department repair plant at rear (Ref. No. 93) to a 4,800-ton capacity open storage area at operator's Berkley concrete batch plant on Pearl Street.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 92
Name: **Tarmac Virginia, Berkley Plant Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 500 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Metro Machine Corp.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Receipt of sand by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 36.839167
Total Berthing Space (feet): 230 | | Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 92
Name: **Tarmac Virginia, Berkley Plant Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 500 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Metro Machine Corp.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Receipt of sand by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 36.839167
Total Berthing Space (feet): 230 | | Longitude (decimal): -76.29111

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 92
Name: **Tarmac Virginia, Berkley Plant Wharf.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 500 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Metro Machine Corp.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Receipt of sand by barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 36.839167
Total Berthing Space (feet): 230 | | Longitude (decimal): -76.29111
Remarks: Wharf is on west side of Metro Machine's Corp., Drydock Slip (Ref. No. 91), 80 feet from west wingwall of floating drydock, and forms east side of Tarmac Virginia's, Inc., Marine Department East Pier. Sand is tr through the Marine Department repair plant at rear (Ref. No. 93) to a 4,800-ton capacity open storage area at operator's Berkley concrete batch plant on Pearl Street.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: Wharf is on west side of Metro Machine's Corp., Drydock Slip (Ref. No. 91), 80 feet from west wingwall of floating drydock, and forms east side of Tarmac Virginia's, Inc., Marine Department East Pier. Sand is tr through the Marine Department repair plant at rear (Ref. No. 93) to a 4,800-ton capacity open storage area at operator's Berkley concrete batch plant on Pearl Street.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: Wharf is on west side of Metro Machine's Corp., Drydock Slip (Ref. No. 91), 80 feet from west wingwall of floating drydock, and forms east side of Tarmac Virginia's, Inc., Marine Department East Pier. Sand is tr through the Marine Department repair plant at rear (Ref. No. 93) to a 4,800-ton capacity open storage area at operator's Berkley concrete batch plant on Pearl Street.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 153

Name: **Tarmac Virginia, Great Bridge Plant Landing.**

Port: Hampton Roads

Location: Left bank, Old Channel of Southern Branch, Elizabeth River, approx. 750 feet above lower conjunction wit Datum: MLLW

Operator: Tarmac Virginia, Inc.

Owner: Tarmac Mid-Atlantic, Inc.

Address: 1010 Bells Mill Road Phone: 804/533-7183

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: None.

Purpose: Receipt of sand and stone by barge; transient mooring of barges.

Depth Alongside (feet): 6 | 5 - 6 | 5 - 6 Latitude (decimal): 36.726944

Total Berthing Space (feet): 250 | | 300 Longitude (decimal): -76.26472

Remarks: Tarmac Virginia, Inc., unloads barges into their yard located in rear of bank below crane platform, and occasionally moors barges along bank above platform. Yard has paved open storage area for 30,000 tons of ma formerly unloaded above crane platform by Bayshore Concrete Products, Inc. which operates a wet-mix concrete batch plant located at rear, and adjacent open storage areas for 2,800 tons of sand and 2,800 tons of stone.receiving hoppers are located adjacent to bank above crane platform, and are served by 2 inclined belt conveyors extending to batch plant. Plant supplies concrete for casting plant at Ref. No. 152.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10505 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 123
Name: **Tarmac Virginia, Money Point Barge Dock.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.38 mile above lower Norfolk Southern Railw Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 3900 Shannon Street Phone: 804/543-2557
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Two surface tracks serve plant in rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Shipment of pumice by barge.
Depth Alongside (feet): 15 - 35 | | Latitude (decimal): 36.790556
Total Berthing Space (feet): 300 | | Longitude (decimal): -76.29833

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 123
Name: **Tarmac Virginia, Money Point Barge Dock.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.38 mile above lower Norfolk Southern Railw Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 3900 Shannon Street Phone: 804/543-2557
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Two surface tracks serve plant in rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Shipment of pumice by barge.
Depth Alongside (feet): 15 - 35 | | Latitude (decimal): 36.790556
Total Berthing Space (feet): 300 | | Longitude (decimal): -76.29833

Remarks: Loading boom is located approximately 170 feet below operator's Money Point Plant Pier, Ref. No. 124. Belt conveyor also is served by 36-inch electric belt conveyor in tunnel under open storage area at rear, des No. 124. Pumice is transported to operator's Richmond Lower Yard Wharf, James River Ref. No. 35.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Loading boom is located approximately 170 feet below operator's Money Point Plant Pier, Ref. No. 124. Belt conveyor also is served by 36-inch electric belt conveyor in tunnel under open storage area at rear, des No. 124. Pumice is transported to operator's Richmond Lower Yard Wharf, James River Ref. No. 35.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 123
Name: **Tarmac Virginia, Money Point Barge Dock.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.38 mile above lower Norfolk Southern Railw Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 3900 Shannon Street Phone: 804/543-2557
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Two surface tracks serve plant in rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Shipment of pumice by barge.
Depth Alongside (feet): 15 - 35 | | Latitude (decimal): 36.790556
Total Berthing Space (feet): 300 | | Longitude (decimal): -76.29833

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 123
Name: **Tarmac Virginia, Money Point Barge Dock.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.38 mile above lower Norfolk Southern Railw Datum: MLLW
Operator: Tarmac Virginia, Inc.
Owner: Tarmac Mid-Atlantic, Inc.
Address: 3900 Shannon Street Phone: 804/543-2557
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Two surface tracks serve plant in rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Shipment of pumice by barge.
Depth Alongside (feet): 15 - 35 | | Latitude (decimal): 36.790556
Total Berthing Space (feet): 300 | | Longitude (decimal): -76.29833

Remarks: Loading boom is located approximately 170 feet below operator's Money Point Plant Pier, Ref. No. 124. Belt conveyor also is served by 36-inch electric belt conveyor in tunnel under open storage area at rear, des No. 124. Pumice is transported to operator's Richmond Lower Yard Wharf, James River Ref. No. 35.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: Loading boom is located approximately 170 feet below operator's Money Point Plant Pier, Ref. No. 124. Belt conveyor also is served by 36-inch electric belt conveyor in tunnel under open storage area at rear, des No. 124. Pumice is transported to operator's Richmond Lower Yard Wharf, James River Ref. No. 35.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 124
Name: **Tarmac Virginia, Money Point Plant Pier.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.42 mile above lower Norfolk Southern Railw Datum: MLLW
Operator: Tarmac Virginia, Inc. (See Remarks.)
Owner: Tarmac Mid-Atlantic, Inc.
Address: 3900 Shannon Street Phone: 804/543-2557
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Two surface tracks serve plant in rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt of pumice, ulexite, and gypsum by vessel, and sand and gravel by barge; occasional mooring of vessels for maintenance and minor repairs.

Depth Alongside (feet):		16	35	Latitude (decimal): 36.791389
Total Berthing Space (feet):	-	447	447	Longitude (decimal): -76.29694

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 124
Name: **Tarmac Virginia, Money Point Plant Pier.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.42 mile above lower Norfolk Southern Railw Datum: MLLW
Operator: Tarmac Virginia, Inc. (See Remarks.)
Owner: Tarmac Mid-Atlantic, Inc.
Address: 3900 Shannon Street Phone: 804/543-2557
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Two surface tracks serve plant in rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt of pumice, ulexite, and gypsum by vessel, and sand and gravel by barge; occasional mooring of vessels for maintenance and minor repairs.

Depth Alongside (feet):		16	35	Latitude (decimal): 36.791389
Total Berthing Space (feet):	-	447	447	Longitude (decimal): -76.29694

Remarks: *Pier is leased occasionally to companies doing maintenance work on vessels. Shuttle conveyor serves open storage area for 50,000 tons of pumice, 50,000 tons of sand, and 50,000 tons of gravel. A 36-inch belt c under area recovers material to 2 conveyor systems extending to concrete block and pipe plants located at rear. Ulexite and gypsum are transported by truck to 2 storage sheds, total capacity 20,000 tons, one 10,000-tpad, and plants located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: *Pier is leased occasionally to companies doing maintenance work on vessels. Shuttle conveyor serves open storage area for 50,000 tons of pumice, 50,000 tons of sand, and 50,000 tons of gravel. A 36-inch belt c under area recovers material to 2 conveyor systems extending to concrete block and pipe plants located at rear. Ulexite and gypsum are transported by truck to 2 storage sheds, total capacity 20,000 tons, one 10,000-tpad, and plants located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 124
Name: **Tarmac Virginia, Money Point Plant Pier.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.42 mile above lower Norfolk Southern Railw Datum: MLLW
Operator: Tarmac Virginia, Inc. (See Remarks.)
Owner: Tarmac Mid-Atlantic, Inc.
Address: 3900 Shannon Street Phone: 804/543-2557
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Two surface tracks serve plant in rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt of pumice, ulexite, and gypsum by vessel, and sand and gravel by barge; occasional mooring of vessels for maintenance and minor repairs.

Depth Alongside (feet):		16	35	Latitude (decimal): 36.791389
Total Berthing Space (feet):	-	447	447	Longitude (decimal): -76.29694

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 124
Name: **Tarmac Virginia, Money Point Plant Pier.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.42 mile above lower Norfolk Southern Railw Datum: MLLW
Operator: Tarmac Virginia, Inc. (See Remarks.)
Owner: Tarmac Mid-Atlantic, Inc.
Address: 3900 Shannon Street Phone: 804/543-2557
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Two surface tracks serve plant in rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt of pumice, ulexite, and gypsum by vessel, and sand and gravel by barge; occasional mooring of vessels for maintenance and minor repairs.

Depth Alongside (feet):		16	35	Latitude (decimal): 36.791389
Total Berthing Space (feet):	-	447	447	Longitude (decimal): -76.29694

Remarks: *Pier is leased occasionally to companies doing maintenance work on vessels. Shuttle conveyor serves open storage area for 50,000 tons of pumice, 50,000 tons of sand, and 50,000 tons of gravel. A 36-inch belt c under area recovers material to 2 conveyor systems extending to concrete block and pipe plants located at rear. Ulexite and gypsum are transported by truck to 2 storage sheds, total capacity 20,000 tons, one 10,000-tpad, and plants located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Remarks: *Pier is leased occasionally to companies doing maintenance work on vessels. Shuttle conveyor serves open storage area for 50,000 tons of pumice, 50,000 tons of sand, and 50,000 tons of gravel. A 36-inch belt c under area recovers material to 2 conveyor systems extending to concrete block and pipe plants located at rear. Ulexite and gypsum are transported by truck to 2 storage sheds, total capacity 20,000 tons, one 10,000-tpad, and plants located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 93
Name: **Tarmac Virginia, Norfolk Marine Department, East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 600 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 0 - 18 | 18 - 20 | Latitude (decimal): 36.839167
Total Berthing Space (feet): 200 | 85 | Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 93
Name: **Tarmac Virginia, Norfolk Marine Department, East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 600 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 0 - 18 | 18 - 20 | Latitude (decimal): 36.839167
Total Berthing Space (feet): 200 | 85 | Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 93
Name: **Tarmac Virginia, Norfolk Marine Department, East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 600 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 0 - 18 | 18 - 20 | Latitude (decimal): 36.839167
Total Berthing Space (feet): 200 | 85 | Longitude (decimal): -76.29139

Remarks: One 600-ton marine railway is located at inner end of face. Face forms a 42- to 50-foot wide slip with east side of Ref. No. 94. Company-owned tugboats, barges, and floating equipment are serviced by marine rep Marine Department office located at inner end.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 600-ton marine railway is located at inner end of face. Face forms a 42- to 50-foot wide slip with east side of Ref. No. 94. Company-owned tugboats, barges, and floating equipment are serviced by marine rep Marine Department office located at inner end.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 600-ton marine railway is located at inner end of face. Face forms a 42- to 50-foot wide slip with east side of Ref. No. 94. Company-owned tugboats, barges, and floating equipment are serviced by marine rep Marine Department office located at inner end.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 93
Name: **Tarmac Virginia, Norfolk Marine Department, East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 600 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 0 - 18 | 18 - 20 | Latitude (decimal): 36.839167
Total Berthing Space (feet): 200 | 85 | Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 93
Name: **Tarmac Virginia, Norfolk Marine Department, East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 600 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 0 - 18 | 18 - 20 | Latitude (decimal): 36.839167
Total Berthing Space (feet): 200 | 85 | Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 93
Name: **Tarmac Virginia, Norfolk Marine Department, East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 600 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 0 - 18 | 18 - 20 | Latitude (decimal): 36.839167
Total Berthing Space (feet): 200 | 85 | Longitude (decimal): -76.29139

Remarks: One 600-ton marine railway is located at inner end of face. Face forms a 42- to 50-foot wide slip with east side of Ref. No. 94. Company-owned tugboats, barges, and floating equipment are serviced by marine rep Marine Department office located at inner end.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 600-ton marine railway is located at inner end of face. Face forms a 42- to 50-foot wide slip with east side of Ref. No. 94. Company-owned tugboats, barges, and floating equipment are serviced by marine rep Marine Department office located at inner end.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 600-ton marine railway is located at inner end of face. Face forms a 42- to 50-foot wide slip with east side of Ref. No. 94. Company-owned tugboats, barges, and floating equipment are serviced by marine rep Marine Department office located at inner end.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 93
Name: **Tarmac Virginia, Norfolk Marine Department, East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 600 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 0 - 18 | 18 - 20 | Latitude (decimal): 36.839167
Total Berthing Space (feet): 200 | 85 | Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 93
Name: **Tarmac Virginia, Norfolk Marine Department, East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 600 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 0 - 18 | 18 - 20 | Latitude (decimal): 36.839167
Total Berthing Space (feet): 200 | 85 | Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 93
Name: **Tarmac Virginia, Norfolk Marine Department, East Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 600 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 0 - 18 | 18 - 20 | Latitude (decimal): 36.839167
Total Berthing Space (feet): 200 | 85 | Longitude (decimal): -76.29139

Remarks: One 600-ton marine railway is located at inner end of face. Face forms a 42- to 50-foot wide slip with east side of Ref. No. 94. Company-owned tugboats, barges, and floating equipment are serviced by marine rep Marine Department office located at inner end.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: One 600-ton marine railway is located at inner end of face. Face forms a 42- to 50-foot wide slip with east side of Ref. No. 94. Company-owned tugboats, barges, and floating equipment are serviced by marine rep Marine Department office located at inner end.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: One 600-ton marine railway is located at inner end of face. Face forms a 42- to 50-foot wide slip with east side of Ref. No. 94. Company-owned tugboats, barges, and floating equipment are serviced by marine rep Marine Department office located at inner end.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 94
Name: **Tarmac Virginia, Norfolk Marine Department, West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 700 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 0 - 18 | 18 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 165* | 155* Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 94
Name: **Tarmac Virginia, Norfolk Marine Department, West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 700 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 0 - 18 | 18 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 165* | 155* Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 94
Name: **Tarmac Virginia, Norfolk Marine Department, West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 700 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 0 - 18 | 18 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 165* | 155* Longitude (decimal): -76.29139
Remarks: *Marine railway described under Ref. No. 93 is located at inner end of east side. Inner portion of pier is fronted on west side by barges comprising Ref. No. 95. □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Marine railway described under Ref. No. 93 is located at inner end of east side. Inner portion of pier is fronted on west side by barges comprising Ref. No. 95. □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: *Marine railway described under Ref. No. 93 is located at inner end of east side. Inner portion of pier is fronted on west side by barges comprising Ref. No. 95. □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 94
Name: **Tarmac Virginia, Norfolk Marine Department, West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 700 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 0 - 18 | 18 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 165* | 155* Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 94
Name: **Tarmac Virginia, Norfolk Marine Department, West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 700 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 0 - 18 | 18 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 165* | 155* Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 94
Name: **Tarmac Virginia, Norfolk Marine Department, West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 700 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 0 - 18 | 18 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 165* | 155* Longitude (decimal): -76.29139
Remarks: *Marine railway described under Ref. No. 93 is located at inner end of east side. Inner portion of pier is fronted on west side by barges comprising Ref. No. 95. □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Marine railway described under Ref. No. 93 is located at inner end of east side. Inner portion of pier is fronted on west side by barges comprising Ref. No. 95. □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: *Marine railway described under Ref. No. 93 is located at inner end of east side. Inner portion of pier is fronted on west side by barges comprising Ref. No. 95. □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 94
Name: **Tarmac Virginia, Norfolk Marine Department, West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 700 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 0 - 18 | 18 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 165* | 155* Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 94
Name: **Tarmac Virginia, Norfolk Marine Department, West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 700 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 0 - 18 | 18 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 165* | 155* Longitude (decimal): -76.29139

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 94
Name: **Tarmac Virginia, Norfolk Marine Department, West Pier.**
Port: Hampton Roads
Location: Right bank, mouth of Southern Branch, Elizabeth River, approximately 700 feet above conjunction with Eas Datum: MLLW
Operator: Tarmac Virginia, Inc., Norfolk Marine Department.
Owner: Tarmac Mid-Atlantic, Inc.
Address: Foot of Mulberry Street Phone: 804/533-7136
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Mooring company-owned vessels for repair, conversion, and outfitting.
Depth Alongside (feet): 18 | 0 - 18 | 18 Latitude (decimal): 36.838889
Total Berthing Space (feet): - | 165* | 155* Longitude (decimal): -76.29139
Remarks: *Marine railway described under Ref. No. 93 is located at inner end of east side. Inner portion of pier is fronted on west side by barges comprising Ref. No. 95. □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Remarks: *Marine railway described under Ref. No. 93 is located at inner end of east side. Inner portion of pier is fronted on west side by barges comprising Ref. No. 95. □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Port Facilities by Waterway

Remarks: *Marine railway described under Ref. No. 93 is located at inner end of east side. Inner portion of pier is fronted on west side by barges comprising Ref. No. 95. □

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10385 Norfolk District

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 120

Name: **Texaco Lubricants Co., Norfolk Terminal Wharves.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, below lower Norfolk Southern Railway Bridge, Chesapeake. Datum: MLLW

Operator: Texaco Lubricants Co. and Star Enterprise.

Owner: Texaco Lubricants Co.

Address: Foot of Rosemont Avenue Phone: 804/543-6811

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: Surface tracks serve one 3-car capacity tank-car loading rack at terminal in rear; connect with Norfolk and Portsmouth Belt Line Railroad.

Purpose: Receipt and shipment of petroleum products. Star Enterprise: bunkering vessels using wharf; fueling tugs and small vessels.

Depth Alongside (feet): 16 - 18 | 25 | Latitude (decimal): 36.797778

Total Berthing Space (feet): 335 | 645 | - Longitude (decimal): -76.29111

Remarks: Vessel overlaps barge wharf berthing space. Total berthing space across the 2 wharves is 900 feet. One 250- by 60-foot private warehouse with 13 sliding doors on shipside is located on tanker wharf. Three 8-, pipelines extend from each wharf to 14 storage tanks, total capacity 700,000 barrels. One 8-, eleven 6-, eleven 4-, and one 2-inch pipelines extend from tanker wharf to 124 additional storage tanks, total capacity 19Tanker wharf is equipped with one 4-inch slop, one 2-inch steam, and one 2-inch compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 158

Name: **The Hardaway Co., Chesapeake Yard Wharf.**

Port: Hampton Roads

Location: Left bank, Southern Branch, Elizabeth R., 0.3 mile above former upper N. & P. B.L. RR Br., north side of Datum: MLLW

Operator: The Hardaway Co.

Owner: The Hardaway Co.

Address: 1500 Shipyard Road Phone: 804/485-5664

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: None.

Purpose: Mooring company-owned floating equipment.

Depth Alongside (feet): 6 | 6 | Latitude (decimal): 36.742222

Total Berthing Space (feet): 400 | 330 | Longitude (decimal): -76.29889

Remarks: Approximately 17 acres of open storage area are located at rear. Additional mooring is available along 700 feet of natural bank owned by Higgerson - Buchanan, Inc., located below wharf on river.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 156
Name: **Tidewater Construction Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, above Dominion Boulevard (State Highways 104-166) Bridge, C Datum: MLLW
Operator: Tidewater Construction Corp.
Owner: Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2153
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 10 | 10 | 1 - 5 Latitude (decimal): 36.734722
Total Berthing Space (feet): 681 | 146 | 275 Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 156
Name: **Tidewater Construction Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, above Dominion Boulevard (State Highways 104-166) Bridge, C Datum: MLLW
Operator: Tidewater Construction Corp.
Owner: Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2153
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 10 | 10 | 1 - 5 Latitude (decimal): 36.734722
Total Berthing Space (feet): 681 | 146 | 275 Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 156
Name: **Tidewater Construction Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, above Dominion Boulevard (State Highways 104-166) Bridge, C Datum: MLLW
Operator: Tidewater Construction Corp.
Owner: Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2153
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 10 | 10 | 1 - 5 Latitude (decimal): 36.734722
Total Berthing Space (feet): 681 | 146 | 275 Longitude (decimal): -76.29361

Remarks: Approximately 25 acres of open storage area are located at rear. Wharf is equipped with 2-inch boiler water lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Remarks: Approximately 25 acres of open storage area are located at rear. Wharf is equipped with 2-inch boiler water lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Remarks: Approximately 25 acres of open storage area are located at rear. Wharf is equipped with 2-inch boiler water lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 156
Name: **Tidewater Construction Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, above Dominion Boulevard (State Highways 104-166) Bridge, C Datum: MLLW
Operator: Tidewater Construction Corp.
Owner: Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2153
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 10 | 10 | 1 - 5 Latitude (decimal): 36.734722
Total Berthing Space (feet): 681 | 146 | 275 Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 156
Name: **Tidewater Construction Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, above Dominion Boulevard (State Highways 104-166) Bridge, C Datum: MLLW
Operator: Tidewater Construction Corp.
Owner: Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2153
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 10 | 10 | 1 - 5 Latitude (decimal): 36.734722
Total Berthing Space (feet): 681 | 146 | 275 Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 156
Name: **Tidewater Construction Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, above Dominion Boulevard (State Highways 104-166) Bridge, C Datum: MLLW
Operator: Tidewater Construction Corp.
Owner: Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2153
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 10 | 10 | 1 - 5 Latitude (decimal): 36.734722
Total Berthing Space (feet): 681 | 146 | 275 Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 156
Name: **Tidewater Construction Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, above Dominion Boulevard (State Highways 104-166) Bridge, C Datum: MLLW
Operator: Tidewater Construction Corp.
Owner: Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2153
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 10 | 10 | 1 - 5 Latitude (decimal): 36.734722
Total Berthing Space (feet): 681 | 146 | 275 Longitude (decimal): -76.29361
Remarks: Approximately 25 acres of open storage area are located at rear. Wharf is equipped with 2-inch boiler water lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Remarks: Approximately 25 acres of open storage area are located at rear. Wharf is equipped with 2-inch boiler water lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Remarks: Approximately 25 acres of open storage area are located at rear. Wharf is equipped with 2-inch boiler water lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 156
Name: **Tidewater Construction Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, above Dominion Boulevard (State Highways 104-166) Bridge, C Datum: MLLW
Operator: Tidewater Construction Corp.
Owner: Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2153
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 10 | 10 | 1 - 5 Latitude (decimal): 36.734722
Total Berthing Space (feet): 681 | 146 | 275 Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 156
Name: **Tidewater Construction Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, above Dominion Boulevard (State Highways 104-166) Bridge, C Datum: MLLW
Operator: Tidewater Construction Corp.
Owner: Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2153
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 10 | 10 | 1 - 5 Latitude (decimal): 36.734722
Total Berthing Space (feet): 681 | 146 | 275 Longitude (decimal): -76.29361

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 156
Name: **Tidewater Construction Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, above Dominion Boulevard (State Highways 104-166) Bridge, C Datum: MLLW
Operator: Tidewater Construction Corp.
Owner: Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2153
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 10 | 10 | 1 - 5 Latitude (decimal): 36.734722
Total Berthing Space (feet): 681 | 146 | 275 Longitude (decimal): -76.29361

Remarks: Approximately 25 acres of open storage area are located at rear. Wharf is equipped with 2-inch boiler water lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Remarks: Approximately 25 acres of open storage area are located at rear. Wharf is equipped with 2-inch boiler water lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Remarks: Approximately 25 acres of open storage area are located at rear. Wharf is equipped with 2-inch boiler water lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 154
Name: **Tidewater Equipment Corp., Southern Branch Yard Slip.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.4 mile above Dominion Boulevard (State Highways 1 Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track at rear of west side joins additional track serving fabrication area.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 36.733056
Total Berthing Space (feet): 250 | 250 | 300 Longitude (decimal): -76.28833

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 154
Name: **Tidewater Equipment Corp., Southern Branch Yard Slip.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.4 mile above Dominion Boulevard (State Highways 1 Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track at rear of west side joins additional track serving fabrication area.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 36.733056
Total Berthing Space (feet): 250 | 250 | 300 Longitude (decimal): -76.28833

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 154
Name: **Tidewater Equipment Corp., Southern Branch Yard Slip.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.4 mile above Dominion Boulevard (State Highways 1 Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track at rear of west side joins additional track serving fabrication area.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 36.733056
Total Berthing Space (feet): 250 | 250 | 300 Longitude (decimal): -76.28833

Remarks: Rows of dolphins are 64 feet apart. Inner portion of slip is approximately 320 by 330 feet and divided from outer portion by walls. Opening in walls can be closed to form a dry construction basin. Both land-ba gantry crane and 2 locomotive cranes described under wharf on Stewart Creek (Ref. No. 155), serve fabrication yard between slip and creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Remarks: Rows of dolphins are 64 feet apart. Inner portion of slip is approximately 320 by 330 feet and divided from outer portion by walls. Opening in walls can be closed to form a dry construction basin. Both land-ba gantry crane and 2 locomotive cranes described under wharf on Stewart Creek (Ref. No. 155), serve fabrication yard between slip and creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Remarks: Rows of dolphins are 64 feet apart. Inner portion of slip is approximately 320 by 330 feet and divided from outer portion by walls. Opening in walls can be closed to form a dry construction basin. Both land-ba gantry crane and 2 locomotive cranes described under wharf on Stewart Creek (Ref. No. 155), serve fabrication yard between slip and creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 154
Name: **Tidewater Equipment Corp., Southern Branch Yard Slip.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.4 mile above Dominion Boulevard (State Highways 1 Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track at rear of west side joins additional track serving fabrication area.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 36.733056
Total Berthing Space (feet): 250 | 250 | 300 Longitude (decimal): -76.28833

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 154
Name: **Tidewater Equipment Corp., Southern Branch Yard Slip.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.4 mile above Dominion Boulevard (State Highways 1 Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track at rear of west side joins additional track serving fabrication area.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 36.733056
Total Berthing Space (feet): 250 | 250 | 300 Longitude (decimal): -76.28833

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 154
Name: **Tidewater Equipment Corp., Southern Branch Yard Slip.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.4 mile above Dominion Boulevard (State Highways 1 Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track at rear of west side joins additional track serving fabrication area.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 36.733056
Total Berthing Space (feet): 250 | 250 | 300 Longitude (decimal): -76.28833

Remarks: Rows of dolphins are 64 feet apart. Inner portion of slip is approximately 320 by 330 feet and divided from outer portion by walls. Opening in walls can be closed to form a dry construction basin. Both land-ba gantry crane and 2 locomotive cranes described under wharf on Stewart Creek (Ref. No. 155), serve fabrication yard between slip and creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Remarks: Rows of dolphins are 64 feet apart. Inner portion of slip is approximately 320 by 330 feet and divided from outer portion by walls. Opening in walls can be closed to form a dry construction basin. Both land-ba gantry crane and 2 locomotive cranes described under wharf on Stewart Creek (Ref. No. 155), serve fabrication yard between slip and creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Remarks: Rows of dolphins are 64 feet apart. Inner portion of slip is approximately 320 by 330 feet and divided from outer portion by walls. Opening in walls can be closed to form a dry construction basin. Both land-ba gantry crane and 2 locomotive cranes described under wharf on Stewart Creek (Ref. No. 155), serve fabrication yard between slip and creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 154
Name: **Tidewater Equipment Corp., Southern Branch Yard Slip.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.4 mile above Dominion Boulevard (State Highways 1 Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track at rear of west side joins additional track serving fabrication area.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 36.733056
Total Berthing Space (feet): 250 | 250 | 300 Longitude (decimal): -76.28833

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 154
Name: **Tidewater Equipment Corp., Southern Branch Yard Slip.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.4 mile above Dominion Boulevard (State Highways 1 Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track at rear of west side joins additional track serving fabrication area.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 36.733056
Total Berthing Space (feet): 250 | 250 | 300 Longitude (decimal): -76.28833

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 154
Name: **Tidewater Equipment Corp., Southern Branch Yard Slip.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 0.4 mile above Dominion Boulevard (State Highways 1 Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track at rear of west side joins additional track serving fabrication area.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 36.733056
Total Berthing Space (feet): 250 | 250 | 300 Longitude (decimal): -76.28833

Remarks: Rows of dolphins are 64 feet apart. Inner portion of slip is approximately 320 by 330 feet and divided from outer portion by walls. Opening in walls can be closed to form a dry construction basin. Both land-ba gantry crane and 2 locomotive cranes described under wharf on Stewart Creek (Ref. No. 155), serve fabrication yard between slip and creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Remarks: Rows of dolphins are 64 feet apart. Inner portion of slip is approximately 320 by 330 feet and divided from outer portion by walls. Opening in walls can be closed to form a dry construction basin. Both land-ba gantry crane and 2 locomotive cranes described under wharf on Stewart Creek (Ref. No. 155), serve fabrication yard between slip and creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Remarks: Rows of dolphins are 64 feet apart. Inner portion of slip is approximately 320 by 330 feet and divided from outer portion by walls. Opening in walls can be closed to form a dry construction basin. Both land-ba gantry crane and 2 locomotive cranes described under wharf on Stewart Creek (Ref. No. 155), serve fabrication yard between slip and creek.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 155
Name: **Tidewater Equipment Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 1,250 feet above Dominion Blvd (St Hwys 104-166) Br Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track on apron joins additional track serving fabrication area in rear.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.733056
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.29222

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 155
Name: **Tidewater Equipment Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 1,250 feet above Dominion Blvd (St Hwys 104-166) Br Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track on apron joins additional track serving fabrication area in rear.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.733056
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.29222

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 155
Name: **Tidewater Equipment Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 1,250 feet above Dominion Blvd (St Hwys 104-166) Br Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track on apron joins additional track serving fabrication area in rear.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.733056
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.29222

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 155
Name: **Tidewater Equipment Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 1,250 feet above Dominion Blvd (St Hwys 104-166) Br Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track on apron joins additional track serving fabrication area in rear.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.733056
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.29222
Remarks: Side-launch marine ways are located along bank of Southern Branch of Elizabeth River above entrance to Stewart Creek. Floating equipment and 2 gantry cranes, including one described under slip (Ref. No. 154), s Land-based cranes serve approximately 50 acres of fabrication and storage yards located between Stewart Creek and slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Remarks: Side-launch marine ways are located along bank of Southern Branch of Elizabeth River above entrance to Stewart Creek. Floating equipment and 2 gantry cranes, including one described under slip (Ref. No. 154), s Land-based cranes serve approximately 50 acres of fabrication and storage yards located between Stewart Creek and slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Remarks: Side-launch marine ways are located along bank of Southern Branch of Elizabeth River above entrance to Stewart Creek. Floating equipment and 2 gantry cranes, including one described under slip (Ref. No. 154), s Land-based cranes serve approximately 50 acres of fabrication and storage yards located between Stewart Creek and slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 155
Name: **Tidewater Equipment Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 1,250 feet above Dominion Blvd (St Hwys 104-166) Br Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track on apron joins additional track serving fabrication area in rear.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.733056
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.29222

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 155
Name: **Tidewater Equipment Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 1,250 feet above Dominion Blvd (St Hwys 104-166) Br Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track on apron joins additional track serving fabrication area in rear.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.733056
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.29222

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 155
Name: **Tidewater Equipment Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 1,250 feet above Dominion Blvd (St Hwys 104-166) Br Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track on apron joins additional track serving fabrication area in rear.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.733056
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.29222

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 155
Name: **Tidewater Equipment Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 1,250 feet above Dominion Blvd (St Hwys 104-166) Br Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track on apron joins additional track serving fabrication area in rear.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.733056
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.29222
Remarks: Side-launch marine ways are located along bank of Southern Branch of Elizabeth River above entrance to Stewart Creek. Floating equipment and 2 gantry cranes, including one described under slip (Ref. No. 154), s Land-based cranes serve approximately 50 acres of fabrication and storage yards located between Stewart Creek and slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Remarks: Side-launch marine ways are located along bank of Southern Branch of Elizabeth River above entrance to Stewart Creek. Floating equipment and 2 gantry cranes, including one described under slip (Ref. No. 154), s Land-based cranes serve approximately 50 acres of fabrication and storage yards located between Stewart Creek and slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Remarks: Side-launch marine ways are located along bank of Southern Branch of Elizabeth River above entrance to Stewart Creek. Floating equipment and 2 gantry cranes, including one described under slip (Ref. No. 154), s Land-based cranes serve approximately 50 acres of fabrication and storage yards located between Stewart Creek and slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 155
Name: **Tidewater Equipment Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 1,250 feet above Dominion Blvd (St Hwys 104-166) Br Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track on apron joins additional track serving fabrication area in rear.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.733056
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.29222

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 155
Name: **Tidewater Equipment Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 1,250 feet above Dominion Blvd (St Hwys 104-166) Br Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track on apron joins additional track serving fabrication area in rear.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.733056
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.29222

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 155
Name: **Tidewater Equipment Corp., Southern Branch Yard Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 1,250 feet above Dominion Blvd (St Hwys 104-166) Br Datum: MLLW
Operator: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Owner: Tidewater Equipment Corp., Subsidiary of Tidewater Construction Corp.
Address: 121 Dominion Boulevard Phone: 804/547-2181
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: One surface track on apron joins additional track serving fabrication area in rear.
Purpose: Handling fabricated steel constructions by barge; mooring barges for outfitting and occasionally for repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 36.733056
Total Berthing Space (feet): 400 | | Longitude (decimal): -76.29222

Remarks: Side-launch marine ways are located along bank of Southern Branch of Elizabeth River above entrance to Stewart Creek. Floating equipment and 2 gantry cranes, including one described under slip (Ref. No. 154), s Land-based cranes serve approximately 50 acres of fabrication and storage yards located between Stewart Creek and slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Port Facilities by Waterway

Remarks: Side-launch marine ways are located along bank of Southern Branch of Elizabeth River above entrance to Stewart Creek. Floating equipment and 2 gantry cranes, including one described under slip (Ref. No. 154), s Land-based cranes serve approximately 50 acres of fabrication and storage yards located between Stewart Creek and slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Remarks: Side-launch marine ways are located along bank of Southern Branch of Elizabeth River above entrance to Stewart Creek. Floating equipment and 2 gantry cranes, including one described under slip (Ref. No. 154), s Land-based cranes serve approximately 50 acres of fabrication and storage yards located between Stewart Creek and slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 139

Name: **Tidewater Steel Co. Landing.**

Port: Hampton Roads

Location: Right bank, Southern Branch, Elizabeth River, approximately 0.4 mile below Interstate Highway 64 Bridge, Datum: MLLW

Operator: Tidewater Steel Co., Inc., Subsidiary of Jonathan Corp.

Owner: Jonathan Corp.

Address: 1401 Glanville Drive Phone: 804/622-0440

Town: Chesapeake City State: VA County: Chesapeake City

Railway Connection: One platform-level track serves fabrication shop in rear; connects with Norfolk and Portsmouth Belt-Line Railroad.

Purpose: Handling fabricated steel constructions by barge.

Depth Alongside (feet): 4 - 15 | | Latitude (decimal): 36.7625

Total Berthing Space (feet): 210 | - | - Longitude (decimal): -76.2975

Remarks: Face of narrow, horizontal, upper portion of launch platform supports hinge brackets for launching rockers, placed on platform when required. Fabricated structures are placed on launch platform by crawler crane, by leased floating crane. One 700- by 180-foot fabrication shop building is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 136
Name: **Tri-Port Terminals Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 950 feet above upper Norfolk Southern Railwa Datum: MLLW
Operator: Tri-Port Terminals, Inc.
Owner: Tri-Port Terminals, Inc.
Address: Foot of McCloud Road Phone: 804/545-4548
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Surface tracks serve 4- and 5-car capacity tank-car loading racks; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt of liquid nitrogen and miscellaneous bulk liquid commodities.
Depth Alongside (feet): 32 | | Latitude (decimal): 36.772222
Total Berthing Space (feet): 650 | - | - Longitude (decimal): -76.295
Remarks: Vessel overlaps property of adjacent Weaver Fertilizer Co., Inc. Two 8-inch pipelines extend from wharf to terminal at rear: one to 19, steel, miscellaneous, chemical storage tanks, total capacity 10,980,700 ga one to 8, steel, liquid nitrogen storage tanks, total capacity 8,338,600 gallons.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 108
Name: **United States Gypsum Co., Norfolk Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.76 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: United States Gypsum Co.
Owner: United States Gypsum Co.
Address: 1001 Buchanan Street Phone: 804/545-2461 ex
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: Two surface tracks in rear connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt of gypsum rock by self-unloading vessel.
Depth Alongside (feet): 28 - 29 | | Latitude (decimal): 36.821667
Total Berthing Space (feet): 470 | | Longitude (decimal): -76.28944
Remarks: Reciprocal agreement with Crown Central Petroleum Corp. (Ref. No. 109) on upper side allows a total of approximately 620 feet of continuous berthing space. The 465- by 22-foot storage shed has a capacity of appr Front-end loaders serve a 24-inch electric-belt conveyor system extending from main open storage area to a radial stacker in a second open storage area, total capacity of both areas approximately 100,000 tons. Gypsumby front-end loaders to a conveyor system extending to adjacent wallboard plant.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 133
Name: **United Winner Metals, Chesapeake West Terminal Dock.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, above entrance to Milldam Creek, approx. 600 feet below Gi Datum: MLLW
Operator: United Winner Metals, Inc..
Owner: Chesapeake West Terminal, Inc.
Address: 2649 South Military Highway Phone: 804/545-1500
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Two platform-level tracks serve storage pads at rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 35 | | Latitude (decimal): 36.776944
Total Berthing Space (feet): 700 | - | Longitude (decimal): -76.29528
Remarks: Dock and adjacent Southern States Cooperative wharf (Ref. No 134) are in line and contiguous. Reciprocal agreement allows 850 feet of continuous berthing space. A 110-foot leased barge is used as an approach to needed. Floating crane moors between bulkhead and side of berthed vessel. Ruins of storage warehouse at rear form a 480- by 120-foot, concrete-paved, open storage area with concrete partitions.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 160
Name: **Virginia Power, Chesapeake Energy Center Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approximately 0.4 mile above upper Norfolk Southern Railway Datum: MLLW
Operator: Virginia Power.
Owner: Virginia Power.
Address: 2701 Vepco Street Phone: 804/485-6754
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Two surface tracks serve electric power plant in rear; connect with Norfolk Southern Railway Co.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 36 | | Latitude (decimal): 36.769722
Total Berthing Space (feet): 800 | - | - Longitude (decimal): -76.29861
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks located at electric power plant in rear, total capacity 45,000 barrels. One 4-inch steam and one 1 1/2-inch compressed air lines serve wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 137
Name: **Weaver Fertilizer Co. Wharf.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 1,500 feet above upper Norfolk Southern Rail Datum: MLLW
Operator: Weaver Fertilizer Co., Inc.
Owner: Weaver Fertilizer Co., Inc.
Address: 1400 Weaver Lane Phone: 804/545-7121
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: Six platform-level tracks serve fertilizer plant in rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Receipt of sulfuric acid by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.770833
Total Berthing Space (feet): 350 | - | Longitude (decimal): -76.295
Remarks: One 6-inch pipeline extends from wharf to 3 sulfuric acid storage tanks at fertilizer plant in rear, total capacity approximately 586,200 gallons.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 165
Name: **Whitehorse Marine Mooring.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth R, 1,000 ft below lower Norfolk Southern Rwy Br., w side of slip a Datum: MLLW
Operator: Whitehorse Marine, Inc.
Owner: Pacific Molasses Co.
Address: 3965 Burtons Point Road Phone: 804/399-4232
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: Three surface tracks at rear; connect with Norfolk and Portsmouth Belt Line Railroad.
Purpose: Mooring company-owned vessels and barges.
Depth Alongside (feet): 25 | | Latitude (decimal): 36.800556
Total Berthing Space (feet): 275 | | Longitude (decimal): -76.29611
Remarks: Slip has 130-foot average clear width. Wharf, formerly used for receipt of molasses, was in deteriorated condition in 1992. One 12-inch pipeline extends from wharf to 3 steel storage tanks in mill building loca capacity 2,100,000 gallons, all unused. Six unused concrete silos with 4 interstices, total capacity 375,000 bushels, are located at rear of wharf apron. Olympic Marine Services Inc. (Ref. No. 164) uses mill office

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

Port Facilities by Waterway

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 157
Name: **Williams Corp. of Virginia, Chesapeake Plant Wharf.**
Port: Hampton Roads
Location: Left bank, Southern Branch, Elizabeth River, approx. 1,000 feet below Dominion Boulevard (State Highways Datum: MLLW
Operator: Williams Corp. of Virginia.
Owner: Williams Corp. of Virginia.
Address: 120 Dominion Boulevard Phone: 804/547-9435
Town: Chesapeake City State: VA County: Chesapeake City
Railway Connection: None.
Purpose: Receipt of sand and stone by barge.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 36.737778
Total Berthing Space (feet): 620 | | Longitude (decimal): -76.29694
Remarks: Open storage area for 31,000 tons of material and asphalt batch plant are located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10504 Norfolk District

---

Waterway: **Southern Br., Elizabeth River** Mile: PWD: 106
Name: **Williams Enterprises, Berkley Mooring, Pier No. 2.**
Port: Hampton Roads
Location: Right bank, Southern Branch, Elizabeth River, approximately 0.85 mile below lower Norfolk and Portsmouth Datum: MLLW
Operator: Williams Enterprises, Inc.
Owner: Marine Oil Associates.
Address: 1421 South Main Street Phone: 804/543-2172
Town: Norfolk City State: VA County: Norfolk City
Railway Connection: None.
Purpose: Handling fabricated structural and gantry crane components, and assembled gantry cranes; mooring company-owned floating derrick.
Depth Alongside (feet): 15 | 10 - 15 | 10 - 15 Latitude (decimal): 36.823889
Total Berthing Space (feet): - | - | 365 Longitude (decimal): -76.29
Remarks: Upper side is base for floating derrick 'Atlantic Giant.' A construction yard for assemblage of gantry cranes is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10383 Norfolk District

---

Port Facilities by Waterway

Waterway: **Western Br., Elizabeth River** Mile: PWD: 185
Name: **Associated Naval Architects, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 1,200 feet below West Norfolk (State Highway 1 Datum: MLLW
Operator: Associated Naval Architects, Inc.
Owner: Associated Naval Architects, Inc.
Address: 3400 Shipwright Street Phone: 804/484-5320
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): | 10 - 20 | Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 350 | - Longitude (decimal): -76.34389

Waterway: **Western Br., Elizabeth River** Mile: PWD: 185
Name: **Associated Naval Architects, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 1,200 feet below West Norfolk (State Highway 1 Datum: MLLW
Operator: Associated Naval Architects, Inc.
Owner: Associated Naval Architects, Inc.
Address: 3400 Shipwright Street Phone: 804/484-5320
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): | 10 - 20 | Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 350 | - Longitude (decimal): -76.34389

Remarks: Pier is portion of former highway bridge. Upper side of pier forms approximately 60- to 75-foot wide slip with Pier No. 2, a 300- by 6-foot, timber pile, timber-decked pier servicing one 400-ton marine railway l inner end of slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Remarks: Pier is portion of former highway bridge. Upper side of pier forms approximately 60- to 75-foot wide slip with Pier No. 2, a 300- by 6-foot, timber pile, timber-decked pier servicing one 400-ton marine railway l inner end of slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Port Facilities by Waterway

Waterway: **Western Br., Elizabeth River** Mile: PWD: 185
Name: **Associated Naval Architects, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 1,200 feet below West Norfolk (State Highway 1 Datum: MLLW
Operator: Associated Naval Architects, Inc.
Owner: Associated Naval Architects, Inc.
Address: 3400 Shipwright Street Phone: 804/484-5320
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): | 10 - 20 | Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 350 | - Longitude (decimal): -76.34389

Waterway: **Western Br., Elizabeth River** Mile: PWD: 185
Name: **Associated Naval Architects, Pier No. 1.**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 1,200 feet below West Norfolk (State Highway 1 Datum: MLLW
Operator: Associated Naval Architects, Inc.
Owner: Associated Naval Architects, Inc.
Address: 3400 Shipwright Street Phone: 804/484-5320
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): | 10 - 20 | Latitude (decimal): 36.859167
Total Berthing Space (feet): - | 350 | - Longitude (decimal): -76.34389

Remarks: Pier is portion of former highway bridge. Upper side of pier forms approximately 60- to 75-foot wide slip with Pier No. 2, a 300- by 6-foot, timber pile, timber-decked pier servicing one 400-ton marine railway l inner end of slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Remarks: Pier is portion of former highway bridge. Upper side of pier forms approximately 60- to 75-foot wide slip with Pier No. 2, a 300- by 6-foot, timber pile, timber-decked pier servicing one 400-ton marine railway l inner end of slip.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Port Facilities by Waterway

Waterway: **Western Br., Elizabeth River** Mile: PWD: 184
Name: **Associated Naval Architects, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 950 feet below West Norfolk (State Highway 164 Datum: MLLW
Operator: Associated Naval Architects, Inc.
Owner: Associated Naval Architects, Inc.
Address: 3400 Shipwright Street Phone: 804/484-5320
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring small vessels for outfitting and repair.
Depth Alongside (feet): 12 | 10 - 12 | 10 - 12 Latitude (decimal): 36.859167
Total Berthing Space (feet): 50 | 160 | 250 Longitude (decimal): -76.34472

Waterway: **Western Br., Elizabeth River** Mile: PWD: 184
Name: **Associated Naval Architects, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 950 feet below West Norfolk (State Highway 164 Datum: MLLW
Operator: Associated Naval Architects, Inc.
Owner: Associated Naval Architects, Inc.
Address: 3400 Shipwright Street Phone: 804/484-5320
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring small vessels for outfitting and repair.
Depth Alongside (feet): 12 | 10 - 12 | 10 - 12 Latitude (decimal): 36.859167
Total Berthing Space (feet): 50 | 160 | 250 Longitude (decimal): -76.34472

Remarks: Boathouse is 115 by 50 feet, timber frame, metal-covered, and divided into 2 slips. Lower side of pier forms approximately 60-foot wide slip with Pier No. 2A, a 300- by 6- and 20-foot, timber pile, timber-decked marine railways, one 500-ton located at inner end of slip and one 300-ton located below Pier No. 2A.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Remarks: Boathouse is 115 by 50 feet, timber frame, metal-covered, and divided into 2 slips. Lower side of pier forms approximately 60-foot wide slip with Pier No. 2A, a 300- by 6- and 20-foot, timber pile, timber-decked marine railways, one 500-ton located at inner end of slip and one 300-ton located below Pier No. 2A.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Port Facilities by Waterway

Waterway: **Western Br., Elizabeth River** Mile: PWD: 184
Name: **Associated Naval Architects, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 950 feet below West Norfolk (State Highway 164 Datum: MLLW
Operator: Associated Naval Architects, Inc.
Owner: Associated Naval Architects, Inc.
Address: 3400 Shipwright Street Phone: 804/484-5320
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring small vessels for outfitting and repair.
Depth Alongside (feet): 12 | 10 - 12 | 10 - 12 Latitude (decimal): 36.859167
Total Berthing Space (feet): 50 | 160 | 250 Longitude (decimal): -76.34472

Waterway: **Western Br., Elizabeth River** Mile: PWD: 184
Name: **Associated Naval Architects, Pier No. 3.**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 950 feet below West Norfolk (State Highway 164 Datum: MLLW
Operator: Associated Naval Architects, Inc.
Owner: Associated Naval Architects, Inc.
Address: 3400 Shipwright Street Phone: 804/484-5320
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring small vessels for outfitting and repair.
Depth Alongside (feet): 12 | 10 - 12 | 10 - 12 Latitude (decimal): 36.859167
Total Berthing Space (feet): 50 | 160 | 250 Longitude (decimal): -76.34472

Remarks: Boathouse is 115 by 50 feet, timber frame, metal-covered, and divided into 2 slips. Lower side of pier forms approximately 60-foot wide slip with Pier No. 2A, a 300- by 6- and 20-foot, timber pile, timber-decked marine railways, one 500-ton located at inner end of slip and one 300-ton located below Pier No. 2A.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Remarks: Boathouse is 115 by 50 feet, timber frame, metal-covered, and divided into 2 slips. Lower side of pier forms approximately 60-foot wide slip with Pier No. 2A, a 300- by 6- and 20-foot, timber pile, timber-decked marine railways, one 500-ton located at inner end of slip and one 300-ton located below Pier No. 2A.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Port Facilities by Waterway

Waterway: **Western Br., Elizabeth River** Mile: PWD: 183
Name: **Associated Naval Architects, Pier No. 4.**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 800 feet below West Norfolk (State Highway 164 Datum: MLLW
Operator: Associated Naval Architects, Inc.
Owner: Associated Naval Architects, Inc.
Address: 3400 Shipwright Street Phone: 804/484-5320
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 12 | 12 | 19 Latitude (decimal): 36.859167
Total Berthing Space (feet): 45 | 180 | 276 Longitude (decimal): -76.345
Remarks: Lower side forms slip with Pier No. 3 (Ref. No. 184), approximately 85 feet wide at entrance and 55 feet wide along inner 115 feet.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

---

Waterway: **Western Br., Elizabeth River** Mile: PWD: 182
Name: **Associated Naval Architects, Piers Nos. 5 and 6 and Stiff-Leg Bert**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 550 feet below West Norfolk (State Highway 164 Datum: MLLW
Operator: Associated Naval Architects, Inc.
Owner: Associated Naval Architects, Inc.
Address: 3400 Shipwright Street Phone: 804/484-5320
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring small vessels for outfitting and repair.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 36.858889
Total Berthing Space (feet): 150 | 150 | 150 Longitude (decimal): -76.34583
Remarks: Upper side of Pier No. 6 forms a slip approximately 80 feet wide with the lower side of Western Branch Diesel's, Inc., Wharf, Ref. No. 181. One 314-ton marine railway is located between inner ends of Piers Nos. 130 feet from lower side of Stiff-Leg Pier, providing mooring for haul-out. Piers are served by compressed air lines.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

---

Port Facilities by Waterway

Waterway: **Western Br., Elizabeth River** Mile: PWD: 186

Name: **Cogentrix Virginia Leasing Corp., Portsmouth Plant Pier.**

Port: Hampton Roads

Location: Left bank, Western Branch, Elizabeth River, approximately 1,300 feet below West Norfolk (State Highway 1 Datum: MLLW

Operator: Cogentrix Virginia Leasing Corp.

Owner: Cogentrix Virginia Leasing Corp.

Address: Foot of West Norfolk Road Phone: 804/484-3540

Town: Portsmouth State: VA County: Portsmouth

Railway Connection: None.

Purpose: Receipt of coal by barge for plant consumption.

Depth Alongside (feet): | | 16 Latitude (decimal): 36.859444

Total Berthing Space (feet): - | - | 430 Longitude (decimal): -76.34361

Remarks: Open storage area with capacity for 18,000 tons of coal is located at steam and electric power cogeneration plant at One Wild Duck Lane. Two ground-level hoppers in storage area are served by conveyor system to

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Port Facilities by Waterway

Waterway: **Western Br., Elizabeth River** Mile: PWD: 180
Name: **W.F. Magann Corp. Mooring**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 800 feet above West Norfolk (State Highway 164 Datum: MLLW
Operator: W.F. Magann Corp.
Owner: W.F. Magann Corp.
Address: Adams Street Phone: 804/484-2820
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Handling construction supplies and equipment; mooring company-owned barges.
Depth Alongside (feet): 2 | 2 - 4 | 4 Latitude (decimal): 36.858611
Total Berthing Space (feet): 45 | 200 | 200 Longitude (decimal): -76.35167

Waterway: **Western Br., Elizabeth River** Mile: PWD: 180
Name: **W.F. Magann Corp. Mooring**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 800 feet above West Norfolk (State Highway 164 Datum: MLLW
Operator: W.F. Magann Corp.
Owner: W.F. Magann Corp.
Address: Adams Street Phone: 804/484-2820
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Handling construction supplies and equipment; mooring company-owned barges.
Depth Alongside (feet): 2 | 2 - 4 | 4 Latitude (decimal): 36.858611
Total Berthing Space (feet): 45 | 200 | 200 Longitude (decimal): -76.35167

Remarks: *Pier is coonstructed such that a barge breasting against the upper side of the outer portion is moored end-to the face of the inner portion. Contractor has 3 acres of open storage area located at rear. Two tim feet from lower side of outer portion of pier, and natural bank below pier, provide berthing for 8 barges moored end-to bank.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Remarks: *Pier is coonstructed such that a barge breasting against the upper side of the outer portion is moored end-to the face of the inner portion. Contractor has 3 acres of open storage area located at rear. Two tim feet from lower side of outer portion of pier, and natural bank below pier, provide berthing for 8 barges moored end-to bank.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Port Facilities by Waterway

Waterway: **Western Br., Elizabeth River** Mile: PWD: 180
Name: **W.F. Magann Corp. Mooring**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 800 feet above West Norfolk (State Highway 164 Datum: MLLW
Operator: W.F. Magann Corp.
Owner: W.F. Magann Corp.
Address: Adams Street Phone: 804/484-2820
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Handling construction supplies and equipment; mooring company-owned barges.
Depth Alongside (feet): 2 | 2 - 4 | 4 Latitude (decimal): 36.858611
Total Berthing Space (feet): 45 | 200 | 200 Longitude (decimal): -76.35167

Waterway: **Western Br., Elizabeth River** Mile: PWD: 180
Name: **W.F. Magann Corp. Mooring**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 800 feet above West Norfolk (State Highway 164 Datum: MLLW
Operator: W.F. Magann Corp.
Owner: W.F. Magann Corp.
Address: Adams Street Phone: 804/484-2820
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Handling construction supplies and equipment; mooring company-owned barges.
Depth Alongside (feet): 2 | 2 - 4 | 4 Latitude (decimal): 36.858611
Total Berthing Space (feet): 45 | 200 | 200 Longitude (decimal): -76.35167

Remarks: *Pier is coonstructed such that a barge breasting against the upper side of the outer portion is moored end-to the face of the inner portion. Contractor has 3 acres of open storage area located at rear. Two tim feet from lower side of outer portion of pier, and natural bank below pier, provide berthing for 8 barges moored end-to bank.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Remarks: *Pier is coonstructed such that a barge breasting against the upper side of the outer portion is moored end-to the face of the inner portion. Contractor has 3 acres of open storage area located at rear. Two tim feet from lower side of outer portion of pier, and natural bank below pier, provide berthing for 8 barges moored end-to bank.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

Port Facilities by Waterway

Waterway: **Western Br., Elizabeth River** Mile: PWD: 181
Name: **Western Branch Diesel Wharf.**
Port: Hampton Roads
Location: Left bank, Western Branch, Elizabeth River, approximately 400 feet below West Norfolk (State Highway 164 Datum: MLLW
Operator: Western Branch Diesel, Inc.
Owner: Western Branch Diesel, Inc.
Address: 3504 Shipwright Street Phone: 804/484-6230
Town: Portsmouth State: VA County: Portsmouth
Railway Connection: None.
Purpose: Mooring small vessels for installation and repair of diesel engines; fueling small vessels.
Depth Alongside (feet): 7 - 8 | 3 - 8 | 0 - 7 Latitude (decimal): 36.859167
Total Berthing Space (feet): 120 | 305 | 30 Longitude (decimal): -76.34722
Remarks: Upper side of bulkhead forms a 75-foot wide slip with pier of a recreational craft marina, and extends into a boathouse at inner end. Metered pump adjacent to boathouse serves 2 steel storage tanks, total capaci steel frame, metal-covered buildings located at rear are used as diesel engine repair shop and for storage. Compressed air lines serve facility.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10381 Norfolk District

---

Waterway: **Wormley Creek** Mile: PWD: 26
Name: **U.S. Coast Guard, Reserve Training Center, UTB Systems Center Pier**
Port: Hampton Roads
Location: Left bank, West Branch, approximately 0.6 mile above conjunction with Wormley Creek, Yorktown. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: Wormley Creek Road Phone: 804/898-2309
Town: Yorktown State: VA County: York
Railway Connection: None.
Purpose: Mooring and fueling small government-owned vessels.
Depth Alongside (feet): 5 - 6 | 5 - 6 | 5 Latitude (decimal): 37.214722
Total Berthing Space (feet): 50 | 100 | 80 Longitude (decimal): -76.48028
Remarks: Short piers form 30- and long piers form 40-foot-wide slips. A storage building is located on upper portion of wharf. One 1-inch, fuel pipeline extends to wharf from one 500-gallon, steel storage tank located a L-shaped pier comprised of 10-foot-wide, timber and plastic floats, located 40 feet above upper side of wharf, provides an additional 40+110 feet of berthing in 4-foot depth of water.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10268 Norfolk District

---

Port Facilities by Waterway

Waterway: **Wormley Creek** Mile: PWD: 25

Name: **Wormley Creek Marina Corp., Repair Piers.**

Port: Hampton Roads

Location: Right bank, Wormley Creek, approximately 0.2 mile above conjunction with York River, Yorktown. Datum: MLLW

Operator: Wormley Creek Marina Corp.

Owner: Walter H. Reiser.

Address: 1221 Waterview Road Phone: 804/898-5060

Town: Yorktown State: VA County: York

Railway Connection: None.

Purpose: Mooring small vessels for repair.

Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 37.213889

Total Berthing Space (feet): 50 | 80 | 80 Longitude (decimal): -76.46722

Remarks: Timber pile, concrete-decked extensions fronting sides of 50- by 17-foot slip form runways for mobile boat lift. Lower pier extends from outer end of lower runway. Piers are 52 feet apart. Plans call for exten 100 feet and adding a 50-foot extension on upper side of outer end. Marine repair plant is located at rear.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10268 Norfolk District

Port Facilities by Waterway

Waterway: **York River** Mile: PWD: 24
Name: **Amoco Oil Co., Yorktown Refinery, Barge-Loading Wharves Nos. 1 and**
Port: Hampton Roads
Location: Right bank, York River, approximately 4.0 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of petroleum products; receipt and shipment of fuel oil for power plant consumption; fueling tugboats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 37.225278
Total Berthing Space (feet): 190 | 190 | Longitude (decimal): -76.43889

Waterway: **York River** Mile: PWD: 24
Name: **Amoco Oil Co., Yorktown Refinery, Barge-Loading Wharves Nos. 1 and**
Port: Hampton Roads
Location: Right bank, York River, approximately 4.0 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of petroleum products; receipt and shipment of fuel oil for power plant consumption; fueling tugboats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 37.225278
Total Berthing Space (feet): 190 | 190 | Longitude (decimal): -76.43889

Waterway: **York River** Mile: PWD: 24
Name: **Amoco Oil Co., Yorktown Refinery, Barge-Loading Wharves Nos. 1 and**
Port: Hampton Roads
Location: Right bank, York River, approximately 4.0 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of petroleum products; receipt and shipment of fuel oil for power plant consumption; fueling tugboats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 37.225278
Total Berthing Space (feet): 190 | 190 | Longitude (decimal): -76.43889

Remarks: Inner wharf, Wharf No. 1, is located 2,250 feet from inner end of approach. Tugboats are fueled at Wharf No. 2. Two 10-inch, fuel-oil pipelines from each wharf connect to 24-inch pipelines extending to power pl five 16- and one 8-inch, petroleum-products pipelines from each wharf connect to pipelines extending to refinery storage tanks, all described under Ref. No. 22.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Remarks: Inner wharf, Wharf No. 1, is located 2,250 feet from inner end of approach. Tugboats are fueled at Wharf No. 2. Two 10-inch, fuel-oil pipelines from each wharf connect to 24-inch pipelines extending to power pl five 16- and one 8-inch, petroleum-products pipelines from each wharf connect to pipelines extending to refinery storage tanks, all described under Ref. No. 22.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Remarks: Inner wharf, Wharf No. 1, is located 2,250 feet from inner end of approach. Tugboats are fueled at Wharf No. 2. Two 10-inch, fuel-oil pipelines from each wharf connect to 24-inch pipelines extending to power pl five 16- and one 8-inch, petroleum-products pipelines from each wharf connect to pipelines extending to refinery storage tanks, all described under Ref. No. 22.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Waterway: **York River** Mile: PWD: 24
Name: **Amoco Oil Co., Yorktown Refinery, Barge-Loading Wharves Nos. 1 and**
Port: Hampton Roads
Location: Right bank, York River, approximately 4.0 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of petroleum products; receipt and shipment of fuel oil for power plant consumption; fueling tugboats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 37.225278
Total Berthing Space (feet): 190 | 190 | Longitude (decimal): -76.43889

Waterway: **York River** Mile: PWD: 24
Name: **Amoco Oil Co., Yorktown Refinery, Barge-Loading Wharves Nos. 1 and**
Port: Hampton Roads
Location: Right bank, York River, approximately 4.0 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of petroleum products; receipt and shipment of fuel oil for power plant consumption; fueling tugboats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 37.225278
Total Berthing Space (feet): 190 | 190 | Longitude (decimal): -76.43889

Waterway: **York River** Mile: PWD: 24
Name: **Amoco Oil Co., Yorktown Refinery, Barge-Loading Wharves Nos. 1 and**
Port: Hampton Roads
Location: Right bank, York River, approximately 4.0 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of petroleum products; receipt and shipment of fuel oil for power plant consumption; fueling tugboats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 37.225278
Total Berthing Space (feet): 190 | 190 | Longitude (decimal): -76.43889

Remarks: Inner wharf, Wharf No. 1, is located 2,250 feet from inner end of approach. Tugboats are fueled at Wharf No. 2. Two 10-inch, fuel-oil pipelines from each wharf connect to 24-inch pipelines extending to power pl five 16- and one 8-inch, petroleum-products pipelines from each wharf connect to pipelines extending to refinery storage tanks, all described under Ref. No. 22.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Remarks: Inner wharf, Wharf No. 1, is located 2,250 feet from inner end of approach. Tugboats are fueled at Wharf No. 2. Two 10-inch, fuel-oil pipelines from each wharf connect to 24-inch pipelines extending to power pl five 16- and one 8-inch, petroleum-products pipelines from each wharf connect to pipelines extending to refinery storage tanks, all described under Ref. No. 22.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Remarks: Inner wharf, Wharf No. 1, is located 2,250 feet from inner end of approach. Tugboats are fueled at Wharf No. 2. Two 10-inch, fuel-oil pipelines from each wharf connect to 24-inch pipelines extending to power pl five 16- and one 8-inch, petroleum-products pipelines from each wharf connect to pipelines extending to refinery storage tanks, all described under Ref. No. 22.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Waterway: **York River** Mile: PWD: 24
Name: **Amoco Oil Co., Yorktown Refinery, Barge-Loading Wharves Nos. 1 and**
Port: Hampton Roads
Location: Right bank, York River, approximately 4.0 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of petroleum products; receipt and shipment of fuel oil for power plant consumption; fueling tugboats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 37.225278
Total Berthing Space (feet): 190 | 190 | Longitude (decimal): -76.43889

Waterway: **York River** Mile: PWD: 24
Name: **Amoco Oil Co., Yorktown Refinery, Barge-Loading Wharves Nos. 1 and**
Port: Hampton Roads
Location: Right bank, York River, approximately 4.0 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of petroleum products; receipt and shipment of fuel oil for power plant consumption; fueling tugboats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 37.225278
Total Berthing Space (feet): 190 | 190 | Longitude (decimal): -76.43889

Waterway: **York River** Mile: PWD: 24
Name: **Amoco Oil Co., Yorktown Refinery, Barge-Loading Wharves Nos. 1 and**
Port: Hampton Roads
Location: Right bank, York River, approximately 4.0 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of petroleum products; receipt and shipment of fuel oil for power plant consumption; fueling tugboats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 37.225278
Total Berthing Space (feet): 190 | 190 | Longitude (decimal): -76.43889

Remarks: Inner wharf, Wharf No. 1, is located 2,250 feet from inner end of approach. Tugboats are fueled at Wharf No. 2. Two 10-inch, fuel-oil pipelines from each wharf connect to 24-inch pipelines extending to power pl five 16- and one 8-inch, petroleum-products pipelines from each wharf connect to pipelines extending to refinery storage tanks, all described under Ref. No. 22.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Remarks: Inner wharf, Wharf No. 1, is located 2,250 feet from inner end of approach. Tugboats are fueled at Wharf No. 2. Two 10-inch, fuel-oil pipelines from each wharf connect to 24-inch pipelines extending to power pl five 16- and one 8-inch, petroleum-products pipelines from each wharf connect to pipelines extending to refinery storage tanks, all described under Ref. No. 22.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Remarks: Inner wharf, Wharf No. 1, is located 2,250 feet from inner end of approach. Tugboats are fueled at Wharf No. 2. Two 10-inch, fuel-oil pipelines from each wharf connect to 24-inch pipelines extending to power pl five 16- and one 8-inch, petroleum-products pipelines from each wharf connect to pipelines extending to refinery storage tanks, all described under Ref. No. 22.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Waterway: **York River** Mile: PWD: 22

Name: **Amoco Oil Co., Yorktown Refinery, East Tanker Wharf.**

Port: Hampton Roads

Location: Right bank, York River, approximately 4.1 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW

Operator: Amoco Oil Co.

Owner: Amoco Oil Co.

Address: State Highway 173 Phone: 804/898-9740

Town: Yorktown State: VA County: York

Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.

Purpose: Receipt of crude oil; receipt and shipment of petroleum products and of fuel oil for power plant consumption; fueling tugboats.

Depth Alongside (feet): 40 | 33 | Latitude (decimal): 37.227222

Total Berthing Space (feet): 650 | 190 | Longitude (decimal): -76.43722

Waterway: **York River** Mile: PWD: 22

Name: **Amoco Oil Co., Yorktown Refinery, East Tanker Wharf.**

Port: Hampton Roads

Location: Right bank, York River, approximately 4.1 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW

Operator: Amoco Oil Co.

Owner: Amoco Oil Co.

Address: State Highway 173 Phone: 804/898-9740

Town: Yorktown State: VA County: York

Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.

Purpose: Receipt of crude oil; receipt and shipment of petroleum products and of fuel oil for power plant consumption; fueling tugboats.

Depth Alongside (feet): 40 | 33 | Latitude (decimal): 37.227222

Total Berthing Space (feet): 650 | 190 | Longitude (decimal): -76.43722

Waterway: **York River** Mile: PWD: 22

Name: **Amoco Oil Co., Yorktown Refinery, East Tanker Wharf.**

Port: Hampton Roads

Location: Right bank, York River, approximately 4.1 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW

Operator: Amoco Oil Co.

Owner: Amoco Oil Co.

Address: State Highway 173 Phone: 804/898-9740

Town: Yorktown State: VA County: York

Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.

Purpose: Receipt of crude oil; receipt and shipment of petroleum products and of fuel oil for power plant consumption; fueling tugboats.

Depth Alongside (feet): 40 | 33 | Latitude (decimal): 37.227222

Total Berthing Space (feet): 650 | 190 | Longitude (decimal): -76.43722

Remarks: Approach extends to the East Tanker Wharf, the West Tanker Wharf (Ref. No. 23), and Barge-Loading Wharves Nos. 1 and 2 (Ref. No. 24). Barges moor at rear of face and tugboats moor at the lowermost mooring dolphi pipelines extend from wharf to fuel-oil storage tanks for a nearby Virginia Power electric power plant, and to storage tanks in the refinery located at rear:Product Pipelines Storage Tanks No. Size No. Capacity (inches) (barrels)Fuel oil 2 24 5 2,500,000Crude oil 1 24 11 1,610,000Petroleum (4 16)products (1 8) 16 1,280,000One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Remarks: Approach extends to the East Tanker Wharf, the West Tanker Wharf (Ref. No. 23), and Barge-Loading Wharves Nos. 1 and 2 (Ref. No. 24). Barges moor at rear of face and tugboats moor at the lowermost mooring dolphi pipelines extend from wharf to fuel-oil storage tanks for a nearby Virginia Power electric power plant, and to storage tanks in the refinery located at rear:Product Pipelines Storage Tanks No. Size No. Capacity (inches) (barrels)Fuel oil 2 24 5 2,500,000 Crude oil 1 24 11 1,610,000 Petroleum (4 16)products (1 8) 16 1,280,000 One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Remarks: Approach extends to the East Tanker Wharf, the West Tanker Wharf (Ref. No. 23), and Barge-Loading Wharves Nos. 1 and 2 (Ref. No. 24). Barges moor at rear of face and tugboats moor at the lowermost mooring dolphi pipelines extend from wharf to fuel-oil storage tanks for a nearby Virginia Power electric power plant, and to storage tanks in the refinery located at rear:Product Pipelines Storage Tanks No. Size No. Capacity (inches) (barrels)Fuel oil 2 24 5 2,500,000 Crude oil 1 24 11 1,610,000 Petroleum (4 16)products (1 8) 16 1,280,000 One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Waterway: **York River** Mile: PWD: 22

Name: **Amoco Oil Co., Yorktown Refinery, East Tanker Wharf.**

Port: Hampton Roads

Location: Right bank, York River, approximately 4.1 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW

Operator: Amoco Oil Co.

Owner: Amoco Oil Co.

Address: State Highway 173 Phone: 804/898-9740

Town: Yorktown State: VA County: York

Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.

Purpose: Receipt of crude oil; receipt and shipment of petroleum products and of fuel oil for power plant consumption; fueling tugboats.

Depth Alongside (feet): 40 | 33 | Latitude (decimal): 37.227222

Total Berthing Space (feet): 650 | 190 | Longitude (decimal): -76.43722

Waterway: **York River** Mile: PWD: 22

Name: **Amoco Oil Co., Yorktown Refinery, East Tanker Wharf.**

Port: Hampton Roads

Location: Right bank, York River, approximately 4.1 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW

Operator: Amoco Oil Co.

Owner: Amoco Oil Co.

Address: State Highway 173 Phone: 804/898-9740

Town: Yorktown State: VA County: York

Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.

Purpose: Receipt of crude oil; receipt and shipment of petroleum products and of fuel oil for power plant consumption; fueling tugboats.

Depth Alongside (feet): 40 | 33 | Latitude (decimal): 37.227222

Total Berthing Space (feet): 650 | 190 | Longitude (decimal): -76.43722

Waterway: **York River** Mile: PWD: 22

Name: **Amoco Oil Co., Yorktown Refinery, East Tanker Wharf.**

Port: Hampton Roads

Location: Right bank, York River, approximately 4.1 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW

Operator: Amoco Oil Co.

Owner: Amoco Oil Co.

Address: State Highway 173 Phone: 804/898-9740

Town: Yorktown State: VA County: York

Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.

Purpose: Receipt of crude oil; receipt and shipment of petroleum products and of fuel oil for power plant consumption; fueling tugboats.

Depth Alongside (feet): 40 | 33 | Latitude (decimal): 37.227222

Total Berthing Space (feet): 650 | 190 | Longitude (decimal): -76.43722

Remarks: Approach extends to the East Tanker Wharf, the West Tanker Wharf (Ref. No. 23), and Barge-Loading Wharves Nos. 1 and 2 (Ref. No. 24). Barges moor at rear of face and tugboats moor at the lowermost mooring dolphi pipelines extend from wharf to fuel-oil storage tanks for a nearby Virginia Power electric power plant, and to storage tanks in the refinery located at rear:Product Pipelines Storage Tanks No. Size No. Capacity (inches) (barrels)Fuel oil 2 24 5 2,500,000Crude oil 1 24 11 1,610,000Petroleum (4 16)products (1 8) 16 1,280,000One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Remarks: Approach extends to the East Tanker Wharf, the West Tanker Wharf (Ref. No. 23), and Barge-Loading Wharves Nos. 1 and 2 (Ref. No. 24). Barges moor at rear of face and tugboats moor at the lowermost mooring dolphi pipelines extend from wharf to fuel-oil storage tanks for a nearby Virginia Power electric power plant, and to storage tanks in the refinery located at rear:Product Pipelines Storage Tanks No. Size No. Capacity (inches) (barrels)Fuel oil 2 24 5 2,500,000 Crude oil 1 24 11 1,610,000 Petroleum (4 16)products (1 8) 16 1,280,000 One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Remarks: Approach extends to the East Tanker Wharf, the West Tanker Wharf (Ref. No. 23), and Barge-Loading Wharves Nos. 1 and 2 (Ref. No. 24). Barges moor at rear of face and tugboats moor at the lowermost mooring dolphi pipelines extend from wharf to fuel-oil storage tanks for a nearby Virginia Power electric power plant, and to storage tanks in the refinery located at rear:Product Pipelines Storage Tanks No. Size No. Capacity (inches) (barrels)Fuel oil 2 24 5 2,500,000 Crude oil 1 24 11 1,610,000 Petroleum (4 16)products (1 8) 16 1,280,000 One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Waterway: **York River** Mile: PWD: 22

Name: **Amoco Oil Co., Yorktown Refinery, East Tanker Wharf.**

Port: Hampton Roads

Location: Right bank, York River, approximately 4.1 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW

Operator: Amoco Oil Co.

Owner: Amoco Oil Co.

Address: State Highway 173 Phone: 804/898-9740

Town: Yorktown State: VA County: York

Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.

Purpose: Receipt of crude oil; receipt and shipment of petroleum products and of fuel oil for power plant consumption; fueling tugboats.

Depth Alongside (feet): 40 | 33 | Latitude (decimal): 37.227222

Total Berthing Space (feet): 650 | 190 | Longitude (decimal): -76.43722

Waterway: **York River** Mile: PWD: 22

Name: **Amoco Oil Co., Yorktown Refinery, East Tanker Wharf.**

Port: Hampton Roads

Location: Right bank, York River, approximately 4.1 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW

Operator: Amoco Oil Co.

Owner: Amoco Oil Co.

Address: State Highway 173 Phone: 804/898-9740

Town: Yorktown State: VA County: York

Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.

Purpose: Receipt of crude oil; receipt and shipment of petroleum products and of fuel oil for power plant consumption; fueling tugboats.

Depth Alongside (feet): 40 | 33 | Latitude (decimal): 37.227222

Total Berthing Space (feet): 650 | 190 | Longitude (decimal): -76.43722

Waterway: **York River** Mile: PWD: 22

Name: **Amoco Oil Co., Yorktown Refinery, East Tanker Wharf.**

Port: Hampton Roads

Location: Right bank, York River, approximately 4.1 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW

Operator: Amoco Oil Co.

Owner: Amoco Oil Co.

Address: State Highway 173 Phone: 804/898-9740

Town: Yorktown State: VA County: York

Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.

Purpose: Receipt of crude oil; receipt and shipment of petroleum products and of fuel oil for power plant consumption; fueling tugboats.

Depth Alongside (feet): 40 | 33 | Latitude (decimal): 37.227222

Total Berthing Space (feet): 650 | 190 | Longitude (decimal): -76.43722

Remarks: Approach extends to the East Tanker Wharf, the West Tanker Wharf (Ref. No. 23), and Barge-Loading Wharves Nos. 1 and 2 (Ref. No. 24). Barges moor at rear of face and tugboats moor at the lowermost mooring dolphi pipelines extend from wharf to fuel-oil storage tanks for a nearby Virginia Power electric power plant, and to storage tanks in the refinery located at rear:Product Pipelines Storage Tanks No. Size No. Capacity (inches) (barrels)Fuel oil 2 24 5 2,500,000Crude oil 1 24 11 1,610,000Petroleum (4 16)products (1 8) 16 1,280,000One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Remarks: Approach extends to the East Tanker Wharf, the West Tanker Wharf (Ref. No. 23), and Barge-Loading Wharves Nos. 1 and 2 (Ref. No. 24). Barges moor at rear of face and tugboats moor at the lowermost mooring dolphi pipelines extend from wharf to fuel-oil storage tanks for a nearby Virginia Power electric power plant, and to storage tanks in the refinery located at rear:Product Pipelines Storage Tanks No. Size No. Capacity (inches) (barrels)Fuel oil 2 24 5 2,500,000 Crude oil 1 24 11 1,610,000 Petroleum (4 16)products (1 8) 16 1,280,000 One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Remarks: Approach extends to the East Tanker Wharf, the West Tanker Wharf (Ref. No. 23), and Barge-Loading Wharves Nos. 1 and 2 (Ref. No. 24). Barges moor at rear of face and tugboats moor at the lowermost mooring dolphi pipelines extend from wharf to fuel-oil storage tanks for a nearby Virginia Power electric power plant, and to storage tanks in the refinery located at rear:Product Pipelines Storage Tanks No. Size No. Capacity (inches) (barrels)Fuel oil 2 24 5 2,500,000 Crude oil 1 24 11 1,610,000 Petroleum (4 16)products (1 8) 16 1,280,000 One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Waterway: **York River** Mile: PWD: 23
Name: **Amoco Oil Co., Yorktown Refinery, West Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, York River, approximately 3.9 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of crude oil, and of fuel oil for power plant consumption.
Depth Alongside (feet): 40 | | Latitude (decimal): 37.226667
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.44139

Waterway: **York River** Mile: PWD: 23
Name: **Amoco Oil Co., Yorktown Refinery, West Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, York River, approximately 3.9 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of crude oil, and of fuel oil for power plant consumption.
Depth Alongside (feet): 40 | | Latitude (decimal): 37.226667
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.44139

Waterway: **York River** Mile: PWD: 23
Name: **Amoco Oil Co., Yorktown Refinery, West Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, York River, approximately 3.9 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of crude oil, and of fuel oil for power plant consumption.
Depth Alongside (feet): 40 | | Latitude (decimal): 37.226667
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.44139

Waterway: **York River** Mile: PWD: 23
Name: **Amoco Oil Co., Yorktown Refinery, West Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, York River, approximately 3.9 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of crude oil, and of fuel oil for power plant consumption.
Depth Alongside (feet): 40 | | Latitude (decimal): 37.226667
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.44139
Remarks: Two 24-inch, fuel-oil pipelines connect to pipelines extending to power plant storage tanks, and one 24-inch, crude-oil pipeline connects to pipeline extending to refinery storage tanks, all described under East (Ref. No. 22). One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Remarks: Two 24-inch, fuel-oil pipelines connect to pipelines extending to power plant storage tanks, and one 24-inch, crude-oil pipeline connects to pipeline extending to refinery storage tanks, all described under East (Ref. No. 22). One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Remarks: Two 24-inch, fuel-oil pipelines connect to pipelines extending to power plant storage tanks, and one 24-inch, crude-oil pipeline connects to pipeline extending to refinery storage tanks, all described under East (Ref. No. 22). One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Waterway: **York River** Mile: PWD: 23
Name: **Amoco Oil Co., Yorktown Refinery, West Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, York River, approximately 3.9 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of crude oil, and of fuel oil for power plant consumption.
Depth Alongside (feet): 40 | | Latitude (decimal): 37.226667
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.44139

Waterway: **York River** Mile: PWD: 23
Name: **Amoco Oil Co., Yorktown Refinery, West Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, York River, approximately 3.9 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of crude oil, and of fuel oil for power plant consumption.
Depth Alongside (feet): 40 | | Latitude (decimal): 37.226667
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.44139

Waterway: **York River** Mile: PWD: 23
Name: **Amoco Oil Co., Yorktown Refinery, West Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, York River, approximately 3.9 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of crude oil, and of fuel oil for power plant consumption.
Depth Alongside (feet): 40 | | Latitude (decimal): 37.226667
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.44139

Waterway: **York River** Mile: PWD: 23
Name: **Amoco Oil Co., Yorktown Refinery, West Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, York River, approximately 3.9 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of crude oil, and of fuel oil for power plant consumption.
Depth Alongside (feet): 40 | | Latitude (decimal): 37.226667
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.44139
Remarks: Two 24-inch, fuel-oil pipelines connect to pipelines extending to power plant storage tanks, and one 24-inch, crude-oil pipeline connects to pipeline extending to refinery storage tanks, all described under East (Ref. No. 22). One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Remarks: Two 24-inch, fuel-oil pipelines connect to pipelines extending to power plant storage tanks, and one 24-inch, crude-oil pipeline connects to pipeline extending to refinery storage tanks, all described under East (Ref. No. 22). One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Remarks: Two 24-inch, fuel-oil pipelines connect to pipelines extending to power plant storage tanks, and one 24-inch, crude-oil pipeline connects to pipeline extending to refinery storage tanks, all described under East (Ref. No. 22). One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Waterway: **York River** Mile: PWD: 23
Name: **Amoco Oil Co., Yorktown Refinery, West Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, York River, approximately 3.9 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of crude oil, and of fuel oil for power plant consumption.
Depth Alongside (feet): 40 | | Latitude (decimal): 37.226667
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.44139

Waterway: **York River** Mile: PWD: 23
Name: **Amoco Oil Co., Yorktown Refinery, West Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, York River, approximately 3.9 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of crude oil, and of fuel oil for power plant consumption.
Depth Alongside (feet): 40 | | Latitude (decimal): 37.226667
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.44139

Waterway: **York River** Mile: PWD: 23
Name: **Amoco Oil Co., Yorktown Refinery, West Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, York River, approximately 3.9 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of crude oil, and of fuel oil for power plant consumption.
Depth Alongside (feet): 40 | | Latitude (decimal): 37.226667
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.44139

Waterway: **York River** Mile: PWD: 23
Name: **Amoco Oil Co., Yorktown Refinery, West Tanker Wharf.**
Port: Hampton Roads
Location: Right bank, York River, approximately 3.9 miles below Coleman Memorial (U.S. Highway 17) Bridge, on Good Datum: MLLW
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: State Highway 173 Phone: 804/898-9740
Town: Yorktown State: VA County: York
Railway Connection: Four surface tracks in terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of crude oil, and of fuel oil for power plant consumption.
Depth Alongside (feet): 40 | | Latitude (decimal): 37.226667
Total Berthing Space (feet): 900 | | Longitude (decimal): -76.44139
Remarks: Two 24-inch, fuel-oil pipelines connect to pipelines extending to power plant storage tanks, and one 24-inch, crude-oil pipeline connects to pipeline extending to refinery storage tanks, all described under East (Ref. No. 22). One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Remarks: Two 24-inch, fuel-oil pipelines connect to pipelines extending to power plant storage tanks, and one 24-inch, crude-oil pipeline connects to pipeline extending to refinery storage tanks, all described under East (Ref. No. 22). One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Remarks: Two 24-inch, fuel-oil pipelines connect to pipelines extending to power plant storage tanks, and one 24-inch, crude-oil pipeline connects to pipeline extending to refinery storage tanks, all described under East (Ref. No. 22). One 3-inch compressed air line serves wharf.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

---

Waterway: **York River** Mile: PWD: 28

Name: **City of Yorktown Pier.**

Port: Hampton Roads

Location: Right bank, York River, approximately 0.5 mile below Coleman Memorial (U.S. Highway 17) Bridge, Yorktown Datum: MLLW

Operator: County of York.

Owner: County of York.

Address: Water and Comte de Grasse Streets Phone: 804/890-3510

Town: Yorktown State: VA County: York

Railway Connection: None.

Purpose: Landing for cruise vessels; occasional mooring of miscellaneous vessels.

Depth Alongside (feet): | 8 | Latitude (decimal): 37.235278

Total Berthing Space (feet): - | 260 | Longitude (decimal): -76.50333

Remarks: City of Yorktown Wharf, located 400 feet below Coleman Memorial (U.S. Highway 17) Bridge, formerly was used as a passenger landing. The 188-foot-long, concrete pile, concrete-decked wharf was in deteriorated con Plans call for rebuilding wharf as a steel sheet pile bulkhead with concrete-surfaced, solid fill.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

---

Waterway: **York River** Mile: PWD: 27

Name: **U.S. Coast Guard, Reserve Training Center, Pier No. 41.**

Port: Hampton Roads

Location: Right bank, York River, approximately 1.9 miles below Coleman Memorial (U.S. Highway 17) Bridge, Yorktow Datum: MLLW

Operator: U.S. Coast Guard and U.S. Navy.

Owner: U.S. Government.

Address: Hamilton Road (State Highway 238) Phone: 804/898-2309

Town: Yorktown State: VA County: York

Railway Connection: None.

Purpose: Mooring U.S. Coast Guard and U.S. Navy vessels.

Depth Alongside (feet): 42 | 27 | 20 Latitude (decimal): 37.226667

Total Berthing Space (feet): 400 | 180 | 180 Longitude (decimal): -76.47889

Remarks: Lower, 39+590- by 40-foot portion of wharf is operated by U.S. Navy. Upper, 210- by 70-foot portion of wharf and adjacent breasting dolphins are operated by U.S. Coast Guard as Berth 1, described above, with an berthing space in 21-foot water depth available at rear of face. Coast Guard Cutter 'Morro Bay' moors at the outer, longer side of Pier 2, the outer pier. Piers form a slip 80 feet wide. A 5-foot-high, L-shaped, 60timber pile, timber-decked pier, used for mooring small vessels, extends from upper side of approach, 150 feet inward of Pier 3.

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

---

Port Facilities by Waterway

Waterway: **York River** Mile: PWD: 38
Name: **Virginia Institute of Marine Science, Basin.**
Port: Hampton Roads
Location: Left bank, York River, approximately 200 feet above Coleman Memorial (U.S. Highway 17) Bridge, at outer Datum: MLLW
Operator: Virginia Institute of Marine Science.
Owner: State of Virginia.
Address: Greate Road (State Highway 1208) Phone: 804/642-7054
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Mooring and fueling research vessels; handling supplies and equipment.
Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 37.248333
Total Berthing Space (feet): 175 | 150 | 150 Longitude (decimal): -76.50389

Waterway: **York River** Mile: PWD: 38
Name: **Virginia Institute of Marine Science, Basin.**
Port: Hampton Roads
Location: Left bank, York River, approximately 200 feet above Coleman Memorial (U.S. Highway 17) Bridge, at outer Datum: MLLW
Operator: Virginia Institute of Marine Science.
Owner: State of Virginia.
Address: Greate Road (State Highway 1208) Phone: 804/642-7054
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Mooring and fueling research vessels; handling supplies and equipment.
Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 37.248333
Total Berthing Space (feet): 175 | 150 | 150 Longitude (decimal): -76.50389

Remarks: One 65- and five 45- by 20-foot slips, and five 30- and five- 20- by 10-foot slips, extend from northwest and northeast sides, respectively. One 1 1/2-inch fuel pipeline extends to metered pump on northeast side storage tank at rear. Three buildings used as a marine repair shop, office, and diving equipment shop are located at rear of east sides, and a 24-foot-wide concrete launching ramp is located at the south end of the s

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Remarks: One 65- and five 45- by 20-foot slips, and five 30- and five- 20- by 10-foot slips, extend from northwest and northeast sides, respectively. One 1 1/2-inch fuel pipeline extends to metered pump on northeast side storage tank at rear. Three buildings used as a marine repair shop, office, and diving equipment shop are located at rear of east sides, and a 24-foot-wide concrete launching ramp is located at the south end of the s

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Waterway: **York River** Mile: PWD: 38
Name: **Virginia Institute of Marine Science, Basin.**
Port: Hampton Roads
Location: Left bank, York River, approximately 200 feet above Coleman Memorial (U.S. Highway 17) Bridge, at outer Datum: MLLW
Operator: Virginia Institute of Marine Science.
Owner: State of Virginia.
Address: Greate Road (State Highway 1208) Phone: 804/642-7054
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Mooring and fueling research vessels; handling supplies and equipment.
Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 37.248333
Total Berthing Space (feet): 175 | 150 | 150 Longitude (decimal): -76.50389

Waterway: **York River** Mile: PWD: 38
Name: **Virginia Institute of Marine Science, Basin.**
Port: Hampton Roads
Location: Left bank, York River, approximately 200 feet above Coleman Memorial (U.S. Highway 17) Bridge, at outer Datum: MLLW
Operator: Virginia Institute of Marine Science.
Owner: State of Virginia.
Address: Greate Road (State Highway 1208) Phone: 804/642-7054
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Mooring and fueling research vessels; handling supplies and equipment.
Depth Alongside (feet): 6 | 6 | 6 Latitude (decimal): 37.248333
Total Berthing Space (feet): 175 | 150 | 150 Longitude (decimal): -76.50389

Remarks: One 65- and five 45- by 20-foot slips, and five 30- and five- 20- by 10-foot slips, extend from northwest and northeast sides, respectively. One 1 1/2-inch fuel pipeline extends to metered pump on northeast side storage tank at rear. Three buildings used as a marine repair shop, office, and diving equipment shop are located at rear of east sides, and a 24-foot-wide concrete launching ramp is located at the south end of the s

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Remarks: One 65- and five 45- by 20-foot slips, and five 30- and five- 20- by 10-foot slips, extend from northwest and northeast sides, respectively. One 1 1/2-inch fuel pipeline extends to metered pump on northeast side storage tank at rear. Three buildings used as a marine repair shop, office, and diving equipment shop are located at rear of east sides, and a 24-foot-wide concrete launching ramp is located at the south end of the s

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Waterway: **York River** Mile: PWD: 39
Name: **Virginia Institute of Marine Science, Ferry Pier.**
Port: Hampton Roads
Location: Left bank, York River, approximately 0.3 mile below Coleman Memorial (U.S. Highway 17) Bridge, on lower Datum: MLLW
Operator: Virginia Institute of Marine Science.
Owner: State of Virginia.
Address: Greate Road (State Highway 1208) Phone: 804/642-7054
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Occasional mooring of research vessels; handling supplies and equipment.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 37.246111
Total Berthing Space (feet): 150 | | Longitude (decimal): -76.49972

Waterway: **York River** Mile: PWD: 39
Name: **Virginia Institute of Marine Science, Ferry Pier.**
Port: Hampton Roads
Location: Left bank, York River, approximately 0.3 mile below Coleman Memorial (U.S. Highway 17) Bridge, on lower Datum: MLLW
Operator: Virginia Institute of Marine Science.
Owner: State of Virginia.
Address: Greate Road (State Highway 1208) Phone: 804/642-7054
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Occasional mooring of research vessels; handling supplies and equipment.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 37.246111
Total Berthing Space (feet): 150 | | Longitude (decimal): -76.49972
Remarks: A building used as a laboratory is located on the lower side of the approach.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Remarks: A building used as a laboratory is located on the lower side of the approach.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Port Facilities by Waterway

Waterway: **York River** Mile: PWD: 39
Name: **Virginia Institute of Marine Science, Ferry Pier.**
Port: Hampton Roads
Location: Left bank, York River, approximately 0.3 mile below Coleman Memorial (U.S. Highway 17) Bridge, on lower Datum: MLLW
Operator: Virginia Institute of Marine Science.
Owner: State of Virginia.
Address: Greate Road (State Highway 1208) Phone: 804/642-7054
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Occasional mooring of research vessels; handling supplies and equipment.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 37.246111
Total Berthing Space (feet): 150 | | Longitude (decimal): -76.49972

Waterway: **York River** Mile: PWD: 39
Name: **Virginia Institute of Marine Science, Ferry Pier.**
Port: Hampton Roads
Location: Left bank, York River, approximately 0.3 mile below Coleman Memorial (U.S. Highway 17) Bridge, on lower Datum: MLLW
Operator: Virginia Institute of Marine Science.
Owner: State of Virginia.
Address: Greate Road (State Highway 1208) Phone: 804/642-7054
Town: Gloucester Pt. State: VA County: Gloucester
Railway Connection: None.
Purpose: Occasional mooring of research vessels; handling supplies and equipment.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 37.246111
Total Berthing Space (feet): 150 | | Longitude (decimal): -76.49972

Remarks: A building used as a laboratory is located on the lower side of the approach.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

Remarks: A building used as a laboratory is located on the lower side of the approach.□□

Port Series: 11 Year of Last Survey: 1993 Corps of Engnrs Waterway Code: 10270 Norfolk District

US Army Corps of Engineers
Dredging Contracts Awarded

District Norfolk

JOBNAME	Dredge Type	Bid Date	Quantity Cubic Yards	Government Estimate	Winning Bid	Winning Bidder	Status of Business	Number of Bids
FY 1997 Awards								
CHINC. BAY GREENBACKVILLE	P	2/11/1997	10,000	$272,020	$144,000	COTTRELL ENGINEERING CORP.	E	4
CHINC. HBR. REFUGE	P	3/6/1997	10,000	$215,600	$74,500	COTTRELL ENGINEERING CORP.	E	3
CHINC. INLET OCEAN BAR	H	4/10/1997	107,000	$696,200	$689,090	GULF COAST TRAILING CO.	L	2
GUILFORD CREEK	P	4/8/1997	45,100	$521,020	$642,926	COTTRELL ENGINEERING CORP.	E	2
HAMPTON CREEK	B	3/11/1997	51,400	$400,570	$235,828	HAMPTON ROADS LEASING, INC.	S	2
HORN HARBOR	P	6/18/1997	2,400	$197,820	$67,200	COTTRELL ENGINEERING CORP.	E	3
JAMES RIVER - LOWER	P	11/13/1996	300,000	$1,331,180	$1,024,000	COTTRELL ENGINEERING CORP.	E	2
JAMES RIVER - UPPER & LOWER	P	6/12/1997	1,670,000	$6,693,850	$3,854,000	MARINEX DREDGING CO	S	3
LYNNHAVEN INLET	P	6/17/1997	134,300	$800,320	$830,525	COTTRELL ENGINEERING CORP.	E	3
NEWPORT NEWS CREEK	X	8/5/1997	658,000	$809,900	$508,610	COTTRELL ENGINEERING CORP.	E	3
NORFOLK HARBOR - 45/50' CHAN	P	8/27/1997	365,000	$1,269,000	$948,650	NORFOLK DREDGING COMPANY	L	2
NORFOLK HARBOR - SOUTHERN BR	B	9/11/1997	115,000	$822,100	$649,700	NORFOLK DREDGING COMPANY	L	4
RAMSHORN/PARKER CREEK	P	7/31/1997	155,000	$905,420	$578,000	COTTRELL ENGINEERING CORP.	E	4
WCV -WHITE TROUT & SWASH BAY	P	3/27/1997	70,000	$351,500	$272,000	COTTRELL ENGINEERING CORP.	E	3
			3,693,200	$15,286,500	$10,519,029			
FY 1998 Awards								
CHANNEL TO NEWPORT NEWS	P	9/1/1998	215,000	$1,272,840	$1,961,450	NORFOLK DREDGING COMPANY	L	3
CHINCOTEAGUE INLET OCEAN BAR	H	6/10/1998	69,000	$644,900	$336,090	WEEKS MARINE, INC.(GULF)	L	3
NANDUA CREEK	P	9/9/1998	25,000	$267,650	$114,000	COTTRELL ENGINEERING CORP.	E	2
NORFOLK HARBOR 45'/50'	P	9/8/1998	665,000	$2,098,500	$1,821,000	NORFOLK DREDGING COMPANY	L	4
NORFOLK HARBOR SOUTHERN BR	B	9/8/1998	40,000	$334,800	$295,150	NORFOLK DREDGING COMPANY	L	4
OYSTER CHANNEL	P	9/8/1998	24,000	$352,870	$91,000	COTTRELL ENGINEERING CORP.	E	2
RUDEE INLET	P	3/19/1998	83,000	$662,920	$471,303	MARINEX DREDGING CO	S	4
SANDBRIDGE BEACH, VIRGINIA	Y	4/1/1998	1,300,000	$9,211,100	$9,399,000	GREAT LAKES DREDGE & DOCK CO.	L	2
WCV-NORTH, SLOOP&BURTON BAY	P	5/5/1998	197,500	$773,250	$479,625	COTTRELL ENGINEERING CORP.	E	5
YORK RIVER ENTRANCE CHANNEL	Z	5/28/1998	900,000	$3,593,520	$3,188,200	GREAT LAKES DREDGE & DOCK CO.	L	2
			3,518,500	$19,212,350	$18,156,818			
FY 1999 Awards								
CHINCOTEAGUE INLET OCEAN BAR	H	9/8/1999	100,000	$521,870	$592,500	B+B DREDGING CORPORATION	S	1
CRANEY ISLAND REHANDLING BAS	P	9/21/1999	1,500,000	$2,940,220	$2,830,000	GREAT LAKES DREDGE & DOCK CO.	L	3
NORFOLK HARBOR 50'ANCHORAGE	P	4/28/1999	550,000	$2,045,700	$2,877,576	WEEKS MARINE, INC (ATLANTIC)	L	3
RUDEE INLET	P	2/23/1999	100,000	$544,312	$584,508	SOUTHERN DREDGING CO., INC.	E	3
THIMBLE SHOAL CHANNEL	H	9/21/1999	300,000	$2,745,940	$3,478,799	WEEKS MARINE, INC (ATLANTIC)	L	2
WATERWAY ON COAST OF VA	P	7/8/1999	100,000	$848,010	$699,250	COTTRELL ENGINEERING CORP.	E	2
WHITINGS CREEK	P	9/9/1999	23,000	$96,000	$223,000	COTTRELL ENGINEERING CORP.	E	1
WORMLEY CREEK	B	4/29/1999	21,000	$387,680	$615,700	VIRGINIA MARINE STRUCTURES	S	4

US Army Corps of Engineers
Dredging Contracts Awarded

District Norfolk

JOBNAME	Dredge Type	Bid Date	Quantity Cubic Yards	Government Estimate	Winning Bid	Winning Bidder	Status of Business	Number of Bids
			2,694,000	$10,129,732	$11,901,333			
FY 2000 Awards								
JAMES RIVER - ALL REACHES	P	6/6/2000	1,000,050	$3,451,200	$2,057,000	COTTRELL ENGINEERING CORP.	E	4
NORFOLK HARBOR-45'/50'CHNL	P	1/25/2000	290,000	$1,332,100	$1,364,200	MARINEX DREDGING CO	S	5
RUDEE INLET - VIRGINIA BEACH	P	2/29/2000	59,740	$656,082	$489,610	COTTRELL ENGINEERING CORP.	E	4
TANGIER CHANNELS	P	4/11/2000	65,000	$469,600	$426,500	ALL STATE ENVIRONMENTAL DRDG	S	3
USCG INTEGRATED SPT COMMAND	P	7/26/2000	325,000	$1,374,930	$943,790	MARINEX DREDGING CO	S	4
WATERWAY ON COAST OF VA	P	8/30/2000	138,000	$782,930	$566,750	COTTRELL ENGINEERING CORP.	E	2
			1,877,790	$8,066,842	$5,847,850			
FY 2001 Awards								
Norfolk Harbor 45'-50'	P	1/16/2001	600,000	$2,147,300	$2,369,000	MARINEX DREDGING CO	S	2
Rudee Inlet	P	2/7/2001	80,000	$526,698	$734,684	COTTRELL ENGINEERING CORP.	E	2
Starlings Creek	P	12/19/2000	63,000	$327,260	$294,000	COTTRELL ENGINEERING CORP.	E	4
			743,000	$3,001,258	$3,397,684			
FY 2002 Awards								
Channel to Newport News	P	2/26/2002	250,000	$1,574,000	$996,640	NORFOLK DREDGING COMPANY	L	5
Chincoteague Bay	P	6/27/2002	11,000	$297,722	$123,280	RAY NORNES, INC	S	4
Chincoteague Inlet	H	6/27/2002	90,000	$1,646,000	$2,044,286	NATCO LIMITED PARTNERSHIP	L	2
Norfolk Harbor 45'-50'	P	5/15/2002	365,000	$1,488,000	$1,155,750	NORFOLK DREDGING COMPANY	L	3
Rudee Inlet	H	3/7/2002	54,000	$646,054	$613,960	COTTRELL ENGINEERING CORP.	S	2
Sandbridge Beach	H	8/22/2002	1,500,000	$10,600,000	$7,250,000	WEEKS MARINE, INC (ATLANTIC)	L	3
Winter Harbor	H	1/8/2002	168,100	$1,490,050	$1,744,840	COTTRELL ENGINEERING CORP.	S	1
			2,438,100	$17,741,826	$13,928,756			

Dredge Type
B Bucket
D Dustpan
H Hopper
N Nonconventional
P Pipeline
S Sidecaster
W Combination - All types
X Pipeline & Bucket
Y Pipeline & Hopper
Z Hopper & Bucket
u undefined

Status of Business
E Emerging Small
L Large
S Small